

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
UNITED STATES --	2337,256	28,371	5,251	3,530	4,261	13,788	16,839	18,151	24,365	37,236	51,630	65,410
WHITE-----MALE----	990,190	10,327	2,010	1,424	1,929	7,246	9,133	9,082	11,905	18,024	24,943	31,547
FEMALE--	1025,794	8,234	1,618	1,032	1,228	3,079	2,838	3,581	5,512	9,280	13,100	17,184
ALL OTHER--MALE----	167,070	5,459	910	614	719	2,667	3,671	3,808	4,420	6,010	8,162	10,160
FEMALE--	154,202	4,351	713	460	385	796	1,197	1,680	2,528	3,922	5,425	6,519
BLACK---MALE----	143,417	4,883	795	532	582	2,296	3,226	3,310	3,832	5,302	7,288	9,045
FEMALE--	135,023	3,843	602	388	313	643	994	1,435	2,227	3,537	4,878	5,801
ALABAMA -----	43,950	633	118	71	95	311	389	427	509	750	1,021	1,308
WHITE-----MALE----	16,517	162	42	27	35	147	170	153	213	301	428	532
FEMALE--	16,468	156	28	14	24	66	54	81	99	172	228	294
ALL OTHER--MALE----	5,526	170	31	22	22	83	121	131	121	177	225	296
FEMALE--	5,439	145	17	8	14	15	44	62	76	100	140	186
BLACK---MALE----	5,472	169	31	22	22	82	120	127	120	177	220	293
FEMALE--	5,393	142	17	8	14	15	43	61	76	97	139	181
ALASKA -----	2,571	59	15	12	18	42	62	49	55	96	125	164
WHITE-----MALE----	1,084	24	5	5	6	14	33	18	21	30	50	98
FEMALE--	751	7	4	4	4	3	4	11	8	19	25	32
ALL OTHER--MALE----	414	18	3	1	5	19	20	16	15	29	31	23
FEMALE--	322	10	3	2	3	6	5	4	11	18	19	11
BLACK---MALE----	39	4	-	-	1	1	2	2	1	1	2	5
FEMALE--	30	2	-	-	-	-	1	1	1	-	1	2
ARIZONA -----	38,300	590	144	64	78	278	381	403	505	705	986	1,097
WHITE-----MALE----	18,781	263	67	28	37	150	235	241	260	408	566	653
FEMALE--	16,851	206	45	26	24	69	64	80	129	165	274	304
ALL OTHER--MALE----	1,510	69	17	5	12	49	62	61	79	88	83	101
FEMALE--	1,158	52	15	5	5	10	20	21	37	44	63	39
BLACK---MALE----	523	29	2	-	2	12	17	16	18	31	24	35
FEMALE--	424	24	4	-	3	3	4	4	9	16	24	15
ARKANSAS -----	27,510	329	53	46	70	206	209	202	270	404	563	716
WHITE-----MALE----	11,711	135	23	19	32	99	103	99	147	186	262	334
FEMALE--	11,638	80	19	16	23	55	38	40	60	125	132	184
ALL OTHER--MALE----	2,124	71	10	3	14	36	52	45	44	53	100	111
FEMALE--	2,037	43	1	8	1	16	16	18	19	40	69	87
BLACK---MALE----	2,080	70	10	3	13	36	51	43	42	52	97	109
FEMALE--	1,986	42	1	7	1	13	16	16	19	39	69	85
CALIFORNIA -----	226,954	3,007	590	381	475	1,392	1,839	2,007	2,711	3,969	5,596	7,070
WHITE-----MALE----	97,027	1,229	263	162	211	787	1,114	1,163	1,535	2,102	2,939	3,553
FEMALE--	97,553	1,010	201	132	139	282	313	390	614	1,055	1,484	1,926
ALL OTHER--MALE----	17,512	407	65	52	85	242	306	318	372	516	711	962
FEMALE--	14,862	361	61	35	40	81	106	136	190	296	462	629
BLACK---MALE----	9,365	278	43	35	48	141	198	196	241	340	484	628
FEMALE--	8,412	227	32	23	17	42	53	83	130	197	316	407

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
UNITED STATES --	81,069	100,645	133,079	189,780	269,202	329,463	352,200	314,495	202,354	77,988	17,738	411
WHITE-----MALE----	39,365	49,142	65,269	94,345	130,959	153,165	148,428	109,466	54,414	15,373	2,443	251
FEMALE--	24,060	31,413	43,488	66,408	102,952	139,597	170,991	178,537	132,288	56,056	13,259	59
ALL OTHER--MALE----	10,655	11,753	13,970	15,848	18,191	18,261	14,358	10,231	5,051	1,683	396	73
FEMALE--	6,989	8,337	10,352	13,179	17,100	18,440	18,423	16,261	10,601	4,876	1,640	28
BLACK---MALE----	9,315	10,260	12,130	13,714	15,560	15,365	11,951	8,286	3,993	1,341	344	67
FEMALE--	6,104	7,336	9,087	11,459	14,874	16,083	16,016	14,208	9,396	4,303	1,470	26
ALABAMA -----	1,769	2,044	2,887	4,027	5,083	6,138	6,130	5,464	3,253	1,215	308	-
WHITE-----MALE----	756	941	1,260	1,867	2,218	2,541	2,239	1,587	678	194	26	-
FEMALE--	413	527	839	1,220	1,704	2,267	2,714	2,755	1,939	722	152	-
ALL OTHER--MALE----	362	321	436	517	573	642	507	455	206	78	30	-
FEMALE--	238	255	352	423	588	688	670	667	430	221	100	-
BLACK---MALE----	359	320	428	512	567	632	507	453	203	78	30	-
FEMALE--	236	253	345	421	583	681	668	664	428	221	100	-
ALASKA -----	161	179	190	224	309	281	228	174	93	30	5	-
WHITE-----MALE----	78	92	91	105	134	120	81	51	19	8	1	-
FEMALE--	41	46	44	65	92	96	99	80	50	14	3	-
ALL OTHER--MALE----	29	17	29	35	38	37	23	13	10	3	-	-
FEMALE--	13	24	26	19	45	28	25	30	14	5	1	-
BLACK---MALE----	6	2	3	4	3	-	1	-	1	-	-	-
FEMALE--	-	2	5	1	4	4	1	4	1	-	-	-
ARIZONA -----	1,383	1,628	2,197	3,129	4,533	5,546	5,746	4,817	2,855	982	217	36
WHITE-----MALE----	779	893	1,208	1,725	2,450	2,874	2,771	1,971	915	222	35	30
FEMALE--	444	554	808	1,178	1,862	2,474	2,770	2,657	1,826	723	164	5
ALL OTHER--MALE----	84	105	98	118	109	108	97	87	54	19	5	-
FEMALE--	76	76	83	108	112	90	108	102	60	18	13	1
BLACK---MALE----	27	36	35	51	44	52	40	28	17	7	-	-
FEMALE--	23	27	27	33	42	38	42	47	27	8	4	-
ARKANSAS -----	936	1,284	1,658	2,329	3,152	3,777	4,038	3,812	2,414	853	189	-
WHITE-----MALE----	482	661	847	1,200	1,623	1,718	1,661	1,306	590	161	23	-
FEMALE--	265	397	537	803	1,118	1,598	1,897	2,045	1,530	556	120	-
ALL OTHER--MALE----	113	140	152	174	191	230	215	209	108	41	12	-
FEMALE--	76	86	122	152	220	231	265	252	186	95	34	-
BLACK---MALE----	112	138	146	167	188	228	211	207	105	40	12	-
FEMALE--	73	84	120	145	213	223	261	244	186	95	34	-
CALIFORNIA -----	8,452	9,929	12,558	17,600	25,343	31,869	33,756	29,918	19,065	7,597	1,721	109
WHITE-----MALE----	4,244	4,790	6,045	8,400	11,755	14,513	14,179	10,787	5,289	1,626	256	85
FEMALE--	2,507	3,155	4,135	6,299	9,894	13,269	15,792	16,235	12,109	5,312	1,285	15
ALL OTHER--MALE----	1,054	1,199	1,376	1,619	2,040	2,171	1,790	1,296	690	203	31	7
FEMALE--	647	785	1,002	1,282	1,654	1,916	1,995	1,600	977	456	149	2
BLACK---MALE----	634	733	812	895	1,038	1,010	770	508	249	68	13	3
FEMALE--	407	469	624	704	895	1,041	1,048	803	544	261	88	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 2  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
COLORADO -----	26,640	399	76	54	57	214	242	273	333	508	736	845
WHITE-----MALE----	12,637	196	33	28	29	151	163	187	227	298	445	488
FEMALE--	12,714	150	29	22	23	43	47	60	76	162	226	293
ALL OTHER--MALE----	664	27	6	1	3	14	23	21	22	35	32	36
FEMALE--	625	26	8	3	2	6	9	5	8	13	33	28
BLACK---MALE----	480	22	3	-	1	10	17	15	10	26	27	23
FEMALE--	446	24	7	2	2	3	4	3	5	9	26	21
CONNECTICUT -----	29,710	307	46	27	32	109	146	181	283	390	551	680
WHITE-----MALE----	12,860	113	21	12	11	61	80	105	148	200	298	331
FEMALE--	14,673	95	14	10	15	15	30	33	86	109	147	242
ALL OTHER--MALE----	1,130	48	6	1	3	26	28	28	31	48	54	66
FEMALE--	1,047	51	5	4	3	7	8	15	18	33	52	41
BLACK---MALE----	1,054	45	6	1	3	24	24	25	27	47	54	62
FEMALE--	991	50	4	4	3	5	8	15	18	33	47	36
DELAWARE -----	6,578	102	12	10	10	38	34	41	71	116	167	192
WHITE-----MALE----	2,713	26	4	6	4	21	18	22	30	52	70	80
FEMALE--	2,744	27	3	2	3	7	5	10	16	30	43	37
ALL OTHER--MALE----	580	24	4	2	2	9	9	3	16	23	40	51
FEMALE--	541	25	1	-	1	1	2	6	9	11	14	24
BLACK---MALE----	565	24	4	2	1	9	9	3	15	22	40	50
FEMALE--	520	25	1	-	1	1	2	6	9	11	14	24
DISTRICT OF COLUMBIA ----	6,054	96	24	12	3	48	67	98	130	176	250	274
WHITE-----MALE----	581	7	-	1	-	2	6	7	11	14	18	30
FEMALE--	683	1	5	-	-	-	-	6	5	8	5	13
ALL OTHER--MALE----	2,448	47	9	5	3	40	54	61	79	108	135	157
FEMALE--	2,342	41	10	6	-	6	7	24	35	46	92	74
BLACK---MALE----	2,424	45	9	5	3	40	54	60	78	107	134	156
FEMALE--	2,321	40	10	6	-	6	7	24	35	45	91	72
FLORIDA -----	158,167	1,417	306	212	215	654	877	1,070	1,525	2,331	3,282	3,910
WHITE-----MALE----	72,279	489	103	81	88	315	434	522	706	1,108	1,670	1,941
FEMALE--	68,833	368	78	50	55	161	159	204	358	529	775	1,020
ALL OTHER--MALE----	8,903	320	66	49	40	115	196	223	264	369	488	558
FEMALE--	8,152	240	59	32	32	63	88	121	197	325	349	391
BLACK---MALE----	8,587	313	64	48	40	111	189	210	258	361	473	537
FEMALE--	7,869	235	57	31	31	58	85	114	190	317	338	377
GEORGIA -----	60,428	1,035	187	132	141	431	522	662	905	1,350	1,777	2,235
WHITE-----MALE----	21,721	275	52	40	51	182	211	268	310	484	646	813
FEMALE--	22,021	195	47	20	35	94	81	107	162	251	359	441
ALL OTHER--MALE----	8,402	310	57	49	36	116	160	198	264	367	467	581
FEMALE--	8,284	255	31	23	19	39	70	89	169	248	305	400
BLACK---MALE----	8,197	302	54	48	36	110	157	194	258	358	462	570
FEMALE--	8,138	251	30	23	19	39	70	85	168	245	298	392

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 2  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
COLORADO -----	968	1,120	1,441	2,105	2,874	3,605	3,918	3,485	2,276	892	218	1
WHITE-----MALE----	517	595	796	1,171	1,496	1,818	1,794	1,295	683	195	31	1
FEMALE--	376	454	548	821	1,247	1,634	2,002	2,116	1,542	667	176	-
ALL OTHER--MALE----	46	42	45	64	89	77	44	17	16	4	-	-
FEMALE--	29	29	52	49	42	76	78	57	35	26	11	-
BLACK---MALE----	34	30	36	49	66	55	28	12	12	4	-	-
FEMALE--	18	21	39	29	30	53	53	43	29	19	6	-
CONNECTICUT -----	890	1,133	1,428	2,160	3,174	4,291	4,980	4,355	2,988	1,278	281	-
WHITE-----MALE----	442	578	724	1,157	1,594	2,058	2,200	1,559	859	262	47	-
FEMALE--	313	380	513	814	1,347	2,000	2,601	2,646	2,053	984	226	-
ALL OTHER--MALE----	88	100	111	104	114	122	78	48	21	3	2	-
FEMALE--	47	75	80	85	119	111	101	102	55	29	6	-
BLACK---MALE----	82	96	104	99	107	112	72	41	18	3	2	-
FEMALE--	43	72	72	80	115	104	94	99	54	29	6	-
DELAWARE -----	231	314	390	584	779	1,017	999	774	470	183	44	-
WHITE-----MALE----	91	133	184	298	361	482	408	256	120	38	9	-
FEMALE--	77	97	129	193	305	396	456	446	307	126	29	-
ALL OTHER--MALE----	38	46	38	50	58	66	61	23	9	7	1	-
FEMALE--	25	38	39	43	55	73	74	49	34	12	5	-
BLACK---MALE----	38	45	36	50	55	66	58	22	9	6	1	-
FEMALE--	25	36	36	40	51	71	74	44	32	12	5	-
DISTRICT OF COLUMBIA ----	277	329	422	529	670	762	719	563	364	180	50	11
WHITE-----MALE----	19	21	38	47	71	81	88	58	43	13	3	3
FEMALE--	20	13	17	30	57	89	99	127	112	58	17	1
ALL OTHER--MALE----	140	179	215	253	273	288	205	133	40	15	3	6
FEMALE--	98	116	152	199	269	304	327	245	169	94	27	1
BLACK---MALE----	139	178	213	250	272	286	201	132	38	15	3	6
FEMALE--	95	115	152	198	267	304	327	241	167	91	27	1
FLORIDA -----	4,879	6,146	8,248	12,483	18,561	23,124	25,201	22,628	14,548	5,372	1,119	59
WHITE-----MALE----	2,453	3,157	4,282	6,603	9,631	11,758	11,788	9,002	4,618	1,295	204	31
FEMALE--	1,428	1,861	2,649	4,395	7,131	9,610	11,834	12,348	9,209	3,769	833	9
ALL OTHER--MALE----	609	650	791	816	943	871	704	491	220	84	22	14
FEMALE--	389	478	526	669	856	885	875	787	501	224	60	5
BLACK---MALE----	581	621	768	791	907	844	679	468	207	81	22	14
FEMALE--	370	466	507	620	821	860	850	762	495	221	59	5
GEORGIA -----	2,771	3,235	4,038	5,309	6,745	8,080	7,963	6,970	4,158	1,435	343	4
WHITE-----MALE----	1,092	1,390	1,749	2,277	2,892	3,293	2,734	1,864	837	238	22	1
FEMALE--	646	786	1,050	1,530	2,191	3,071	3,589	3,729	2,529	894	213	1
ALL OTHER--MALE----	615	616	700	815	820	781	673	488	218	59	10	2
FEMALE--	418	443	539	687	842	935	967	889	574	244	98	-
BLACK---MALE----	598	593	678	797	798	761	662	478	213	58	10	2
FEMALE--	407	433	532	673	824	914	951	878	567	241	98	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 3  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
HAWAII -----	8,091	121	15	13	13	47	57	58	102	112	169	220
WHITE-----MALE----	1,270	10	1	1	3	5	9	10	20	21	53	69
FEMALE--	960	12	-	1	1	1	3	-	9	8	18	27
ALL OTHER--MALE----	3,287	50	5	5	4	30	27	34	47	61	65	82
FEMALE--	2,574	49	9	6	5	11	18	14	26	22	33	42
BLACK---MALE----	30	2	1	-	-	1	3	-	1	2	1	3
FEMALE--	21	3	-	-	-	-	2	-	-	-	-	-
IDAHO -----	9,155	140	28	22	28	95	85	73	68	132	182	216
WHITE-----MALE----	4,623	82	13	10	21	62	58	48	47	80	121	131
FEMALE--	4,368	52	13	12	7	26	18	21	16	46	49	81
ALL OTHER--MALE----	90	3	1	-	-	6	5	4	4	3	10	4
FEMALE--	74	3	1	-	-	1	4	-	1	3	2	-
BLACK---MALE----	10	1	-	-	-	1	-	-	-	2	1	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	1	-
ILLINOIS -----	104,480	1,539	221	151	181	691	905	863	1,066	1,615	2,321	2,917
WHITE-----MALE----	42,046	499	64	64	79	317	445	352	461	704	1,012	1,285
FEMALE--	45,362	402	62	37	44	122	128	130	208	376	501	715
ALL OTHER--MALE----	9,082	376	53	32	35	212	262	275	267	311	491	570
FEMALE--	7,990	262	42	18	23	40	70	106	130	224	317	347
BLACK---MALE----	8,583	366	52	31	31	208	258	259	259	300	478	539
FEMALE--	7,559	248	40	17	22	37	67	96	123	215	308	331
INDIANA -----	53,477	649	132	78	99	331	399	359	527	739	1,108	1,375
WHITE-----MALE----	23,806	271	48	41	54	157	218	198	279	382	580	730
FEMALE--	25,086	211	52	24	31	91	72	76	151	223	346	427
ALL OTHER--MALE----	2,362	88	22	6	10	63	89	65	59	79	107	121
FEMALE--	2,223	79	10	7	4	20	20	20	38	55	75	97
BLACK---MALE----	2,300	86	20	6	10	62	89	63	56	77	106	120
FEMALE--	2,166	74	10	7	3	20	19	18	38	53	71	93
IOWA -----	28,362	246	54	43	50	136	143	123	179	268	362	531
WHITE-----MALE----	13,276	122	28	23	30	88	96	79	108	167	212	313
FEMALE--	14,577	96	23	18	15	41	31	32	62	89	128	193
ALL OTHER--MALE----	270	14	3	-	2	4	15	6	4	7	16	17
FEMALE--	239	14	-	2	3	3	1	6	5	5	6	8
BLACK---MALE----	202	10	1	-	1	3	6	4	2	4	11	15
FEMALE--	191	10	-	2	2	1	1	1	2	3	6	6
KANSAS -----	24,057	270	63	37	54	175	185	150	213	295	433	542
WHITE-----MALE----	10,892	130	31	22	29	88	121	79	131	168	260	301
FEMALE--	11,720	110	23	7	16	53	32	45	42	87	121	189
ALL OTHER--MALE----	774	20	4	4	6	27	27	22	29	25	29	28
FEMALE--	671	10	5	4	3	7	5	4	11	15	23	24
BLACK---MALE----	664	18	3	4	4	25	26	19	24	19	23	26
FEMALE--	563	10	5	4	2	6	4	3	8	12	19	20

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 3  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
HAWAII -----	344	398	475	675	927	1,181	1,076	1,076	657	292	62	1
WHITE-----MALE----	90	52	74	122	137	190	179	140	68	12	4	-
FEMALE--	33	46	43	77	103	122	115	184	99	46	12	-
ALL OTHER--MALE----	133	190	215	276	384	498	431	421	229	92	7	1
FEMALE--	88	110	143	200	303	371	351	331	261	142	39	-
BLACK---MALE----	3	3	1	-	1	6	2	-	-	-	-	-
FEMALE--	1	1	-	2	2	2	1	2	3	2	-	-
IDAHO -----	291	372	461	767	954	1,265	1,380	1,399	829	303	63	2
WHITE-----MALE----	173	206	262	429	528	693	694	615	261	79	8	2
FEMALE--	104	161	194	322	412	550	672	772	561	224	55	-
ALL OTHER--MALE----	11	4	2	5	7	9	4	4	4	-	-	-
FEMALE--	3	1	3	11	7	13	10	8	3	-	-	-
BLACK---MALE----	1	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	2	-	-	-
ILLINOIS -----	3,510	4,575	5,934	8,140	11,789	14,457	16,216	13,880	9,114	3,598	786	11
WHITE-----MALE----	1,533	2,042	2,675	3,848	5,465	6,662	6,702	4,714	2,366	650	102	5
FEMALE--	970	1,360	1,831	2,718	4,435	6,010	7,962	8,012	6,071	2,657	609	2
ALL OTHER--MALE----	617	685	815	840	970	906	649	419	210	69	16	2
FEMALE--	390	488	613	734	919	879	903	735	467	222	59	2
BLACK---MALE----	596	644	766	785	901	854	593	391	191	65	14	2
FEMALE--	365	464	586	697	865	829	847	693	441	210	56	2
INDIANA -----	1,700	2,433	3,148	4,473	6,399	7,691	8,055	7,027	4,570	1,798	385	2
WHITE-----MALE----	880	1,356	1,714	2,360	3,261	3,718	3,466	2,478	1,216	346	51	2
FEMALE--	600	813	1,092	1,708	2,606	3,466	4,126	4,187	3,119	1,359	306	-
ALL OTHER--MALE----	135	156	200	216	274	238	193	140	73	20	8	-
FEMALE--	85	108	142	189	258	269	270	222	162	73	20	-
BLACK---MALE----	130	151	196	212	267	233	184	134	71	19	8	-
FEMALE--	79	101	139	188	253	266	265	219	159	71	20	-
IOWA -----	651	968	1,291	1,948	2,989	3,803	4,764	4,636	3,290	1,514	372	1
WHITE-----MALE----	412	549	753	1,108	1,706	2,049	2,285	1,817	971	307	52	1
FEMALE--	224	383	497	795	1,225	1,698	2,432	2,780	2,303	1,196	316	-
ALL OTHER--MALE----	12	23	22	21	31	27	26	15	3	1	1	-
FEMALE--	3	13	19	24	27	29	21	24	13	10	3	-
BLACK---MALE----	9	16	19	17	25	22	21	13	2	1	-	-
FEMALE--	3	10	13	19	24	25	19	21	12	8	3	-
KANSAS -----	652	861	1,160	1,724	2,528	3,258	3,612	3,725	2,742	1,107	271	-
WHITE-----MALE----	377	459	626	963	1,359	1,581	1,682	1,403	826	225	31	-
FEMALE--	204	299	423	633	1,023	1,513	1,791	2,210	1,825	843	231	-
ALL OTHER--MALE----	43	57	66	69	75	88	67	43	29	13	3	-
FEMALE--	28	46	45	59	71	76	72	69	26	6	6	-
BLACK---MALE----	38	47	59	54	67	75	58	35	26	11	3	-
FEMALE--	24	36	39	43	58	62	60	65	53	24	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 4  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
KENTUCKY -----	37,832	409	83	56	60	230	257	300	388	573	788	1,039
WHITE-----MALE----	17,419	178	36	30	35	153	161	179	234	341	467	579
FEMALE--	17,733	154	31	22	22	56	70	80	111	166	224	339
ALL OTHER--MALE----	1,287	45	10	2	2	17	18	31	28	36	51	65
FEMALE--	1,393	32	6	2	1	4	8	10	15	30	46	56
BLACK---MALE----	1,267	44	10	2	2	17	18	29	27	35	51	64
FEMALE--	1,355	31	5	2	1	4	7	10	15	29	45	54
LOUISIANA -----	40,337	609	143	71	81	319	451	409	556	832	1,095	1,393
WHITE-----MALE----	13,479	125	36	13	26	110	157	141	188	285	362	483
FEMALE--	13,799	94	21	16	26	56	52	53	84	147	195	228
ALL OTHER--MALE----	6,818	211	44	24	17	128	187	164	190	256	328	406
FEMALE--	6,241	179	42	18	12	25	55	51	94	144	210	276
BLACK---MALE----	6,701	208	44	23	16	126	186	162	181	250	325	400
FEMALE--	6,159	177	42	18	12	24	54	49	90	143	206	272
MAINE -----	12,135	87	18	8	17	51	65	62	93	125	183	262
WHITE-----MALE----	5,864	48	9	3	12	34	45	47	59	82	117	190
FEMALE--	6,189	37	9	4	5	16	16	14	29	41	64	70
ALL OTHER--MALE----	47	1	-	1	-	-	2	1	1	2	2	1
FEMALE--	35	1	-	-	-	1	2	-	4	-	-	1
BLACK---MALE----	15	1	-	1	-	-	-	1	-	-	-	1
FEMALE--	11	1	-	-	-	1	2	-	-	-	-	1
MARYLAND -----	42,059	616	84	52	68	269	332	406	598	894	1,141	1,385
WHITE-----MALE----	14,543	134	15	18	20	80	110	110	184	259	351	451
FEMALE--	15,960	99	21	6	8	33	30	55	71	133	185	242
ALL OTHER--MALE----	6,175	210	26	19	27	125	147	168	223	333	388	436
FEMALE--	5,381	173	22	9	13	31	45	73	120	169	217	256
BLACK---MALE----	5,896	201	25	17	25	119	145	166	215	322	374	426
FEMALE--	5,151	166	20	9	13	27	44	72	114	162	212	247
MASSACHUSETTS -----	55,237	416	61	27	40	202	213	270	417	728	965	1,207
WHITE-----MALE----	24,370	191	31	19	19	137	135	182	255	420	541	717
FEMALE--	28,390	150	17	3	15	38	45	55	103	231	332	373
ALL OTHER--MALE----	1,278	43	9	2	3	22	26	26	38	41	54	62
FEMALE--	1,199	32	4	3	3	5	7	7	21	36	38	55
BLACK---MALE----	1,046	35	9	2	-	20	25	23	36	33	46	46
FEMALE--	973	30	3	3	2	4	5	6	17	33	32	48
MICHIGAN -----	85,160	1,098	203	148	169	469	569	676	823	1,304	1,921	2,564
WHITE-----MALE----	35,261	370	84	54	79	238	283	306	366	575	862	1,134
FEMALE--	37,069	298	45	35	37	101	79	116	194	350	491	644
ALL OTHER--MALE----	6,795	226	48	34	36	96	166	178	173	229	351	453
FEMALE--	6,035	204	26	25	17	34	41	76	90	150	217	333
BLACK---MALE----	6,433	215	47	34	31	90	163	174	164	212	334	437
FEMALE--	5,713	192	21	24	15	32	37	73	89	140	206	320

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 4  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
KENTUCKY -----	1,368	1,818	2,369	3,423	4,646	5,320	5,345	4,869	3,094	1,138	259	-
WHITE-----MALE----	768	1,063	1,357	1,871	2,428	2,586	2,267	1,645	790	216	35	-
FEMALE--	487	624	829	1,300	1,891	2,434	2,793	2,941	2,109	848	202	-
ALL OTHER--MALE----	59	78	115	126	156	153	132	93	55	10	5	-
FEMALE--	54	53	68	126	171	147	153	190	140	64	17	-
BLACK---MALE----	56	77	112	124	154	152	131	93	54	10	5	-
FEMALE--	52	53	67	122	167	143	148	187	135	61	17	-
LOUISIANA -----	1,625	2,126	2,718	3,586	4,757	5,319	5,434	4,657	2,876	1,033	247	-
WHITE-----MALE----	594	767	1,049	1,445	1,849	1,987	1,853	1,244	597	145	23	-
FEMALE--	357	493	685	977	1,515	1,898	2,221	2,349	1,595	613	124	-
ALL OTHER--MALE----	409	504	569	615	752	702	580	415	225	73	19	-
FEMALE--	265	362	415	549	641	732	780	649	459	202	81	-
BLACK---MALE----	404	496	556	604	737	690	571	409	221	73	19	-
FEMALE--	261	354	407	546	631	726	770	641	454	201	81	-
MAINE -----	355	423	637	1,022	1,419	1,774	1,904	1,781	1,224	489	136	-
WHITE-----MALE----	218	267	381	596	805	937	887	682	348	84	13	-
FEMALE--	131	148	247	417	606	830	1,012	1,096	871	403	123	-
ALL OTHER--MALE----	4	6	6	5	4	2	5	2	2	-	-	-
FEMALE--	2	2	3	4	4	5	-	1	3	2	-	-
BLACK---MALE----	2	3	1	1	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	2	2	-	-	-	1	1	-	-
MARYLAND -----	1,635	2,040	2,532	3,430	4,843	6,019	6,017	5,033	3,168	1,210	263	24
WHITE-----MALE----	591	745	971	1,397	1,980	2,427	2,187	1,525	768	193	22	5
FEMALE--	361	520	642	1,070	1,665	2,359	2,791	2,732	1,940	809	185	3
ALL OTHER--MALE----	420	428	518	547	617	620	462	262	131	49	8	11
FEMALE--	263	347	401	416	581	613	577	514	329	159	48	5
BLACK---MALE----	404	417	493	512	589	582	431	251	124	40	7	11
FEMALE--	251	335	385	394	555	585	542	494	319	152	48	5
MASSACHUSETTS -----	1,638	1,983	2,677	4,128	6,092	7,887	9,065	8,410	5,796	2,443	572	-
WHITE-----MALE----	882	1,077	1,462	2,197	3,251	3,845	3,975	3,016	1,540	407	71	-
FEMALE--	597	759	1,028	1,679	2,578	3,763	4,846	5,189	4,130	1,977	482	-
ALL OTHER--MALE----	88	76	116	133	138	137	119	86	37	14	8	-
FEMALE--	71	71	71	119	125	142	125	119	89	45	11	-
BLACK---MALE----	69	68	97	112	117	113	93	63	21	13	5	-
FEMALE--	56	62	58	103	98	109	100	89	70	36	9	-
MICHIGAN -----	3,055	3,606	4,835	7,069	10,331	12,065	12,985	11,042	6,914	2,761	549	4
WHITE-----MALE----	1,385	1,761	2,253	3,467	4,968	5,509	5,318	3,761	1,883	536	67	2
FEMALE--	901	1,106	1,678	2,470	3,885	5,056	6,318	6,336	4,504	1,994	431	-
ALL OTHER--MALE----	453	449	534	615	787	768	608	347	172	61	9	2
FEMALE--	316	290	370	517	691	732	741	598	355	170	42	-
BLACK---MALE----	437	428	492	584	740	718	576	329	158	59	9	2
FEMALE--	294	275	349	487	641	697	707	570	340	162	42	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 5  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
MINNESOTA -----	37,195	386	79	57	72	204	233	184	265	486	613	825
WHITE-----MALE----	17,181	169	34	23	39	114	140	111	145	285	334	482
FEMALE--	18,708	125	29	16	25	58	51	40	76	143	205	255
ALL OTHER--MALE----	769	54	11	12	6	30	36	21	31	41	47	60
FEMALE--	537	38	5	6	2	2	6	12	13	17	27	28
BLACK---MALE----	402	29	10	6	2	22	21	13	16	24	28	41
FEMALE--	262	20	4	2	1	-	4	6	8	9	14	16
MISSISSIPPI -----	27,847	435	92	70	81	232	313	266	359	554	731	929
WHITE-----MALE----	9,328	77	15	21	29	83	121	98	117	188	226	308
FEMALE--	9,098	68	19	9	12	42	37	30	57	92	116	171
ALL OTHER--MALE----	4,839	167	29	21	29	83	106	104	133	167	225	259
FEMALE--	4,582	123	29	19	11	24	49	34	52	107	164	191
BLACK---MALE----	4,784	165	28	20	29	83	102	103	129	162	223	248
FEMALE--	4,531	121	29	19	11	22	49	32	51	105	160	184
MISSOURI -----	55,070	577	112	77	101	357	366	421	481	774	1,047	1,366
WHITE-----MALE----	23,598	213	40	30	44	192	205	193	240	390	516	689
FEMALE--	25,535	169	42	26	34	86	78	93	120	228	282	400
ALL OTHER--MALE----	3,014	115	18	12	14	57	67	99	83	82	148	163
FEMALE--	2,923	80	12	9	9	22	16	36	38	74	101	114
BLACK---MALE----	2,896	113	17	12	14	56	61	96	82	79	144	156
FEMALE--	2,810	78	12	7	8	19	15	32	36	73	97	110
MONTANA -----	7,981	80	13	6	13	70	54	47	66	87	169	196
WHITE-----MALE----	3,966	43	4	2	10	46	37	31	30	51	118	107
FEMALE--	3,649	25	6	2	1	16	5	7	19	23	39	66
ALL OTHER--MALE----	195	8	1	2	1	7	6	7	11	9	7	11
FEMALE--	171	4	2	-	1	1	6	2	6	4	5	12
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	1
NEBRASKA -----	15,198	172	26	26	28	92	86	86	108	168	277	339
WHITE-----MALE----	6,971	83	13	17	19	57	61	55	61	92	152	196
FEMALE--	7,607	60	12	6	6	23	15	19	30	57	99	101
ALL OTHER--MALE----	308	18	1	3	3	9	6	8	10	14	8	21
FEMALE--	312	11	-	-	-	3	4	4	7	5	18	21
BLACK---MALE----	225	15	-	2	2	9	2	5	6	9	8	11
FEMALE--	245	9	-	-	-	3	3	2	3	5	13	17
NEVADA -----	14,464	200	49	24	35	124	122	141	204	323	386	516
WHITE-----MALE----	7,177	73	22	11	17	67	77	79	113	195	215	300
FEMALE--	6,010	73	17	9	11	35	23	32	53	83	118	145
ALL OTHER--MALE----	743	34	4	3	5	18	17	22	28	33	33	48
FEMALE--	534	20	6	1	2	4	5	8	10	12	20	23
BLACK---MALE----	532	26	3	2	2	16	9	12	21	28	25	39
FEMALE--	359	13	5	1	2	2	3	7	5	9	17	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 5  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
MINNESOTA -----	1,033	1,307	1,698	2,468	3,912	4,899	6,082	5,984	4,201	1,756	451	-
WHITE-----MALE----	566	711	956	1,434	2,196	2,575	2,795	2,331	1,292	372	77	-
FEMALE--	364	506	640	930	1,591	2,240	3,198	3,598	2,879	1,369	370	-
ALL OTHER--MALE----	66	55	54	61	69	36	38	24	12	4	1	-
FEMALE--	37	35	48	43	56	48	51	31	18	11	3	-
BLACK---MALE----	26	23	27	21	37	20	17	12	5	1	1	-
FEMALE--	12	18	27	15	24	23	22	20	9	6	2	-
MISSISSIPPI -----	1,066	1,411	1,827	2,422	3,167	3,657	3,681	3,404	2,144	807	196	3
WHITE-----MALE----	420	540	743	1,035	1,290	1,385	1,170	899	423	118	22	-
FEMALE--	219	312	439	637	916	1,246	1,496	1,555	1,105	434	84	2
ALL OTHER--MALE----	262	331	372	408	476	493	445	393	232	80	23	1
FEMALE--	165	228	273	342	485	533	570	557	384	175	67	-
BLACK---MALE----	258	326	369	405	471	490	444	393	232	80	23	1
FEMALE--	164	225	268	338	477	530	566	556	383	175	66	-
MISSOURI -----	1,730	2,255	3,122	4,405	6,169	7,523	8,274	7,949	5,410	2,100	453	1
WHITE-----MALE----	855	1,178	1,583	2,269	3,174	3,602	3,526	2,736	1,455	405	63	-
FEMALE--	551	740	1,093	1,580	2,345	3,246	4,158	4,715	3,636	1,564	349	-
ALL OTHER--MALE----	174	194	250	309	317	317	269	187	90	37	12	-
FEMALE--	150	143	196	247	333	358	321	311	229	94	29	1
BLACK---MALE----	168	190	239	295	296	305	260	180	85	36	12	-
FEMALE--	138	135	181	238	323	347	316	300	222	93	29	1
MONTANA -----	230	312	436	627	843	1,166	1,331	1,151	737	277	69	1
WHITE-----MALE----	133	188	245	351	466	645	662	480	250	57	9	1
FEMALE--	79	101	161	239	337	487	638	648	476	214	60	-
ALL OTHER--MALE----	8	13	21	20	23	10	17	9	4	-	-	-
FEMALE--	10	10	9	17	17	24	14	14	7	6	-	-
BLACK---MALE----	-	-	2	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	1	-	-
NEBRASKA -----	426	508	707	1,063	1,632	1,977	2,390	2,414	1,701	744	227	1
WHITE-----MALE----	244	274	397	586	925	1,025	1,177	847	500	160	30	-
FEMALE--	150	191	264	409	633	892	1,170	1,525	1,177	573	195	-
ALL OTHER--MALE----	15	23	28	41	40	25	14	10	8	2	-	1
FEMALE--	17	20	18	27	34	35	29	32	16	9	2	-
BLACK---MALE----	11	19	20	36	30	17	9	6	6	2	-	-
FEMALE--	9	15	15	23	26	29	22	27	13	9	2	-
NEVADA -----	654	786	992	1,585	2,005	2,105	1,931	1,305	723	212	36	6
WHITE-----MALE----	386	450	551	879	1,065	1,003	889	522	201	54	4	4
FEMALE--	193	242	343	556	789	965	938	721	490	144	29	1
ALL OTHER--MALE----	39	60	56	79	90	81	53	22	13	4	-	1
FEMALE--	36	34	42	71	61	56	51	40	19	10	3	-
BLACK---MALE----	30	44	45	48	60	64	33	13	8	3	-	1
FEMALE--	24	25	26	45	44	33	31	28	14	7	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 6  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
NEW HAMPSHIRE -----	9,495	63	5	7	15	44	63	56	79	126	182	219
WHITE-----MALE----	4,592	39	-	6	13	33	50	34	45	87	119	132
FEMALE--	4,858	21	5	1	2	11	13	20	29	38	62	81
ALL OTHER--MALE----	24	2	-	-	-	-	-	1	4	-	1	5
FEMALE--	21	1	-	-	-	-	-	1	1	1	-	1
BLACK---MALE----	14	1	-	-	-	-	-	1	2	-	1	4
FEMALE--	13	1	-	-	-	-	-	1	1	-	-	-
NEW JERSEY -----	71,611	734	134	71	97	252	370	450	691	1,098	1,487	1,866
WHITE-----MALE----	29,387	255	53	27	37	129	197	214	290	490	660	794
FEMALE--	32,477	173	41	18	27	43	55	93	156	229	334	467
ALL OTHER--MALE----	4,958	172	24	6	19	59	93	93	139	213	291	359
FEMALE--	4,789	134	16	20	14	21	25	50	106	166	202	246
BLACK---MALE----	4,507	154	22	5	18	57	86	86	127	203	273	324
FEMALE--	4,426	120	15	15	12	20	24	45	102	160	189	225
NEW MEXICO -----	12,907	197	45	32	38	146	136	150	195	295	345	397
WHITE-----MALE----	6,146	87	21	10	16	87	79	91	117	172	212	231
FEMALE--	5,621	72	15	11	10	31	28	34	40	75	84	117
ALL OTHER--MALE----	646	19	5	6	9	21	21	21	25	29	33	30
FEMALE--	494	19	4	5	3	7	8	4	13	19	16	19
BLACK---MALE----	123	6	-	-	2	4	3	1	-	6	3	8
FEMALE--	99	3	-	1	-	-	1	-	1	1	3	4
NEW YORK -----	156,619	1,623	277	217	204	608	838	1,066	1,543	2,437	3,424	4,516
WHITE-----MALE----	62,404	521	91	73	87	292	405	486	687	1,085	1,528	1,991
FEMALE--	69,858	459	79	59	53	129	128	184	297	522	789	1,080
ALL OTHER--MALE----	12,187	356	57	46	35	135	229	272	335	475	649	885
FEMALE--	12,170	287	50	39	29	52	76	124	224	355	458	560
BLACK---MALE----	10,684	325	56	41	32	126	215	240	304	441	584	799
FEMALE--	11,017	266	48	35	27	49	65	104	211	328	429	511
NORTH CAROLINA -----	67,993	1,038	145	121	143	421	560	614	805	1,174	1,657	2,025
WHITE-----MALE----	25,908	290	44	37	62	183	293	242	330	443	615	804
FEMALE--	26,084	224	50	34	38	95	63	103	137	255	365	423
ALL OTHER--MALE----	8,108	293	26	31	29	110	165	177	206	297	385	505
FEMALE--	7,893	231	25	19	14	33	39	92	132	179	292	293
BLACK---MALE----	7,739	282	20	27	25	104	157	166	201	280	361	486
FEMALE--	7,542	215	23	18	12	27	38	87	124	173	276	277
NORTH DAKOTA -----	5,920	68	10	7	16	40	39	31	51	52	87	125
WHITE-----MALE----	2,926	32	3	4	9	23	25	16	24	29	46	82
FEMALE--	2,785	26	4	2	6	13	8	7	17	20	29	35
ALL OTHER--MALE----	117	7	1	1	1	3	5	3	6	2	8	6
FEMALE--	92	3	2	-	-	1	5	4	1	4	4	2
BLACK---MALE----	4	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	3	-	1	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 6  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
NEW HAMPSHIRE -----	318	402	538	773	1,081	1,362	1,442	1,370	885	377	88	-
WHITE-----MALE----	193	257	326	460	607	712	670	489	237	70	13	-
FEMALE--	124	142	206	309	474	645	769	879	647	305	75	-
ALL OTHER--MALE----	-	3	2	4	-	-	1	-	1	-	-	-
FEMALE--	1	-	4	-	-	5	2	2	-	2	-	-
BLACK---MALE----	-	-	1	2	-	-	1	-	1	-	-	-
FEMALE--	1	-	2	-	-	3	2	1	-	1	-	-
NEW JERSEY -----	2,391	2,885	3,749	5,698	8,478	10,471	11,516	9,901	6,339	2,404	521	8
WHITE-----MALE----	1,122	1,333	1,748	2,657	4,104	4,849	4,781	3,425	1,673	479	68	2
FEMALE--	698	897	1,182	2,065	3,254	4,618	5,834	5,835	4,295	1,751	409	3
ALL OTHER--MALE----	328	378	459	506	573	508	367	230	89	43	6	3
FEMALE--	243	277	360	470	547	496	534	411	282	131	38	-
BLACK---MALE----	296	345	413	459	534	455	329	194	79	39	6	3
FEMALE--	225	258	327	441	502	456	485	383	268	118	36	-
NEW MEXICO -----	458	601	744	1,067	1,478	1,629	1,781	1,639	1,035	392	100	7
WHITE-----MALE----	246	331	385	582	734	831	838	634	335	84	18	5
FEMALE--	139	202	276	389	644	682	859	908	647	283	73	2
ALL OTHER--MALE----	50	44	47	54	59	55	38	43	25	9	3	-
FEMALE--	23	24	36	42	41	61	46	54	28	16	6	-
BLACK---MALE----	11	11	6	12	15	16	10	5	-	4	-	-
FEMALE--	2	7	6	16	9	19	13	7	3	2	1	-
NEW YORK -----	5,500	6,686	8,793	12,455	17,655	21,682	23,240	21,852	14,766	5,795	1,423	19
WHITE-----MALE----	2,490	2,986	4,021	5,802	8,219	9,653	9,415	7,414	3,799	1,155	194	10
FEMALE--	1,552	2,020	2,741	4,370	6,746	9,273	11,584	12,610	9,885	4,207	1,087	4
ALL OTHER--MALE----	889	972	1,129	1,194	1,309	1,301	895	601	305	91	25	2
FEMALE--	569	708	902	1,089	1,381	1,455	1,346	1,227	777	342	117	3
BLACK---MALE----	780	868	995	1,039	1,141	1,108	761	491	245	72	19	2
FEMALE--	514	656	823	976	1,251	1,322	1,209	1,085	697	310	98	3
NORTH CAROLINA -----	2,558	3,294	4,367	6,078	8,118	9,607	9,710	8,339	4,992	1,808	407	12
WHITE-----MALE----	1,083	1,488	1,989	2,867	3,628	4,041	3,579	2,373	1,157	292	57	11
FEMALE--	639	861	1,236	1,805	2,732	3,684	4,344	4,528	3,030	1,207	231	-
ALL OTHER--MALE----	498	560	698	777	916	899	753	489	202	75	16	1
FEMALE--	338	385	444	629	842	983	1,034	949	603	234	103	-
BLACK---MALE----	473	529	656	744	877	870	723	476	193	72	16	1
FEMALE--	323	370	422	595	799	942	987	916	587	229	102	-
NORTH DAKOTA -----	125	195	275	414	578	800	967	969	705	287	79	-
WHITE-----MALE----	72	116	151	250	344	446	491	430	243	73	17	-
FEMALE--	43	65	107	145	209	329	465	528	452	213	62	-
ALL OTHER--MALE----	8	7	10	8	13	13	5	5	5	-	-	-
FEMALE--	2	7	7	11	12	12	6	6	5	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 7  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
OHIO -----	105,891	1,221	197	157	169	496	548	608	855	1,365	2,014	2,675
WHITE-----MALE----	45,126	482	80	73	68	274	299	334	444	737	1,046	1,341
FEMALE--	49,368	406	72	54	70	126	106	136	217	371	568	792
ALL OTHER--MALE----	5,782	192	25	20	25	81	109	88	130	148	224	333
FEMALE--	5,615	141	20	10	6	15	34	50	64	109	176	209
BLACK---MALE----	5,634	187	24	19	21	80	108	85	124	145	223	322
FEMALE--	5,509	136	19	10	6	15	32	46	62	108	173	201
OKLAHOMA -----	33,929	420	76	68	69	234	246	270	326	527	732	866
WHITE-----MALE----	14,893	181	32	26	38	132	136	136	166	265	368	486
FEMALE--	15,354	135	25	22	18	56	45	71	90	157	210	237
ALL OTHER--MALE----	1,887	60	12	13	8	36	47	39	41	68	84	97
FEMALE--	1,795	44	7	7	5	10	18	24	29	37	70	46
BLACK---MALE----	1,050	40	8	5	6	21	28	20	18	38	48	55
FEMALE--	1,019	25	3	2	2	7	10	11	17	21	44	24
OREGON -----	29,383	245	48	34	60	155	221	225	260	424	627	760
WHITE-----MALE----	14,151	124	28	16	37	102	151	148	170	272	387	443
FEMALE--	14,331	97	17	14	21	39	51	58	71	130	197	261
ALL OTHER--MALE----	496	12	2	1	2	11	13	11	11	15	29	36
FEMALE--	405	12	1	3	-	3	6	8	8	7	14	20
BLACK---MALE----	210	9	-	1	-	6	5	8	3	6	12	20
FEMALE--	169	4	-	-	-	1	1	4	5	2	8	6
PENNSYLVANIA -----	126,700	1,043	187	146	154	532	714	667	982	1,553	2,114	2,837
WHITE-----MALE----	54,969	384	76	59	73	307	384	369	522	813	1,081	1,460
FEMALE--	59,800	326	56	50	44	127	131	126	238	422	583	785
ALL OTHER--MALE----	6,097	191	30	16	26	79	161	122	148	190	271	374
FEMALE--	5,834	142	25	21	11	19	38	50	74	128	179	218
BLACK---MALE----	5,842	186	27	15	22	70	153	111	142	184	263	358
FEMALE--	5,613	134	24	19	8	14	33	47	71	124	170	210
RHODE ISLAND -----	9,604	88	12	10	9	29	46	38	53	101	168	218
WHITE-----MALE----	4,398	41	6	5	6	17	31	19	33	54	100	128
FEMALE--	4,850	27	3	4	2	5	8	13	14	34	57	68
ALL OTHER--MALE----	189	14	2	1	1	6	4	5	2	8	6	14
FEMALE--	167	6	1	-	-	1	3	1	4	5	5	8
BLACK---MALE----	146	11	2	1	-	3	4	4	1	8	4	12
FEMALE--	133	6	-	-	-	-	2	1	4	5	5	5
SOUTH CAROLINA -----	34,827	515	72	69	76	244	300	335	449	698	960	1,215
WHITE-----MALE----	12,306	106	17	19	20	100	124	113	183	258	342	445
FEMALE--	12,160	100	9	15	13	45	38	57	75	133	176	220
ALL OTHER--MALE----	5,335	179	26	20	33	66	104	109	114	176	274	336
FEMALE--	5,026	130	20	15	10	33	34	56	77	131	168	214
BLACK---MALE----	5,287	178	25	20	33	65	104	106	113	175	272	333
FEMALE--	4,976	128	20	15	9	33	34	56	75	128	166	214

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 7  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
OHIO -----	3,323	4,421	6,066	8,915	12,974	15,944	16,574	14,327	8,942	3,313	786	1
WHITE-----MALE----	1,693	2,177	3,060	4,443	6,335	7,481	6,857	4,885	2,260	642	114	1
FEMALE--	1,053	1,555	2,124	3,306	5,260	7,000	8,493	8,482	6,131	2,448	598	-
ALL OTHER--MALE----	335	406	484	648	694	739	547	349	148	47	10	-
FEMALE--	242	283	398	518	685	724	677	611	403	176	64	-
BLACK---MALE----	325	393	468	637	684	717	530	342	147	43	10	-
FEMALE--	236	277	388	510	673	712	669	598	398	176	64	-
OKLAHOMA -----	1,188	1,478	2,013	2,732	3,904	4,768	4,770	4,674	3,175	1,160	226	7
WHITE-----MALE----	633	772	1,028	1,418	1,954	2,340	2,043	1,622	831	242	40	4
FEMALE--	362	506	698	983	1,560	2,002	2,353	2,703	2,124	842	155	-
ALL OTHER--MALE----	115	102	164	183	206	216	170	136	59	23	7	1
FEMALE--	78	98	123	148	184	210	204	213	161	53	24	2
BLACK---MALE----	55	62	78	103	117	120	90	79	40	13	5	1
FEMALE--	43	50	61	84	112	119	105	130	98	30	19	2
OREGON -----	928	1,121	1,549	2,168	3,203	4,341	4,732	4,254	2,687	1,083	256	2
WHITE-----MALE----	538	633	870	1,215	1,732	2,214	2,236	1,718	847	225	43	2
FEMALE--	342	422	617	873	1,361	2,033	2,398	2,472	1,807	839	211	-
ALL OTHER--MALE----	23	40	36	48	54	53	46	32	14	5	2	-
FEMALE--	25	26	26	32	56	41	52	32	19	14	-	-
BLACK---MALE----	12	17	13	19	16	22	21	10	6	2	2	-
FEMALE--	12	9	10	11	20	20	27	18	7	4	-	-
PENNSYLVANIA -----	3,548	4,579	6,425	10,013	15,557	19,427	21,512	18,341	11,314	4,135	908	12
WHITE-----MALE----	1,787	2,346	3,314	5,127	7,842	9,182	9,328	6,488	3,097	794	132	4
FEMALE--	1,142	1,491	2,240	3,730	6,251	8,707	10,968	10,914	7,675	3,087	704	3
ALL OTHER--MALE----	373	426	490	646	765	729	511	328	155	53	10	3
FEMALE--	246	316	381	510	699	809	705	611	387	201	62	2
BLACK---MALE----	358	403	466	625	744	702	484	312	153	51	10	3
FEMALE--	235	299	369	482	673	786	684	590	381	196	62	2
RHODE ISLAND -----	252	329	479	740	1,051	1,407	1,621	1,452	1,018	387	93	3
WHITE-----MALE----	142	184	273	406	601	735	752	524	260	69	10	2
FEMALE--	93	128	175	297	417	641	823	908	738	312	82	1
ALL OTHER--MALE----	9	12	14	19	19	17	22	5	6	3	-	-
FEMALE--	8	5	17	18	14	14	24	15	14	3	1	-
BLACK---MALE----	5	9	9	13	16	16	16	5	4	3	-	-
FEMALE--	6	4	14	13	12	11	19	12	11	2	1	-
SOUTH CAROLINA -----	1,575	1,870	2,412	3,178	4,230	4,910	4,664	3,852	2,237	772	189	5
WHITE-----MALE----	595	740	997	1,302	1,765	1,915	1,583	1,088	466	110	18	-
FEMALE--	349	435	628	911	1,304	1,772	1,981	1,966	1,334	498	101	-
ALL OTHER--MALE----	380	407	453	542	558	615	480	284	128	32	15	4
FEMALE--	251	288	334	423	603	608	620	514	309	132	55	1
BLACK---MALE----	377	406	448	536	553	607	478	282	125	32	15	4
FEMALE--	250	288	329	416	590	606	612	511	308	132	55	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 8  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
SOUTH DAKOTA -----	6,867	94	21	9	26	52	57	42	62	84	118	148
WHITE-----MALE----	3,156	34	7	7	13	31	28	17	23	40	53	71
FEMALE--	3,221	29	6	2	9	10	12	12	14	17	40	40
ALL OTHER--MALE----	283	19	5	-	3	6	14	7	18	21	22	21
FEMALE--	207	12	3	-	1	5	3	6	7	6	3	16
BLACK---MALE----	8	1	-	-	-	-	-	-	1	-	2	1
FEMALE--	7	1	-	-	-	-	-	-	-	1	-	-
TENNESSEE -----	53,415	635	118	80	82	379	423	471	649	913	1,205	1,574
WHITE-----MALE----	22,449	205	43	29	33	219	220	235	337	468	557	747
FEMALE--	22,566	170	40	31	27	74	84	97	149	211	326	428
ALL OTHER--MALE----	4,251	133	17	13	12	64	83	94	106	139	190	241
FEMALE--	4,149	127	18	7	10	22	36	45	57	95	132	158
BLACK---MALE----	4,181	131	17	12	11	63	82	94	104	136	188	236
FEMALE--	4,069	122	17	7	10	22	33	44	54	93	129	152
TEXAS -----	142,605	2,185	444	273	360	1,216	1,418	1,444	1,804	2,811	3,699	4,738
WHITE-----MALE----	62,239	941	193	115	178	708	904	795	971	1,460	1,898	2,443
FEMALE--	61,230	737	148	95	110	315	250	329	444	749	990	1,252
ALL OTHER--MALE----	10,017	291	60	35	46	145	189	214	250	367	517	636
FEMALE--	9,119	216	43	28	26	48	75	106	139	235	294	407
BLACK---MALE----	9,404	268	57	35	40	132	176	202	229	339	490	597
FEMALE--	8,638	198	42	25	22	44	70	95	131	229	273	375
UTAH -----	11,824	255	54	29	46	141	142	170	155	246	277	335
WHITE-----MALE----	5,894	125	27	19	25	94	105	107	91	156	180	208
FEMALE--	5,606	118	24	8	19	40	29	50	49	70	88	112
ALL OTHER--MALE----	169	6	-	1	1	6	5	11	8	13	6	9
FEMALE--	155	6	3	1	1	1	3	2	7	7	3	6
BLACK---MALE----	43	-	-	-	-	2	-	2	-	3	-	1
FEMALE--	41	2	1	1	1	-	2	1	1	2	2	2
VERMONT -----	4,948	46	12	5	3	40	22	23	37	61	101	128
WHITE-----MALE----	2,437	26	6	3	3	30	17	21	23	41	64	79
FEMALE--	2,491	18	6	2	-	10	5	2	12	20	35	48
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	11	1	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	1	-	1	1
VIRGINIA -----	54,446	722	113	72	96	307	354	450	568	947	1,295	1,590
WHITE-----MALE----	20,735	225	36	26	36	140	166	190	230	405	557	704
FEMALE--	21,772	161	34	13	26	65	59	95	128	216	284	371
ALL OTHER--MALE----	6,118	189	26	17	19	83	101	110	129	196	276	326
FEMALE--	5,821	147	17	16	15	19	28	55	81	130	178	189
BLACK---MALE----	5,831	183	23	14	16	80	99	104	126	185	260	317
FEMALE--	5,553	145	15	14	13	14	25	52	74	125	164	180

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 8  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
SOUTH DAKOTA -----	193	243	327	501	687	898	1,037	1,055	782	337	94	-
WHITE-----MALE----	109	118	181	276	396	479	496	421	252	88	16	-
FEMALE--	55	97	102	187	247	374	512	611	520	247	78	-
ALL OTHER--MALE----	19	16	26	20	26	21	11	7	1	-	-	-
FEMALE--	10	12	18	18	18	24	18	16	9	2	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
TENNESSEE -----	2,087	2,747	3,562	4,806	6,222	7,339	7,554	6,715	4,036	1,482	330	6
WHITE-----MALE----	1,006	1,394	1,805	2,519	2,992	3,244	3,028	2,114	950	265	39	-
FEMALE--	630	830	1,138	1,557	2,318	3,155	3,685	3,789	2,586	1,005	234	2
ALL OTHER--MALE----	285	314	348	383	449	477	361	307	162	58	12	3
FEMALE--	166	209	271	347	463	463	480	505	338	154	45	1
BLACK---MALE----	278	303	343	375	440	472	358	303	162	58	12	3
FEMALE--	161	205	262	339	457	458	471	502	333	153	44	1
TEXAS -----	5,737	6,678	8,924	12,065	16,455	18,883	19,390	17,517	11,336	4,285	916	27
WHITE-----MALE----	2,960	3,356	4,459	6,091	8,031	8,847	8,086	5,895	2,958	813	111	26
FEMALE--	1,729	2,117	2,967	4,218	6,347	8,022	9,405	9,955	7,352	3,041	658	-
ALL OTHER--MALE----	648	702	889	964	1,075	992	828	670	360	105	34	-
FEMALE--	400	503	609	792	1,002	1,022	1,071	997	666	326	113	1
BLACK---MALE----	608	648	835	916	1,003	928	791	633	342	102	33	-
FEMALE--	383	478	585	746	942	964	1,002	957	651	314	111	1
UTAH -----	364	465	584	840	1,208	1,606	1,787	1,607	1,082	371	56	4
WHITE-----MALE----	203	276	344	467	679	813	865	657	337	99	15	2
FEMALE--	149	171	217	349	498	754	902	920	736	261	40	2
ALL OTHER--MALE----	4	9	14	12	10	25	8	12	4	5	-	-
FEMALE--	8	9	9	12	21	14	12	18	5	6	1	-
BLACK---MALE----	-	3	4	5	3	9	4	5	2	-	-	-
FEMALE--	-	-	2	4	2	4	6	4	3	1	-	-
VERMONT -----	161	185	265	381	511	701	739	740	515	225	47	-
WHITE-----MALE----	101	103	172	221	297	379	366	278	153	46	8	-
FEMALE--	58	80	92	155	214	321	372	461	362	179	39	-
ALL OTHER--MALE----	1	-	1	2	-	1	-	1	-	-	-	-
FEMALE--	1	2	-	3	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
VIRGINIA -----	2,084	2,578	3,386	4,635	6,488	7,836	7,843	6,920	4,202	1,603	347	10
WHITE-----MALE----	882	1,165	1,521	2,062	2,839	3,199	2,937	2,139	968	271	35	2
FEMALE--	597	732	972	1,444	2,260	3,061	3,523	3,744	2,655	1,088	243	1
ALL OTHER--MALE----	374	406	520	613	719	761	587	401	178	66	14	7
FEMALE--	231	275	373	516	670	815	796	636	401	178	55	-
BLACK---MALE----	359	382	490	579	691	724	566	378	170	64	14	7
FEMALE--	216	257	356	498	631	785	762	614	383	175	55	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 9

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL CAUSES												
WASHINGTON -----	42,706	455	96	51	82	252	319	300	451	605	917	1,182
WHITE-----MALE----	19,998	202	40	27	36	160	201	171	255	347	514	674
FEMALE--	20,135	156	33	17	31	50	54	68	130	174	282	355
ALL OTHER--MALE----	1,452	49	12	3	9	37	45	45	43	52	76	101
FEMALE--	1,121	48	11	4	6	5	19	16	23	32	45	52
BLACK---MALE----	613	21	6	-	4	20	16	19	21	23	37	54
FEMALE--	427	21	5	-	1	3	5	7	14	10	20	26
WEST VIRGINIA -----	20,767	166	27	16	30	114	121	136	158	267	407	514
WHITE-----MALE----	9,915	84	15	6	19	77	82	90	93	158	240	307
FEMALE--	10,102	74	7	6	9	34	33	38	59	98	136	169
ALL OTHER--MALE----	359	1	2	2	1	1	4	7	5	8	18	31
FEMALE--	391	7	3	2	1	2	2	1	1	3	13	7
BLACK---MALE----	353	1	2	2	1	1	4	6	5	7	17	31
FEMALE--	382	7	3	2	1	2	2	1	1	3	12	7
WISCONSIN -----	45,947	489	97	62	92	226	270	265	343	581	787	1,038
WHITE-----MALE----	21,318	191	46	23	43	125	169	147	201	334	429	582
FEMALE--	22,500	156	27	22	31	61	51	62	86	170	235	345
ALL OTHER--MALE----	1,180	75	13	10	14	32	38	37	30	49	70	63
FEMALE--	949	67	11	7	4	8	12	19	26	28	53	48
BLACK---MALE----	948	63	10	9	11	27	34	34	23	41	53	45
FEMALE--	753	59	7	4	4	5	8	14	18	23	44	34
WYOMING -----	3,853	45	14	7	10	43	29	33	39	67	82	131
WHITE-----MALE----	1,862	15	9	3	8	26	21	24	24	42	56	77
FEMALE--	1,876	19	2	3	1	11	7	6	12	21	19	46
ALL OTHER--MALE----	60	4	2	-	1	3	1	2	3	2	5	3
FEMALE--	55	7	1	1	-	3	-	1	-	2	2	5
BLACK---MALE----	15	-	-	-	1	1	-	-	-	1	2	1
FEMALE--	14	2	-	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 9  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL CAUSES												
WASHINGTON -----	1,497	1,713	2,307	3,232	4,615	6,041	6,786	6,098	3,868	1,481	350	8
WHITE-----MALE----	797	930	1,233	1,800	2,380	3,079	3,180	2,357	1,221	337	51	6
FEMALE--	555	643	888	1,215	1,959	2,660	3,378	3,542	2,546	1,116	283	-
ALL OTHER--MALE----	89	81	100	135	139	163	107	107	48	8	2	1
FEMALE--	56	59	86	82	137	139	121	92	53	20	14	1
BLACK---MALE----	44	37	43	54	56	63	41	38	12	3	-	1
FEMALE--	18	22	30	25	52	52	45	35	24	7	4	1
WEST VIRGINIA -----	679	896	1,289	1,892	2,659	3,158	3,163	2,733	1,617	577	147	1
WHITE-----MALE----	454	529	709	1,052	1,398	1,555	1,411	1,032	442	129	32	1
FEMALE--	202	321	521	781	1,158	1,498	1,655	1,634	1,130	428	111	-
ALL OTHER--MALE----	12	28	33	31	47	50	37	24	12	4	1	-
FEMALE--	11	18	26	28	56	55	60	43	33	16	3	-
BLACK---MALE----	12	28	32	31	46	50	37	23	12	4	1	-
FEMALE--	10	18	24	27	53	55	59	43	33	16	3	-
WISCONSIN -----	1,284	1,599	2,330	3,480	4,961	6,241	7,597	6,937	4,814	1,997	455	2
WHITE-----MALE----	719	881	1,282	1,958	2,752	3,219	3,586	2,686	1,426	449	70	-
FEMALE--	440	565	881	1,340	2,028	2,821	3,855	4,123	3,305	1,516	378	2
ALL OTHER--MALE----	85	91	97	103	100	115	70	46	28	11	3	-
FEMALE--	40	62	70	79	81	86	86	82	55	21	4	-
BLACK---MALE----	70	71	73	83	84	95	56	36	22	6	2	-
FEMALE--	38	47	57	67	58	66	70	58	49	19	4	-
WYOMING -----	139	157	219	283	464	556	555	501	333	118	28	-
WHITE-----MALE----	80	91	125	163	252	277	243	206	96	23	1	-
FEMALE--	54	59	82	114	208	266	303	291	235	91	26	-
ALL OTHER--MALE----	4	2	6	5	2	8	5	2	-	-	-	-
FEMALE--	1	5	6	1	2	5	4	2	2	4	1	-
BLACK---MALE----	-	-	2	2	-	1	2	2	-	-	-	-
FEMALE--	1	2	1	1	1	2	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 10  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
UNITED STATES --	51,252	748	257	119	115	168	336	1,096	2,555	3,805	4,304	3,809
WHITE-----MALE----	19,220	246	106	45	37	63	92	329	956	1,588	1,825	1,613
FEMALE--	16,593	201	75	30	40	48	67	142	275	396	477	479
ALL OTHER--MALE----	8,979	173	40	20	18	27	77	354	832	1,201	1,352	1,206
FEMALE--	6,460	128	36	24	20	30	100	271	492	620	650	511
BLACK---MALE----	8,344	152	36	17	15	26	73	338	797	1,156	1,299	1,162
FEMALE--	5,980	117	30	22	19	27	96	263	482	604	622	492
ALABAMA -----	946	19	5	1	-	1	2	20	45	48	66	68
WHITE-----MALE----	284	6	2	1	-	1	-	3	11	17	17	27
FEMALE--	304	3	1	-	-	-	1	3	6	5	10	10
ALL OTHER--MALE----	202	4	2	-	-	-	-	11	22	16	29	22
FEMALE--	156	6	-	-	-	-	1	3	6	10	10	9
BLACK---MALE----	200	4	2	-	-	-	-	10	22	16	29	22
FEMALE--	154	6	-	-	-	-	1	3	6	10	10	9
ALASKA -----	40	1	-	2	-	-	-	-	1	3	3	4
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	12	-	-	2	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	666	20	10	2	4	-	5	11	44	42	56	61
WHITE-----MALE----	376	9	6	2	-	-	4	3	24	36	41	42
FEMALE--	206	6	3	-	3	-	1	7	5	5	6	8
ALL OTHER--MALE----	50	4	1	-	1	-	-	1	12	1	5	9
FEMALE--	34	1	-	-	-	-	-	-	3	-	4	2
BLACK---MALE----	24	-	-	-	1	-	-	-	7	1	4	6
FEMALE--	11	1	-	-	-	-	-	-	1	-	2	-
ARKANSAS -----	572	10	2	1	1	2	6	9	13	23	26	24
WHITE-----MALE----	207	6	2	1	1	1	2	2	5	8	14	13
FEMALE--	219	1	-	-	-	-	1	2	1	3	4	1
ALL OTHER--MALE----	79	3	-	-	-	1	1	4	6	9	7	8
FEMALE--	67	-	-	-	-	-	2	1	1	3	1	2
BLACK---MALE----	76	3	-	-	-	1	1	4	6	9	7	7
FEMALE--	65	-	-	-	-	-	2	1	1	3	1	2
CALIFORNIA -----	3,920	75	30	14	12	17	23	99	271	399	480	408
WHITE-----MALE----	2,029	27	12	7	3	6	14	52	177	268	308	233
FEMALE--	997	27	13	5	6	10	2	13	30	39	56	62
ALL OTHER--MALE----	587	16	4	1	1	-	5	24	45	68	86	82
FEMALE--	307	5	1	1	2	1	2	10	19	24	30	31
BLACK---MALE----	384	10	2	1	-	-	3	21	35	52	67	67
FEMALE--	188	4	-	-	2	-	2	8	18	18	24	28

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 10  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
UNITED STATES --	2,846	2,464	2,517	3,211	4,165	4,933	5,206	4,531	2,780	1,073	209	5
WHITE-----MALE----	1,196	939	998	1,303	1,720	1,967	1,923	1,381	666	200	26	1
FEMALE--	542	616	740	1,137	1,610	2,114	2,490	2,531	1,737	712	134	-
ALL OTHER--MALE----	771	573	432	394	393	412	317	224	117	36	8	2
FEMALE--	337	336	347	377	442	440	476	395	260	125	41	2
BLACK---MALE----	719	514	390	352	342	352	269	192	102	33	6	2
FEMALE--	311	297	293	333	384	396	429	362	240	119	40	2
ALABAMA -----	41	48	50	64	96	103	97	91	52	23	6	-
WHITE-----MALE----	14	16	15	22	40	37	29	17	6	3	-	-
FEMALE--	7	11	19	23	31	28	46	50	34	13	3	-
ALL OTHER--MALE----	11	15	8	9	12	19	8	8	5	-	1	-
FEMALE--	9	6	8	10	13	19	14	16	7	7	2	-
BLACK---MALE----	11	15	8	9	11	19	8	8	5	-	1	-
FEMALE--	9	6	7	10	13	19	13	16	7	7	2	-
ALASKA -----	4	2	2	4	5	3	3	2	1	-	-	-
WHITE-----MALE----	2	-	1	3	1	-	1	-	-	-	-	-
FEMALE--	2	1	1	-	2	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	48	42	38	40	59	60	64	42	11	5	2	-
WHITE-----MALE----	25	20	24	18	30	36	33	17	4	2	-	-
FEMALE--	16	12	10	15	23	24	28	23	7	3	1	-
ALL OTHER--MALE----	2	7	-	2	1	-	2	2	-	-	-	-
FEMALE--	5	3	4	5	5	-	1	-	-	-	1	-
BLACK---MALE----	1	1	-	1	1	-	-	1	-	-	-	-
FEMALE--	2	2	-	1	1	-	-	-	-	-	1	-
ARKANSAS -----	28	26	28	36	57	69	62	79	51	17	2	-
WHITE-----MALE----	14	10	11	13	21	25	23	28	4	3	-	-
FEMALE--	6	12	4	13	28	34	28	36	35	8	2	-
ALL OTHER--MALE----	6	2	5	4	4	4	4	6	3	2	-	-
FEMALE--	2	2	8	6	4	6	7	9	9	4	-	-
BLACK---MALE----	6	2	4	3	4	4	4	6	3	2	-	-
FEMALE--	2	2	7	6	3	6	7	9	9	4	-	-
CALIFORNIA -----	343	234	223	228	263	281	218	186	84	24	8	-
WHITE-----MALE----	208	114	115	99	112	99	79	67	26	3	-	-
FEMALE--	60	57	52	85	94	132	91	91	45	21	6	-
ALL OTHER--MALE----	56	41	27	26	32	31	25	11	5	-	1	-
FEMALE--	19	22	29	18	25	19	23	17	8	-	1	-
BLACK---MALE----	34	26	15	11	17	12	6	5	-	-	-	-
FEMALE--	14	9	14	8	10	9	9	8	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 11  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
COLORADO -----	490	11	2	-	2	2	3	7	21	48	30	32
WHITE-----MALE----	261	3	1	-	2	1	-	4	17	32	19	23
FEMALE--	193	6	1	-	-	-	3	-	4	11	7	7
ALL OTHER--MALE----	20	1	-	-	-	-	-	2	-	5	3	1
FEMALE--	16	1	-	-	-	1	-	1	-	-	1	1
BLACK---MALE----	17	-	-	-	-	-	-	2	-	5	2	1
FEMALE--	12	1	-	-	-	1	-	1	-	-	1	1
CONNECTICUT -----	738	9	1	-	3	1	5	11	24	40	59	53
WHITE-----MALE----	315	4	-	-	-	-	1	6	13	13	26	25
FEMALE--	293	3	1	-	2	-	3	-	7	10	8	10
ALL OTHER--MALE----	69	1	-	-	-	1	-	-	1	10	11	14
FEMALE--	61	1	-	-	1	-	1	5	3	7	14	4
BLACK---MALE----	68	1	-	-	-	1	-	-	1	10	11	14
FEMALE--	59	-	-	-	1	-	1	5	3	7	14	4
DELAWARE -----	212	1	1	-	-	3	-	3	9	13	20	17
WHITE-----MALE----	67	1	-	-	-	1	-	1	-	2	3	5
FEMALE--	61	-	-	-	-	1	-	-	1	2	-	1
ALL OTHER--MALE----	56	-	-	-	-	1	-	2	4	7	14	11
FEMALE--	28	-	1	-	-	-	-	-	4	2	3	-
BLACK---MALE----	56	-	-	-	-	1	-	2	4	7	14	11
FEMALE--	27	-	1	-	-	-	-	-	4	2	3	-
DISTRICT OF COLUMBIA ----	449	6	3	1	-	1	4	18	36	47	66	60
WHITE-----MALE----	43	-	-	-	-	-	-	1	2	4	7	11
FEMALE--	20	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	226	3	1	1	-	-	3	7	21	32	36	35
FEMALE--	160	3	2	-	-	1	1	10	12	10	23	13
BLACK---MALE----	226	3	1	1	-	-	3	7	21	32	36	35
FEMALE--	158	3	2	-	-	1	1	10	12	10	22	13
FLORIDA -----	3,440	59	7	12	7	8	35	115	240	372	410	318
WHITE-----MALE----	1,257	19	2	4	2	5	2	27	66	133	163	128
FEMALE--	848	13	1	2	1	-	2	14	20	22	30	25
ALL OTHER--MALE----	734	10	1	2	1	-	9	36	74	109	138	103
FEMALE--	601	17	3	4	3	3	22	38	80	108	79	62
BLACK---MALE----	725	10	1	2	1	-	9	35	73	109	136	101
FEMALE--	590	17	3	4	3	3	22	38	80	107	79	62
GEORGIA -----	1,960	36	10	4	4	7	14	62	150	236	174	150
WHITE-----MALE----	483	10	4	1	1	2	2	12	28	72	46	36
FEMALE--	456	6	1	1	1	1	2	7	7	10	14	10
ALL OTHER--MALE----	608	11	2	-	1	2	6	30	71	103	90	80
FEMALE--	413	9	3	2	1	2	4	13	44	51	24	24
BLACK---MALE----	604	11	2	-	1	2	6	30	71	103	90	80
FEMALE--	404	8	3	2	1	2	4	13	44	51	24	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 11  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
COLORADO -----	20	18	30	27	51	45	54	45	29	12	1	-
WHITE-----MALE----	13	13	16	16	30	16	21	21	11	2	-	-
FEMALE--	5	5	11	9	19	26	29	22	17	10	1	-
ALL OTHER--MALE----	2	-	-	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	3	1	1	1	3	2	-	-	-	-
BLACK---MALE----	1	-	-	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	1	1	1	1	2	-	-	-	-	-
CONNECTICUT -----	34	37	29	34	64	83	101	76	45	27	2	-
WHITE-----MALE----	18	18	14	21	29	40	38	30	15	4	-	-
FEMALE--	5	7	11	10	31	34	58	40	28	23	2	-
ALL OTHER--MALE----	11	8	1	-	3	5	1	2	-	-	-	-
FEMALE--	-	4	3	3	1	4	4	4	2	-	-	-
BLACK---MALE----	11	8	1	-	2	5	1	2	-	-	-	-
FEMALE--	-	4	2	3	1	4	4	4	2	-	-	-
DELAWARE -----	9	9	11	18	19	17	28	22	7	5	-	-
WHITE-----MALE----	2	3	6	7	5	8	9	9	3	2	-	-
FEMALE--	3	1	3	4	8	8	14	10	2	3	-	-
ALL OTHER--MALE----	4	3	1	4	1	1	1	1	1	-	-	-
FEMALE--	-	2	1	3	5	-	4	2	1	-	-	-
BLACK---MALE----	4	3	1	4	1	1	1	1	1	-	-	-
FEMALE--	-	2	-	3	5	-	4	2	1	-	-	-
DISTRICT OF COLUMBIA ----	33	24	17	20	20	27	28	21	12	5	-	-
WHITE-----MALE----	3	4	-	1	1	2	5	1	-	1	-	-
FEMALE--	2	-	1	1	1	3	2	3	3	1	-	-
ALL OTHER--MALE----	20	11	10	8	6	14	10	6	2	-	-	-
FEMALE--	8	9	6	10	12	8	11	11	7	3	-	-
BLACK---MALE----	20	11	10	8	6	14	10	6	2	-	-	-
FEMALE--	7	9	6	10	12	8	11	11	7	3	-	-
FLORIDA -----	215	177	149	182	209	264	265	232	116	38	9	1
WHITE-----MALE----	73	62	51	80	92	122	102	87	28	8	1	-
FEMALE--	33	32	37	61	75	111	135	128	75	24	7	-
ALL OTHER--MALE----	71	49	41	27	22	19	10	8	4	-	-	-
FEMALE--	38	34	20	14	20	12	18	9	9	6	1	1
BLACK---MALE----	70	49	40	27	22	18	10	8	4	-	-	-
FEMALE--	36	33	18	13	18	12	17	8	9	6	1	1
GEORGIA -----	106	99	85	117	128	153	150	152	85	28	9	1
WHITE-----MALE----	28	18	25	31	31	52	34	30	16	3	1	-
FEMALE--	10	30	13	39	42	65	64	79	38	14	2	-
ALL OTHER--MALE----	52	30	24	19	26	9	21	15	12	2	1	1
FEMALE--	16	21	23	28	29	27	31	28	19	9	5	-
BLACK---MALE----	51	30	23	19	25	9	21	14	12	2	1	1
FEMALE--	14	20	23	26	28	26	30	28	19	9	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 12  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
HAWAII -----	211	3	-	2	-	2	2	4	8	12	5	14
WHITE-----MALE----	35	1	-	-	-	1	1	-	-	2	1	6
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	86	-	-	1	-	-	-	3	5	8	3	3
FEMALE--	77	2	-	1	-	1	1	1	2	2	1	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	116	2	2	-	-	-	2	1	4	5	5	9
WHITE-----MALE----	64	2	1	-	-	-	2	1	3	5	4	6
FEMALE--	48	-	1	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,508	39	14	6	4	8	16	44	99	132	148	161
WHITE-----MALE----	834	14	5	3	1	-	9	8	38	50	53	56
FEMALE--	828	5	4	1	-	3	2	6	12	16	15	16
ALL OTHER--MALE----	505	12	4	1	1	4	3	16	36	52	56	64
FEMALE--	341	8	1	1	2	1	2	14	13	14	24	25
BLACK---MALE----	487	12	4	1	1	4	3	16	36	50	54	62
FEMALE--	331	8	1	1	2	1	2	14	13	14	24	25
INDIANA -----	939	16	4	-	3	3	5	6	31	42	49	36
WHITE-----MALE----	385	5	2	-	1	2	1	3	18	21	24	16
FEMALE--	412	5	2	-	2	1	1	1	7	1	12	8
ALL OTHER--MALE----	83	4	-	-	-	-	3	-	4	11	9	8
FEMALE--	59	2	-	-	-	-	-	2	2	9	4	4
BLACK---MALE----	81	4	-	-	-	-	3	-	4	11	9	8
FEMALE--	59	2	-	-	-	-	-	2	2	9	4	4
IOWA -----	321	4	3	2	4	2	-	-	5	7	9	5
WHITE-----MALE----	140	2	1	2	3	-	-	-	3	6	5	2
FEMALE--	173	1	2	-	1	2	-	-	2	1	4	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	366	5	4	1	3	-	3	4	8	15	15	10
WHITE-----MALE----	166	2	3	1	-	-	1	3	7	8	10	8
FEMALE--	170	3	1	-	3	-	1	1	-	3	3	1
ALL OTHER--MALE----	19	-	-	-	-	-	1	-	-	2	2	1
FEMALE--	11	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	19	-	-	-	-	-	1	-	-	2	2	1
FEMALE--	9	-	-	-	-	-	-	-	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 12  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
HAWAII -----	8	12	11	17	20	28	23	20	13	6	1	-
WHITE-----MALE----	5	1	1	5	3	2	2	3	1	-	-	-
FEMALE--	-	1	-	1	1	-	2	-	3	1	1	-
ALL OTHER--MALE----	3	8	2	5	6	13	9	10	4	3	-	-
FEMALE--	-	2	8	6	10	13	10	7	5	2	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	5	3	14	12	12	15	13	6	-	1	-
WHITE-----MALE----	3	3	1	5	6	8	7	5	1	-	1	-
FEMALE--	1	2	2	8	6	3	8	7	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	132	108	133	155	208	289	298	249	175	79	11	-
WHITE-----MALE----	41	37	53	59	82	102	105	65	41	11	1	-
FEMALE--	23	23	32	56	74	109	136	137	99	54	5	-
ALL OTHER--MALE----	48	29	27	29	31	42	23	16	6	4	1	-
FEMALE--	20	19	21	11	21	36	34	31	29	10	4	-
BLACK---MALE----	48	27	25	29	28	39	23	16	4	4	1	-
FEMALE--	20	15	21	11	19	35	33	29	29	10	4	-
INDIANA -----	51	42	33	68	96	125	110	112	74	24	9	-
WHITE-----MALE----	24	14	17	32	43	54	47	43	16	2	-	-
FEMALE--	14	17	9	17	47	64	55	61	57	22	9	-
ALL OTHER--MALE----	11	6	4	9	3	3	5	3	-	-	-	-
FEMALE--	2	5	3	10	3	4	3	5	1	-	-	-
BLACK---MALE----	10	6	4	9	3	3	4	3	-	-	-	-
FEMALE--	2	5	3	10	3	4	3	5	1	-	-	-
IOWA -----	12	15	18	28	44	34	47	41	28	12	1	-
WHITE-----MALE----	7	8	5	17	21	15	21	14	5	3	-	-
FEMALE--	5	6	11	11	22	17	26	27	23	8	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	-	1	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	-	1	-	-
KANSAS -----	15	16	18	31	37	32	52	57	26	14	-	-
WHITE-----MALE----	7	9	5	16	16	17	18	22	10	3	-	-
FEMALE--	7	5	8	12	16	14	32	34	15	11	-	-
ALL OTHER--MALE----	-	2	4	1	4	1	-	-	1	-	-	-
FEMALE--	1	-	1	2	1	-	2	1	-	-	-	-
BLACK---MALE----	-	2	4	1	4	1	-	-	1	-	-	-
FEMALE--	1	-	1	1	1	-	1	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 13  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
KENTUCKY -----	733	7	1	4	1	2	2	10	22	26	40	32
WHITE-----MALE----	319	2	-	2	1	1	-	3	15	12	25	18
FEMALE--	318	1	1	2	-	1	1	3	4	4	6	2
ALL OTHER--MALE----	52	4	-	-	-	-	1	2	3	8	5	5
FEMALE--	44	-	-	-	-	-	-	2	-	2	4	7
BLACK---MALE----	52	4	-	-	-	-	1	2	3	8	5	5
FEMALE--	44	-	-	-	-	-	-	2	-	2	4	7
LOUISIANA -----	1,287	19	9	1	1	4	15	39	71	107	106	91
WHITE-----MALE----	322	2	2	-	-	3	1	7	12	35	27	22
FEMALE--	303	3	3	-	1	1	3	2	4	2	3	8
ALL OTHER--MALE----	398	9	2	-	-	-	5	22	42	58	53	38
FEMALE--	264	5	2	1	-	-	6	8	13	12	23	23
BLACK---MALE----	395	9	2	-	-	-	5	22	42	58	52	38
FEMALE--	261	4	2	1	-	-	6	8	13	12	22	23
MAINE -----	132	4	1	-	-	1	2	1	5	3	5	3
WHITE-----MALE----	59	-	-	-	-	-	-	1	4	2	3	3
FEMALE--	72	4	1	-	-	1	1	-	1	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	1,546	17	7	5	1	2	9	44	102	143	144	132
WHITE-----MALE----	307	4	-	2	-	-	-	2	10	17	19	25
FEMALE--	381	3	-	-	-	-	1	4	4	7	7	7
ALL OTHER--MALE----	531	7	3	-	1	1	3	15	55	83	91	71
FEMALE--	327	3	4	3	-	1	5	23	33	36	27	29
BLACK---MALE----	512	7	3	-	1	1	3	15	54	82	91	70
FEMALE--	317	3	3	3	-	1	5	23	33	36	27	29
MASSACHUSETTS -----	1,257	4	-	1	-	1	2	13	38	67	86	64
WHITE-----MALE----	601	3	-	-	-	1	1	8	19	39	58	43
FEMALE--	541	1	-	-	-	-	1	2	8	13	12	11
ALL OTHER--MALE----	62	-	-	-	-	-	-	1	8	11	9	7
FEMALE--	53	-	-	1	-	-	-	2	3	4	7	3
BLACK---MALE----	58	-	-	-	-	-	-	1	8	11	9	7
FEMALE--	47	-	-	1	-	-	-	2	3	4	7	3
MICHIGAN -----	1,502	21	10	5	5	7	6	20	44	91	115	107
WHITE-----MALE----	542	4	7	3	3	5	4	10	17	31	47	46
FEMALE--	483	9	-	-	1	1	-	1	4	8	10	14
ALL OTHER--MALE----	257	2	1	2	-	-	1	5	16	33	44	30
FEMALE--	220	6	2	-	1	1	1	4	7	19	14	17
BLACK---MALE----	251	2	1	2	-	-	1	5	16	33	43	30
FEMALE--	211	6	1	-	1	1	1	4	7	18	14	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 13  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
KENTUCKY -----	43	34	42	63	75	79	97	83	52	15	3	-
WHITE-----MALE----	22	15	21	25	37	39	42	22	13	4	-	-
FEMALE--	14	13	15	32	31	34	51	54	36	10	3	-
ALL OTHER--MALE----	4	4	4	3	2	3	-	3	1	-	-	-
FEMALE--	3	2	2	3	5	3	4	4	2	1	-	-
BLACK---MALE----	4	4	4	3	2	3	-	3	1	-	-	-
FEMALE--	3	2	2	3	5	3	4	4	2	1	-	-
LOUISIANA -----	67	69	69	77	95	103	128	105	77	29	5	-
WHITE-----MALE----	18	21	25	17	25	33	35	19	15	3	-	-
FEMALE--	10	15	15	25	30	37	43	51	29	16	2	-
ALL OTHER--MALE----	27	20	19	21	16	14	19	14	17	2	-	-
FEMALE--	12	13	10	14	24	19	31	21	16	8	3	-
BLACK---MALE----	27	19	18	21	16	14	19	14	17	2	-	-
FEMALE--	12	12	10	14	24	19	31	21	16	8	3	-
MAINE -----	2	2	8	6	14	16	19	21	9	7	3	-
WHITE-----MALE----	1	2	5	5	10	6	7	6	1	3	-	-
FEMALE--	1	-	3	1	4	10	12	15	8	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	83	100	78	88	106	149	138	94	65	31	8	-
WHITE-----MALE----	12	20	22	19	33	48	26	23	14	9	2	-
FEMALE--	8	23	18	23	39	56	73	49	40	16	3	-
ALL OTHER--MALE----	46	38	24	23	15	22	19	11	2	-	1	-
FEMALE--	17	19	14	23	19	23	20	11	9	6	2	-
BLACK---MALE----	43	35	22	21	13	22	17	10	2	-	-	-
FEMALE--	14	18	14	22	19	21	20	10	8	6	2	-
MASSACHUSETTS -----	45	42	55	93	115	141	193	150	87	46	14	-
WHITE-----MALE----	26	23	28	50	56	62	88	62	24	8	2	-
FEMALE--	10	13	20	34	50	74	101	82	62	36	11	-
ALL OTHER--MALE----	4	4	4	2	3	2	2	4	-	-	1	-
FEMALE--	5	2	3	7	6	3	2	2	1	2	-	-
BLACK---MALE----	3	4	4	2	2	2	1	3	-	-	1	-
FEMALE--	4	2	-	7	6	2	2	1	1	2	-	-
MICHIGAN -----	86	70	83	101	143	159	170	141	83	29	6	-
WHITE-----MALE----	32	24	28	36	53	56	71	40	21	3	1	-
FEMALE--	17	20	23	37	48	71	69	78	46	21	5	-
ALL OTHER--MALE----	28	17	17	14	19	9	9	6	4	-	-	-
FEMALE--	9	9	15	14	23	23	21	17	12	5	-	-
BLACK---MALE----	28	16	17	13	17	8	9	6	4	-	-	-
FEMALE--	9	9	14	12	22	21	21	16	12	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 14  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
MINNESOTA -----	426	9	4	3	3	1	3	3	12	23	26	21
WHITE-----MALE----	182	1	1	2	1	1	2	2	5	14	8	12
FEMALE--	189	2	3	1	1	-	1	-	3	4	5	2
ALL OTHER--MALE----	43	4	-	-	1	-	-	-	3	5	11	7
FEMALE--	12	2	-	-	-	-	-	1	1	-	2	-
BLACK---MALE----	29	3	-	-	1	-	-	-	1	5	8	7
FEMALE--	4	-	-	-	-	-	-	1	1	-	1	-
MISSISSIPPI -----	593	18	5	-	-	6	6	17	25	48	47	36
WHITE-----MALE----	122	-	-	-	-	1	-	1	4	8	15	9
FEMALE--	163	4	1	-	-	1	1	2	3	-	4	10
ALL OTHER--MALE----	170	8	1	-	-	4	1	12	12	27	20	10
FEMALE--	138	6	3	-	-	-	4	2	6	13	8	7
BLACK---MALE----	170	8	1	-	-	4	1	12	12	27	20	10
FEMALE--	137	6	3	-	-	-	4	1	6	13	8	7
MISSOURI -----	932	13	5	2	2	7	9	18	39	56	57	57
WHITE-----MALE----	356	3	2	-	-	2	2	5	14	27	31	27
FEMALE--	342	6	1	1	1	1	1	3	3	6	7	9
ALL OTHER--MALE----	133	2	1	1	-	1	3	6	16	17	16	16
FEMALE--	101	2	1	-	1	3	3	4	6	6	3	5
BLACK---MALE----	128	2	1	1	-	1	2	6	16	17	15	15
FEMALE--	100	2	1	-	1	3	3	4	6	6	2	5
MONTANA -----	120	-	-	1	-	-	-	1	1	6	2	4
WHITE-----MALE----	51	-	-	-	-	-	-	1	1	4	1	3
FEMALE--	61	-	-	1	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	178	5	1	-	1	-	1	6	5	9	8	8
WHITE-----MALE----	81	2	-	-	-	-	-	3	3	4	6	5
FEMALE--	81	3	1	-	-	-	-	2	-	4	1	1
ALL OTHER--MALE----	5	-	-	-	1	-	-	1	1	-	-	1
FEMALE--	11	-	-	-	-	-	1	-	1	1	1	1
BLACK---MALE----	4	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	1	1	1
NEVADA -----	417	10	2	2	-	1	2	4	21	20	27	25
WHITE-----MALE----	213	4	2	-	-	1	1	3	14	14	15	13
FEMALE--	146	3	-	1	-	-	1	1	4	2	6	4
ALL OTHER--MALE----	32	2	-	1	-	-	-	-	3	3	2	6
FEMALE--	26	1	-	-	-	-	-	-	-	1	4	2
BLACK---MALE----	27	1	-	1	-	-	-	-	3	3	1	6
FEMALE--	22	1	-	-	-	-	-	-	-	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 14  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
MINNESOTA -----	16	21	22	24	51	37	51	49	30	13	4	-
WHITE-----MALE----	7	9	12	14	26	18	17	16	8	4	2	-
FEMALE--	5	7	7	9	25	18	31	33	21	9	2	-
ALL OTHER--MALE----	2	4	2	1	-	1	2	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	1	1	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	12	31	29	36	45	62	48	62	45	12	3	-
WHITE-----MALE----	3	7	6	9	11	19	14	7	5	3	-	-
FEMALE--	-	4	11	13	15	18	15	33	22	6	-	-
ALL OTHER--MALE----	8	11	3	4	9	12	11	9	7	1	-	-
FEMALE--	1	9	9	10	10	13	8	13	11	2	3	-
BLACK---MALE----	8	11	3	4	9	12	11	9	7	1	-	-
FEMALE--	1	9	9	10	10	13	8	13	11	2	3	-
MISSOURI -----	36	37	48	55	90	83	123	91	72	27	5	-
WHITE-----MALE----	16	14	20	25	38	35	47	27	16	5	-	-
FEMALE--	10	13	11	21	35	32	60	54	45	20	2	-
ALL OTHER--MALE----	7	6	9	4	5	9	7	2	3	1	1	-
FEMALE--	3	4	8	5	12	7	9	8	8	1	2	-
BLACK---MALE----	7	6	9	4	4	8	7	2	3	1	1	-
FEMALE--	3	4	8	5	12	7	9	8	8	1	2	-
MONTANA -----	6	4	5	14	16	18	13	17	8	3	1	-
WHITE-----MALE----	4	4	1	6	8	6	6	1	4	-	1	-
FEMALE--	1	-	3	7	8	11	7	14	4	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	6	11	8	15	20	26	21	14	7	1	-
WHITE-----MALE----	5	3	5	4	10	11	10	5	4	1	-	-
FEMALE--	-	2	5	3	5	9	15	14	10	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	1	1	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	1	1	-	-	1	2	-	-	-	-
NEVADA -----	20	23	19	37	55	48	44	29	23	4	1	-
WHITE-----MALE----	12	12	10	26	23	23	17	12	9	1	1	-
FEMALE--	2	5	8	9	27	23	21	15	12	2	-	-
ALL OTHER--MALE----	2	3	1	1	3	2	2	1	-	-	-	-
FEMALE--	4	3	-	1	2	-	4	1	2	1	-	-
BLACK---MALE----	2	2	1	1	3	1	1	1	-	-	-	-
FEMALE--	4	3	-	1	-	-	3	1	2	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 16  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
OHIO -----	1,907	27	8	4	3	8	12	29	52	73	85	82
WHITE-----MALE----	743	16	5	2	-	4	1	13	20	38	36	42
FEMALE--	803	5	2	1	2	-	5	5	7	10	15	9
ALL OTHER--MALE----	186	3	1	-	1	2	3	3	18	15	25	18
FEMALE--	175	3	-	1	-	2	3	8	7	10	9	13
BLACK---MALE----	180	3	1	-	1	2	3	2	18	15	25	18
FEMALE--	173	3	-	1	-	2	3	7	7	10	9	13
OKLAHOMA -----	611	10	1	1	2	3	5	13	25	34	37	27
WHITE-----MALE----	263	4	-	1	-	-	2	6	14	17	18	19
FEMALE--	242	2	1	-	1	2	2	1	4	2	5	6
ALL OTHER--MALE----	58	2	-	-	-	1	1	4	2	12	7	2
FEMALE--	48	2	-	-	1	-	-	2	5	3	7	-
BLACK---MALE----	33	1	-	-	-	1	1	3	-	6	6	2
FEMALE--	32	2	-	-	-	-	-	1	5	3	2	-
OREGON -----	410	2	1	1	-	-	4	7	11	23	28	37
WHITE-----MALE----	226	-	-	-	-	-	3	3	8	18	20	27
FEMALE--	163	1	1	1	-	-	1	3	3	3	6	5
ALL OTHER--MALE----	16	1	-	-	-	-	-	1	-	2	1	4
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	10	1	-	-	-	-	-	1	-	2	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	3,050	15	5	3	3	3	13	41	108	142	174	158
WHITE-----MALE----	1,058	3	4	-	2	-	3	12	34	67	53	72
FEMALE--	1,282	5	1	1	-	1	4	3	21	14	31	27
ALL OTHER--MALE----	403	2	-	-	-	-	2	16	37	40	61	45
FEMALE--	307	5	-	2	1	2	4	10	16	21	29	14
BLACK---MALE----	390	2	-	-	-	-	2	15	35	39	61	43
FEMALE--	293	5	-	2	1	1	4	10	16	21	28	13
RHODE ISLAND -----	144	-	1	2	-	1	-	1	2	9	15	7
WHITE-----MALE----	70	-	-	2	-	-	-	1	1	5	10	6
FEMALE--	63	-	1	-	-	-	-	-	-	1	4	1
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	2	-	-
SOUTH CAROLINA -----	875	17	3	1	3	8	4	25	46	86	64	81
WHITE-----MALE----	227	4	2	-	-	3	1	5	10	16	17	15
FEMALE--	205	3	-	1	1	1	1	2	-	8	1	9
ALL OTHER--MALE----	260	8	-	-	2	2	1	12	17	40	35	38
FEMALE--	183	2	1	-	-	2	1	6	19	22	11	19
BLACK---MALE----	259	8	-	-	2	2	1	11	17	40	35	38
FEMALE--	183	2	1	-	-	2	1	6	19	22	11	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 16

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
OHIO -----	86	74	93	140	189	234	272	231	149	44	12	-
WHITE-----MALE----	40	26	37	60	78	102	96	73	43	8	3	-
FEMALE--	19	31	38	52	79	106	146	141	91	30	9	-
ALL OTHER--MALE----	18	12	7	10	13	15	11	5	6	-	-	-
FEMALE--	9	5	11	18	19	11	19	12	9	6	-	-
BLACK---MALE----	17	11	6	10	13	14	11	4	6	-	-	-
FEMALE--	9	4	11	18	19	11	19	12	9	6	-	-
OKLAHOMA -----	19	25	31	42	50	77	78	58	56	15	1	1
WHITE-----MALE----	10	16	14	18	29	34	32	17	10	2	-	-
FEMALE--	6	5	12	15	14	35	35	37	44	13	-	-
ALL OTHER--MALE----	2	1	3	7	2	5	6	-	1	-	-	-
FEMALE--	1	3	2	2	5	3	5	4	1	-	1	1
BLACK---MALE----	-	1	1	4	2	2	3	-	-	-	-	-
FEMALE--	1	2	2	1	3	2	3	3	-	-	1	1
OREGON -----	23	24	23	32	39	37	46	40	20	12	-	-
WHITE-----MALE----	14	16	17	17	23	12	19	18	8	3	-	-
FEMALE--	7	7	6	13	14	24	27	20	12	9	-	-
ALL OTHER--MALE----	1	1	-	2	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	131	93	125	212	289	375	437	400	227	84	12	-
WHITE-----MALE----	33	35	40	97	118	133	161	118	61	10	2	-
FEMALE--	40	19	37	78	118	186	230	246	146	68	6	-
ALL OTHER--MALE----	38	28	26	17	22	30	24	7	7	1	-	-
FEMALE--	20	11	22	20	31	26	22	29	13	5	4	-
BLACK---MALE----	37	27	25	15	22	30	22	7	7	1	-	-
FEMALE--	19	10	20	18	29	25	21	29	13	4	4	-
RHODE ISLAND -----	7	6	4	15	7	17	17	17	13	3	-	-
WHITE-----MALE----	7	4	1	8	4	8	7	2	3	1	-	-
FEMALE--	-	2	2	6	3	8	8	15	10	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
SOUTH CAROLINA -----	50	57	36	50	72	74	71	70	41	13	3	-
WHITE-----MALE----	12	17	6	16	26	24	25	16	10	2	-	-
FEMALE--	9	9	12	13	18	29	22	33	24	8	1	-
ALL OTHER--MALE----	20	20	8	12	17	7	10	7	3	1	-	-
FEMALE--	9	11	10	9	11	14	14	14	4	2	2	-
BLACK---MALE----	20	20	8	12	17	7	10	7	3	1	-	-
FEMALE--	9	11	10	9	11	14	14	14	4	2	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 17  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
SOUTH DAKOTA -----	81	-	1	-	1	-	1	-	2	6	3	2
WHITE-----MALE----	40	-	-	-	1	-	-	-	2	2	2	1
FEMALE--	25	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	3	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	928	18	8	3	1	6	8	24	52	77	71	65
WHITE-----MALE----	328	7	3	1	-	1	2	7	18	26	30	24
FEMALE--	305	4	2	2	1	3	2	2	1	6	6	16
ALL OTHER--MALE----	177	5	3	-	-	2	1	7	23	36	23	22
FEMALE--	118	2	-	-	-	-	3	8	10	9	12	3
BLACK---MALE----	175	5	3	-	-	2	1	7	23	36	23	22
FEMALE--	115	2	-	-	-	-	2	8	9	9	12	3
TEXAS -----	3,633	75	24	9	11	16	32	113	234	290	325	269
WHITE-----MALE----	1,562	30	10	3	5	6	14	38	113	158	172	148
FEMALE--	1,190	28	8	4	6	6	5	17	16	41	44	29
ALL OTHER--MALE----	529	11	6	2	-	-	5	36	72	70	78	64
FEMALE--	352	6	-	-	-	4	8	22	33	21	31	28
BLACK---MALE----	506	11	6	2	-	-	5	36	70	67	76	61
FEMALE--	341	5	-	-	-	4	8	21	32	21	28	27
UTAH -----	166	4	1	1	-	1	3	3	7	6	7	13
WHITE-----MALE----	80	2	-	1	-	1	1	2	4	3	5	10
FEMALE--	80	2	1	-	-	-	2	1	2	2	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	65	3	1	-	-	-	-	-	-	1	5	4
WHITE-----MALE----	39	1	-	-	-	-	-	-	-	1	4	4
FEMALE--	26	2	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,397	17	2	2	3	1	13	26	47	83	109	86
WHITE-----MALE----	448	6	1	-	-	-	-	5	9	27	33	34
FEMALE--	427	3	1	-	1	1	2	5	1	9	12	7
ALL OTHER--MALE----	299	4	-	-	1	-	6	9	27	31	46	33
FEMALE--	223	4	-	2	1	-	5	7	10	16	18	12
BLACK---MALE----	290	3	-	-	1	-	6	9	27	30	46	33
FEMALE--	213	4	-	2	1	-	5	7	10	15	18	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 17  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)												
SOUTH DAKOTA -----	3	3	5	9	7	9	10	7	9	3	-	-
WHITE-----MALE----	2	1	2	7	3	4	4	4	4	1	-	-
FEMALE--	-	-	-	1	3	5	5	3	4	2	-	-
ALL OTHER--MALE----	1	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	47	48	68	66	81	76	78	75	40	13	3	-
WHITE-----MALE----	22	17	25	29	24	33	31	18	10	-	-	-
FEMALE--	11	13	27	25	41	27	32	48	26	8	2	-
ALL OTHER--MALE----	8	13	6	5	4	6	4	6	1	2	-	-
FEMALE--	6	5	10	7	12	10	11	3	3	3	1	-
BLACK---MALE----	7	12	6	5	4	6	4	6	1	2	-	-
FEMALE--	6	5	9	7	12	10	11	3	3	3	1	-
TEXAS -----	199	172	213	232	283	307	327	267	157	66	12	-
WHITE-----MALE----	99	75	93	104	112	127	117	84	35	18	1	-
FEMALE--	50	48	75	96	123	135	167	140	108	35	9	-
ALL OTHER--MALE----	31	22	29	19	24	19	14	15	7	5	-	-
FEMALE--	19	27	16	13	24	26	29	28	7	8	2	-
BLACK---MALE----	31	20	27	18	21	17	13	13	7	5	-	-
FEMALE--	18	26	16	13	23	25	29	28	7	8	2	-
UTAH -----	8	10	9	8	14	18	14	22	10	7	-	-
WHITE-----MALE----	4	6	3	5	4	11	4	6	6	2	-	-
FEMALE--	4	4	5	2	10	7	10	15	4	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	-	3	4	5	8	8	7	5	7	4	-	-
WHITE-----MALE----	-	-	4	2	6	5	5	3	2	2	-	-
FEMALE--	-	3	-	3	2	3	2	2	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	89	62	85	105	121	155	155	126	74	30	5	1
WHITE-----MALE----	38	23	34	38	45	55	49	35	15	1	-	-
FEMALE--	8	15	16	37	40	62	74	64	46	18	5	-
ALL OTHER--MALE----	29	10	17	16	17	18	16	12	3	3	-	1
FEMALE--	14	14	18	14	19	20	16	15	10	8	-	-
BLACK---MALE----	28	9	15	16	17	17	16	10	3	3	-	1
FEMALE--	14	13	17	14	17	19	15	12	10	8	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 19

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
UNITED STATES --	14	24	26	57	79	134	172	169	92	43	10	-
WHITE-----MALE----	8	11	9	24	30	52	68	55	24	10	3	-
FEMALE--	5	11	13	24	40	75	91	103	63	31	5	-
ALL OTHER--MALE----	1	1	1	6	3	4	2	2	3	-	-	-
FEMALE--	-	1	3	3	6	3	11	9	2	2	2	-
BLACK---MALE----	1	1	-	4	2	4	1	2	1	-	-	-
FEMALE--	-	1	2	2	5	2	9	8	2	2	1	-
ALABAMA -----	-	-	1	3	1	2	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	-	3	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	1	-	-	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	3	6	6	9	12	17	31	8	1	1	-
WHITE-----MALE----	2	1	1	1	3	5	8	13	2	-	-	-
FEMALE--	1	2	4	3	4	7	8	15	3	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	1	2	-	-	-
FEMALE--	-	-	1	-	2	-	1	2	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 20

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
COLORADO -----	-	-	-	-	1	2	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	2	2	5	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	3	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	2	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	1	1	1	2	14	9	6	5	-	-	-
WHITE-----MALE----	-	-	1	1	2	4	1	1	3	-	-	-
FEMALE--	2	-	-	-	-	10	7	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	-	-	1	2	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 21

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
HAWAII -----	-	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	1	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	2	1	2	3	3	9	5	7	5	-	-
WHITE-----MALE----	-	1	1	1	-	1	5	2	2	-	-	-
FEMALE--	-	1	-	-	2	2	3	2	5	5	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
INDIANA -----	-	-	-	2	1	2	2	2	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IOWA -----	-	1	-	-	-	-	-	3	1	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	1	1	-	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 22

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INTESTINAL INFECTIOUS DISEASES (001-009)												
KENTUCKY -----	24	3	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	11	6	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	11	3	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	33	7	1	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	9	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	2	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	2	1	-	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	39	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	19	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	34	7	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	13	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	2	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 22

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
KENTUCKY -----	-	1	-	1	1	3	6	4	4	1	-	-
WHITE-----MALE----	-	1	-	1	1	2	3	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	-	-	1	1	1	-	-	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	-	-	-	-	1	2	2	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	3	1	4	1	8	2	2	1	1	-
WHITE-----MALE----	-	1	1	-	1	-	2	-	-	1	1	-
FEMALE--	-	-	1	-	2	1	6	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	-	1	5	3	4	7	4	5	5	1	-
WHITE-----MALE----	2	-	1	3	2	3	4	3	-	-	-	-
FEMALE--	-	-	-	2	1	1	3	1	5	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	1	-	1	4	7	2	6	3	-	-	-
WHITE-----MALE----	1	-	-	1	2	3	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	4	1	3	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 25

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
INTESTINAL INFECTIOUS DISEASES (001-009)												
OHIO -----	1	3	6	4	8	15	24	17	11	3	1	-
WHITE-----MALE----	-	-	2	2	6	7	11	6	5	-	1	-
FEMALE--	1	3	4	2	2	8	12	9	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
OKLAHOMA -----	-	1	-	-	3	2	1	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	-	-	-	1	-	4	1	6	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	2	-	1	-	-
FEMALE--	-	-	-	-	-	3	-	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	1	2	6	11	9	17	4	2	2	-
WHITE-----MALE----	-	1	-	1	1	2	3	3	1	-	1	-
FEMALE--	-	-	1	1	5	7	5	13	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	-	1	2	-	1	1	2	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-













































































































































































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 64

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
UNITED STATES --	6	16	23	38	66	104	145	144	80	38	8	-
WHITE-----MALE----	4	8	8	18	25	40	62	47	20	10	3	-
FEMALE--	1	7	12	15	34	58	74	89	56	26	4	-
ALL OTHER--MALE----	1	-	-	3	3	4	1	2	3	-	-	-
FEMALE--	-	1	3	2	4	2	8	6	1	2	1	-
BLACK---MALE----	1	-	-	3	2	4	1	2	1	-	-	-
FEMALE--	-	1	2	2	4	1	6	6	1	2	1	-
ALABAMA -----	-	-	1	2	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	1	5	3	7	9	14	26	7	1	-	-
WHITE-----MALE----	1	1	1	1	2	4	8	11	2	-	-	-
FEMALE--	-	-	3	2	4	5	6	13	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 66

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
HAWAII -----	-	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	1	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	2	1	2	2	2	8	2	7	3	-	-
WHITE-----MALE----	-	1	1	1	-	-	4	1	2	-	-	-
FEMALE--	-	1	-	-	2	2	3	1	5	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
INDIANA -----	-	-	-	1	1	1	2	2	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IOWA -----	-	1	-	-	-	-	-	3	1	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	1	-	-	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 67

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
KENTUCKY -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	22	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	32	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	18	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 67

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
KENTUCKY -----	-	1	-	1	1	2	6	4	4	1	-	-
WHITE-----MALE----	-	1	-	1	1	1	3	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	-	-	1	-	1	-	-	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	-	-	-	-	1	2	2	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	3	1	4	1	7	1	2	1	1	-
WHITE-----MALE----	-	-	1	-	1	-	2	-	-	1	1	-
FEMALE--	-	-	1	-	2	1	5	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	5	-	4	7	3	4	5	1	-
WHITE-----MALE----	1	-	1	3	-	3	4	2	-	-	-	-
FEMALE--	-	-	-	2	-	1	3	1	4	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	-	4	5	-	5	2	-	-	-
WHITE-----MALE----	1	-	-	-	2	3	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 70

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
OHIO -----	-	3	6	3	8	13	22	17	11	3	1	-
WHITE-----MALE----	-	-	2	1	6	7	9	6	5	-	1	-
FEMALE--	-	3	4	2	2	6	12	9	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
OKLAHOMA -----	-	1	-	-	1	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	-	-	-	1	-	4	1	4	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	3	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	1	1	5	11	6	15	4	2	2	-
WHITE-----MALE----	-	1	-	1	-	2	3	2	1	-	1	-
FEMALE--	-	-	1	-	5	7	3	12	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	1	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 73

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ILL-DEFINED INTESTINAL INFECTIONS (009)												
UNITED STATES --	5	5	2	14	9	25	19	19	8	3	2	-
WHITE-----MALE----	2	2	1	4	4	10	3	7	2	-	-	-
FEMALE--	3	2	1	7	3	14	13	10	5	3	1	-
ALL OTHER--MALE----	-	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	2	1	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	2	1	-	-	-
ALABAMA -----	-	-	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	-	1	3	2	3	3	1	1	-	1	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 74

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ILL-DEFINED INTESTINAL INFECTIONS (009)												
COLORADO -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	-	-	3	4	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	3	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	-	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 82

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
UNITED STATES --	1,112	-	3	-	1	4	7	13	25	42	66	58
WHITE-----MALE----	381	-	-	-	-	1	-	1	4	12	18	15
FEMALE--	286	-	3	-	-	1	2	3	4	3	6	6
ALL OTHER--MALE----	277	-	-	-	-	-	-	5	9	19	25	25
FEMALE--	168	-	-	-	1	2	5	4	8	8	17	12
BLACK---MALE----	213	-	-	-	-	-	-	4	6	15	20	23
FEMALE--	133	-	-	-	1	1	5	3	7	6	11	10
ALABAMA -----	28	-	-	-	-	-	-	-	1	1	-	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	24	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	168	-	1	-	-	-	-	1	5	8	16	4
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	5	9	1
FEMALE--	42	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	3	2	4	3
FEMALE--	19	-	-	-	-	-	-	1	2	1	3	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 82  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
UNITED STATES --	56	60	91	95	134	134	146	112	46	16	3	-
WHITE-----MALE----	21	29	39	33	43	55	62	34	10	2	2	-
FEMALE--	8	11	16	22	39	40	46	49	19	8	-	-
ALL OTHER--MALE----	17	11	21	25	33	28	23	19	12	4	1	-
FEMALE--	10	9	15	15	19	11	15	10	5	2	-	-
BLACK---MALE----	13	11	19	18	26	18	14	12	9	4	1	-
FEMALE--	7	7	13	12	14	8	14	9	3	2	-	-
ALABAMA -----	2	1	4	-	2	5	7	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	4	-	-	-	-	-
FEMALE--	1	-	2	-	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	3	2	2	2	2	-	5	1	-	-	-
WHITE-----MALE----	4	2	2	1	1	1	-	3	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	2	-	1	1	2	4	1	5	2	-	-	-
WHITE-----MALE----	1	-	1	1	2	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	12	16	11	19	18	24	13	14	-	-	-
WHITE-----MALE----	1	6	9	3	7	7	9	4	2	-	-	-
FEMALE--	3	2	3	6	5	4	6	5	7	-	-	-
ALL OTHER--MALE----	2	3	2	1	5	4	8	4	3	-	-	-
FEMALE--	-	1	2	1	2	3	1	-	2	-	-	-
BLACK---MALE----	1	3	2	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 83

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
COLORADO -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	11	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	9	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	72	-	-	-	-	-	-	-	3	7	4	8
WHITE-----MALE----	29	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	4	3	6
FEMALE--	8	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	22	-	-	-	-	-	-	-	1	4	3	5
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
GEORGIA -----	35	-	-	-	-	-	-	1	1	2	4	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	-	2	4	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	1	-	2	4	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 83

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
COLORADO -----	-	1	1	2	1	4	2	2	-	1	-	-
WHITE-----MALE----	-	1	-	2	1	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	1	1	4	-	3	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	1	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	-	2	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	5	-	4	6	8	11	8	5	2	1	-	-
WHITE-----MALE----	3	-	2	3	5	5	4	3	-	1	-	-
FEMALE--	-	-	-	2	1	2	3	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	4	-	-	1	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	4	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
GEORGIA -----	3	3	2	2	3	-	5	3	2	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	1	2	1	2	2	-	3	-	2	1	-	-
FEMALE--	2	1	1	-	-	-	2	1	-	-	-	-
BLACK---MALE----	1	2	1	2	2	-	3	-	2	1	-	-
FEMALE--	2	1	1	-	-	-	2	1	-	-	-	-



















TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 88

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TUBERCULOSIS (010-018)												
OHIO -----	35	-	-	-	-	-	1	1	-	1	1	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	14	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	9	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	31	-	-	-	-	1	-	-	1	3	1	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	18	-	-	-	-	1	-	1	1	-	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 88

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
OHIO -----	2	1	3	1	8	2	7	5	1	-	-	-
WHITE-----MALE----	1	1	2	-	3	1	5	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
OKLAHOMA -----	1	-	1	3	1	2	2	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	-	-	-	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	4	4	5	1	4	2	-	1	-	-
WHITE-----MALE----	-	1	1	3	3	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	2	-	-	-	-
RHODE ISLAND -----	-	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	3	2	2	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	1	2	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 89

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
TUBERCULOSIS (010-018)												
SOUTH DAKOTA -----	-	-	1	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	1	2	3	3	5	6	3	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	4	-	2	-	-	-
FEMALE--	-	1	-	-	2	1	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	2	1	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	2	1	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
TEXAS -----	7	8	10	8	16	13	14	6	-	2	-	-
WHITE-----MALE----	5	4	5	4	5	7	7	1	-	-	-	-
FEMALE--	-	3	3	3	7	5	6	5	-	1	-	-
ALL OTHER--MALE----	1	1	1	1	1	1	1	-	-	1	-	-
FEMALE--	1	-	1	-	3	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	-	-	1	-	-	1	-	-
FEMALE--	1	-	1	-	3	-	-	-	-	-	-	-
UTAH -----	-	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	1	3	2	4	4	2	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	1	-	-
BLACK---MALE----	1	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 91  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
UNITED STATES --	815	-	-	-	-	3	4	6	19	26	38	48
WHITE-----MALE----	306	-	-	-	-	1	-	-	4	9	13	13
FEMALE--	189	-	-	-	-	-	1	2	1	1	1	3
ALL OTHER--MALE----	222	-	-	-	-	-	-	3	9	10	19	22
FEMALE--	98	-	-	-	-	2	3	1	5	6	5	10
BLACK---MALE----	176	-	-	-	-	-	-	3	6	9	16	20
FEMALE--	75	-	-	-	-	1	3	1	4	5	3	8
ALABAMA -----	19	-	-	-	-	-	-	-	1	-	-	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	133	-	-	-	-	-	-	-	5	5	9	4
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	4	5	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	3	-	3	3
FEMALE--	14	-	-	-	-	-	-	-	2	1	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 91

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
UNITED STATES --	36	35	68	69	100	104	114	93	37	12	3	-
WHITE-----MALE----	17	17	33	27	32	44	53	30	9	2	2	-
FEMALE--	3	4	9	17	26	31	30	41	15	4	-	-
ALL OTHER--MALE----	13	10	17	17	27	23	22	16	9	4	1	-
FEMALE--	3	4	9	8	15	6	9	6	4	2	-	-
BLACK---MALE----	10	10	16	13	20	17	14	11	6	4	1	-
FEMALE--	2	2	7	7	10	4	8	6	2	2	-	-
ALABAMA -----	1	1	4	-	-	3	4	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	3	-	-	-	-	-
FEMALE--	1	-	2	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	2	1	1	2	2	-	4	1	-	-	-
WHITE-----MALE----	4	2	1	1	1	1	-	3	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	1	2	4	-	2	1	-	-	-
WHITE-----MALE----	-	-	1	1	2	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	8	10	10	18	13	21	13	14	-	-	-
WHITE-----MALE----	1	4	6	3	7	5	7	4	2	-	-	-
FEMALE--	-	1	1	5	4	4	6	5	7	-	-	-
ALL OTHER--MALE----	2	2	1	1	5	2	8	4	3	-	-	-
FEMALE--	-	1	2	1	2	2	-	-	2	-	-	-
BLACK---MALE----	1	2	1	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 92  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
COLORADO -----	-	-	1	2	1	4	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	1	2	-	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	-	1	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	-	2	5	5	10	8	3	2	1	-	-
WHITE-----MALE----	2	-	1	3	3	4	4	2	-	1	-	-
FEMALE--	-	-	-	1	-	2	3	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	4	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	4	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	2	2	1	2	3	-	4	2	1	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	1	2	1	2	2	-	3	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	2	1	2	2	-	3	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-





















TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 97  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
OHIO -----	29	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	6	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	20	-	-	-	-	1	-	-	1	3	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	17	-	-	-	-	1	-	1	1	-	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 97

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
OHIO -----	1	-	2	1	8	2	6	5	1	-	-	-
WHITE-----MALE----	1	-	2	-	3	1	4	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
OKLAHOMA -----	1	-	1	2	1	1	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	2	2	3	3	-	4	-	-	-	-	-
WHITE-----MALE----	-	1	1	2	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	3	1	2	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	1	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 98

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	1	1	2	2	5	6	2	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	4	-	2	-	-	-
FEMALE--	-	1	-	-	1	1	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
TEXAS -----	5	5	7	6	10	12	12	6	-	2	-	-
WHITE-----MALE----	4	3	5	4	3	7	7	1	-	-	-	-
FEMALE--	-	1	2	2	4	4	4	5	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	1	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	1	3	2	3	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 100

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER TUBERCULOSIS (013-018)												
UNITED STATES --	20	25	23	26	34	30	32	19	9	4	-	-
WHITE-----MALE----	4	12	6	6	11	11	9	4	1	-	-	-
FEMALE--	5	7	7	5	13	9	16	8	4	4	-	-
ALL OTHER--MALE----	4	1	4	8	6	5	1	3	3	-	-	-
FEMALE--	7	5	6	7	4	5	6	4	1	-	-	-
BLACK---MALE----	3	1	3	5	6	1	-	1	3	-	-	-
FEMALE--	5	5	6	5	4	4	6	3	1	-	-	-
ALABAMA -----	1	-	-	-	2	2	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	1	3	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	4	6	1	1	5	3	-	-	-	-	-
WHITE-----MALE----	-	2	3	-	-	2	2	-	-	-	-	-
FEMALE--	3	1	2	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 101  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER TUBERCULOSIS (013-018)												
COLORADO -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	14	-	-	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	8	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 101  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER TUBERCULOSIS (013-018)												
COLORADO -----	-	1	-	-	-	-	1	1	-	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	1	-	2	1	3	1	-	2	-	-	-	-
WHITE-----MALE----	1	-	1	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	1	1	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	1	-	-	-	1	1	-	-	-	-

































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 109

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
UNITED STATES --	25,076	267	128	42	55	75	92	114	196	301	458	592
WHITE-----MALE----	8,655	76	58	17	19	33	40	32	70	112	181	214
FEMALE--	11,290	84	36	11	21	15	28	34	52	82	121	151
ALL OTHER--MALE----	2,241	64	20	7	8	16	13	23	30	51	77	122
FEMALE--	2,890	43	14	7	7	11	11	25	44	56	79	105
BLACK---MALE----	2,040	53	17	7	7	16	11	21	29	45	76	112
FEMALE--	2,666	38	13	7	6	10	9	23	39	53	73	99
ALABAMA -----	548	8	3	-	-	-	-	2	4	8	11	12
WHITE-----MALE----	157	3	2	-	-	-	-	2	1	3	1	3
FEMALE--	222	1	-	-	-	-	-	-	3	2	4	5
ALL OTHER--MALE----	71	2	1	-	-	-	-	-	-	1	3	4
FEMALE--	98	2	-	-	-	-	-	-	-	2	3	-
BLACK---MALE----	70	2	1	-	-	-	-	-	-	1	3	4
FEMALE--	97	2	-	-	-	-	-	-	-	2	3	-
ALASKA -----	16	1	-	1	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	273	10	4	1	2	-	2	2	8	4	6	9
WHITE-----MALE----	134	3	3	1	-	-	2	-	3	3	6	6
FEMALE--	106	3	-	-	1	-	-	2	3	1	-	-
ALL OTHER--MALE----	15	3	1	-	1	-	-	-	1	-	-	3
FEMALE--	18	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	375	3	2	-	-	1	-	2	1	3	6	8
WHITE-----MALE----	114	1	2	-	-	-	-	1	1	-	1	2
FEMALE--	172	1	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	36	1	-	-	-	1	-	1	-	1	2	4
FEMALE--	53	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	35	1	-	-	-	1	-	1	-	1	2	4
FEMALE--	52	-	-	-	-	-	-	-	-	1	1	1
CALIFORNIA -----	691	25	9	3	6	3	5	7	8	8	22	29
WHITE-----MALE----	286	10	4	1	1	1	4	1	6	7	12	16
FEMALE--	291	10	4	1	4	2	-	1	1	1	7	7
ALL OTHER--MALE----	52	5	1	1	-	-	1	1	-	-	1	4
FEMALE--	62	-	-	-	1	-	-	4	1	-	2	2
BLACK---MALE----	35	4	-	1	-	-	-	1	-	-	1	3
FEMALE--	33	-	-	-	1	-	-	4	1	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 109  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
UNITED STATES --	758	969	1,252	1,927	2,790	3,606	4,129	3,798	2,415	941	169	2
WHITE-----MALE----	279	354	476	773	1,142	1,418	1,465	1,130	578	170	18	-
FEMALE--	246	310	412	704	1,084	1,526	2,011	2,130	1,501	624	107	-
ALL OTHER--MALE----	129	173	181	203	251	302	253	185	95	32	6	-
FEMALE--	104	132	183	247	313	360	400	353	241	115	38	2
BLACK---MALE----	119	157	167	191	223	276	228	165	86	29	5	-
FEMALE--	95	118	167	230	285	337	365	325	225	109	38	2
ALABAMA -----	19	25	28	40	71	83	73	84	48	23	6	-
WHITE-----MALE----	5	10	9	13	29	30	20	17	6	3	-	-
FEMALE--	5	2	11	15	23	23	35	47	30	13	3	-
ALL OTHER--MALE----	4	9	3	5	9	14	5	5	5	-	1	-
FEMALE--	5	4	5	7	10	16	13	15	7	7	2	-
BLACK---MALE----	4	9	3	5	8	14	5	5	5	-	1	-
FEMALE--	5	4	5	7	10	16	12	15	7	7	2	-
ALASKA -----	-	-	-	3	2	2	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	17	19	19	32	33	41	33	6	3	2	-
WHITE-----MALE----	5	7	11	9	16	23	20	13	2	1	-	-
FEMALE--	10	6	5	6	14	10	19	19	4	2	1	-
ALL OTHER--MALE----	1	3	-	-	-	-	1	1	-	-	-	-
FEMALE--	4	1	3	4	2	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	1	-
ARKANSAS -----	11	18	12	28	44	56	50	67	47	15	1	-
WHITE-----MALE----	5	9	2	9	13	18	19	25	4	2	-	-
FEMALE--	6	7	1	9	23	29	21	30	33	7	1	-
ALL OTHER--MALE----	-	1	3	4	4	4	4	3	1	2	-	-
FEMALE--	-	1	6	6	4	5	6	9	9	4	-	-
BLACK---MALE----	-	1	3	3	4	4	4	3	1	2	-	-
FEMALE--	-	1	6	6	3	5	6	9	9	4	-	-
CALIFORNIA -----	22	32	30	52	77	94	102	93	43	17	4	-
WHITE-----MALE----	10	14	20	22	33	40	31	35	15	3	-	-
FEMALE--	11	13	7	20	28	41	48	44	23	14	4	-
ALL OTHER--MALE----	1	2	-	5	10	7	11	2	-	-	-	-
FEMALE--	-	3	3	5	6	6	12	12	5	-	-	-
BLACK---MALE----	-	2	-	3	9	5	5	1	-	-	-	-
FEMALE--	-	1	1	3	4	3	3	6	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 110  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
COLORADO -----	246	3	2	-	2	-	2	3	3	7	2	10
WHITE-----MALE----	112	1	1	-	2	-	-	1	2	2	2	2
FEMALE--	120	1	1	-	-	-	2	-	1	5	-	7
ALL OTHER--MALE----	5	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	1
CONNECTICUT -----	428	3	-	-	1	-	1	1	-	5	8	9
WHITE-----MALE----	174	1	-	-	-	-	-	1	-	-	3	3
FEMALE--	215	2	-	-	1	-	1	-	-	3	1	4
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	23	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	23	-	-	-	-	-	-	-	-	1	3	-
DELAWARE -----	119	-	1	-	-	2	-	-	1	3	3	4
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	46	-	-	-	-	1	-	-	1	1	-	1
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	16	-	1	-	-	-	-	-	-	1	1	-
BLACK---MALE----	12	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	15	-	1	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ----	140	1	1	-	-	-	1	1	3	1	3	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	55	1	-	-	-	-	1	1	2	-	1	1
FEMALE--	59	-	1	-	-	-	-	-	1	1	1	-
BLACK---MALE----	55	1	-	-	-	-	1	1	2	-	1	1
FEMALE--	59	-	1	-	-	-	-	-	1	1	1	-
FLORIDA -----	1,021	20	3	3	3	4	3	3	6	13	15	21
WHITE-----MALE----	389	5	2	1	-	4	1	2	2	5	8	8
FEMALE--	463	7	-	1	-	-	-	1	2	2	3	2
ALL OTHER--MALE----	69	4	-	1	1	-	1	-	1	3	1	3
FEMALE--	100	4	1	-	2	-	1	-	1	3	3	8
BLACK---MALE----	67	4	-	1	1	-	1	-	1	3	1	3
FEMALE--	97	4	1	-	2	-	1	-	1	3	3	8
GEORGIA -----	927	10	7	2	2	3	3	8	12	11	23	21
WHITE-----MALE----	218	3	3	-	-	1	1	-	5	9	2	4
FEMALE--	369	4	1	1	1	-	1	4	2	-	8	6
ALL OTHER--MALE----	130	2	2	-	1	1	1	2	1	-	9	6
FEMALE--	210	1	1	1	-	1	-	2	4	2	4	5
BLACK---MALE----	128	2	2	-	1	1	1	2	1	-	9	6
FEMALE--	206	1	1	1	-	1	-	2	4	2	4	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 110  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
COLORADO -----	4	6	14	12	33	36	37	37	23	9	1	-
WHITE-----MALE----	2	6	10	7	19	13	17	15	9	1	-	-
FEMALE--	2	-	3	5	13	21	17	20	13	8	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	3	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
CONNECTICUT -----	11	16	14	23	44	73	86	65	43	24	1	-
WHITE-----MALE----	7	7	6	14	21	36	31	28	14	2	-	-
FEMALE--	3	3	6	7	22	29	50	33	27	22	1	-
ALL OTHER--MALE----	1	4	-	-	1	4	1	1	-	-	-	-
FEMALE--	-	2	2	2	-	4	4	3	2	-	-	-
BLACK---MALE----	1	4	-	-	1	4	1	1	-	-	-	-
FEMALE--	-	2	2	2	-	4	4	3	2	-	-	-
DELAWARE -----	2	4	7	11	14	13	24	21	5	4	-	-
WHITE-----MALE----	1	2	3	6	3	7	8	8	3	1	-	-
FEMALE--	-	1	2	1	7	5	12	10	1	3	-	-
ALL OTHER--MALE----	1	-	1	2	-	1	1	1	1	-	-	-
FEMALE--	-	1	1	2	4	-	3	2	-	-	-	-
BLACK---MALE----	1	-	1	2	-	1	1	1	1	-	-	-
FEMALE--	-	1	-	2	4	-	3	2	-	-	-	-
DISTRICT OF COLUMBIA ----	7	5	8	16	11	23	25	17	12	4	-	-
WHITE-----MALE----	-	-	-	1	1	2	4	1	-	1	-	-
FEMALE--	2	-	-	1	1	3	2	2	3	1	-	-
ALL OTHER--MALE----	2	3	5	7	3	13	8	5	2	-	-	-
FEMALE--	3	2	3	7	6	5	11	9	7	2	-	-
BLACK---MALE----	2	3	5	7	3	13	8	5	2	-	-	-
FEMALE--	3	2	3	7	6	5	11	9	7	2	-	-
FLORIDA -----	19	32	48	74	111	146	177	184	93	34	8	1
WHITE-----MALE----	10	12	19	30	46	72	66	66	22	7	1	-
FEMALE--	6	9	17	32	43	62	89	101	59	21	6	-
ALL OTHER--MALE----	3	3	7	8	11	5	6	8	3	-	-	-
FEMALE--	-	8	5	4	11	7	16	9	9	6	1	1
BLACK---MALE----	2	3	7	8	11	4	6	8	3	-	-	-
FEMALE--	-	7	5	4	11	7	15	8	9	6	1	1
GEORGIA -----	31	45	49	86	101	131	131	139	78	25	9	-
WHITE-----MALE----	8	9	15	22	24	41	25	27	15	3	1	-
FEMALE--	7	21	10	31	31	57	61	74	35	12	2	-
ALL OTHER--MALE----	9	5	7	11	21	8	18	14	10	1	1	-
FEMALE--	7	10	17	22	25	25	27	24	18	9	5	-
BLACK---MALE----	9	5	7	11	20	8	18	13	10	1	1	-
FEMALE--	5	10	17	22	24	24	27	24	18	9	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 111  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOO NOTIC AND OTHER BACTERIAL DISEASES (020-041)												
HAWAII -----	134	2	-	-	-	2	2	1	3	4	-	4
WHITE-----MALE----	23	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	52	-	-	-	-	-	-	1	1	3	-	2
FEMALE--	49	2	-	-	-	1	1	-	1	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	55	2	2	-	-	-	1	-	-	1	-	1
WHITE-----MALE----	27	2	1	-	-	-	1	-	-	1	-	1
FEMALE--	25	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,536	17	10	4	1	3	3	6	11	17	23	48
WHITE-----MALE----	477	4	4	2	1	-	2	1	5	6	6	13
FEMALE--	640	3	3	-	-	1	-	2	2	7	6	10
ALL OTHER--MALE----	211	5	3	1	-	2	-	2	2	2	6	15
FEMALE--	208	5	-	1	-	-	1	1	2	2	5	10
BLACK---MALE----	198	5	3	1	-	2	-	2	2	2	5	14
FEMALE--	204	5	-	1	-	-	1	1	2	2	5	10
INDIANA -----	609	6	3	-	3	1	2	3	9	5	13	7
WHITE-----MALE----	223	1	1	-	1	-	1	-	3	2	4	3
FEMALE--	314	2	2	-	2	1	1	1	4	1	6	3
ALL OTHER--MALE----	33	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	39	2	-	-	-	-	-	2	2	2	2	-
BLACK---MALE----	32	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	39	2	-	-	-	-	-	2	2	2	2	-
IOWA -----	206	1	2	2	1	-	-	-	1	3	3	1
WHITE-----MALE----	91	1	1	2	1	-	-	-	-	3	2	-
FEMALE--	111	-	1	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	221	-	2	1	2	-	1	1	1	3	2	4
WHITE-----MALE----	93	-	2	1	-	-	-	1	-	2	2	3
FEMALE--	110	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 111  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
HAWAII -----	6	6	4	11	17	18	17	18	12	6	1	-
WHITE-----MALE----	5	1	-	5	3	2	1	2	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	3	1	1	-
ALL OTHER--MALE----	1	5	1	2	5	8	7	9	4	3	-	-
FEMALE--	-	-	3	3	8	8	7	7	4	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	3	2	8	4	10	9	7	5	-	-	-
WHITE-----MALE----	-	1	-	4	2	6	5	2	1	-	-	-
FEMALE--	-	2	2	3	2	3	4	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	51	50	79	105	152	237	255	227	157	70	10	-
WHITE-----MALE----	18	13	28	41	59	84	85	58	37	9	1	-
FEMALE--	11	13	19	41	57	83	118	125	86	48	5	-
ALL OTHER--MALE----	14	16	17	18	24	38	21	15	6	3	1	-
FEMALE--	8	8	15	5	12	32	31	29	28	10	3	-
BLACK---MALE----	14	15	15	18	21	35	21	15	4	3	1	-
FEMALE--	8	7	15	5	12	32	30	27	28	10	3	-
INDIANA -----	26	21	18	44	73	91	86	102	65	23	8	-
WHITE-----MALE----	11	7	8	23	30	36	36	39	15	2	-	-
FEMALE--	6	8	6	9	38	48	42	56	49	21	8	-
ALL OTHER--MALE----	7	4	2	3	3	5	3	3	-	-	-	-
FEMALE--	2	2	2	9	2	4	3	4	1	-	-	-
BLACK---MALE----	7	4	2	3	3	4	4	3	-	-	-	-
FEMALE--	2	2	2	9	2	4	3	4	1	-	-	-
IOWA -----	6	7	9	21	33	22	35	25	25	9	-	-
WHITE-----MALE----	4	3	3	14	17	9	14	10	4	3	-	-
FEMALE--	2	3	6	7	15	12	21	15	21	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	1	-	-
KANSAS -----	3	10	11	18	19	22	41	45	22	13	-	-
WHITE-----MALE----	1	4	4	10	7	12	15	17	9	3	-	-
FEMALE--	2	4	4	6	8	9	24	28	12	10	-	-
ALL OTHER--MALE----	-	2	2	1	3	1	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	2	-	-	-	-	-
BLACK---MALE----	-	2	2	1	3	1	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 112  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
KENTUCKY -----	481	3	1	3	1	1	-	-	1	6	13	10
WHITE-----MALE----	194	1	-	2	1	1	-	-	-	1	10	7
FEMALE--	239	-	1	1	-	-	-	-	1	3	3	1
ALL OTHER--MALE----	22	2	-	-	-	-	-	-	-	2	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	22	2	-	-	-	-	-	-	-	2	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	662	8	4	-	1	1	4	3	7	5	12	15
WHITE-----MALE----	148	-	1	-	-	1	1	-	1	1	4	3
FEMALE--	224	1	1	-	1	-	2	1	-	-	2	2
ALL OTHER--MALE----	135	4	1	-	-	-	1	2	2	1	3	6
FEMALE--	155	3	1	-	-	-	-	-	4	3	3	4
BLACK---MALE----	134	4	1	-	-	-	1	2	2	1	3	6
FEMALE--	153	2	1	-	-	-	-	-	4	3	3	4
MAINE -----	73	-	1	-	-	-	2	-	1	-	-	-
WHITE-----MALE----	28	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	44	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	769	5	5	1	-	1	1	2	9	12	19	30
WHITE-----MALE----	183	1	-	1	-	-	-	-	1	3	7	7
FEMALE--	306	2	-	-	-	-	1	1	1	2	5	5
ALL OTHER--MALE----	142	2	3	-	-	-	-	1	5	4	5	10
FEMALE--	138	-	2	-	-	1	-	-	2	3	2	8
BLACK---MALE----	132	2	3	-	-	-	-	1	5	4	5	10
FEMALE--	133	-	2	-	-	1	-	-	2	3	2	8
MASSACHUSETTS -----	800	1	-	1	-	-	2	-	1	7	7	12
WHITE-----MALE----	338	1	-	-	-	-	1	-	-	4	4	7
FEMALE--	420	-	-	-	-	-	1	-	1	3	1	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	1	-	-	-	-	-	-	2	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	1	-	-	-	-	-	-	2	2
MICHIGAN -----	838	4	6	-	4	5	2	2	8	9	13	22
WHITE-----MALE----	284	-	5	-	2	4	1	1	3	4	7	11
FEMALE--	347	3	-	-	1	-	-	-	1	3	2	4
ALL OTHER--MALE----	80	-	-	-	-	-	1	1	1	-	2	4
FEMALE--	127	1	1	-	1	1	-	-	3	2	2	3
BLACK---MALE----	78	-	-	-	-	-	1	1	1	-	2	4
FEMALE--	121	1	1	-	1	1	-	-	3	2	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 112  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
KENTUCKY -----	22	17	32	45	56	61	81	72	40	13	3	-
WHITE-----MALE----	8	8	15	17	29	30	34	18	8	4	-	-
FEMALE--	11	7	12	22	20	25	45	47	29	8	3	-
ALL OTHER--MALE----	-	1	4	3	2	3	-	3	1	-	-	-
FEMALE--	3	1	1	3	5	3	2	4	2	1	-	-
BLACK---MALE----	-	1	4	3	2	3	-	3	1	-	-	-
FEMALE--	3	1	1	3	5	3	2	4	2	1	-	-
LOUISIANA -----	24	35	42	44	65	82	115	91	75	26	3	-
WHITE-----MALE----	4	9	14	8	15	25	27	17	14	3	-	-
FEMALE--	7	9	11	14	19	29	40	41	29	14	1	-
ALL OTHER--MALE----	8	12	9	12	13	11	18	14	16	2	-	-
FEMALE--	5	5	8	10	18	17	30	19	16	7	2	-
BLACK---MALE----	8	12	8	12	13	11	18	14	16	2	-	-
FEMALE--	5	4	8	10	18	17	30	19	16	7	2	-
MAINE -----	1	1	1	4	10	8	13	18	7	5	1	-
WHITE-----MALE----	-	1	-	4	6	2	5	5	1	3	-	-
FEMALE--	1	-	1	-	4	6	8	13	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	23	48	48	61	80	123	119	86	61	28	7	-
WHITE-----MALE----	4	8	13	13	23	37	22	21	14	7	1	-
FEMALE--	5	15	12	16	33	46	62	45	37	15	3	-
ALL OTHER--MALE----	9	14	14	13	10	21	17	11	2	-	1	-
FEMALE--	5	11	9	19	14	19	18	9	8	6	2	-
BLACK---MALE----	8	13	12	12	9	21	15	10	2	-	-	-
FEMALE--	3	11	9	19	14	18	18	8	7	6	2	-
MASSACHUSETTS -----	16	19	39	63	92	115	171	127	77	39	11	-
WHITE-----MALE----	6	9	19	32	45	47	78	53	23	7	2	-
FEMALE--	8	8	16	23	39	65	90	69	54	31	8	-
ALL OTHER--MALE----	1	-	4	2	3	1	2	3	-	-	1	-
FEMALE--	1	2	-	6	5	2	1	2	-	1	-	-
BLACK---MALE----	1	-	4	2	2	1	1	2	-	-	1	-
FEMALE--	1	2	-	6	5	1	1	1	-	1	-	-
MICHIGAN -----	27	34	52	64	107	118	138	118	75	27	3	-
WHITE-----MALE----	6	9	21	24	38	42	54	30	19	3	-	-
FEMALE--	12	11	13	21	37	49	60	66	42	19	3	-
ALL OTHER--MALE----	7	10	8	10	13	6	8	6	3	-	-	-
FEMALE--	2	4	10	9	19	21	16	16	11	5	-	-
BLACK---MALE----	7	10	8	10	11	6	8	6	3	-	-	-
FEMALE--	2	4	9	7	18	20	16	15	11	5	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 113  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
MINNESOTA -----	5	8	13	14	32	25	31	34	21	11	3	-
WHITE-----MALE----	-	4	8	10	17	11	8	9	5	4	2	-
FEMALE--	4	3	5	4	15	13	22	25	16	7	1	-
ALL OTHER--MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	14	18	23	34	52	43	54	40	11	3	-
WHITE-----MALE----	1	4	3	7	9	14	12	5	5	3	-	-
FEMALE--	-	2	6	7	9	16	14	32	20	6	-	-
ALL OTHER--MALE----	2	2	3	3	8	10	10	5	4	1	-	-
FEMALE--	1	6	6	6	8	12	7	12	11	1	3	-
BLACK---MALE----	2	2	3	3	8	10	10	5	4	1	-	-
FEMALE--	1	6	6	6	8	12	7	12	11	1	3	-
MISSOURI -----	16	16	26	32	71	58	90	75	62	24	4	-
WHITE-----MALE----	4	3	13	17	29	21	34	20	15	4	-	-
FEMALE--	6	6	4	12	26	25	42	45	38	19	1	-
ALL OTHER--MALE----	4	4	3	1	5	6	7	2	3	-	1	-
FEMALE--	2	3	6	2	11	6	7	8	6	1	2	-
BLACK---MALE----	4	4	3	1	4	6	7	2	3	-	1	-
FEMALE--	2	3	6	2	11	6	7	8	6	1	2	-
MONTANA -----	2	2	3	9	10	14	9	13	6	3	-	-
WHITE-----MALE----	2	2	-	4	5	5	5	1	4	-	-	-
FEMALE--	-	-	2	5	5	8	4	10	2	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	4	8	6	13	14	19	18	10	5	1	-
WHITE-----MALE----	-	1	3	3	10	8	9	3	3	-	-	-
FEMALE--	-	2	4	2	3	6	9	13	7	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	1	1	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	1	1	-	-	1	2	-	-	-	-
NEVADA -----	9	15	17	27	45	44	41	28	22	4	1	-
WHITE-----MALE----	6	7	9	18	19	22	16	11	8	1	1	-
FEMALE--	1	4	7	7	22	20	19	15	12	2	-	-
ALL OTHER--MALE----	-	2	1	1	2	2	2	1	-	-	-	-
FEMALE--	2	2	-	1	2	-	4	1	2	1	-	-
BLACK---MALE----	-	2	1	1	2	1	1	1	-	-	-	-
FEMALE--	2	2	-	1	-	-	3	1	2	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 115  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZOOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
OHIO -----	1,189	15	4	1	1	5	3	8	5	16	19	17
WHITE-----MALE----	412	10	2	1	-	2	-	4	2	8	5	4
FEMALE--	605	4	1	-	1	-	3	1	2	7	9	6
ALL OTHER--MALE----	71	-	1	-	-	1	-	-	-	1	2	3
FEMALE--	101	1	-	-	-	2	-	3	1	-	3	4
BLACK---MALE----	69	-	1	-	-	1	-	-	-	1	2	3
FEMALE--	99	1	-	-	-	2	-	2	1	-	3	4
OKLAHOMA -----	361	4	-	1	1	2	1	1	2	6	8	7
WHITE-----MALE----	127	1	-	1	-	-	1	1	-	2	1	4
FEMALE--	185	1	-	-	-	1	-	-	-	1	2	3
ALL OTHER--MALE----	17	1	-	-	-	1	-	-	-	1	1	-
FEMALE--	32	1	-	-	1	-	-	-	2	2	4	-
BLACK---MALE----	8	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	20	1	-	-	-	-	-	-	2	2	1	-
OREGON -----	200	1	1	1	-	-	3	3	1	-	5	8
WHITE-----MALE----	96	-	-	-	-	-	2	-	1	-	4	6
FEMALE--	98	1	1	1	-	-	1	2	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,040	4	4	1	3	1	9	9	11	17	30	45
WHITE-----MALE----	691	1	3	-	2	-	3	5	4	4	6	16
FEMALE--	1,016	1	1	-	-	-	2	1	4	4	12	14
ALL OTHER--MALE----	145	-	-	-	-	-	2	1	2	6	8	7
FEMALE--	188	2	-	1	1	1	2	2	1	3	4	8
BLACK---MALE----	139	-	-	-	-	-	2	1	2	6	8	6
FEMALE--	180	2	-	1	1	1	2	2	1	3	4	7
RHODE ISLAND -----	76	-	1	2	-	-	-	-	1	-	1	1
WHITE-----MALE----	25	-	-	2	-	-	-	-	-	-	-	1
FEMALE--	47	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	422	3	2	1	1	4	2	4	1	10	6	15
WHITE-----MALE----	121	-	1	-	-	2	1	1	-	1	2	2
FEMALE--	151	3	-	1	1	1	1	1	-	2	1	4
ALL OTHER--MALE----	64	-	-	-	-	1	-	2	1	2	2	5
FEMALE--	86	-	1	-	-	-	-	-	-	5	1	4
BLACK---MALE----	63	-	-	-	-	1	-	1	1	2	2	5
FEMALE--	86	-	1	-	-	-	-	-	-	5	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 115  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZOONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
OHIO -----	33	36	47	96	124	181	208	194	128	38	10	-
WHITE-----MALE----	12	9	17	39	50	79	63	61	35	7	2	-
FEMALE--	10	17	20	34	56	80	121	121	78	26	8	-
ALL OTHER--MALE----	4	8	5	8	7	13	9	3	6	-	-	-
FEMALE--	7	2	5	15	11	9	15	9	9	5	-	-
BLACK---MALE----	4	7	4	8	7	13	9	3	6	-	-	-
FEMALE--	7	1	5	15	11	9	15	9	9	5	-	-
OKLAHOMA -----	9	8	17	28	30	56	64	51	49	14	1	1
WHITE-----MALE----	3	4	9	10	18	22	24	16	8	2	-	-
FEMALE--	5	1	7	12	8	29	32	32	39	12	-	-
ALL OTHER--MALE----	1	-	-	5	-	2	4	-	1	-	-	-
FEMALE--	-	3	1	1	4	3	4	3	1	-	1	1
BLACK---MALE----	-	-	-	3	-	1	2	-	-	-	-	-
FEMALE--	-	2	1	1	2	2	2	2	-	-	1	1
OREGON -----	8	14	9	15	27	21	33	27	16	7	-	-
WHITE-----MALE----	4	9	7	9	17	7	11	12	6	1	-	-
FEMALE--	3	5	2	5	9	14	22	15	10	6	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	48	47	88	147	224	315	383	358	210	76	10	-
WHITE-----MALE----	14	19	31	65	95	110	142	103	57	10	1	-
FEMALE--	18	12	27	56	85	157	201	222	134	60	5	-
ALL OTHER--MALE----	10	9	15	11	17	24	19	7	6	1	-	-
FEMALE--	6	7	15	15	27	24	21	26	13	5	4	-
BLACK---MALE----	9	8	14	10	17	24	18	7	6	1	-	-
FEMALE--	6	6	14	14	26	23	20	26	13	4	4	-
RHODE ISLAND -----	1	3	1	8	4	10	12	17	11	3	-	-
WHITE-----MALE----	1	3	-	4	2	3	4	2	2	1	-	-
FEMALE--	-	-	1	4	2	6	6	15	9	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
SOUTH CAROLINA -----	16	20	21	34	53	50	65	65	34	12	3	-
WHITE-----MALE----	6	8	3	9	20	17	23	15	8	2	-	-
FEMALE--	4	4	7	10	14	19	19	30	21	7	1	-
ALL OTHER--MALE----	5	6	3	7	9	3	9	6	2	1	-	-
FEMALE--	1	2	8	8	10	11	14	14	3	2	2	-
BLACK---MALE----	5	6	3	7	9	3	9	6	2	1	-	-
FEMALE--	1	2	8	8	10	11	14	14	3	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 116  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
SOUTH DAKOTA -----	52	-	1	-	1	-	-	-	1	1	-	1
WHITE-----MALE----	29	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	387	5	4	1	-	4	2	2	1	5	7	10
WHITE-----MALE----	130	1	2	-	-	1	1	-	-	2	2	2
FEMALE--	163	2	-	1	-	1	1	-	-	-	2	5
ALL OTHER--MALE----	35	1	2	-	-	2	-	-	-	-	1	2
FEMALE--	59	1	-	-	-	-	-	2	1	3	2	1
BLACK---MALE----	35	1	2	-	-	2	-	-	-	-	1	2
FEMALE--	59	1	-	-	-	-	-	2	1	3	2	1
TEXAS -----	1,706	30	8	3	5	7	10	12	18	28	45	52
WHITE-----MALE----	629	10	4	-	2	4	5	2	8	14	22	22
FEMALE--	773	11	3	1	3	2	2	6	6	9	9	11
ALL OTHER--MALE----	142	6	1	2	-	-	1	3	2	5	8	8
FEMALE--	162	3	-	-	-	1	2	1	2	-	6	11
BLACK---MALE----	136	6	1	2	-	-	1	3	2	5	8	8
FEMALE--	157	3	-	-	-	1	2	1	1	-	5	10
UTAH -----	94	2	-	1	-	1	2	1	2	1	1	7
WHITE-----MALE----	39	1	-	1	-	1	-	-	-	-	1	5
FEMALE--	51	1	-	-	-	-	2	1	1	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	32	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	824	8	1	2	-	-	2	3	5	11	18	12
WHITE-----MALE----	260	3	-	-	-	-	-	1	-	4	6	5
FEMALE--	342	2	1	-	-	-	1	2	-	5	7	2
ALL OTHER--MALE----	106	2	-	-	-	-	1	-	3	2	3	2
FEMALE--	116	1	-	2	-	-	-	-	2	-	2	3
BLACK---MALE----	100	1	-	-	-	-	1	-	3	2	3	2
FEMALE--	112	1	-	2	-	-	-	-	2	-	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 116  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)												
SOUTH DAKOTA -----	2	1	4	7	3	6	7	7	8	2	-	-
WHITE-----MALE----	1	1	2	6	2	2	4	4	4	1	-	-
FEMALE--	-	-	-	1	1	4	3	3	3	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	15	21	34	34	50	46	49	55	28	12	2	-
WHITE-----MALE----	8	11	8	12	18	19	20	15	8	-	-	-
FEMALE--	5	5	15	14	20	16	18	33	17	7	1	-
ALL OTHER--MALE----	1	4	5	3	2	4	2	4	-	2	-	-
FEMALE--	1	1	6	5	10	7	9	3	3	3	1	-
BLACK---MALE----	1	4	5	3	2	4	2	4	-	2	-	-
FEMALE--	1	1	6	5	10	7	9	3	3	3	1	-
TEXAS -----	58	73	105	154	184	218	259	226	142	57	12	-
WHITE-----MALE----	23	31	41	72	75	93	85	71	29	15	1	-
FEMALE--	21	24	43	62	78	87	137	117	101	31	9	-
ALL OTHER--MALE----	8	8	14	11	14	14	12	14	7	4	-	-
FEMALE--	6	10	7	9	17	24	25	24	5	7	2	-
BLACK---MALE----	8	8	14	10	13	13	11	12	7	4	-	-
FEMALE--	6	9	7	9	17	23	25	24	5	7	2	-
UTAH -----	4	4	5	5	4	14	10	16	8	6	-	-
WHITE-----MALE----	1	2	1	3	1	8	3	4	5	2	-	-
FEMALE--	3	2	4	1	3	6	7	11	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	-	3	1	2	3	4	4	4	5	4	-	-
WHITE-----MALE----	-	-	1	2	1	3	4	2	2	2	-	-
FEMALE--	-	3	-	-	2	1	-	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	34	33	57	73	92	129	133	115	66	27	3	-
WHITE-----MALE----	18	14	20	22	36	45	40	32	13	1	-	-
FEMALE--	4	11	11	31	31	50	65	59	41	16	3	-
ALL OTHER--MALE----	4	4	15	10	12	17	14	11	3	3	-	-
FEMALE--	8	4	11	10	13	17	14	13	9	7	-	-
BLACK---MALE----	4	3	13	10	12	16	14	10	3	3	-	-
FEMALE--	8	4	10	10	13	17	13	11	9	7	-	-









































































































































































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 154

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGOCOCCAL INFECTION (036)												
UNITED STATES --	234	23	33	14	18	33	17	9	13	9	8	12
WHITE-----MALE----	98	7	14	5	9	16	8	3	8	5	4	3
FEMALE--	82	12	12	5	4	6	6	1	1	1	3	7
ALL OTHER--MALE----	34	3	4	4	4	7	3	3	2	-	-	1
FEMALE--	20	1	3	-	1	4	-	2	2	3	1	1
BLACK---MALE----	32	2	4	4	3	7	3	3	2	-	-	1
FEMALE--	19	-	3	-	1	4	-	2	2	3	1	1
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	30	4	2	1	3	2	3	1	1	-	2	2
WHITE-----MALE----	13	2	2	-	1	1	3	-	1	-	1	-
FEMALE--	11	2	-	-	1	1	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	1	-	-	-	1
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	1	-	-	-	1













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 157

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGOCOCCAL INFECTION (036)												
KENTUCKY -----	4	-	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	2	-	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MAINE -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	12	1	3	-	1	4	-	-	-	1	-	2
WHITE-----MALE----	8	-	3	-	1	3	-	-	-	-	-	1
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

































































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 172  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
UNITED STATES --	23,731	216	89	25	31	38	66	97	160	267	404	525
WHITE-----MALE----	8,114	56	40	12	10	15	29	26	52	98	158	188
FEMALE--	10,741	65	24	3	14	8	17	31	45	75	106	130
ALL OTHER--MALE----	2,111	55	14	3	3	9	9	18	25	45	71	113
FEMALE--	2,765	40	11	7	4	6	11	22	38	49	69	94
BLACK---MALE----	1,923	45	13	3	3	9	8	16	24	40	70	105
FEMALE--	2,564	36	10	7	3	5	9	20	34	47	63	89
ALABAMA -----	531	7	3	-	-	-	-	2	3	8	10	12
WHITE-----MALE----	151	3	2	-	-	-	-	2	-	3	1	3
FEMALE--	216	1	-	-	-	-	-	-	3	2	4	5
ALL OTHER--MALE----	68	1	1	-	-	-	-	-	-	1	3	4
FEMALE--	96	2	-	-	-	-	-	-	-	2	2	-
BLACK---MALE----	67	1	1	-	-	-	-	-	-	1	3	4
FEMALE--	95	2	-	-	-	-	-	-	-	2	2	-
ALASKA -----	14	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	242	10	3	1	2	-	2	2	6	3	5	7
WHITE-----MALE----	119	3	3	1	-	-	2	-	2	3	5	5
FEMALE--	94	3	-	-	1	-	-	2	2	-	-	-
ALL OTHER--MALE----	13	3	-	-	1	-	-	-	1	-	-	2
FEMALE--	16	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	358	2	1	-	-	1	-	2	1	3	6	8
WHITE-----MALE----	105	-	1	-	-	-	-	1	1	-	1	2
FEMALE--	164	1	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	36	1	-	-	-	1	-	1	-	1	2	4
FEMALE--	53	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	35	1	-	-	-	1	-	1	-	1	2	4
FEMALE--	52	-	-	-	-	-	-	-	-	1	1	1
CALIFORNIA -----	537	16	7	1	2	1	2	5	7	6	17	16
WHITE-----MALE----	223	5	2	1	-	-	1	-	5	5	10	9
FEMALE--	233	6	4	-	2	1	-	1	1	1	5	4
ALL OTHER--MALE----	42	5	1	-	-	-	1	1	-	-	1	2
FEMALE--	39	-	-	-	-	-	-	3	1	-	1	1
BLACK---MALE----	28	4	-	-	-	-	-	1	-	-	1	2
FEMALE--	22	-	-	-	-	-	-	3	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 172  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
UNITED STATES --	706	898	1,195	1,820	2,654	3,461	3,970	3,668	2,355	918	166	2
WHITE-----MALE----	258	325	444	717	1,088	1,356	1,405	1,097	562	160	18	-
FEMALE--	224	285	398	663	1,030	1,464	1,929	2,046	1,464	615	105	-
ALL OTHER--MALE----	125	160	177	197	236	293	246	183	92	31	6	-
FEMALE--	99	128	176	243	300	348	390	342	237	112	37	2
BLACK---MALE----	116	145	163	185	208	268	222	163	83	29	5	-
FEMALE--	90	116	162	227	275	326	360	316	224	106	37	2
ALABAMA -----	18	22	27	40	68	82	73	82	47	21	6	-
WHITE-----MALE----	5	9	8	13	29	29	20	16	6	2	-	-
FEMALE--	4	2	11	15	20	23	35	46	29	13	3	-
ALL OTHER--MALE----	4	7	3	5	9	14	5	5	5	-	1	-
FEMALE--	5	4	5	7	10	16	13	15	7	6	2	-
BLACK---MALE----	4	7	3	5	8	14	5	5	5	-	1	-
FEMALE--	5	4	5	7	10	16	12	15	7	6	2	-
ALASKA -----	-	-	-	3	1	2	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	16	13	17	29	31	39	29	6	3	2	-
WHITE-----MALE----	4	6	7	9	15	21	20	10	2	1	-	-
FEMALE--	7	6	3	5	13	10	17	18	4	2	1	-
ALL OTHER--MALE----	1	3	-	-	-	-	1	1	-	-	-	-
FEMALE--	4	1	3	3	1	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	1	-
ARKANSAS -----	11	14	12	27	41	52	49	65	47	15	1	-
WHITE-----MALE----	5	6	2	9	11	17	18	25	4	2	-	-
FEMALE--	6	6	1	8	22	26	21	28	33	7	1	-
ALL OTHER--MALE----	-	1	3	4	4	4	4	3	1	2	-	-
FEMALE--	-	1	6	6	4	5	6	9	9	4	-	-
BLACK---MALE----	-	1	3	3	4	4	4	3	1	2	-	-
FEMALE--	-	1	6	6	3	5	6	9	9	4	-	-
CALIFORNIA -----	18	23	23	40	68	72	83	74	37	15	4	-
WHITE-----MALE----	8	9	15	19	30	30	25	33	14	2	-	-
FEMALE--	9	12	6	11	26	32	41	33	21	13	4	-
ALL OTHER--MALE----	1	1	-	5	8	6	9	1	-	-	-	-
FEMALE--	-	1	2	5	4	4	8	7	2	-	-	-
BLACK---MALE----	-	1	-	3	7	5	4	-	-	-	-	-
FEMALE--	-	-	1	3	3	2	3	3	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 173

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
COLORADO -----	234	2	1	-	2	-	2	2	2	7	1	8
WHITE-----MALE----	108	1	-	-	2	-	-	-	1	2	1	2
FEMALE--	114	-	1	-	-	-	2	-	1	5	-	6
ALL OTHER--MALE----	4	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	420	3	-	-	1	-	-	1	-	5	8	9
WHITE-----MALE----	170	1	-	-	-	-	-	1	-	-	3	3
FEMALE--	211	2	-	-	1	-	-	-	-	3	1	4
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	23	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	23	-	-	-	-	-	-	-	-	1	3	-
DELAWARE -----	111	-	-	-	-	-	-	-	1	3	2	4
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	42	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ----	132	1	1	-	-	-	1	-	3	1	3	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	50	1	-	-	-	-	1	-	2	-	1	-
FEMALE--	58	-	1	-	-	-	-	-	1	1	1	-
BLACK---MALE----	50	1	-	-	-	-	1	-	2	-	1	-
FEMALE--	58	-	1	-	-	-	-	-	1	1	1	-
FLORIDA -----	954	17	3	1	-	1	1	2	3	8	11	18
WHITE-----MALE----	363	3	2	-	-	1	-	1	-	4	7	6
FEMALE--	435	6	-	-	-	-	-	1	1	1	3	1
ALL OTHER--MALE----	62	4	-	1	-	-	-	-	1	2	-	3
FEMALE--	94	4	1	-	-	-	1	-	1	1	1	8
BLACK---MALE----	60	4	-	1	-	-	-	-	1	2	-	3
FEMALE--	91	4	1	-	-	-	1	-	1	1	1	8
GEORGIA -----	891	7	6	2	-	2	1	8	10	10	21	18
WHITE-----MALE----	201	2	3	-	-	1	-	-	3	8	1	2
FEMALE--	357	3	-	1	-	-	1	4	2	-	8	5
ALL OTHER--MALE----	126	1	2	-	-	-	-	2	1	-	9	6
FEMALE--	207	1	1	1	-	1	-	2	4	2	3	5
BLACK---MALE----	124	1	2	-	-	-	-	2	1	-	9	6
FEMALE--	203	1	1	1	-	1	-	2	4	2	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 173  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
COLORADO -----	3	6	14	11	31	36	37	36	23	9	1	-
WHITE-----MALE----	2	6	10	7	19	13	17	15	9	1	-	-
FEMALE--	1	-	3	4	12	21	17	19	13	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	3	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	2	-	-	-	-
CONNECTICUT -----	11	15	13	22	44	71	86	65	42	23	1	-
WHITE-----MALE----	7	7	6	13	21	35	31	28	13	1	-	-
FEMALE--	3	2	5	7	22	28	50	33	27	22	1	-
ALL OTHER--MALE----	1	4	-	-	1	4	1	1	-	-	-	-
FEMALE--	-	2	2	2	-	4	4	3	2	-	-	-
BLACK---MALE----	1	4	-	-	1	4	1	1	-	-	-	-
FEMALE--	-	2	2	2	-	4	4	3	2	-	-	-
DELAWARE -----	2	4	7	11	12	11	24	21	5	4	-	-
WHITE-----MALE----	1	2	3	6	3	7	8	8	3	1	-	-
FEMALE--	-	1	2	1	6	3	12	10	1	3	-	-
ALL OTHER--MALE----	1	-	1	2	-	1	1	1	1	-	-	-
FEMALE--	-	1	1	2	3	-	3	2	-	-	-	-
BLACK---MALE----	1	-	1	2	-	1	1	1	1	-	-	-
FEMALE--	-	1	-	2	3	-	3	2	-	-	-	-
DISTRICT OF COLUMBIA ----	7	5	8	15	10	22	23	16	12	4	-	-
WHITE-----MALE----	-	-	-	1	-	1	4	1	-	1	-	-
FEMALE--	2	-	-	1	1	3	2	2	3	1	-	-
ALL OTHER--MALE----	2	3	5	6	3	13	6	5	2	-	-	-
FEMALE--	3	2	3	7	6	5	11	8	7	2	-	-
BLACK---MALE----	2	3	5	6	3	13	6	5	2	-	-	-
FEMALE--	3	2	3	7	6	5	11	8	7	2	-	-
FLORIDA -----	17	31	47	67	106	141	169	175	93	34	8	1
WHITE-----MALE----	8	11	19	28	45	70	63	65	22	7	1	-
FEMALE--	6	9	16	29	39	59	85	93	59	21	6	-
ALL OTHER--MALE----	3	3	7	6	11	5	5	8	3	-	-	-
FEMALE--	-	8	5	4	11	7	16	9	9	6	1	1
BLACK---MALE----	2	3	7	6	11	4	5	8	3	-	-	-
FEMALE--	-	7	5	4	11	7	15	8	9	6	1	1
GEORGIA -----	28	44	48	81	99	128	128	139	78	24	9	-
WHITE-----MALE----	8	9	14	20	22	40	23	27	15	2	1	-
FEMALE--	6	20	10	28	31	55	60	74	35	12	2	-
ALL OTHER--MALE----	9	5	7	11	21	8	18	14	10	1	1	-
FEMALE--	5	10	17	22	25	25	27	24	18	9	5	-
BLACK---MALE----	9	5	7	11	20	8	18	13	10	1	1	-
FEMALE--	3	10	17	22	24	24	27	24	18	9	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 174

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
HAWAII -----	125	2	-	-	-	2	2	1	3	2	-	4
WHITE-----MALE----	21	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	49	-	-	-	-	-	-	1	1	2	-	2
FEMALE--	46	2	-	-	-	1	1	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	49	2	1	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	21	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	25	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,478	15	10	3	1	3	3	5	8	17	20	45
WHITE-----MALE----	456	4	4	2	1	-	2	-	4	6	5	13
FEMALE--	624	2	3	-	-	1	-	2	1	7	6	8
ALL OTHER--MALE----	202	5	3	-	-	2	-	2	1	2	6	15
FEMALE--	196	4	-	1	-	-	1	1	2	2	3	9
BLACK---MALE----	189	5	3	-	-	2	-	2	1	2	5	14
FEMALE--	193	4	-	1	-	-	1	1	2	2	3	9
INDIANA -----	578	6	1	-	2	1	1	1	7	5	11	7
WHITE-----MALE----	213	1	1	-	1	-	1	-	2	2	4	3
FEMALE--	297	2	-	-	-	1	-	1	3	1	5	3
ALL OTHER--MALE----	32	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	36	2	-	-	-	-	-	-	2	2	1	-
BLACK---MALE----	31	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	36	2	-	-	-	-	-	-	2	2	1	-
IOWA -----	191	1	-	2	-	-	-	-	1	3	2	1
WHITE-----MALE----	83	1	-	2	-	-	-	-	-	3	2	-
FEMALE--	104	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	204	-	2	-	-	-	1	1	1	3	1	3
WHITE-----MALE----	84	-	2	-	-	-	-	1	-	2	1	2
FEMALE--	104	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 174  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
HAWAII -----	6	5	4	8	16	18	17	18	11	5	1	-
WHITE-----MALE----	5	1	-	3	3	2	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	3	1	1	-
ALL OTHER--MALE----	1	4	1	2	5	8	7	9	4	2	-	-
FEMALE--	-	-	3	3	7	8	7	7	3	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	2	6	4	9	9	7	5	-	-	-
WHITE-----MALE----	-	-	-	2	2	5	5	2	1	-	-	-
FEMALE--	-	2	2	3	2	3	4	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	49	45	76	102	141	232	247	224	155	68	9	-
WHITE-----MALE----	18	11	27	40	55	82	81	56	36	8	1	-
FEMALE--	11	12	19	39	54	82	116	124	85	48	4	-
ALL OTHER--MALE----	13	16	15	18	21	37	21	15	6	3	1	-
FEMALE--	7	6	15	5	11	31	29	29	28	9	3	-
BLACK---MALE----	13	15	13	18	18	34	21	15	4	3	1	-
FEMALE--	7	6	15	5	11	31	28	27	28	9	3	-
INDIANA -----	26	19	18	43	67	85	85	98	64	23	8	-
WHITE-----MALE----	11	7	8	22	27	34	36	37	14	2	-	-
FEMALE--	6	7	6	9	35	44	41	54	49	21	8	-
ALL OTHER--MALE----	7	3	2	3	3	3	5	3	-	-	-	-
FEMALE--	2	2	2	9	2	4	3	4	1	-	-	-
BLACK---MALE----	7	3	2	3	3	3	4	3	-	-	-	-
FEMALE--	2	2	2	9	2	4	3	4	1	-	-	-
IOWA -----	6	7	8	19	31	20	34	23	25	8	-	-
WHITE-----MALE----	4	3	2	12	16	9	14	9	4	2	-	-
FEMALE--	2	3	6	7	14	10	20	14	21	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	1	-	-
KANSAS -----	3	10	9	14	18	21	40	43	21	13	-	-
WHITE-----MALE----	1	4	3	7	6	12	15	16	9	3	-	-
FEMALE--	2	4	4	5	8	8	23	27	12	10	-	-
ALL OTHER--MALE----	-	2	2	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
BLACK---MALE----	-	2	2	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 175  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
KENTUCKY -----	464	3	-	2	-	1	-	-	1	5	11	10
WHITE-----MALE----	188	1	-	2	-	1	-	-	-	1	9	7
FEMALE--	230	-	-	-	-	-	-	-	1	3	2	1
ALL OTHER--MALE----	21	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	21	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	614	5	4	-	-	1	3	2	6	4	10	14
WHITE-----MALE----	136	-	1	-	-	1	1	-	1	1	3	3
FEMALE--	205	-	1	-	-	-	1	1	-	-	2	2
ALL OTHER--MALE----	125	2	1	-	-	-	1	1	2	1	3	6
FEMALE--	148	3	1	-	-	-	-	-	3	2	2	3
BLACK---MALE----	124	2	1	-	-	-	1	1	2	1	3	6
FEMALE--	146	2	1	-	-	-	-	-	3	2	2	3
MAINE -----	68	-	-	-	-	-	2	-	1	-	-	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	40	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	734	4	5	1	-	1	1	2	7	11	16	29
WHITE-----MALE----	171	-	-	1	-	-	-	-	1	2	6	6
FEMALE--	290	2	-	-	-	-	1	1	1	2	3	5
ALL OTHER--MALE----	138	2	3	-	-	-	-	1	4	4	5	10
FEMALE--	135	-	2	-	-	1	-	-	1	3	2	8
BLACK---MALE----	129	2	3	-	-	-	-	1	4	4	5	10
FEMALE--	130	-	2	-	-	1	-	-	1	3	2	8
MASSACHUSETTS -----	781	1	-	1	-	-	1	-	-	6	7	10
WHITE-----MALE----	331	1	-	-	-	-	1	-	-	3	4	6
FEMALE--	409	-	-	-	-	-	-	-	-	3	1	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	1	-	-	-	-	-	-	2	2
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	1	-	-	-	-	-	-	2	2
MICHIGAN -----	790	3	2	-	3	-	2	2	7	8	12	18
WHITE-----MALE----	263	-	1	-	1	-	1	1	3	4	6	10
FEMALE--	328	2	-	-	1	-	-	-	1	2	2	3
ALL OTHER--MALE----	76	-	-	-	-	-	1	1	1	-	2	2
FEMALE--	123	1	1	-	1	-	-	-	2	2	2	3
BLACK---MALE----	74	-	-	-	-	-	1	1	1	-	2	2
FEMALE--	117	1	1	-	1	-	-	-	2	2	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 175

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
KENTUCKY -----	22	17	32	43	56	59	80	67	40	12	3	-
WHITE-----MALE----	8	8	15	16	29	28	34	17	8	4	-	-
FEMALE--	11	7	12	21	20	25	44	44	29	7	3	-
ALL OTHER--MALE----	-	1	4	3	2	3	-	3	1	-	-	-
FEMALE--	3	1	1	3	5	3	2	3	2	1	-	-
BLACK---MALE----	-	1	4	3	2	3	-	3	1	-	-	-
FEMALE--	3	1	1	3	5	3	2	3	2	1	-	-
LOUISIANA -----	20	31	41	39	63	79	107	85	73	25	2	-
WHITE-----MALE----	3	6	13	7	15	24	24	16	14	3	-	-
FEMALE--	6	9	11	11	18	28	36	38	27	13	1	-
ALL OTHER--MALE----	6	11	9	11	12	10	18	13	16	2	-	-
FEMALE--	5	5	8	10	18	17	29	18	16	7	1	-
BLACK---MALE----	6	11	8	11	12	10	18	13	16	2	-	-
FEMALE--	5	4	8	10	18	17	29	18	16	7	1	-
MAINE -----	1	1	1	3	10	8	13	16	6	5	1	-
WHITE-----MALE----	-	1	-	3	6	2	5	5	1	3	-	-
FEMALE--	1	-	1	-	4	6	8	11	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	46	47	58	75	116	116	84	60	27	7	-
WHITE-----MALE----	4	8	13	11	21	35	21	21	14	6	1	-
FEMALE--	4	14	11	15	30	44	60	43	36	15	3	-
ALL OTHER--MALE----	8	13	14	13	10	20	17	11	2	-	1	-
FEMALE--	5	11	9	19	14	17	18	9	8	6	2	-
BLACK---MALE----	8	12	12	12	9	20	15	10	2	-	-	-
FEMALE--	3	11	9	19	14	16	18	8	7	6	2	-
MASSACHUSETTS -----	15	18	39	62	89	114	166	126	76	39	11	-
WHITE-----MALE----	5	9	19	31	44	47	77	52	23	7	2	-
FEMALE--	8	7	16	23	38	64	86	69	53	31	8	-
ALL OTHER--MALE----	1	-	4	2	2	1	2	3	-	-	1	-
FEMALE--	1	2	-	6	5	2	1	2	-	1	-	-
BLACK---MALE----	1	-	4	2	1	1	1	2	-	-	1	-
FEMALE--	1	2	-	6	5	1	1	1	-	1	-	-
MICHIGAN -----	27	31	51	62	102	113	135	111	72	27	2	-
WHITE-----MALE----	6	9	21	23	38	37	54	27	18	3	-	-
FEMALE--	12	9	13	20	33	49	57	62	41	19	2	-
ALL OTHER--MALE----	7	9	8	10	13	6	8	6	2	-	-	-
FEMALE--	2	4	9	9	18	21	16	16	11	5	-	-
BLACK---MALE----	7	9	8	10	11	6	8	6	2	-	-	-
FEMALE--	2	4	8	7	17	20	16	15	11	5	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 176

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
MINNESOTA -----	4	8	13	13	30	24	30	31	20	11	3	-
WHITE-----MALE----	-	4	8	9	16	10	7	9	5	4	2	-
FEMALE--	3	3	5	4	14	13	22	22	15	7	1	-
ALL OTHER--MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	3	14	18	22	33	50	42	54	40	11	3	-
WHITE-----MALE----	-	4	3	6	9	13	12	5	5	3	-	-
FEMALE--	-	2	6	7	9	16	13	32	20	6	-	-
ALL OTHER--MALE----	2	2	3	3	7	10	10	5	4	1	-	-
FEMALE--	1	6	6	6	8	11	7	12	11	1	3	-
BLACK---MALE----	2	2	3	3	7	10	10	5	4	1	-	-
FEMALE--	1	6	6	6	8	11	7	12	11	1	3	-
MISSOURI -----	15	16	24	31	66	57	87	70	57	24	4	-
WHITE-----MALE----	4	3	11	16	26	21	33	17	15	4	-	-
FEMALE--	5	6	4	12	25	25	40	43	33	19	1	-
ALL OTHER--MALE----	4	4	3	1	4	5	7	2	3	-	1	-
FEMALE--	2	3	6	2	11	6	7	8	6	1	2	-
BLACK---MALE----	4	4	3	1	3	5	7	2	3	-	1	-
FEMALE--	2	3	6	2	11	6	7	8	6	1	2	-
MONTANA -----	2	2	3	7	10	13	8	13	6	3	-	-
WHITE-----MALE----	2	2	-	2	5	4	5	1	4	-	-	-
FEMALE--	-	-	2	5	5	8	3	10	2	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	4	8	6	11	13	18	18	9	4	1	-
WHITE-----MALE----	-	1	3	3	8	7	8	3	2	-	-	-
FEMALE--	-	2	4	2	3	6	9	13	7	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	1	1	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	1	1	-	-	1	2	-	-	-	-
NEVADA -----	8	14	17	27	44	44	41	28	22	4	1	-
WHITE-----MALE----	5	7	9	18	18	22	16	11	8	1	1	-
FEMALE--	1	3	7	7	22	20	19	15	12	2	-	-
ALL OTHER--MALE----	-	2	1	1	2	2	2	1	-	-	-	-
FEMALE--	2	2	-	1	2	-	4	1	2	1	-	-
BLACK---MALE----	-	2	1	1	2	1	1	1	-	-	-	-
FEMALE--	2	2	-	1	-	-	3	1	2	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 178

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
OHIO -----	1,135	9	2	1	1	2	1	7	4	14	16	16
WHITE-----MALE----	387	6	1	1	-	1	-	3	1	7	4	4
FEMALE--	583	2	-	-	1	-	1	1	2	6	8	6
ALL OTHER--MALE----	68	-	1	-	-	-	-	-	-	1	2	3
FEMALE--	97	1	-	-	-	1	-	3	1	-	2	3
BLACK---MALE----	66	-	1	-	-	-	-	-	-	1	2	3
FEMALE--	95	1	-	-	-	1	-	2	1	-	2	3
OKLAHOMA -----	337	3	-	1	1	2	1	1	2	6	8	7
WHITE-----MALE----	115	-	-	1	-	-	1	1	-	2	1	4
FEMALE--	174	1	-	-	-	1	-	-	-	1	2	3
ALL OTHER--MALE----	17	1	-	-	-	1	-	-	-	1	1	-
FEMALE--	31	1	-	-	1	-	-	-	2	2	4	-
BLACK---MALE----	8	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	19	1	-	-	-	-	-	-	2	2	1	-
OREGON -----	180	1	-	-	-	-	2	2	1	-	4	7
WHITE-----MALE----	92	-	-	-	-	-	2	-	1	-	3	5
FEMALE--	82	1	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,989	4	1	1	2	-	8	9	11	16	29	43
WHITE-----MALE----	672	1	1	-	1	-	3	5	4	4	6	16
FEMALE--	991	1	-	-	-	-	2	1	4	4	11	12
ALL OTHER--MALE----	143	-	-	-	-	-	1	1	2	6	8	7
FEMALE--	183	2	-	1	1	-	2	2	1	2	4	8
BLACK---MALE----	137	-	-	-	-	-	1	1	2	6	8	6
FEMALE--	176	2	-	1	1	-	2	2	1	2	4	7
RHODE ISLAND -----	67	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	390	3	1	-	1	1	2	4	1	10	6	13
WHITE-----MALE----	112	-	1	-	-	-	1	1	-	1	2	1
FEMALE--	136	3	-	-	1	-	1	1	-	2	1	3
ALL OTHER--MALE----	59	-	-	-	-	1	-	2	1	2	2	5
FEMALE--	83	-	-	-	-	-	-	-	-	5	1	4
BLACK---MALE----	58	-	-	-	-	1	-	1	1	2	2	5
FEMALE--	83	-	-	-	-	-	-	-	-	5	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 178  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
OHIO -----	32	34	44	95	119	172	203	191	126	36	10	-
WHITE-----MALE----	11	8	14	38	48	76	60	61	34	7	2	-
FEMALE--	10	16	20	34	54	76	119	118	77	24	8	-
ALL OTHER--MALE----	4	8	5	8	6	12	9	3	6	-	-	-
FEMALE--	7	2	5	15	11	8	15	9	9	5	-	-
BLACK---MALE----	4	7	4	8	6	12	9	3	6	-	-	-
FEMALE--	7	1	5	15	11	8	15	9	9	5	-	-
OKLAHOMA -----	8	8	15	25	27	52	59	48	47	14	1	1
WHITE-----MALE----	3	4	7	8	16	20	22	15	8	2	-	-
FEMALE--	4	1	7	11	8	27	29	30	37	12	-	-
ALL OTHER--MALE----	1	-	-	5	-	2	4	-	1	-	-	-
FEMALE--	-	3	1	1	3	3	4	3	1	-	1	1
BLACK---MALE----	-	-	-	3	-	1	2	-	-	-	-	-
FEMALE--	-	2	1	1	1	2	2	2	-	-	1	1
OREGON -----	7	12	8	15	25	20	30	25	14	7	-	-
WHITE-----MALE----	4	8	7	9	17	7	11	12	5	1	-	-
FEMALE--	2	4	1	5	7	13	19	13	9	6	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	46	45	85	144	216	310	376	350	207	76	10	-
WHITE-----MALE----	12	18	30	63	91	108	139	102	57	10	1	-
FEMALE--	18	11	27	55	83	154	197	215	131	60	5	-
ALL OTHER--MALE----	10	9	15	11	16	24	19	7	6	1	-	-
FEMALE--	6	7	13	15	26	24	21	26	13	5	4	-
BLACK---MALE----	9	8	14	10	16	24	18	7	6	1	-	-
FEMALE--	6	6	13	14	25	23	20	26	13	4	4	-
RHODE ISLAND -----	1	3	1	8	3	10	11	15	10	3	-	-
WHITE-----MALE----	1	3	-	4	1	3	3	1	2	1	-	-
FEMALE--	-	-	1	4	2	6	6	14	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
SOUTH CAROLINA -----	15	18	19	34	46	45	62	61	33	12	3	-
WHITE-----MALE----	6	7	3	9	19	16	21	14	8	2	-	-
FEMALE--	3	3	6	10	11	17	18	28	20	7	1	-
ALL OTHER--MALE----	5	6	2	7	6	2	9	6	2	1	-	-
FEMALE--	1	2	8	8	10	10	14	13	3	2	2	-
BLACK---MALE----	5	6	2	7	6	2	9	6	2	1	-	-
FEMALE--	1	2	8	8	10	10	14	13	3	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 179

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SEPTICEMIA (038)												
SOUTH DAKOTA -----	47	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	348	4	3	-	-	1	2	2	1	5	6	9
WHITE-----MALE----	115	1	2	-	-	-	1	-	-	2	2	2
FEMALE--	147	2	-	-	-	-	1	-	-	-	1	5
ALL OTHER--MALE----	29	-	1	-	-	1	-	-	-	-	1	1
FEMALE--	57	1	-	-	-	-	-	2	1	3	2	1
BLACK---MALE----	29	-	1	-	-	1	-	-	-	-	1	1
FEMALE--	57	1	-	-	-	-	-	2	1	3	2	1
TEXAS -----	1,586	26	7	1	3	3	7	8	17	21	40	44
WHITE-----MALE----	584	9	4	-	-	2	4	1	8	11	20	20
FEMALE--	715	8	3	-	3	-	-	5	6	7	7	7
ALL OTHER--MALE----	133	6	-	1	-	-	1	1	1	3	7	8
FEMALE--	154	3	-	-	-	1	2	1	2	-	6	9
BLACK---MALE----	127	6	-	1	-	-	1	1	1	3	7	8
FEMALE--	149	3	-	-	-	1	2	1	1	-	5	8
UTAH -----	87	1	-	1	-	1	2	1	2	1	1	5
WHITE-----MALE----	35	-	-	1	-	1	-	-	-	-	1	3
FEMALE--	48	1	-	-	-	-	2	1	1	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	28	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	785	6	1	2	-	-	2	3	4	11	17	10
WHITE-----MALE----	240	3	-	-	-	-	-	1	-	4	6	5
FEMALE--	333	1	1	-	-	-	1	2	-	5	7	2
ALL OTHER--MALE----	100	1	-	-	-	-	1	-	2	2	2	1
FEMALE--	112	1	-	2	-	-	-	-	2	-	2	2
BLACK---MALE----	94	-	-	-	-	-	1	-	2	2	2	1
FEMALE--	108	1	-	2	-	-	-	-	2	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 179

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SEPTICEMIA (038)												
SOUTH DAKOTA -----	2	1	4	5	3	6	7	7	8	2	-	-
WHITE-----MALE----	1	1	2	5	2	2	4	4	4	1	-	-
FEMALE--	-	-	-	-	1	4	3	3	3	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	19	29	30	48	41	47	51	24	11	2	-
WHITE-----MALE----	6	10	5	9	18	16	19	15	7	-	-	-
FEMALE--	5	5	15	13	18	14	17	29	14	7	1	-
ALL OTHER--MALE----	1	3	4	3	2	4	2	4	-	2	-	-
FEMALE--	1	1	5	5	10	7	9	3	3	2	1	-
BLACK---MALE----	1	3	4	3	2	4	2	4	-	2	-	-
FEMALE--	1	1	5	5	10	7	9	3	3	2	1	-
TEXAS -----	51	67	99	143	180	207	243	215	135	57	12	-
WHITE-----MALE----	19	30	37	65	73	91	80	67	27	15	1	-
FEMALE--	19	20	41	60	77	79	126	111	96	31	9	-
ALL OTHER--MALE----	8	7	14	11	14	14	12	14	7	4	-	-
FEMALE--	5	10	7	7	16	23	25	23	5	7	2	-
BLACK---MALE----	8	7	14	10	13	13	11	12	7	4	-	-
FEMALE--	5	9	7	7	16	22	25	23	5	7	2	-
UTAH -----	4	3	5	5	4	14	9	14	8	6	-	-
WHITE-----MALE----	1	2	1	3	1	8	2	4	5	2	-	-
FEMALE--	3	1	4	1	3	6	7	9	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	-	2	1	2	3	4	4	3	4	3	-	-
WHITE-----MALE----	-	-	1	2	1	3	4	1	1	1	-	-
FEMALE--	-	2	-	-	2	1	-	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	34	32	55	65	87	126	124	113	64	26	3	-
WHITE-----MALE----	18	13	19	18	32	43	35	31	11	1	-	-
FEMALE--	4	11	11	28	30	49	63	59	41	15	3	-
ALL OTHER--MALE----	4	4	15	10	12	17	12	11	3	3	-	-
FEMALE--	8	4	10	9	13	17	14	12	9	7	-	-
BLACK---MALE----	4	3	13	10	12	16	12	10	3	3	-	-
FEMALE--	8	4	9	9	13	17	13	10	9	7	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 181

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
UNITED STATES --	40	66	56	97	133	136	154	126	55	20	3	-
WHITE-----MALE----	15	25	31	51	54	61	58	33	15	10	-	-
FEMALE--	17	25	14	36	52	55	79	80	35	6	2	-
ALL OTHER--MALE----	4	13	4	6	14	8	7	2	1	1	-	-
FEMALE--	4	3	7	4	13	12	10	11	4	3	1	-
BLACK---MALE----	3	12	4	6	14	7	6	2	1	-	-	-
FEMALE--	4	1	5	3	10	11	5	9	1	3	1	-
ALABAMA -----	1	3	1	-	3	1	-	2	1	2	-	-
WHITE-----MALE----	-	1	1	-	-	1	-	1	-	1	-	-
FEMALE--	1	-	-	-	3	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	1	6	2	3	2	2	4	-	-	-	-
WHITE-----MALE----	1	1	4	-	1	2	-	3	-	-	-	-
FEMALE--	3	-	2	1	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	4	-	-	3	4	1	2	-	-	-	-
WHITE-----MALE----	-	3	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	8	7	10	8	22	18	17	5	2	-	-
WHITE-----MALE----	1	5	5	3	3	10	5	2	1	1	-	-
FEMALE--	2	1	1	7	2	9	7	9	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	1	1	-	2	2	4	5	3	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	3	1	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 184

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
KENTUCKY -----	13	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	42	1	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	1
MAINE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	32	-	-	-	-	-	-	-	1	1	3	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	18	-	-	-	-	-	-	-	1	1	-	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	35	-	1	-	-	1	-	-	1	-	1	2
WHITE-----MALE----	13	-	1	-	-	1	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 184

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
KENTUCKY -----	-	-	-	2	-	2	1	4	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	4	4	1	5	2	3	8	6	2	1	1	-
WHITE-----MALE----	1	3	1	1	-	1	3	1	-	-	-	-
FEMALE--	1	-	-	3	1	1	4	3	2	1	-	-
ALL OTHER--MALE----	2	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	1	-
BLACK---MALE----	2	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	1	-
MAINE -----	-	-	-	1	-	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	1	3	5	6	3	2	1	1	-	-
WHITE-----MALE----	-	-	-	2	2	2	1	-	-	1	-	-
FEMALE--	1	1	1	1	3	1	2	2	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	-	1	3	1	5	1	1	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	3	1	2	4	5	3	7	3	-	1	-
WHITE-----MALE----	-	-	-	1	-	5	-	3	1	-	-	-
FEMALE--	-	2	-	1	3	-	3	4	1	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 187

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
OHIO -----	-	2	3	1	5	8	4	3	2	1	-	-
WHITE-----MALE----	-	1	3	1	2	3	3	-	1	-	-	-
FEMALE--	-	1	-	-	2	4	1	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	2	2	3	4	5	2	2	-	-	-
WHITE-----MALE----	-	-	2	1	2	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	-	2	1	-	1	1	3	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	1	1	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	3	3	8	5	7	8	3	-	-	-
WHITE-----MALE----	1	1	1	2	4	2	3	1	-	-	-	-
FEMALE--	-	1	-	1	2	3	4	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	2	-	7	5	3	4	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	2	1	-	-	-	-
FEMALE--	1	1	1	-	3	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 188

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)												
SOUTH DAKOTA -----	-	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	5	4	2	4	2	4	4	1	-	-
WHITE-----MALE----	2	1	3	3	-	3	1	-	1	-	-	-
FEMALE--	-	-	-	1	2	1	1	4	3	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
TEXAS -----	4	5	6	11	4	9	15	11	7	-	-	-
WHITE-----MALE----	2	-	4	7	2	2	4	4	2	-	-	-
FEMALE--	2	4	2	2	1	6	11	6	5	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	1	-	-	-	-
UTAH -----	-	1	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	2	8	5	3	9	2	2	1	-	-
WHITE-----MALE----	-	1	1	4	4	2	5	1	2	-	-	-
FEMALE--	-	-	-	3	1	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 190  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
UNITED STATES --	19,640	112	80	59	41	64	199	898	2,197	3,252	3,505	2,869
WHITE-----MALE----	8,140	35	24	20	8	23	40	269	842	1,397	1,542	1,288
FEMALE--	3,014	33	24	14	12	23	25	89	195	284	298	262
ALL OTHER--MALE----	5,812	21	15	10	10	7	56	310	752	1,074	1,188	997
FEMALE--	2,674	23	17	15	11	11	78	230	408	497	477	322
BLACK---MALE----	5,506	16	15	9	8	7	54	298	722	1,041	1,142	969
FEMALE--	2,523	21	12	14	11	10	77	225	404	487	468	313
ALABAMA -----	261	-	1	1	-	1	1	16	38	36	46	44
WHITE-----MALE----	81	-	-	1	-	1	-	1	9	12	14	18
FEMALE--	39	-	-	-	-	-	1	2	3	3	4	5
ALL OTHER--MALE----	104	-	1	-	-	-	-	10	20	15	23	13
FEMALE--	37	-	-	-	-	-	-	3	6	6	5	8
BLACK---MALE----	103	-	1	-	-	-	-	9	20	15	23	13
FEMALE--	36	-	-	-	-	-	-	3	6	6	5	8
ALASKA -----	16	-	-	1	-	-	-	-	1	3	3	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	5	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	279	5	6	1	2	-	3	8	30	37	43	46
WHITE-----MALE----	177	2	3	1	-	-	2	2	17	33	32	34
FEMALE--	62	2	3	-	2	-	1	5	2	3	4	7
ALL OTHER--MALE----	30	1	-	-	-	-	-	1	9	1	5	5
FEMALE--	10	-	-	-	-	-	-	-	2	-	2	-
BLACK---MALE----	17	-	-	-	-	-	-	-	4	1	4	4
FEMALE--	4	-	-	-	-	-	-	-	1	-	2	-
ARKANSAS -----	129	2	-	1	-	1	5	7	12	20	19	14
WHITE-----MALE----	60	1	-	1	-	1	1	1	4	8	13	9
FEMALE--	22	-	-	-	-	-	1	2	1	2	2	-
ALL OTHER--MALE----	35	1	-	-	-	-	1	3	6	8	4	4
FEMALE--	12	-	-	-	-	-	2	1	1	2	-	1
BLACK---MALE----	34	1	-	-	-	-	1	3	6	8	4	3
FEMALE--	11	-	-	-	-	-	2	1	1	2	-	1
CALIFORNIA -----	2,462	10	9	9	6	9	13	86	241	360	410	335
WHITE-----MALE----	1,451	2	2	4	2	4	8	51	162	244	274	201
FEMALE--	432	4	5	4	2	4	-	9	23	34	42	47
ALL OTHER--MALE----	420	2	1	-	1	-	3	22	40	63	75	67
FEMALE--	159	2	1	1	1	1	2	4	16	19	19	20
BLACK---MALE----	294	-	1	-	-	-	2	19	33	49	59	58
FEMALE--	103	2	-	-	1	-	2	3	16	14	17	18

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 190  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
UNITED STATES --	1,694	1,082	812	705	677	575	404	236	120	35	21	3
WHITE-----MALE----	767	432	349	294	281	234	166	87	29	9	3	1
FEMALE--	200	177	187	222	258	263	188	134	84	25	17	-
ALL OTHER--MALE----	561	340	190	125	79	40	24	8	2	-	1	2
FEMALE--	166	133	86	64	59	38	26	7	5	1	-	-
BLACK---MALE----	528	301	170	106	67	29	14	6	2	-	-	2
FEMALE--	156	118	58	50	41	27	19	7	4	1	-	-
ALABAMA -----	17	10	12	8	13	8	6	1	2	-	-	-
WHITE-----MALE----	6	3	4	4	4	2	2	-	-	-	-	-
FEMALE--	1	3	3	2	4	3	3	-	2	-	-	-
ALL OTHER--MALE----	7	4	3	1	3	2	1	1	-	-	-	-
FEMALE--	3	-	2	1	2	1	-	-	-	-	-	-
BLACK---MALE----	7	4	3	1	3	2	1	1	-	-	-	-
FEMALE--	3	-	1	1	2	1	-	-	-	-	-	-
ALASKA -----	3	1	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	17	13	8	20	8	9	1	2	1	-	-
WHITE-----MALE----	12	9	7	2	10	6	5	-	-	-	-	-
FEMALE--	5	3	5	4	7	2	3	1	2	1	-	-
ALL OTHER--MALE----	1	4	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	13	2	8	2	6	5	4	4	1	2	1	-
WHITE-----MALE----	6	-	4	1	4	3	1	1	-	1	-	-
FEMALE--	-	1	1	1	2	2	2	2	1	1	1	-
ALL OTHER--MALE----	5	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	267	156	131	121	100	102	49	29	14	3	2	-
WHITE-----MALE----	173	82	72	55	46	35	18	11	5	-	-	-
FEMALE--	33	30	26	43	31	49	19	14	9	3	1	-
ALL OTHER--MALE----	48	32	18	15	13	10	6	3	-	-	1	-
FEMALE--	13	12	15	8	10	8	6	1	-	-	-	-
BLACK---MALE----	31	19	8	6	5	3	-	1	-	-	-	-
FEMALE--	10	4	5	2	2	4	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 191  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
COLORADO -----	177	4	-	-	-	1	1	4	16	41	25	21
WHITE-----MALE----	114	1	-	-	-	1	-	3	14	30	16	20
FEMALE--	45	2	-	-	-	-	1	-	2	6	5	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	5	3	1
FEMALE--	5	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	1	-	5	2	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	228	1	1	-	2	1	2	10	23	32	47	40
WHITE-----MALE----	109	-	-	-	-	-	1	5	13	13	22	20
FEMALE--	45	-	1	-	1	-	1	-	6	7	6	5
ALL OTHER--MALE----	43	-	-	-	-	1	-	-	1	7	8	12
FEMALE--	31	1	-	-	1	-	-	5	3	5	11	3
BLACK---MALE----	43	-	-	-	-	1	-	-	1	7	8	12
FEMALE--	30	-	-	-	1	-	-	5	3	5	11	3
DELAWARE -----	66	-	-	-	-	-	-	2	8	10	15	12
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	41	-	-	-	-	-	-	2	4	7	12	9
FEMALE--	7	-	-	-	-	-	-	-	4	1	1	-
BLACK---MALE----	41	-	-	-	-	-	-	2	4	7	12	9
FEMALE--	7	-	-	-	-	-	-	-	4	1	1	-
DISTRICT OF COLUMBIA ----	269	-	2	1	-	1	2	17	33	45	59	56
WHITE-----MALE----	30	-	-	-	-	-	-	1	2	4	5	11
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	154	-	1	1	-	-	1	6	19	31	34	32
FEMALE--	81	-	1	-	-	1	1	10	11	9	20	12
BLACK---MALE----	154	-	1	1	-	-	1	6	19	31	34	32
FEMALE--	79	-	1	-	-	1	1	10	11	9	19	12
FLORIDA -----	1,994	11	4	8	2	4	31	106	219	342	372	271
WHITE-----MALE----	704	3	-	2	1	1	1	24	60	124	148	113
FEMALE--	238	3	1	1	-	-	2	12	16	19	23	20
ALL OTHER--MALE----	605	1	1	1	-	-	8	34	66	101	131	89
FEMALE--	447	4	2	4	1	3	20	36	77	98	70	49
BLACK---MALE----	600	1	1	1	-	-	8	34	65	101	129	88
FEMALE--	442	4	2	4	1	3	20	36	77	98	70	49
GEORGIA -----	847	6	1	2	2	3	9	47	128	205	136	116
WHITE-----MALE----	227	2	-	1	1	1	1	12	23	59	43	31
FEMALE--	60	-	-	-	-	1	1	1	5	8	6	3
ALL OTHER--MALE----	408	2	-	-	-	-	4	23	64	94	72	69
FEMALE--	152	2	1	1	1	1	3	11	36	44	15	13
BLACK---MALE----	406	2	-	-	-	-	4	23	64	94	72	69
FEMALE--	148	2	1	1	1	1	3	11	36	44	15	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 191  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
COLORADO -----	14	9	12	6	8	2	8	3	2	-	-	-
WHITE-----MALE----	9	5	3	1	7	-	2	2	-	-	-	-
FEMALE--	3	4	7	3	1	2	6	1	2	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	20	17	9	3	6	2	6	3	1	1	1	-
WHITE-----MALE----	9	9	6	3	3	1	1	2	-	1	-	-
FEMALE--	1	3	3	-	2	1	5	1	1	-	1	-
ALL OTHER--MALE----	10	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	10	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	3	5	4	4	1	-	1	-	1	-	-	-
WHITE-----MALE----	1	1	3	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	23	13	5	2	4	2	2	1	-	1	-	-
WHITE-----MALE----	3	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	5	4	1	-	1	2	-	-	-	-	-
FEMALE--	4	4	-	1	4	1	-	1	-	1	-	-
BLACK---MALE----	16	5	4	1	-	1	2	-	-	-	-	-
FEMALE--	3	4	-	1	4	1	-	1	-	1	-	-
FLORIDA -----	170	123	79	75	59	46	41	22	8	-	1	-
WHITE-----MALE----	54	45	25	35	24	16	18	9	1	-	-	-
FEMALE--	19	13	15	17	19	17	20	13	7	-	1	-
ALL OTHER--MALE----	64	43	29	15	10	9	3	-	-	-	-	-
FEMALE--	33	22	10	8	6	4	-	-	-	-	-	-
BLACK---MALE----	64	43	28	15	10	9	3	-	-	-	-	-
FEMALE--	31	22	8	8	5	4	-	-	-	-	-	-
GEORGIA -----	61	44	23	19	17	11	9	5	17	1	-	1
WHITE-----MALE----	16	8	6	6	3	6	7	1	-	-	-	-
FEMALE--	3	8	1	4	9	4	1	3	1	1	-	-
ALL OTHER--MALE----	38	19	15	5	2	-	-	-	-	-	-	1
FEMALE--	4	9	1	4	3	1	1	1	-	-	-	-
BLACK---MALE----	37	19	14	5	2	-	-	-	-	-	-	1
FEMALE--	4	8	1	2	3	1	-	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 193

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
KENTUCKY -----	154	1	-	1	-	1	-	8	20	19	24	17
WHITE-----MALE----	86	1	-	-	-	-	-	3	15	11	14	9
FEMALE--	34	-	-	1	-	1	-	2	3	1	3	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	2	2	5	5	3
FEMALE--	12	-	-	-	-	-	-	1	-	2	2	5
BLACK---MALE----	22	-	-	-	-	-	-	2	2	5	5	3
FEMALE--	12	-	-	-	-	-	-	1	-	2	2	5
LOUISIANA -----	509	2	4	1	-	2	10	35	63	97	87	71
WHITE-----MALE----	143	-	-	-	-	2	-	7	10	33	23	19
FEMALE--	50	-	2	-	-	-	1	1	4	2	1	5
ALL OTHER--MALE----	236	1	1	-	-	-	4	19	40	55	48	32
FEMALE--	80	1	1	1	-	-	5	8	9	7	15	15
BLACK---MALE----	234	1	1	-	-	-	4	19	40	55	47	32
FEMALE--	79	1	1	1	-	-	5	8	9	7	14	15
MAINE -----	33	1	-	-	-	1	-	1	4	2	4	2
WHITE-----MALE----	22	-	-	-	-	-	-	1	3	1	3	2
FEMALE--	11	1	-	-	-	1	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	613	3	1	4	1	1	8	41	87	117	111	93
WHITE-----MALE----	81	1	-	1	-	-	-	1	9	10	11	16
FEMALE--	32	1	-	-	-	-	-	3	3	4	1	2
ALL OTHER--MALE----	346	-	-	-	1	1	3	14	46	73	79	57
FEMALE--	154	1	1	3	-	-	5	23	29	30	20	18
BLACK---MALE----	337	-	-	-	1	1	3	14	45	72	79	56
FEMALE--	150	1	-	3	-	-	5	23	29	30	20	18
MASSACHUSETTS -----	319	-	-	-	-	1	-	12	36	53	74	47
WHITE-----MALE----	193	-	-	-	-	1	-	7	19	31	50	34
FEMALE--	67	-	-	-	-	-	-	2	6	9	10	5
ALL OTHER--MALE----	41	-	-	-	-	-	-	1	8	11	9	7
FEMALE--	18	-	-	-	-	-	-	2	3	2	5	1
BLACK---MALE----	41	-	-	-	-	-	-	1	8	11	9	7
FEMALE--	16	-	-	-	-	-	-	2	3	2	5	1
MICHIGAN -----	449	3	4	4	-	2	4	14	32	76	95	70
WHITE-----MALE----	181	-	2	2	-	1	3	6	13	27	38	28
FEMALE--	64	-	-	-	-	1	-	1	1	5	7	6
ALL OTHER--MALE----	147	1	1	2	-	-	-	3	14	31	40	26
FEMALE--	57	2	1	-	-	-	1	4	4	13	10	10
BLACK---MALE----	145	1	1	2	-	-	-	3	14	31	39	26
FEMALE--	54	2	-	-	-	-	1	4	4	12	10	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 193

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
KENTUCKY -----	14	9	7	10	6	8	3	2	4	-	-	-
WHITE-----MALE----	10	4	5	5	1	4	1	-	3	-	-	-
FEMALE--	1	3	1	5	5	4	1	2	1	-	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
LOUISIANA -----	35	21	18	22	16	13	6	5	-	-	1	-
WHITE-----MALE----	11	7	9	6	7	4	4	1	-	-	-	-
FEMALE--	3	4	2	6	8	5	1	4	-	-	1	-
ALL OTHER--MALE----	15	7	6	6	-	2	-	-	-	-	-	-
FEMALE--	6	3	1	4	1	2	1	-	-	-	-	-
BLACK---MALE----	15	6	6	6	-	2	-	-	-	-	-	-
FEMALE--	6	3	1	4	1	2	1	-	-	-	-	-
MAINE -----	1	1	5	-	2	3	3	2	-	-	1	-
WHITE-----MALE----	1	1	4	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	51	34	21	19	8	5	4	3	-	1	-	-
WHITE-----MALE----	7	7	6	5	2	3	-	1	-	1	-	-
FEMALE--	2	3	3	2	2	2	3	1	-	-	-	-
ALL OTHER--MALE----	35	17	9	9	2	-	-	-	-	-	-	-
FEMALE--	7	7	3	3	2	-	1	1	-	-	-	-
BLACK---MALE----	33	15	9	8	1	-	-	-	-	-	-	-
FEMALE--	6	6	3	2	2	-	1	1	-	-	-	-
MASSACHUSETTS -----	19	17	10	11	9	6	6	13	3	1	1	-
WHITE-----MALE----	15	11	5	5	3	4	2	5	-	1	-	-
FEMALE--	-	3	3	6	6	2	4	8	2	-	1	-
ALL OTHER--MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	43	23	12	16	14	15	11	8	1	-	2	-
WHITE-----MALE----	20	11	2	6	5	4	8	3	1	-	1	-
FEMALE--	3	4	6	7	6	9	2	5	-	-	1	-
ALL OTHER--MALE----	17	5	4	1	1	1	-	-	-	-	-	-
FEMALE--	3	3	-	2	2	1	1	-	-	-	-	-
BLACK---MALE----	17	4	4	1	1	1	-	-	-	-	-	-
FEMALE--	3	3	-	2	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 194

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
MINNESOTA -----	129	3	-	1	-	-	-	3	9	17	22	18
WHITE-----MALE----	66	-	-	1	-	-	-	2	5	11	8	10
FEMALE--	25	-	-	-	-	-	-	-	1	2	3	1
ALL OTHER--MALE----	31	2	-	-	-	-	-	-	2	4	11	7
FEMALE--	7	1	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	21	2	-	-	-	-	-	-	-	4	8	7
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
MISSISSIPPI -----	192	4	2	-	-	2	4	14	21	44	33	20
WHITE-----MALE----	39	-	-	-	-	-	-	1	3	8	10	6
FEMALE--	25	-	-	-	-	-	1	1	3	-	2	6
ALL OTHER--MALE----	94	2	-	-	-	2	1	11	11	24	18	7
FEMALE--	34	2	2	-	-	-	2	1	4	12	3	1
BLACK---MALE----	94	2	-	-	-	2	1	11	11	24	18	7
FEMALE--	34	2	2	-	-	-	2	1	4	12	3	1
MISSOURI -----	263	2	1	1	-	-	6	12	30	44	41	35
WHITE-----MALE----	125	-	-	-	-	-	1	3	11	23	23	22
FEMALE--	51	2	-	-	-	-	1	1	3	3	3	4
ALL OTHER--MALE----	68	-	-	1	-	-	2	5	12	15	14	9
FEMALE--	19	-	1	-	-	-	2	3	4	3	1	-
BLACK---MALE----	67	-	-	1	-	-	2	5	12	15	14	9
FEMALE--	19	-	1	-	-	-	2	3	4	3	1	-
MONTANA -----	29	-	-	1	-	-	-	1	1	3	1	3
WHITE-----MALE----	15	-	-	-	-	-	-	1	1	3	1	3
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	51	-	-	-	1	-	-	4	5	6	5	4
WHITE-----MALE----	32	-	-	-	-	-	-	2	3	3	5	3
FEMALE--	14	-	-	-	-	-	-	2	-	2	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
NEVADA -----	115	3	2	2	-	-	-	3	15	16	18	21
WHITE-----MALE----	69	2	2	-	-	-	-	3	10	11	9	11
FEMALE--	18	1	-	1	-	-	-	-	2	1	3	3
ALL OTHER--MALE----	18	-	-	1	-	-	-	-	3	3	2	5
FEMALE--	10	-	-	-	-	-	-	-	-	1	4	2
BLACK---MALE----	16	-	-	1	-	-	-	-	3	3	1	5
FEMALE--	9	-	-	-	-	-	-	-	-	1	3	2







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 196

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
OHIO -----	404	2	2	2	2	1	6	18	42	54	57	54
WHITE-----MALE----	194	2	2	-	-	1	-	8	17	30	28	34
FEMALE--	80	-	-	1	1	-	2	3	4	3	5	3
ALL OTHER--MALE----	86	-	-	-	1	-	2	2	16	13	19	12
FEMALE--	44	-	-	1	-	-	2	5	5	8	5	5
BLACK---MALE----	84	-	-	-	1	-	2	1	16	13	19	12
FEMALE--	44	-	-	1	-	-	2	5	5	8	5	5
OKLAHOMA -----	177	1	1	-	1	1	4	11	22	28	26	15
WHITE-----MALE----	106	-	-	-	-	-	1	5	14	15	15	13
FEMALE--	33	1	1	-	1	1	2	1	3	1	3	1
ALL OTHER--MALE----	28	-	-	-	-	-	1	3	2	11	6	1
FEMALE--	10	-	-	-	-	-	-	2	3	1	2	-
BLACK---MALE----	17	-	-	-	-	-	1	2	-	6	5	1
FEMALE--	8	-	-	-	-	-	-	1	3	1	1	-
OREGON -----	150	1	-	-	-	-	1	3	8	22	22	29
WHITE-----MALE----	103	-	-	-	-	-	1	3	7	17	15	21
FEMALE--	34	-	-	-	-	-	-	-	1	3	6	4
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	2	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	1	-	-	-	-	-	-	-	2	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	708	1	-	1	-	1	2	30	91	108	131	99
WHITE-----MALE----	271	-	-	-	-	-	-	7	29	57	46	50
FEMALE--	136	1	-	-	-	1	-	1	14	7	15	9
ALL OTHER--MALE----	224	-	-	-	-	-	-	15	34	30	50	36
FEMALE--	77	-	-	1	-	-	2	7	14	14	20	4
BLACK---MALE----	219	-	-	-	-	-	-	14	32	29	50	35
FEMALE--	76	-	-	1	-	-	2	7	14	14	20	4
RHODE ISLAND -----	48	-	-	-	-	-	-	1	1	7	13	5
WHITE-----MALE----	32	-	-	-	-	-	-	1	1	3	9	5
FEMALE--	10	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
SOUTH CAROLINA -----	341	3	-	-	2	2	2	19	42	69	52	59
WHITE-----MALE----	86	-	-	-	-	1	-	3	9	15	14	12
FEMALE--	27	-	-	-	-	-	-	-	-	4	-	5
ALL OTHER--MALE----	160	2	-	-	2	1	1	10	16	38	31	31
FEMALE--	68	1	-	-	-	-	1	6	17	12	7	11
BLACK---MALE----	160	2	-	-	2	1	1	10	16	38	31	31
FEMALE--	68	1	-	-	-	-	1	6	17	12	7	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 196

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
OHIO -----	37	18	22	18	24	13	12	10	7	2	1	-
WHITE-----MALE----	20	8	9	8	10	5	8	3	1	-	-	-
FEMALE--	5	4	8	7	9	6	4	6	6	2	1	-
ALL OTHER--MALE----	11	3	1	1	4	1	-	-	-	-	-	-
FEMALE--	1	3	4	2	1	1	-	1	-	-	-	-
BLACK---MALE----	10	3	1	1	4	1	-	-	-	-	-	-
FEMALE--	1	3	4	2	1	1	-	1	-	-	-	-
OKLAHOMA -----	7	13	9	8	11	8	7	3	1	-	-	-
WHITE-----MALE----	5	11	4	5	6	6	5	1	-	-	-	-
FEMALE--	1	1	3	2	4	2	2	2	1	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
OREGON -----	12	7	11	6	9	6	7	2	1	3	-	-
WHITE-----MALE----	9	6	8	3	4	3	3	1	1	1	-	-
FEMALE--	2	-	3	2	4	3	4	-	-	2	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	64	30	18	27	29	29	25	12	7	3	-	-
WHITE-----MALE----	16	8	7	14	10	12	7	7	1	-	-	-
FEMALE--	15	4	5	7	13	14	16	5	6	3	-	-
ALL OTHER--MALE----	24	17	6	4	4	2	2	-	-	-	-	-
FEMALE--	9	1	-	2	2	1	-	-	-	-	-	-
BLACK---MALE----	24	17	6	4	4	2	2	-	-	-	-	-
FEMALE--	9	1	-	2	1	1	-	-	-	-	-	-
RHODE ISLAND -----	6	2	3	3	1	2	2	-	2	-	-	-
WHITE-----MALE----	6	1	1	1	1	1	1	-	1	-	-	-
FEMALE--	-	1	1	1	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	22	27	7	8	11	12	1	2	1	-	-	-
WHITE-----MALE----	5	8	3	6	5	4	-	-	1	-	-	-
FEMALE--	3	3	1	1	2	7	-	1	-	-	-	-
ALL OTHER--MALE----	8	10	3	1	4	-	1	1	-	-	-	-
FEMALE--	6	6	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	8	10	3	1	4	-	1	1	-	-	-	-
FEMALE--	6	6	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 197

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIRAL DISEASES (*042-*044,045-079)												
SOUTH DAKOTA -----	15	-	-	-	-	-	1	-	1	4	3	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	365	3	2	1	1	2	4	20	48	70	56	48
WHITE-----MALE----	129	2	1	-	-	-	1	5	17	24	25	20
FEMALE--	71	-	1	1	1	2	-	2	1	6	2	7
ALL OTHER--MALE----	123	1	-	-	-	-	1	7	21	34	22	20
FEMALE--	42	-	-	-	-	-	2	6	9	6	7	1
BLACK---MALE----	121	1	-	-	-	-	1	7	21	34	22	20
FEMALE--	40	-	-	-	-	-	2	6	8	6	7	1
TEXAS -----	1,453	7	10	3	3	7	14	89	202	249	251	185
WHITE-----MALE----	726	3	5	3	1	2	5	30	100	137	136	111
FEMALE--	244	3	2	-	2	2	1	7	8	29	28	13
ALL OTHER--MALE----	342	-	3	-	-	-	3	32	68	62	65	50
FEMALE--	141	1	-	-	-	3	5	20	26	21	22	11
BLACK---MALE----	331	-	3	-	-	-	3	32	66	61	63	47
FEMALE--	138	1	-	-	-	3	5	19	26	21	21	11
UTAH -----	49	2	1	-	-	-	-	2	5	4	6	6
WHITE-----MALE----	34	1	-	-	-	-	-	2	4	3	4	5
FEMALE--	13	1	1	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	19	1	1	-	-	-	-	-	-	1	4	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	7	1	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	435	1	1	-	2	-	9	23	40	61	84	68
WHITE-----MALE----	147	-	1	-	-	-	-	4	9	22	27	28
FEMALE--	43	-	-	-	-	-	-	3	1	2	5	4
ALL OTHER--MALE----	168	-	-	-	1	-	5	9	22	25	40	28
FEMALE--	77	1	-	-	1	-	4	7	8	12	12	8
BLACK---MALE----	166	-	-	-	1	-	5	9	22	24	40	28
FEMALE--	73	1	-	-	1	-	4	7	8	11	12	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 197  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIRAL DISEASES (*042-*044,045-079)												
SOUTH DAKOTA -----	-	1	-	-	2	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	15	19	15	9	8	15	6	3	-	1	-
WHITE-----MALE----	9	2	8	7	2	3	3	-	-	-	-	-
FEMALE--	4	2	7	5	6	4	10	6	3	-	1	-
ALL OTHER--MALE----	4	8	1	2	1	-	1	-	-	-	-	-
FEMALE--	2	3	3	1	-	1	1	-	-	-	-	-
BLACK---MALE----	3	7	1	2	1	-	1	-	-	-	-	-
FEMALE--	2	3	2	1	-	1	1	-	-	-	-	-
TEXAS -----	109	66	68	41	51	45	29	17	7	-	-	-
WHITE-----MALE----	58	29	33	15	19	15	16	5	3	-	-	-
FEMALE--	23	15	16	19	24	26	12	10	4	-	-	-
ALL OTHER--MALE----	19	11	13	7	6	2	-	1	-	-	-	-
FEMALE--	9	11	6	-	2	2	1	1	-	-	-	-
BLACK---MALE----	19	10	12	7	5	2	-	1	-	-	-	-
FEMALE--	8	11	6	-	2	2	1	1	-	-	-	-
UTAH -----	3	4	3	3	4	3	1	2	-	-	-	-
WHITE-----MALE----	3	3	2	2	2	3	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	2	4	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	2	-	4	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	45	20	22	20	16	11	7	3	1	-	-	1
WHITE-----MALE----	19	6	10	11	3	4	2	1	-	-	-	-
FEMALE--	1	2	5	4	5	5	3	2	1	-	-	-
ALL OTHER--MALE----	22	6	2	3	4	-	-	-	-	-	-	1
FEMALE--	3	6	5	2	4	2	2	-	4	-	-	-
BLACK---MALE----	21	6	2	3	4	-	-	-	-	-	-	1
FEMALE--	3	6	5	2	2	1	2	-	-	-	-	-

















































































































































































































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 244  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
UNITED STATES --	539	374	366	433	421	412	248	116	30	5	2	-
WHITE-----MALE----	299	163	163	180	168	162	107	56	8	2	-	-
FEMALE--	122	107	120	171	192	195	110	51	18	3	1	-
ALL OTHER--MALE----	81	66	45	43	24	25	12	5	1	-	1	-
FEMALE--	37	38	38	39	37	30	19	4	3	-	-	-
BLACK---MALE----	59	38	28	27	12	14	3	4	1	-	-	-
FEMALE--	29	28	15	25	22	22	12	4	2	-	-	-
ALABAMA -----	5	2	7	8	7	5	4	1	1	-	-	-
WHITE-----MALE----	3	1	3	4	3	1	-	-	-	-	-	-
FEMALE--	1	-	2	2	3	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
ALASKA -----	1	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	6	8	6	14	7	6	1	1	-	-	-
WHITE-----MALE----	7	2	4	1	7	5	4	-	-	-	-	-
FEMALE--	4	2	3	3	5	2	1	1	1	-	-	-
ALL OTHER--MALE----	1	2	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	2	5	1	5	4	3	1	-	1	-	-
WHITE-----MALE----	2	-	2	1	4	2	1	-	-	1	-	-
FEMALE--	-	1	1	-	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	119	80	72	96	66	76	36	17	2	-	1	-
WHITE-----MALE----	70	36	30	41	24	23	13	5	1	-	-	-
FEMALE--	24	20	19	40	24	37	12	10	1	-	-	-
ALL OTHER--MALE----	21	17	11	8	10	10	5	2	-	-	1	-
FEMALE--	4	7	12	7	8	6	6	-	-	-	-	-
BLACK---MALE----	9	5	3	1	2	3	-	1	-	-	-	-
FEMALE--	2	1	2	1	1	3	2	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 245

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
COLORADO -----	69	-	-	-	-	-	-	-	1	5	11	12
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	5	5	12
FEMALE--	24	-	-	-	-	-	-	-	1	-	4	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	43	-	-	-	-	-	-	-	2	4	6	7
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	2	4	6
FEMALE--	16	-	-	-	-	-	-	-	2	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	16	-	-	-	-	-	-	2	1	-	-	4
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	2	-	-	-	-
FLORIDA -----	366	-	-	-	-	-	-	1	4	17	52	66
WHITE-----MALE----	204	-	-	-	-	-	-	1	4	10	35	42
FEMALE--	107	-	-	-	-	-	-	-	-	3	9	12
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	2	5	6
FEMALE--	29	-	-	-	-	-	-	-	-	2	3	6
BLACK---MALE----	24	-	-	-	-	-	-	-	-	2	4	6
FEMALE--	24	-	-	-	-	-	-	-	-	2	3	6
GEORGIA -----	125	1	-	-	-	-	-	2	1	13	19	18
WHITE-----MALE----	58	1	-	-	-	-	-	1	-	7	10	10
FEMALE--	33	-	-	-	-	-	-	-	1	3	3	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	3	6	5
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	3	6	5
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 245

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
COLORADO -----	10	4	9	3	5	2	5	2	-	-	-	-
WHITE-----MALE----	6	2	1	-	5	-	1	2	-	-	-	-
FEMALE--	3	2	6	2	-	2	4	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	1	5	2	3	2	4	2	-	-	-	-
WHITE-----MALE----	2	-	2	2	1	1	1	2	-	-	-	-
FEMALE--	1	-	3	-	2	1	3	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	2	-	-	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	-	-	3	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	3	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	1	-	1	-	-	-	-
FLORIDA -----	37	24	23	31	34	32	28	12	5	-	-	-
WHITE-----MALE----	17	17	11	15	14	13	16	8	1	-	-	-
FEMALE--	11	3	7	13	15	15	11	4	4	-	-	-
ALL OTHER--MALE----	5	3	1	-	2	1	1	-	-	-	-	-
FEMALE--	4	1	4	3	3	3	-	-	-	-	-	-
BLACK---MALE----	5	3	-	-	2	1	1	-	-	-	-	-
FEMALE--	2	1	2	3	2	3	-	-	-	-	-	-
GEORGIA -----	13	8	6	14	10	9	8	3	-	-	-	-
WHITE-----MALE----	6	1	3	6	1	5	6	1	-	-	-	-
FEMALE--	2	4	1	4	7	3	1	2	-	-	-	-
ALL OTHER--MALE----	4	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	3	-	2	2	1	-	-	-	-	-	-
BLACK---MALE----	3	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	2	1	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 247

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
KENTUCKY -----	54	-	-	-	-	-	-	1	-	1	9	7
WHITE-----MALE----	29	-	-	-	-	-	-	1	-	1	5	5
FEMALE--	19	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
LOUISIANA -----	133	-	-	-	-	2	-	2	3	6	19	21
WHITE-----MALE----	43	-	-	-	-	2	-	1	-	4	6	5
FEMALE--	36	-	-	-	-	-	-	-	2	1	1	4
ALL OTHER--MALE----	33	-	-	-	-	-	-	1	1	1	7	7
FEMALE--	21	-	-	-	-	-	-	-	-	-	5	5
BLACK---MALE----	31	-	-	-	-	-	-	1	1	1	6	7
FEMALE--	21	-	-	-	-	-	-	-	-	-	5	5
MAINE -----	6	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	80	-	-	-	-	1	-	1	4	7	5	14
WHITE-----MALE----	27	-	-	-	-	-	-	-	2	2	3	7
FEMALE--	16	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	27	-	-	-	-	1	-	1	1	3	2	6
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	21	-	-	-	-	1	-	1	1	2	2	5
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
MASSACHUSETTS -----	75	-	-	-	-	-	-	-	1	9	11	14
WHITE-----MALE----	56	-	-	-	-	-	-	-	1	7	10	13
FEMALE--	14	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	135	-	-	-	-	-	1	-	2	10	22	29
WHITE-----MALE----	64	-	-	-	-	-	-	-	2	6	13	16
FEMALE--	42	-	-	-	-	-	-	-	-	3	4	5
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	13	-	-	-	-	-	1	-	-	1	1	4
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	13	-	-	-	-	-	1	-	-	1	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 247

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
KENTUCKY -----	4	7	3	7	3	7	2	2	1	-	-	-
WHITE-----MALE----	2	4	2	4	-	3	1	-	1	-	-	-
FEMALE--	-	3	1	3	3	4	1	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	12	12	7	16	12	11	5	4	-	-	1	-
WHITE-----MALE----	2	4	3	3	5	3	4	1	-	-	-	-
FEMALE--	2	4	2	4	6	5	1	3	-	-	1	-
ALL OTHER--MALE----	4	2	2	6	-	2	-	-	-	-	-	-
FEMALE--	4	2	-	3	1	1	-	-	-	-	-	-
BLACK---MALE----	4	1	2	6	-	2	-	-	-	-	-	-
FEMALE--	4	2	-	3	1	1	-	-	-	-	-	-
MAINE -----	-	-	2	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	8	8	9	4	3	4	2	-	1	-	-
WHITE-----MALE----	2	1	3	3	1	1	-	1	-	1	-	-
FEMALE--	1	2	2	2	2	2	3	-	-	-	-	-
ALL OTHER--MALE----	5	3	2	2	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	2	-	-	1	1	-	-	-	-
BLACK---MALE----	4	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	1	-	-	-	-
MASSACHUSETTS -----	6	7	4	6	4	3	2	7	1	-	-	-
WHITE-----MALE----	6	5	1	3	2	2	1	5	-	-	-	-
FEMALE--	-	1	1	3	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	15	12	5	10	11	11	6	1	-	-	-	-
WHITE-----MALE----	9	5	-	3	4	3	3	-	-	-	-	-
FEMALE--	2	3	3	6	6	7	2	1	-	-	-	-
ALL OTHER--MALE----	2	3	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	2	2	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 248

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
MINNESOTA -----	39	-	-	-	-	-	-	-	-	3	8	6
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	42	-	-	-	-	1	-	1	-	2	6	8
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	4	4
FEMALE--	16	-	-	-	-	-	-	1	-	-	1	4
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
MISSOURI -----	83	-	-	-	-	-	1	-	2	10	11	12
WHITE-----MALE----	43	-	-	-	-	-	-	-	1	6	8	7
FEMALE--	30	-	-	-	-	-	1	-	1	1	3	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
MONTANA -----	12	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	14	-	-	-	-	-	-	1	-	-	-	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	34	-	-	-	-	-	-	-	-	3	5	3
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 250

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
OHIO -----	125	-	-	-	-	1	-	1	1	6	11	27
WHITE-----MALE----	66	-	-	-	-	1	-	-	-	3	6	21
FEMALE--	38	-	-	-	-	-	-	-	1	2	3	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	2
OKLAHOMA -----	70	-	-	-	-	-	1	1	3	4	7	9
WHITE-----MALE----	46	-	-	-	-	-	-	1	1	3	4	8
FEMALE--	17	-	-	-	-	-	1	-	2	-	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	75	-	-	-	-	-	-	-	-	4	13	20
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	1	9	15
FEMALE--	20	-	-	-	-	-	-	-	-	3	4	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	159	-	-	-	-	-	-	-	4	10	13	26
WHITE-----MALE----	76	-	-	-	-	-	-	-	-	7	7	17
FEMALE--	52	-	-	-	-	-	-	-	2	1	1	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	2	5	5
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	1	2	5	4
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	1
RHODE ISLAND -----	13	-	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	54	-	-	-	-	-	-	1	1	3	6	13
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	2	5	6
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 251  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL HEPATITIS (070)												
SOUTH DAKOTA -----	7	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	105	-	-	-	-	1	1	-	5	7	14	17
WHITE-----MALE----	51	-	-	-	-	-	-	-	3	3	12	10
FEMALE--	41	-	-	-	-	1	-	-	1	3	-	5
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	432	1	-	-	1	5	1	2	6	32	64	60
WHITE-----MALE----	208	1	-	-	-	1	1	1	4	14	35	39
FEMALE--	157	-	-	-	1	2	-	1	1	12	16	9
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	3	8	10
FEMALE--	29	-	-	-	-	2	-	-	-	3	5	2
BLACK---MALE----	32	-	-	-	-	-	-	-	1	3	7	8
FEMALE--	28	-	-	-	-	2	-	-	-	3	5	2
UTAH -----	18	-	-	-	-	-	-	-	-	2	3	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	94	-	-	-	-	-	-	1	-	9	10	16
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	5	5	9
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	15	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE----	12	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	11	-	-	-	-	-	-	1	-	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 251

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL HEPATITIS (070)												
SOUTH DAKOTA -----	-	-	-	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	6	12	8	7	7	9	1	-	-	-	-
WHITE-----MALE----	6	1	6	4	1	3	2	-	-	-	-	-
FEMALE--	3	2	6	4	6	3	6	1	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
TEXAS -----	48	32	44	28	37	38	19	11	3	-	-	-
WHITE-----MALE----	27	14	22	7	14	12	10	5	1	-	-	-
FEMALE--	15	10	14	18	21	23	8	4	2	-	-	-
ALL OTHER--MALE----	3	2	5	3	1	1	-	1	-	-	-	-
FEMALE--	3	6	3	-	1	2	1	1	-	-	-	-
BLACK---MALE----	3	1	4	3	-	1	-	1	-	-	-	-
FEMALE--	2	6	3	-	1	2	1	1	-	-	-	-
UTAH -----	1	2	2	1	2	2	1	-	-	-	-	-
WHITE-----MALE----	1	2	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	2	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	3	11	7	8	8	6	2	-	-	-	-
WHITE-----MALE----	10	-	5	5	2	3	1	1	-	-	-	-
FEMALE--	-	2	3	1	3	3	3	1	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	3	2	2	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	2	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 253

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
UNITED STATES --	14,839	110	78	57	39	47	190	865	2,110	2,970	2,883	2,075
WHITE-----MALE----	5,756	33	23	19	8	15	38	258	800	1,243	1,158	818
FEMALE--	1,564	33	24	13	11	18	23	80	174	217	189	119
ALL OTHER--MALE----	5,212	21	15	10	10	5	54	305	733	1,032	1,094	864
FEMALE--	2,307	23	16	15	10	9	75	222	403	478	442	274
BLACK---MALE----	5,077	16	15	9	8	5	53	294	708	1,010	1,069	851
FEMALE--	2,258	21	12	14	10	8	74	217	400	472	436	272
ALABAMA -----	196	-	1	1	-	1	1	16	37	33	40	29
WHITE-----MALE----	55	-	-	1	-	1	-	1	9	11	10	12
FEMALE--	19	-	-	-	-	-	1	2	3	2	3	1
ALL OTHER--MALE----	94	-	1	-	-	-	-	10	19	15	22	11
FEMALE--	28	-	-	-	-	-	-	3	6	5	5	5
BLACK---MALE----	93	-	1	-	-	-	-	9	19	15	22	11
FEMALE--	28	-	-	-	-	-	-	3	6	5	5	5
ALASKA -----	8	-	-	1	-	-	-	-	1	2	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	173	5	6	1	2	-	3	5	27	32	32	24
WHITE-----MALE----	120	2	3	1	-	-	2	2	17	29	22	21
FEMALE--	28	2	3	-	2	-	1	2	2	2	3	-
ALL OTHER--MALE----	19	1	-	-	-	-	-	1	6	1	5	3
FEMALE--	6	-	-	-	-	-	-	-	2	-	2	-
BLACK---MALE----	12	-	-	-	-	-	-	-	4	1	4	2
FEMALE--	4	-	-	-	-	-	-	-	1	-	2	-
ARKANSAS -----	79	2	-	1	-	1	4	6	11	17	9	6
WHITE-----MALE----	30	1	-	1	-	1	1	-	3	7	5	3
FEMALE--	11	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	33	1	-	-	-	-	1	3	6	8	4	3
FEMALE--	5	-	-	-	-	-	1	1	1	2	-	-
BLACK---MALE----	32	1	-	-	-	-	1	3	6	8	4	2
FEMALE--	5	-	-	-	-	-	1	1	1	2	-	-
CALIFORNIA -----	1,600	10	8	8	6	7	12	82	224	314	309	211
WHITE-----MALE----	1,040	2	2	3	2	2	8	50	151	222	209	135
FEMALE--	177	4	5	4	2	4	-	7	20	24	20	16
ALL OTHER--MALE----	283	2	1	-	1	-	2	21	37	51	63	44
FEMALE--	100	2	-	1	1	1	2	4	16	17	17	16
BLACK---MALE----	240	-	1	-	-	-	2	18	32	45	53	40
FEMALE--	87	2	-	-	1	-	2	3	16	14	16	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 253

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
UNITED STATES --	1,155	708	446	270	256	163	156	119	90	30	19	3
WHITE-----MALE----	468	269	186	113	113	72	59	31	21	7	3	1
FEMALE--	78	70	67	50	66	68	78	82	66	22	16	-
ALL OTHER--MALE----	480	274	145	82	55	15	12	3	1	-	-	2
FEMALE--	129	95	48	25	22	8	7	3	2	1	-	-
BLACK---MALE----	469	263	142	79	55	15	11	2	1	-	-	2
FEMALE--	127	90	43	25	19	5	7	3	2	1	-	-
ALABAMA -----	12	8	5	-	6	3	2	-	1	-	-	-
WHITE-----MALE----	3	2	1	-	1	1	2	-	-	-	-	-
FEMALE--	-	3	1	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	7	3	2	-	3	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	3	2	-	3	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
ALASKA -----	2	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	11	5	2	6	1	3	-	1	1	-	-
WHITE-----MALE----	5	7	3	1	3	1	1	-	-	-	-	-
FEMALE--	1	1	2	1	2	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	-	3	1	1	1	1	3	1	1	1	-
WHITE-----MALE----	4	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	1	1	1	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	148	76	59	25	34	26	13	12	12	3	1	-
WHITE-----MALE----	103	46	42	14	22	12	5	6	4	-	-	-
FEMALE--	9	10	7	3	7	12	7	4	8	3	1	-
ALL OTHER--MALE----	27	15	7	7	3	-	1	1	-	-	-	-
FEMALE--	9	5	3	1	2	2	-	1	-	-	-	-
BLACK---MALE----	22	14	5	5	3	-	-	-	-	-	-	-
FEMALE--	8	3	3	1	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 254

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
COLORADO -----	107	4	-	-	-	1	1	4	15	36	14	9
WHITE-----MALE----	75	1	-	-	-	1	-	3	14	25	11	8
FEMALE--	20	2	-	-	-	-	1	-	1	6	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	5	2	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	-	5	1	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	185	1	1	-	2	1	2	10	21	28	41	33
WHITE-----MALE----	86	-	-	-	-	-	1	5	13	11	18	14
FEMALE--	29	-	1	-	1	-	1	-	4	6	4	4
ALL OTHER--MALE----	40	-	-	-	-	1	-	-	1	7	8	12
FEMALE--	30	1	-	-	1	-	-	5	3	4	11	3
BLACK---MALE----	40	-	-	-	-	1	-	-	1	7	8	12
FEMALE--	29	-	-	-	1	-	-	5	3	4	11	3
DELAWARE -----	58	-	-	-	-	-	-	2	8	10	15	9
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	40	-	-	-	-	-	-	2	4	7	12	8
FEMALE--	7	-	-	-	-	-	-	-	4	1	1	-
BLACK---MALE----	40	-	-	-	-	-	-	2	4	7	12	8
FEMALE--	7	-	-	-	-	-	-	-	4	1	1	-
DISTRICT OF COLUMBIA ----	253	-	2	1	-	1	2	15	32	45	59	52
WHITE-----MALE----	27	-	-	-	-	-	-	1	2	4	5	8
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	150	-	1	1	-	-	1	6	18	31	34	31
FEMALE--	72	-	1	-	-	1	1	8	11	9	20	12
BLACK---MALE----	150	-	1	1	-	-	1	6	18	31	34	31
FEMALE--	71	-	1	-	-	1	1	8	11	9	19	12
FLORIDA -----	1,627	11	4	8	2	4	31	105	215	325	320	205
WHITE-----MALE----	500	3	-	2	1	1	1	23	56	114	113	71
FEMALE--	130	3	1	1	-	-	2	12	16	16	14	8
ALL OTHER--MALE----	579	1	1	1	-	-	8	34	66	99	126	83
FEMALE--	418	4	2	4	1	3	20	36	77	96	67	43
BLACK---MALE----	576	1	1	1	-	-	8	34	65	99	125	82
FEMALE--	418	4	2	4	1	3	20	36	77	96	67	43
GEORGIA -----	722	5	1	2	2	3	9	45	127	192	117	98
WHITE-----MALE----	169	1	-	1	1	1	1	11	23	52	33	21
FEMALE--	27	-	-	-	-	1	1	1	4	5	3	1
ALL OTHER--MALE----	386	2	-	-	-	-	4	23	64	91	66	64
FEMALE--	140	2	1	1	1	1	3	10	36	44	15	12
BLACK---MALE----	386	2	-	-	-	-	4	23	64	91	66	64
FEMALE--	140	2	1	1	1	1	3	10	36	44	15	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 254

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
COLORADO -----	4	5	3	2	3	-	3	1	2	-	-	-
WHITE-----MALE----	3	3	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	2	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	15	16	4	1	3	-	2	1	1	1	1	-
WHITE-----MALE----	7	9	4	1	2	-	-	-	-	1	-	-
FEMALE--	-	3	-	-	-	-	2	1	1	-	1	-
ALL OTHER--MALE----	8	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	8	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	2	5	4	2	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	22	11	5	2	1	-	2	-	-	1	-	-
WHITE-----MALE----	3	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	4	4	1	-	-	2	-	-	-	-	-
FEMALE--	3	3	-	1	1	-	-	-	-	1	-	-
BLACK---MALE----	16	4	4	1	-	-	2	-	-	-	-	-
FEMALE--	3	3	-	1	1	-	-	-	-	1	-	-
FLORIDA -----	133	99	56	44	25	14	13	9	3	-	1	-
WHITE-----MALE----	37	28	14	20	10	3	2	1	-	-	-	-
FEMALE--	8	10	8	4	4	2	9	8	3	-	1	-
ALL OTHER--MALE----	59	40	28	15	8	8	2	-	-	-	-	-
FEMALE--	29	21	6	5	3	1	-	-	-	-	-	-
BLACK---MALE----	59	40	28	15	8	8	2	-	-	-	-	-
FEMALE--	29	21	6	5	3	1	-	-	-	-	-	-
GEORGIA -----	48	36	17	5	7	2	1	2	1	1	-	1
WHITE-----MALE----	10	7	3	-	2	1	1	-	-	-	-	-
FEMALE--	1	4	-	-	2	1	-	1	1	1	-	-
ALL OTHER--MALE----	34	19	13	3	2	-	-	-	-	-	-	1
FEMALE--	3	6	1	2	1	-	-	1	-	-	-	-
BLACK---MALE----	34	19	13	3	2	-	-	-	-	-	-	1
FEMALE--	3	6	1	2	1	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 256

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
KENTUCKY -----	99	1	-	-	-	1	-	7	20	18	15	10
WHITE-----MALE----	57	1	-	-	-	-	-	2	15	10	9	4
FEMALE--	14	-	-	-	-	1	-	2	3	1	1	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	2	2	5	4	2
FEMALE--	10	-	-	-	-	-	-	1	-	2	1	4
BLACK---MALE----	18	-	-	-	-	-	-	2	2	5	4	2
FEMALE--	10	-	-	-	-	-	-	1	-	2	1	4
LOUISIANA -----	376	2	4	1	-	-	10	33	60	91	68	50
WHITE-----MALE----	100	-	-	-	-	-	-	6	10	29	17	14
FEMALE--	14	-	2	-	-	-	1	1	2	1	-	1
ALL OTHER--MALE----	203	1	1	-	-	-	4	18	39	54	41	25
FEMALE--	59	1	1	1	-	-	5	8	9	7	10	10
BLACK---MALE----	203	1	1	-	-	-	4	18	39	54	41	25
FEMALE--	58	1	1	1	-	-	5	8	9	7	9	10
MAINE -----	27	1	-	-	-	1	-	1	4	2	4	1
WHITE-----MALE----	18	-	-	-	-	-	-	1	3	1	3	1
FEMALE--	9	1	-	-	-	1	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	533	3	1	4	1	-	8	40	83	110	106	79
WHITE-----MALE----	54	1	-	1	-	-	-	1	7	8	8	9
FEMALE--	16	1	-	-	-	-	-	3	3	2	1	2
ALL OTHER--MALE----	319	-	-	-	1	-	3	13	45	70	77	51
FEMALE--	144	1	1	3	-	-	5	23	28	30	20	17
BLACK---MALE----	316	-	-	-	1	-	3	13	44	70	77	51
FEMALE--	142	1	-	3	-	-	5	23	28	30	20	17
MASSACHUSETTS -----	244	-	-	-	-	1	-	12	35	44	63	33
WHITE-----MALE----	137	-	-	-	-	1	-	7	18	24	40	21
FEMALE--	53	-	-	-	-	-	-	2	6	7	10	4
ALL OTHER--MALE----	40	-	-	-	-	-	-	1	8	11	9	7
FEMALE--	14	-	-	-	-	-	-	2	3	2	4	1
BLACK---MALE----	40	-	-	-	-	-	-	1	8	11	9	7
FEMALE--	14	-	-	-	-	-	-	2	3	2	4	1
MICHIGAN -----	314	3	4	4	-	2	3	14	30	66	73	41
WHITE-----MALE----	117	-	2	2	-	1	3	6	11	21	25	12
FEMALE--	22	-	-	-	-	1	-	1	1	2	3	1
ALL OTHER--MALE----	131	1	1	2	-	-	-	3	14	31	36	22
FEMALE--	44	2	1	-	-	-	-	4	4	12	9	6
BLACK---MALE----	130	1	1	2	-	-	-	3	14	31	35	22
FEMALE--	41	2	-	-	-	-	-	4	4	11	9	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 256

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
KENTUCKY -----	10	2	4	3	3	1	1	-	3	-	-	-
WHITE-----MALE----	8	-	3	1	1	1	-	-	2	-	-	-
FEMALE--	1	-	-	2	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
LOUISIANA -----	23	9	11	6	4	2	1	1	-	-	-	-
WHITE-----MALE----	9	3	6	3	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	11	5	4	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	11	5	4	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	1	1	-	-	-	-	-
MAINE -----	1	1	3	-	2	1	3	1	-	-	1	-
WHITE-----MALE----	1	1	3	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	42	26	13	10	4	2	-	1	-	-	-	-
WHITE-----MALE----	5	6	3	2	1	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	30	14	7	7	1	-	-	-	-	-	-	-
FEMALE--	6	5	2	1	2	-	-	-	-	-	-	-
BLACK---MALE----	29	13	7	7	1	-	-	-	-	-	-	-
FEMALE--	5	5	2	1	2	-	-	-	-	-	-	-
MASSACHUSETTS -----	13	10	6	5	5	3	4	6	2	1	1	-
WHITE-----MALE----	9	6	4	2	1	2	1	-	-	1	-	-
FEMALE--	-	2	2	3	4	1	3	6	2	-	1	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	28	11	7	6	3	4	5	7	1	-	2	-
WHITE-----MALE----	11	6	2	3	1	1	5	3	1	-	1	-
FEMALE--	1	1	3	1	-	2	-	4	-	-	1	-
ALL OTHER--MALE----	15	2	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	15	2	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	1	-	-	-	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 259

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
OHIO -----	279	2	2	2	2	-	6	17	41	48	46	27
WHITE-----MALE----	128	2	2	-	-	-	-	8	17	27	22	13
FEMALE--	42	-	-	1	1	-	2	3	3	1	2	2
ALL OTHER--MALE----	73	-	-	-	1	-	2	1	16	12	18	9
FEMALE--	36	-	-	1	-	-	2	5	5	8	4	3
BLACK---MALE----	73	-	-	-	1	-	2	1	16	12	18	9
FEMALE--	36	-	-	1	-	-	2	5	5	8	4	3
OKLAHOMA -----	107	1	1	-	1	1	3	10	19	24	19	6
WHITE-----MALE----	60	-	-	-	-	-	1	4	13	12	11	5
FEMALE--	16	1	1	-	1	1	1	1	1	1	1	1
ALL OTHER--MALE----	24	-	-	-	-	-	1	3	2	10	6	-
FEMALE--	7	-	-	-	-	-	-	2	3	1	1	-
BLACK---MALE----	15	-	-	-	-	-	1	2	-	6	5	-
FEMALE--	6	-	-	-	-	-	-	1	3	1	1	-
OREGON -----	75	1	-	-	-	-	1	3	8	18	9	9
WHITE-----MALE----	55	-	-	-	-	-	1	3	7	16	6	6
FEMALE--	14	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	549	1	-	1	-	1	2	30	87	98	118	73
WHITE-----MALE----	195	-	-	-	-	-	-	7	29	50	39	33
FEMALE--	84	1	-	-	-	1	-	1	12	6	14	6
ALL OTHER--MALE----	201	-	-	-	-	-	-	15	33	28	45	31
FEMALE--	69	-	-	1	-	-	2	7	13	14	20	3
BLACK---MALE----	197	-	-	-	-	-	-	14	31	27	45	31
FEMALE--	69	-	-	1	-	-	2	7	13	14	20	3
RHODE ISLAND -----	34	-	-	-	-	-	-	1	1	7	9	4
WHITE-----MALE----	22	-	-	-	-	-	-	1	1	3	7	4
FEMALE--	7	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
SOUTH CAROLINA -----	287	3	-	-	2	2	2	18	41	66	46	46
WHITE-----MALE----	58	-	-	-	-	1	-	3	9	13	9	6
FEMALE--	11	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	154	2	-	-	2	1	1	10	15	38	31	28
FEMALE--	64	1	-	-	-	-	1	5	17	12	6	11
BLACK---MALE----	154	2	-	-	2	1	1	10	15	38	31	28
FEMALE--	64	1	-	-	-	-	1	5	17	12	6	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 259

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
OHIO -----	24	9	14	8	7	4	5	6	6	2	1	-
WHITE-----MALE----	12	5	4	5	2	2	5	2	-	-	-	-
FEMALE--	2	2	6	1	2	2	-	3	6	2	1	-
ALL OTHER--MALE----	9	1	-	1	3	-	-	-	-	-	-	-
FEMALE--	1	1	4	1	-	-	-	1	-	-	-	-
BLACK---MALE----	9	1	-	1	3	-	-	-	-	-	-	-
FEMALE--	1	1	4	1	-	-	-	1	-	-	-	-
OKLAHOMA -----	4	7	1	1	2	4	1	2	-	-	-	-
WHITE-----MALE----	2	6	-	1	1	2	1	1	-	-	-	-
FEMALE--	1	-	1	-	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	5	4	2	3	1	4	-	1	3	-	-
WHITE-----MALE----	3	4	2	-	3	1	1	-	1	1	-	-
FEMALE--	-	-	2	2	-	-	3	-	-	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	46	24	12	10	12	12	11	4	6	1	-	-
WHITE-----MALE----	10	7	4	5	4	3	2	1	1	-	-	-
FEMALE--	6	2	3	4	4	7	8	3	5	1	-	-
ALL OTHER--MALE----	23	14	5	1	3	2	1	-	-	-	-	-
FEMALE--	7	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	23	14	5	1	3	2	1	-	-	-	-	-
FEMALE--	7	1	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	2	2	1	1	2	-	2	-	-	-
WHITE-----MALE----	2	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	19	19	5	2	6	7	1	1	1	-	-	-
WHITE-----MALE----	4	4	1	1	3	3	-	-	1	-	-	-
FEMALE--	1	1	1	-	-	3	-	1	-	-	-	-
ALL OTHER--MALE----	8	10	3	1	3	-	1	-	-	-	-	-
FEMALE--	6	4	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	8	10	3	1	3	-	1	-	-	-	-	-
FEMALE--	6	4	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 260

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
SOUTH DAKOTA -----	8	-	-	-	-	-	1	-	1	3	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	260	3	2	1	1	1	3	20	43	63	42	31
WHITE-----MALE----	78	2	1	-	-	-	1	5	14	21	13	10
FEMALE--	30	-	1	1	1	1	-	2	-	3	2	2
ALL OTHER--MALE----	116	1	-	-	-	-	-	7	21	33	21	18
FEMALE--	36	-	-	-	-	-	2	6	8	6	6	1
BLACK---MALE----	115	1	-	-	-	-	-	7	21	33	21	18
FEMALE--	35	-	-	-	-	-	2	6	8	6	6	1
TEXAS -----	1,021	6	10	3	2	2	13	87	196	217	187	125
WHITE-----MALE----	518	2	5	3	1	1	4	29	96	123	101	72
FEMALE--	87	3	2	-	1	-	1	6	7	17	12	4
ALL OTHER--MALE----	304	-	3	-	-	-	3	32	67	59	57	40
FEMALE--	112	1	-	-	-	1	5	20	26	18	17	9
BLACK---MALE----	299	-	3	-	-	-	3	32	65	58	56	39
FEMALE--	110	1	-	-	-	1	5	19	26	18	16	9
UTAH -----	31	2	1	-	-	-	-	2	5	2	3	4
WHITE-----MALE----	22	1	-	-	-	-	-	2	4	2	2	4
FEMALE--	9	1	1	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	14	1	1	-	-	-	-	-	-	1	4	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	5	1	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	340	1	1	-	2	-	9	22	40	52	74	52
WHITE-----MALE----	100	-	1	-	-	-	-	4	9	17	22	19
FEMALE--	23	-	-	-	-	-	-	3	1	1	4	2
ALL OTHER--MALE----	155	-	-	-	1	-	5	9	22	23	37	25
FEMALE--	62	1	-	-	1	-	4	6	8	11	11	6
BLACK---MALE----	154	-	-	-	1	-	5	9	22	22	37	25
FEMALE--	62	1	-	-	1	-	4	6	8	11	11	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 260

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
SOUTH DAKOTA -----	-	1	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	9	7	7	2	1	6	5	3	-	1	-
WHITE-----MALE----	3	1	2	3	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	4	5	3	-	1	-
ALL OTHER--MALE----	4	6	1	2	1	-	1	-	-	-	-	-
FEMALE--	1	2	3	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	6	1	2	1	-	1	-	-	-	-	-
FEMALE--	1	2	2	1	-	-	-	-	-	-	-	-
TEXAS -----	61	34	24	13	14	7	10	6	4	-	-	-
WHITE-----MALE----	31	15	11	8	5	3	6	-	2	-	-	-
FEMALE--	8	5	2	1	3	3	4	6	2	-	-	-
ALL OTHER--MALE----	16	9	8	4	5	1	-	-	-	-	-	-
FEMALE--	6	5	3	-	1	-	-	-	-	-	-	-
BLACK---MALE----	16	9	8	4	5	1	-	-	-	-	-	-
FEMALE--	6	5	3	-	1	-	-	-	-	-	-	-
UTAH -----	2	2	1	2	2	1	-	2	-	-	-	-
WHITE-----MALE----	2	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	3	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	32	17	11	12	8	3	1	1	1	-	-	1
WHITE-----MALE----	9	6	5	5	1	1	1	-	-	-	-	-
FEMALE--	1	-	2	3	2	2	-	1	1	-	-	-
ALL OTHER--MALE----	19	5	1	3	4	-	-	-	-	-	-	1
FEMALE--	3	6	3	1	1	-	-	-	-	-	-	-
BLACK---MALE----	19	5	1	3	4	-	-	-	-	-	-	1
FEMALE--	3	6	3	1	1	-	-	-	-	-	-	-

















































































































































































































































