

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 361

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
UNITED STATES --	4,235	137	24	15	18	23	36	68	132	197	262	274
WHITE-----MALE----	1,615	58	11	6	10	6	11	26	39	65	78	87
FEMALE--	1,454	33	8	5	7	7	11	15	21	24	48	57
ALL OTHER--MALE----	547	27	4	3	-	4	8	16	40	53	61	61
FEMALE--	619	19	1	1	1	6	6	11	32	55	75	69
BLACK---MALE----	495	24	3	1	-	3	8	15	39	52	60	57
FEMALE--	564	18	1	1	1	6	5	11	32	54	69	67
ALABAMA -----	94	7	1	-	-	-	1	2	2	3	9	9
WHITE-----MALE----	29	1	-	-	-	-	-	-	1	2	2	4
FEMALE--	31	2	1	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	20	2	-	-	-	-	-	1	1	-	3	4
FEMALE--	14	2	-	-	-	-	1	-	-	1	2	1
BLACK---MALE----	20	2	-	-	-	-	-	1	1	-	3	4
FEMALE--	14	2	-	-	-	-	1	-	-	1	2	1
ALASKA -----	6	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	78	3	-	-	-	-	-	1	6	1	6	4
WHITE-----MALE----	42	2	-	-	-	-	-	1	4	-	3	1
FEMALE--	29	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	3	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	40	3	-	-	1	-	1	-	-	-	1	1
WHITE-----MALE----	20	2	-	-	1	-	1	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	454	16	4	2	-	3	5	5	15	21	30	37
WHITE-----MALE----	176	8	1	2	-	1	2	-	8	11	12	14
FEMALE--	168	5	2	-	-	2	2	3	5	4	6	7
ALL OTHER--MALE----	55	2	1	-	-	-	1	1	2	2	6	8
FEMALE--	55	1	-	-	-	-	-	1	-	4	6	8
BLACK---MALE----	32	-	-	-	-	-	1	1	2	2	6	4
FEMALE--	39	1	-	-	-	-	-	1	-	4	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 361

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	319	324	331	418	479	475	349	209	102	37	6	-
WHITE-----MALE----	118	111	123	176	221	205	160	71	24	9	-	-
FEMALE--	82	106	111	162	188	209	151	113	67	24	5	-
ALL OTHER--MALE----	63	47	37	34	26	34	14	10	5	-	-	-
FEMALE--	56	60	60	46	44	27	24	15	6	4	1	-
BLACK---MALE----	58	43	33	32	23	22	11	7	4	-	-	-
FEMALE--	52	52	53	38	39	21	22	12	5	4	1	-
ALABAMA -----	3	12	5	13	8	5	8	4	2	-	-	-
WHITE-----MALE----	3	2	2	3	5	2	2	-	-	-	-	-
FEMALE--	-	6	3	5	2	1	4	2	2	-	-	-
ALL OTHER--MALE----	-	2	-	3	-	1	2	1	-	-	-	-
FEMALE--	-	2	-	2	1	1	-	1	-	-	-	-
BLACK---MALE----	-	2	-	3	-	1	2	1	-	-	-	-
FEMALE--	-	2	-	2	1	1	-	1	-	-	-	-
ALASKA -----	1	1	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	5	4	9	5	14	11	1	2	1	-	-
WHITE-----MALE----	4	2	4	5	3	5	6	-	1	1	-	-
FEMALE--	1	2	-	4	2	9	5	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	6	6	3	5	4	5	2	1	-	-	-
WHITE-----MALE----	1	1	4	1	2	2	3	1	-	-	-	-
FEMALE--	-	4	2	2	3	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	45	30	39	38	58	53	26	19	4	3	1	-
WHITE-----MALE----	22	11	12	18	23	12	13	4	2	-	-	-
FEMALE--	12	10	12	13	26	31	10	12	2	3	1	-
ALL OTHER--MALE----	5	4	7	3	4	8	-	1	-	-	-	-
FEMALE--	6	5	8	4	5	2	3	2	-	-	-	-
BLACK---MALE----	2	2	5	2	2	3	-	-	-	-	-	-
FEMALE--	4	3	7	2	3	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 362

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
COLORADO -----	42	2	-	-	-	1	-	-	2	-	3	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	17	2	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	51	1	-	-	-	-	1	-	1	3	3	3
WHITE-----MALE----	19	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	1	-	1	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	16	-	-	-	-	1	-	1	-	-	2	1
WHITE-----MALE----	5	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	26	1	-	-	-	-	1	-	-	-	3	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	17	1	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	7	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	17	1	-	-	-	-	-	-	-	-	2	1
FLORIDA -----	293	15	-	1	2	-	1	6	11	10	19	18
WHITE-----MALE----	117	6	-	1	1	-	-	1	3	3	7	6
FEMALE--	108	2	-	-	1	-	-	1	1	1	4	3
ALL OTHER--MALE----	31	3	-	-	-	-	-	2	5	1	3	5
FEMALE--	37	4	-	-	-	-	1	2	2	5	5	4
BLACK---MALE----	30	3	-	-	-	-	-	1	5	1	3	5
FEMALE--	36	4	-	-	-	-	1	2	2	5	5	4
GEORGIA -----	129	5	1	-	-	1	2	6	9	18	11	10
WHITE-----MALE----	30	1	-	-	-	-	-	-	-	4	1	1
FEMALE--	22	1	-	-	-	-	-	2	-	2	-	1
ALL OTHER--MALE----	41	2	-	-	-	1	1	4	6	7	5	3
FEMALE--	36	1	1	-	-	-	1	-	3	5	5	5
BLACK---MALE----	41	2	-	-	-	1	1	4	6	7	5	3
FEMALE--	35	-	1	-	-	-	1	-	3	5	5	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 362

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	2	3	7	8	1	4	2	3	1	-	-
WHITE-----MALE----	2	1	3	6	3	1	1	2	1	-	-	-
FEMALE--	-	1	-	1	4	-	3	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	3	3	5	6	10	2	3	4	1	2	-	-
WHITE-----MALE----	2	2	1	2	3	1	3	-	1	1	-	-
FEMALE--	1	-	2	3	6	1	-	4	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	2	4	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	5	4	2	3	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	3	3	2	2	1	-	1	-	-	-	-
BLACK---MALE----	1	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	3	3	2	2	1	-	1	-	-	-	-
FLORIDA -----	18	20	17	25	29	45	30	15	8	3	-	-
WHITE-----MALE----	6	5	4	11	15	25	13	8	2	-	-	-
FEMALE--	6	10	5	10	12	20	16	7	6	3	-	-
ALL OTHER--MALE----	3	2	4	2	-	-	1	-	-	-	-	-
FEMALE--	3	3	4	2	2	-	-	-	-	-	-	-
BLACK---MALE----	3	2	4	2	-	-	1	-	-	-	-	-
FEMALE--	3	3	4	1	2	-	-	-	-	-	-	-
GEORGIA -----	11	7	10	7	7	11	5	4	4	-	-	-
WHITE-----MALE----	4	1	3	2	3	5	2	2	1	-	-	-
FEMALE--	-	1	2	3	2	4	2	-	2	-	-	-
ALL OTHER--MALE----	4	4	1	-	1	1	-	1	-	-	-	-
FEMALE--	3	1	4	2	1	1	1	1	1	-	-	-
BLACK---MALE----	4	4	1	-	1	1	-	1	-	-	-	-
FEMALE--	3	1	4	2	1	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 363

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
HAWAII -----	22	1	-	1	-	-	-	-	-	2	1	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	14	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	175	5	-	2	1	2	2	4	8	11	9	12
WHITE-----MALE----	59	2	-	1	-	-	2	1	1	3	1	4
FEMALE--	49	1	-	1	-	-	-	1	1	1	2	2
ALL OTHER--MALE----	30	1	-	-	-	1	-	-	1	5	4	4
FEMALE--	37	1	-	-	1	1	-	2	5	2	2	2
BLACK---MALE----	29	1	-	-	-	1	-	-	1	5	4	4
FEMALE--	35	1	-	-	1	1	-	2	5	2	2	2
INDIANA -----	79	-	-	-	-	-	1	1	1	4	7	3
WHITE-----MALE----	38	-	-	-	-	-	-	1	1	1	3	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	1	-	-	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
IOWA -----	54	1	-	-	2	-	-	-	1	1	2	-
WHITE-----MALE----	26	1	-	-	1	-	-	-	1	1	1	-
FEMALE--	27	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	52	2	-	-	1	-	-	-	-	3	3	1
WHITE-----MALE----	22	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	25	1	-	-	1	-	-	-	-	-	3	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 364

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
KENTUCKY -----	58	-	-	-	-	-	2	1	-	-	3	3
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	26	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	2	-
LOUISIANA -----	72	3	1	-	-	1	1	1	1	4	6	4
WHITE-----MALE----	17	1	1	-	-	-	-	-	1	1	-	-
FEMALE--	20	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	13	1	-	-	-	-	-	1	-	1	2	-
FEMALE--	22	1	-	-	-	-	-	-	-	2	4	3
BLACK---MALE----	13	1	-	-	-	-	-	1	-	1	2	-
FEMALE--	22	1	-	-	-	-	-	-	-	2	4	3
MAINE -----	12	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	117	2	-	-	-	-	-	1	6	13	13	8
WHITE-----MALE----	28	-	-	-	-	-	-	1	-	4	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	37	2	-	-	-	-	-	-	4	6	7	4
FEMALE--	26	-	-	-	-	-	-	-	2	2	4	3
BLACK---MALE----	37	2	-	-	-	-	-	-	4	6	7	4
FEMALE--	25	-	-	-	-	-	-	-	2	2	4	3
MASSACHUSETTS -----	85	2	-	-	-	-	-	1	1	6	4	4
WHITE-----MALE----	44	1	-	-	-	-	-	1	-	4	4	2
FEMALE--	30	1	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
MICHIGAN -----	146	7	-	1	1	-	-	4	3	4	5	12
WHITE-----MALE----	56	2	-	1	1	-	-	3	1	-	2	5
FEMALE--	47	4	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	30	1	-	-	-	-	-	-	-	3	2	4
BLACK---MALE----	13	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	30	1	-	-	-	-	-	-	-	3	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 364

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	7	7	3	7	9	6	6	2	1	1	-	-
WHITE-----MALE----	4	2	1	2	4	3	3	1	1	-	-	-
FEMALE--	2	3	2	5	5	3	3	1	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	8	10	2	5	9	5	4	4	1	3	-	-
WHITE-----MALE----	3	3	-	-	1	3	2	-	1	-	-	-
FEMALE--	-	2	-	5	2	2	2	3	-	2	-	-
ALL OTHER--MALE----	4	-	2	-	2	-	-	-	-	-	-	-
FEMALE--	1	5	-	-	4	-	-	1	-	1	-	-
BLACK---MALE----	4	-	2	-	2	-	-	-	-	-	-	-
FEMALE--	1	5	-	-	4	-	-	1	-	1	-	-
MAINE -----	-	-	2	1	1	3	-	-	1	1	1	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	15	4	6	13	17	6	3	1	1	-	-
WHITE-----MALE----	-	3	-	1	7	7	2	1	-	-	-	-
FEMALE--	1	4	2	5	2	5	2	1	1	1	-	-
ALL OTHER--MALE----	2	7	1	-	2	1	1	-	-	-	-	-
FEMALE--	5	1	1	-	2	4	1	1	-	-	-	-
BLACK---MALE----	2	7	1	-	2	1	1	-	-	-	-	-
FEMALE--	5	1	1	-	2	3	1	1	-	3	-	-
MASSACHUSETTS -----	7	5	3	13	10	16	5	4	2	1	1	-
WHITE-----MALE----	3	2	2	9	5	8	2	-	1	-	-	-
FEMALE--	2	2	1	3	4	6	3	3	1	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	1	1	1	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	1	-	-
MICHIGAN -----	13	10	15	17	12	16	16	6	2	1	1	-
WHITE-----MALE----	5	3	5	4	7	6	7	4	-	-	-	-
FEMALE--	1	5	4	8	3	8	5	2	1	1	1	-
ALL OTHER--MALE----	3	1	2	2	-	1	-	-	-	-	-	-
FEMALE--	4	1	4	3	2	1	4	-	1	-	-	-
BLACK---MALE----	3	1	2	2	-	1	-	-	-	-	-	-
FEMALE--	4	1	4	3	2	1	4	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 367

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
OHIO -----	175	5	1	-	-	2	1	1	5	1	8	10
WHITE-----MALE----	78	3	-	-	-	1	-	1	1	-	3	3
FEMALE--	60	1	1	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	18	1	-	-	-	1	1	-	2	-	3	3
FEMALE--	19	-	-	-	-	-	-	-	1	1	1	4
BLACK---MALE----	17	1	-	-	-	1	1	-	2	-	3	3
FEMALE--	19	-	-	-	-	-	-	-	1	1	1	4
OKLAHOMA -----	42	2	-	-	-	-	-	1	-	-	2	3
WHITE-----MALE----	21	2	-	-	-	-	-	-	-	-	2	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	37	-	-	-	-	-	-	1	2	-	-	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	205	3	1	1	-	-	2	2	5	13	12	13
WHITE-----MALE----	66	-	1	-	-	-	-	-	1	4	1	6
FEMALE--	84	2	-	1	-	-	2	1	2	3	3	4
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	3	3	2
FEMALE--	29	1	-	-	-	-	-	1	1	3	5	1
BLACK---MALE----	26	-	-	-	-	-	-	-	1	3	3	2
FEMALE--	26	1	-	-	-	-	-	1	1	3	4	1
RHODE ISLAND -----	16	-	-	-	-	1	-	-	-	2	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	73	4	-	-	-	1	-	1	2	6	5	5
WHITE-----MALE----	12	2	-	-	-	-	-	1	1	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	20	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	1	-	-	1	5	3	4
BLACK---MALE----	20	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	1	-	-	1	5	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 367

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	13	16	15	21	24	23	21	5	2	1	-	-
WHITE-----MALE----	7	8	7	11	9	10	9	2	2	1	-	-
FEMALE--	3	7	5	8	10	11	9	3	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	2	1	5	1	2	-	-	-	-	-
BLACK---MALE----	2	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	1	5	1	2	-	-	-	-	-
OKLAHOMA -----	1	3	4	3	4	8	4	4	3	-	-	-
WHITE-----MALE----	-	1	1	3	4	3	3	-	1	-	-	-
FEMALE--	-	2	2	-	-	3	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	2	2	3	10	3	4	4	3	2	1	-	-
WHITE-----MALE----	1	1	2	4	2	1	3	2	1	-	-	-
FEMALE--	1	1	1	6	1	2	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	13	14	31	25	19	15	10	6	2	-	-
WHITE-----MALE----	3	6	1	13	9	9	6	4	2	-	-	-
FEMALE--	7	3	3	14	14	7	7	6	3	2	-	-
ALL OTHER--MALE----	4	2	4	1	1	2	2	-	1	-	-	-
FEMALE--	4	2	6	3	1	1	-	-	-	-	-	-
BLACK---MALE----	4	2	4	1	1	2	2	-	1	-	-	-
FEMALE--	4	2	5	2	1	1	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	3	1	3	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	3	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	8	7	4	4	9	3	2	1	-	-	-
WHITE-----MALE----	1	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	2	2	4	1	1	3	3	1	-	-	-	-
ALL OTHER--MALE----	6	3	1	2	2	2	-	-	1	-	-	-
FEMALE--	2	3	2	-	-	2	-	-	-	-	-	-
BLACK---MALE----	6	3	1	2	2	2	-	-	1	-	-	-
FEMALE--	2	3	2	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 368

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
SOUTH DAKOTA -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	121	4	1	-	-	-	2	1	2	2	6	6
WHITE-----MALE----	51	2	-	-	-	-	-	1	1	-	2	2
FEMALE--	50	1	-	-	-	-	1	-	-	-	2	4
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	1	2	-	-
FEMALE--	10	1	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	10	-	1	-	-	-	-	-	1	2	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	2	-
TEXAS -----	296	16	3	3	3	1	7	10	8	12	21	24
WHITE-----MALE----	136	10	-	-	2	-	4	6	3	7	9	11
FEMALE--	100	5	1	3	1	1	1	3	1	3	5	4
ALL OTHER--MALE----	26	1	2	-	-	-	1	1	1	2	5	4
FEMALE--	34	-	-	-	-	-	1	-	3	-	2	5
BLACK---MALE----	24	1	2	-	-	-	1	1	1	1	5	4
FEMALE--	33	-	-	-	-	-	1	-	3	-	2	5
UTAH -----	16	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	100	3	-	-	1	1	2	-	2	10	7	6
WHITE-----MALE----	33	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	28	1	-	-	1	1	1	-	-	2	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	2	3	3	3
FEMALE--	23	-	-	-	-	-	1	-	-	4	4	1
BLACK---MALE----	16	-	-	-	-	-	-	-	2	3	3	3
FEMALE--	22	-	-	-	-	-	1	-	-	4	4	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 368

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	1	-	1	1	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	10	13	14	17	18	6	4	5	-	-	-
WHITE-----MALE----	4	4	8	8	3	10	4	2	-	-	-	-
FEMALE--	2	5	4	6	12	5	1	2	5	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	2	2	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	2	2	-	-	-	-	-	-
TEXAS -----	22	24	28	25	28	25	18	11	4	3	-	-
WHITE-----MALE----	11	10	13	11	12	10	9	5	1	2	-	-
FEMALE--	5	6	13	10	12	14	6	3	2	1	-	-
ALL OTHER--MALE----	3	2	-	-	2	1	1	-	-	-	-	-
FEMALE--	3	6	2	4	2	-	2	3	1	-	-	-
BLACK---MALE----	3	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	3	6	2	4	1	-	2	3	1	-	-	-
UTAH -----	1	-	1	-	6	1	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	5	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	2	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	8	6	10	9	9	9	3	4	-	1	-
WHITE-----MALE----	1	3	4	4	5	6	5	-	1	-	-	-
FEMALE--	3	2	-	2	3	2	4	2	2	-	1	-
ALL OTHER--MALE----	2	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	3	3	2	2	1	-	-	1	1	-	-	-
BLACK---MALE----	2	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	3	2	2	2	1	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 370
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
UNITED STATES --	2,358	123	15	9	17	17	23	40	72	96	125	139
WHITE-----MALE----	1,018	49	7	3	9	6	7	18	26	45	51	57
FEMALE--	806	30	5	4	7	4	9	12	16	14	27	35
ALL OTHER--MALE----	294	26	2	2	-	3	4	7	22	18	24	32
FEMALE--	240	18	1	-	1	4	3	3	8	19	23	15
BLACK---MALE----	259	24	1	1	-	2	4	7	22	17	23	29
FEMALE--	206	18	1	-	1	4	3	3	8	19	20	15
ALABAMA -----	58	7	1	-	-	-	1	2	-	2	6	4
WHITE-----MALE----	20	1	-	-	-	-	-	-	-	2	2	2
FEMALE--	18	2	1	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	11	2	-	-	-	-	-	1	-	-	1	2
FEMALE--	9	2	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	11	2	-	-	-	-	-	1	-	-	1	2
FEMALE--	9	2	-	-	-	-	1	-	-	-	1	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	51	2	-	-	-	-	-	1	5	-	4	2
WHITE-----MALE----	32	2	-	-	-	-	-	1	3	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	23	3	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	12	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	320	11	1	1	-	3	4	3	9	15	22	24
WHITE-----MALE----	134	4	-	1	-	1	2	-	3	8	10	12
FEMALE--	115	4	-	-	-	2	2	2	4	2	5	5
ALL OTHER--MALE----	41	2	1	-	-	-	-	1	2	2	4	6
FEMALE--	30	1	-	-	-	-	-	-	-	3	3	1
BLACK---MALE----	22	-	-	-	-	-	-	1	2	2	4	3
FEMALE--	20	1	-	-	-	-	-	-	-	3	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 370

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYCOSES (110-118)												
UNITED STATES --	158	180	188	246	272	299	190	97	38	12	2	-
WHITE-----MALE----	70	76	82	110	131	137	81	39	9	5	-	-
FEMALE--	48	57	65	94	103	124	82	40	25	4	1	-
ALL OTHER--MALE----	27	23	22	19	19	26	10	6	2	-	-	-
FEMALE--	13	24	19	23	19	12	17	12	2	3	1	-
BLACK---MALE----	23	19	20	18	17	17	9	4	2	-	-	-
FEMALE--	11	17	13	16	15	11	15	10	2	3	1	-
ALABAMA -----	3	5	2	10	6	2	4	3	-	-	-	-
WHITE-----MALE----	3	1	1	3	5	-	-	-	-	-	-	-
FEMALE--	-	3	1	4	-	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
ALASKA -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	3	6	3	10	8	1	1	-	-	-
WHITE-----MALE----	2	2	3	4	3	4	4	-	1	-	-	-
FEMALE--	-	-	-	2	-	6	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	4	3	2	2	2	3	1	-	-	-	-
WHITE-----MALE----	1	1	1	1	1	1	2	-	-	-	-	-
FEMALE--	-	3	2	1	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	31	23	26	29	44	40	19	10	4	1	-	-
WHITE-----MALE----	14	10	10	17	18	10	8	4	2	-	-	-
FEMALE--	9	6	9	8	18	24	8	4	2	1	-	-
ALL OTHER--MALE----	4	3	5	1	4	5	-	1	-	-	-	-
FEMALE--	4	4	2	3	4	1	3	1	-	-	-	-
BLACK---MALE----	1	1	3	1	2	2	-	-	-	-	-	-
FEMALE--	2	2	1	1	3	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 371

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
COLORADO -----	22	2	-	-	-	1	-	-	2	-	1	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	2	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	29	1	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	13	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	8	-	-	-	-	1	-	1	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	1	-	1	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	9	1	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	161	14	-	-	2	-	-	3	8	4	7	9
WHITE-----MALE----	66	5	-	-	1	-	-	-	3	1	3	3
FEMALE--	62	2	-	-	1	-	-	1	1	1	1	2
ALL OTHER--MALE----	18	3	-	-	-	-	-	1	3	-	2	3
FEMALE--	15	4	-	-	-	-	-	1	1	2	1	1
BLACK---MALE----	18	3	-	-	-	-	-	1	3	-	2	3
FEMALE--	14	4	-	-	-	-	-	1	1	2	1	1
GEORGIA -----	61	4	1	-	-	1	1	4	4	7	2	4
WHITE-----MALE----	13	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	15	1	-	-	-	-	-	2	-	2	-	1
ALL OTHER--MALE----	21	2	-	-	-	1	1	2	3	2	1	1
FEMALE--	12	-	1	-	-	-	-	-	1	1	-	1
BLACK---MALE----	21	2	-	-	-	1	1	2	3	2	1	1
FEMALE--	12	-	1	-	-	-	-	-	1	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 371
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYCOSES (110-118)												
COLORADO -----	1	1	2	5	2	-	1	2	1	-	-	-
WHITE-----MALE----	1	-	2	4	1	-	1	2	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	3	3	2	7	2	2	2	-	1	-	-
WHITE-----MALE----	-	2	1	2	2	1	2	-	-	1	-	-
FEMALE--	1	-	-	-	5	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	1	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	11	10	11	14	15	24	17	9	3	-	-	-
WHITE-----MALE----	5	3	3	5	10	14	5	4	1	-	-	-
FEMALE--	5	5	4	6	5	10	11	5	2	-	-	-
ALL OTHER--MALE----	1	-	2	2	-	-	1	-	-	-	-	-
FEMALE--	-	2	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	2	-	-	1	-	-	-	-	-
FEMALE--	-	2	2	-	-	-	-	-	-	-	-	-
GEORGIA -----	3	4	6	3	6	4	3	2	2	-	-	-
WHITE-----MALE----	-	-	2	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	2	2	1	2	-	1	-	-	-
ALL OTHER--MALE----	3	3	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	3	1	1	-	-	1	1	-	-	-
BLACK---MALE----	3	3	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	3	1	1	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 373

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
KENTUCKY -----	27	-	-	-	-	-	2	-	-	-	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	35	3	1	-	-	1	-	-	1	3	2	1
WHITE-----MALE----	13	1	1	-	-	-	-	-	1	1	-	-
FEMALE--	10	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	1	2	1
MAINE -----	7	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	62	2	-	-	-	-	-	1	4	4	5	2
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	24	2	-	-	-	-	-	-	3	2	3	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	24	2	-	-	-	-	-	-	3	2	3	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
MASSACHUSETTS -----	41	1	-	-	-	-	-	-	-	2	3	3
WHITE-----MALE----	24	1	-	-	-	-	-	-	-	2	3	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	77	6	-	-	1	-	-	3	2	1	2	4
WHITE-----MALE----	38	1	-	-	1	-	-	3	1	-	1	2
FEMALE--	23	4	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 373

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYCOSES (110-118)												
KENTUCKY -----	4	4	2	1	6	4	2	1	-	-	-	-
WHITE-----MALE----	2	2	1	-	3	3	-	1	-	-	-	-
FEMALE--	1	2	1	1	3	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	5	-	3	5	3	3	1	-	1	-	-
WHITE-----MALE----	1	3	-	-	1	2	2	-	-	-	-	-
FEMALE--	-	1	-	3	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	-	-	1	-	-
MAINE -----	-	-	1	1	-	3	-	-	-	-	1	-
WHITE-----MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	11	3	2	9	8	5	3	-	-	-	-
WHITE-----MALE----	-	2	-	-	5	3	2	1	-	-	-	-
FEMALE--	-	3	2	2	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	2	6	1	-	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	1	-	-	-	-
BLACK---MALE----	2	6	1	-	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	1	-	-	-	-
MASSACHUSETTS -----	2	-	-	6	4	14	4	1	1	-	-	-
WHITE-----MALE----	1	-	-	5	3	6	1	-	1	-	-	-
FEMALE--	1	-	-	1	1	6	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	5	7	8	9	5	9	11	3	1	-	-	-
WHITE-----MALE----	4	3	4	2	2	6	5	3	-	-	-	-
FEMALE--	1	3	2	4	2	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	4	-	1	-	-	-
BLACK---MALE----	-	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	4	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 376

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
OHIO -----	98	4	-	-	-	1	-	-	2	-	4	6
WHITE-----MALE----	48	2	-	-	-	1	-	-	1	-	2	2
FEMALE--	35	1	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	8	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
OKLAHOMA -----	28	1	-	-	-	-	-	-	-	-	2	3
WHITE-----MALE----	14	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	17	-	-	-	-	-	-	1	2	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	103	3	1	1	-	-	2	1	2	6	6	8
WHITE-----MALE----	41	-	1	-	-	-	-	-	-	2	1	5
FEMALE--	40	2	-	1	-	-	2	1	2	-	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	13	1	-	-	-	-	-	-	-	2	3	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	12	1	-	-	-	-	-	-	-	2	3	-
RHODE ISLAND -----	11	-	-	-	-	1	-	-	-	1	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	38	4	-	-	-	1	-	1	2	2	2	2
WHITE-----MALE----	9	2	-	-	-	-	-	1	1	-	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	1	-	-	1	2	-	1
BLACK---MALE----	9	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	1	-	-	1	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 377
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	83	4	1	-	-	-	-	1	1	-	4	3
WHITE-----MALE----	35	2	-	-	-	-	-	1	-	-	2	2
FEMALE--	37	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	1	-
TEXAS -----	180	16	1	2	2	-	3	7	6	11	12	14
WHITE-----MALE----	91	10	-	-	1	-	-	5	3	7	7	6
FEMALE--	61	5	1	2	1	-	1	2	1	3	2	3
ALL OTHER--MALE----	16	1	-	-	-	-	1	-	1	1	2	3
FEMALE--	12	-	-	-	-	-	1	-	1	-	1	2
BLACK---MALE----	14	1	-	-	-	-	1	-	1	-	2	3
FEMALE--	11	-	-	-	-	-	1	-	1	-	1	2
UTAH -----	9	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	57	3	-	-	1	-	2	-	-	4	1	5
WHITE-----MALE----	25	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	1	-	-	1	-	1	-	-	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	8	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	7	-	-	-	-	-	1	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 395

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LATE EFFECTS OF TUBERCULOSIS (137)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	2	-	-	2	2	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 406

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
UNITED STATES --	1,504	14	9	6	1	6	12	25	58	100	129	124
WHITE-----MALE----	435	9	4	3	1	-	4	8	12	20	25	26
FEMALE--	479	3	3	1	-	3	2	1	4	9	19	19
ALL OTHER--MALE----	233	1	2	1	-	1	3	8	18	35	34	28
FEMALE--	357	1	-	1	-	2	3	8	24	36	51	51
BLACK---MALE----	226	-	2	-	-	1	3	7	17	35	34	28
FEMALE--	344	-	-	1	-	2	2	8	24	35	49	49
ALABAMA -----	33	-	-	-	-	-	-	-	2	1	3	5
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	1
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	1	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	100	5	3	1	-	-	-	1	5	5	7	12
WHITE-----MALE----	30	4	1	1	-	-	-	-	4	3	2	2
FEMALE--	39	1	2	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	21	-	-	-	-	-	-	1	-	1	2	7
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	19	-	-	-	-	-	-	1	-	1	1	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 407

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	11	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	20	-	-	-	-	-	1	-	1	1	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	8	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	16	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	1
FLORIDA -----	102	1	-	1	-	-	1	3	3	6	12	8
WHITE-----MALE----	36	1	-	1	-	-	-	1	-	2	4	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	2	1	1	2
FEMALE--	22	-	-	-	-	-	1	1	1	3	4	3
BLACK---MALE----	12	-	-	-	-	-	-	-	2	1	1	2
FEMALE--	22	-	-	-	-	-	1	1	1	3	4	3
GEORGIA -----	66	1	-	-	-	-	1	2	5	11	8	6
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	2	3	5	3	2
FEMALE--	24	1	-	-	-	-	1	-	2	4	5	4
BLACK---MALE----	19	-	-	-	-	-	-	2	3	5	3	2
FEMALE--	23	-	-	-	-	-	1	-	2	4	5	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 407

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	1	1	1	3	1	1	-	2	-	-	-
WHITE-----MALE----	-	1	1	1	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	2	4	2	-	-	2	1	1	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	2	3	1	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	2	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	4	3	2	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	3	3	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	3	3	2	1	1	-	-	-	-	-	-
FLORIDA -----	7	10	6	5	9	13	4	5	5	3	-	-
WHITE-----MALE----	1	2	1	2	3	8	4	3	1	-	-	-
FEMALE--	1	5	1	2	4	5	-	2	4	3	-	-
ALL OTHER--MALE----	2	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	2	1	2	-	-	-	-	-	-	-
BLACK---MALE----	2	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	2	1	2	-	-	-	-	-	-	-
GEORGIA -----	7	3	4	4	1	7	2	2	2	-	-	-
WHITE-----MALE----	3	1	1	2	1	3	1	1	1	-	-	-
FEMALE--	-	1	1	1	-	3	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	1	1	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 408

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
HAWAII -----	3	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	68	-	-	-	-	-	-	3	5	4	4	6
WHITE-----MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	3	1	4
FEMALE--	26	-	-	-	-	-	-	2	5	1	2	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	3	1	4
FEMALE--	25	-	-	-	-	-	-	2	5	1	2	1
INDIANA -----	32	-	-	-	-	-	1	-	1	3	3	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
IOWA -----	19	1	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	11	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	17	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 409

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
KENTUCKY -----	23	-	-	-	-	-	-	1	-	-	3	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	2	-
LOUISIANA -----	30	-	-	-	-	-	-	1	-	1	3	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	8	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	2
MAINE -----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	49	-	-	-	-	-	-	-	2	9	8	6
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	4	4	3
FEMALE--	19	-	-	-	-	-	-	-	1	2	3	3
BLACK---MALE----	13	-	-	-	-	-	-	-	1	4	4	3
FEMALE--	18	-	-	-	-	-	-	-	1	2	3	3
MASSACHUSETTS -----	38	1	-	-	-	-	-	1	1	4	1	1
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	13	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	2	-	-
MICHIGAN -----	55	1	-	1	-	-	-	1	1	3	3	8
WHITE-----MALE----	11	1	-	1	-	-	-	-	-	-	1	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	2	1	4
BLACK---MALE----	8	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	2	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 409

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	3	1	3	2	1	1	1	1	1	-	-
WHITE-----MALE----	2	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	1	1	1	2	1	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	5	1	1	4	1	1	2	1	2	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	1	2	-	2	-	-
ALL OTHER--MALE----	3	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	4	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	4	-	-	2	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	1	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	4	1	2	4	6	-	-	1	1	-	-
WHITE-----MALE----	-	1	-	1	2	3	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	2	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	2	1	-	-	-	-	-	-
MASSACHUSETTS -----	4	5	2	7	5	2	1	1	-	1	1	-
WHITE-----MALE----	1	2	1	4	1	2	1	-	-	-	-	-
FEMALE--	1	2	1	2	3	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	1	-	-
MICHIGAN -----	8	3	7	6	3	4	2	1	1	1	1	-
WHITE-----MALE----	1	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	2	2	4	-	3	2	1	1	1	1	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	4	1	1	1	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	4	1	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 412

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
OHIO -----	62	1	1	-	-	1	1	1	3	1	4	3
WHITE-----MALE----	23	1	-	-	-	-	-	1	-	-	1	1
FEMALE--	20	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	1	1	-	2	-	2	1
FEMALE--	10	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	9	-	-	-	-	1	1	-	2	-	2	1
FEMALE--	10	-	-	-	-	-	-	-	1	1	1	1
OKLAHOMA -----	9	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	88	-	-	-	-	-	-	1	3	7	5	5
WHITE-----MALE----	21	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	3	1	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	15	-	-	-	-	-	-	1	1	1	2	1
BLACK---MALE----	16	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	13	-	-	-	-	-	-	1	1	1	1	1
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	31	-	-	-	-	-	-	-	-	4	3	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	3	3	3
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	3	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 412

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	3	6	7	6	10	4	6	2	1	1	-	-
WHITE-----MALE----	1	2	2	4	2	1	4	1	1	1	-	-
FEMALE--	-	4	2	2	6	3	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	2	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	2	-	1	-	-	-	-	-
OKLAHOMA -----	1	2	-	1	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	6	2	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	3	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	3	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	6	8	11	10	4	9	3	4	1	-	-
WHITE-----MALE----	1	3	-	3	3	1	3	1	2	-	-	-
FEMALE--	5	-	1	7	6	2	5	2	1	1	-	-
ALL OTHER--MALE----	4	2	2	-	-	1	1	-	1	-	-	-
FEMALE--	1	1	5	1	1	-	-	-	-	-	-	-
BLACK---MALE----	4	2	2	-	-	1	1	-	1	-	-	-
FEMALE--	1	1	4	1	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	6	2	1	1	4	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	3	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	5	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	3	1	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 413

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	29	-	-	-	-	-	2	-	1	2	2	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	85	-	2	1	1	1	4	2	2	1	9	8
WHITE-----MALE----	26	-	-	-	1	-	4	1	-	-	2	4
FEMALE--	28	-	-	1	-	1	-	-	-	-	3	1
ALL OTHER--MALE----	10	-	2	-	-	-	-	1	-	1	3	1
FEMALE--	21	-	-	-	-	-	-	-	2	-	1	2
BLACK---MALE----	10	-	2	-	-	-	-	1	-	1	3	1
FEMALE--	21	-	-	-	-	-	-	-	2	-	1	2
UTAH -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	37	-	-	-	-	1	-	-	2	6	6	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	2	2	3	-
FEMALE--	14	-	-	-	-	-	-	-	-	3	3	1
BLACK---MALE----	9	-	-	-	-	-	-	-	2	2	3	-
FEMALE--	14	-	-	-	-	-	-	-	-	3	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 413

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	2	5	2	4	2	-	1	-	-	-
WHITE-----MALE----	-	1	1	4	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	-	-	-	-	-
TEXAS -----	7	5	8	5	10	8	6	1	2	2	-	-
WHITE-----MALE----	2	-	4	-	2	2	2	-	-	2	-	-
FEMALE--	2	-	2	1	6	6	3	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	5	2	4	1	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	5	2	4	1	-	1	-	1	-	-	-
UTAH -----	-	-	1	-	2	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	1	4	3	2	-	1	2	1	-	1	-
WHITE-----MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	1	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	1	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	1	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 415
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
UNITED STATES --	549,465	138	418	539	558	782	1,038	1,546	3,014	6,083	11,270	18,387
WHITE-----MALE----	247,188	57	171	238	254	387	515	643	1,111	2,058	4,098	7,046
FEMALE--	229,891	55	157	181	187	248	312	547	1,257	2,623	4,704	7,343
ALL OTHER--MALE----	38,393	15	46	71	65	90	109	176	267	548	1,062	1,990
FEMALE--	33,993	11	44	49	52	57	102	180	379	854	1,406	2,008
BLACK---MALE----	32,889	13	38	61	47	63	85	140	206	437	898	1,706
FEMALE--	29,159	9	33	40	41	48	79	140	310	737	1,196	1,692
ALABAMA -----	9,837	2	9	12	7	15	14	29	72	111	178	314
WHITE-----MALE----	4,079	1	4	5	3	7	8	7	22	31	58	103
FEMALE--	3,450	-	4	2	2	5	2	11	22	47	65	102
ALL OTHER--MALE----	1,263	-	-	4	1	1	1	6	10	14	22	51
FEMALE--	1,045	1	1	1	1	2	3	5	18	19	33	58
BLACK---MALE----	1,252	-	-	4	1	1	1	6	10	14	22	51
FEMALE--	1,035	1	1	1	1	2	3	5	18	18	33	58
ALASKA -----	663	-	-	1	3	-	1	1	4	18	30	37
WHITE-----MALE----	270	-	-	-	3	-	1	-	1	3	10	14
FEMALE--	217	-	-	1	-	-	-	1	1	7	9	11
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	1	5	5	8
FEMALE--	87	-	-	-	-	-	-	-	1	3	6	4
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	8,623	2	7	14	5	12	20	32	46	81	209	258
WHITE-----MALE----	4,396	-	2	6	2	6	11	15	17	38	85	130
FEMALE--	3,810	2	3	7	1	6	6	12	27	27	98	108
ALL OTHER--MALE----	204	-	1	-	1	-	2	2	-	8	7	12
FEMALE--	213	-	1	1	1	-	1	3	2	8	19	8
BLACK---MALE----	103	-	-	-	-	-	-	1	-	3	3	7
FEMALE--	93	-	1	-	1	-	-	-	-	3	10	5
ARKANSAS -----	6,029	2	7	3	3	12	11	11	28	68	111	184
WHITE-----MALE----	2,841	1	4	-	3	6	3	4	14	20	38	71
FEMALE--	2,377	1	1	2	-	3	4	6	11	34	43	70
ALL OTHER--MALE----	447	-	2	-	-	2	1	-	1	5	11	19
FEMALE--	364	-	-	1	-	1	3	1	2	9	19	24
BLACK---MALE----	440	-	2	-	-	2	1	-	1	5	10	18
FEMALE--	355	-	-	1	-	1	3	1	2	9	19	23
CALIFORNIA -----	52,071	15	52	80	80	89	150	187	375	672	1,212	1,967
WHITE-----MALE----	22,631	6	20	37	34	42	75	82	151	248	449	720
FEMALE--	21,800	5	20	29	30	29	42	65	150	275	493	795
ALL OTHER--MALE----	4,071	2	6	8	11	11	17	17	30	70	109	210
FEMALE--	3,569	2	6	6	5	7	16	23	44	79	161	242
BLACK---MALE----	2,008	1	2	5	5	3	7	7	10	28	50	114
FEMALE--	1,835	1	3	3	1	2	6	10	26	43	86	122

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 415
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
UNITED STATES --	27,877	37,707	50,090	68,504	87,769	88,583	72,292	46,614	20,392	5,151	700	13
WHITE-----MALE----	11,504	16,872	23,225	33,407	42,564	42,382	32,894	18,997	7,159	1,455	147	4
FEMALE--	11,122	14,441	18,884	25,844	34,613	36,762	32,558	23,195	11,291	3,124	438	5
ALL OTHER--MALE----	2,818	3,473	4,492	5,188	5,856	5,277	3,595	2,168	833	214	36	4
FEMALE--	2,433	2,921	3,489	4,065	4,736	4,162	3,245	2,254	1,109	358	79	-
BLACK---MALE----	2,433	3,030	3,898	4,443	5,035	4,499	3,080	1,836	719	187	31	4
FEMALE--	2,045	2,477	3,002	3,475	4,074	3,577	2,814	1,981	996	322	71	-
ALABAMA -----	565	704	1,036	1,347	1,524	1,557	1,126	798	315	85	17	-
WHITE-----MALE----	218	330	419	632	688	683	474	283	80	22	1	-
FEMALE--	173	214	369	444	516	538	425	313	163	27	6	-
ALL OTHER--MALE----	97	85	140	160	178	208	119	111	34	19	2	-
FEMALE--	77	75	108	111	142	128	108	91	38	17	8	-
BLACK---MALE----	96	85	136	159	177	205	119	110	34	19	2	-
FEMALE--	77	74	105	110	141	126	108	90	38	17	8	-
ALASKA -----	54	80	68	81	117	84	44	24	10	5	1	-
WHITE-----MALE----	23	31	27	36	50	39	19	8	2	2	1	-
FEMALE--	18	29	21	28	27	29	16	12	5	2	-	-
ALL OTHER--MALE----	8	6	8	11	20	8	6	2	1	-	-	-
FEMALE--	5	14	12	6	20	8	3	2	2	1	-	-
BLACK---MALE----	1	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	3	-	2	-	-	1	-	-	-	-
ARIZONA -----	419	562	783	1,102	1,433	1,442	1,181	679	267	59	9	1
WHITE-----MALE----	197	292	399	589	788	765	604	320	106	22	2	-
FEMALE--	190	232	343	450	599	639	544	333	144	32	6	1
ALL OTHER--MALE----	14	20	23	29	15	26	16	13	9	5	1	-
FEMALE--	18	18	18	34	31	12	17	13	8	-	-	-
BLACK---MALE----	8	11	9	15	9	16	7	5	6	3	-	-
FEMALE--	7	8	10	14	13	1	9	6	5	-	-	-
ARKANSAS -----	321	434	584	773	933	947	778	541	216	55	7	-
WHITE-----MALE----	146	211	279	401	497	468	370	225	67	12	1	-
FEMALE--	122	157	241	268	323	376	325	236	116	34	4	-
ALL OTHER--MALE----	33	42	30	67	59	57	51	47	16	3	1	-
FEMALE--	20	24	34	37	54	46	32	33	17	6	1	-
BLACK---MALE----	33	42	29	64	59	56	51	47	16	3	1	-
FEMALE--	20	24	34	35	53	41	32	33	17	6	1	-
CALIFORNIA -----	2,792	3,576	4,697	6,200	8,069	8,577	6,691	4,307	1,791	441	51	-
WHITE-----MALE----	1,105	1,487	2,099	2,806	3,725	4,030	2,925	1,785	651	137	17	-
FEMALE--	1,118	1,399	1,775	2,428	3,262	3,521	3,023	2,081	972	262	26	-
ALL OTHER--MALE----	300	372	447	546	626	573	399	221	79	14	3	-
FEMALE--	269	318	376	420	456	453	344	220	89	28	5	-
BLACK---MALE----	155	209	252	264	323	259	174	92	39	7	2	-
FEMALE--	134	153	210	216	240	229	166	117	49	17	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 416
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
COLORADO -----	5,917	2	4	6	4	9	13	27	36	73	140	206
WHITE-----MALE----	2,896	2	2	2	1	8	8	16	20	23	56	83
FEMALE--	2,768	-	1	3	3	1	5	10	13	46	76	107
ALL OTHER--MALE----	134	-	-	1	-	-	-	1	2	2	3	9
FEMALE--	119	-	1	-	-	-	-	-	1	2	5	7
BLACK---MALE----	95	-	-	-	-	-	-	-	1	2	2	5
FEMALE--	85	-	-	-	-	-	-	-	-	2	5	6
CONNECTICUT -----	7,202	1	8	8	5	3	12	12	35	66	128	210
WHITE-----MALE----	3,338	1	3	2	2	2	6	4	16	29	53	82
FEMALE--	3,369	-	3	6	1	1	3	5	16	30	56	106
ALL OTHER--MALE----	265	-	2	-	-	-	3	2	-	3	3	10
FEMALE--	230	-	-	-	2	-	-	1	3	4	16	12
BLACK---MALE----	246	-	2	-	-	-	2	2	-	3	3	8
FEMALE--	209	-	-	-	2	-	-	1	3	4	13	9
DELAWARE -----	1,678	-	2	1	2	3	1	9	11	23	34	55
WHITE-----MALE----	727	-	1	1	1	3	1	4	2	8	16	21
FEMALE--	702	-	-	-	-	-	-	3	6	11	16	17
ALL OTHER--MALE----	121	-	1	-	1	-	-	-	1	2	1	7
FEMALE--	128	-	-	-	-	-	-	2	2	2	1	10
BLACK---MALE----	117	-	1	-	1	-	-	-	1	1	1	6
FEMALE--	125	-	-	-	-	-	-	2	2	2	1	10
DISTRICT OF COLUMBIA ----	1,380	1	1	2	-	2	2	6	11	18	42	60
WHITE-----MALE----	128	-	-	-	-	-	-	2	-	-	3	3
FEMALE--	171	-	-	-	-	-	-	1	2	1	2	6
ALL OTHER--MALE----	547	1	1	2	-	2	1	2	4	9	14	29
FEMALE--	534	-	-	-	-	-	1	1	5	8	23	22
BLACK---MALE----	541	1	1	2	-	2	1	1	4	8	14	28
FEMALE--	528	-	-	-	-	-	1	1	5	8	23	20
FLORIDA -----	38,597	3	17	29	31	41	47	78	191	369	663	1,100
WHITE-----MALE----	18,625	1	6	16	13	17	18	37	74	129	256	426
FEMALE--	16,306	-	5	4	10	14	15	26	74	149	268	451
ALL OTHER--MALE----	2,012	-	2	4	4	6	8	9	18	33	64	106
FEMALE--	1,654	2	4	5	4	4	6	6	25	58	75	117
BLACK---MALE----	1,925	-	2	4	4	5	7	7	18	31	60	99
FEMALE--	1,573	2	4	5	4	3	5	6	24	53	72	108
GEORGIA -----	13,340	3	15	17	20	24	31	44	104	221	342	549
WHITE-----MALE----	5,272	3	3	8	9	9	9	11	30	61	97	171
FEMALE--	4,656	-	9	4	2	5	7	13	31	71	116	182
ALL OTHER--MALE----	1,827	-	2	2	4	7	7	7	15	30	61	109
FEMALE--	1,585	-	1	3	5	3	8	13	28	59	68	87
BLACK---MALE----	1,778	-	1	2	4	6	7	7	15	28	61	106
FEMALE--	1,542	-	1	3	5	3	8	12	28	58	66	82

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 416
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
COLORADO -----	323	425	542	766	919	930	714	487	234	50	7	-
WHITE-----MALE----	147	203	285	402	473	498	364	214	72	14	3	-
FEMALE--	157	199	233	326	396	399	333	266	156	35	3	-
ALL OTHER--MALE----	8	15	11	15	33	18	9	4	2	1	-	-
FEMALE--	11	8	13	23	17	15	8	3	4	-	1	-
BLACK---MALE----	6	11	10	11	21	12	9	3	1	1	-	-
FEMALE--	8	7	11	14	10	11	5	1	4	-	1	-
CONNECTICUT -----	358	451	570	827	1,091	1,257	1,090	680	305	76	9	-
WHITE-----MALE----	145	204	268	435	532	610	531	287	111	13	2	-
FEMALE--	170	184	235	333	502	579	509	378	184	62	6	-
ALL OTHER--MALE----	21	31	45	37	30	41	25	8	4	-	-	-
FEMALE--	22	32	22	22	27	27	25	7	6	1	1	-
BLACK---MALE----	18	30	43	35	29	37	23	7	4	-	-	-
FEMALE--	19	29	19	19	27	26	23	7	6	1	1	-
DELAWARE -----	100	134	152	218	263	277	193	126	58	16	-	-
WHITE-----MALE----	34	57	67	103	113	140	85	51	15	4	-	-
FEMALE--	45	49	64	84	112	107	78	62	37	11	-	-
ALL OTHER--MALE----	9	12	9	14	21	18	15	6	4	-	-	-
FEMALE--	12	16	12	17	17	12	15	7	2	1	-	-
BLACK---MALE----	9	12	8	14	21	18	14	6	4	-	-	-
FEMALE--	12	16	11	16	16	12	15	7	2	1	-	-
DISTRICT OF COLUMBIA ----	80	96	128	167	230	225	158	93	44	10	2	2
WHITE-----MALE----	2	3	19	12	27	22	22	7	5	1	-	-
FEMALE--	13	8	8	14	22	31	27	22	11	2	-	1
ALL OTHER--MALE----	37	49	56	72	89	96	51	23	6	2	-	1
FEMALE--	28	36	45	69	92	76	58	41	22	5	2	-
BLACK---MALE----	37	49	56	71	89	95	50	23	6	2	-	1
FEMALE--	27	36	45	68	90	76	58	41	22	5	2	-
FLORIDA -----	1,692	2,346	3,168	4,686	6,384	6,552	5,456	3,677	1,650	379	38	-
WHITE-----MALE----	751	1,099	1,545	2,411	3,292	3,396	2,666	1,671	656	139	6	-
FEMALE--	651	892	1,211	1,839	2,576	2,729	2,456	1,799	893	217	27	-
ALL OTHER--MALE----	166	195	249	256	296	252	189	95	48	9	3	-
FEMALE--	124	160	163	180	220	175	145	112	53	14	2	-
BLACK---MALE----	159	184	241	244	284	243	184	91	46	9	3	-
FEMALE--	120	152	158	164	208	169	142	106	52	14	2	-
GEORGIA -----	890	1,087	1,410	1,757	2,005	1,964	1,489	890	364	99	15	-
WHITE-----MALE----	316	462	594	786	885	861	565	281	86	24	1	-
FEMALE--	276	323	425	545	694	720	595	397	190	43	8	-
ALL OTHER--MALE----	160	176	218	251	242	213	162	108	40	13	-	-
FEMALE--	138	126	173	175	184	170	167	104	48	19	6	-
BLACK---MALE----	153	170	213	245	233	210	159	105	40	13	-	-
FEMALE--	133	122	168	171	179	166	163	102	47	19	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 417
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
HAWAII -----	1,995	1	3	3	3	6	4	5	20	17	39	73
WHITE-----MALE----	309	-	-	-	1	-	-	1	1	4	5	14
FEMALE--	254	-	-	-	-	-	-	-	1	1	9	12
ALL OTHER--MALE----	817	-	1	1	1	6	2	2	8	8	12	27
FEMALE--	615	1	2	2	1	-	2	2	10	4	13	20
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2,123	-	3	3	4	3	6	7	7	20	45	59
WHITE-----MALE----	1,100	-	2	-	2	1	5	5	3	3	23	27
FEMALE--	997	-	1	3	2	2	-	2	4	17	20	31
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	15	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	25,035	5	19	18	23	39	39	75	125	283	523	857
WHITE-----MALE----	10,716	1	4	6	9	18	18	30	36	85	172	288
FEMALE--	10,330	3	5	8	10	13	8	26	63	124	203	352
ALL OTHER--MALE----	2,079	1	5	3	2	5	7	6	10	25	74	103
FEMALE--	1,910	-	5	1	2	3	6	13	16	49	74	114
BLACK---MALE----	1,961	1	5	2	2	4	7	4	8	25	70	95
FEMALE--	1,776	-	4	1	2	3	6	9	13	44	69	104
INDIANA -----	12,822	3	7	16	10	20	16	36	57	130	242	437
WHITE-----MALE----	6,132	-	3	10	6	11	9	16	23	48	97	185
FEMALE--	5,616	3	4	5	2	6	6	13	26	61	114	194
ALL OTHER--MALE----	534	-	-	1	1	2	-	6	6	8	9	23
FEMALE--	540	-	-	-	1	1	1	1	2	13	22	35
BLACK---MALE----	518	-	-	1	1	2	-	6	5	8	9	23
FEMALE--	519	-	-	-	-	1	1	1	2	12	21	33
IOWA -----	6,512	1	8	4	9	8	10	14	31	62	109	172
WHITE-----MALE----	3,282	1	4	1	6	4	7	7	15	29	43	88
FEMALE--	3,111	-	4	3	2	3	2	6	16	31	61	76
ALL OTHER--MALE----	63	-	-	-	-	1	1	-	-	1	3	3
FEMALE--	56	-	-	-	1	-	-	1	-	1	2	5
BLACK---MALE----	50	-	-	-	-	-	1	-	-	1	2	2
FEMALE--	44	-	-	-	1	-	-	-	-	1	2	3
KANSAS -----	5,187	2	2	5	5	14	9	8	27	61	85	149
WHITE-----MALE----	2,510	2	1	4	4	4	5	4	16	26	38	64
FEMALE--	2,338	-	1	1	1	9	4	4	8	29	40	75
ALL OTHER--MALE----	180	-	-	-	-	-	-	-	1	1	2	6
FEMALE--	159	-	-	-	-	1	-	-	2	5	5	4
BLACK---MALE----	154	-	-	-	-	-	-	-	1	1	2	6
FEMALE--	122	-	-	-	-	1	-	-	1	3	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 417
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
HAWAII -----	107	148	177	250	337	309	218	174	79	21	1	-
WHITE-----MALE----	19	17	27	40	54	40	42	29	13	2	-	-
FEMALE--	17	24	23	33	37	31	22	30	13	1	-	-
ALL OTHER--MALE----	33	61	69	98	145	138	93	73	29	9	1	-
FEMALE--	38	46	58	79	101	100	61	42	24	9	-	-
BLACK---MALE----	1	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-
IDAHO -----	103	143	172	269	335	350	295	194	85	18	2	-
WHITE-----MALE----	47	71	96	137	180	194	161	98	37	8	-	-
FEMALE--	54	71	76	124	154	150	132	96	46	10	2	-
ALL OTHER--MALE----	1	1	-	3	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	5	1	5	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ILLINOIS -----	1,251	1,785	2,320	3,078	3,840	3,934	3,421	2,132	988	252	28	-
WHITE-----MALE----	472	766	973	1,410	1,798	1,795	1,563	847	347	75	3	-
FEMALE--	480	651	832	1,124	1,439	1,657	1,533	1,082	548	147	22	-
ALL OTHER--MALE----	153	213	302	283	331	271	150	96	31	8	-	-
FEMALE--	146	155	213	261	272	211	175	107	62	22	3	-
BLACK---MALE----	149	206	280	267	307	260	142	92	27	8	-	-
FEMALE--	130	145	200	251	251	200	163	103	56	19	3	-
INDIANA -----	576	963	1,215	1,665	2,080	2,098	1,653	1,027	435	119	17	-
WHITE-----MALE----	258	486	621	857	1,063	1,045	780	428	155	26	5	-
FEMALE--	262	380	482	669	843	911	766	522	256	81	10	-
ALL OTHER--MALE----	28	47	61	73	96	70	52	36	10	3	2	-
FEMALE--	28	50	51	66	78	72	55	41	14	9	-	-
BLACK---MALE----	27	45	58	71	94	68	52	33	10	3	2	-
FEMALE--	27	45	49	65	75	71	54	39	14	9	-	-
IOWA -----	226	405	548	692	998	1,069	1,036	678	320	99	13	-
WHITE-----MALE----	110	199	303	380	540	559	538	300	124	21	3	-
FEMALE--	111	189	228	297	445	497	486	371	195	78	10	-
ALL OTHER--MALE----	5	11	8	7	7	7	5	4	-	-	-	-
FEMALE--	-	6	9	8	6	6	7	3	1	-	-	-
BLACK---MALE----	4	9	7	4	5	7	5	3	-	-	-	-
FEMALE--	-	5	6	5	5	6	6	3	1	-	-	-
KANSAS -----	214	317	421	596	826	883	732	512	258	52	9	-
WHITE-----MALE----	106	133	224	313	425	440	363	216	104	16	2	-
FEMALE--	86	139	170	234	352	389	335	277	144	33	7	-
ALL OTHER--MALE----	14	23	13	21	31	34	19	8	5	2	-	-
FEMALE--	8	22	14	28	18	20	15	11	5	1	-	-
BLACK---MALE----	13	20	11	16	28	26	17	6	5	2	-	-
FEMALE--	7	14	11	18	13	18	14	10	5	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 418
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
KENTUCKY -----	8,985	4	4	4	9	5	22	26	49	102	187	306
WHITE-----MALE----	4,551	1	2	2	5	3	12	15	25	49	88	126
FEMALE--	3,823	2	-	1	4	1	8	9	22	40	78	155
ALL OTHER--MALE----	294	-	1	-	-	1	2	2	-	3	7	13
FEMALE--	317	1	1	1	-	-	-	-	2	10	14	12
BLACK---MALE----	290	-	1	-	-	1	2	2	-	3	7	12
FEMALE--	306	1	1	1	-	-	-	-	2	9	14	10
LOUISIANA -----	9,528	3	2	8	6	14	20	26	78	114	227	386
WHITE-----MALE----	3,576	1	1	2	2	5	9	8	21	25	68	108
FEMALE--	3,041	2	-	3	3	2	6	6	21	42	64	106
ALL OTHER--MALE----	1,588	-	1	2	-	5	2	8	15	18	50	90
FEMALE--	1,323	-	-	1	1	2	3	4	21	29	45	82
BLACK---MALE----	1,560	-	1	2	-	5	2	8	13	18	50	89
FEMALE--	1,306	-	-	1	1	2	3	4	21	29	45	81
MAINE -----	2,961	2	-	2	5	2	7	6	17	26	41	99
WHITE-----MALE----	1,513	1	-	1	3	1	3	4	9	11	19	62
FEMALE--	1,423	1	-	1	2	1	3	2	6	15	22	36
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	2	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	1
MARYLAND -----	10,353	3	7	6	10	18	15	32	70	117	233	389
WHITE-----MALE----	3,900	1	1	1	5	3	6	11	18	26	58	107
FEMALE--	3,843	1	3	-	1	7	5	11	26	37	71	109
ALL OTHER--MALE----	1,348	1	3	5	1	5	3	3	10	20	42	84
FEMALE--	1,262	-	-	-	3	3	1	7	16	34	62	89
BLACK---MALE----	1,278	1	3	5	1	5	3	3	10	18	39	80
FEMALE--	1,198	-	-	-	3	3	1	7	12	31	60	83
MASSACHUSETTS -----	14,022	5	6	8	6	13	15	34	56	131	238	391
WHITE-----MALE----	6,657	-	3	8	2	8	10	20	26	48	91	175
FEMALE--	6,722	2	2	-	2	3	4	13	23	72	122	177
ALL OTHER--MALE----	338	3	1	-	1	-	1	-	2	3	12	17
FEMALE--	305	-	-	-	1	2	-	1	5	8	13	22
BLACK---MALE----	273	2	1	-	-	-	1	-	2	1	9	10
FEMALE--	241	-	-	-	-	1	-	1	4	6	7	16
MICHIGAN -----	19,720	3	16	18	21	19	36	57	107	237	415	690
WHITE-----MALE----	8,690	1	9	6	9	11	19	24	36	77	144	268
FEMALE--	8,227	2	5	5	6	6	4	24	52	103	181	251
ALL OTHER--MALE----	1,522	-	2	5	4	1	6	4	11	24	48	71
FEMALE--	1,281	-	-	2	2	1	7	5	8	33	42	100
BLACK---MALE----	1,437	-	2	5	3	-	6	3	10	20	45	69
FEMALE--	1,207	-	-	2	2	1	7	5	8	31	37	95

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 418
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
KENTUCKY -----	490	708	923	1,200	1,540	1,322	1,052	647	307	74	4	-
WHITE-----MALE----	245	375	523	648	829	714	480	276	110	22	1	-
FEMALE--	215	294	342	467	599	541	504	321	172	46	2	-
ALL OTHER--MALE----	11	19	33	43	54	37	37	18	10	3	-	-
FEMALE--	19	20	25	42	58	30	31	32	15	3	1	-
BLACK---MALE----	11	18	32	43	54	37	36	18	10	3	-	-
FEMALE--	18	20	24	40	57	29	30	32	14	3	1	-
LOUISIANA -----	531	747	949	1,222	1,523	1,455	1,117	702	314	72	12	-
WHITE-----MALE----	184	268	364	517	629	626	432	205	84	15	2	-
FEMALE--	165	209	269	355	479	460	381	306	126	30	6	-
ALL OTHER--MALE----	108	147	185	200	259	209	153	87	39	9	1	-
FEMALE--	74	123	131	150	156	160	151	104	65	18	3	-
BLACK---MALE----	107	143	180	195	257	206	151	85	38	9	1	-
FEMALE--	74	122	128	148	152	158	150	102	65	17	3	-
MAINE -----	135	184	266	386	459	482	375	285	142	36	4	-
WHITE-----MALE----	64	109	152	201	238	265	171	126	61	11	1	-
FEMALE--	69	71	111	181	219	216	202	158	80	24	3	-
ALL OTHER--MALE----	2	3	2	2	1	1	2	1	-	-	-	-
FEMALE--	-	1	1	2	1	-	-	-	1	1	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
MARYLAND -----	565	776	985	1,271	1,620	1,687	1,284	797	367	89	12	-
WHITE-----MALE----	197	257	367	540	658	699	541	275	113	15	1	-
FEMALE--	169	272	316	422	573	654	529	395	188	47	7	-
ALL OTHER--MALE----	109	130	164	166	211	185	115	51	25	14	1	-
FEMALE--	90	117	138	143	178	149	99	76	41	13	3	-
BLACK---MALE----	102	127	156	154	202	172	109	50	23	14	1	-
FEMALE--	85	113	131	135	169	143	93	74	39	13	3	-
MASSACHUSETTS -----	669	880	1,117	1,650	2,170	2,369	2,052	1,347	667	175	23	-
WHITE-----MALE----	279	434	570	861	1,136	1,155	980	593	206	44	8	-
FEMALE--	328	389	474	703	953	1,140	1,011	723	444	123	14	-
ALL OTHER--MALE----	31	32	46	50	41	35	37	17	5	4	-	-
FEMALE--	31	25	27	36	40	39	24	14	12	4	1	-
BLACK---MALE----	24	27	38	41	38	30	30	11	4	4	-	-
FEMALE--	23	23	23	30	31	30	20	12	10	3	1	-
MICHIGAN -----	985	1,374	1,847	2,564	3,287	3,070	2,571	1,519	680	186	18	-
WHITE-----MALE----	364	623	797	1,253	1,571	1,421	1,149	616	238	51	3	-
FEMALE--	421	503	768	972	1,285	1,270	1,130	751	360	116	12	-
ALL OTHER--MALE----	98	142	162	194	252	222	159	74	35	8	-	-
FEMALE--	102	106	120	145	179	157	133	78	47	11	3	-
BLACK---MALE----	92	134	153	184	240	205	152	72	34	8	-	-
FEMALE--	90	99	116	138	168	152	125	72	45	11	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 419
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
MINNESOTA -----	8,974	1	6	6	10	15	13	23	46	114	151	264
WHITE-----MALE----	4,386	-	2	5	2	7	6	11	18	46	59	113
FEMALE--	4,293	1	4	1	7	5	5	8	22	56	82	131
ALL OTHER--MALE----	171	-	-	-	1	3	2	2	3	5	7	10
FEMALE--	124	-	-	-	-	-	-	2	3	7	3	10
BLACK---MALE----	90	-	-	-	-	2	1	1	2	3	5	5
FEMALE--	60	-	-	-	-	-	-	1	3	3	1	7
MISSISSIPPI -----	6,017	-	2	4	3	11	10	17	32	74	150	227
WHITE-----MALE----	2,298	-	1	-	2	4	4	4	8	14	38	68
FEMALE--	1,771	-	-	1	1	3	3	4	9	24	36	61
ALL OTHER--MALE----	1,081	-	1	2	-	2	1	5	8	16	34	40
FEMALE--	867	-	-	1	-	2	2	4	7	20	42	58
BLACK---MALE----	1,073	-	1	2	-	2	1	5	7	15	34	37
FEMALE--	856	-	-	1	-	2	2	4	7	20	40	55
MISSOURI -----	12,521	3	13	7	11	19	26	35	64	134	227	393
WHITE-----MALE----	5,835	2	3	4	5	9	11	12	31	48	90	160
FEMALE--	5,274	1	7	2	4	6	11	15	25	57	88	171
ALL OTHER--MALE----	731	-	1	-	1	1	1	4	6	10	22	25
FEMALE--	681	-	2	1	1	3	3	4	2	19	27	37
BLACK---MALE----	696	-	1	-	1	1	1	4	6	8	22	23
FEMALE--	652	-	2	-	1	3	2	4	1	19	27	37
MONTANA -----	1,866	-	1	-	-	5	-	5	8	10	25	51
WHITE-----MALE----	995	-	-	-	-	4	-	3	1	3	13	21
FEMALE--	802	-	1	-	-	1	-	2	6	4	11	26
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
NEBRASKA -----	3,316	1	2	4	4	2	7	5	13	26	59	107
WHITE-----MALE----	1,678	-	-	3	4	2	5	2	4	12	23	50
FEMALE--	1,518	1	2	1	-	-	2	3	9	12	30	50
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	58	-	-	-	-	-	-	-	-	2	4	5
BLACK---MALE----	51	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	45	-	-	-	-	-	-	-	-	2	3	4
NEVADA -----	3,584	3	4	2	4	4	4	12	19	37	72	112
WHITE-----MALE----	1,790	-	1	1	-	1	3	4	7	16	28	48
FEMALE--	1,510	2	1	1	2	3	-	7	7	15	37	48
ALL OTHER--MALE----	152	-	-	-	2	-	-	1	2	1	2	9
FEMALE--	132	1	2	-	-	-	1	-	3	5	5	7
BLACK---MALE----	105	-	-	-	-	-	-	-	1	-	-	6
FEMALE--	88	1	2	-	-	-	1	-	1	4	4	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 419
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
MINNESOTA -----	373	574	724	981	1,380	1,384	1,347	961	448	130	23	-
WHITE-----MALE----	172	281	353	537	759	732	640	412	183	43	5	-
FEMALE--	168	265	327	405	580	636	688	536	263	86	17	-
ALL OTHER--MALE----	23	15	23	26	25	9	9	5	2	-	1	-
FEMALE--	10	13	21	13	16	7	10	8	-	1	-	-
BLACK---MALE----	12	8	17	8	13	4	5	3	-	-	1	-
FEMALE--	3	4	13	5	6	4	5	5	-	-	-	-
MISSISSIPPI -----	339	454	612	775	937	911	690	496	206	57	9	1
WHITE-----MALE----	125	177	260	352	405	380	243	150	51	10	2	-
FEMALE--	88	121	153	210	275	284	230	175	71	20	2	-
ALL OTHER--MALE----	75	96	118	120	141	134	126	97	50	12	2	1
FEMALE--	51	60	81	93	116	113	91	74	34	15	3	-
BLACK---MALE----	75	95	118	119	140	134	126	97	50	12	2	1
FEMALE--	50	60	80	92	113	113	91	74	34	15	3	-
MISSOURI -----	604	831	1,163	1,608	1,999	2,040	1,609	1,108	481	128	18	-
WHITE-----MALE----	258	393	564	805	1,026	1,001	728	473	168	40	4	-
FEMALE--	252	324	445	606	760	838	765	531	279	73	14	-
ALL OTHER--MALE----	47	63	89	116	106	100	67	50	15	7	-	-
FEMALE--	47	51	65	81	107	101	49	54	19	8	-	-
BLACK---MALE----	44	61	84	108	104	97	61	48	15	7	-	-
FEMALE--	46	48	61	77	104	96	47	51	19	7	-	-
MONTANA -----	73	109	159	228	274	322	301	201	73	20	1	-
WHITE-----MALE----	35	62	77	121	152	186	171	103	37	5	1	-
FEMALE--	34	43	74	98	109	128	122	94	35	14	-	-
ALL OTHER--MALE----	-	1	5	5	9	3	5	2	-	-	-	-
FEMALE--	4	3	3	4	4	5	3	2	1	1	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	157	205	265	409	541	509	473	320	141	53	13	-
WHITE-----MALE----	80	100	132	225	309	269	241	133	63	18	3	-
FEMALE--	69	93	114	162	206	233	227	184	76	34	10	-
ALL OTHER--MALE----	2	8	8	17	15	3	2	1	2	-	-	-
FEMALE--	6	4	11	5	11	4	3	2	-	1	-	-
BLACK---MALE----	1	7	5	16	12	3	1	-	2	-	-	-
FEMALE--	3	4	9	5	6	4	3	1	-	1	-	-
NEVADA -----	180	270	363	581	639	581	393	205	78	20	1	-
WHITE-----MALE----	90	131	190	321	332	285	201	89	36	5	1	-
FEMALE--	73	108	143	216	264	256	170	107	38	12	-	-
ALL OTHER--MALE----	11	20	19	19	24	25	12	3	2	-	-	-
FEMALE--	6	11	11	25	19	15	10	6	2	3	-	-
BLACK---MALE----	8	16	15	11	19	20	6	2	1	-	-	-
FEMALE--	4	6	7	16	15	10	4	5	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 421
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
OHIO -----	25,338	4	23	29	27	31	52	57	121	259	462	825
WHITE-----MALE----	11,568	2	10	16	13	16	29	28	46	102	187	353
FEMALE--	11,009	1	8	9	12	11	18	20	52	116	208	347
ALL OTHER--MALE----	1,423	-	2	3	2	4	4	5	10	18	25	65
FEMALE--	1,338	1	3	1	-	-	1	4	13	23	42	60
BLACK---MALE----	1,384	-	2	3	1	4	4	5	9	17	25	62
FEMALE--	1,304	1	3	1	-	-	1	4	13	23	41	54
OKLAHOMA -----	7,217	3	4	8	6	11	16	21	43	87	161	219
WHITE-----MALE----	3,508	-	2	4	2	5	8	12	17	28	66	97
FEMALE--	2,978	3	2	4	2	5	4	6	20	44	68	95
ALL OTHER--MALE----	382	-	-	-	1	1	2	1	2	8	7	17
FEMALE--	349	-	-	-	1	-	2	2	4	7	20	10
BLACK---MALE----	236	-	-	-	1	1	1	-	-	6	4	13
FEMALE--	192	-	-	-	-	-	1	1	1	3	15	4
OREGON -----	7,061	2	7	4	7	9	19	17	30	66	143	217
WHITE-----MALE----	3,507	-	4	2	3	6	10	10	12	28	62	95
FEMALE--	3,348	1	3	2	4	3	7	6	14	35	74	111
ALL OTHER--MALE----	114	-	-	-	-	-	1	1	1	1	5	8
FEMALE--	92	1	-	-	-	-	1	-	3	2	2	3
BLACK---MALE----	44	-	-	-	-	-	-	1	-	-	3	5
FEMALE--	40	1	-	-	-	-	-	-	2	1	1	1
PENNSYLVANIA -----	30,293	10	13	22	19	30	36	68	101	266	503	851
WHITE-----MALE----	14,032	4	7	9	7	19	22	30	33	88	194	357
FEMALE--	13,344	4	5	8	8	9	11	27	54	143	224	354
ALL OTHER--MALE----	1,506	2	-	2	2	2	2	7	8	14	32	79
FEMALE--	1,411	-	1	3	2	-	1	4	6	21	53	61
BLACK---MALE----	1,437	2	-	2	1	1	2	6	8	13	29	73
FEMALE--	1,353	-	1	3	2	-	1	4	5	20	50	58
RHODE ISLAND -----	2,510	1	2	2	-	2	5	1	7	25	37	70
WHITE-----MALE----	1,249	1	2	-	-	2	2	-	4	6	16	32
FEMALE--	1,181	-	-	1	-	-	1	1	2	18	21	31
ALL OTHER--MALE----	41	-	-	1	-	-	-	-	-	1	-	6
FEMALE--	39	-	-	-	-	-	2	-	1	-	-	1
BLACK---MALE----	36	-	-	1	-	-	-	-	-	1	-	6
FEMALE--	32	-	-	-	-	-	1	-	1	-	-	1
SOUTH CAROLINA -----	7,813	1	1	9	14	11	20	30	46	104	178	324
WHITE-----MALE----	2,926	-	1	2	2	4	5	10	10	32	44	98
FEMALE--	2,642	1	-	3	2	2	7	7	17	33	51	98
ALL OTHER--MALE----	1,221	-	-	2	5	2	3	6	9	15	30	75
FEMALE--	1,024	-	-	2	5	3	5	7	10	24	53	53
BLACK---MALE----	1,204	-	-	2	5	2	3	6	9	15	30	74
FEMALE--	1,010	-	-	2	4	3	5	7	10	24	52	53

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 421
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
OHIO -----	1,144	1,644	2,349	3,226	4,289	4,115	3,448	2,089	885	221	38	-
WHITE-----MALE----	494	745	1,150	1,594	2,046	1,999	1,554	820	302	53	9	-
FEMALE--	466	691	883	1,237	1,803	1,735	1,604	1,104	508	150	26	-
ALL OTHER--MALE----	89	109	184	223	221	197	150	77	28	7	-	-
FEMALE--	95	99	132	172	219	184	140	88	47	11	3	-
BLACK---MALE----	88	104	178	219	217	194	144	75	27	6	-	-
FEMALE--	91	96	130	172	212	179	136	86	47	11	3	-
OKLAHOMA -----	397	531	660	906	1,164	1,175	880	589	260	65	11	-
WHITE-----MALE----	184	265	322	488	596	624	412	252	97	24	3	-
FEMALE--	162	202	253	322	466	448	392	294	140	39	7	-
ALL OTHER--MALE----	24	30	47	53	56	64	41	22	6	-	-	-
FEMALE--	27	34	38	43	46	39	35	21	17	2	1	-
BLACK---MALE----	14	21	28	38	30	44	19	14	2	-	-	-
FEMALE--	10	20	18	22	28	25	20	12	11	1	-	-
OREGON -----	348	426	622	874	1,103	1,202	1,014	638	241	60	12	-
WHITE-----MALE----	170	207	321	470	559	625	508	290	110	15	-	-
FEMALE--	163	189	281	374	519	552	488	337	128	45	12	-
ALL OTHER--MALE----	4	16	9	16	16	17	9	8	2	-	-	-
FEMALE--	11	14	11	14	9	8	9	3	1	-	-	-
BLACK---MALE----	2	5	4	8	5	5	5	-	1	-	-	-
FEMALE--	5	4	4	4	5	2	7	3	-	-	-	-
PENNSYLVANIA -----	1,319	1,801	2,447	3,711	5,092	5,290	4,498	2,737	1,166	279	32	2
WHITE-----MALE----	575	855	1,179	1,814	2,537	2,573	2,055	1,140	432	88	14	-
FEMALE--	554	685	997	1,507	2,084	2,268	2,147	1,408	655	175	16	1
ALL OTHER--MALE----	100	139	143	217	262	242	129	86	31	6	-	1
FEMALE--	90	122	128	173	209	207	167	103	48	10	2	-
BLACK---MALE----	93	133	135	210	257	231	122	81	31	6	-	1
FEMALE--	84	112	124	165	200	204	162	100	46	10	2	-
RHODE ISLAND -----	113	120	203	285	414	438	369	262	114	37	2	1
WHITE-----MALE----	59	54	111	145	231	229	183	115	45	12	-	-
FEMALE--	50	62	79	134	168	203	174	142	66	25	2	1
ALL OTHER--MALE----	-	1	6	2	7	5	8	3	1	-	-	-
FEMALE--	4	3	7	4	8	1	4	2	2	-	-	-
BLACK---MALE----	-	1	5	2	6	4	6	3	1	-	-	-
FEMALE--	4	2	5	4	7	1	3	2	1	-	-	-
SOUTH CAROLINA -----	492	618	797	1,012	1,213	1,214	926	539	214	43	7	-
WHITE-----MALE----	168	233	333	411	512	483	335	182	55	6	-	-
FEMALE--	156	182	241	315	383	434	365	222	98	23	2	-
ALL OTHER--MALE----	86	117	125	170	169	171	136	67	29	3	1	-
FEMALE--	82	86	98	116	149	126	90	68	32	11	4	-
BLACK---MALE----	84	116	123	166	167	168	135	66	29	3	1	-
FEMALE--	81	86	94	114	146	125	90	67	32	11	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 422
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
SOUTH DAKOTA -----	1,586	1	-	6	2	3	4	2	7	12	29	47
WHITE-----MALE----	777	1	-	4	-	2	3	1	2	9	8	18
FEMALE--	740	-	-	2	2	-	1	-	2	3	18	23
ALL OTHER--MALE----	30	-	-	-	-	1	-	-	2	-	2	3
FEMALE--	39	-	-	-	-	-	-	1	1	-	1	3
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12,111	3	8	12	13	17	21	44	74	118	241	408
WHITE-----MALE----	5,508	1	3	6	6	11	7	15	37	42	98	151
FEMALE--	4,757	2	3	4	5	2	9	16	27	50	95	167
ALL OTHER--MALE----	982	-	-	1	1	2	2	6	4	10	24	42
FEMALE--	864	-	2	1	1	2	3	7	6	16	24	48
BLACK---MALE----	958	-	-	-	1	2	2	6	4	10	23	39
FEMALE--	840	-	2	1	1	2	3	7	5	14	23	46
TEXAS -----	32,701	16	36	41	41	67	84	122	179	437	834	1,261
WHITE-----MALE----	14,947	8	19	14	20	36	46	48	53	149	311	496
FEMALE--	13,326	6	14	17	15	23	29	48	91	197	356	489
ALL OTHER--MALE----	2,435	2	2	5	2	6	3	13	12	37	81	157
FEMALE--	1,993	-	1	5	4	2	6	13	23	54	86	119
BLACK---MALE----	2,294	2	2	5	2	5	2	11	8	35	75	144
FEMALE--	1,848	-	1	5	3	2	5	11	21	51	79	103
UTAH -----	2,434	1	3	6	5	13	5	15	19	31	49	80
WHITE-----MALE----	1,245	1	1	2	1	8	2	6	7	13	29	37
FEMALE--	1,126	-	2	3	4	5	3	9	11	16	20	40
ALL OTHER--MALE----	37	-	-	1	-	-	-	-	-	2	-	2
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	1,237	-	-	1	-	2	-	3	8	18	31	47
WHITE-----MALE----	627	-	-	1	-	2	-	2	4	7	12	23
FEMALE--	603	-	-	-	-	-	-	1	4	11	18	24
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
VIRGINIA -----	13,065	3	9	7	14	12	19	44	69	162	299	490
WHITE-----MALE----	5,308	1	1	2	3	5	10	15	22	47	89	182
FEMALE--	4,924	1	5	1	8	5	5	11	28	58	117	167
ALL OTHER--MALE----	1,508	-	1	3	1	-	1	11	7	22	31	71
FEMALE--	1,325	1	2	1	2	2	3	7	12	35	62	70
BLACK---MALE----	1,422	-	-	2	1	-	1	8	7	19	27	68
FEMALE--	1,245	1	2	1	2	2	3	6	10	34	52	65

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 422
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
SOUTH DAKOTA -----	57	93	114	187	254	258	220	170	92	26	2	-
WHITE-----MALE----	27	38	51	96	148	136	111	72	38	12	-	-
FEMALE--	27	50	52	81	96	114	105	95	53	14	2	-
ALL OTHER--MALE----	1	1	2	7	5	3	2	-	1	-	-	-
FEMALE--	2	4	9	3	5	5	2	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	695	1,026	1,257	1,657	1,980	1,741	1,366	948	359	104	19	-
WHITE-----MALE----	290	492	612	857	959	818	607	374	96	24	2	-
FEMALE--	269	363	448	562	746	688	591	444	198	58	10	-
ALL OTHER--MALE----	86	99	113	126	140	131	95	63	30	6	1	-
FEMALE--	50	72	84	112	135	104	73	67	35	16	6	-
BLACK---MALE----	84	95	110	122	138	131	92	62	30	6	1	-
FEMALE--	46	69	79	110	133	102	73	67	35	16	6	-
TEXAS -----	1,835	2,390	3,203	4,196	5,219	4,881	3,921	2,492	1,132	270	44	-
WHITE-----MALE----	778	1,077	1,520	2,077	2,596	2,438	1,775	1,022	381	78	5	-
FEMALE--	706	937	1,166	1,532	2,036	1,920	1,745	1,197	616	158	28	-
ALL OTHER--MALE----	204	207	302	339	328	293	219	149	59	9	6	-
FEMALE--	147	169	215	248	259	230	182	124	76	25	5	-
BLACK---MALE----	194	191	283	325	311	275	211	143	56	9	5	-
FEMALE--	137	157	203	228	243	212	165	117	75	25	5	-
UTAH -----	110	162	209	287	365	380	352	216	101	22	2	1
WHITE-----MALE----	49	83	106	147	197	206	198	98	41	12	-	1
FEMALE--	57	74	94	130	159	165	150	115	57	10	2	-
ALL OTHER--MALE----	2	3	6	7	2	7	3	2	-	-	-	-
FEMALE--	2	2	3	3	7	2	1	1	3	-	-	-
BLACK---MALE----	-	1	3	3	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
VERMONT -----	61	93	113	147	157	201	156	117	66	15	1	-
WHITE-----MALE----	27	46	65	84	91	102	88	47	20	5	1	-
FEMALE--	33	46	47	61	66	99	68	69	46	10	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	759	953	1,290	1,634	2,090	2,154	1,535	1,006	400	99	15	2
WHITE-----MALE----	268	399	551	756	903	917	633	356	118	26	3	1
FEMALE--	300	344	420	525	754	816	620	468	208	56	7	-
ALL OTHER--MALE----	103	113	173	194	250	239	151	99	30	4	3	1
FEMALE--	88	97	146	159	183	182	131	83	44	13	2	-
BLACK---MALE----	96	105	158	180	239	231	147	96	29	4	3	1
FEMALE--	80	91	136	152	170	177	124	80	42	13	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 424
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
UNITED STATES --	541,532	78	365	487	526	720	979	1,483	2,902	5,960	11,062	18,167
WHITE-----MALE----	244,109	37	149	218	241	362	483	610	1,061	2,002	4,017	6,957
FEMALE--	226,030	31	140	167	176	228	298	527	1,219	2,586	4,629	7,262
ALL OTHER--MALE----	37,956	6	40	61	62	80	104	167	254	536	1,037	1,963
FEMALE--	33,437	4	36	41	47	50	94	179	368	836	1,379	1,985
BLACK---MALE----	32,523	5	32	53	44	54	80	133	194	425	878	1,682
FEMALE--	28,670	3	28	32	36	41	73	139	301	722	1,171	1,671
ALABAMA -----	9,680	1	6	10	7	12	12	29	67	107	173	310
WHITE-----MALE----	4,028	1	2	3	3	5	6	7	22	30	56	102
FEMALE--	3,382	-	4	2	2	5	2	11	19	46	64	101
ALL OTHER--MALE----	1,245	-	-	4	1	-	1	6	8	13	21	50
FEMALE--	1,025	-	-	1	1	2	3	5	18	18	32	57
BLACK---MALE----	1,235	-	-	4	1	-	1	6	8	13	21	50
FEMALE--	1,015	-	-	1	1	2	3	5	18	17	32	57
ALASKA -----	651	-	-	1	3	-	1	1	4	18	30	37
WHITE-----MALE----	265	-	-	-	3	-	1	-	1	3	10	14
FEMALE--	211	-	-	1	-	-	-	1	1	7	9	11
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	1	5	5	8
FEMALE--	86	-	-	-	-	-	-	-	1	3	6	4
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	8,477	2	6	14	4	12	20	29	44	76	203	252
WHITE-----MALE----	4,327	-	2	6	2	6	11	13	17	35	85	126
FEMALE--	3,739	2	2	7	1	6	6	11	25	26	94	106
ALL OTHER--MALE----	202	-	1	-	1	-	2	2	-	8	5	12
FEMALE--	209	-	1	1	-	-	1	3	2	7	19	8
BLACK---MALE----	102	-	-	-	-	-	-	1	-	3	2	7
FEMALE--	92	-	1	-	-	-	-	-	-	3	10	5
ARKANSAS -----	5,961	2	5	1	3	11	10	11	27	68	110	180
WHITE-----MALE----	2,819	1	2	-	3	5	3	4	13	20	38	68
FEMALE--	2,337	1	1	1	-	3	3	6	11	34	43	69
ALL OTHER--MALE----	446	-	2	-	-	2	1	-	1	5	10	19
FEMALE--	359	-	-	-	-	1	3	1	2	9	19	24
BLACK---MALE----	439	-	2	-	-	2	1	-	1	5	9	18
FEMALE--	350	-	-	-	-	1	3	1	2	9	19	23
CALIFORNIA -----	51,428	8	45	72	78	87	143	179	366	657	1,196	1,948
WHITE-----MALE----	22,381	4	17	35	33	42	72	78	147	238	442	713
FEMALE--	21,498	4	18	26	29	28	41	61	147	273	488	789
ALL OTHER--MALE----	4,026	-	5	5	11	11	15	17	29	70	107	206
FEMALE--	3,523	-	5	6	5	6	15	23	43	76	159	240
BLACK---MALE----	1,986	-	1	3	5	3	5	7	9	28	48	111
FEMALE--	1,813	-	2	3	1	1	6	10	25	41	84	122

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 424
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
UNITED STATES --	27,580	37,365	49,659	67,917	86,836	87,486	71,031	45,496	19,768	4,976	676	13
WHITE-----MALE----	11,368	16,714	23,041	33,143	42,149	41,896	32,434	18,665	6,990	1,425	143	4
FEMALE--	11,018	14,312	18,703	25,599	34,223	36,259	31,855	22,495	10,881	2,993	424	5
ALL OTHER--MALE----	2,783	3,443	4,467	5,147	5,808	5,230	3,557	2,141	819	214	33	4
FEMALE--	2,411	2,896	3,448	4,028	4,656	4,101	3,185	2,195	1,078	344	76	-
BLACK---MALE----	2,405	3,004	3,877	4,410	4,994	4,460	3,048	1,816	710	187	28	4
FEMALE--	2,029	2,456	2,965	3,441	4,003	3,523	2,762	1,927	970	308	69	-
ALABAMA -----	556	694	1,020	1,330	1,510	1,540	1,111	775	308	85	17	-
WHITE-----MALE----	213	324	413	629	684	674	472	279	80	22	1	-
FEMALE--	171	212	361	434	509	534	414	299	159	27	6	-
ALL OTHER--MALE----	95	84	139	158	177	207	118	109	33	19	2	-
FEMALE--	77	74	107	109	140	125	107	88	36	17	8	-
BLACK---MALE----	94	84	135	157	176	204	118	109	33	19	2	-
FEMALE--	77	73	104	108	139	123	107	87	36	17	8	-
ALASKA -----	54	80	67	80	114	83	42	22	8	5	1	-
WHITE-----MALE----	23	31	27	35	48	39	18	8	1	2	1	-
FEMALE--	18	29	20	28	27	28	15	10	4	2	-	-
ALL OTHER--MALE----	8	6	8	11	20	8	6	2	1	-	-	-
FEMALE--	5	14	12	6	19	8	3	2	2	1	-	-
BLACK---MALE----	1	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	-	2	3	-	2	-	-	1	-	-	-	-
ARIZONA -----	416	554	769	1,086	1,416	1,425	1,158	665	260	56	9	1
WHITE-----MALE----	197	287	389	579	779	753	594	318	104	22	2	-
FEMALE--	187	229	339	444	593	634	531	321	139	29	6	1
ALL OTHER--MALE----	14	20	23	29	15	26	16	13	9	5	1	-
FEMALE--	18	18	18	34	29	12	17	13	8	-	-	-
BLACK---MALE----	8	11	9	15	9	16	7	5	6	3	-	-
FEMALE--	7	8	10	14	13	1	9	6	5	-	-	-
ARKANSAS -----	319	430	578	773	927	938	765	530	214	52	7	-
WHITE-----MALE----	145	209	276	401	496	464	367	224	67	12	1	-
FEMALE--	121	155	238	268	318	373	315	227	114	32	4	-
ALL OTHER--MALE----	33	42	30	67	59	57	51	47	16	3	1	-
FEMALE--	20	24	34	37	54	44	32	32	17	5	1	-
BLACK---MALE----	33	42	29	64	59	56	51	47	16	3	1	-
FEMALE--	20	24	34	35	53	39	32	32	17	5	1	-
CALIFORNIA -----	2,768	3,552	4,664	6,161	8,005	8,485	6,579	4,212	1,746	427	50	-
WHITE-----MALE----	1,096	1,476	2,087	2,792	3,692	3,984	2,890	1,759	634	133	17	-
FEMALE--	1,109	1,390	1,760	2,409	3,242	3,481	2,960	2,019	947	252	25	-
ALL OTHER--MALE----	297	370	444	542	619	570	393	219	79	14	3	-
FEMALE--	266	316	373	418	452	450	336	215	86	28	5	-
BLACK---MALE----	154	207	251	264	320	259	172	91	39	7	2	-
FEMALE--	134	152	209	215	237	228	162	114	49	17	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 425
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
COLORADO -----	5,814	2	4	5	4	8	11	24	33	72	138	203
WHITE-----MALE----	2,851	2	2	2	1	7	7	15	17	22	54	81
FEMALE--	2,716	-	1	3	3	1	4	8	13	46	76	107
ALL OTHER--MALE----	131	-	-	-	-	-	-	1	2	2	3	8
FEMALE--	116	-	1	-	-	-	-	-	1	2	5	7
BLACK---MALE----	93	-	-	-	-	-	-	-	1	2	2	4
FEMALE--	83	-	-	-	-	-	-	-	-	2	5	6
CONNECTICUT -----	7,106	-	7	8	5	2	12	11	34	65	126	205
WHITE-----MALE----	3,299	-	3	2	2	1	6	4	15	29	53	79
FEMALE--	3,320	-	2	6	1	1	3	4	16	29	54	105
ALL OTHER--MALE----	261	-	2	-	-	-	3	2	-	3	3	9
FEMALE--	226	-	-	-	2	-	-	1	3	4	16	12
BLACK---MALE----	242	-	2	-	-	-	2	2	-	3	3	7
FEMALE--	205	-	-	-	2	-	-	1	3	4	13	9
DELAWARE -----	1,652	-	2	1	2	2	1	8	10	23	33	55
WHITE-----MALE----	712	-	1	1	1	2	1	3	1	8	15	21
FEMALE--	694	-	-	-	-	-	-	3	6	11	16	17
ALL OTHER--MALE----	119	-	1	-	1	-	-	-	1	2	1	7
FEMALE--	127	-	-	-	-	-	-	2	2	2	1	10
BLACK---MALE----	115	-	1	-	1	-	-	-	1	1	1	6
FEMALE--	124	-	-	-	-	-	-	2	2	2	1	10
DISTRICT OF COLUMBIA ----	1,357	-	1	2	-	1	2	4	11	18	40	60
WHITE-----MALE----	127	-	-	-	-	-	-	2	-	-	3	3
FEMALE--	166	-	-	-	-	-	-	1	2	1	1	6
ALL OTHER--MALE----	539	-	1	2	-	1	1	1	4	9	14	29
FEMALE--	525	-	-	-	-	-	1	-	5	8	22	22
BLACK---MALE----	533	-	1	2	-	1	1	-	4	8	14	28
FEMALE--	519	-	-	-	-	-	1	-	5	8	22	20
FLORIDA -----	38,171	2	16	26	31	39	43	75	189	363	652	1,086
WHITE-----MALE----	18,438	1	5	15	13	17	16	35	73	127	253	422
FEMALE--	16,108	-	5	3	10	13	15	25	74	148	264	445
ALL OTHER--MALE----	2,000	-	2	4	4	5	8	9	18	33	63	104
FEMALE--	1,625	1	4	4	4	4	4	6	24	55	72	115
BLACK---MALE----	1,915	-	2	4	4	4	7	7	18	31	60	98
FEMALE--	1,545	1	4	4	4	3	3	6	23	50	69	106
GEORGIA -----	13,128	3	12	13	20	21	28	41	102	214	330	542
WHITE-----MALE----	5,203	3	3	7	9	9	7	9	30	60	90	171
FEMALE--	4,568	-	6	4	2	5	7	13	31	70	113	179
ALL OTHER--MALE----	1,805	-	2	1	4	5	7	6	15	28	60	107
FEMALE--	1,552	-	1	1	5	2	7	13	26	56	67	85
BLACK---MALE----	1,756	-	1	1	4	4	7	6	15	26	60	104
FEMALE--	1,509	-	1	1	5	2	7	12	26	55	65	80

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 425
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
COLORADO -----	321	419	537	757	905	917	698	476	224	49	7	-
WHITE-----MALE----	145	200	283	399	465	493	359	212	68	14	3	-
FEMALE--	157	197	230	321	391	392	322	257	150	34	3	-
ALL OTHER--MALE----	8	15	11	15	33	17	9	4	2	1	-	-
FEMALE--	11	7	13	22	16	15	8	3	4	-	1	-
BLACK---MALE----	6	11	10	11	21	11	9	3	1	1	-	-
FEMALE--	8	6	11	13	10	11	5	1	4	-	1	-
CONNECTICUT -----	356	448	566	822	1,077	1,246	1,072	663	300	72	9	-
WHITE-----MALE----	144	202	265	434	526	604	525	281	109	13	2	-
FEMALE--	170	183	235	329	497	575	497	367	181	59	6	-
ALL OTHER--MALE----	20	31	44	37	29	41	25	8	4	-	-	-
FEMALE--	22	32	22	22	25	26	25	7	6	-	1	-
BLACK---MALE----	17	30	42	35	28	37	23	7	4	-	-	-
FEMALE--	19	29	19	19	25	25	23	7	6	-	1	-
DELAWARE -----	99	133	151	216	261	273	188	123	57	14	-	-
WHITE-----MALE----	33	56	66	101	112	138	83	51	14	4	-	-
FEMALE--	45	49	64	84	112	105	77	59	37	9	-	-
ALL OTHER--MALE----	9	12	9	14	21	18	13	6	4	-	-	-
FEMALE--	12	16	12	17	16	12	15	7	2	1	-	-
BLACK---MALE----	9	12	8	14	21	18	12	6	4	-	-	-
FEMALE--	12	16	11	16	15	12	15	7	2	1	-	-
DISTRICT OF COLUMBIA ----	78	95	128	165	225	224	156	91	42	10	2	2
WHITE-----MALE----	2	3	19	12	26	22	22	7	5	1	-	-
FEMALE--	12	8	8	14	21	31	26	22	10	2	-	1
ALL OTHER--MALE----	37	48	56	72	87	95	50	23	6	2	-	1
FEMALE--	27	36	45	67	91	76	58	39	21	5	2	-
BLACK---MALE----	37	48	56	71	87	94	49	23	6	2	-	1
FEMALE--	26	36	45	66	89	76	58	39	21	5	2	-
FLORIDA -----	1,676	2,336	3,151	4,653	6,348	6,484	5,389	3,594	1,612	368	38	-
WHITE-----MALE----	743	1,094	1,535	2,395	3,271	3,360	2,637	1,644	642	134	6	-
FEMALE--	644	888	1,205	1,825	2,565	2,701	2,423	1,747	870	211	27	-
ALL OTHER--MALE----	166	195	249	254	296	248	187	95	48	9	3	-
FEMALE--	123	159	162	179	216	175	142	108	52	14	2	-
BLACK---MALE----	159	184	241	242	284	239	182	91	46	9	3	-
FEMALE--	119	152	157	163	204	169	139	102	51	14	2	-
GEORGIA -----	879	1,076	1,396	1,746	1,971	1,940	1,458	872	353	96	15	-
WHITE-----MALE----	313	454	589	784	871	849	559	276	85	24	1	-
FEMALE--	270	322	421	540	680	710	577	387	183	40	8	-
ALL OTHER--MALE----	158	175	218	250	238	212	160	106	40	13	-	-
FEMALE--	138	125	168	172	182	169	162	103	45	19	6	-
BLACK---MALE----	151	169	213	244	229	209	157	103	40	13	-	-
FEMALE--	133	121	163	168	177	165	158	101	44	19	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 426

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
HAWAII -----	1,969	1	2	3	3	5	4	4	19	17	39	72
WHITE-----MALE----	308	-	-	-	1	-	-	1	1	4	5	14
FEMALE--	251	-	-	-	-	-	-	-	1	1	9	11
ALL OTHER--MALE----	802	-	1	1	-	5	2	1	8	8	12	27
FEMALE--	608	1	1	2	1	-	2	2	9	4	13	20
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2,089	-	2	2	4	2	5	7	7	20	45	59
WHITE-----MALE----	1,087	-	1	-	2	1	5	5	3	3	23	27
FEMALE--	978	-	1	2	2	1	-	2	4	17	20	31
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	24,637	3	17	17	20	36	37	72	124	277	510	848
WHITE-----MALE----	10,558	-	2	6	8	17	17	27	36	80	169	286
FEMALE--	10,136	2	5	8	9	11	8	26	63	123	198	348
ALL OTHER--MALE----	2,058	1	5	3	1	5	7	6	9	25	71	100
FEMALE--	1,885	-	5	-	2	3	5	13	16	49	72	114
BLACK---MALE----	1,941	1	5	2	1	4	7	4	7	25	68	92
FEMALE--	1,753	-	4	-	2	3	5	9	13	44	67	104
INDIANA -----	12,652	2	7	16	9	18	15	34	56	127	238	434
WHITE-----MALE----	6,067	-	3	10	6	11	9	15	23	46	96	183
FEMALE--	5,525	2	4	5	2	4	5	13	25	60	111	193
ALL OTHER--MALE----	528	-	-	1	-	2	-	5	6	8	9	23
FEMALE--	532	-	-	-	1	1	1	1	2	13	22	35
BLACK---MALE----	512	-	-	1	-	2	-	5	5	8	9	23
FEMALE--	511	-	-	-	-	1	1	1	2	12	21	33
IOWA -----	6,429	-	8	4	8	7	9	14	30	62	108	171
WHITE-----MALE----	3,248	-	4	1	6	4	6	7	14	29	43	87
FEMALE--	3,062	-	4	3	1	2	2	6	16	31	60	76
ALL OTHER--MALE----	63	-	-	-	-	1	-	-	-	1	3	3
FEMALE--	56	-	-	-	1	-	-	1	-	1	2	5
BLACK---MALE----	50	-	-	-	-	-	1	-	-	1	2	2
FEMALE--	44	-	-	-	1	-	-	-	-	1	2	3
KANSAS -----	5,110	1	2	5	5	12	8	8	26	59	83	147
WHITE-----MALE----	2,480	1	1	4	4	3	5	4	15	26	37	63
FEMALE--	2,293	-	1	1	1	8	3	4	8	27	39	74
ALL OTHER--MALE----	178	-	-	-	-	-	-	-	1	1	2	6
FEMALE--	159	-	-	-	-	1	-	-	2	5	5	4
BLACK---MALE----	152	-	-	-	-	-	-	-	1	1	2	6
FEMALE--	122	-	-	-	-	1	-	-	1	3	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 426

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
HAWAII -----	106	148	176	249	335	306	217	166	75	21	1	-
WHITE-----MALE----	19	17	26	40	54	40	42	29	13	2	-	-
FEMALE--	17	24	23	33	37	31	22	28	13	1	-	-
ALL OTHER--MALE----	32	61	69	97	144	136	92	69	26	9	1	-
FEMALE--	38	46	58	79	100	99	61	40	23	9	-	-
BLACK---MALE----	1	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
IDAHO -----	103	140	169	268	334	342	286	192	82	18	2	-
WHITE-----MALE----	47	70	95	136	179	190	158	98	36	8	-	-
FEMALE--	54	69	74	124	154	147	126	94	44	10	2	-
ALL OTHER--MALE----	1	1	-	3	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	5	1	4	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ILLINOIS -----	1,236	1,765	2,303	3,050	3,794	3,871	3,356	2,077	951	245	28	-
WHITE-----MALE----	465	758	970	1,394	1,776	1,769	1,534	830	337	74	3	-
FEMALE--	474	642	821	1,114	1,420	1,626	1,500	1,046	528	142	22	-
ALL OTHER--MALE----	152	211	301	281	329	268	149	95	31	8	-	-
FEMALE--	145	154	211	261	269	208	173	106	55	21	3	-
BLACK---MALE----	148	204	279	265	305	257	141	91	27	8	-	-
FEMALE--	129	144	198	251	248	197	162	102	50	18	3	-
INDIANA -----	574	954	1,206	1,654	2,060	2,072	1,625	1,000	422	113	16	-
WHITE-----MALE----	257	483	617	851	1,058	1,030	768	422	149	25	5	-
FEMALE--	261	375	477	666	831	901	751	503	249	78	9	-
ALL OTHER--MALE----	28	47	61	72	94	70	51	36	10	3	2	-
FEMALE--	28	49	51	65	77	71	55	39	14	7	-	-
BLACK---MALE----	27	45	58	70	92	68	51	33	10	3	2	-
FEMALE--	27	44	49	64	74	70	54	37	14	7	-	-
IOWA -----	225	403	543	689	992	1,057	1,020	663	308	97	11	-
WHITE-----MALE----	110	198	300	377	536	553	533	294	123	20	3	-
FEMALE--	110	188	226	297	443	491	475	362	184	77	8	-
ALL OTHER--MALE----	5	11	8	7	7	7	5	4	-	-	-	-
FEMALE--	-	6	9	8	6	6	7	3	1	-	-	-
BLACK---MALE----	4	9	7	4	5	7	5	3	-	-	-	-
FEMALE--	-	5	6	5	5	6	6	3	1	-	-	-
KANSAS -----	210	315	417	592	823	879	713	495	252	49	9	-
WHITE-----MALE----	105	133	223	310	425	438	357	207	102	15	2	-
FEMALE--	84	138	167	233	349	387	322	269	140	31	7	-
ALL OTHER--MALE----	13	22	13	21	31	34	19	8	5	2	-	-
FEMALE--	8	22	14	28	18	20	15	11	5	1	-	-
BLACK---MALE----	12	19	11	16	28	26	17	6	5	2	-	-
FEMALE--	7	14	11	18	13	18	14	10	5	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 427

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
KENTUCKY -----	8,875	1	4	3	9	4	21	24	44	101	184	306
WHITE-----MALE----	4,501	1	2	2	5	2	11	13	20	49	86	126
FEMALE--	3,770	-	-	1	4	1	8	9	22	39	77	155
ALL OTHER--MALE----	294	-	1	-	-	1	2	2	-	3	7	13
FEMALE--	310	-	1	-	-	-	-	-	2	10	14	12
BLACK---MALE----	290	-	1	-	-	1	2	2	-	3	7	12
FEMALE--	299	-	1	-	-	-	-	-	2	9	14	10
LOUISIANA -----	9,358	-	1	8	5	13	18	26	72	112	224	381
WHITE-----MALE----	3,518	-	-	2	2	5	8	8	20	25	66	106
FEMALE--	2,975	-	-	3	2	2	6	6	19	40	63	106
ALL OTHER--MALE----	1,568	-	1	2	-	4	2	8	13	18	50	88
FEMALE--	1,297	-	-	1	1	2	2	4	20	29	45	81
BLACK---MALE----	1,541	-	1	2	-	4	2	8	12	18	50	87
FEMALE--	1,280	-	-	1	1	2	2	4	20	29	45	80
MAINE -----	2,919	2	-	-	5	2	6	6	17	26	40	99
WHITE-----MALE----	1,490	1	-	-	3	1	2	4	9	11	19	62
FEMALE--	1,404	1	-	-	2	1	3	2	6	15	21	36
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	2	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	1
MARYLAND -----	10,199	2	5	6	8	17	14	28	68	113	225	381
WHITE-----MALE----	3,855	1	1	1	4	3	6	10	18	25	56	106
FEMALE--	3,778	1	3	-	1	7	4	8	25	35	71	108
ALL OTHER--MALE----	1,330	-	1	5	1	5	3	3	9	19	42	81
FEMALE--	1,236	-	-	-	2	2	1	7	16	34	56	86
BLACK---MALE----	1,260	-	1	5	1	5	3	3	9	17	39	77
FEMALE--	1,173	-	-	-	2	2	1	7	12	31	54	80
MASSACHUSETTS -----	13,811	3	6	7	6	12	14	33	53	131	229	386
WHITE-----MALE----	6,573	-	3	7	2	7	10	19	25	48	89	174
FEMALE--	6,607	1	2	-	2	3	3	13	22	72	117	174
ALL OTHER--MALE----	334	2	1	-	1	-	1	-	2	3	10	17
FEMALE--	297	-	-	-	1	2	-	1	4	8	13	21
BLACK---MALE----	269	1	1	-	-	-	1	-	2	1	7	10
FEMALE--	234	-	-	-	-	1	-	1	3	6	7	15
MICHIGAN -----	19,398	2	12	15	20	16	31	53	104	231	406	683
WHITE-----MALE----	8,563	1	7	4	9	10	17	22	34	75	140	264
FEMALE--	8,072	1	3	5	5	4	2	22	51	100	177	248
ALL OTHER--MALE----	1,500	-	2	5	4	1	5	4	11	24	47	71
FEMALE--	1,263	-	-	1	2	1	7	5	8	32	42	100
BLACK---MALE----	1,416	-	2	5	3	-	5	3	10	20	44	69
FEMALE--	1,191	-	-	1	2	1	7	5	8	30	37	95

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 427
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
KENTUCKY -----	487	704	917	1,191	1,526	1,304	1,037	632	302	70	4	-
WHITE-----MALE----	242	373	518	644	822	705	474	273	110	22	1	-
FEMALE--	215	292	341	462	592	533	496	311	168	42	2	-
ALL OTHER--MALE----	11	19	33	43	54	37	37	18	10	3	-	-
FEMALE--	19	20	25	42	58	29	30	30	14	3	1	-
BLACK---MALE----	11	18	32	43	54	37	36	18	10	3	-	-
FEMALE--	18	20	24	40	57	28	29	30	13	3	1	-
LOUISIANA -----	522	737	938	1,207	1,499	1,432	1,088	693	301	70	11	-
WHITE-----MALE----	180	263	362	513	619	616	422	202	82	15	2	-
FEMALE--	162	206	263	351	467	454	370	303	118	29	5	-
ALL OTHER--MALE----	108	145	185	196	258	206	150	86	38	9	1	-
FEMALE--	72	123	128	147	155	156	146	102	63	17	3	-
BLACK---MALE----	107	141	180	191	256	203	148	84	37	9	1	-
FEMALE--	72	122	125	145	151	154	145	100	63	16	3	-
MAINE -----	135	182	264	382	454	476	364	280	140	36	3	-
WHITE-----MALE----	64	108	150	198	235	261	165	125	60	11	1	-
FEMALE--	69	70	111	180	217	214	197	154	79	24	2	-
ALL OTHER--MALE----	2	3	2	2	1	1	2	1	-	-	-	-
FEMALE--	-	1	1	2	1	-	-	-	1	1	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
MARYLAND -----	554	769	978	1,262	1,604	1,665	1,264	780	357	87	12	-
WHITE-----MALE----	191	256	366	539	652	691	534	271	110	13	1	-
FEMALE--	166	269	311	416	569	643	519	386	182	47	7	-
ALL OTHER--MALE----	109	129	163	166	209	184	112	50	24	14	1	-
FEMALE--	88	115	138	141	174	147	99	73	41	13	3	-
BLACK---MALE----	102	126	155	154	200	171	106	49	22	14	1	-
FEMALE--	83	112	131	133	165	141	93	71	39	13	3	-
MASSACHUSETTS -----	663	873	1,106	1,634	2,148	2,339	2,021	1,313	645	166	23	-
WHITE-----MALE----	275	429	563	853	1,128	1,141	965	580	204	43	8	-
FEMALE--	326	387	470	695	942	1,124	998	703	424	115	14	-
ALL OTHER--MALE----	31	32	46	50	40	35	37	17	5	4	-	-
FEMALE--	31	25	27	36	38	39	21	13	12	4	1	-
BLACK---MALE----	24	27	38	41	37	30	30	11	4	4	-	-
FEMALE--	23	23	23	30	29	30	18	11	10	3	1	-
MICHIGAN -----	965	1,362	1,830	2,533	3,245	3,033	2,519	1,477	662	182	17	-
WHITE-----MALE----	355	621	787	1,234	1,557	1,406	1,136	598	233	50	3	-
FEMALE--	416	497	763	963	1,266	1,252	1,094	730	349	113	11	-
ALL OTHER--MALE----	94	140	162	192	248	219	157	73	33	8	-	-
FEMALE--	100	104	118	144	174	156	132	76	47	11	3	-
BLACK---MALE----	89	132	153	182	236	202	150	71	32	8	-	-
FEMALE--	89	98	114	137	163	151	124	70	45	11	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 428

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
MINNESOTA -----	8,798	1	6	5	9	15	13	21	43	110	150	263
WHITE-----MALE----	4,313	-	2	4	2	7	6	10	16	45	59	113
FEMALE--	4,194	1	4	1	6	5	5	7	21	54	81	130
ALL OTHER--MALE----	168	-	-	-	1	3	2	2	3	5	7	10
FEMALE--	123	-	-	-	-	-	-	2	3	6	3	10
BLACK---MALE----	89	-	-	-	-	2	1	1	2	3	5	5
FEMALE--	60	-	-	-	-	-	-	1	3	3	1	7
MISSISSIPPI -----	5,958	-	2	3	3	11	10	16	30	74	148	225
WHITE-----MALE----	2,285	-	1	-	2	4	4	4	7	14	38	68
FEMALE--	1,745	-	-	1	1	3	3	3	9	24	35	60
ALL OTHER--MALE----	1,075	-	1	1	-	2	1	5	7	16	33	40
FEMALE--	853	-	-	1	-	2	2	4	7	20	42	57
BLACK---MALE----	1,067	-	1	1	-	2	1	5	6	15	33	37
FEMALE--	843	-	-	1	-	2	2	4	7	20	40	54
MISSOURI -----	12,338	3	9	6	9	18	25	33	61	129	224	391
WHITE-----MALE----	5,765	2	1	3	5	8	11	11	30	44	89	160
FEMALE--	5,183	1	6	2	3	6	11	15	25	56	87	170
ALL OTHER--MALE----	721	-	1	-	1	1	-	3	4	10	21	25
FEMALE--	669	-	1	1	-	3	3	4	2	19	27	36
BLACK---MALE----	687	-	1	-	1	1	-	3	4	8	21	23
FEMALE--	640	-	1	-	-	3	2	4	1	19	27	36
MONTANA -----	1,825	-	1	-	-	4	-	3	8	10	24	48
WHITE-----MALE----	980	-	-	-	-	4	-	1	1	3	13	20
FEMALE--	776	-	1	-	-	-	-	2	6	4	10	24
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
NEBRASKA -----	3,277	1	2	4	4	2	7	5	13	25	57	106
WHITE-----MALE----	1,658	-	-	3	4	2	5	2	4	11	22	49
FEMALE--	1,500	1	2	1	-	-	2	3	9	12	29	50
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	57	-	-	-	-	-	-	-	-	2	4	5
BLACK---MALE----	51	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	44	-	-	-	-	-	-	-	-	2	3	4
NEVADA -----	3,523	1	3	2	4	4	3	11	18	36	70	112
WHITE-----MALE----	1,763	-	1	1	-	1	2	4	6	15	28	48
FEMALE--	1,483	-	1	1	2	3	-	6	7	15	36	48
ALL OTHER--MALE----	151	-	-	-	2	-	-	1	2	1	2	9
FEMALE--	126	1	1	-	-	-	1	-	3	5	4	7
BLACK---MALE----	104	-	-	-	-	-	-	-	1	-	-	6
FEMALE--	83	1	1	-	-	-	1	-	1	4	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 428
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
MINNESOTA -----	369	567	715	973	1,366	1,356	1,310	934	428	122	22	-
WHITE-----MALE----	172	276	347	533	747	722	628	404	173	42	5	-
FEMALE--	166	263	324	401	578	618	663	517	253	79	17	-
ALL OTHER--MALE----	21	15	23	26	25	9	9	5	2	-	-	-
FEMALE--	10	13	21	13	16	7	10	8	-	1	-	-
BLACK---MALE----	12	8	17	8	13	4	5	3	-	-	-	-
FEMALE--	3	4	13	5	6	4	5	5	-	-	-	-
MISSISSIPPI -----	339	449	609	765	927	903	682	491	204	57	9	1
WHITE-----MALE----	125	174	260	351	403	377	241	149	51	10	2	-
FEMALE--	88	119	150	204	271	282	226	173	71	20	2	-
ALL OTHER--MALE----	75	96	118	119	141	134	126	96	49	12	2	1
FEMALE--	51	60	81	91	112	110	89	73	33	15	3	-
BLACK---MALE----	75	95	118	118	140	134	126	96	49	12	2	1
FEMALE--	50	60	80	91	109	110	89	73	33	15	3	-
MISSOURI -----	594	823	1,152	1,589	1,974	2,020	1,592	1,088	460	120	18	-
WHITE-----MALE----	254	391	560	797	1,014	991	722	469	161	38	4	-
FEMALE--	247	321	439	598	749	829	755	515	266	68	14	-
ALL OTHER--MALE----	46	61	88	115	106	100	67	50	15	7	-	-
FEMALE--	47	50	65	79	105	100	48	54	18	7	-	-
BLACK---MALE----	43	60	83	107	104	97	61	48	15	7	-	-
FEMALE--	46	47	61	75	102	95	46	51	18	6	-	-
MONTANA -----	71	109	159	225	272	312	292	197	70	20	-	-
WHITE-----MALE----	34	62	77	121	152	181	168	102	36	5	-	-
FEMALE--	33	43	74	95	107	123	116	91	33	14	-	-
ALL OTHER--MALE----	-	1	5	5	9	3	5	2	-	-	-	-
FEMALE--	4	3	3	4	4	5	3	2	1	1	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	155	204	265	406	536	502	468	317	135	50	13	-
WHITE-----MALE----	78	99	132	224	304	267	240	131	60	18	3	-
FEMALE--	69	93	114	160	206	229	223	183	73	31	10	-
ALL OTHER--MALE----	2	8	8	17	15	3	2	1	2	-	-	-
FEMALE--	6	4	11	5	11	3	3	2	-	1	-	-
BLACK---MALE----	1	7	5	16	12	3	1	-	2	-	-	-
FEMALE--	3	4	9	5	6	3	3	1	-	1	-	-
NEVADA -----	175	268	359	575	631	575	383	196	77	19	1	-
WHITE-----MALE----	88	130	189	318	328	282	195	86	35	5	1	-
FEMALE--	70	107	141	215	262	253	166	101	38	11	-	-
ALL OTHER--MALE----	11	20	19	18	24	25	12	3	2	-	-	-
FEMALE--	6	11	10	24	17	15	10	6	2	3	-	-
BLACK---MALE----	8	16	15	10	19	20	6	2	1	-	-	-
FEMALE--	4	6	6	16	13	10	4	5	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 430

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
OHIO -----	24,946	1	20	24	25	28	50	56	116	256	454	806
WHITE-----MALE----	11,407	-	9	13	12	15	28	28	44	101	182	344
FEMALE--	10,809	-	7	8	11	10	17	20	49	115	206	337
ALL OTHER--MALE----	1,408	-	2	2	2	3	4	4	10	18	24	65
FEMALE--	1,322	1	2	1	-	-	1	4	13	22	42	60
BLACK---MALE----	1,370	-	2	2	1	3	4	4	9	17	24	62
FEMALE--	1,288	1	2	1	-	-	1	4	13	22	41	54
OKLAHOMA -----	7,109	1	3	6	6	10	16	21	40	85	157	217
WHITE-----MALE----	3,457	-	1	3	2	4	8	12	16	27	66	95
FEMALE--	2,929	1	2	3	2	5	4	6	18	43	66	95
ALL OTHER--MALE----	381	-	-	-	1	1	2	1	2	8	7	17
FEMALE--	342	-	-	-	1	-	2	2	4	7	18	10
BLACK---MALE----	236	-	-	-	1	1	1	-	-	6	4	13
FEMALE--	187	-	-	-	-	-	1	1	1	3	13	4
OREGON -----	6,970	1	7	4	7	9	19	16	30	65	142	214
WHITE-----MALE----	3,462	-	4	2	3	6	10	9	12	27	61	94
FEMALE--	3,308	1	3	2	4	3	7	6	14	35	74	109
ALL OTHER--MALE----	113	-	-	-	-	-	1	1	1	1	5	8
FEMALE--	87	-	-	-	-	-	1	-	3	2	2	3
BLACK---MALE----	43	-	-	-	-	-	-	1	-	-	3	5
FEMALE--	35	-	-	-	-	-	-	-	2	1	1	1
PENNSYLVANIA -----	29,821	6	12	22	18	29	33	68	99	260	496	838
WHITE-----MALE----	13,852	4	6	9	6	19	20	30	32	87	190	349
FEMALE--	13,084	1	5	8	8	8	11	27	53	139	222	351
ALL OTHER--MALE----	1,489	1	-	2	2	2	2	7	8	13	32	78
FEMALE--	1,396	-	1	3	2	-	-	4	6	21	52	60
BLACK---MALE----	1,421	1	-	2	1	1	2	6	8	12	29	72
FEMALE--	1,338	-	1	3	2	-	-	4	5	20	49	57
RHODE ISLAND -----	2,480	1	2	2	-	2	5	1	6	24	37	69
WHITE-----MALE----	1,238	1	2	-	-	2	2	-	3	6	16	32
FEMALE--	1,162	-	-	1	-	-	1	1	2	17	21	30
ALL OTHER--MALE----	41	-	-	1	-	-	-	-	-	1	-	6
FEMALE--	39	-	-	-	-	-	2	-	1	-	-	1
BLACK---MALE----	36	-	-	1	-	-	-	-	-	1	-	6
FEMALE--	32	-	-	-	-	-	1	-	1	-	-	1
SOUTH CAROLINA -----	7,705	-	1	8	13	8	20	29	44	101	174	322
WHITE-----MALE----	2,893	-	1	1	2	4	5	10	9	31	43	98
FEMALE--	2,602	-	-	3	2	1	7	7	16	33	50	98
ALL OTHER--MALE----	1,206	-	-	2	5	2	3	5	9	14	29	74
FEMALE--	1,004	-	-	2	4	1	5	7	10	23	52	52
BLACK---MALE----	1,189	-	-	2	5	2	3	5	9	14	29	73
FEMALE--	990	-	-	2	3	1	5	7	10	23	51	52

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 430
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
OHIO -----	1,135	1,625	2,320	3,197	4,238	4,064	3,383	2,042	855	215	36	-
WHITE-----MALE----	487	735	1,138	1,578	2,024	1,978	1,528	808	293	53	9	-
FEMALE--	464	684	870	1,227	1,779	1,709	1,567	1,073	488	144	24	-
ALL OTHER--MALE----	89	108	182	220	220	196	149	76	27	7	-	-
FEMALE--	95	98	130	172	215	181	139	85	47	11	3	-
BLACK---MALE----	88	104	176	216	216	193	143	74	26	6	-	-
FEMALE--	91	95	128	172	208	176	135	83	47	11	3	-
OKLAHOMA -----	393	527	654	898	1,150	1,162	862	580	250	60	11	-
WHITE-----MALE----	182	262	318	482	588	616	406	249	95	22	3	-
FEMALE--	160	201	252	320	462	443	381	290	132	36	7	-
ALL OTHER--MALE----	24	30	46	53	56	64	41	22	6	-	-	-
FEMALE--	27	34	38	43	44	39	34	19	17	2	1	-
BLACK---MALE----	14	21	28	38	30	44	19	14	2	-	-	-
FEMALE--	10	20	18	22	27	25	19	11	11	1	-	-
OREGON -----	344	420	618	865	1,091	1,189	1,001	623	235	59	11	-
WHITE-----MALE----	168	203	320	463	550	618	503	286	108	15	-	-
FEMALE--	161	187	279	373	516	546	482	327	124	44	11	-
ALL OTHER--MALE----	4	16	8	16	16	17	9	8	2	-	-	-
FEMALE--	11	14	11	13	9	8	7	2	1	-	-	-
BLACK---MALE----	2	5	3	8	5	5	5	-	1	-	-	-
FEMALE--	5	4	4	3	5	2	5	2	-	-	-	-
PENNSYLVANIA -----	1,305	1,782	2,420	3,672	5,036	5,219	4,411	2,666	1,124	272	31	2
WHITE-----MALE----	569	844	1,168	1,795	2,518	2,542	2,023	1,117	423	88	13	-
FEMALE--	549	680	985	1,488	2,052	2,232	2,097	1,360	622	169	16	1
ALL OTHER--MALE----	98	138	141	216	258	240	127	86	31	6	-	1
FEMALE--	89	120	126	173	208	205	164	103	48	9	2	-
BLACK---MALE----	91	132	133	209	253	230	120	81	31	6	-	1
FEMALE--	83	110	122	165	199	202	159	100	46	9	2	-
RHODE ISLAND -----	113	119	200	283	411	432	367	258	112	33	2	1
WHITE-----MALE----	59	53	111	144	229	226	182	115	44	11	-	-
FEMALE--	50	62	76	133	167	200	173	138	65	22	2	1
ALL OTHER--MALE----	-	1	6	2	7	5	8	3	1	-	-	-
FEMALE--	4	3	7	4	8	1	4	2	2	-	-	-
BLACK---MALE----	-	1	5	2	6	4	6	3	1	-	-	-
FEMALE--	4	2	5	4	7	1	3	2	1	-	-	-
SOUTH CAROLINA -----	486	614	796	1,002	1,198	1,192	915	524	210	41	7	-
WHITE-----MALE----	164	232	333	409	505	476	331	180	53	6	-	-
FEMALE--	156	181	240	309	378	427	360	214	97	21	2	-
ALL OTHER--MALE----	85	115	125	168	168	168	136	66	28	3	1	-
FEMALE--	81	86	98	116	147	121	88	64	32	11	4	-
BLACK---MALE----	83	114	123	164	166	165	135	65	28	3	1	-
FEMALE--	80	86	94	114	144	120	88	63	32	11	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 431

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
SOUTH DAKOTA -----	1,564	-	-	6	2	3	4	2	7	12	28	47
WHITE-----MALE----	765	-	-	4	-	2	3	1	2	9	7	18
FEMALE--	730	-	-	2	2	-	1	-	2	3	18	23
ALL OTHER--MALE----	30	-	-	-	-	1	-	-	2	-	2	3
FEMALE--	39	-	-	-	-	-	-	1	1	-	1	3
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11,990	2	8	12	13	16	20	43	72	115	237	404
WHITE-----MALE----	5,471	1	3	6	6	11	6	14	37	40	95	150
FEMALE--	4,696	1	3	4	5	2	9	16	25	50	94	166
ALL OTHER--MALE----	976	-	-	1	1	1	2	6	4	9	24	42
FEMALE--	847	-	2	1	1	2	3	7	6	16	24	46
BLACK---MALE----	952	-	-	-	1	1	2	6	4	9	23	39
FEMALE--	823	-	2	1	1	2	3	7	5	14	23	44
TEXAS -----	32,315	9	35	39	41	63	80	121	175	430	826	1,252
WHITE-----MALE----	14,801	5	18	14	20	34	44	47	52	146	307	490
FEMALE--	13,141	4	14	15	15	21	27	48	88	195	354	487
ALL OTHER--MALE----	2,411	-	2	5	2	6	3	13	12	35	80	156
FEMALE--	1,962	-	1	5	4	2	6	13	23	54	85	119
BLACK---MALE----	2,273	-	2	5	2	5	2	11	8	33	74	143
FEMALE--	1,817	-	1	5	3	2	5	11	21	51	78	103
UTAH -----	2,371	-	2	6	5	11	5	14	16	29	48	78
WHITE-----MALE----	1,218	-	1	2	1	7	2	5	6	12	28	36
FEMALE--	1,091	-	1	3	4	4	3	9	9	15	20	39
ALL OTHER--MALE----	37	-	-	1	-	-	-	-	-	2	-	2
FEMALE--	25	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	1,213	-	-	1	-	2	-	3	7	18	31	45
WHITE-----MALE----	618	-	-	1	-	2	-	2	3	7	12	23
FEMALE--	588	-	-	-	-	-	-	1	4	11	18	22
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
VIRGINIA -----	12,891	-	9	6	14	10	17	44	65	156	295	482
WHITE-----MALE----	5,260	-	1	2	3	5	8	15	21	45	89	179
FEMALE--	4,847	-	5	1	8	4	5	11	26	57	114	165
ALL OTHER--MALE----	1,486	-	1	2	1	-	1	11	7	19	30	70
FEMALE--	1,298	-	2	1	2	1	3	7	11	35	62	68
BLACK---MALE----	1,401	-	-	1	1	-	1	8	7	16	26	67
FEMALE--	1,219	-	2	1	2	1	3	6	9	34	52	63

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 431
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
SOUTH DAKOTA -----	57	92	114	185	252	255	217	165	89	25	2	-
WHITE-----MALE----	27	37	51	94	147	134	111	69	37	12	-	-
FEMALE--	27	50	52	81	95	113	102	93	51	13	2	-
ALL OTHER--MALE----	1	1	2	7	5	3	2	-	1	-	-	-
FEMALE--	2	4	9	3	5	5	2	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	693	1,018	1,249	1,646	1,966	1,723	1,356	926	350	102	19	-
WHITE-----MALE----	290	490	609	852	956	812	605	369	93	24	2	-
FEMALE--	268	359	446	559	737	679	584	429	193	57	10	-
ALL OTHER--MALE----	85	99	113	125	140	131	94	62	30	6	1	-
FEMALE--	50	70	81	110	133	101	73	66	34	15	6	-
BLACK---MALE----	83	95	110	121	138	131	91	61	30	6	1	-
FEMALE--	46	67	76	108	131	99	73	66	34	15	6	-
TEXAS -----	1,825	2,378	3,184	4,169	5,179	4,831	3,860	2,422	1,095	261	40	-
WHITE-----MALE----	772	1,074	1,511	2,063	2,576	2,421	1,748	1,005	372	77	5	-
FEMALE--	703	934	1,162	1,524	2,022	1,891	1,720	1,149	590	151	27	-
ALL OTHER--MALE----	204	204	299	337	325	292	216	147	59	9	5	-
FEMALE--	146	166	212	245	256	227	176	121	74	24	3	-
BLACK---MALE----	194	190	280	324	308	274	208	141	56	9	4	-
FEMALE--	136	154	200	225	240	209	159	114	73	24	3	-
UTAH -----	110	158	204	283	359	371	348	203	96	22	2	1
WHITE-----MALE----	49	81	106	146	194	201	197	90	41	12	-	1
FEMALE--	57	72	90	127	156	161	147	110	52	10	2	-
ALL OTHER--MALE----	2	3	6	7	2	7	3	2	-	-	-	-
FEMALE--	2	2	2	3	7	2	1	1	3	-	-	-
BLACK---MALE----	-	1	3	3	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
VERMONT -----	58	92	113	147	155	200	153	112	62	13	1	-
WHITE-----MALE----	25	46	65	84	91	101	87	45	19	4	1	-
FEMALE--	32	45	47	61	64	99	66	66	43	9	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	749	941	1,278	1,621	2,072	2,136	1,513	982	389	96	14	2
WHITE-----MALE----	266	394	547	753	900	911	625	349	117	26	3	1
FEMALE--	295	340	416	519	747	806	611	456	199	55	7	-
ALL OTHER--MALE----	100	112	172	192	248	238	149	96	30	4	2	1
FEMALE--	88	95	143	157	177	181	128	81	43	11	2	-
BLACK---MALE----	93	104	158	178	237	230	145	93	29	4	2	1
FEMALE--	80	89	133	150	165	176	121	78	41	11	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 433

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
UNITED STATES --	591	865	884	1,034	1,111	964	802	509	268	83	18	-
WHITE-----MALE----	333	504	516	625	639	544	388	203	87	28	3	-
FEMALE--	105	170	200	238	321	322	345	262	164	52	15	-
ALL OTHER--MALE----	116	155	136	111	114	61	43	25	7	2	-	-
FEMALE--	37	36	32	60	37	37	26	19	10	1	-	-
BLACK---MALE----	104	133	125	97	100	55	29	21	4	2	-	-
FEMALE--	28	31	24	55	31	33	23	16	9	1	-	-
ALABAMA -----	14	19	23	16	16	16	14	9	7	2	1	-
WHITE-----MALE----	6	7	10	5	8	12	8	3	1	1	-	-
FEMALE--	2	4	7	6	4	2	4	5	5	1	1	-
ALL OTHER--MALE----	5	7	6	4	3	-	2	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	-	1	1	-	-	-
BLACK---MALE----	5	7	6	4	3	-	2	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	-	1	1	-	-	-
ALASKA -----	-	2	1	2	3	-	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	5	14	20	17	17	12	13	9	3	-	-	-
WHITE-----MALE----	3	11	16	13	13	9	5	3	1	-	-	-
FEMALE--	2	-	4	2	4	2	8	6	2	-	-	-
ALL OTHER--MALE----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ARKANSAS -----	7	10	8	7	17	10	6	5	3	-	-	-
WHITE-----MALE----	4	5	7	5	11	9	3	2	-	-	-	-
FEMALE--	1	1	-	-	5	1	3	3	3	-	-	-
ALL OTHER--MALE----	2	4	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	4	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	64	94	84	123	123	95	72	54	29	10	1	-
WHITE-----MALE----	39	55	57	68	71	53	28	15	7	3	-	-
FEMALE--	10	16	16	37	38	28	34	32	19	6	1	-
ALL OTHER--MALE----	6	18	8	10	11	9	5	5	2	1	-	-
FEMALE--	9	5	3	8	3	5	5	2	1	-	-	-
BLACK---MALE----	1	6	4	6	5	9	1	3	-	1	-	-
FEMALE--	4	2	1	4	2	3	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 434

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
COLORADO -----	64	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	95	-	-	-	-	-	-	-	1	4	1	2
WHITE-----MALE----	47	-	-	-	-	-	-	-	1	4	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	17	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	36	-	-	-	-	-	-	-	-	-	4	4
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
FLORIDA -----	697	-	-	-	-	1	2	1	2	5	15	34
WHITE-----MALE----	432	-	-	-	-	1	-	1	2	2	11	23
FEMALE--	187	-	-	-	-	-	1	-	-	-	-	5
ALL OTHER--MALE----	58	-	-	-	-	-	1	-	-	1	3	6
FEMALE--	20	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	58	-	-	-	-	-	1	-	-	1	3	6
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	-
GEORGIA -----	231	-	-	-	-	1	-	1	-	2	10	20
WHITE-----MALE----	109	-	-	-	-	-	-	-	-	2	3	7
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	-	4	8
FEMALE--	15	-	-	-	-	1	-	1	-	-	2	2
BLACK---MALE----	53	-	-	-	-	-	-	-	-	-	4	8
FEMALE--	15	-	-	-	-	1	-	1	-	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 434
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
COLORADO -----	3	7	10	10	7	5	6	8	3	1	1	-
WHITE-----MALE----	-	5	9	5	5	2	1	1	2	1	-	-
FEMALE--	2	2	1	5	2	3	5	7	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	13	7	16	6	19	12	4	4	1	-	-
WHITE-----MALE----	3	6	2	9	2	10	7	2	-	-	-	-
FEMALE--	1	4	2	4	3	8	5	2	3	1	-	-
ALL OTHER--MALE----	1	3	3	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	3	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
DELAWARE -----	1	3	-	3	2	3	1	-	2	1	-	-
WHITE-----MALE----	1	2	-	1	2	2	-	-	2	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	5	7	6	3	-	1	2	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	2	5	4	2	-	-	-	-	-	-	-
FEMALE--	-	2	2	1	1	-	1	1	-	-	-	-
BLACK---MALE----	4	2	5	4	2	-	-	-	-	-	-	-
FEMALE--	-	2	2	1	1	-	1	1	-	-	-	-
FLORIDA -----	52	84	83	74	103	81	86	42	23	7	2	-
WHITE-----MALE----	33	61	54	52	67	45	45	19	11	5	-	-
FEMALE--	9	14	17	14	25	28	38	20	12	2	2	-
ALL OTHER--MALE----	7	8	10	7	8	3	2	2	-	-	-	-
FEMALE--	3	1	2	1	3	5	1	1	-	-	-	-
BLACK---MALE----	7	8	10	7	8	3	2	2	-	-	-	-
FEMALE--	3	1	2	1	3	5	1	1	-	-	-	-
GEORGIA -----	16	29	21	31	27	27	26	11	7	2	-	-
WHITE-----MALE----	10	14	13	17	13	13	12	3	1	1	-	-
FEMALE--	-	-	3	3	8	10	12	7	5	1	-	-
ALL OTHER--MALE----	5	13	4	10	5	4	-	-	1	-	-	-
FEMALE--	1	2	1	1	1	-	2	1	-	-	-	-
BLACK---MALE----	5	13	4	9	5	4	-	-	1	-	-	-
FEMALE--	1	2	1	1	1	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 435

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
HAWAII -----	3	2	5	2	3	5	7	3	1	-	-	-
WHITE-----MALE----	-	-	2	-	2	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	2	1	1	2	6	2	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	5	5	5	2	1	1	-	-	-
WHITE-----MALE----	1	-	-	3	4	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	20	41	49	47	36	39	31	24	9	2	1	-
WHITE-----MALE----	12	18	27	28	20	23	19	12	4	-	-	-
FEMALE--	3	11	12	6	8	12	9	9	5	2	1	-
ALL OTHER--MALE----	4	10	8	9	6	4	2	2	-	-	-	-
FEMALE--	1	2	2	4	2	-	1	1	-	-	-	-
BLACK---MALE----	4	9	8	8	6	4	2	2	-	-	-	-
FEMALE--	1	2	1	4	1	-	1	1	-	-	-	-
INDIANA -----	7	15	24	22	18	18	18	9	6	1	-	-
WHITE-----MALE----	3	11	14	15	8	10	9	4	1	-	-	-
FEMALE--	3	2	8	5	7	6	9	5	5	1	-	-
ALL OTHER--MALE----	1	2	2	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	2	2	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
IOWA -----	2	9	6	8	12	17	6	5	2	1	1	-
WHITE-----MALE----	1	3	3	5	8	14	2	3	-	-	1	-
FEMALE--	1	5	2	3	4	3	4	2	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	2	7	9	5	10	10	6	9	6	2	-	-
WHITE-----MALE----	2	4	7	4	4	6	5	6	2	-	-	-
FEMALE--	-	3	-	1	3	3	1	3	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 436

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
KENTUCKY -----	12	19	17	22	19	16	16	8	2	-	-	-
WHITE-----MALE----	7	16	11	18	16	9	6	4	1	-	-	-
FEMALE--	4	1	3	3	3	6	10	4	1	-	-	-
ALL OTHER--MALE----	1	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
LOUISIANA -----	21	17	14	14	18	16	13	8	6	4	-	-
WHITE-----MALE----	9	9	7	8	9	6	5	4	2	1	-	-
FEMALE--	3	3	2	3	3	2	7	3	2	2	-	-
ALL OTHER--MALE----	7	5	5	3	5	5	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	3	1	-	2	1	-	-
BLACK---MALE----	7	5	5	3	5	5	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	3	1	-	2	1	-	-
MAINE -----	-	2	-	7	3	5	1	4	3	1	-	-
WHITE-----MALE----	-	1	-	7	2	2	-	3	-	1	-	-
FEMALE--	-	1	-	-	1	3	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	17	11	18	23	23	14	11	1	2	-	-
WHITE-----MALE----	7	5	4	8	10	13	4	5	-	1	-	-
FEMALE--	-	7	2	7	5	6	5	5	1	1	-	-
ALL OTHER--MALE----	2	4	4	3	8	4	3	-	-	-	-	-
FEMALE--	3	1	1	-	-	-	2	1	-	-	-	-
BLACK---MALE----	2	4	4	3	7	4	3	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	1	1	-	-	-	-
MASSACHUSETTS -----	15	25	15	27	32	23	21	12	1	1	-	-
WHITE-----MALE----	10	16	8	18	19	10	11	5	1	-	-	-
FEMALE--	3	8	5	7	12	13	9	7	-	1	-	-
ALL OTHER--MALE----	1	1	2	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MICHIGAN -----	15	29	27	32	39	35	23	10	11	3	2	-
WHITE-----MALE----	8	19	19	19	24	18	13	5	2	1	-	-
FEMALE--	3	6	5	8	8	14	9	4	9	2	2	-
ALL OTHER--MALE----	2	3	3	3	5	2	1	1	-	-	-	-
FEMALE--	2	1	-	2	2	1	-	-	-	-	-	-
BLACK---MALE----	2	3	2	3	5	2	1	1	-	-	-	-
FEMALE--	2	1	-	2	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 437
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
MINNESOTA -----	9	17	9	13	21	11	9	9	6	1	1	-
WHITE-----MALE----	6	9	7	11	15	2	6	5	2	1	-	-
FEMALE--	3	6	2	2	4	7	3	4	4	-	1	-
ALL OTHER--MALE----	-	2	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	15	8	12	13	11	6	9	9	3	-	-	-
WHITE-----MALE----	3	7	5	6	7	2	4	4	-	-	-	-
FEMALE--	4	-	2	3	2	3	4	4	2	-	-	-
ALL OTHER--MALE----	7	1	4	1	1	1	1	1	1	-	-	-
FEMALE--	1	-	1	3	1	-	-	-	-	-	-	-
BLACK---MALE----	7	1	4	1	1	1	1	1	1	-	-	-
FEMALE--	1	-	1	3	1	-	-	-	-	-	-	-
MISSOURI -----	7	15	17	32	31	18	18	11	6	2	1	-
WHITE-----MALE----	6	10	11	17	16	13	8	4	4	-	-	-
FEMALE--	-	1	4	11	10	4	9	6	2	1	1	-
ALL OTHER--MALE----	-	4	2	1	5	-	-	1	-	1	-	-
FEMALE--	1	-	-	3	-	1	-	-	-	-	-	-
BLACK---MALE----	-	4	2	1	5	-	-	1	-	1	-	-
FEMALE--	1	-	-	3	-	1	-	-	-	-	-	-
MONTANA -----	-	4	2	3	2	2	2	-	3	1	-	-
WHITE-----MALE----	-	3	1	2	1	1	1	-	2	1	-	-
FEMALE--	-	1	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	5	2	3	2	4	5	3	-	2	-	-
WHITE-----MALE----	-	2	2	1	1	2	4	-	-	1	-	-
FEMALE--	-	2	-	1	1	2	1	3	-	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	3	5	6	6	8	9	1	-	-	-	-	-
WHITE-----MALE----	1	2	5	6	3	6	-	-	-	-	-	-
FEMALE--	2	3	1	-	5	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 439

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
OHIO -----	23	28	32	55	42	42	27	25	11	2	-	-
WHITE-----MALE----	15	12	21	31	21	26	15	12	4	-	-	-
FEMALE--	2	6	6	15	16	13	11	12	6	2	-	-
ALL OTHER--MALE----	4	8	1	5	3	1	-	1	-	-	-	-
FEMALE--	2	2	4	4	2	2	1	-	1	-	-	-
BLACK---MALE----	3	8	1	5	3	1	-	1	-	-	-	-
FEMALE--	2	2	4	4	2	2	1	-	1	-	-	-
OKLAHOMA -----	7	12	8	8	11	15	12	4	3	2	-	-
WHITE-----MALE----	3	8	3	4	4	10	6	1	1	1	-	-
FEMALE--	2	2	5	2	4	4	6	3	1	1	-	-
ALL OTHER--MALE----	2	1	-	1	2	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
OREGON -----	6	7	14	19	14	17	14	6	2	-	-	-
WHITE-----MALE----	5	4	8	11	6	7	4	-	-	-	-	-
FEMALE--	1	3	6	8	8	8	10	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	29	41	28	37	56	43	42	21	12	-	-	-
WHITE-----MALE----	15	23	17	23	31	28	20	4	6	-	-	-
FEMALE--	4	9	10	9	17	11	19	16	5	-	-	-
ALL OTHER--MALE----	9	7	1	3	5	2	1	-	-	-	-	-
FEMALE--	1	2	-	2	3	2	2	1	1	-	-	-
BLACK---MALE----	9	7	1	3	5	2	1	-	-	-	-	-
FEMALE--	1	2	-	2	3	2	2	1	1	-	-	-
RHODE ISLAND -----	2	2	5	5	8	4	5	2	1	1	-	-
WHITE-----MALE----	2	1	2	4	5	4	1	1	1	1	-	-
FEMALE--	-	1	2	1	3	-	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	17	17	10	18	14	17	12	9	2	1	-	-
WHITE-----MALE----	6	9	4	10	7	4	4	3	-	-	-	-
FEMALE--	1	1	3	1	4	10	4	5	2	1	-	-
ALL OTHER--MALE----	8	7	2	3	2	1	4	1	-	-	-	-
FEMALE--	2	-	1	4	1	2	-	-	-	-	-	-
BLACK---MALE----	8	7	2	3	2	1	4	1	-	-	-	-
FEMALE--	2	-	1	4	1	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 440

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
SOUTH DAKOTA -----	16	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	198	-	-	-	-	-	1	3	2	2	2	6
WHITE-----MALE----	99	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	60	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	1	-	1	-	-	2
BLACK---MALE----	25	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	1	-	1	-	-	2
TEXAS -----	551	-	-	-	1	-	2	2	5	21	35	
WHITE-----MALE----	319	-	-	-	1	-	-	-	1	13	19	
FEMALE--	154	-	-	-	-	-	-	1	3	3	5	
ALL OTHER--MALE----	63	-	-	-	-	-	1	1	1	2	11	
FEMALE--	15	-	-	-	-	-	1	-	-	3	-	
BLACK---MALE----	57	-	-	-	-	-	1	-	1	2	11	
FEMALE--	14	-	-	-	-	-	1	-	-	3	-	
UTAH -----	26	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	19	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	186	-	-	-	-	-	3	-	2	7	14	
WHITE-----MALE----	88	-	-	-	-	-	-	-	-	2	4	
FEMALE--	40	-	-	-	-	-	1	-	-	1	2	
ALL OTHER--MALE----	42	-	-	-	-	-	1	-	1	3	7	
FEMALE--	16	-	-	-	-	-	1	-	1	1	1	
BLACK---MALE----	39	-	-	-	-	-	-	-	1	3	7	
FEMALE--	16	-	-	-	-	-	1	-	1	1	1	

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 440

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
SOUTH DAKOTA -----	-	1	2	1	3	3	1	3	1	-	-	-
WHITE-----MALE----	-	1	-	1	3	1	1	3	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	19	22	23	27	24	23	14	6	2	1	-
WHITE-----MALE----	16	9	10	12	15	13	13	3	-	1	1	-
FEMALE--	3	4	7	6	6	9	7	8	6	1	-	-
ALL OTHER--MALE----	3	4	5	3	5	2	2	1	-	-	-	-
FEMALE--	1	2	-	2	1	-	1	2	-	-	-	-
BLACK---MALE----	3	4	5	3	5	2	1	1	-	-	-	-
FEMALE--	1	2	-	2	1	-	1	2	-	-	-	-
TEXAS -----	41	64	69	63	77	60	60	32	16	3	-	-
WHITE-----MALE----	28	42	39	42	51	34	28	15	6	-	-	-
FEMALE--	8	9	17	12	20	22	28	15	8	3	-	-
ALL OTHER--MALE----	5	9	13	7	5	3	3	2	-	-	-	-
FEMALE--	-	4	-	2	1	1	1	-	2	-	-	-
BLACK---MALE----	5	7	12	6	5	3	2	2	-	-	-	-
FEMALE--	-	3	-	2	1	1	1	-	2	-	-	-
UTAH -----	2	3	2	4	6	2	3	2	1	-	-	-
WHITE-----MALE----	2	1	-	3	5	-	2	2	-	-	-	-
FEMALE--	-	2	2	1	1	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	4	3	2	2	3	1	-	1	-	1	-
WHITE-----MALE----	-	2	3	1	1	2	-	-	1	-	1	-
FEMALE--	-	2	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	23	23	17	28	21	22	7	2	3	2	-
WHITE-----MALE----	6	12	10	10	14	11	11	4	2	2	-	-
FEMALE--	-	5	2	2	7	7	7	3	-	1	2	-
ALL OTHER--MALE----	5	5	8	3	5	2	2	-	-	-	-	-
FEMALE--	1	1	3	2	2	1	2	-	-	-	-	-
BLACK---MALE----	4	5	7	3	5	2	2	-	-	-	-	-
FEMALE--	1	1	3	2	2	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 452
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF TONGUE (141)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	2	1	5	3	2	1	2	-	-	-	-
WHITE-----MALE----	-	2	1	2	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	3	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	1	1	-	4	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	1	1	-	3	-	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	2	-	1	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	2	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-
FLORIDA -----	8	20	24	18	24	16	19	11	6	1	-	-
WHITE-----MALE----	5	16	14	13	15	8	9	4	3	1	-	-
FEMALE--	2	2	5	3	8	7	10	5	3	-	-	-
ALL OTHER--MALE----	1	2	4	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	2	4	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
GEORGIA -----	3	9	-	2	5	8	6	2	1	-	-	-
WHITE-----MALE----	1	4	-	-	2	4	5	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	2	1	-	-	-
ALL OTHER--MALE----	2	5	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	5	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 453
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF TONGUE (141)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	1	1	-	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	-	3	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	13	10	12	8	13	6	5	1	-	-	-
WHITE-----MALE----	3	4	6	8	4	6	3	3	1	-	-	-
FEMALE--	2	4	2	2	4	6	2	2	-	-	-	-
ALL OTHER--MALE----	1	4	2	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	4	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
INDIANA -----	2	6	7	7	5	4	3	1	-	-	-	-
WHITE-----MALE----	1	4	4	4	-	3	1	-	-	-	-	-
FEMALE--	-	2	3	3	4	-	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	2	1	1	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	3	2	2	3	4	-	2	-	1	-	-
WHITE-----MALE----	1	1	1	2	1	2	-	1	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 454

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TONGUE (141)												
KENTUCKY -----	1	5	3	4	5	-	-	3	-	-	-	-
WHITE-----MALE----	1	4	2	4	4	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	7	2	5	4	2	2	1	-	1	-	-
WHITE-----MALE----	2	4	2	4	2	2	1	1	-	-	-	-
FEMALE--	2	2	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	1	-	3	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	7	3	4	5	9	4	3	-	-	-	-
WHITE-----MALE----	1	2	2	2	2	4	-	1	-	-	-	-
FEMALE--	-	3	-	2	2	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	3	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	3	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	1	9	3	8	8	3	5	4	-	-	-	-
WHITE-----MALE----	1	5	1	4	5	1	2	1	-	-	-	-
FEMALE--	-	3	1	3	3	2	2	3	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	8	8	8	9	10	3	1	1	-	-	-
WHITE-----MALE----	1	5	8	3	5	4	1	1	-	-	-	-
FEMALE--	-	1	-	5	4	5	2	-	1	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 457

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TONGUE (141)												
OHIO -----	8	7	8	12	8	10	7	3	3	1	-	-
WHITE-----MALE----	4	3	6	6	1	5	4	1	1	-	-	-
FEMALE--	2	2	1	4	6	4	3	2	2	1	-	-
ALL OTHER--MALE----	1	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
OKLAHOMA -----	2	3	-	2	2	3	5	-	1	-	-	-
WHITE-----MALE----	1	2	-	-	1	1	3	-	1	-	-	-
FEMALE--	-	-	-	2	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	5	3	2	5	2	2	-	-	-	-
WHITE-----MALE----	1	1	1	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	4	2	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	8	6	12	9	7	7	14	6	2	-	-	-
WHITE-----MALE----	4	5	7	5	4	5	10	-	1	-	-	-
FEMALE--	1	1	5	4	1	2	4	6	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	1	2	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	3	3	3	3	3	1	-	1	-	-
WHITE-----MALE----	1	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	2	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 458
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TONGUE (141)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	36	-	-	-	-	-	-	-	2	-	1	2
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	115	-	-	-	-	-	-	-	1	1	4	4
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
UTAH -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	42	-	-	-	-	-	-	2	-	-	-	4
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 458
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TONGUE (141)												
SOUTH DAKOTA -----	-	-	-	-	1	1	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	2	8	5	5	3	1	2	1	-	-	-
WHITE-----MALE----	3	2	4	2	5	2	1	1	-	-	-	-
FEMALE--	-	-	2	2	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	13	14	8	16	18	10	12	7	6	1	-	-
WHITE-----MALE----	9	5	7	8	13	7	5	2	-	-	-	-
FEMALE--	2	3	1	4	4	3	6	4	6	1	-	-
ALL OTHER--MALE----	2	4	-	2	1	-	1	1	-	-	-	-
FEMALE--	-	2	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
UTAH -----	1	1	-	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	5	4	3	9	7	5	-	-	-	-	-
WHITE-----MALE----	-	2	2	3	5	3	1	-	-	-	-	-
FEMALE--	-	2	-	-	3	3	3	-	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 460
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	341	450	473	535	551	449	352	181	71	23	4	-
WHITE-----MALE----	191	262	265	329	325	270	177	92	28	9	1	-
FEMALE--	53	75	106	101	129	130	133	67	36	12	3	-
ALL OTHER--MALE----	70	97	82	72	76	30	27	15	2	1	-	-
FEMALE--	27	16	20	33	21	19	15	7	5	1	-	-
BLACK---MALE----	61	83	72	61	66	28	16	13	1	1	-	-
FEMALE--	20	14	13	29	17	17	13	6	5	1	-	-
ALABAMA -----	9	14	13	6	12	10	8	3	3	2	-	-
WHITE-----MALE----	4	7	6	1	7	8	6	2	1	1	-	-
FEMALE--	1	1	4	2	3	1	-	-	2	1	-	-
ALL OTHER--MALE----	3	5	3	2	2	-	2	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	3	5	3	2	2	-	2	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	1	-	-	-	-
ALASKA -----	-	-	1	1	3	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	9	10	6	8	5	4	4	1	-	-	-
WHITE-----MALE----	1	8	8	5	7	4	3	1	-	-	-	-
FEMALE--	1	-	2	1	1	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	8	4	5	10	6	5	1	-	-	-	-
WHITE-----MALE----	3	5	3	3	7	6	2	1	-	-	-	-
FEMALE--	1	1	-	-	2	-	3	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	40	55	45	66	50	41	38	23	8	4	1	-
WHITE-----MALE----	24	29	25	33	34	22	12	11	2	2	-	-
FEMALE--	3	8	13	17	9	10	16	9	5	2	1	-
ALL OTHER--MALE----	5	15	5	10	4	5	5	2	1	-	-	-
FEMALE--	8	3	2	6	3	4	5	1	-	-	-	-
BLACK---MALE----	1	4	1	6	1	5	1	2	-	-	-	-
FEMALE--	4	1	-	2	2	2	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 461
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PHARYNX (146-149.0)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	21	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	42	-	-	-	-	-	-	-	1	1	-	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	22	-	-	-	-	-	-	-	-	-	2	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
FLORIDA -----	342	-	-	-	-	1	1	-	-	2	7	16
WHITE-----MALE----	223	-	-	-	-	1	-	-	-	-	4	11
FEMALE--	76	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	33	-	-	-	-	-	1	-	-	1	3	3
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	33	-	-	-	-	-	1	-	-	1	3	3
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	122	-	-	-	-	1	-	1	-	2	5	8
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	9	-	-	-	-	1	-	1	-	-	1	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	9	-	-	-	-	1	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 461
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	3	5	2	2	2	4	1	-	-	-	-
WHITE-----MALE----	-	3	5	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	6	2	7	3	9	6	-	-	-	-	-
WHITE-----MALE----	3	3	2	4	1	5	3	-	-	-	-	-
FEMALE--	1	1	-	1	1	3	3	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	2	5	4	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	4	4	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	4	4	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	33	40	47	41	54	39	38	15	6	2	-	-
WHITE-----MALE----	20	31	33	29	38	22	23	7	3	1	-	-
FEMALE--	6	6	8	7	11	12	13	7	3	1	-	-
ALL OTHER--MALE----	5	2	5	4	4	2	2	1	-	-	-	-
FEMALE--	2	1	1	1	1	3	-	-	-	-	-	-
BLACK---MALE----	5	2	5	4	4	2	2	1	-	-	-	-
FEMALE--	2	1	1	1	1	3	-	-	-	-	-	-
GEORGIA -----	11	15	17	19	16	12	13	1	1	-	-	-
WHITE-----MALE----	7	7	10	11	8	6	5	1	-	-	-	-
FEMALE--	-	-	2	1	5	4	6	-	1	-	-	-
ALL OTHER--MALE----	3	7	4	6	3	2	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	2	-	-	-	-	-
BLACK---MALE----	3	7	4	5	3	2	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 463

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	8	12	10	12	8	13	10	2	1	-	-	-
WHITE-----MALE----	5	11	8	10	7	7	4	-	-	-	-	-
FEMALE--	2	-	1	2	1	5	6	2	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	14	7	12	7	10	10	8	3	3	1	-	-
WHITE-----MALE----	7	2	5	3	5	3	3	1	2	-	-	-
FEMALE--	1	1	2	2	2	2	4	1	-	-	-	-
ALL OTHER--MALE----	4	4	5	2	3	2	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	3	1	-	1	1	-	-
BLACK---MALE----	4	4	5	2	3	2	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	3	1	-	1	1	-	-
MAINE -----	-	1	-	2	1	1	-	2	-	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	9	5	7	15	7	4	5	-	-	-	-
WHITE-----MALE----	5	3	1	4	7	6	3	3	-	-	-	-
FEMALE--	-	3	1	-	2	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	3	3	3	6	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	3	3	3	5	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	12	11	8	13	15	12	5	4	-	-	-	-
WHITE-----MALE----	8	7	3	11	10	6	2	2	-	-	-	-
FEMALE--	2	4	4	2	4	6	3	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	7	14	11	16	20	13	11	2	-	-	-	-
WHITE-----MALE----	3	7	6	12	12	7	7	2	-	-	-	-
FEMALE--	2	5	2	1	2	5	3	-	-	-	-	-
ALL OTHER--MALE----	1	1	3	1	5	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	1	5	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 464
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	3	6	4	7	9	5	4	3	1	-	-	-
WHITE-----MALE----	2	2	3	7	7	1	3	2	-	-	-	-
FEMALE--	1	2	1	-	1	4	1	1	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	11	7	7	5	5	5	4	2	1	-	-	-
WHITE-----MALE----	3	6	2	2	2	2	3	-	-	-	-	-
FEMALE--	2	-	1	2	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	5	1	3	1	1	1	1	1	1	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	1	3	1	1	1	1	1	1	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
MISSOURI -----	2	7	10	18	16	7	7	4	3	1	-	-
WHITE-----MALE----	2	3	7	7	8	5	3	2	2	-	-	-
FEMALE--	-	1	2	8	6	1	4	1	1	-	-	-
ALL OTHER--MALE----	-	3	1	1	2	-	-	1	-	1	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	3	1	1	2	-	-	1	-	1	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
MONTANA -----	-	1	2	1	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	-	3	-	2	3	1	-	1	-	-
WHITE-----MALE----	-	1	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	2	3	5	3	4	5	1	-	-	-	-	-
WHITE-----MALE----	1	1	5	3	1	4	-	-	-	-	-	-
FEMALE--	1	2	-	-	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 466

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	9	14	17	26	16	20	9	14	4	-	-	-
WHITE-----MALE----	6	5	10	16	9	13	5	7	1	-	-	-
FEMALE--	-	3	4	5	4	5	4	6	3	-	-	-
ALL OTHER--MALE----	3	5	1	3	2	1	-	1	-	-	-	-
FEMALE--	-	1	2	2	1	1	-	-	-	-	-	-
BLACK---MALE----	2	5	1	3	2	1	-	1	-	-	-	-
FEMALE--	-	1	2	2	1	1	-	-	-	-	-	-
OKLAHOMA -----	4	3	3	4	6	7	4	-	-	1	-	-
WHITE-----MALE----	1	3	1	3	1	5	3	-	-	1	-	-
FEMALE--	2	-	2	-	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	4	4	8	11	8	8	6	1	1	-	-	-
WHITE-----MALE----	3	3	7	7	5	5	1	-	-	-	-	-
FEMALE--	1	1	1	4	3	3	5	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	22	7	22	32	21	16	5	3	-	-	-
WHITE-----MALE----	10	13	5	12	15	14	4	3	2	-	-	-
FEMALE--	2	2	2	5	12	4	10	2	1	-	-	-
ALL OTHER--MALE----	5	6	-	3	4	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	1	2	1	-	-	-	-	-
BLACK---MALE----	5	6	-	3	4	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	1	2	1	-	-	-	-	-
RHODE ISLAND -----	1	1	3	2	5	3	3	-	-	1	-	-
WHITE-----MALE----	1	1	-	1	4	3	-	-	-	1	-	-
FEMALE--	-	-	2	1	1	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	12	4	10	6	7	5	1	-	-	-	-
WHITE-----MALE----	5	5	2	5	3	3	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	3	2	1	-	-	-	-
ALL OTHER--MALE----	6	6	-	1	2	-	2	-	-	-	-	-
FEMALE--	1	-	1	3	-	1	-	-	-	-	-	-
BLACK---MALE----	6	6	-	1	2	-	2	-	-	-	-	-
FEMALE--	1	-	1	3	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 467
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF PHARYNX (146-149.0)												
SOUTH DAKOTA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	85	-	-	-	-	-	-	-	1	-	-	4
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	297	-	-	-	-	-	-	1	-	3	11	20
WHITE-----MALE----	183	-	-	-	-	-	-	-	-	-	6	13
FEMALE--	70	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	38	-	-	-	-	-	-	1	-	1	2	6
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	35	-	-	-	-	-	-	1	-	1	2	6
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
UTAH -----	11	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	89	-	-	-	-	-	-	1	-	2	5	6
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	-	1	3	4
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 467
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	1	2	1	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	11	10	9	13	10	12	2	1	1	-	-
WHITE-----MALE----	8	3	5	6	5	3	8	-	-	1	-	-
FEMALE--	1	2	3	1	4	5	3	1	1	-	-	-
ALL OTHER--MALE----	2	4	2	2	3	2	1	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	2	4	2	2	3	2	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	1	-	-	-	-
TEXAS -----	21	42	50	34	39	29	31	10	5	1	-	-
WHITE-----MALE----	15	29	29	25	24	17	16	6	3	-	-	-
FEMALE--	4	6	12	4	11	9	14	4	-	1	-	-
ALL OTHER--MALE----	2	5	9	5	4	3	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	2	-	-	-
BLACK---MALE----	2	4	8	4	4	3	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	2	-	-	-
UTAH -----	1	-	1	3	3	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	3	3	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	3	1	1	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	2	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	13	9	10	13	12	8	4	2	-	-	-
WHITE-----MALE----	2	8	3	4	6	6	3	3	2	-	-	-
FEMALE--	-	2	2	1	3	4	2	1	-	-	-	-
ALL OTHER--MALE----	1	2	3	3	2	1	2	-	-	-	-	-
FEMALE--	1	1	1	2	2	1	1	-	-	-	-	-
BLACK---MALE----	-	2	3	3	2	1	2	-	-	-	-	-
FEMALE--	1	1	1	2	2	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 469

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)												
UNITED STATES --	120	186	200	268	294	285	294	212	135	47	14	-
WHITE-----MALE----	69	109	116	158	162	154	135	71	40	16	2	-
FEMALE--	27	47	53	72	102	106	143	129	87	30	12	-
ALL OTHER--MALE----	19	22	26	21	20	15	10	5	4	1	-	-
FEMALE--	5	8	5	17	10	10	6	7	4	-	-	-
BLACK---MALE----	18	20	25	20	16	14	8	5	3	1	-	-
FEMALE--	5	7	5	16	9	9	6	7	4	-	-	-
ALABAMA -----	2	3	4	5	3	4	6	6	4	-	1	-
WHITE-----MALE----	1	-	3	2	-	3	2	1	-	-	-	-
FEMALE--	-	1	1	2	1	-	4	5	3	-	1	-
ALL OTHER--MALE----	1	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	1	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
ALASKA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	4	9	3	3	5	4	-	-	-	-
WHITE-----MALE----	1	-	4	7	2	3	1	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	4	2	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	2	2	4	2	1	2	3	-	-	-
WHITE-----MALE----	-	-	2	2	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	2	3	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	11	23	30	37	28	25	18	13	4	-	-
WHITE-----MALE----	5	7	18	21	19	17	12	3	3	-	-	-
FEMALE--	2	3	2	8	13	8	13	15	10	3	-	-
ALL OTHER--MALE----	-	1	2	-	5	2	-	-	-	1	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	2	2	-	-	-	1	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 470

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)												
COLORADO -----	1	2	4	3	2	1	1	4	3	1	1	-
WHITE-----MALE----	-	-	3	2	1	-	-	-	2	1	-	-
FEMALE--	1	2	1	1	1	1	1	4	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	5	4	7	3	6	5	2	4	-	-	-
WHITE-----MALE----	-	3	-	4	1	4	3	1	-	-	-	-
FEMALE--	-	2	1	2	2	2	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	3	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	3	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	1	2	1	1	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	2	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
FLORIDA -----	10	24	11	15	25	24	28	16	11	4	2	-
WHITE-----MALE----	8	14	6	10	14	13	12	8	5	3	-	-
FEMALE--	-	6	4	4	6	9	15	8	6	1	2	-
ALL OTHER--MALE----	1	4	1	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	1	4	1	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	-	-	-	-
GEORGIA -----	2	5	4	10	5	5	7	8	4	2	-	-
WHITE-----MALE----	2	3	3	6	3	1	2	2	1	1	-	-
FEMALE--	-	-	1	2	1	3	5	5	2	1	-	-
ALL OTHER--MALE----	-	1	-	2	1	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	2	1	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 472

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)												
KENTUCKY -----	3	2	4	5	6	3	6	3	1	-	-	-
WHITE-----MALE----	1	1	1	4	5	2	2	3	1	-	-	-
FEMALE--	2	-	2	-	1	1	4	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	2	3	-	2	4	4	3	3	3	2	-	-
WHITE-----MALE----	-	3	-	1	2	1	1	1	-	1	-	-
FEMALE--	-	-	-	1	1	-	2	2	2	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
MAINE -----	-	-	-	2	2	3	-	2	3	1	-	-
WHITE-----MALE----	-	-	-	2	2	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	2	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	3	7	3	6	6	3	1	2	-	-
WHITE-----MALE----	-	-	1	2	1	2	1	1	-	1	-	-
FEMALE--	-	1	1	5	1	3	3	2	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	5	4	6	9	8	11	3	-	1	-	-
WHITE-----MALE----	-	4	4	3	4	3	7	1	-	-	-	-
FEMALE--	1	1	-	2	5	5	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	6	7	8	8	10	11	9	7	9	3	2	-
WHITE-----MALE----	4	7	5	4	7	6	5	2	2	1	-	-
FEMALE--	1	-	3	2	2	4	4	4	7	2	2	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 475

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)												
OHIO -----	6	7	7	17	15	11	10	7	3	1	-	-
WHITE-----MALE----	5	4	5	9	8	7	5	3	1	-	-	-
FEMALE--	-	1	1	6	6	4	4	4	1	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	1	-	1	-	-	-
OKLAHOMA -----	1	6	4	2	3	5	3	4	2	1	-	-
WHITE-----MALE----	1	3	2	1	2	4	-	1	-	-	-	-
FEMALE--	-	2	2	-	1	1	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
OREGON -----	1	2	1	5	4	4	6	3	1	-	-	-
WHITE-----MALE----	1	-	-	3	1	-	2	-	-	-	-	-
FEMALE--	-	2	1	2	3	4	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	13	9	5	17	15	12	10	6	-	-	-
WHITE-----MALE----	1	5	5	5	12	9	6	1	2	-	-	-
FEMALE--	1	6	3	-	4	5	5	8	3	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	1	-	-	-
RHODE ISLAND -----	1	1	1	2	1	-	2	1	-	-	-	-
WHITE-----MALE----	1	-	1	2	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	4	3	5	5	6	4	7	2	-	-	-
WHITE-----MALE----	-	3	2	4	3	-	1	2	-	-	-	-
FEMALE--	1	-	1	-	2	5	2	4	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 478

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
UNITED STATES --	128,683	5	17	7	17	31	93	203	447	968	2,142	4,068
WHITE-----MALE----	58,141	3	7	2	6	10	40	73	165	385	979	1,952
FEMALE--	50,989	2	6	2	3	11	25	67	140	274	615	1,112
ALL OTHER--MALE----	10,415	-	3	1	6	7	13	34	90	162	326	649
FEMALE--	9,138	-	1	2	2	3	15	29	52	147	222	355
BLACK---MALE----	8,390	-	3	1	4	3	9	23	67	121	255	519
FEMALE--	7,660	-	1	1	2	1	11	23	32	115	178	279
ALABAMA -----	2,072	-	1	-	-	-	4	7	7	12	30	72
WHITE-----MALE----	825	-	-	-	-	-	2	2	1	3	12	29
FEMALE--	684	-	1	-	-	-	1	2	1	3	9	16
ALL OTHER--MALE----	297	-	-	-	-	-	-	2	2	5	5	13
FEMALE--	266	-	-	-	-	-	1	1	3	1	4	14
BLACK---MALE----	294	-	-	-	-	-	-	2	2	5	5	13
FEMALE--	266	-	-	-	-	-	1	1	3	1	4	14
ALASKA -----	169	-	-	-	-	-	-	-	2	9	4	9
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	30	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	1	3	2	4
FEMALE--	38	-	-	-	-	-	-	-	1	2	1	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,976	-	-	-	-	1	1	4	5	15	36	61
WHITE-----MALE----	1,058	-	-	-	-	-	-	1	2	6	24	42
FEMALE--	799	-	-	-	-	1	1	1	2	2	9	16
ALL OTHER--MALE----	62	-	-	-	-	-	-	1	-	4	2	2
FEMALE--	57	-	-	-	-	-	-	1	1	3	1	1
BLACK---MALE----	29	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	2	-	-
ARKANSAS -----	1,316	-	-	-	1	-	-	2	6	12	21	49
WHITE-----MALE----	585	-	-	-	1	-	-	1	3	6	10	23
FEMALE--	524	-	-	-	-	-	-	1	2	5	5	14
ALL OTHER--MALE----	97	-	-	-	-	-	-	-	1	1	3	5
FEMALE--	110	-	-	-	-	-	-	-	-	-	3	7
BLACK---MALE----	96	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	109	-	-	-	-	-	-	-	-	-	3	7
CALIFORNIA -----	12,613	1	2	1	3	8	11	21	56	108	224	465
WHITE-----MALE----	5,523	-	1	-	-	1	3	5	20	41	107	223
FEMALE--	4,712	1	-	1	1	3	2	7	19	26	45	121
ALL OTHER--MALE----	1,347	-	1	-	2	2	4	6	10	19	42	78
FEMALE--	1,031	-	-	-	-	2	2	3	7	22	30	43
BLACK---MALE----	544	-	1	-	-	-	1	3	-	4	15	39
FEMALE--	483	-	-	-	-	-	1	1	2	11	15	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 478
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
UNITED STATES --	6,273	8,308	11,119	15,559	19,699	20,968	18,176	12,846	5,934	1,576	223	4
WHITE-----MALE----	3,130	4,249	5,586	8,006	9,765	9,867	7,565	4,396	1,591	325	38	1
FEMALE--	1,694	2,418	3,356	5,029	7,108	8,477	8,647	7,089	3,710	1,049	154	1
ALL OTHER--MALE----	924	1,000	1,320	1,436	1,490	1,328	864	513	188	56	3	2
FEMALE--	525	641	857	1,088	1,336	1,296	1,100	848	445	146	28	-
BLACK---MALE----	749	809	1,066	1,165	1,213	1,073	703	394	163	46	2	2
FEMALE--	434	537	716	890	1,117	1,108	934	736	393	127	25	-
ALABAMA -----	123	135	180	277	312	333	245	211	94	22	7	-
WHITE-----MALE----	47	75	72	128	145	143	78	64	18	5	1	-
FEMALE--	32	32	53	82	86	107	98	94	55	9	3	-
ALL OTHER--MALE----	28	16	36	37	44	49	27	24	7	2	-	-
FEMALE--	16	12	19	30	37	34	42	29	14	6	3	-
BLACK---MALE----	28	16	35	36	44	48	27	24	7	2	-	-
FEMALE--	16	12	19	30	37	34	42	29	14	6	3	-
ALASKA -----	15	20	21	24	31	14	9	5	2	3	1	-
WHITE-----MALE----	4	10	10	12	11	8	2	-	-	1	1	-
FEMALE--	4	4	-	4	3	1	4	4	1	1	-	-
ALL OTHER--MALE----	5	2	5	5	6	2	1	-	1	-	-	-
FEMALE--	2	4	6	3	11	3	2	1	-	1	-	-
BLACK---MALE----	1	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	98	107	160	241	312	345	285	203	83	14	4	1
WHITE-----MALE----	60	77	88	124	186	192	146	79	26	4	1	-
FEMALE--	28	20	56	98	114	141	132	113	53	8	3	1
ALL OTHER--MALE----	7	5	10	9	4	10	1	4	1	2	-	-
FEMALE--	3	5	6	10	8	2	6	7	3	-	-	-
BLACK---MALE----	4	3	4	4	2	6	-	-	-	1	-	-
FEMALE--	-	2	3	4	2	-	3	3	1	-	-	-
ARKANSAS -----	72	92	130	158	175	197	180	134	69	16	2	-
WHITE-----MALE----	35	47	62	80	90	91	69	46	19	2	-	-
FEMALE--	22	30	47	52	60	77	88	72	34	13	2	-
ALL OTHER--MALE----	7	11	11	13	10	12	12	6	5	-	-	-
FEMALE--	8	4	10	13	15	17	11	10	11	1	-	-
BLACK---MALE----	7	11	11	13	10	12	12	6	5	-	-	-
FEMALE--	8	4	10	12	15	17	11	10	11	1	-	-
CALIFORNIA -----	716	860	1,122	1,442	1,864	2,119	1,709	1,207	516	143	15	-
WHITE-----MALE----	354	431	522	684	877	983	687	419	124	36	5	-
FEMALE--	178	223	325	459	653	811	787	619	332	91	8	-
ALL OTHER--MALE----	120	132	173	182	195	165	115	74	24	3	-	-
FEMALE--	64	74	102	117	139	160	120	95	36	13	2	-
BLACK---MALE----	53	56	73	78	83	57	45	22	14	-	-	-
FEMALE--	31	33	53	41	67	79	54	53	20	9	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 479

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
COLORADO -----	1,450	1	-	-	-	2	1	5	6	9	30	58
WHITE-----MALE----	742	1	-	-	-	2	-	3	4	4	15	36
FEMALE--	626	-	-	-	-	-	1	1	-	3	14	16
ALL OTHER--MALE----	49	-	-	-	-	-	-	1	2	2	1	5
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	34	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1,783	-	-	-	-	-	1	2	5	6	32	41
WHITE-----MALE----	856	-	-	-	-	-	-	-	2	3	14	17
FEMALE--	802	-	-	-	-	-	1	1	3	-	12	17
ALL OTHER--MALE----	69	-	-	-	-	-	-	1	-	1	2	5
FEMALE--	56	-	-	-	-	-	-	-	-	2	4	2
BLACK---MALE----	61	-	-	-	-	-	-	1	-	1	2	4
FEMALE--	49	-	-	-	-	-	-	-	-	2	2	1
DELAWARE -----	376	-	-	-	-	-	-	-	3	4	3	10
WHITE-----MALE----	152	-	-	-	-	-	-	-	-	4	1	3
FEMALE--	168	-	-	-	-	-	-	-	2	-	2	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	28	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	28	-	-	-	-	-	-	-	1	-	-	3
DISTRICT OF COLUMBIA ----	368	-	-	-	-	-	-	-	5	5	4	13
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	40	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	161	-	-	-	-	-	-	-	4	4	3	10
FEMALE--	133	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	159	-	-	-	-	-	-	-	4	3	3	9
FEMALE--	133	-	-	-	-	-	-	-	-	1	1	2
FLORIDA -----	9,001	-	-	-	-	-	6	7	35	58	132	221
WHITE-----MALE----	4,341	-	-	-	-	-	3	2	13	22	59	98
FEMALE--	3,682	-	-	-	-	-	1	1	11	20	40	65
ALL OTHER--MALE----	535	-	-	-	-	-	2	3	9	11	18	35
FEMALE--	443	-	-	-	-	-	-	1	2	5	15	23
BLACK---MALE----	506	-	-	-	-	-	2	2	9	10	16	34
FEMALE--	423	-	-	-	-	-	-	1	2	5	13	21
GEORGIA -----	2,790	1	2	1	1	3	8	5	16	30	62	113
WHITE-----MALE----	1,059	1	1	1	-	1	-	1	3	11	24	39
FEMALE--	866	-	-	-	-	1	4	1	2	5	19	23
ALL OTHER--MALE----	442	-	-	-	-	1	2	-	5	4	11	36
FEMALE--	423	-	1	-	1	-	2	3	6	10	8	15
BLACK---MALE----	426	-	-	-	-	1	2	-	5	4	11	34
FEMALE--	407	-	1	-	1	-	2	3	6	10	7	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 479
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
COLORADO -----	70	96	139	181	229	217	187	134	68	14	3	-
WHITE-----MALE----	44	57	82	111	108	110	88	56	17	3	1	-
FEMALE--	22	31	47	57	104	97	94	77	50	11	1	-
ALL OTHER--MALE----	2	5	5	7	11	6	2	-	-	-	-	-
FEMALE--	2	3	5	6	6	4	3	1	1	-	1	-
BLACK---MALE----	2	5	4	5	6	5	2	-	-	-	-	-
FEMALE--	1	3	4	3	4	3	1	-	1	-	1	-
CONNECTICUT -----	67	104	122	219	263	308	309	178	105	18	3	-
WHITE-----MALE----	37	60	62	128	142	144	154	59	33	-	1	-
FEMALE--	23	32	40	70	105	154	143	113	69	18	1	-
ALL OTHER--MALE----	5	6	16	15	6	5	4	3	-	-	-	-
FEMALE--	2	6	4	6	10	5	8	3	3	-	1	-
BLACK---MALE----	4	6	14	15	5	4	3	2	-	-	-	-
FEMALE--	2	6	4	4	10	5	6	3	3	-	1	-
DELAWARE -----	17	41	34	41	67	58	52	24	18	4	-	-
WHITE-----MALE----	8	21	14	20	31	29	14	5	2	-	-	-
FEMALE--	6	10	15	14	28	25	30	17	15	3	-	-
ALL OTHER--MALE----	2	6	4	3	5	2	2	1	-	-	-	-
FEMALE--	1	4	1	4	3	2	6	1	1	1	-	-
BLACK---MALE----	2	6	4	3	5	2	1	1	-	-	-	-
FEMALE--	1	4	1	4	3	2	6	1	1	1	-	-
DISTRICT OF COLUMBIA ----	10	24	36	45	65	69	53	21	16	2	-	-
WHITE-----MALE----	-	1	7	3	9	7	5	1	-	-	-	-
FEMALE--	-	2	1	2	6	12	7	5	4	-	-	-
ALL OTHER--MALE----	8	15	20	21	25	24	18	4	4	1	-	-
FEMALE--	2	6	8	19	25	26	23	11	8	1	-	-
BLACK---MALE----	8	15	20	21	25	24	18	4	4	1	-	-
FEMALE--	2	6	8	19	25	26	23	11	8	1	-	-
FLORIDA -----	348	497	690	1,034	1,422	1,510	1,347	1,076	477	125	16	-
WHITE-----MALE----	182	242	358	562	754	800	625	438	147	35	1	-
FEMALE--	90	157	208	351	531	592	639	590	294	79	13	-
ALL OTHER--MALE----	49	61	72	74	77	59	33	17	12	3	-	-
FEMALE--	27	37	52	47	60	59	50	31	24	8	2	-
BLACK---MALE----	47	59	71	66	72	56	31	16	12	3	-	-
FEMALE--	27	37	51	39	58	57	49	30	23	8	2	-
GEORGIA -----	201	226	305	315	407	439	317	213	94	26	5	-
WHITE-----MALE----	77	96	133	142	184	182	96	42	21	4	-	-
FEMALE--	33	50	64	71	123	154	133	112	58	10	3	-
ALL OTHER--MALE----	51	47	62	57	56	53	31	18	3	5	-	-
FEMALE--	40	33	46	45	44	50	57	41	12	7	2	-
BLACK---MALE----	48	44	61	56	53	51	30	18	3	5	-	-
FEMALE--	39	33	43	42	43	48	55	39	12	7	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 480

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
HAWAII -----	29	38	50	67	84	99	78	52	23	12	-	-
WHITE-----MALE----	5	6	10	8	12	9	10	4	1	1	-	-
FEMALE--	1	2	3	7	3	7	6	8	6	-	-	-
ALL OTHER--MALE----	15	22	24	36	43	48	31	25	5	5	-	-
FEMALE--	8	8	13	16	26	35	31	15	11	6	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IDAHO -----	24	36	39	50	73	69	59	59	24	2	-	-
WHITE-----MALE----	13	21	27	28	44	30	29	26	9	2	-	-
FEMALE--	10	14	12	19	29	36	29	33	14	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ILLINOIS -----	291	391	558	780	906	977	856	591	290	72	9	-
WHITE-----MALE----	138	202	273	377	444	444	348	193	89	16	-	-
FEMALE--	74	109	161	231	308	398	412	339	170	49	9	-
ALL OTHER--MALE----	55	47	84	90	80	72	39	19	7	1	-	-
FEMALE--	24	33	40	82	74	63	57	40	24	6	-	-
BLACK---MALE----	52	45	78	85	72	68	36	19	6	1	-	-
FEMALE--	23	29	37	79	67	62	51	37	21	6	-	-
INDIANA -----	130	199	266	376	416	476	397	308	113	36	4	-
WHITE-----MALE----	68	115	139	203	212	242	172	106	30	3	1	-
FEMALE--	46	56	93	138	164	207	194	179	74	30	2	-
ALL OTHER--MALE----	13	11	23	16	19	13	10	8	3	-	1	-
FEMALE--	3	17	11	19	21	14	21	15	6	3	-	-
BLACK---MALE----	13	11	21	16	18	13	10	8	3	-	1	-
FEMALE--	3	14	11	18	20	14	21	13	6	3	-	-
IOWA -----	44	95	140	166	214	222	264	187	93	36	4	-
WHITE-----MALE----	27	55	89	92	115	107	129	69	29	7	-	-
FEMALE--	17	32	46	66	94	113	134	114	63	29	4	-
ALL OTHER--MALE----	-	4	2	5	3	2	1	3	-	-	-	-
FEMALE--	-	4	3	3	2	-	-	1	1	-	-	-
BLACK---MALE----	-	3	2	3	1	2	1	2	-	-	-	-
FEMALE--	-	3	3	-	1	-	-	1	1	-	-	-
KANSAS -----	50	68	86	132	163	196	182	112	86	12	1	-
WHITE-----MALE----	25	32	55	75	92	100	73	40	25	2	-	-
FEMALE--	17	24	27	45	57	76	99	69	57	10	1	-
ALL OTHER--MALE----	8	6	2	5	7	12	6	-	1	-	-	-
FEMALE--	-	6	2	7	7	8	4	3	3	-	-	-
BLACK---MALE----	7	6	2	4	6	11	6	-	1	-	-	-
FEMALE--	-	4	1	5	6	8	3	3	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 481

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
KENTUCKY -----	1,902	-	-	-	-	-	4	2	7	18	38	64
WHITE-----MALE----	935	-	-	-	-	-	4	1	5	11	24	34
FEMALE--	824	-	-	-	-	-	-	1	2	6	7	24
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	84	-	-	-	-	-	-	-	-	1	5	2
BLACK---MALE----	57	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	83	-	-	-	-	-	-	-	-	1	5	2
LOUISIANA -----	2,236	-	-	-	1	-	4	5	12	18	50	87
WHITE-----MALE----	839	-	-	-	1	-	1	3	4	8	13	26
FEMALE--	654	-	-	-	-	-	3	1	3	3	16	17
ALL OTHER--MALE----	405	-	-	-	-	-	-	1	4	5	13	27
FEMALE--	338	-	-	-	-	-	-	-	1	2	8	17
BLACK---MALE----	392	-	-	-	-	-	-	1	4	5	13	26
FEMALE--	332	-	-	-	-	-	-	-	1	2	8	17
MAINE -----	687	-	-	-	-	-	1	-	2	4	4	16
WHITE-----MALE----	364	-	-	-	-	-	-	-	2	1	2	11
FEMALE--	316	-	-	-	-	-	1	-	-	3	2	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,476	-	1	1	1	-	2	3	7	28	50	88
WHITE-----MALE----	900	-	-	-	-	-	2	2	1	6	14	27
FEMALE--	850	-	-	-	-	-	-	-	3	7	8	21
ALL OTHER--MALE----	399	-	1	1	1	-	-	-	2	7	15	29
FEMALE--	327	-	-	-	-	-	-	1	1	8	13	11
BLACK---MALE----	361	-	1	1	1	-	-	-	2	6	13	26
FEMALE--	305	-	-	-	-	-	-	1	1	7	12	10
MASSACHUSETTS -----	3,504	-	-	-	-	-	1	6	10	19	38	95
WHITE-----MALE----	1,699	-	-	-	-	-	-	4	6	11	21	59
FEMALE--	1,609	-	-	-	-	-	1	2	3	5	11	22
ALL OTHER--MALE----	117	-	-	-	-	-	-	-	1	2	4	9
FEMALE--	79	-	-	-	-	-	-	-	-	1	2	5
BLACK---MALE----	88	-	-	-	-	-	-	-	1	1	3	4
FEMALE--	62	-	-	-	-	-	-	-	-	1	1	1
MICHIGAN -----	4,604	-	-	1	1	1	4	6	18	33	65	155
WHITE-----MALE----	2,138	-	-	1	-	1	-	2	7	18	27	83
FEMALE--	1,740	-	-	-	-	-	-	2	6	8	19	36
ALL OTHER--MALE----	385	-	-	-	1	-	-	1	4	5	12	21
FEMALE--	341	-	-	-	-	-	4	1	1	2	7	15
BLACK---MALE----	364	-	-	-	1	-	-	1	3	4	11	21
FEMALE--	324	-	-	-	-	-	4	1	1	2	5	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 481

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
KENTUCKY -----	80	113	182	213	329	305	273	164	88	21	1	-
WHITE-----MALE----	53	62	101	112	179	165	107	53	19	4	1	-
FEMALE--	22	41	72	83	125	128	143	95	60	15	-	-
ALL OTHER--MALE----	2	3	4	13	10	3	14	2	1	1	-	-
FEMALE--	3	7	5	5	15	9	9	14	8	1	-	-
BLACK---MALE----	2	3	4	13	10	3	13	2	1	1	-	-
FEMALE--	3	7	5	5	15	9	9	14	7	1	-	-
LOUISIANA -----	120	155	213	279	339	334	280	217	97	22	3	-
WHITE-----MALE----	55	57	85	113	163	138	104	44	21	3	-	-
FEMALE--	24	28	40	82	94	100	93	101	40	8	1	-
ALL OTHER--MALE----	30	37	55	46	56	51	39	25	12	4	-	-
FEMALE--	11	33	33	38	26	45	44	47	24	7	2	-
BLACK---MALE----	30	35	51	43	56	50	38	25	11	4	-	-
FEMALE--	11	33	32	38	24	45	44	45	24	6	2	-
MAINE -----	32	36	57	93	92	121	104	77	37	10	1	-
WHITE-----MALE----	19	25	39	58	56	62	40	32	16	1	-	-
FEMALE--	12	10	18	33	35	59	64	44	21	8	1	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
MARYLAND -----	138	159	222	304	383	384	330	225	122	27	1	-
WHITE-----MALE----	43	56	88	135	145	166	124	63	25	3	-	-
FEMALE--	30	38	43	74	137	129	147	120	75	17	1	-
ALL OTHER--MALE----	44	36	57	53	53	53	25	14	5	3	-	-
FEMALE--	21	29	34	42	48	36	34	28	17	4	-	-
BLACK---MALE----	40	35	50	46	50	47	21	14	5	3	-	-
FEMALE--	18	27	32	39	45	34	32	28	15	4	-	-
MASSACHUSETTS -----	141	207	248	410	511	599	520	407	224	60	8	-
WHITE-----MALE----	83	116	142	226	286	288	223	156	63	13	2	-
FEMALE--	44	70	81	166	200	283	276	240	156	43	6	-
ALL OTHER--MALE----	10	16	17	15	12	10	12	7	1	1	-	-
FEMALE--	4	5	8	3	13	18	9	4	4	3	-	-
BLACK---MALE----	7	13	13	10	12	8	9	5	1	1	-	-
FEMALE--	3	5	6	3	11	16	7	3	3	2	-	-
MICHIGAN -----	241	306	373	563	737	785	653	415	193	49	5	-
WHITE-----MALE----	129	157	176	316	377	361	285	138	52	7	1	-
FEMALE--	57	93	125	168	244	312	285	230	117	34	4	-
ALL OTHER--MALE----	28	36	45	46	55	60	44	15	8	4	-	-
FEMALE--	27	20	27	33	61	52	39	32	16	4	-	-
BLACK---MALE----	27	34	41	43	52	59	42	13	8	4	-	-
FEMALE--	23	18	26	32	57	52	37	31	16	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 482
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
MINNESOTA -----	2,129	-	1	-	-	1	-	3	8	14	27	46
WHITE-----MALE----	1,056	-	-	-	-	-	-	-	3	7	16	25
FEMALE--	991	-	1	-	-	-	-	1	3	5	9	18
ALL OTHER--MALE----	53	-	-	-	-	1	-	1	1	1	2	2
FEMALE--	29	-	-	-	-	-	-	1	1	1	-	1
BLACK---MALE----	24	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	1
MISSISSIPPI -----	1,264	-	-	-	-	-	2	4	6	12	29	50
WHITE-----MALE----	435	-	-	-	-	-	-	-	2	2	7	20
FEMALE--	347	-	-	-	-	-	1	1	-	1	4	6
ALL OTHER--MALE----	239	-	-	-	-	-	-	2	1	5	12	12
FEMALE--	243	-	-	-	-	-	1	1	3	4	6	12
BLACK---MALE----	237	-	-	-	-	-	-	2	1	5	12	11
FEMALE--	241	-	-	-	-	-	1	1	3	4	6	10
MISSOURI -----	2,701	-	-	1	-	2	3	5	7	21	41	73
WHITE-----MALE----	1,227	-	-	-	-	-	2	2	2	10	21	42
FEMALE--	1,113	-	-	-	-	1	1	3	2	6	10	20
ALL OTHER--MALE----	169	-	-	-	-	-	-	-	1	1	6	8
FEMALE--	192	-	-	1	-	1	-	-	2	4	4	3
BLACK---MALE----	159	-	-	-	-	-	-	-	1	1	6	8
FEMALE--	183	-	-	-	-	1	-	-	1	4	4	3
MONTANA -----	391	-	-	-	-	-	-	1	1	2	4	9
WHITE-----MALE----	228	-	-	-	-	-	-	-	1	-	3	7
FEMALE--	152	-	-	-	-	-	-	1	-	1	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	798	-	-	-	-	-	-	-	2	2	17	25
WHITE-----MALE----	410	-	-	-	-	-	-	-	-	-	7	18
FEMALE--	358	-	-	-	-	-	-	-	2	2	8	5
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	1
NEVADA -----	836	-	-	-	-	-	-	1	4	3	12	33
WHITE-----MALE----	427	-	-	-	-	-	-	-	-	2	5	16
FEMALE--	328	-	-	-	-	-	-	1	2	1	4	10
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	33	-	-	-	-	-	-	-	2	-	1	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	23	-	-	-	-	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 482
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
MINNESOTA -----	85	144	183	221	299	339	316	269	129	39	5	-
WHITE-----MALE----	52	91	95	123	171	188	136	99	38	10	2	-
FEMALE--	25	43	73	86	117	147	177	165	89	29	3	-
ALL OTHER--MALE----	7	7	10	8	6	3	-	2	2	-	-	-
FEMALE--	1	3	5	4	5	1	3	3	-	-	-	-
BLACK---MALE----	2	3	8	-	3	2	-	2	-	-	-	-
FEMALE--	1	1	2	2	1	1	1	2	-	-	-	-
MISSISSIPPI -----	70	89	145	148	180	183	158	123	44	19	1	1
WHITE-----MALE----	25	42	63	64	68	64	48	22	6	2	-	-
FEMALE--	9	20	33	35	50	56	55	52	16	7	1	-
ALL OTHER--MALE----	22	15	28	23	38	31	27	15	6	1	-	1
FEMALE--	14	12	21	26	24	32	28	34	16	9	-	-
BLACK---MALE----	22	15	28	22	38	31	27	15	6	1	-	1
FEMALE--	14	12	21	26	24	32	28	34	16	9	-	-
MISSOURI -----	123	174	210	329	401	457	373	295	140	36	10	-
WHITE-----MALE----	62	93	102	175	213	198	147	103	42	10	3	-
FEMALE--	33	59	67	105	132	201	198	156	89	23	7	-
ALL OTHER--MALE----	13	13	21	30	23	23	15	11	3	1	-	-
FEMALE--	15	9	20	19	33	35	13	25	6	2	-	-
BLACK---MALE----	11	13	18	27	22	23	14	11	3	1	-	-
FEMALE--	14	9	20	18	32	33	13	24	6	1	-	-
MONTANA -----	14	29	31	49	45	67	69	55	10	5	-	-
WHITE-----MALE----	9	20	19	28	28	45	44	22	2	-	-	-
FEMALE--	3	9	11	19	15	20	25	32	8	5	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	2	-	1	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	42	49	61	112	106	131	113	88	36	10	4	-
WHITE-----MALE----	24	24	32	70	61	76	52	31	12	2	1	-
FEMALE--	16	22	23	35	41	54	60	56	23	8	3	-
ALL OTHER--MALE----	2	2	3	6	2	-	1	1	1	-	-	-
FEMALE--	-	1	3	1	2	1	-	-	-	-	-	-
BLACK---MALE----	1	2	1	6	2	-	-	-	1	-	-	-
FEMALE--	-	1	2	1	-	1	-	-	-	-	-	-
NEVADA -----	38	76	80	154	147	132	82	45	22	7	-	-
WHITE-----MALE----	21	40	45	93	77	61	39	20	8	-	-	-
FEMALE--	13	27	26	49	57	62	37	23	12	4	-	-
ALL OTHER--MALE----	3	7	5	7	7	8	1	1	1	-	-	-
FEMALE--	1	2	4	5	6	1	5	1	1	3	-	-
BLACK---MALE----	1	6	4	5	6	6	-	1	-	-	-	-
FEMALE--	1	1	4	3	4	-	3	1	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 484

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
OHIO -----	5,753	-	-	-	-	2	3	3	16	35	84	185
WHITE-----MALE----	2,651	-	-	-	-	1	2	2	7	18	43	101
FEMALE--	2,408	-	-	-	-	1	1	-	7	12	29	49
ALL OTHER--MALE----	342	-	-	-	-	-	-	1	-	2	4	23
FEMALE--	352	-	-	-	-	-	-	-	2	3	8	12
BLACK---MALE----	334	-	-	-	-	-	-	1	-	2	4	22
FEMALE--	343	-	-	-	-	-	-	-	2	3	8	11
OKLAHOMA -----	1,530	-	-	-	-	-	2	3	4	21	28	49
WHITE-----MALE----	729	-	-	-	-	-	1	1	1	7	12	26
FEMALE--	620	-	-	-	-	-	-	2	3	7	11	19
ALL OTHER--MALE----	97	-	-	-	-	-	-	-	-	5	3	3
FEMALE--	84	-	-	-	-	-	1	-	-	2	2	1
BLACK---MALE----	61	-	-	-	-	-	-	-	-	4	2	1
FEMALE--	42	-	-	-	-	-	-	-	-	1	1	1
OREGON -----	1,491	1	2	-	-	-	1	6	2	9	28	31
WHITE-----MALE----	755	-	1	-	-	-	-	5	1	3	16	13
FEMALE--	683	1	1	-	-	-	-	1	1	5	9	17
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	27	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7,316	-	-	-	-	-	3	7	11	35	99	165
WHITE-----MALE----	3,451	-	-	-	-	-	1	3	6	20	51	92
FEMALE--	3,096	-	-	-	-	-	1	2	4	11	32	41
ALL OTHER--MALE----	397	-	-	-	-	-	1	1	1	2	8	27
FEMALE--	372	-	-	-	-	-	-	1	-	2	8	5
BLACK---MALE----	365	-	-	-	-	-	1	-	1	2	7	23
FEMALE--	357	-	-	-	-	-	-	1	-	2	8	4
RHODE ISLAND -----	628	-	-	-	-	-	-	-	-	3	8	15
WHITE-----MALE----	319	-	-	-	-	-	-	-	-	1	3	12
FEMALE--	286	-	-	-	-	-	-	-	-	2	5	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,803	-	-	-	1	-	1	2	7	10	42	70
WHITE-----MALE----	636	-	-	-	-	-	1	1	1	2	16	25
FEMALE--	559	-	-	-	-	-	-	-	2	2	8	13
ALL OTHER--MALE----	336	-	-	-	1	-	-	1	3	4	11	20
FEMALE--	272	-	-	-	-	-	-	-	1	2	7	12
BLACK---MALE----	329	-	-	-	1	-	-	1	3	4	11	20
FEMALE--	268	-	-	-	-	-	-	-	1	2	7	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 484
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
OHIO -----	222	339	480	701	918	974	849	605	254	73	10	-
WHITE-----MALE----	114	175	267	375	445	481	343	197	66	13	1	-
FEMALE--	55	120	150	229	356	389	427	356	165	55	7	-
ALL OTHER--MALE----	31	33	36	52	51	51	34	16	6	2	-	-
FEMALE--	22	11	27	45	66	53	45	36	17	3	2	-
BLACK---MALE----	31	30	34	51	51	51	33	16	6	2	-	-
FEMALE--	22	11	27	45	62	51	45	34	17	3	2	-
OKLAHOMA -----	87	110	133	177	234	232	220	142	67	18	3	-
WHITE-----MALE----	46	53	70	96	127	118	95	51	20	5	-	-
FEMALE--	26	37	40	57	86	89	105	83	40	12	3	-
ALL OTHER--MALE----	6	12	15	13	10	16	10	4	-	-	-	-
FEMALE--	9	8	8	11	11	9	10	4	7	1	-	-
BLACK---MALE----	4	9	10	8	5	12	4	2	-	-	-	-
FEMALE--	5	3	3	6	8	6	6	-	2	-	-	-
OREGON -----	74	84	131	185	235	250	221	152	61	15	3	-
WHITE-----MALE----	49	46	64	113	121	144	97	60	21	2	-	-
FEMALE--	24	29	60	65	108	100	117	89	40	13	3	-
ALL OTHER--MALE----	-	7	3	4	1	2	3	2	-	-	-	-
FEMALE--	1	2	4	3	5	4	4	1	1	-	-	-
BLACK---MALE----	-	1	1	2	-	1	2	-	-	-	-	-
FEMALE--	1	1	1	1	3	1	3	1	-	-	-	-
PENNSYLVANIA -----	282	429	533	837	1,217	1,308	1,193	768	327	90	12	-
WHITE-----MALE----	162	218	295	443	639	612	496	284	102	23	4	-
FEMALE--	74	134	180	301	445	573	619	417	193	63	6	-
ALL OTHER--MALE----	31	48	34	55	62	64	24	27	11	1	-	-
FEMALE--	15	29	24	38	71	59	54	40	21	3	2	-
BLACK---MALE----	28	44	28	52	60	60	23	24	11	1	-	-
FEMALE--	13	26	23	36	69	58	52	40	20	3	2	-
RHODE ISLAND -----	31	22	44	55	105	109	110	73	41	11	1	-
WHITE-----MALE----	17	10	31	31	54	56	54	32	16	2	-	-
FEMALE--	12	11	9	24	45	50	53	39	23	9	1	-
ALL OTHER--MALE----	-	-	3	-	2	2	2	1	1	-	-	-
FEMALE--	2	1	1	-	4	1	1	1	1	-	-	-
BLACK---MALE----	-	-	2	-	1	1	2	1	1	-	-	-
FEMALE--	2	-	1	-	4	1	1	1	-	-	-	-
SOUTH CAROLINA -----	114	139	150	238	271	294	234	141	72	14	3	-
WHITE-----MALE----	42	61	67	88	105	114	64	37	10	2	-	-
FEMALE--	24	26	31	64	79	94	111	60	37	7	1	-
ALL OTHER--MALE----	30	27	36	55	44	48	29	17	10	-	-	-
FEMALE--	18	25	16	31	43	38	30	27	15	5	2	-
BLACK---MALE----	28	27	35	54	44	47	28	16	10	-	-	-
FEMALE--	17	25	15	30	42	38	30	27	15	5	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 485

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
SOUTH DAKOTA -----	394	-	-	-	-	-	-	-	2	1	6	8
WHITE-----MALE----	196	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	179	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,587	-	1	-	-	1	2	6	9	24	36	87
WHITE-----MALE----	1,120	-	1	-	-	1	-	2	5	12	12	40
FEMALE--	947	-	-	-	-	-	2	2	2	4	9	23
ALL OTHER--MALE----	284	-	-	-	-	-	-	1	1	3	13	12
FEMALE--	236	-	-	-	-	-	-	1	1	5	2	12
BLACK---MALE----	272	-	-	-	-	-	-	1	1	3	12	9
FEMALE--	231	-	-	-	-	-	-	1	1	5	1	11
TEXAS -----	7,730	-	1	1	2	3	6	23	34	81	196	313
WHITE-----MALE----	3,555	-	-	-	1	-	4	10	15	35	88	165
FEMALE--	2,991	-	-	-	-	2	2	9	13	23	65	77
ALL OTHER--MALE----	638	-	1	-	-	1	-	2	4	12	30	50
FEMALE--	546	-	-	1	1	-	-	2	2	11	13	21
BLACK---MALE----	588	-	1	-	-	1	-	1	2	11	26	44
FEMALE--	494	-	-	1	1	-	-	2	-	11	12	16
UTAH -----	565	-	-	-	-	2	1	3	-	2	9	16
WHITE-----MALE----	281	-	-	-	-	2	1	2	-	-	8	10
FEMALE--	260	-	-	-	-	-	-	1	-	1	1	5
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	290	-	-	-	-	-	-	-	-	4	7	6
WHITE-----MALE----	161	-	-	-	-	-	-	-	-	2	4	5
FEMALE--	129	-	-	-	-	-	-	-	-	2	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,047	-	-	-	1	-	2	8	9	28	56	122
WHITE-----MALE----	1,225	-	-	-	1	-	2	3	2	9	21	58
FEMALE--	1,096	-	-	-	-	-	-	2	2	4	16	28
ALL OTHER--MALE----	371	-	-	-	-	-	-	2	4	7	10	21
FEMALE--	355	-	-	-	-	-	-	1	1	8	9	15
BLACK---MALE----	338	-	-	-	-	-	-	1	4	6	8	20
FEMALE--	327	-	-	-	-	-	-	1	1	7	7	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 485

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
SOUTH DAKOTA -----	11	25	28	54	60	63	55	44	30	6	1	-
WHITE-----MALE----	8	13	16	28	31	32	27	18	15	2	-	-
FEMALE--	3	11	7	23	27	30	27	26	15	4	1	-
ALL OTHER--MALE----	-	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	4	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	152	193	239	338	415	369	334	257	91	27	6	-
WHITE-----MALE----	66	95	129	166	204	153	130	82	17	4	1	-
FEMALE--	39	50	66	109	138	143	160	129	53	15	3	-
ALL OTHER--MALE----	34	30	25	39	43	35	22	17	7	1	1	-
FEMALE--	13	18	19	24	30	38	22	29	14	7	1	-
BLACK---MALE----	32	28	24	38	42	35	22	16	7	1	1	-
FEMALE--	12	18	18	24	29	38	22	29	14	7	1	-
TEXAS -----	453	541	743	989	1,168	1,107	947	693	326	90	13	-
WHITE-----MALE----	237	288	372	521	560	541	385	237	78	18	-	-
FEMALE--	117	169	230	314	444	441	431	374	210	57	13	-
ALL OTHER--MALE----	69	53	83	86	85	56	58	37	7	4	-	-
FEMALE--	30	31	58	68	79	69	73	45	31	11	-	-
BLACK---MALE----	64	48	75	84	78	53	55	34	7	4	-	-
FEMALE--	26	26	54	61	71	65	66	41	30	11	-	-
UTAH -----	22	36	57	70	78	99	87	56	26	-	1	-
WHITE-----MALE----	10	23	33	36	39	49	44	16	8	-	-	-
FEMALE--	9	10	22	32	34	47	40	39	18	-	1	-
ALL OTHER--MALE----	2	2	1	1	2	3	3	1	-	-	-	-
FEMALE--	1	1	1	1	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	15	31	29	40	42	42	29	26	4	-	-
WHITE-----MALE----	7	8	22	20	25	23	28	11	6	-	-	-
FEMALE--	8	7	9	9	15	19	14	18	20	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	173	216	315	367	465	489	393	245	117	36	4	1
WHITE-----MALE----	64	102	146	175	203	198	149	67	19	5	1	-
FEMALE--	60	55	89	108	152	189	167	129	70	23	2	-
ALL OTHER--MALE----	28	40	43	40	65	47	34	18	8	3	-	1
FEMALE--	21	19	37	44	45	55	43	31	20	5	1	-
BLACK---MALE----	27	34	35	36	62	44	32	17	8	3	-	1
FEMALE--	19	18	33	40	40	52	41	29	19	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 487
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ESOPHAGUS (150)												
UNITED STATES --	799	1,070	1,371	1,722	2,007	1,797	1,188	667	295	63	12	1
WHITE-----MALE----	521	678	890	1,160	1,372	1,167	709	354	113	11	1	-
FEMALE--	81	131	169	275	358	412	370	257	149	41	10	-
ALL OTHER--MALE----	149	202	238	199	186	145	64	33	19	8	-	1
FEMALE--	48	59	74	88	91	73	45	23	14	3	1	-
BLACK---MALE----	143	186	213	178	167	125	52	25	14	6	-	1
FEMALE--	46	54	68	77	81	64	40	20	14	3	1	-
ALABAMA -----	17	20	19	27	25	32	13	11	3	1	1	-
WHITE-----MALE----	8	10	11	16	13	20	6	5	-	-	-	-
FEMALE--	2	3	1	2	2	7	3	3	2	1	-	-
ALL OTHER--MALE----	5	5	5	7	8	5	2	2	1	-	-	-
FEMALE--	2	2	2	2	2	-	2	1	-	-	1	-
BLACK---MALE----	5	5	5	7	8	5	2	2	1	-	-	-
FEMALE--	2	2	2	2	2	-	2	1	-	-	1	-
ALASKA -----	3	3	3	4	5	2	1	1	-	1	-	-
WHITE-----MALE----	2	1	1	1	3	1	-	-	-	1	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	12	26	30	31	30	28	15	3	1	-	-
WHITE-----MALE----	12	9	19	25	25	21	24	9	1	-	-	-
FEMALE--	1	2	6	5	6	9	3	6	2	1	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	6	10	15	16	12	7	4	2	-	-	-
WHITE-----MALE----	5	5	8	9	11	7	3	1	1	-	-	-
FEMALE--	1	-	-	-	3	2	3	3	1	-	-	-
ALL OTHER--MALE----	1	-	2	5	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	2	5	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	-	-	-	-	-
CALIFORNIA -----	67	96	127	140	181	175	127	66	25	9	1	-
WHITE-----MALE----	45	63	81	85	119	101	79	38	8	2	-	-
FEMALE--	8	12	15	29	42	49	41	22	12	6	1	-
ALL OTHER--MALE----	12	16	24	20	15	14	5	4	4	1	-	-
FEMALE--	2	5	7	6	5	11	2	2	1	-	-	-
BLACK---MALE----	10	9	12	12	10	5	2	1	1	-	-	-
FEMALE--	1	4	4	5	2	9	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 488

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF ESOPHAGUS (150)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	7	17	13	25	28	28	13	12	4	1	-	-
WHITE-----MALE----	7	15	10	21	16	20	8	6	-	-	-	-
FEMALE--	-	2	2	4	9	7	5	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	9	22	18	27	32	35	21	5	3	1	-	-
WHITE-----MALE----	7	13	9	19	21	25	16	3	1	-	-	-
FEMALE--	1	5	4	5	9	9	5	2	2	1	-	-
ALL OTHER--MALE----	1	3	4	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	3	4	3	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	-	-	-	-
DELAWARE -----	3	10	8	10	12	6	2	2	1	-	-	-
WHITE-----MALE----	2	8	4	6	5	4	1	-	1	-	-	-
FEMALE--	1	-	2	2	6	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	2	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	4	11	6	8	8	2	1	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	4	6	4	4	4	-	-	-	-	-	-
FEMALE--	1	-	3	1	3	3	1	-	-	-	-	-
BLACK---MALE----	1	4	6	4	4	4	-	-	-	-	-	-
FEMALE--	1	-	3	1	3	3	1	-	-	-	-	-
FLORIDA -----	38	69	87	132	154	121	93	56	22	6	3	-
WHITE-----MALE----	26	36	48	90	106	83	57	32	8	2	-	-
FEMALE--	4	9	16	26	35	28	33	22	12	3	3	-
ALL OTHER--MALE----	8	17	14	11	7	8	1	1	-	1	-	-
FEMALE--	-	7	9	5	6	2	2	1	2	-	-	-
BLACK---MALE----	8	17	14	11	6	8	1	1	-	1	-	-
FEMALE--	-	7	9	5	6	2	2	1	2	-	-	-
GEORGIA -----	40	37	42	44	55	49	18	4	7	1	-	-
WHITE-----MALE----	17	16	24	22	24	25	5	1	3	-	-	-
FEMALE--	4	2	2	5	9	11	5	2	3	-	-	-
ALL OTHER--MALE----	15	14	10	12	16	6	3	-	-	1	-	-
FEMALE--	4	5	6	5	6	7	5	1	1	-	-	-
BLACK---MALE----	15	13	10	11	14	6	3	-	-	1	-	-
FEMALE--	4	5	6	5	6	7	5	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 489

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF ESOPHAGUS (150)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	4	5	7	8	6	5	2	2	1	-	-
WHITE-----MALE----	1	1	3	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	2	5	5	3	2	2	2	1	-	-
FEMALE--	-	1	-	1	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	6	7	8	9	3	5	1	-	-	-	-
WHITE-----MALE----	2	5	7	6	8	1	5	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	48	48	81	90	91	77	50	36	14	3	1	-
WHITE-----MALE----	29	31	52	61	65	48	30	24	5	1	-	-
FEMALE--	3	7	11	13	14	17	19	11	7	2	1	-
ALL OTHER--MALE----	11	9	17	10	9	9	-	1	1	-	-	-
FEMALE--	5	1	1	6	3	3	1	-	1	-	-	-
BLACK---MALE----	11	9	17	10	9	9	-	1	1	-	-	-
FEMALE--	5	1	1	6	3	3	1	-	1	-	-	-
INDIANA -----	15	19	37	47	34	32	23	18	6	3	-	-
WHITE-----MALE----	8	17	26	34	30	22	15	14	2	1	-	-
FEMALE--	3	1	5	12	4	9	6	4	3	2	-	-
ALL OTHER--MALE----	4	1	6	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	6	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IOWA -----	6	9	21	12	15	16	19	12	5	1	-	-
WHITE-----MALE----	6	9	18	11	12	11	14	9	2	-	-	-
FEMALE--	-	-	3	1	3	4	4	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	5	6	14	12	19	14	13	5	7	-	-	-
WHITE-----MALE----	3	5	12	10	17	10	6	3	5	-	-	-
FEMALE--	1	-	2	2	2	2	7	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 490
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF ESOPHAGUS (150)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	13	14	20	13	32	26	16	5	6	1	-	-
WHITE-----MALE----	10	11	15	9	23	21	10	3	3	-	-	-
FEMALE--	1	2	4	2	8	4	5	1	3	1	-	-
ALL OTHER--MALE----	-	1	1	2	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	2	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
LOUISIANA -----	16	16	25	26	33	22	16	11	4	-	-	-
WHITE-----MALE----	8	6	8	10	20	10	9	4	1	-	-	-
FEMALE--	1	1	3	5	7	6	4	2	-	-	-	-
ALL OTHER--MALE----	6	6	11	5	6	3	2	3	1	-	-	-
FEMALE--	1	3	3	6	-	3	1	2	2	-	-	-
BLACK---MALE----	6	6	11	4	6	3	2	3	1	-	-	-
FEMALE--	1	3	3	6	-	3	1	2	2	-	-	-
MAINE -----	5	8	7	9	15	15	11	3	2	1	-	-
WHITE-----MALE----	5	8	7	5	10	10	6	1	1	-	-	-
FEMALE--	-	-	-	3	5	5	5	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MARYLAND -----	12	24	32	39	37	39	21	16	9	-	-	-
WHITE-----MALE----	6	10	18	18	17	23	8	8	2	-	-	-
FEMALE--	-	1	3	8	7	6	7	7	6	-	-	-
ALL OTHER--MALE----	4	10	7	8	10	8	1	-	-	-	-	-
FEMALE--	2	3	4	5	3	2	5	1	1	-	-	-
BLACK---MALE----	4	10	6	8	10	8	1	-	-	-	-	-
FEMALE--	2	3	4	3	3	2	5	1	1	-	-	-
MASSACHUSETTS -----	23	33	36	55	55	50	46	27	13	2	-	-
WHITE-----MALE----	15	29	22	40	46	34	23	14	3	-	-	-
FEMALE--	3	2	9	14	7	14	18	13	9	2	-	-
ALL OTHER--MALE----	3	2	5	1	2	1	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	3	-	1	-	-	-
BLACK---MALE----	3	2	4	1	2	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	2	-	1	-	-	-
MICHIGAN -----	41	47	40	61	90	78	31	19	6	1	-	-
WHITE-----MALE----	26	29	28	43	66	56	19	8	1	-	-	-
FEMALE--	4	4	2	10	9	13	9	11	4	-	-	-
ALL OTHER--MALE----	6	10	9	7	11	6	2	-	1	1	-	-
FEMALE--	5	4	1	1	4	3	1	-	-	-	-	-
BLACK---MALE----	6	9	9	7	11	6	2	-	1	1	-	-
FEMALE--	5	4	1	1	3	3	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 491
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF ESOPHAGUS (150)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	10	17	25	26	39	38	25	9	5	1	-	-
WHITE-----MALE----	10	14	19	20	31	31	15	7	3	-	-	-
FEMALE--	-	3	1	6	8	7	10	1	2	1	-	-
ALL OTHER--MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	8	12	19	13	13	10	12	1	1	-	-	1
WHITE-----MALE----	4	5	8	7	8	5	5	-	1	-	-	-
FEMALE--	-	1	-	3	1	2	5	1	-	-	-	-
ALL OTHER--MALE----	3	4	8	1	4	3	2	-	-	-	-	1
FEMALE--	1	2	3	2	-	-	-	-	-	-	-	-
BLACK---MALE----	3	4	8	1	4	3	2	-	-	-	-	1
FEMALE--	1	2	3	2	-	-	-	-	-	-	-	-
MISSOURI -----	19	15	23	31	30	34	16	13	3	3	-	-
WHITE-----MALE----	10	11	17	21	23	19	9	8	2	1	-	-
FEMALE--	1	2	2	6	2	11	6	5	1	1	-	-
ALL OTHER--MALE----	4	1	3	2	3	3	1	-	-	1	-	-
FEMALE--	4	1	1	2	2	1	-	-	-	-	-	-
BLACK---MALE----	4	1	2	2	3	3	1	-	-	1	-	-
FEMALE--	4	1	1	2	2	1	-	-	-	-	-	-
MONTANA -----	3	8	4	9	5	7	2	4	-	-	-	-
WHITE-----MALE----	2	7	3	8	5	6	2	1	-	-	-	-
FEMALE--	1	1	1	1	-	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	4	8	11	11	12	3	3	-	-	-	-
WHITE-----MALE----	5	3	6	10	8	10	1	1	-	-	-	-
FEMALE--	1	-	1	1	3	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	19	10	15	11	9	5	1	3	1	-	-
WHITE-----MALE----	1	9	8	14	10	3	4	-	1	-	-	-
FEMALE--	-	8	1	1	1	6	1	1	2	-	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 493

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF ESOPHAGUS (150)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	31	49	77	70	99	92	50	24	11	2	-	-
WHITE-----MALE----	26	30	55	54	76	66	30	12	4	-	-	-
FEMALE--	1	10	8	5	14	18	17	12	6	2	-	-
ALL OTHER--MALE----	2	9	12	8	5	4	1	-	1	-	-	-
FEMALE--	2	-	2	3	4	4	2	-	-	-	-	-
BLACK---MALE----	2	9	12	8	5	4	1	-	1	-	-	-
FEMALE--	2	-	2	3	4	4	2	-	-	-	-	-
OKLAHOMA -----	11	10	13	16	29	20	17	7	4	-	-	-
WHITE-----MALE----	8	8	11	14	23	16	11	3	1	-	-	-
FEMALE--	2	1	1	2	3	3	3	3	2	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	1	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
OREGON -----	13	11	19	22	23	34	22	7	5	-	-	-
WHITE-----MALE----	11	8	17	13	19	24	17	3	2	-	-	-
FEMALE--	2	1	2	8	4	10	5	4	3	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	53	61	59	107	128	103	76	50	15	3	1	-
WHITE-----MALE----	38	35	44	76	93	75	45	28	7	-	-	-
FEMALE--	5	9	7	17	18	20	27	20	7	3	1	-
ALL OTHER--MALE----	5	13	8	12	9	6	3	1	-	-	-	-
FEMALE--	5	4	-	2	8	2	1	1	1	-	-	-
BLACK---MALE----	4	12	7	12	9	6	3	1	-	-	-	-
FEMALE--	4	3	-	2	8	2	1	1	1	-	-	-
RHODE ISLAND -----	3	-	10	5	10	8	5	5	5	1	-	-
WHITE-----MALE----	2	-	6	5	7	6	3	4	4	-	-	-
FEMALE--	-	-	3	-	3	2	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	20	25	32	29	18	11	9	-	1	-	-
WHITE-----MALE----	4	9	11	14	13	7	3	2	-	-	-	-
FEMALE--	2	2	1	5	3	2	3	4	-	-	-	-
ALL OTHER--MALE----	10	9	11	11	9	8	4	2	-	-	-	-
FEMALE--	-	-	2	2	4	1	1	1	-	1	-	-
BLACK---MALE----	10	9	11	11	9	8	4	2	-	-	-	-
FEMALE--	-	-	2	2	4	1	1	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 494

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ESOPHAGUS (150)												
SOUTH DAKOTA -----	1	4	1	4	4	7	3	2	1	-	-	-
WHITE-----MALE----	1	4	1	4	3	6	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	26	25	36	38	24	21	13	2	1	-	-
WHITE-----MALE----	5	14	20	23	21	14	9	5	-	-	-	-
FEMALE--	2	3	1	4	8	6	7	3	1	-	-	-
ALL OTHER--MALE----	4	7	2	9	6	3	2	5	1	-	-	-
FEMALE--	1	2	2	-	3	1	3	-	-	1	-	-
BLACK---MALE----	4	7	2	8	6	3	2	4	1	-	-	-
FEMALE--	1	2	2	-	3	1	3	-	-	1	-	-
TEXAS -----	39	48	60	86	114	78	67	38	18	4	-	-
WHITE-----MALE----	26	33	41	58	79	52	39	21	10	2	-	-
FEMALE--	3	5	5	10	20	21	19	13	8	1	-	-
ALL OTHER--MALE----	9	8	8	11	10	3	6	3	-	1	-	-
FEMALE--	1	2	6	7	5	2	3	1	-	-	-	-
BLACK---MALE----	9	8	7	11	9	3	5	2	-	1	-	-
FEMALE--	1	2	5	5	5	2	2	1	-	-	-	-
UTAH -----	2	4	5	9	3	4	6	-	-	-	1	-
WHITE-----MALE----	1	3	4	7	2	3	4	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	2	-	-	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	2	1	3	4	4	4	1	4	-	-	-
WHITE-----MALE----	1	1	1	3	3	3	4	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	34	36	40	48	39	30	15	8	2	-	-
WHITE-----MALE----	11	20	25	20	28	24	15	5	2	-	-	-
FEMALE--	2	1	5	5	11	7	8	5	4	1	-	-
ALL OTHER--MALE----	4	10	4	6	5	6	6	3	1	1	-	-
FEMALE--	-	3	2	9	4	2	1	2	1	-	-	-
BLACK---MALE----	4	10	4	6	5	6	6	3	1	1	-	-
FEMALE--	-	3	2	9	3	2	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 496

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF STOMACH (151)												
UNITED STATES --	12,959	-	-	-	1	-	11	49	97	183	289	481
WHITE-----MALE----	5,931	-	-	-	-	-	4	16	26	62	119	211
FEMALE--	4,194	-	-	-	-	-	2	14	31	47	74	145
ALL OTHER--MALE----	1,634	-	-	-	-	-	3	5	22	39	59	85
FEMALE--	1,200	-	-	-	1	-	2	14	18	35	37	40
BLACK---MALE----	1,261	-	-	-	-	-	2	3	16	27	48	71
FEMALE--	914	-	-	-	1	-	1	8	10	21	25	26
ALABAMA -----	204	-	-	-	-	-	-	3	3	5	2	10
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	52	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	47	-	-	-	-	-	-	1	1	3	1	6
FEMALE--	36	-	-	-	-	-	-	1	2	1	-	-
BLACK---MALE----	45	-	-	-	-	-	-	1	1	3	1	6
FEMALE--	36	-	-	-	-	-	-	1	2	1	-	-
ALASKA -----	32	-	-	-	-	-	-	-	2	4	3	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	7	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	187	-	-	-	-	-	-	2	1	2	5	4
WHITE-----MALE----	95	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	72	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	120	-	-	-	-	-	-	1	-	-	2	5
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	43	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	-
CALIFORNIA -----	1,532	-	-	-	-	-	2	5	15	19	44	64
WHITE-----MALE----	717	-	-	-	-	-	-	2	3	8	20	29
FEMALE--	427	-	-	-	-	-	-	1	6	1	12	20
ALL OTHER--MALE----	235	-	-	-	-	-	1	-	3	5	6	9
FEMALE--	153	-	-	-	-	-	1	2	3	5	6	6
BLACK---MALE----	90	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	50	-	-	-	-	-	-	-	1	3	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 496
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF STOMACH (151)												
UNITED STATES --	643	788	1,008	1,463	1,890	2,082	1,849	1,326	617	157	23	2
WHITE-----MALE----	312	408	499	745	968	990	843	506	172	43	6	1
FEMALE--	148	180	240	365	524	691	700	614	328	78	12	1
ALL OTHER--MALE----	112	125	181	233	236	241	158	75	46	14	-	-
FEMALE--	71	75	88	120	162	160	148	131	71	22	5	-
BLACK---MALE----	83	93	131	184	185	191	123	56	37	11	-	-
FEMALE--	50	57	64	91	118	126	118	111	62	21	4	-
ALABAMA -----	14	16	12	26	30	32	26	17	5	3	-	-
WHITE-----MALE----	5	12	6	8	11	12	6	4	-	1	-	-
FEMALE--	2	1	1	7	9	7	9	8	3	2	-	-
ALL OTHER--MALE----	3	3	4	6	5	9	4	1	-	-	-	-
FEMALE--	4	-	1	5	5	4	7	4	2	-	-	-
BLACK---MALE----	3	3	3	6	5	8	4	1	-	-	-	-
FEMALE--	4	-	1	5	5	4	7	4	2	-	-	-
ALASKA -----	2	3	4	4	6	1	-	1	1	-	-	-
WHITE-----MALE----	-	1	2	2	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	3	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	10	14	22	28	31	22	19	10	1	-	1
WHITE-----MALE----	6	8	7	9	19	17	10	6	4	-	-	-
FEMALE--	5	1	5	10	7	13	11	11	5	1	-	1
ALL OTHER--MALE----	2	-	1	2	-	1	-	1	-	-	-	-
FEMALE--	2	1	1	1	2	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	1	1	-	-	-
ARKANSAS -----	1	13	8	14	14	20	22	11	8	1	-	-
WHITE-----MALE----	-	6	3	7	10	11	11	4	2	1	-	-
FEMALE--	1	5	3	5	2	6	8	6	5	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	3	1	-	-	-	-
FEMALE--	-	1	2	1	1	2	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	1	1	3	1	-	-	-	-
FEMALE--	-	1	2	1	1	2	-	-	1	-	-	-
CALIFORNIA -----	81	102	131	161	205	254	218	140	68	20	3	-
WHITE-----MALE----	35	48	58	91	115	129	101	50	16	11	1	-
FEMALE--	19	25	24	28	41	69	70	67	36	7	1	-
ALL OTHER--MALE----	18	18	34	29	34	34	25	10	8	1	-	-
FEMALE--	9	11	15	13	15	22	22	13	8	1	1	-
BLACK---MALE----	8	6	13	11	13	16	8	2	6	-	-	-
FEMALE--	3	1	4	4	1	10	5	11	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 497
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	136	-	-	-	-	-	-	2	1	1	3	10
WHITE-----MALE----	69	-	-	-	-	-	-	1	1	-	1	8
FEMALE--	57	-	-	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	189	-	-	-	-	-	-	-	1	2	3	6
WHITE-----MALE----	98	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	76	-	-	-	-	-	-	-	1	-	1	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	37	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	51	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	914	-	-	-	-	-	-	-	9	8	19	23
WHITE-----MALE----	448	-	-	-	-	-	-	-	2	1	6	9
FEMALE--	310	-	-	-	-	-	-	-	5	3	7	8
ALL OTHER--MALE----	101	-	-	-	-	-	-	-	2	4	4	4
FEMALE--	55	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	98	-	-	-	-	-	-	-	2	4	4	4
FEMALE--	54	-	-	-	-	-	-	-	-	-	2	2
GEORGIA -----	302	-	-	-	-	-	-	2	4	4	8	9
WHITE-----MALE----	109	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	69	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	74	-	-	-	-	-	-	-	1	1	4	2
FEMALE--	50	-	-	-	-	-	-	2	3	1	2	1
BLACK---MALE----	71	-	-	-	-	-	-	-	1	1	4	2
FEMALE--	46	-	-	-	-	-	-	2	3	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 497
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	10	17	16	22	15	17	9	6	1	-	-
WHITE-----MALE----	4	5	9	9	13	5	7	3	3	-	-	-
FEMALE--	2	2	8	6	7	7	10	6	3	1	-	-
ALL OTHER--MALE----	-	3	-	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	3	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	11	8	7	26	30	23	41	18	10	3	-	-
WHITE-----MALE----	6	6	4	18	21	9	23	5	3	-	-	-
FEMALE--	4	2	2	5	7	11	17	13	6	3	-	-
ALL OTHER--MALE----	1	-	1	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	1	-	-	-
BLACK---MALE----	1	-	1	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
DELAWARE -----	3	4	1	2	6	4	8	4	1	-	-	-
WHITE-----MALE----	2	1	-	-	5	3	-	1	-	-	-	-
FEMALE--	-	2	-	1	-	1	5	2	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	2	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	2	-	1	-	-	-
DISTRICT OF COLUMBIA ----	1	2	5	9	9	8	10	4	2	-	-	-
WHITE-----MALE----	-	-	3	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	5	3	4	4	1	-	-	-	-
FEMALE--	-	-	2	3	3	3	3	3	2	-	-	-
BLACK---MALE----	1	2	-	5	3	4	4	1	-	-	-	-
FEMALE--	-	-	2	3	3	3	3	3	2	-	-	-
FLORIDA -----	51	34	66	87	132	156	136	126	48	17	2	-
WHITE-----MALE----	26	14	30	48	76	82	72	59	16	6	1	-
FEMALE--	10	11	19	18	37	49	52	57	24	9	1	-
ALL OTHER--MALE----	11	7	14	13	14	16	4	4	3	1	-	-
FEMALE--	4	2	3	8	5	9	8	6	5	1	-	-
BLACK---MALE----	10	7	13	12	14	16	4	4	3	1	-	-
FEMALE--	4	2	3	7	5	9	8	6	5	1	-	-
GEORGIA -----	24	16	34	33	41	53	37	24	8	4	1	-
WHITE-----MALE----	10	7	17	19	11	19	9	9	1	1	-	-
FEMALE--	3	2	4	5	12	13	13	7	5	-	1	-
ALL OTHER--MALE----	5	5	10	7	13	13	8	3	1	1	-	-
FEMALE--	6	2	3	2	5	8	7	5	1	2	-	-
BLACK---MALE----	5	5	10	7	12	11	8	3	1	1	-	-
FEMALE--	5	2	2	1	5	8	7	5	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 498

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF STOMACH (151)												
HAWAII -----	2	3	3	11	15	19	14	12	5	3	-	-
WHITE-----MALE----	-	-	-	-	2	1	3	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	3	-	-	-	-
ALL OTHER--MALE----	1	3	3	6	7	9	4	6	2	2	-	-
FEMALE--	1	-	-	4	5	8	4	3	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	4	4	5	9	4	6	2	-	-	-
WHITE-----MALE----	1	2	3	4	3	4	3	4	1	-	-	-
FEMALE--	1	1	1	-	2	4	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	32	49	47	71	77	105	86	75	32	7	-	-
WHITE-----MALE----	18	31	16	40	39	45	40	23	10	-	-	-
FEMALE--	5	5	11	13	14	42	31	39	18	5	-	-
ALL OTHER--MALE----	7	5	15	11	15	14	9	5	1	1	-	-
FEMALE--	2	8	5	7	9	4	6	8	3	1	-	-
BLACK---MALE----	7	5	14	9	14	12	7	5	1	1	-	-
FEMALE--	2	7	4	7	8	4	6	8	3	1	-	-
INDIANA -----	9	8	22	29	27	43	21	20	9	2	-	-
WHITE-----MALE----	7	3	7	15	11	24	11	7	4	-	-	-
FEMALE--	2	4	10	9	12	15	6	7	5	1	-	-
ALL OTHER--MALE----	-	-	3	3	2	3	1	2	-	-	-	-
FEMALE--	-	1	2	2	2	1	3	4	-	1	-	-
BLACK---MALE----	-	-	3	3	2	3	1	2	-	-	-	-
FEMALE--	-	-	2	2	2	1	3	2	-	1	-	-
IOWA -----	1	9	7	8	21	18	18	10	11	-	1	-
WHITE-----MALE----	1	4	3	6	15	9	9	5	1	-	-	-
FEMALE--	-	1	1	1	6	8	9	5	10	-	1	-
ALL OTHER--MALE----	-	3	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	4	5	9	12	12	17	9	10	3	1	1	-
WHITE-----MALE----	2	4	8	6	8	7	4	1	-	-	-	-
FEMALE--	1	1	1	4	3	7	3	9	3	1	1	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 499

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF STOMACH (151)												
KENTUCKY -----	156	-	-	-	-	-	-	-	1	3	4	8
WHITE-----MALE----	90	-	-	-	-	-	-	-	1	3	1	5
FEMALE--	60	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
LOUISIANA -----	242	-	-	-	-	-	-	-	3	3	4	8
WHITE-----MALE----	80	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	52	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	2	1	2	2
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	68	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	1
MAINE -----	63	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	253	-	-	-	-	-	1	-	1	8	7	14
WHITE-----MALE----	84	-	-	-	-	-	1	-	-	1	1	4
FEMALE--	59	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	-	2	3	7
FEMALE--	45	-	-	-	-	-	-	-	1	3	3	2
BLACK---MALE----	56	-	-	-	-	-	-	-	-	2	1	6
FEMALE--	39	-	-	-	-	-	-	-	1	2	3	1
MASSACHUSETTS -----	369	-	-	-	-	-	-	1	2	3	8	13
WHITE-----MALE----	191	-	-	-	-	-	-	1	1	-	4	7
FEMALE--	148	-	-	-	-	-	-	-	1	2	3	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	408	-	-	-	-	-	1	2	1	5	6	17
WHITE-----MALE----	196	-	-	-	-	-	-	-	-	2	3	12
FEMALE--	124	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	50	-	-	-	-	-	-	1	1	2	2	2
FEMALE--	38	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	45	-	-	-	-	-	-	1	1	2	2	2
FEMALE--	35	-	-	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 499
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF STOMACH (151)												
KENTUCKY -----	9	8	20	16	25	25	18	13	5	1	-	-
WHITE-----MALE----	4	4	11	12	15	12	12	6	3	1	-	-
FEMALE--	5	4	8	4	7	13	6	7	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
LOUISIANA -----	13	16	27	32	29	39	26	25	14	3	-	-
WHITE-----MALE----	8	8	13	9	11	11	9	4	1	-	-	-
FEMALE--	1	-	-	11	4	9	7	9	6	2	-	-
ALL OTHER--MALE----	2	5	9	9	11	11	5	7	3	1	-	-
FEMALE--	2	3	5	3	3	8	5	5	4	-	-	-
BLACK---MALE----	2	5	8	9	11	11	5	7	3	1	-	-
FEMALE--	2	3	5	3	2	8	5	4	4	-	-	-
MAINE -----	2	4	7	4	9	11	11	8	4	-	-	-
WHITE-----MALE----	1	4	4	2	7	5	6	3	3	-	-	-
FEMALE--	1	-	3	1	2	6	5	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	13	22	27	39	43	28	15	14	4	-	-
WHITE-----MALE----	3	2	6	11	14	20	14	4	3	-	-	-
FEMALE--	6	1	2	4	13	10	6	5	8	1	-	-
ALL OTHER--MALE----	4	7	8	8	8	9	2	4	1	2	-	-
FEMALE--	4	3	6	4	4	4	6	2	2	1	-	-
BLACK---MALE----	3	6	7	7	7	9	1	4	1	2	-	-
FEMALE--	1	3	6	4	4	3	6	2	2	1	-	-
MASSACHUSETTS -----	14	21	25	39	41	66	57	54	18	6	1	-
WHITE-----MALE----	9	12	19	25	24	30	28	25	4	1	1	-
FEMALE--	4	6	4	11	15	31	23	28	13	4	-	-
ALL OTHER--MALE----	-	2	2	3	1	1	4	1	-	-	-	-
FEMALE--	1	1	-	-	1	4	2	-	1	1	-	-
BLACK---MALE----	-	2	1	3	1	1	3	-	-	-	-	-
FEMALE--	1	1	-	-	1	4	2	-	1	1	-	-
MICHIGAN -----	21	25	22	33	53	77	69	51	20	5	-	-
WHITE-----MALE----	10	14	9	21	24	37	34	24	5	1	-	-
FEMALE--	3	5	5	6	17	28	24	18	12	2	-	-
ALL OTHER--MALE----	4	2	7	3	7	7	8	2	1	1	-	-
FEMALE--	4	4	1	3	5	5	3	7	2	1	-	-
BLACK---MALE----	4	2	5	2	6	6	8	2	1	1	-	-
FEMALE--	3	3	1	3	5	5	3	7	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 502
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF STOMACH (151)												
OHIO -----	18	31	30	64	79	83	89	48	24	5	1	-
WHITE-----MALE----	9	19	25	33	37	41	42	18	5	1	1	-
FEMALE--	3	8	3	20	24	32	36	24	17	3	-	-
ALL OTHER--MALE----	4	3	2	8	6	7	7	-	-	-	-	-
FEMALE--	2	1	-	3	12	3	4	6	2	1	-	-
BLACK---MALE----	4	2	2	7	6	7	7	-	-	-	-	-
FEMALE--	2	1	-	3	9	2	4	6	2	1	-	-
OKLAHOMA -----	8	10	9	14	24	20	20	7	7	2	-	-
WHITE-----MALE----	3	6	6	7	18	12	7	4	4	-	-	-
FEMALE--	3	2	2	5	5	5	9	2	3	2	-	-
ALL OTHER--MALE----	1	1	1	2	-	3	2	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	2	1	-	-	-	-
BLACK---MALE----	1	1	1	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
OREGON -----	8	7	7	17	17	24	15	17	9	-	-	-
WHITE-----MALE----	5	2	3	8	11	16	9	11	3	-	-	-
FEMALE--	3	3	4	8	4	6	6	6	6	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	20	32	54	72	110	140	128	77	38	7	1	-
WHITE-----MALE----	10	18	40	42	57	69	60	34	12	2	-	-
FEMALE--	3	8	6	16	37	53	53	32	18	3	-	-
ALL OTHER--MALE----	5	2	6	11	10	9	9	1	4	1	-	-
FEMALE--	2	4	2	3	6	9	6	10	4	1	1	-
BLACK---MALE----	3	2	3	9	9	9	9	1	4	1	-	-
FEMALE--	1	4	1	3	5	9	6	10	4	1	1	-
RHODE ISLAND -----	4	1	2	7	14	16	7	6	8	1	-	-
WHITE-----MALE----	3	-	2	3	10	9	4	2	2	1	-	-
FEMALE--	1	1	-	4	4	6	2	4	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	16	12	27	31	24	28	20	10	2	-	-
WHITE-----MALE----	2	7	9	8	15	15	3	3	1	-	-	-
FEMALE--	1	1	2	3	6	2	13	5	3	1	-	-
ALL OTHER--MALE----	1	6	-	9	5	5	7	5	3	-	-	-
FEMALE--	5	2	1	7	5	2	5	7	3	1	-	-
BLACK---MALE----	1	6	-	9	5	5	7	5	3	-	-	-
FEMALE--	5	2	1	7	5	2	5	7	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 503

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF STOMACH (151)												
SOUTH DAKOTA -----	42	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	209	-	-	-	-	-	-	2	1	2	7	11
WHITE-----MALE----	96	-	-	-	-	-	-	1	-	1	1	4
FEMALE--	64	-	-	-	-	-	-	-	1	1	2	4
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	22	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	22	-	-	-	-	-	-	1	-	-	1	1
TEXAS -----	848	-	-	-	1	-	3	4	9	15	33	46
WHITE-----MALE----	387	-	-	-	-	-	2	2	3	9	11	16
FEMALE--	303	-	-	-	-	-	1	1	4	3	15	20
ALL OTHER--MALE----	87	-	-	-	-	-	-	-	1	1	5	6
FEMALE--	71	-	-	-	1	-	-	1	1	2	2	4
BLACK---MALE----	82	-	-	-	-	-	-	-	1	1	5	6
FEMALE--	66	-	-	-	1	-	-	1	-	2	2	3
UTAH -----	58	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	29	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	300	-	-	-	-	-	-	-	3	9	11	14
WHITE-----MALE----	106	-	-	-	-	-	-	-	1	2	2	6
FEMALE--	87	-	-	-	-	-	-	-	-	1	2	4
ALL OTHER--MALE----	63	-	-	-	-	-	-	-	1	3	4	2
FEMALE--	44	-	-	-	-	-	-	-	1	3	3	2
BLACK---MALE----	53	-	-	-	-	-	-	-	1	3	3	2
FEMALE--	38	-	-	-	-	-	-	-	1	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 503

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF STOMACH (151)												
SOUTH DAKOTA -----	1	3	5	5	4	8	9	3	1	1	-	-
WHITE-----MALE----	1	1	2	2	2	4	6	1	1	-	-	-
FEMALE--	-	2	2	2	2	4	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	11	23	25	36	28	29	22	7	-	-	-
WHITE-----MALE----	1	6	12	14	18	10	14	12	2	-	-	-
FEMALE--	2	2	5	6	11	11	10	8	1	-	-	-
ALL OTHER--MALE----	1	2	5	2	4	4	1	1	2	-	-	-
FEMALE--	1	1	1	3	3	3	4	1	2	-	-	-
BLACK---MALE----	1	2	5	2	3	4	1	1	2	-	-	-
FEMALE--	1	1	1	3	3	3	4	1	2	-	-	-
TEXAS -----	55	60	76	110	119	106	102	74	29	5	1	-
WHITE-----MALE----	29	28	35	57	55	50	54	31	5	-	-	-
FEMALE--	18	19	25	30	42	38	39	31	14	2	1	-
ALL OTHER--MALE----	6	5	11	18	12	8	5	6	2	1	-	-
FEMALE--	2	8	5	5	10	10	4	6	8	2	-	-
BLACK---MALE----	6	3	10	18	11	8	5	5	2	1	-	-
FEMALE--	1	8	5	5	9	10	4	5	8	2	-	-
UTAH -----	2	3	4	8	8	15	7	5	3	-	-	-
WHITE-----MALE----	1	2	2	3	4	8	3	2	2	-	-	-
FEMALE--	1	1	1	5	3	5	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	3	3	-	4	2	-	-	1	-	-
WHITE-----MALE----	-	1	3	2	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	19	32	35	43	45	35	22	11	3	-	-
WHITE-----MALE----	7	9	9	13	19	16	12	6	4	-	-	-
FEMALE--	4	3	14	12	9	13	11	9	3	2	-	-
ALL OTHER--MALE----	4	6	7	7	10	10	6	-	3	-	-	-
FEMALE--	3	1	2	3	5	6	6	7	1	1	-	-
BLACK---MALE----	4	5	5	6	8	8	5	-	3	-	-	-
FEMALE--	2	1	2	3	3	6	6	7	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 505

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)												
UNITED STATES --	63	81	105	132	154	152	126	90	26	13	-	-
WHITE-----MALE----	37	35	47	73	76	69	69	34	10	-	-	-
FEMALE--	14	30	40	45	54	63	48	49	12	12	-	-
ALL OTHER--MALE----	8	7	5	9	11	8	3	3	2	-	-	-
FEMALE--	4	9	13	5	13	12	6	4	2	1	-	-
BLACK---MALE----	8	7	4	6	8	6	3	2	2	-	-	-
FEMALE--	3	9	13	4	12	11	5	4	2	1	-	-
ALABAMA -----	-	1	2	2	-	4	5	2	-	1	-	-
WHITE-----MALE----	-	1	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	2	-	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
ALASKA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	2	-	2	2	1	-	1	-	-	-
WHITE-----MALE----	1	1	2	-	2	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	5	7	13	14	15	11	9	1	1	-	-
WHITE-----MALE----	5	2	3	7	7	6	3	2	-	-	-	-
FEMALE--	1	3	2	4	5	4	6	5	-	1	-	-
ALL OTHER--MALE----	-	-	-	2	2	1	1	2	1	-	-	-
FEMALE--	1	-	2	-	-	4	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	2	-	-	3	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 508

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)												
KENTUCKY -----	-	1	1	3	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	1	1	2	5	2	2	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	3	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	1	-	-	-
MAINE -----	-	2	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	3	-	7	3	2	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	1	1	4	3	4	4	4	2	-	-	-
WHITE-----MALE----	-	-	-	2	2	1	-	1	1	-	-	-
FEMALE--	-	1	1	2	1	3	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	4	5	3	4	3	3	4	2	-	-	-
WHITE-----MALE----	-	-	-	2	2	2	2	-	-	-	-	-
FEMALE--	-	3	3	1	2	-	-	2	2	-	-	-
ALL OTHER--MALE----	2	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	2	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 511

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)												
OHIO -----	45	-	-	-	-	-	-	-	-	-	-	5
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	18	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	14	-	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	67	-	-	-	-	-	-	-	-	-	4	2
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 511
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)												
OHIO -----	5	3	2	2	8	6	8	2	4	-	-	-
WHITE-----MALE----	3	1	2	-	2	3	6	1	1	-	-	-
FEMALE--	1	2	-	1	4	3	2	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	1	-	-	-
OKLAHOMA -----	5	3	2	1	2	1	-	1	-	-	-	-
WHITE-----MALE----	3	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	2	1	2	-	2	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	5	7	7	11	11	13	3	-	1	-	-
WHITE-----MALE----	2	2	5	5	4	4	10	1	-	-	-	-
FEMALE--	1	2	2	2	4	6	3	2	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	1	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	3	-	2	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 512
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)												
SOUTH DAKOTA -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	4	4	2	1	4	1	1	-	-	-	-
WHITE-----MALE----	-	2	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	6	4	12	11	14	8	10	5	2	2	-	-
WHITE-----MALE----	3	2	4	8	9	5	6	3	1	-	-	-
FEMALE--	1	1	5	2	4	2	4	2	1	1	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	3	-	1	-	-	-	-	1	-	-
BLACK---MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	3	-	1	-	-	-	-	1	-	-
UTAH -----	-	1	3	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	2	1	1	4	3	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 514
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF COLON (153)												
UNITED STATES --	48,198	-	-	-	3	6	29	69	160	321	664	1,135
WHITE-----MALE----	20,272	-	-	-	1	5	12	21	61	116	267	470
FEMALE--	21,318	-	-	-	1	-	8	25	55	104	244	405
ALL OTHER--MALE----	3,085	-	-	-	-	1	2	15	25	50	75	119
FEMALE--	3,523	-	-	-	1	-	7	8	19	51	78	141
BLACK---MALE----	2,617	-	-	-	-	1	1	9	21	42	64	99
FEMALE--	3,095	-	-	-	1	-	4	8	15	45	64	117
ALABAMA -----	806	-	-	-	-	-	-	2	1	4	15	22
WHITE-----MALE----	312	-	-	-	-	-	-	1	-	1	7	7
FEMALE--	298	-	-	-	-	-	-	-	-	1	5	6
ALL OTHER--MALE----	89	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	107	-	-	-	-	-	-	-	1	-	2	8
BLACK---MALE----	89	-	-	-	-	-	-	1	-	2	1	1
FEMALE--	107	-	-	-	-	-	-	-	1	-	2	8
ALASKA -----	43	-	-	-	-	-	-	-	-	3	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	744	-	-	-	-	-	-	2	2	5	17	21
WHITE-----MALE----	382	-	-	-	-	-	-	1	1	1	9	15
FEMALE--	322	-	-	-	-	-	-	-	1	1	6	6
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	529	-	-	-	-	-	-	-	4	5	7	15
WHITE-----MALE----	219	-	-	-	-	-	-	-	3	2	3	7
FEMALE--	239	-	-	-	-	-	-	-	-	3	2	6
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	31	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	1
CALIFORNIA -----	4,199	-	-	-	-	1	2	8	20	34	53	120
WHITE-----MALE----	1,771	-	-	-	-	1	-	1	8	11	22	54
FEMALE--	1,734	-	-	-	-	-	-	4	8	10	12	37
ALL OTHER--MALE----	345	-	-	-	-	-	2	3	1	4	6	14
FEMALE--	349	-	-	-	-	-	-	-	3	9	13	15
BLACK---MALE----	163	-	-	-	-	-	1	1	-	2	4	8
FEMALE--	187	-	-	-	-	-	-	-	1	5	8	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 514
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
UNITED STATES --	1,954	2,697	3,681	5,427	7,127	7,952	7,404	5,760	2,873	815	121	-
WHITE-----MALE----	879	1,285	1,733	2,654	3,368	3,625	2,924	1,910	749	169	23	-
FEMALE--	650	924	1,265	1,939	2,800	3,407	3,713	3,271	1,861	564	82	-
ALL OTHER--MALE----	228	251	361	422	475	429	329	217	64	21	1	-
FEMALE--	197	237	322	412	484	491	438	362	199	61	15	-
BLACK---MALE----	193	216	308	362	404	357	277	184	58	20	1	-
FEMALE--	169	201	286	351	431	449	392	322	177	50	13	-
ALABAMA -----	40	37	68	100	119	146	96	92	49	11	4	-
WHITE-----MALE----	19	21	22	44	57	61	29	27	12	3	1	-
FEMALE--	11	11	25	31	36	54	42	42	30	3	1	-
ALL OTHER--MALE----	5	1	12	12	17	14	9	11	2	1	-	-
FEMALE--	5	4	9	13	9	17	16	12	5	4	2	-
BLACK---MALE----	5	1	12	12	17	14	9	11	2	1	-	-
FEMALE--	5	4	9	13	9	17	16	12	5	4	2	-
ALASKA -----	3	4	7	6	3	4	6	2	1	2	-	-
WHITE-----MALE----	-	2	3	3	1	2	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	3	1	1	1	-	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	3	1	1	1	2	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	28	43	50	84	109	125	119	83	47	5	4	-
WHITE-----MALE----	18	30	23	48	63	67	54	36	13	2	1	-
FEMALE--	9	9	19	29	43	54	63	43	33	3	3	-
ALL OTHER--MALE----	1	3	4	2	1	4	-	-	-	-	-	-
FEMALE--	-	1	4	5	2	-	2	4	1	-	-	-
BLACK---MALE----	-	2	2	1	1	4	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	2	2	-	-	-	-
ARKANSAS -----	27	29	51	66	74	75	69	63	33	9	2	-
WHITE-----MALE----	14	12	23	31	34	34	23	21	11	1	-	-
FEMALE--	9	12	22	26	32	34	37	33	14	7	2	-
ALL OTHER--MALE----	1	3	2	4	4	5	5	2	2	-	-	-
FEMALE--	3	2	4	5	4	2	4	7	6	1	-	-
BLACK---MALE----	1	3	2	4	4	5	5	2	2	-	-	-
FEMALE--	3	2	4	5	4	2	4	7	6	1	-	-
CALIFORNIA -----	189	246	333	473	597	706	638	479	237	60	3	-
WHITE-----MALE----	86	112	155	215	278	335	254	170	55	13	1	-
FEMALE--	53	74	110	167	220	276	310	251	159	42	1	-
ALL OTHER--MALE----	24	33	38	52	51	47	38	24	8	-	-	-
FEMALE--	26	27	30	39	48	48	36	34	15	5	1	-
BLACK---MALE----	8	20	21	26	26	17	14	11	4	-	-	-
FEMALE--	13	9	19	15	29	34	20	18	10	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 515

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF COLON (153)												
COLORADO -----	520	-	-	-	-	2	-	1	1	2	9	22
WHITE-----MALE----	249	-	-	-	-	2	-	-	1	-	5	13
FEMALE--	245	-	-	-	-	-	-	-	-	1	4	8
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	619	-	-	-	-	-	-	-	3	2	11	8
WHITE-----MALE----	263	-	-	-	-	-	-	-	1	1	4	2
FEMALE--	314	-	-	-	-	-	-	-	2	-	5	4
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	2	1
DELAWARE -----	139	-	-	-	-	-	-	-	2	1	1	1
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	65	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	135	-	-	-	-	-	-	-	2	1	2	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	56	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	56	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	1
FLORIDA -----	3,382	-	-	-	-	-	1	4	11	21	40	62
WHITE-----MALE----	1,528	-	-	-	-	-	-	-	4	11	16	22
FEMALE--	1,524	-	-	-	-	-	1	1	2	6	9	23
ALL OTHER--MALE----	154	-	-	-	-	-	-	2	3	1	7	6
FEMALE--	176	-	-	-	-	-	-	1	2	3	8	11
BLACK---MALE----	142	-	-	-	-	-	-	1	3	1	6	5
FEMALE--	166	-	-	-	-	-	-	1	2	3	6	10
GEORGIA -----	960	-	-	-	1	-	3	-	6	13	19	32
WHITE-----MALE----	328	-	-	-	-	-	-	-	2	6	6	10
FEMALE--	344	-	-	-	-	-	2	-	1	1	7	7
ALL OTHER--MALE----	111	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	177	-	-	-	1	-	1	-	2	5	4	10
BLACK---MALE----	110	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	175	-	-	-	1	-	1	-	2	5	4	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 515
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	28	31	40	62	68	76	68	64	36	8	2	-
WHITE-----MALE----	15	15	26	39	31	37	34	21	7	3	-	-
FEMALE--	10	14	13	17	32	37	31	43	29	5	1	-
ALL OTHER--MALE----	1	1	-	3	4	1	1	-	-	-	-	-
FEMALE--	2	1	1	3	1	1	2	-	-	-	1	-
BLACK---MALE----	1	1	-	3	2	1	1	-	-	-	-	-
FEMALE--	1	1	1	2	1	1	1	-	-	-	1	-
CONNECTICUT -----	16	25	37	76	79	113	119	73	45	9	3	-
WHITE-----MALE----	10	13	14	40	38	52	51	22	14	-	1	-
FEMALE--	6	10	18	28	32	58	63	48	30	9	1	-
ALL OTHER--MALE----	-	1	4	4	3	1	3	2	-	-	-	-
FEMALE--	-	1	1	4	6	2	2	1	1	-	1	-
BLACK---MALE----	-	1	3	4	2	1	2	2	-	-	-	-
FEMALE--	-	1	1	3	6	2	2	1	1	-	1	-
DELAWARE -----	7	13	12	13	28	22	22	10	6	1	-	-
WHITE-----MALE----	2	5	5	8	15	13	4	3	1	-	-	-
FEMALE--	3	5	6	4	10	8	15	6	5	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	-	3	1	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	-	3	1	-	-	-	-
DISTRICT OF COLUMBIA ----	4	5	11	19	22	29	18	9	9	2	-	-
WHITE-----MALE----	-	-	-	1	2	4	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	6	2	2	3	-	-	-
ALL OTHER--MALE----	3	3	8	7	10	8	7	2	3	1	-	-
FEMALE--	1	2	2	10	8	11	7	4	3	1	-	-
BLACK---MALE----	3	3	8	7	10	8	7	2	3	1	-	-
FEMALE--	1	2	2	10	8	11	7	4	3	1	-	-
FLORIDA -----	102	168	211	346	510	577	558	489	207	68	7	-
WHITE-----MALE----	46	74	99	193	250	299	240	193	60	21	-	-
FEMALE--	34	63	76	119	212	237	284	274	134	43	6	-
ALL OTHER--MALE----	10	16	18	21	31	13	17	6	2	1	-	-
FEMALE--	12	15	18	13	17	28	17	16	11	3	1	-
BLACK---MALE----	9	15	18	20	29	11	15	6	2	1	-	-
FEMALE--	12	15	18	10	17	26	16	15	11	3	1	-
GEORGIA -----	68	76	78	105	152	143	117	94	40	10	3	-
WHITE-----MALE----	20	30	30	35	68	60	35	18	7	1	-	-
FEMALE--	11	26	21	28	52	49	53	54	26	4	2	-
ALL OTHER--MALE----	17	12	11	21	10	16	8	4	1	2	-	-
FEMALE--	20	8	16	21	22	18	21	18	6	3	1	-
BLACK---MALE----	16	12	11	21	10	16	8	4	1	2	-	-
FEMALE--	20	8	16	21	22	18	21	17	6	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 516
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	15	14	13	21	25	33	17	13	7	5	-	-
WHITE-----MALE----	2	3	2	5	3	6	-	1	-	-	-	-
FEMALE--	-	2	-	3	-	3	1	2	3	-	-	-
ALL OTHER--MALE----	9	6	8	10	15	15	11	7	-	1	-	-
FEMALE--	4	3	3	3	7	9	5	3	4	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IDAHO -----	13	13	8	18	27	24	25	23	16	1	-	-
WHITE-----MALE----	7	5	4	7	14	11	10	8	7	1	-	-
FEMALE--	6	8	4	10	13	13	14	15	8	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ILLINOIS -----	88	119	180	272	338	378	344	268	152	39	4	-
WHITE-----MALE----	37	51	78	121	170	175	119	88	43	8	-	-
FEMALE--	29	39	67	83	120	145	179	155	92	29	4	-
ALL OTHER--MALE----	14	18	20	35	21	32	17	8	5	-	-	-
FEMALE--	8	11	15	33	27	26	29	17	12	2	-	-
BLACK---MALE----	14	17	19	35	16	31	17	8	4	-	-	-
FEMALE--	8	8	14	32	25	26	26	16	10	2	-	-
INDIANA -----	56	75	91	132	154	194	175	161	57	20	3	-
WHITE-----MALE----	24	42	47	70	70	94	74	49	19	-	1	-
FEMALE--	24	21	36	51	65	88	90	102	35	19	1	-
ALL OTHER--MALE----	7	3	4	6	7	5	1	5	1	-	1	-
FEMALE--	1	9	4	5	12	7	10	5	2	1	-	-
BLACK---MALE----	7	3	3	6	7	5	1	5	1	-	1	-
FEMALE--	1	8	4	5	11	7	10	5	2	1	-	-
IOWA -----	12	36	61	60	89	90	111	103	49	19	3	-
WHITE-----MALE----	6	19	36	30	45	41	54	38	14	5	-	-
FEMALE--	6	14	24	28	42	49	57	62	34	14	3	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	2	1	1	1	-	-	1	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	1	1	-	-	-
KANSAS -----	20	22	26	53	65	70	73	50	40	6	-	-
WHITE-----MALE----	8	9	13	29	37	37	24	21	11	2	-	-
FEMALE--	9	8	12	19	26	26	44	26	29	4	-	-
ALL OTHER--MALE----	3	4	1	3	-	5	5	-	-	-	-	-
FEMALE--	-	1	-	2	2	2	-	3	-	-	-	-
BLACK---MALE----	3	4	1	3	-	5	5	-	-	-	-	-
FEMALE--	-	1	-	2	2	2	-	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 517
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	760	-	-	-	-	-	-	-	4	6	14	20
WHITE-----MALE----	345	-	-	-	-	-	-	-	3	2	8	7
FEMALE--	359	-	-	-	-	-	-	-	1	4	4	11
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	853	-	-	-	-	-	2	4	1	9	19	35
WHITE-----MALE----	306	-	-	-	-	-	1	2	1	4	7	4
FEMALE--	273	-	-	-	-	-	1	1	-	2	9	10
ALL OTHER--MALE----	134	-	-	-	-	-	-	1	-	2	2	11
FEMALE--	140	-	-	-	-	-	-	-	-	1	1	10
BLACK---MALE----	133	-	-	-	-	-	-	1	-	2	2	11
FEMALE--	140	-	-	-	-	-	-	-	-	1	1	10
MAINE -----	252	-	-	-	-	-	1	-	1	-	-	3
WHITE-----MALE----	115	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	136	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	922	-	-	-	-	-	-	1	1	10	18	33
WHITE-----MALE----	322	-	-	-	-	-	-	-	-	2	5	9
FEMALE--	362	-	-	-	-	-	-	-	1	4	4	13
ALL OTHER--MALE----	113	-	-	-	-	-	-	-	-	3	4	8
FEMALE--	125	-	-	-	-	-	-	1	-	1	5	3
BLACK---MALE----	103	-	-	-	-	-	-	-	-	2	4	6
FEMALE--	119	-	-	-	-	-	-	1	-	1	4	3
MASSACHUSETTS -----	1,321	-	-	-	-	-	-	3	4	8	16	21
WHITE-----MALE----	583	-	-	-	-	-	-	2	2	5	7	7
FEMALE--	667	-	-	-	-	-	-	1	2	2	5	10
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	27	-	-	-	-	-	-	-	-	1	1	1
MICHIGAN -----	1,727	-	-	-	-	-	2	2	7	12	15	40
WHITE-----MALE----	722	-	-	-	-	-	-	-	2	7	5	16
FEMALE--	746	-	-	-	-	-	-	1	2	4	6	14
ALL OTHER--MALE----	124	-	-	-	-	-	-	-	2	-	3	7
FEMALE--	135	-	-	-	-	-	2	1	1	1	1	3
BLACK---MALE----	116	-	-	-	-	-	-	-	1	-	3	7
FEMALE--	131	-	-	-	-	-	2	1	1	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 517
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
KENTUCKY -----	29	44	65	70	131	116	117	83	46	14	1	-
WHITE-----MALE----	22	23	33	33	65	68	43	28	7	2	1	-
FEMALE--	7	15	27	31	60	46	65	46	32	10	-	-
ALL OTHER--MALE----	-	2	1	5	2	-	7	1	1	1	-	-
FEMALE--	-	4	4	1	4	2	2	8	6	1	-	-
BLACK---MALE----	-	2	1	5	2	-	6	1	1	1	-	-
FEMALE--	-	4	4	1	4	2	2	8	5	1	-	-
LOUISIANA -----	41	61	78	89	128	124	117	91	43	10	1	-
WHITE-----MALE----	18	20	29	38	62	52	36	20	10	2	-	-
FEMALE--	12	14	17	24	36	37	44	45	19	2	-	-
ALL OTHER--MALE----	7	13	18	14	21	17	15	8	3	2	-	-
FEMALE--	4	14	14	13	9	18	22	18	11	4	1	-
BLACK---MALE----	7	12	18	14	21	17	15	8	3	2	-	-
FEMALE--	4	14	14	13	9	18	22	18	11	4	1	-
MAINE -----	10	13	18	28	24	45	47	37	20	5	-	-
WHITE-----MALE----	6	8	14	17	12	19	14	13	9	-	-	-
FEMALE--	4	5	4	11	11	26	33	24	11	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	47	55	67	115	140	131	144	94	50	15	1	-
WHITE-----MALE----	13	24	25	51	47	56	55	23	9	3	-	-
FEMALE--	10	11	17	34	59	46	64	55	32	11	1	-
ALL OTHER--MALE----	15	8	16	14	12	15	12	4	2	-	-	-
FEMALE--	9	12	9	16	22	14	13	12	7	1	-	-
BLACK---MALE----	15	8	14	12	12	13	11	4	2	-	-	-
FEMALE--	9	12	9	16	21	13	11	12	6	1	-	-
MASSACHUSETTS -----	42	52	79	121	195	243	211	171	119	32	4	-
WHITE-----MALE----	22	23	39	59	106	108	88	69	37	8	1	-
FEMALE--	16	25	28	57	81	119	118	97	80	23	3	-
ALL OTHER--MALE----	3	2	6	3	4	6	2	3	-	1	-	-
FEMALE--	1	2	6	2	4	10	3	2	2	-	-	-
BLACK---MALE----	3	2	5	2	4	5	2	3	-	1	-	-
FEMALE--	-	2	5	2	3	8	2	1	1	-	-	-
MICHIGAN -----	71	102	139	188	268	276	279	190	102	31	3	-
WHITE-----MALE----	43	51	68	92	125	111	117	57	23	4	1	-
FEMALE--	19	37	46	72	93	122	126	113	64	25	2	-
ALL OTHER--MALE----	4	9	12	12	20	24	18	7	5	1	-	-
FEMALE--	5	5	13	12	30	19	18	13	10	1	-	-
BLACK---MALE----	4	9	10	10	19	24	17	6	5	1	-	-
FEMALE--	5	5	12	11	30	19	17	12	10	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 518
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	800	-	-	-	-	-	-	-	2	2	6	17
WHITE-----MALE----	368	-	-	-	-	-	-	-	1	-	1	7
FEMALE--	415	-	-	-	-	-	-	-	1	1	4	9
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	480	-	-	-	-	-	-	2	3	3	6	19
WHITE-----MALE----	161	-	-	-	-	-	-	-	1	-	1	10
FEMALE--	145	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	66	-	-	-	-	-	-	1	1	2	2	3
FEMALE--	108	-	-	-	-	-	-	-	1	1	3	4
BLACK---MALE----	66	-	-	-	-	-	-	1	1	2	2	3
FEMALE--	108	-	-	-	-	-	-	-	1	1	3	4
MISSOURI -----	1,132	-	-	-	-	-	1	1	3	8	10	22
WHITE-----MALE----	487	-	-	-	-	-	1	1	-	4	4	10
FEMALE--	526	-	-	-	-	-	-	-	1	3	4	10
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	71	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	47	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	66	-	-	-	-	-	-	-	1	1	1	1
MONTANA -----	134	-	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	76	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	56	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	336	-	-	-	-	-	-	-	-	1	5	9
WHITE-----MALE----	152	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	176	-	-	-	-	-	-	-	-	1	4	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	323	-	-	-	-	-	-	-	3	-	5	6
WHITE-----MALE----	162	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	125	-	-	-	-	-	-	-	2	-	2	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 518

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
MINNESOTA -----	33	47	67	79	102	126	118	114	63	20	4	-
WHITE-----MALE----	20	26	34	43	48	65	56	45	16	5	1	-
FEMALE--	12	19	32	34	51	61	61	65	47	15	3	-
ALL OTHER--MALE----	-	2	1	-	1	-	-	2	-	-	-	-
FEMALE--	1	-	-	2	2	-	1	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
MISSISSIPPI -----	21	31	46	49	66	73	59	62	30	9	1	-
WHITE-----MALE----	9	15	24	22	21	25	16	11	4	2	-	-
FEMALE--	5	8	12	13	22	25	17	25	12	2	1	-
ALL OTHER--MALE----	4	4	1	5	9	10	14	7	3	-	-	-
FEMALE--	3	4	9	9	14	13	12	19	11	5	-	-
BLACK---MALE----	4	4	1	5	9	10	14	7	3	-	-	-
FEMALE--	3	4	9	9	14	13	12	19	11	5	-	-
MISSOURI -----	31	60	73	130	173	180	169	156	91	18	6	-
WHITE-----MALE----	17	30	34	68	87	82	65	51	25	6	2	-
FEMALE--	10	25	29	50	63	80	93	83	60	11	4	-
ALL OTHER--MALE----	2	2	6	5	11	4	6	7	2	-	-	-
FEMALE--	2	3	4	7	12	14	5	15	4	1	-	-
BLACK---MALE----	1	2	6	5	11	4	6	7	2	-	-	-
FEMALE--	2	3	4	7	11	12	5	14	4	-	-	-
MONTANA -----	4	7	12	10	16	22	28	21	6	3	-	-
WHITE-----MALE----	3	4	7	5	12	15	16	9	2	-	-	-
FEMALE--	1	3	5	5	4	6	12	11	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	18	20	23	33	41	56	56	45	21	4	4	-
WHITE-----MALE----	8	8	11	24	21	22	29	16	6	-	1	-
FEMALE--	10	11	11	9	17	34	27	29	14	4	3	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	10	22	29	63	58	51	37	23	13	3	-	-
WHITE-----MALE----	7	13	13	39	28	25	17	10	6	-	-	-
FEMALE--	3	5	10	20	22	22	17	11	6	2	-	-
ALL OTHER--MALE----	-	3	3	2	4	3	-	1	-	-	-	-
FEMALE--	-	1	3	2	4	1	3	1	1	1	-	-
BLACK---MALE----	-	2	3	2	4	2	-	1	-	-	-	-
FEMALE--	-	-	3	-	2	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 520
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF COLON (153)												
OHIO -----	2,326	-	-	-	-	-	-	1	10	10	33	51
WHITE-----MALE----	975	-	-	-	-	-	-	1	5	2	16	25
FEMALE--	1,102	-	-	-	-	-	-	-	4	6	14	19
ALL OTHER--MALE----	112	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	137	-	-	-	-	-	-	-	1	1	2	5
BLACK---MALE----	110	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	136	-	-	-	-	-	-	-	1	1	2	5
OKLAHOMA -----	631	-	-	-	-	-	2	2	4	7	7	11
WHITE-----MALE----	264	-	-	-	-	-	1	-	1	1	2	3
FEMALE--	287	-	-	-	-	-	-	2	3	3	4	8
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	34	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	3	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	564	-	-	-	-	-	1	1	-	2	9	5
WHITE-----MALE----	274	-	-	-	-	-	-	1	-	1	5	2
FEMALE--	277	-	-	-	-	-	-	-	-	1	3	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,900	-	-	-	-	-	1	-	2	8	32	42
WHITE-----MALE----	1,260	-	-	-	-	-	1	-	1	5	16	23
FEMALE--	1,389	-	-	-	-	-	-	-	1	2	13	16
ALL OTHER--MALE----	102	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	149	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	98	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	147	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND -----	223	-	-	-	-	-	-	-	-	1	4	2
WHITE-----MALE----	112	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	106	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	638	-	-	-	-	-	1	1	2	6	12	19
WHITE-----MALE----	208	-	-	-	-	-	1	1	-	1	2	8
FEMALE--	239	-	-	-	-	-	-	-	1	1	3	4
ALL OTHER--MALE----	97	-	-	-	-	-	-	-	1	2	4	4
FEMALE--	94	-	-	-	-	-	-	-	-	2	3	3
BLACK---MALE----	97	-	-	-	-	-	-	-	1	2	4	4
FEMALE--	94	-	-	-	-	-	-	-	-	2	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 520
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
OHIO -----	76	113	181	275	362	406	355	277	121	46	9	-
WHITE-----MALE----	28	53	87	140	172	183	124	96	36	7	-	-
FEMALE--	28	51	72	100	157	175	198	156	78	37	7	-
ALL OTHER--MALE----	10	6	10	19	13	19	16	10	3	2	-	-
FEMALE--	10	3	12	16	20	29	17	15	4	-	2	-
BLACK---MALE----	10	6	10	19	13	19	15	10	3	2	-	-
FEMALE--	10	3	12	16	20	29	17	14	4	-	2	-
OKLAHOMA -----	33	40	55	75	89	96	91	77	33	8	1	-
WHITE-----MALE----	14	17	25	32	42	44	44	29	8	1	-	-
FEMALE--	14	19	17	29	37	38	40	44	22	6	1	-
ALL OTHER--MALE----	1	4	8	8	8	7	5	2	-	-	-	-
FEMALE--	4	-	5	6	2	7	2	2	3	1	-	-
BLACK---MALE----	-	3	5	5	4	7	3	1	-	-	-	-
FEMALE--	3	-	2	3	2	5	1	-	1	-	-	-
OREGON -----	23	29	47	64	93	89	91	64	32	12	2	-
WHITE-----MALE----	12	19	25	43	47	52	38	19	8	2	-	-
FEMALE--	11	9	20	20	45	36	50	43	24	10	2	-
ALL OTHER--MALE----	-	-	2	1	1	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
PENNSYLVANIA -----	80	150	189	296	485	502	530	354	170	51	8	-
WHITE-----MALE----	41	80	93	132	235	239	208	120	49	14	3	-
FEMALE--	29	52	79	131	204	223	289	202	108	36	4	-
ALL OTHER--MALE----	5	9	6	14	18	19	5	18	3	-	-	-
FEMALE--	5	9	11	19	28	21	28	14	10	1	1	-
BLACK---MALE----	5	9	6	13	18	19	5	16	3	-	-	-
FEMALE--	5	8	11	18	28	21	28	14	10	1	1	-
RHODE ISLAND -----	8	6	11	19	34	42	45	27	15	8	1	-
WHITE-----MALE----	5	2	8	13	18	19	24	11	8	1	-	-
FEMALE--	3	4	2	6	15	21	21	16	6	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
SOUTH CAROLINA -----	34	46	46	71	97	111	95	60	32	5	-	-
WHITE-----MALE----	14	18	19	27	34	28	31	19	4	1	-	-
FEMALE--	7	12	9	23	33	49	45	28	21	3	-	-
ALL OTHER--MALE----	6	6	10	12	15	19	10	4	4	-	-	-
FEMALE--	7	10	8	9	15	15	9	9	3	1	-	-
BLACK---MALE----	6	6	10	12	15	19	10	4	4	-	-	-
FEMALE--	7	10	8	9	15	15	9	9	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 521

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF COLON (153)												
SOUTH DAKOTA -----	161	-	-	-	-	-	-	-	-	1	5	5
WHITE-----MALE----	78	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	77	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,031	-	-	-	-	-	2	2	5	6	12	24
WHITE-----MALE----	404	-	-	-	-	-	-	-	2	3	3	10
FEMALE--	413	-	-	-	-	-	2	1	1	1	5	5
ALL OTHER--MALE----	104	-	-	-	-	-	-	1	1	1	4	3
FEMALE--	110	-	-	-	-	-	-	-	1	1	-	6
BLACK---MALE----	101	-	-	-	-	-	-	1	1	1	3	2
FEMALE--	109	-	-	-	-	-	-	-	1	1	-	6
TEXAS -----	2,775	-	-	-	-	-	1	8	9	30	61	93
WHITE-----MALE----	1,192	-	-	-	-	-	1	3	4	10	27	53
FEMALE--	1,177	-	-	-	-	-	-	3	4	10	25	25
ALL OTHER--MALE----	202	-	-	-	-	-	-	1	1	5	3	9
FEMALE--	204	-	-	-	-	-	-	1	-	5	6	6
BLACK---MALE----	195	-	-	-	-	-	-	-	1	5	3	9
FEMALE--	195	-	-	-	-	-	-	1	-	5	5	6
UTAH -----	218	-	-	-	-	1	1	-	-	1	-	2
WHITE-----MALE----	98	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	114	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	117	-	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	58	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	59	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,174	-	-	-	-	-	-	3	3	6	16	41
WHITE-----MALE----	439	-	-	-	-	-	-	1	-	2	6	15
FEMALE--	463	-	-	-	-	-	-	1	1	-	7	15
ALL OTHER--MALE----	131	-	-	-	-	-	-	1	2	1	2	2
FEMALE--	141	-	-	-	-	-	-	-	-	3	1	9
BLACK---MALE----	126	-	-	-	-	-	-	1	2	1	2	2
FEMALE--	136	-	-	-	-	-	-	-	-	3	1	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 521
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
SOUTH DAKOTA -----	5	8	11	18	29	24	26	15	11	2	1	-
WHITE-----MALE----	3	4	7	8	19	11	11	6	4	1	-	-
FEMALE--	2	4	2	9	10	13	15	9	7	1	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	60	67	86	126	170	148	139	120	45	14	5	-
WHITE-----MALE----	25	30	44	53	76	62	49	36	9	1	1	-
FEMALE--	17	18	27	47	61	56	71	62	27	9	3	-
ALL OTHER--MALE----	11	10	9	14	17	15	11	6	1	-	-	-
FEMALE--	7	9	6	12	16	15	8	16	8	4	1	-
BLACK---MALE----	11	9	9	14	17	15	11	6	1	-	-	-
FEMALE--	6	9	6	12	16	15	8	16	8	4	1	-
TEXAS -----	136	167	237	327	378	458	355	312	152	43	8	-
WHITE-----MALE----	63	93	116	164	166	229	119	96	37	11	-	-
FEMALE--	43	58	71	114	158	177	176	174	103	28	8	-
ALL OTHER--MALE----	21	10	29	25	32	18	24	21	1	2	-	-
FEMALE--	9	6	21	24	22	34	36	21	11	2	-	-
BLACK---MALE----	21	10	27	25	32	16	22	21	1	2	-	-
FEMALE--	9	6	21	23	21	33	33	20	10	2	-	-
UTAH -----	5	12	21	19	30	49	35	29	13	-	-	-
WHITE-----MALE----	2	7	12	6	17	18	21	9	4	-	-	-
FEMALE--	3	4	9	12	13	30	12	20	9	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	5	11	10	12	14	18	20	14	3	-	-
WHITE-----MALE----	1	2	9	6	8	6	10	7	5	-	-	-
FEMALE--	4	3	2	4	4	8	8	13	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	68	83	112	141	185	172	163	110	54	15	2	-
WHITE-----MALE----	20	37	47	70	79	64	58	30	6	3	1	-
FEMALE--	26	28	32	36	62	77	72	60	35	10	1	-
ALL OTHER--MALE----	11	8	19	16	28	16	13	8	3	1	-	-
FEMALE--	11	10	14	19	16	15	20	12	10	1	-	-
BLACK---MALE----	11	7	17	16	28	15	13	7	3	1	-	-
FEMALE--	11	10	13	17	16	14	20	12	9	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 524

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)												
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	1	-	1	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 526

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)												
KENTUCKY -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	3	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 532
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DESCENDING COLON (153.2)												
UNITED STATES --	6	6	10	15	17	27	26	11	7	-	-	-
WHITE-----MALE----	2	1	4	11	8	10	15	3	2	-	-	-
FEMALE--	2	2	2	1	4	11	8	8	5	-	-	-
ALL OTHER--MALE----	1	1	2	2	2	3	-	-	-	-	-	-
FEMALE--	1	2	2	1	3	3	3	-	-	-	-	-
BLACK---MALE----	-	1	2	2	2	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	2	3	3	-	-	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	3	6	8	6	12	11	5	1	-	-	-
WHITE-----MALE----	2	-	2	5	3	4	7	2	-	-	-	-
FEMALE--	2	1	1	1	1	3	2	3	1	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	1	1	2	1	2	3	2	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	3	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 541

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SIGMOID COLON (153.3)												
UNITED STATES --	26	42	48	76	93	116	83	86	50	10	3	-
WHITE-----MALE----	8	16	27	36	52	56	39	24	12	3	2	-
FEMALE--	12	11	13	25	28	42	42	47	35	5	-	-
ALL OTHER--MALE----	4	8	4	9	6	8	1	4	-	-	-	-
FEMALE--	2	7	4	6	7	10	1	11	3	2	1	-
BLACK---MALE----	1	3	2	6	4	4	1	4	-	-	-	-
FEMALE--	-	4	4	3	4	5	1	6	3	2	-	-
ALABAMA -----	1	-	1	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	-	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	2	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	15	19	18	28	19	36	18	18	5	-	2	-
WHITE-----MALE----	4	5	12	13	9	12	11	7	1	-	1	-
FEMALE--	6	6	4	9	7	15	6	6	4	-	-	-
ALL OTHER--MALE----	4	5	2	3	1	3	1	-	-	-	-	-
FEMALE--	1	3	-	3	2	6	-	5	-	-	1	-
BLACK---MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	3	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 544

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SIGMOID COLON (153.3)												
KENTUCKY -----	-	1	1	1	-	3	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	1	-	3	1	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	-	1	1	-	-	3	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
MASSACHUSETTS -----	1	-	1	-	3	3	1	2	2	1	-	-
WHITE-----MALE----	-	-	1	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	1	1	2	2	3	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 550

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
UNITED STATES --	1,248	-	-	-	-	-	-	6	2	13	24	36
WHITE-----MALE----	489	-	-	-	-	-	-	1	2	6	12	15
FEMALE--	614	-	-	-	-	-	-	3	-	4	9	15
ALL OTHER--MALE----	60	-	-	-	-	-	-	2	-	1	1	2
FEMALE--	85	-	-	-	-	-	-	-	-	2	2	4
BLACK---MALE----	45	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	60	-	-	-	-	-	-	-	-	2	2	2
ALABAMA -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	322	-	-	-	-	-	-	-	1	2	5	7
WHITE-----MALE----	130	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	149	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 550

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
UNITED STATES --	39	77	79	118	179	201	190	159	98	22	5	-
WHITE-----MALE----	18	29	42	62	68	86	73	51	19	5	-	-
FEMALE--	14	36	23	43	88	90	100	96	73	15	5	-
ALL OTHER--MALE----	3	8	9	4	12	7	7	3	1	-	-	-
FEMALE--	4	4	5	9	11	18	10	9	5	2	-	-
BLACK---MALE----	3	6	7	3	9	4	6	2	1	-	-	-
FEMALE--	4	4	5	5	5	16	6	4	3	2	-	-
ALABAMA -----	1	-	1	1	2	2	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	1	-	3	2	1	1	2	-	-	-
WHITE-----MALE----	-	2	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	-	1	3	-	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	8	20	19	35	59	58	39	38	25	6	-	-
WHITE-----MALE----	7	9	10	20	23	23	12	11	7	1	-	-
FEMALE--	1	8	6	9	28	27	23	23	18	4	-	-
ALL OTHER--MALE----	-	3	1	2	3	3	1	2	-	-	-	-
FEMALE--	-	-	2	4	5	5	3	2	-	1	-	-
BLACK---MALE----	-	2	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	2	1	1	3	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 551

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
COLORADO -----	-	-	3	2	3	-	2	2	2	-	-	-
WHITE-----MALE----	-	-	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	-	1	2	3	2	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	6	3	8	10	8	9	4	5	2	-	-
WHITE-----MALE----	1	1	2	4	3	4	3	1	1	-	-	-
FEMALE--	-	5	1	4	7	3	6	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
GEORGIA -----	2	1	1	2	4	3	2	3	1	-	-	-
WHITE-----MALE----	2	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 553

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
KENTUCKY -----	-	2	-	-	2	2	4	2	3	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	2	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	1	-	-	1	4	4	-	2	1	-	-
WHITE-----MALE----	1	-	-	-	-	2	2	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
MAINE -----	1	1	-	1	1	2	4	-	-	-	-	-
WHITE-----MALE----	1	1	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	3	2	2	2	4	4	-	-	2	-	-
WHITE-----MALE----	-	2	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	3	-	-	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	1	2	-	3	-	2	1	2	3	-	-	-
WHITE-----MALE----	-	2	-	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	2	3	5	8	3	3	2	3	2	-	-
WHITE-----MALE----	-	-	1	5	5	-	3	-	1	-	-	-
FEMALE--	-	1	2	-	1	2	-	2	2	2	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 556

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
OHIO -----	1	2	5	3	4	6	8	6	6	2	-	-
WHITE-----MALE----	-	1	2	2	2	2	4	1	-	-	-	-
FEMALE--	1	1	1	1	1	4	4	4	6	2	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	-	1	2	3	2	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	3	2	3	3	5	2	2	-	1	-
WHITE-----MALE----	-	-	3	-	3	3	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	3	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	2	5	6	13	9	10	4	-	-	-
WHITE-----MALE----	-	1	1	-	1	7	3	1	-	-	-	-
FEMALE--	2	-	-	5	5	5	6	9	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	2	5	1	1	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	4	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	-	1	1	4	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	2	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 557

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
SOUTH DAKOTA -----	-	1	-	-	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	2	1	-	4	6	5	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	3	1	-	-	-	-
FEMALE--	1	1	1	1	-	2	3	3	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
TEXAS -----	3	2	3	3	3	9	8	7	3	-	2	-
WHITE-----MALE----	2	1	2	-	1	4	3	3	-	-	-	-
FEMALE--	1	1	1	2	2	3	1	3	3	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	-	-	-
UTAH -----	-	-	1	1	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	2	2	4	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 559

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
UNITED STATES --	46,016	-	-	-	3	6	29	62	155	302	626	1,083
WHITE-----MALE----	19,384	-	-	-	1	5	12	20	59	107	247	447
FEMALE--	20,315	-	-	-	1	-	8	21	54	100	231	383
ALL OTHER--MALE----	2,959	-	-	-	-	1	2	13	23	46	74	116
FEMALE--	3,358	-	-	-	1	-	7	8	19	49	74	137
BLACK---MALE----	2,530	-	-	-	-	1	1	8	19	38	63	97
FEMALE--	2,981	-	-	-	1	-	4	8	15	43	61	115
ALABAMA -----	790	-	-	-	-	-	-	2	1	3	15	22
WHITE-----MALE----	307	-	-	-	-	-	-	1	-	1	7	7
FEMALE--	291	-	-	-	-	-	-	-	-	1	5	6
ALL OTHER--MALE----	87	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	105	-	-	-	-	-	-	-	1	-	2	8
BLACK---MALE----	87	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	105	-	-	-	-	-	-	-	1	-	2	8
ALASKA -----	41	-	-	-	-	-	-	-	-	3	-	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	727	-	-	-	-	-	-	2	2	5	17	21
WHITE-----MALE----	374	-	-	-	-	-	-	1	1	1	9	15
FEMALE--	313	-	-	-	-	-	-	-	1	1	6	6
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	510	-	-	-	-	-	-	-	4	5	7	14
WHITE-----MALE----	211	-	-	-	-	-	-	-	3	2	3	6
FEMALE--	230	-	-	-	-	-	-	-	-	3	2	6
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	29	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	1
CALIFORNIA -----	3,600	-	-	-	-	1	2	8	18	30	42	107
WHITE-----MALE----	1,524	-	-	-	-	1	-	1	7	8	16	50
FEMALE--	1,486	-	-	-	-	-	-	4	7	10	11	31
ALL OTHER--MALE----	302	-	-	-	-	-	2	3	1	4	5	13
FEMALE--	288	-	-	-	-	-	-	-	3	8	10	13
BLACK---MALE----	149	-	-	-	-	-	1	1	-	2	3	8
FEMALE--	161	-	-	-	-	-	-	-	1	4	6	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 559

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
UNITED STATES --	1,880	2,569	3,532	5,202	6,816	7,590	7,079	5,487	2,703	780	112	-
WHITE-----MALE----	849	1,238	1,654	2,536	3,233	3,470	2,788	1,824	713	160	21	-
FEMALE--	622	873	1,222	1,865	2,668	3,252	3,548	3,113	1,736	542	76	-
ALL OTHER--MALE----	219	234	345	407	453	411	320	210	63	21	1	-
FEMALE--	190	224	311	394	462	457	423	340	191	57	14	-
BLACK---MALE----	189	206	296	351	388	348	269	178	57	20	1	-
FEMALE--	165	192	275	340	419	422	381	310	171	46	13	-
ALABAMA -----	38	37	66	99	117	141	96	89	49	11	4	-
WHITE-----MALE----	19	21	21	44	57	58	29	26	12	3	1	-
FEMALE--	9	11	25	30	34	53	42	41	30	3	1	-
ALL OTHER--MALE----	5	1	12	12	17	14	9	10	2	1	-	-
FEMALE--	5	4	8	13	9	16	16	12	5	4	2	-
BLACK---MALE----	5	1	12	12	17	14	9	10	2	1	-	-
FEMALE--	5	4	8	13	9	16	16	12	5	4	2	-
ALASKA -----	3	4	6	6	3	4	6	1	1	2	-	-
WHITE-----MALE----	-	2	2	3	1	2	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	3	1	1	1	-	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	3	1	1	1	2	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	28	41	48	84	105	122	116	82	45	5	4	-
WHITE-----MALE----	18	28	22	48	60	67	52	36	13	2	1	-
FEMALE--	9	9	18	29	42	51	62	42	31	3	3	-
ALL OTHER--MALE----	1	3	4	2	1	4	-	-	-	-	-	-
FEMALE--	-	1	4	5	2	-	2	4	1	-	-	-
BLACK---MALE----	-	2	2	1	1	4	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	2	2	-	-	-	-
ARKANSAS -----	27	28	49	62	73	70	68	60	32	9	2	-
WHITE-----MALE----	14	12	21	29	33	34	23	20	10	1	-	-
FEMALE--	9	11	22	25	32	30	36	31	14	7	2	-
ALL OTHER--MALE----	1	3	2	3	4	4	5	2	2	-	-	-
FEMALE--	3	2	4	5	4	2	4	7	6	1	-	-
BLACK---MALE----	1	3	2	3	4	4	5	2	2	-	-	-
FEMALE--	3	2	4	5	4	2	4	7	6	1	-	-
CALIFORNIA -----	158	204	287	392	510	599	564	417	206	54	1	-
WHITE-----MALE----	72	98	131	170	242	296	223	150	47	12	-	-
FEMALE--	44	59	96	145	182	230	274	218	136	38	1	-
ALL OTHER--MALE----	18	24	34	46	47	39	36	22	8	-	-	-
FEMALE--	24	23	26	31	39	34	31	27	15	4	-	-
BLACK---MALE----	7	16	20	24	24	16	13	10	4	-	-	-
FEMALE--	13	8	15	13	26	25	18	17	10	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 560

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
COLORADO -----	502	-	-	-	-	2	-	1	1	1	9	21
WHITE-----MALE----	242	-	-	-	-	2	-	-	1	-	5	12
FEMALE--	234	-	-	-	-	-	-	-	-	-	4	8
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	589	-	-	-	-	-	-	-	3	2	10	7
WHITE-----MALE----	250	-	-	-	-	-	-	-	1	1	3	1
FEMALE--	297	-	-	-	-	-	-	-	2	-	5	4
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	2	1
DELAWARE -----	133	-	-	-	-	-	-	-	2	1	1	1
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	63	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	134	-	-	-	-	-	-	-	2	-	2	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	55	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	1	1
FLORIDA -----	3,263	-	-	-	-	-	1	4	10	21	39	59
WHITE-----MALE----	1,485	-	-	-	-	-	-	-	4	11	15	22
FEMALE--	1,458	-	-	-	-	-	1	1	2	6	9	21
ALL OTHER--MALE----	151	-	-	-	-	-	-	2	2	1	7	6
FEMALE--	169	-	-	-	-	-	-	1	2	3	8	10
BLACK---MALE----	139	-	-	-	-	-	-	1	2	1	6	5
FEMALE--	159	-	-	-	-	-	-	1	2	3	6	9
GEORGIA -----	927	-	-	-	1	-	3	-	6	12	18	32
WHITE-----MALE----	315	-	-	-	-	-	-	-	2	5	6	10
FEMALE--	333	-	-	-	-	-	2	-	1	1	6	7
ALL OTHER--MALE----	107	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	172	-	-	-	1	-	1	-	2	5	4	10
BLACK---MALE----	106	-	-	-	-	-	-	-	1	1	2	5
FEMALE--	170	-	-	-	1	-	1	-	2	5	4	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 560

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
COLORADO -----	28	30	37	60	65	76	66	62	33	8	2	-
WHITE-----MALE----	15	15	24	38	29	37	33	21	7	3	-	-
FEMALE--	10	13	12	16	31	37	30	41	26	5	1	-
ALL OTHER--MALE----	1	1	-	3	4	1	1	-	-	-	-	-
FEMALE--	2	1	1	3	1	1	2	-	-	-	1	-
BLACK---MALE----	1	1	-	3	2	1	1	-	-	-	-	-
FEMALE--	1	1	1	2	1	1	1	-	-	-	1	-
CONNECTICUT -----	14	24	35	74	77	110	110	69	43	9	2	-
WHITE-----MALE----	9	12	12	40	36	52	49	20	14	-	-	-
FEMALE--	5	10	18	26	32	55	56	46	28	9	1	-
ALL OTHER--MALE----	-	1	4	4	3	1	3	2	-	-	-	-
FEMALE--	-	1	1	4	6	2	2	1	1	-	1	-
BLACK---MALE----	-	1	3	4	2	1	2	2	-	-	-	-
FEMALE--	-	1	1	3	6	2	2	1	1	-	1	-
DELAWARE -----	7	12	12	12	28	21	21	8	6	1	-	-
WHITE-----MALE----	2	4	5	7	15	13	3	2	1	-	-	-
FEMALE--	3	5	6	4	10	7	15	5	5	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	-	3	1	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	-	3	1	-	-	-	-
DISTRICT OF COLUMBIA ----	4	5	11	19	22	29	18	9	9	2	-	-
WHITE-----MALE----	-	-	-	1	2	4	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	6	2	2	3	-	-	-
ALL OTHER--MALE----	3	3	8	7	10	8	7	2	3	1	-	-
FEMALE--	1	2	2	10	8	11	7	4	3	1	-	-
BLACK---MALE----	3	3	8	7	10	8	7	2	3	1	-	-
FEMALE--	1	2	2	10	8	11	7	4	3	1	-	-
FLORIDA -----	99	157	206	336	492	559	537	473	199	64	7	-
WHITE-----MALE----	44	71	96	187	243	291	233	188	59	21	-	-
FEMALE--	33	56	74	115	203	229	270	264	128	40	6	-
ALL OTHER--MALE----	10	15	18	21	30	13	17	6	2	1	-	-
FEMALE--	12	15	18	13	16	26	17	15	10	2	1	-
BLACK---MALE----	9	14	18	20	28	11	15	6	2	1	-	-
FEMALE--	12	15	18	10	16	24	16	14	10	2	1	-
GEORGIA -----	66	75	77	99	146	137	113	90	39	10	3	-
WHITE-----MALE----	18	29	30	32	66	57	34	18	7	1	-	-
FEMALE--	11	26	20	27	51	47	51	52	25	4	2	-
ALL OTHER--MALE----	17	12	11	20	8	16	7	4	1	2	-	-
FEMALE--	20	8	16	20	21	17	21	16	6	3	1	-
BLACK---MALE----	16	12	11	20	8	16	7	4	1	2	-	-
FEMALE--	20	8	16	20	21	17	21	15	6	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 561

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
HAWAII -----	15	14	13	20	23	31	17	11	7	5	-	-
WHITE-----MALE----	2	3	2	5	3	6	-	1	-	-	-	-
FEMALE--	-	2	-	3	-	3	1	2	3	-	-	-
ALL OTHER--MALE----	9	6	8	10	14	14	11	7	-	1	-	-
FEMALE--	4	3	3	2	6	8	5	1	4	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IDAHO -----	13	12	7	18	27	23	25	22	15	1	-	-
WHITE-----MALE----	7	4	3	7	14	10	10	7	6	1	-	-
FEMALE--	6	8	4	10	13	13	14	15	8	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ILLINOIS -----	86	112	171	268	321	368	329	256	147	38	4	-
WHITE-----MALE----	36	50	77	118	162	172	112	83	43	8	-	-
FEMALE--	29	34	61	82	114	139	173	150	88	29	4	-
ALL OTHER--MALE----	13	17	18	35	18	32	17	7	5	-	-	-
FEMALE--	8	11	15	33	27	25	27	16	11	1	-	-
BLACK---MALE----	13	16	17	35	14	31	17	7	4	-	-	-
FEMALE--	8	8	14	32	25	25	24	16	10	1	-	-
INDIANA -----	56	73	91	129	149	191	173	154	57	20	3	-
WHITE-----MALE----	24	42	47	68	68	91	73	47	19	-	1	-
FEMALE--	24	20	36	50	62	88	89	97	35	19	1	-
ALL OTHER--MALE----	7	3	4	6	7	5	1	5	1	-	1	-
FEMALE--	1	8	4	5	12	7	10	5	2	1	-	-
BLACK---MALE----	7	3	3	6	7	5	1	5	1	-	1	-
FEMALE--	1	7	4	5	11	7	10	5	2	1	-	-
IOWA -----	12	34	61	58	85	85	103	91	47	17	3	-
WHITE-----MALE----	6	18	36	29	43	40	52	36	14	4	-	-
FEMALE--	6	13	24	27	40	45	51	53	32	13	3	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	2	1	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	1	-	-	-
KANSAS -----	20	22	26	51	63	68	71	46	36	5	-	-
WHITE-----MALE----	8	9	13	29	36	36	24	21	9	1	-	-
FEMALE--	9	8	12	18	25	25	42	22	27	4	-	-
ALL OTHER--MALE----	3	4	1	2	-	5	5	-	-	-	-	-
FEMALE--	-	1	-	2	2	2	-	3	-	-	-	-
BLACK---MALE----	3	4	1	2	-	5	5	-	-	-	-	-
FEMALE--	-	1	-	2	2	2	-	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 562

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
KENTUCKY -----	732	-	-	-	-	-	-	-	4	6	11	19
WHITE-----MALE----	330	-	-	-	-	-	-	-	3	2	5	6
FEMALE--	346	-	-	-	-	-	-	-	1	4	4	11
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	833	-	-	-	-	-	2	4	1	9	19	34
WHITE-----MALE----	298	-	-	-	-	-	1	2	1	4	7	4
FEMALE--	267	-	-	-	-	-	1	1	-	2	9	9
ALL OTHER--MALE----	131	-	-	-	-	-	-	1	-	2	2	11
FEMALE--	137	-	-	-	-	-	-	-	-	1	1	10
BLACK---MALE----	130	-	-	-	-	-	-	1	-	2	2	11
FEMALE--	137	-	-	-	-	-	-	-	-	1	1	10
MAINE -----	229	-	-	-	-	-	1	-	1	-	-	2
WHITE-----MALE----	103	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	125	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	887	-	-	-	-	-	-	1	1	9	17	32
WHITE-----MALE----	314	-	-	-	-	-	-	-	-	2	5	8
FEMALE--	347	-	-	-	-	-	-	-	1	3	4	13
ALL OTHER--MALE----	109	-	-	-	-	-	-	-	-	3	4	8
FEMALE--	117	-	-	-	-	-	-	1	-	1	4	3
BLACK---MALE----	99	-	-	-	-	-	-	-	-	2	4	6
FEMALE--	111	-	-	-	-	-	-	1	-	1	3	3
MASSACHUSETTS -----	1,287	-	-	-	-	-	-	3	4	8	16	21
WHITE-----MALE----	568	-	-	-	-	-	-	2	2	5	7	7
FEMALE--	652	-	-	-	-	-	-	1	2	2	5	10
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	34	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	1
MICHIGAN -----	1,668	-	-	-	-	-	2	1	7	12	14	36
WHITE-----MALE----	698	-	-	-	-	-	-	-	2	7	5	14
FEMALE--	721	-	-	-	-	-	-	-	2	4	5	12
ALL OTHER--MALE----	119	-	-	-	-	-	-	-	2	-	3	7
FEMALE--	130	-	-	-	-	-	2	1	1	1	1	3
BLACK---MALE----	112	-	-	-	-	-	-	-	1	-	3	7
FEMALE--	126	-	-	-	-	-	2	1	1	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 562

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
KENTUCKY -----	29	41	64	69	128	110	113	80	43	14	1	-
WHITE-----MALE----	22	22	33	32	64	63	41	28	6	2	1	-
FEMALE--	7	13	26	31	58	45	63	43	30	10	-	-
ALL OTHER--MALE----	-	2	1	5	2	-	7	1	1	1	-	-
FEMALE--	-	4	4	1	4	2	2	8	6	1	-	-
BLACK---MALE----	-	2	1	5	2	-	6	1	1	1	-	-
FEMALE--	-	4	4	1	4	2	2	8	5	1	-	-
LOUISIANA -----	39	60	78	89	126	120	111	90	41	9	1	-
WHITE-----MALE----	17	20	29	38	62	50	33	19	10	1	-	-
FEMALE--	12	14	17	24	35	37	41	45	18	2	-	-
ALL OTHER--MALE----	7	12	18	14	20	16	15	8	3	2	-	-
FEMALE--	3	14	14	13	9	17	22	18	10	4	1	-
BLACK---MALE----	7	11	18	14	20	16	15	8	3	2	-	-
FEMALE--	3	14	14	13	9	17	22	18	10	4	1	-
MAINE -----	9	12	16	26	23	40	42	35	17	5	-	-
WHITE-----MALE----	5	7	12	16	12	16	12	12	9	-	-	-
FEMALE--	4	5	4	10	10	24	30	23	8	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	46	49	65	112	137	127	139	90	48	13	1	-
WHITE-----MALE----	13	21	25	49	47	54	55	23	9	3	-	-
FEMALE--	9	11	16	34	58	45	60	52	31	9	1	-
ALL OTHER--MALE----	15	7	15	14	11	15	11	4	2	-	-	-
FEMALE--	9	10	9	15	21	13	13	11	6	1	-	-
BLACK---MALE----	15	7	13	12	11	13	10	4	2	-	-	-
FEMALE--	9	10	9	15	20	12	11	11	5	1	-	-
MASSACHUSETTS -----	40	50	78	117	192	237	206	167	113	31	4	-
WHITE-----MALE----	22	21	38	57	104	105	85	68	36	8	1	-
FEMALE--	15	25	28	55	81	117	117	94	75	22	3	-
ALL OTHER--MALE----	3	2	6	3	4	6	1	3	-	1	-	-
FEMALE--	-	2	6	2	3	9	3	2	2	-	-	-
BLACK---MALE----	3	2	5	2	4	5	1	3	-	1	-	-
FEMALE--	-	2	5	2	2	8	2	1	1	-	-	-
MICHIGAN -----	70	99	133	181	254	270	275	184	98	29	3	-
WHITE-----MALE----	42	51	65	86	119	111	114	56	21	4	1	-
FEMALE--	19	35	43	72	90	118	125	109	62	23	2	-
ALL OTHER--MALE----	4	8	12	11	18	24	18	6	5	1	-	-
FEMALE--	5	5	13	12	27	17	18	13	10	1	-	-
BLACK---MALE----	4	8	10	9	18	24	17	5	5	1	-	-
FEMALE--	5	5	12	11	27	17	17	12	10	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 563

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
MINNESOTA -----	779	-	-	-	-	-	-	-	2	2	6	17
WHITE-----MALE----	360	-	-	-	-	-	-	-	1	-	1	7
FEMALE--	404	-	-	-	-	-	-	-	1	1	4	9
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	463	-	-	-	-	-	-	2	3	3	6	18
WHITE-----MALE----	154	-	-	-	-	-	-	-	1	-	1	9
FEMALE--	142	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	62	-	-	-	-	-	-	1	1	2	2	3
FEMALE--	105	-	-	-	-	-	-	-	1	1	3	4
BLACK---MALE----	62	-	-	-	-	-	-	1	1	2	2	3
FEMALE--	105	-	-	-	-	-	-	-	1	1	3	4
MISSOURI -----	1,101	-	-	-	-	-	1	1	3	7	10	21
WHITE-----MALE----	470	-	-	-	-	-	1	1	-	3	4	10
FEMALE--	514	-	-	-	-	-	-	-	1	3	4	10
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	70	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	46	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	65	-	-	-	-	-	-	-	1	1	1	1
MONTANA -----	128	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	53	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	326	-	-	-	-	-	-	-	-	1	5	9
WHITE-----MALE----	149	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	169	-	-	-	-	-	-	-	-	1	4	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
NEVADA -----	316	-	-	-	-	-	-	-	3	-	4	6
WHITE-----MALE----	159	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	121	-	-	-	-	-	-	-	2	-	2	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 563

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
MINNESOTA -----	32	44	66	79	102	122	114	110	59	20	4	-
WHITE-----MALE----	20	24	33	43	48	63	55	44	15	5	1	-
FEMALE--	12	19	32	34	51	59	58	62	44	15	3	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	2	2	-	1	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
MISSISSIPPI -----	21	30	44	49	62	70	56	61	28	9	1	-
WHITE-----MALE----	9	15	23	22	18	25	15	11	3	2	-	-
FEMALE--	5	8	12	13	21	24	17	24	12	2	1	-
ALL OTHER--MALE----	4	3	1	5	9	9	13	7	2	-	-	-
FEMALE--	3	4	8	9	14	12	11	19	11	5	-	-
BLACK---MALE----	4	3	1	5	9	9	13	7	2	-	-	-
FEMALE--	3	4	8	9	14	12	11	19	11	5	-	-
MISSOURI -----	31	58	69	127	167	175	165	154	88	18	6	-
WHITE-----MALE----	17	28	32	65	82	80	64	50	25	6	2	-
FEMALE--	10	25	28	50	62	77	90	82	57	11	4	-
ALL OTHER--MALE----	2	2	6	5	11	4	6	7	2	-	-	-
FEMALE--	2	3	3	7	12	14	5	15	4	1	-	-
BLACK---MALE----	1	2	6	5	11	4	6	7	2	-	-	-
FEMALE--	2	3	3	7	11	12	5	14	4	-	-	-
MONTANA -----	4	6	11	10	16	22	26	21	5	3	-	-
WHITE-----MALE----	3	4	7	5	12	15	15	9	1	-	-	-
FEMALE--	1	2	4	5	4	6	11	11	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	17	19	23	32	41	54	56	42	20	3	4	-
WHITE-----MALE----	7	8	11	23	21	21	29	16	6	-	1	-
FEMALE--	10	10	11	9	17	33	27	26	13	3	3	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	10	21	29	62	57	50	36	23	12	3	-	-
WHITE-----MALE----	7	12	13	39	28	24	17	10	6	-	-	-
FEMALE--	3	5	10	19	21	22	16	11	5	2	-	-
ALL OTHER--MALE----	-	3	3	2	4	3	-	1	-	-	-	-
FEMALE--	-	1	3	2	4	1	3	1	1	1	-	-
BLACK---MALE----	-	2	3	2	4	2	-	1	-	-	-	-
FEMALE--	-	-	3	-	2	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 565

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
OHIO -----	2,249	-	-	-	-	-	-	1	10	9	31	49
WHITE-----MALE----	950	-	-	-	-	-	-	1	5	1	14	24
FEMALE--	1,059	-	-	-	-	-	-	-	4	6	14	18
ALL OTHER--MALE----	107	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	133	-	-	-	-	-	-	-	1	1	2	5
BLACK---MALE----	105	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	132	-	-	-	-	-	-	-	1	1	2	5
OKLAHOMA -----	613	-	-	-	-	-	2	2	4	6	7	11
WHITE-----MALE----	257	-	-	-	-	-	1	-	1	1	2	3
FEMALE--	277	-	-	-	-	-	-	2	3	3	4	8
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	34	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	527	-	-	-	-	-	1	1	-	2	7	5
WHITE-----MALE----	256	-	-	-	-	-	-	1	-	1	5	2
FEMALE--	258	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,800	-	-	-	-	-	1	-	2	8	31	41
WHITE-----MALE----	1,217	-	-	-	-	-	1	-	1	5	15	22
FEMALE--	1,336	-	-	-	-	-	-	-	1	2	13	16
ALL OTHER--MALE----	101	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	146	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	97	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	144	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND -----	205	-	-	-	-	-	-	-	-	1	4	2
WHITE-----MALE----	105	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	95	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	621	-	-	-	-	-	1	-	2	6	12	18
WHITE-----MALE----	202	-	-	-	-	-	1	-	-	1	2	8
FEMALE--	234	-	-	-	-	-	-	-	1	1	3	4
ALL OTHER--MALE----	92	-	-	-	-	-	-	-	1	2	4	3
FEMALE--	93	-	-	-	-	-	-	-	-	2	3	3
BLACK---MALE----	92	-	-	-	-	-	-	-	1	2	4	3
FEMALE--	93	-	-	-	-	-	-	-	-	2	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 565

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
OHIO -----	75	111	174	264	353	395	346	267	112	43	9	-
WHITE-----MALE----	28	52	84	137	168	179	120	94	36	7	-	-
FEMALE--	27	50	70	96	153	168	193	150	69	34	7	-
ALL OTHER--MALE----	10	6	8	17	12	19	16	10	3	2	-	-
FEMALE--	10	3	12	14	20	29	17	13	4	-	2	-
BLACK---MALE----	10	6	8	17	12	19	15	10	3	2	-	-
FEMALE--	10	3	12	14	20	29	17	12	4	-	2	-
OKLAHOMA -----	32	39	51	71	86	96	90	76	31	8	1	-
WHITE-----MALE----	14	17	22	30	41	44	43	29	8	1	-	-
FEMALE--	13	18	16	27	35	38	40	43	20	6	1	-
ALL OTHER--MALE----	1	4	8	8	8	7	5	2	-	-	-	-
FEMALE--	4	-	5	6	2	7	2	2	3	1	-	-
BLACK---MALE----	-	3	5	5	4	7	3	1	-	-	-	-
FEMALE--	3	-	2	3	2	5	1	-	1	-	-	-
OREGON -----	23	29	44	58	87	83	84	61	29	12	1	-
WHITE-----MALE----	12	19	22	41	44	46	35	18	8	2	-	-
FEMALE--	11	9	20	16	42	36	46	41	21	10	1	-
ALL OTHER--MALE----	-	-	2	1	1	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
PENNSYLVANIA -----	78	147	181	286	470	484	510	341	162	50	8	-
WHITE-----MALE----	41	77	88	129	227	230	200	117	47	14	3	-
FEMALE--	27	52	77	124	197	215	278	193	102	35	4	-
ALL OTHER--MALE----	5	9	5	14	18	19	5	18	3	-	-	-
FEMALE--	5	9	11	19	28	20	27	13	10	1	1	-
BLACK---MALE----	5	9	5	13	18	19	5	16	3	-	-	-
FEMALE--	5	8	11	18	28	20	27	13	10	1	1	-
RHODE ISLAND -----	8	6	11	19	33	37	37	25	14	8	-	-
WHITE-----MALE----	5	2	8	13	17	18	21	9	8	1	-	-
FEMALE--	3	4	2	6	15	17	16	16	5	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
SOUTH CAROLINA -----	34	45	45	70	94	108	91	58	32	5	-	-
WHITE-----MALE----	14	18	19	27	34	27	29	17	4	1	-	-
FEMALE--	7	11	9	23	31	48	44	28	21	3	-	-
ALL OTHER--MALE----	6	6	9	11	14	18	10	4	4	-	-	-
FEMALE--	7	10	8	9	15	15	8	9	3	1	-	-
BLACK---MALE----	6	6	9	11	14	18	10	4	4	-	-	-
FEMALE--	7	10	8	9	15	15	8	9	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 566

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
SOUTH DAKOTA -----	155	-	-	-	-	-	-	-	-	1	5	4
WHITE-----MALE----	76	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	73	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	994	-	-	-	-	-	2	2	5	6	11	23
WHITE-----MALE----	391	-	-	-	-	-	-	-	2	3	3	9
FEMALE--	395	-	-	-	-	-	2	1	1	1	4	5
ALL OTHER--MALE----	101	-	-	-	-	-	-	1	1	1	4	3
FEMALE--	107	-	-	-	-	-	-	-	1	1	-	6
BLACK---MALE----	98	-	-	-	-	-	-	1	1	1	3	2
FEMALE--	106	-	-	-	-	-	-	-	1	1	-	6
TEXAS -----	2,687	-	-	-	-	-	1	7	9	28	56	92
WHITE-----MALE----	1,158	-	-	-	-	-	1	3	4	9	25	52
FEMALE--	1,139	-	-	-	-	-	-	2	4	10	22	25
ALL OTHER--MALE----	197	-	-	-	-	-	-	1	1	5	3	9
FEMALE--	193	-	-	-	-	-	-	1	-	4	6	6
BLACK---MALE----	191	-	-	-	-	-	-	-	1	5	3	9
FEMALE--	184	-	-	-	-	-	-	1	-	4	5	6
UTAH -----	209	-	-	-	-	1	1	-	-	1	-	2
WHITE-----MALE----	92	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	111	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	109	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	56	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,150	-	-	-	-	-	-	3	2	6	16	41
WHITE-----MALE----	433	-	-	-	-	-	-	1	-	2	6	15
FEMALE--	452	-	-	-	-	-	-	1	1	-	7	15
ALL OTHER--MALE----	129	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	136	-	-	-	-	-	-	-	-	3	1	9
BLACK---MALE----	124	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	131	-	-	-	-	-	-	-	-	3	1	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 566

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
SOUTH DAKOTA -----	5	7	11	18	29	24	23	15	11	2	-	-
WHITE-----MALE----	3	4	7	8	19	11	9	6	4	1	-	-
FEMALE--	2	3	2	9	10	13	14	9	7	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	57	64	83	123	169	143	131	114	43	13	5	-
WHITE-----MALE----	24	29	43	53	76	60	45	35	8	-	1	-
FEMALE--	16	17	26	44	60	54	67	58	27	9	3	-
ALL OTHER--MALE----	10	10	8	14	17	15	11	5	1	-	-	-
FEMALE--	7	8	6	12	16	14	8	16	7	4	1	-
BLACK---MALE----	10	9	8	14	17	15	11	5	1	-	-	-
FEMALE--	6	8	6	12	16	14	8	16	7	4	1	-
TEXAS -----	132	163	233	322	368	439	341	304	144	42	6	-
WHITE-----MALE----	61	91	114	163	161	221	115	93	35	10	-	-
FEMALE--	41	57	69	112	154	171	170	170	98	28	6	-
ALL OTHER--MALE----	21	10	29	25	31	16	22	21	1	2	-	-
FEMALE--	9	5	21	22	22	31	34	20	10	2	-	-
BLACK---MALE----	21	10	27	25	31	15	20	21	1	2	-	-
FEMALE--	9	5	21	21	21	30	31	19	9	2	-	-
UTAH -----	5	12	20	18	30	46	33	28	12	-	-	-
WHITE-----MALE----	2	7	11	6	17	16	19	8	4	-	-	-
FEMALE--	3	4	9	11	13	29	12	20	8	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	5	11	10	9	14	18	19	12	3	-	-
WHITE-----MALE----	1	2	9	6	6	6	10	7	4	-	-	-
FEMALE--	4	3	2	4	3	8	8	12	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	68	81	110	136	182	166	161	108	53	15	2	-
WHITE-----MALE----	20	37	46	69	78	61	58	30	6	3	1	-
FEMALE--	26	27	32	33	61	74	71	59	34	10	1	-
ALL OTHER--MALE----	11	8	19	16	28	16	13	7	3	1	-	-
FEMALE--	11	9	13	18	15	15	19	12	10	1	-	-
BLACK---MALE----	11	7	17	16	28	15	13	6	3	1	-	-
FEMALE--	11	9	12	16	15	14	19	12	9	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 568

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
UNITED STATES --	8,587	-	-	-	-	5	11	21	44	112	189	320
WHITE-----MALE----	4,027	-	-	-	-	1	7	8	16	51	79	165
FEMALE--	3,513	-	-	-	-	2	3	10	15	35	68	98
ALL OTHER--MALE----	556	-	-	-	-	2	-	3	10	18	24	38
FEMALE--	491	-	-	-	-	-	1	-	3	8	18	19
BLACK---MALE----	454	-	-	-	-	1	-	3	6	16	17	31
FEMALE--	412	-	-	-	-	-	1	-	-	5	15	16
ALABAMA -----	122	-	-	-	-	-	2	-	-	1	1	6
WHITE-----MALE----	38	-	-	-	-	-	2	-	-	-	-	1
FEMALE--	48	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	11	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	122	-	-	-	-	1	-	-	1	3	4	6
WHITE-----MALE----	66	-	-	-	-	-	-	-	1	1	3	3
FEMALE--	50	-	-	-	-	1	-	-	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	63	-	-	-	-	-	-	-	-	2	2	3
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	830	-	-	-	-	1	2	-	3	15	15	41
WHITE-----MALE----	356	-	-	-	-	-	1	-	-	6	7	21
FEMALE--	339	-	-	-	-	-	-	-	-	4	3	8
ALL OTHER--MALE----	78	-	-	-	-	1	-	-	2	3	4	10
FEMALE--	57	-	-	-	-	-	1	-	1	2	1	2
BLACK---MALE----	39	-	-	-	-	-	-	-	-	2	1	7
FEMALE--	32	-	-	-	-	-	1	-	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 568

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
UNITED STATES --	473	610	822	1,013	1,232	1,261	1,157	803	399	98	16	1
WHITE-----MALE----	232	335	455	552	610	610	498	282	104	20	2	-
FEMALE--	148	201	257	343	456	517	557	462	262	66	13	-
ALL OTHER--MALE----	58	49	66	66	77	68	44	22	8	1	1	1
FEMALE--	35	25	44	52	89	66	58	37	25	11	-	-
BLACK---MALE----	49	40	58	49	65	59	31	20	7	1	-	1
FEMALE--	30	23	35	43	76	57	47	33	21	10	-	-
ALABAMA -----	10	6	14	18	19	18	11	12	4	-	-	-
WHITE-----MALE----	3	3	4	7	9	4	3	2	-	-	-	-
FEMALE--	2	2	5	10	5	6	5	6	3	-	-	-
ALL OTHER--MALE----	4	1	3	-	3	4	-	1	1	-	-	-
FEMALE--	1	-	2	1	2	4	3	3	-	-	-	-
BLACK---MALE----	4	1	3	-	3	4	-	1	1	-	-	-
FEMALE--	1	-	2	1	2	4	3	3	-	-	-	-
ALASKA -----	2	2	-	1	2	2	1	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	6	15	13	18	23	13	10	3	1	-	-
WHITE-----MALE----	2	4	9	6	9	15	8	4	1	-	-	-
FEMALE--	3	1	5	6	9	8	5	6	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	2	1	11	8	9	7	9	6	1	2	-	-
WHITE-----MALE----	-	-	7	3	3	2	5	1	-	-	-	-
FEMALE--	2	-	4	3	4	3	2	4	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	2	2	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	-	-	-	-
CALIFORNIA -----	51	63	74	89	113	132	98	80	36	15	2	-
WHITE-----MALE----	27	36	37	39	47	62	39	22	7	5	-	-
FEMALE--	14	20	22	30	46	54	45	54	29	8	2	-
ALL OTHER--MALE----	5	5	9	17	9	7	6	-	-	-	-	-
FEMALE--	5	2	6	3	11	9	8	4	-	2	-	-
BLACK---MALE----	1	1	9	10	5	1	2	-	-	-	-	-
FEMALE--	3	1	4	1	6	5	5	2	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 569

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	93	-	-	-	-	-	-	-	-	1	3	1
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	127	-	-	-	-	-	1	-	-	-	2	2
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	64	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	23	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	15	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	556	-	-	-	-	-	1	4	6	15	24	
WHITE-----MALE----	272	-	-	-	-	-	1	2	2	8	14	
FEMALE--	235	-	-	-	-	-	-	1	3	6	6	
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	1	-	3	
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	
BLACK---MALE----	26	-	-	-	-	-	-	1	1	-	3	
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	
GEORGIA -----	192	-	-	-	-	-	2	2	5	6	9	
WHITE-----MALE----	78	-	-	-	-	-	1	-	3	1	3	
FEMALE--	69	-	-	-	-	-	1	1	1	4	4	
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	-	-	1	
FEMALE--	23	-	-	-	-	-	-	-	1	1	1	
BLACK---MALE----	22	-	-	-	-	-	-	1	-	-	1	
FEMALE--	22	-	-	-	-	-	-	-	1	1	1	

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 569

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	1	6	11	13	22	12	18	2	2	-	1	-
WHITE-----MALE----	1	5	4	9	10	5	9	2	1	-	1	-
FEMALE--	-	-	4	2	10	6	9	-	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	5	11	13	22	22	21	13	10	-	-	-
WHITE-----MALE----	3	3	5	4	13	8	10	5	3	-	-	-
FEMALE--	-	2	5	8	9	14	10	7	7	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	3	1	2	2	3	7	-	2	2	-	-	-
WHITE-----MALE----	1	1	2	-	1	3	-	-	-	-	-	-
FEMALE--	2	-	-	2	1	2	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	3	3	2	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	2	2	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	2	2	2	-	-	-	-	-
FLORIDA -----	25	39	53	60	69	75	84	61	31	7	2	-
WHITE-----MALE----	14	18	35	34	39	39	39	20	7	-	-	-
FEMALE--	5	16	14	24	23	30	38	40	21	6	2	-
ALL OTHER--MALE----	4	4	2	1	3	4	2	-	2	-	-	-
FEMALE--	2	1	2	1	4	2	5	1	1	1	-	-
BLACK---MALE----	4	4	2	-	3	4	2	-	2	-	-	-
FEMALE--	2	1	1	1	4	2	5	1	1	1	-	-
GEORGIA -----	12	19	22	24	23	23	24	13	7	1	-	-
WHITE-----MALE----	7	6	11	16	7	8	10	2	3	-	-	-
FEMALE--	2	5	6	2	11	11	8	8	4	1	-	-
ALL OTHER--MALE----	-	2	3	5	4	4	1	1	-	-	-	-
FEMALE--	3	6	2	1	1	-	5	2	-	-	-	-
BLACK---MALE----	-	2	3	5	4	4	1	1	-	-	-	-
FEMALE--	3	6	2	1	1	-	4	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 570
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	1	5	5	4	3	12	1	2	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	4	2	2	6	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	4	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	4	5	5	7	5	6	7	2	1	-	-
WHITE-----MALE----	-	3	3	3	6	3	4	5	1	1	-	-
FEMALE--	2	1	2	2	1	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	25	27	37	49	54	54	54	38	21	2	1	-
WHITE-----MALE----	10	16	20	22	28	32	31	13	6	-	-	-
FEMALE--	9	10	14	20	16	16	22	20	13	2	1	-
ALL OTHER--MALE----	4	1	3	5	3	2	-	1	-	-	-	-
FEMALE--	2	-	-	2	7	4	1	4	2	-	-	-
BLACK---MALE----	3	1	2	5	3	2	-	1	-	-	-	-
FEMALE--	2	-	-	2	5	4	1	3	2	-	-	-
INDIANA -----	11	13	15	28	36	36	24	16	8	4	-	-
WHITE-----MALE----	4	7	12	14	14	21	10	5	1	1	-	-
FEMALE--	6	4	1	11	20	15	10	10	5	3	-	-
ALL OTHER--MALE----	1	2	2	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	3	2	-	1	1	2	-	-	-
BLACK---MALE----	1	2	2	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	3	2	-	1	1	2	-	-	-
IOWA -----	3	7	9	6	14	13	20	13	11	1	-	-
WHITE-----MALE----	-	5	7	1	10	5	13	2	5	-	-	-
FEMALE--	3	2	2	4	4	8	7	10	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	6	9	6	13	13	10	7	9	3	-	-
WHITE-----MALE----	3	2	6	4	5	6	2	3	1	-	-	-
FEMALE--	-	3	2	1	6	6	6	4	8	3	-	-
ALL OTHER--MALE----	1	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 571
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	4	8	9	20	27	18	19	13	6	1	-	-
WHITE-----MALE----	2	4	4	10	15	8	8	2	3	-	-	-
FEMALE--	2	2	5	8	9	9	10	11	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	2	1	1	-	-	-	-	-
LOUISIANA -----	9	9	11	20	18	20	10	13	4	1	-	-
WHITE-----MALE----	2	3	7	11	9	9	5	1	-	-	-	-
FEMALE--	2	2	2	4	5	7	3	11	3	-	-	-
ALL OTHER--MALE----	3	2	1	3	2	2	1	1	1	-	-	-
FEMALE--	2	2	1	2	2	2	1	-	-	1	-	-
BLACK---MALE----	3	2	1	3	2	2	1	1	-	-	-	-
FEMALE--	2	2	1	2	2	2	1	-	-	1	-	-
MAINE -----	3	3	3	9	10	8	10	4	4	1	-	-
WHITE-----MALE----	2	1	2	8	5	6	5	3	1	-	-	-
FEMALE--	1	1	1	1	5	2	5	1	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	17	18	19	23	27	20	20	14	3	-	-
WHITE-----MALE----	3	7	7	11	11	9	7	5	1	-	-	-
FEMALE--	5	6	4	5	8	13	10	12	11	1	-	-
ALL OTHER--MALE----	4	3	5	-	1	4	1	3	-	1	-	-
FEMALE--	-	1	2	3	3	1	2	-	2	1	-	-
BLACK---MALE----	3	3	5	-	1	4	1	3	-	1	-	-
FEMALE--	-	1	1	2	2	1	2	-	2	1	-	-
MASSACHUSETTS -----	13	25	17	26	35	46	40	28	13	3	-	-
WHITE-----MALE----	8	13	9	20	20	28	18	10	3	2	-	-
FEMALE--	5	10	8	5	12	18	20	18	10	-	-	-
ALL OTHER--MALE----	-	2	-	1	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	2	-	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	17	11	26	35	45	37	47	26	15	1	1	-
WHITE-----MALE----	8	10	14	21	29	17	23	10	7	-	-	-
FEMALE--	4	1	9	10	11	18	21	15	5	1	1	-
ALL OTHER--MALE----	-	-	2	3	-	1	2	-	1	-	-	-
FEMALE--	5	-	1	1	5	1	1	1	2	-	-	-
BLACK---MALE----	-	-	2	3	-	1	2	-	1	-	-	-
FEMALE--	5	-	1	1	4	1	1	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 572
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	3	12	13	18	17	15	25	17	11	4	-	-
WHITE-----MALE----	1	10	6	12	12	11	13	5	3	-	-	-
FEMALE--	2	2	6	5	4	3	12	12	8	4	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	5	9	8	2	9	8	9	-	2	-	-
WHITE-----MALE----	1	3	5	5	-	3	3	1	-	-	-	-
FEMALE--	2	-	1	1	2	4	3	7	-	1	-	-
ALL OTHER--MALE----	1	2	3	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	1	-	-
BLACK---MALE----	1	2	3	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	1	-	-
MISSOURI -----	10	9	15	21	26	26	26	19	5	1	2	-
WHITE-----MALE----	6	6	9	10	14	12	12	11	2	-	-	-
FEMALE--	3	3	2	9	10	9	11	7	3	1	2	-
ALL OTHER--MALE----	-	-	3	2	-	1	3	1	-	-	-	-
FEMALE--	1	-	1	-	2	4	-	-	-	-	-	-
BLACK---MALE----	-	-	2	2	-	1	2	1	-	-	-	-
FEMALE--	1	-	1	-	2	4	-	-	-	-	-	-
MONTANA -----	-	1	4	8	3	3	3	6	1	-	-	-
WHITE-----MALE----	-	1	4	5	-	2	2	3	-	-	-	-
FEMALE--	-	-	-	3	3	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	5	3	7	10	10	2	6	3	1	-	-
WHITE-----MALE----	1	1	3	5	5	5	2	2	2	-	-	-
FEMALE--	-	4	-	1	5	5	-	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	3	9	7	11	14	9	6	1	1	-	-	-
WHITE-----MALE----	2	5	4	5	5	5	2	1	-	-	-	-
FEMALE--	1	4	3	5	8	4	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 574
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)												
OHIO -----	16	35	36	57	59	68	67	49	20	5	-	-
WHITE-----MALE----	10	18	24	36	22	36	30	24	6	2	-	-
FEMALE--	4	13	8	15	25	23	33	19	14	3	-	-
ALL OTHER--MALE----	1	3	1	2	6	4	1	1	-	-	-	-
FEMALE--	1	1	3	4	6	5	3	5	-	-	-	-
BLACK---MALE----	1	2	1	2	6	4	1	1	-	-	-	-
FEMALE--	1	1	3	4	6	5	3	5	-	-	-	-
OKLAHOMA -----	7	6	8	9	17	13	14	11	4	2	1	-
WHITE-----MALE----	5	5	4	4	12	6	7	4	1	2	-	-
FEMALE--	-	1	1	3	4	6	6	6	2	-	1	-
ALL OTHER--MALE----	1	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	2	1	1	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
OREGON -----	4	7	5	8	16	12	16	18	2	1	-	-
WHITE-----MALE----	3	2	4	4	10	8	7	7	1	-	-	-
FEMALE--	1	5	1	3	6	4	9	11	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	26	34	42	65	66	81	73	55	16	7	-	-
WHITE-----MALE----	14	14	22	39	36	32	26	27	5	2	-	-
FEMALE--	9	16	15	25	21	46	44	25	7	5	-	-
ALL OTHER--MALE----	2	3	3	1	4	1	1	-	2	-	-	-
FEMALE--	1	1	2	-	5	2	2	3	2	-	-	-
BLACK---MALE----	2	3	3	1	4	1	1	-	2	-	-	-
FEMALE--	1	1	2	-	5	2	1	3	1	-	-	-
RHODE ISLAND -----	5	1	2	3	9	5	8	5	1	-	-	-
WHITE-----MALE----	4	1	2	2	3	5	3	1	-	-	-	-
FEMALE--	1	-	-	1	6	-	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	11	15	13	11	12	10	7	3	-	-	-
WHITE-----MALE----	7	6	6	8	4	4	5	4	1	-	-	-
FEMALE--	3	4	4	2	3	5	3	2	1	-	-	-
ALL OTHER--MALE----	1	-	3	2	2	2	2	-	-	-	-	-
FEMALE--	1	1	2	1	2	1	-	1	1	-	-	-
BLACK---MALE----	1	-	3	2	2	2	1	-	-	-	-	-
FEMALE--	-	1	2	-	2	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 575

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)												
SOUTH DAKOTA -----	1	2	3	5	8	5	2	1	3	-	-	-
WHITE-----MALE----	1	1	1	4	1	3	-	-	2	-	-	-
FEMALE--	-	1	1	1	7	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	15	17	21	21	20	14	16	2	3	-	-
WHITE-----MALE----	5	7	11	7	14	8	7	3	-	2	-	-
FEMALE--	4	7	5	11	4	7	6	10	2	1	-	-
ALL OTHER--MALE----	1	-	-	3	3	3	1	2	-	-	-	-
FEMALE--	1	1	1	-	-	2	-	1	-	-	-	-
BLACK---MALE----	1	-	-	3	3	3	1	2	-	-	-	-
FEMALE--	1	1	1	-	-	2	-	1	-	-	-	-
TEXAS -----	45	42	54	64	68	54	52	34	20	6	-	-
WHITE-----MALE----	17	27	21	33	31	32	21	12	3	-	-	-
FEMALE--	13	12	29	23	20	16	25	19	12	3	-	-
ALL OTHER--MALE----	11	3	3	3	5	5	3	2	-	-	-	-
FEMALE--	4	-	1	5	12	1	3	1	5	3	-	-
BLACK---MALE----	10	3	2	3	4	5	3	2	-	-	-	-
FEMALE--	3	-	1	5	12	1	3	1	5	3	-	-
UTAH -----	2	3	4	6	2	4	8	4	3	-	-	-
WHITE-----MALE----	2	3	4	4	2	3	-	2	1	-	-	-
FEMALE--	-	-	-	2	-	1	8	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	5	4	4	2	3	2	1	-	-	-
WHITE-----MALE----	-	-	3	2	3	2	2	1	1	-	-	-
FEMALE--	-	1	2	2	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	18	37	16	29	42	23	17	12	3	1	1
WHITE-----MALE----	5	8	14	8	14	19	11	7	2	-	-	-
FEMALE--	7	7	13	6	13	17	10	8	8	3	1	-
ALL OTHER--MALE----	3	3	1	1	1	1	1	2	-	-	-	1
FEMALE--	-	-	9	1	1	5	1	-	2	-	-	-
BLACK---MALE----	3	2	1	1	1	1	1	2	-	-	-	1
FEMALE--	-	-	9	1	1	5	1	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 577

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
UNITED STATES --	12,381	5	16	6	12	17	26	30	54	110	305	648
WHITE-----MALE----	6,163	3	6	2	4	3	10	13	13	42	149	340
FEMALE--	3,801	2	6	2	2	7	8	5	15	24	59	88
ALL OTHER--MALE----	1,617	-	3	1	6	4	6	9	20	29	77	172
FEMALE--	800	-	1	1	-	3	2	3	6	15	20	48
BLACK---MALE----	1,039	-	3	1	4	1	4	6	13	15	46	115
FEMALE--	529	-	1	1	-	1	2	3	2	12	15	25
ALABAMA -----	235	-	1	-	-	-	2	1	1	-	2	13
WHITE-----MALE----	115	-	-	-	-	-	-	1	-	-	1	5
FEMALE--	62	-	1	-	-	-	1	-	1	-	-	3
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	26	-	-	-	-	-	1	-	-	-	-	3
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	26	-	-	-	-	-	1	-	-	-	-	3
ALASKA -----	21	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	191	-	-	-	-	-	-	-	-	-	1	10
WHITE-----MALE----	115	-	-	-	-	-	-	-	-	-	-	9
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	174	-	-	-	1	-	-	-	-	4	3	7
WHITE-----MALE----	95	-	-	-	1	-	-	-	-	3	2	4
FEMALE--	57	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	1,565	1	1	1	3	5	2	5	12	18	45	105
WHITE-----MALE----	683	-	-	-	-	-	1	1	4	5	21	53
FEMALE--	418	1	-	1	1	2	-	-	4	6	3	15
ALL OTHER--MALE----	326	-	1	-	2	1	1	3	4	5	19	28
FEMALE--	138	-	-	-	-	2	-	1	-	2	2	9
BLACK---MALE----	75	-	1	-	-	-	-	2	-	-	5	11
FEMALE--	28	-	-	-	-	-	-	1	-	2	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 577

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
UNITED STATES --	797	876	1,182	1,597	1,916	1,961	1,520	886	331	77	9	-
WHITE-----MALE----	399	466	642	862	1,040	1,016	715	326	97	15	-	-
FEMALE--	129	187	267	424	576	675	627	440	201	49	8	-
ALL OTHER--MALE----	222	163	195	210	184	156	95	52	10	3	-	-
FEMALE--	47	60	78	101	116	114	83	68	23	10	1	-
BLACK---MALE----	147	102	120	132	117	101	73	28	9	2	-	-
FEMALE--	33	39	45	63	75	81	51	51	20	8	1	-
ALABAMA -----	10	19	19	36	43	32	23	23	8	1	1	-
WHITE-----MALE----	2	11	11	21	24	20	10	8	1	-	-	-
FEMALE--	3	2	3	8	11	7	7	11	3	-	1	-
ALL OTHER--MALE----	4	3	3	4	3	4	3	2	2	1	-	-
FEMALE--	1	3	2	3	5	1	3	2	2	-	-	-
BLACK---MALE----	4	3	3	3	3	4	3	2	2	1	-	-
FEMALE--	1	3	2	3	5	1	3	2	2	-	-	-
ALASKA -----	-	1	3	2	6	3	1	1	-	-	-	-
WHITE-----MALE----	-	1	2	2	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	13	16	23	29	34	33	13	5	1	-	-
WHITE-----MALE----	10	11	12	10	20	19	19	3	2	-	-	-
FEMALE--	2	1	4	10	6	11	13	8	2	-	-	-
ALL OTHER--MALE----	1	-	-	3	1	2	-	2	1	1	-	-
FEMALE--	-	1	-	-	2	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	13	15	16	11	21	31	25	17	8	2	-	-
WHITE-----MALE----	6	10	11	8	15	14	13	5	3	-	-	-
FEMALE--	3	3	3	2	5	11	12	10	3	2	-	-
ALL OTHER--MALE----	3	2	1	-	1	2	-	-	1	-	-	-
FEMALE--	1	-	1	1	-	4	-	2	1	-	-	-
BLACK---MALE----	3	2	1	-	1	2	-	-	1	-	-	-
FEMALE--	1	-	1	1	-	4	-	2	1	-	-	-
CALIFORNIA -----	138	128	168	208	205	232	143	103	32	8	2	-
WHITE-----MALE----	69	61	77	92	90	109	55	37	7	1	-	-
FEMALE--	20	22	35	53	55	72	59	38	23	6	2	-
ALL OTHER--MALE----	43	35	40	41	43	31	14	15	-	-	-	-
FEMALE--	6	10	16	22	17	20	15	13	2	1	-	-
BLACK---MALE----	13	10	8	5	7	7	5	1	-	-	-	-
FEMALE--	-	5	3	3	2	2	3	4	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 578

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
COLORADO -----	128	1	-	-	-	-	1	1	1	1	5	8
WHITE-----MALE----	74	1	-	-	-	-	-	1	-	-	3	5
FEMALE--	45	-	-	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	138	-	-	-	-	-	1	-	-	-	6	6
WHITE-----MALE----	79	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	49	-	-	-	-	-	1	-	-	-	4	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	31	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	46	-	-	-	-	-	-	-	-	1	1	5
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	894	-	-	-	-	-	3	1	8	8	14	44
WHITE-----MALE----	495	-	-	-	-	-	1	-	3	1	2	25
FEMALE--	283	-	-	-	-	-	-	-	2	3	6	5
ALL OTHER--MALE----	81	-	-	-	-	-	2	1	3	3	4	10
FEMALE--	35	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	74	-	-	-	-	-	2	1	3	2	4	10
FEMALE--	31	-	-	-	-	-	-	-	-	1	2	3
GEORGIA -----	275	1	2	1	-	3	3	-	3	4	7	13
WHITE-----MALE----	130	1	1	1	-	1	-	-	-	1	5	7
FEMALE--	72	-	-	-	-	1	2	-	-	-	1	-
ALL OTHER--MALE----	47	-	-	-	-	1	1	-	2	2	1	5
FEMALE--	26	-	1	-	-	-	-	-	1	1	-	1
BLACK---MALE----	42	-	-	-	-	1	1	-	2	2	1	5
FEMALE--	24	-	1	-	-	-	-	-	1	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 578

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
COLORADO -----	9	6	9	16	20	22	14	11	3	-	-	-
WHITE-----MALE----	7	1	6	9	10	14	9	7	1	-	-	-
FEMALE--	1	5	2	6	8	8	5	4	2	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	11	12	16	25	24	18	10	4	-	-	-
WHITE-----MALE----	2	8	8	13	15	12	10	5	2	-	-	-
FEMALE--	1	3	4	2	9	12	7	3	2	-	-	-
ALL OTHER--MALE----	2	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
DELAWARE -----	-	4	2	2	7	5	8	-	2	-	-	-
WHITE-----MALE----	-	2	1	-	-	1	4	-	-	-	-	-
FEMALE--	-	1	1	1	5	3	3	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	3	4	2	9	8	9	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	2	1	3	2	3	5	5	-	-	-	-	-
FEMALE--	-	1	-	-	3	2	2	-	1	-	-	-
BLACK---MALE----	2	1	3	2	3	5	5	-	-	-	-	-
FEMALE--	-	1	-	-	3	2	2	-	1	-	-	-
FLORIDA -----	50	44	80	107	148	139	132	78	35	3	-	-
WHITE-----MALE----	30	23	51	62	87	83	76	39	11	1	-	-
FEMALE--	8	13	12	31	43	48	52	36	22	2	-	-
ALL OTHER--MALE----	8	7	15	10	8	6	2	2	-	-	-	-
FEMALE--	4	1	2	4	10	2	2	1	2	-	-	-
BLACK---MALE----	8	7	15	7	7	5	2	1	-	-	-	-
FEMALE--	4	1	2	3	8	2	2	1	2	-	-	-
GEORGIA -----	19	24	32	30	35	47	26	15	8	2	-	-
WHITE-----MALE----	7	13	19	17	22	21	6	5	3	-	-	-
FEMALE--	5	2	3	5	8	17	13	9	5	1	-	-
ALL OTHER--MALE----	7	6	7	4	4	3	3	1	-	-	-	-
FEMALE--	-	3	3	4	1	6	4	-	-	1	-	-
BLACK---MALE----	5	4	6	4	4	3	3	1	-	-	-	-
FEMALE--	-	3	3	4	-	5	4	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 579

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
HAWAII -----	4	11	10	8	7	15	13	8	1	-	-	-
WHITE-----MALE----	-	2	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	3	7	5	6	3	9	3	3	-	-	-	-
FEMALE--	1	2	3	2	3	4	9	4	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	5	4	7	4	4	4	2	-	-	-
WHITE-----MALE----	1	-	4	2	4	1	2	2	-	-	-	-
FEMALE--	-	-	1	2	3	2	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	30	42	65	80	89	81	81	36	14	1	1	-
WHITE-----MALE----	15	20	37	37	42	38	38	10	5	-	-	-
FEMALE--	3	13	9	21	32	32	29	22	7	-	1	-
ALL OTHER--MALE----	12	6	16	12	10	4	8	1	-	-	-	-
FEMALE--	-	3	3	10	5	7	6	3	2	1	-	-
BLACK---MALE----	11	6	14	11	9	4	7	1	-	-	-	-
FEMALE--	-	3	3	9	5	7	4	3	2	1	-	-
INDIANA -----	12	27	22	39	45	42	32	24	5	2	-	-
WHITE-----MALE----	10	15	14	25	26	30	19	12	-	1	-	-
FEMALE--	1	7	3	9	12	10	12	11	4	1	-	-
ALL OTHER--MALE----	1	3	4	3	5	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	2	2	1	1	1	-	-	-
BLACK---MALE----	1	3	4	3	5	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	2	1	1	1	-	-	-
IOWA -----	4	7	6	13	14	13	18	8	2	-	-	-
WHITE-----MALE----	1	6	5	7	6	7	9	3	1	-	-	-
FEMALE--	3	1	1	5	6	6	9	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	4	9	10	7	10	19	5	7	-	-	-
WHITE-----MALE----	-	2	7	6	4	9	13	2	2	-	-	-
FEMALE--	1	1	2	3	1	-	6	3	4	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 580

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
KENTUCKY -----	187	-	-	-	-	-	3	-	-	2	6	6
WHITE-----MALE----	102	-	-	-	-	-	3	-	-	1	4	2
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
LOUISIANA -----	243	-	-	-	1	-	1	-	-	1	6	10
WHITE-----MALE----	112	-	-	-	1	-	-	-	-	1	3	4
FEMALE--	71	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	37	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	2
MAINE -----	53	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	206	-	1	1	1	-	-	2	1	1	5	10
WHITE-----MALE----	85	-	-	-	-	-	-	2	-	1	2	3
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	54	-	1	1	1	-	-	-	1	-	3	5
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	45	-	1	1	1	-	-	-	1	-	3	5
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	283	-	-	-	-	-	1	-	2	1	6	14
WHITE-----MALE----	162	-	-	-	-	-	-	-	1	1	5	9
FEMALE--	95	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	435	-	-	1	1	-	1	-	2	1	7	17
WHITE-----MALE----	232	-	-	1	-	-	-	-	-	-	3	11
FEMALE--	121	-	-	-	-	-	-	-	1	-	2	4
ALL OTHER--MALE----	58	-	-	-	1	-	-	-	1	1	2	1
FEMALE--	24	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	53	-	-	-	1	-	-	-	1	-	1	1
FEMALE--	22	-	-	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 580

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
KENTUCKY -----	6	10	22	23	36	32	28	10	3	-	-	-
WHITE-----MALE----	5	6	13	12	20	20	14	2	-	-	-	-
FEMALE--	-	4	8	9	12	10	10	6	3	-	-	-
ALL OTHER--MALE----	1	-	1	2	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	1	2	-	-	-	-
BLACK---MALE----	1	-	1	2	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	1	2	-	-	-	-
LOUISIANA -----	12	14	24	41	37	34	35	14	9	2	2	-
WHITE-----MALE----	5	7	7	16	21	18	19	5	4	1	-	-
FEMALE--	1	1	9	19	13	10	7	6	3	-	1	-
ALL OTHER--MALE----	6	4	6	4	3	4	6	1	1	-	-	-
FEMALE--	-	2	2	2	-	2	3	2	1	1	1	-
BLACK---MALE----	6	4	4	2	3	4	5	1	1	-	-	-
FEMALE--	-	2	2	2	-	2	3	1	1	-	1	-
MAINE -----	4	2	6	10	7	15	1	2	1	-	-	-
WHITE-----MALE----	1	2	4	5	5	8	1	1	-	-	-	-
FEMALE--	2	-	2	5	2	7	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	11	18	29	35	32	22	13	7	-	-	-
WHITE-----MALE----	4	5	9	13	15	14	10	4	3	-	-	-
FEMALE--	2	2	3	3	12	6	9	6	3	-	-	-
ALL OTHER--MALE----	9	1	5	10	7	6	3	1	-	-	-	-
FEMALE--	2	3	1	3	1	6	-	2	1	-	-	-
BLACK---MALE----	8	1	3	8	5	5	2	1	-	-	-	-
FEMALE--	2	2	-	3	1	6	-	2	1	-	-	-
MASSACHUSETTS -----	12	17	27	34	54	41	35	24	12	3	-	-
WHITE-----MALE----	6	12	20	24	34	24	17	6	3	-	-	-
FEMALE--	3	-	3	8	19	17	17	15	8	3	-	-
ALL OTHER--MALE----	3	5	3	2	1	-	1	2	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	3	2	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	28	32	25	69	79	77	56	29	6	4	-	-
WHITE-----MALE----	15	17	13	44	46	42	28	11	-	1	-	-
FEMALE--	5	7	7	8	25	22	16	15	6	3	-	-
ALL OTHER--MALE----	6	4	3	14	7	10	7	1	-	-	-	-
FEMALE--	2	4	2	3	1	3	5	2	-	-	-	-
BLACK---MALE----	5	3	3	14	7	10	6	1	-	-	-	-
FEMALE--	2	3	2	3	1	3	4	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 581

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
MINNESOTA -----	9	9	15	16	20	31	25	11	8	2	-	-
WHITE-----MALE----	2	5	5	8	13	13	11	4	3	1	-	-
FEMALE--	2	1	8	5	5	16	14	7	5	1	-	-
ALL OTHER--MALE----	5	2	1	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MISSISSIPPI -----	8	7	21	13	39	19	17	12	1	1	-	-
WHITE-----MALE----	1	1	9	6	18	8	5	3	-	-	-	-
FEMALE--	-	2	4	3	9	7	8	2	-	1	-	-
ALL OTHER--MALE----	3	1	3	3	8	2	2	2	-	-	-	-
FEMALE--	4	3	5	1	4	2	2	5	1	-	-	-
BLACK---MALE----	3	1	3	3	8	2	2	2	-	-	-	-
FEMALE--	4	3	5	1	4	2	2	5	1	-	-	-
MISSOURI -----	18	17	24	28	30	46	33	17	4	2	-	-
WHITE-----MALE----	9	10	11	12	16	27	17	6	-	-	-	-
FEMALE--	4	3	7	6	8	17	15	11	4	2	-	-
ALL OTHER--MALE----	3	3	4	6	2	1	1	-	-	-	-	-
FEMALE--	2	1	2	4	4	1	-	-	-	-	-	-
BLACK---MALE----	3	3	3	3	2	1	1	-	-	-	-	-
FEMALE--	1	1	2	4	4	1	-	-	-	-	-	-
MONTANA -----	1	2	-	6	1	8	3	8	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	5	2	4	-	-	-	-
FEMALE--	1	2	-	2	1	3	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	4	9	5	7	10	10	3	3	-	-	-
WHITE-----MALE----	1	2	5	2	7	9	2	1	1	-	-	-
FEMALE--	-	2	2	3	-	1	8	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	7	8	9	19	18	12	5	7	1	1	-	-
WHITE-----MALE----	5	4	5	13	11	5	2	4	-	-	-	-
FEMALE--	-	2	3	5	6	7	2	3	1	-	-	-
ALL OTHER--MALE----	2	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 583

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
OHIO -----	25	34	33	58	78	83	60	36	12	3	-	-
WHITE-----MALE----	11	19	20	28	45	47	27	14	4	-	-	-
FEMALE--	4	9	7	20	21	29	30	19	5	2	-	-
ALL OTHER--MALE----	7	4	5	6	6	4	2	2	1	-	-	-
FEMALE--	3	2	1	4	6	3	1	1	2	1	-	-
BLACK---MALE----	7	3	4	6	6	4	2	2	1	-	-	-
FEMALE--	3	2	1	4	6	3	1	1	2	1	-	-
OKLAHOMA -----	6	9	9	11	22	26	22	6	5	-	-	-
WHITE-----MALE----	3	2	3	8	11	14	9	2	3	-	-	-
FEMALE--	2	2	2	3	7	9	11	4	2	-	-	-
ALL OTHER--MALE----	-	2	3	-	1	2	-	-	-	-	-	-
FEMALE--	1	3	1	-	3	1	2	-	-	-	-	-
BLACK---MALE----	-	2	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	1	-	-	-	-	-
OREGON -----	9	13	16	18	10	13	15	5	3	-	-	-
WHITE-----MALE----	5	7	6	11	7	9	8	3	2	-	-	-
FEMALE--	3	2	7	5	3	3	7	2	1	-	-	-
ALL OTHER--MALE----	-	4	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	30	34	48	72	110	102	67	54	10	4	-	-
WHITE-----MALE----	15	15	26	48	75	45	26	23	3	-	-	-
FEMALE--	6	8	15	16	23	42	36	26	5	4	-	-
ALL OTHER--MALE----	9	9	6	5	5	10	2	2	-	-	-	-
FEMALE--	-	2	1	3	7	5	3	3	2	-	-	-
BLACK---MALE----	9	6	4	5	4	8	2	2	-	-	-	-
FEMALE--	-	2	1	2	7	5	3	3	2	-	-	-
RHODE ISLAND -----	4	3	5	5	5	11	13	5	1	-	-	-
WHITE-----MALE----	2	1	2	4	2	6	4	3	1	-	-	-
FEMALE--	2	1	2	1	3	5	8	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	8	9	26	26	36	16	7	5	1	-	-
WHITE-----MALE----	4	5	5	9	10	18	5	2	1	-	-	-
FEMALE--	-	2	1	11	10	8	7	3	2	-	-	-
ALL OTHER--MALE----	4	-	2	5	4	5	2	2	1	-	-	-
FEMALE--	-	1	1	1	2	5	2	-	1	1	-	-
BLACK---MALE----	3	-	1	5	4	4	2	2	1	-	-	-
FEMALE--	-	1	-	1	1	5	2	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 584

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
SOUTH DAKOTA -----	22	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	227	-	1	-	-	1	-	-	-	4	5	7
WHITE-----MALE----	105	-	1	-	-	1	-	-	-	-	3	5
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	36	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	-	-
TEXAS -----	992	-	1	1	1	1	1	3	1	10	34	62
WHITE-----MALE----	524	-	-	-	1	-	-	2	-	5	19	36
FEMALE--	317	-	-	-	-	1	1	1	1	2	5	8
ALL OTHER--MALE----	102	-	1	-	-	-	-	-	-	2	9	16
FEMALE--	49	-	-	1	-	-	-	-	-	1	1	2
BLACK---MALE----	80	-	1	-	-	-	-	-	-	1	6	11
FEMALE--	35	-	-	1	-	-	-	-	-	1	1	-
UTAH -----	45	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	17	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	244	-	-	-	-	-	2	3	-	2	6	17
WHITE-----MALE----	113	-	-	-	-	-	2	1	-	1	3	12
FEMALE--	76	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	36	-	-	-	-	-	-	1	-	1	-	4
FEMALE--	19	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 584

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
SOUTH DAKOTA -----	1	5	2	4	2	1	3	1	2	-	-	-
WHITE-----MALE----	1	2	1	3	-	1	3	1	2	-	-	-
FEMALE--	-	2	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	21	24	28	38	36	23	12	6	1	-	-
WHITE-----MALE----	9	13	10	18	17	15	7	4	2	-	-	-
FEMALE--	3	3	9	4	15	16	12	5	2	-	-	-
ALL OTHER--MALE----	8	5	3	4	5	3	3	-	2	1	-	-
FEMALE--	-	-	2	2	1	2	1	3	-	-	-	-
BLACK---MALE----	7	5	2	4	5	3	3	-	2	1	-	-
FEMALE--	-	-	1	2	-	2	1	3	-	-	-	-
TEXAS -----	70	77	106	136	146	129	117	58	29	8	1	-
WHITE-----MALE----	43	46	60	76	78	64	58	23	10	3	-	-
FEMALE--	11	16	26	41	52	56	44	29	18	4	1	-
ALL OTHER--MALE----	13	12	13	14	9	5	7	1	-	-	-	-
FEMALE--	3	3	7	5	7	4	8	5	1	1	-	-
BLACK---MALE----	10	11	11	12	5	4	7	1	-	-	-	-
FEMALE--	2	1	7	3	4	2	7	4	1	1	-	-
UTAH -----	3	4	-	3	8	8	10	5	1	-	-	-
WHITE-----MALE----	-	3	-	2	4	6	6	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	4	5	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	3	6	2	-	1	2	-	-	-
WHITE-----MALE----	1	-	-	3	5	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	11	30	25	39	43	28	24	4	3	-	-
WHITE-----MALE----	1	5	13	15	21	22	8	8	1	-	-	-
FEMALE--	2	2	9	6	8	13	16	11	3	3	-	-
ALL OTHER--MALE----	4	4	5	1	6	5	3	2	-	-	-	-
FEMALE--	-	-	3	3	4	3	1	3	-	-	-	-
BLACK---MALE----	3	4	2	-	5	5	2	2	-	-	-	-
FEMALE--	-	-	1	2	3	3	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 586

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, PRIMARY (155.0)												
UNITED STATES --	5,682	4	12	4	11	13	19	21	29	57	179	384
WHITE-----MALE----	3,147	2	5	1	3	2	6	10	7	23	93	210
FEMALE--	1,276	2	3	2	2	5	6	2	6	11	23	38
ALL OTHER--MALE----	930	-	3	-	6	4	5	6	12	16	54	122
FEMALE--	329	-	1	1	-	2	2	3	4	7	9	14
BLACK---MALE----	563	-	3	-	4	1	4	3	8	9	33	79
FEMALE--	182	-	1	1	-	-	2	3	1	6	8	4
ALABAMA -----	76	-	-	-	-	-	2	-	-	-	1	2
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	14	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	83	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	60	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	56	-	-	-	1	-	-	-	-	1	1	3
WHITE-----MALE----	35	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	798	1	1	1	3	5	-	3	6	10	26	70
WHITE-----MALE----	364	-	-	-	-	-	-	1	2	3	14	38
FEMALE--	143	1	-	1	1	2	-	-	2	3	1	5
ALL OTHER--MALE----	214	-	1	-	2	1	-	1	2	3	10	23
FEMALE--	77	-	-	-	-	2	-	1	-	1	1	4
BLACK---MALE----	49	-	1	-	-	-	-	-	-	-	2	8
FEMALE--	14	-	-	-	-	-	-	1	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 586
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
UNITED STATES --	434	465	635	811	891	819	552	237	87	16	2	-
WHITE-----MALE----	227	274	365	482	528	477	300	96	32	4	-	-
FEMALE--	46	68	101	167	219	229	181	104	51	8	2	-
ALL OTHER--MALE----	141	97	125	113	94	72	39	20	1	-	-	-
FEMALE--	20	26	44	49	50	41	32	17	3	4	-	-
BLACK---MALE----	91	58	74	62	54	43	27	10	-	-	-	-
FEMALE--	11	14	20	26	25	23	19	13	2	3	-	-
ALABAMA -----	6	8	6	13	18	12	4	4	-	-	-	-
WHITE-----MALE----	2	5	4	7	11	10	1	1	-	-	-	-
FEMALE--	1	1	-	4	3	2	1	3	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	1	-	-	-	-	-
BLACK---MALE----	2	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	1	-	-	-	-	-
ALASKA -----	-	1	1	2	4	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	1	2	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	9	9	10	13	12	15	1	2	-	-	-
WHITE-----MALE----	6	8	7	4	10	9	12	-	-	-	-	-
FEMALE--	1	1	2	4	2	2	3	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	6	6	3	6	8	7	5	2	-	-	-
WHITE-----MALE----	3	5	4	3	4	5	4	1	2	-	-	-
FEMALE--	1	-	-	-	1	2	3	2	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	-	-	-	-
BLACK---MALE----	3	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	-	-	-	-
CALIFORNIA -----	81	86	104	108	107	102	37	35	10	1	1	-
WHITE-----MALE----	43	43	47	50	46	48	15	10	4	-	-	-
FEMALE--	5	7	15	22	23	23	10	14	6	1	1	-
ALL OTHER--MALE----	29	28	29	22	28	21	8	6	-	-	-	-
FEMALE--	4	8	13	14	10	10	4	5	-	-	-	-
BLACK---MALE----	10	8	5	1	5	5	3	1	-	-	-	-
FEMALE--	-	3	2	1	1	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 587
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
COLORADO -----	5	4	7	9	7	11	5	5	1	-	-	-
WHITE-----MALE----	5	1	5	6	4	8	4	3	-	-	-	-
FEMALE--	-	3	2	2	1	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	6	8	5	11	12	9	5	1	-	-	-
WHITE-----MALE----	-	6	5	5	8	8	6	3	-	-	-	-
FEMALE--	-	-	3	-	3	4	3	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	-	3	1	1	3	2	1	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	3	2	7	2	4	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	2	2	3	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	2	2	3	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
FLORIDA -----	30	27	45	53	72	59	48	24	10	2	-	-
WHITE-----MALE----	19	16	31	38	49	41	34	11	3	-	-	-
FEMALE--	3	7	3	12	16	13	14	11	7	2	-	-
ALL OTHER--MALE----	6	3	9	3	4	4	-	2	-	-	-	-
FEMALE--	2	1	2	-	3	1	-	-	-	-	-	-
BLACK---MALE----	6	3	9	2	3	3	-	1	-	-	-	-
FEMALE--	2	1	2	-	2	1	-	-	-	-	-	-
GEORGIA -----	11	10	17	19	16	19	6	4	2	-	-	-
WHITE-----MALE----	4	6	10	15	11	9	2	3	2	-	-	-
FEMALE--	2	-	2	-	5	7	4	1	-	-	-	-
ALL OTHER--MALE----	5	3	5	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	4	2	5	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 589

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, PRIMARY (155.0)												
KENTUCKY -----	78	-	-	-	-	-	2	-	-	-	3	2
WHITE-----MALE----	47	-	-	-	-	-	2	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	65	-	-	-	-	-	-	-	-	-	3	4
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	16	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	87	-	1	-	1	-	-	2	-	1	2	3
WHITE-----MALE----	38	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	30	-	1	-	1	-	-	-	-	-	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	1	-	1	-	-	-	-	-	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	134	-	-	-	-	-	1	-	2	1	4	11
WHITE-----MALE----	86	-	-	-	-	-	-	-	1	1	3	6
FEMALE--	30	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	156	-	-	-	1	-	1	-	-	-	3	7
WHITE-----MALE----	97	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	23	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	23	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 589

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
KENTUCKY -----	3	6	8	12	13	15	9	2	3	-	-	-
WHITE-----MALE----	2	3	4	8	9	11	5	1	-	-	-	-
FEMALE--	-	3	3	3	4	4	-	-	3	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	2	4	4	17	14	6	9	2	-	-	-	-
WHITE-----MALE----	-	3	1	8	9	6	6	-	-	-	-	-
FEMALE--	-	-	2	5	5	-	1	2	-	-	-	-
ALL OTHER--MALE----	2	1	1	3	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MAINE -----	1	1	2	4	4	3	-	-	-	-	-	-
WHITE-----MALE----	-	1	2	4	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	4	12	17	11	11	9	3	2	-	-	-
WHITE-----MALE----	2	3	8	8	3	5	3	1	1	-	-	-
FEMALE--	-	1	-	2	3	2	4	-	1	-	-	-
ALL OTHER--MALE----	6	-	4	5	4	2	2	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	-	1	-	-	-	-
BLACK---MALE----	5	-	2	4	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	-	1	-	-	-	-
MASSACHUSETTS -----	5	11	16	16	29	20	10	4	3	1	-	-
WHITE-----MALE----	2	8	11	11	21	13	8	-	1	-	-	-
FEMALE--	1	-	2	3	7	7	2	3	2	1	-	-
ALL OTHER--MALE----	2	3	2	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	11	15	8	34	29	26	13	7	-	1	-	-
WHITE-----MALE----	7	10	4	25	17	19	7	3	-	-	-	-
FEMALE--	-	-	-	4	9	4	2	3	-	1	-	-
ALL OTHER--MALE----	2	3	2	5	3	2	2	1	-	-	-	-
FEMALE--	2	2	2	-	-	1	2	-	-	-	-	-
BLACK---MALE----	2	3	2	5	3	2	2	1	-	-	-	-
FEMALE--	2	1	2	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 590

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
MINNESOTA -----	8	5	6	7	7	9	9	4	1	-	-	-
WHITE-----MALE----	2	1	2	4	5	8	4	1	1	-	-	-
FEMALE--	1	1	3	2	1	1	5	3	-	-	-	-
ALL OTHER--MALE----	5	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	-	2	5	4	9	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	2	2	4	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MISSOURI -----	6	4	6	14	10	24	6	4	-	-	-	-
WHITE-----MALE----	3	3	4	7	6	16	3	3	-	-	-	-
FEMALE--	1	-	1	2	2	6	2	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	2	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	3	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	3	1	1	-	-	-	-	-	-
MONTANA -----	-	-	-	4	-	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	5	2	1	3	2	-	-	-	-	-
WHITE-----MALE----	-	2	3	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	3	4	2	10	6	2	1	-	-	1	-	-
WHITE-----MALE----	1	2	1	8	3	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	3	2	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 592
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
OHIO -----	10	19	15	24	33	25	16	9	4	-	-	-
WHITE-----MALE----	6	11	9	14	24	15	8	4	2	-	-	-
FEMALE--	1	6	1	6	6	5	8	5	2	-	-	-
ALL OTHER--MALE----	3	-	4	3	1	3	-	-	-	-	-	-
FEMALE--	-	2	1	1	2	2	-	-	-	-	-	-
BLACK---MALE----	3	-	3	3	1	3	-	-	-	-	-	-
FEMALE--	-	2	1	1	2	2	-	-	-	-	-	-
OKLAHOMA -----	1	4	4	8	6	12	6	3	-	-	-	-
WHITE-----MALE----	1	-	1	7	4	9	2	1	-	-	-	-
FEMALE--	-	2	-	1	1	2	4	2	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
OREGON -----	6	8	13	13	2	5	6	1	1	-	-	-
WHITE-----MALE----	5	4	6	8	1	4	4	1	-	-	-	-
FEMALE--	1	1	5	4	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	3	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	19	17	22	37	49	50	22	12	1	-	-	-
WHITE-----MALE----	9	6	14	26	38	22	11	4	-	-	-	-
FEMALE--	3	4	6	5	6	18	9	5	1	-	-	-
ALL OTHER--MALE----	7	6	2	4	3	6	1	2	-	-	-	-
FEMALE--	-	1	-	2	2	4	1	1	-	-	-	-
BLACK---MALE----	7	4	1	4	2	5	1	2	-	-	-	-
FEMALE--	-	1	-	1	2	4	1	1	-	-	-	-
RHODE ISLAND -----	2	1	1	3	3	6	3	2	-	-	-	-
WHITE-----MALE----	2	1	1	3	1	4	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	4	5	12	9	14	9	1	-	1	-	-
WHITE-----MALE----	2	2	3	5	4	9	3	-	-	-	-	-
FEMALE--	-	1	-	5	1	3	4	1	-	-	-	-
ALL OTHER--MALE----	2	-	1	2	2	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	2	2	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 593

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, PRIMARY (155.0)												
SOUTH DAKOTA -----	11	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	92	-	1	-	-	1	-	-	-	2	3	4
WHITE-----MALE----	53	-	1	-	-	1	-	-	-	-	3	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	731	-	1	1	1	1	1	3	-	7	28	51
WHITE-----MALE----	396	-	-	-	1	-	-	2	-	4	15	31
FEMALE--	218	-	-	-	-	1	1	1	-	1	3	6
ALL OTHER--MALE----	85	-	1	-	-	-	-	-	-	1	9	12
FEMALE--	32	-	-	1	-	-	-	-	-	1	1	2
BLACK---MALE----	68	-	1	-	-	-	-	-	-	1	6	9
FEMALE--	22	-	-	1	-	-	-	-	-	1	1	-
UTAH -----	16	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	102	-	-	-	-	-	1	3	-	-	3	11
WHITE-----MALE----	55	-	-	-	-	-	1	1	-	-	2	9
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 593

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
SOUTH DAKOTA -----	-	1	1	3	2	-	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	10	9	16	19	7	9	5	-	-	-	-
WHITE-----MALE----	2	7	3	13	11	3	4	2	-	-	-	-
FEMALE--	1	-	4	-	5	3	3	2	-	-	-	-
ALL OTHER--MALE----	3	3	-	2	2	-	2	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	-	1	-	-	-	-
BLACK---MALE----	2	3	-	2	2	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	-	-	-	-
TEXAS -----	52	55	82	107	111	85	88	31	19	6	1	-
WHITE-----MALE----	30	34	43	60	64	42	46	13	8	3	-	-
FEMALE--	9	10	23	31	36	36	31	16	10	2	1	-
ALL OTHER--MALE----	11	10	12	12	7	4	5	1	-	-	-	-
FEMALE--	2	1	4	4	4	3	6	1	1	1	-	-
BLACK---MALE----	8	9	10	10	4	4	5	1	-	-	-	-
FEMALE--	1	-	4	2	3	1	5	1	1	1	-	-
UTAH -----	1	2	-	2	6	1	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	2	3	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	3	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	5	14	12	19	16	10	4	1	1	-	-
WHITE-----MALE----	-	2	6	8	12	9	3	2	-	-	-	-
FEMALE--	-	-	3	3	3	5	5	1	1	1	-	-
ALL OTHER--MALE----	2	3	4	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	-	-	-	-
BLACK---MALE----	2	3	1	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 595

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
UNITED STATES --	116	148	203	314	383	413	368	242	78	19	3	-
WHITE-----MALE----	52	69	94	148	172	187	134	83	22	3	-	-
FEMALE--	45	50	82	122	165	178	203	131	51	14	3	-
ALL OTHER--MALE----	13	13	13	26	27	26	14	14	1	1	-	-
FEMALE--	6	16	14	18	19	22	17	14	4	1	-	-
BLACK---MALE----	8	6	6	17	12	16	7	6	1	-	-	-
FEMALE--	5	10	10	12	12	19	8	7	4	1	-	-
ALABAMA -----	2	1	2	3	8	7	4	8	2	-	-	-
WHITE-----MALE----	-	1	2	2	4	3	3	2	1	-	-	-
FEMALE--	1	-	-	1	2	2	-	5	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALASKA -----	-	-	1	-	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	3	3	7	7	2	3	2	1	-	-
WHITE-----MALE----	2	2	2	2	5	3	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	-	2	1	3	2	1	-	1	-	-
WHITE-----MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	16	19	20	44	34	51	46	26	3	2	1	-
WHITE-----MALE----	8	9	10	19	13	22	15	11	-	-	-	-
FEMALE--	4	8	6	15	13	23	23	7	3	1	1	-
ALL OTHER--MALE----	3	1	2	7	7	4	2	4	-	-	-	-
FEMALE--	1	1	2	3	1	2	6	4	-	1	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 596

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRAHEPATIC BILE DUCTS (155.1)												
COLORADO -----	25	-	-	-	-	-	1	-	-	1	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	45	-	-	-	-	-	-	-	-	-	4	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	163	-	-	-	-	-	-	-	2	1	1	5
WHITE-----MALE----	72	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	74	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
GEORGIA -----	53	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 596

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
COLORADO -----	-	1	-	3	8	3	6	1	-	-	-	-
WHITE-----MALE----	-	-	-	2	3	1	5	1	-	-	-	-
FEMALE--	-	1	-	1	5	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	2	3	7	9	8	3	4	1	-	-	-
WHITE-----MALE----	2	1	2	4	4	4	2	2	1	-	-	-
FEMALE--	-	1	1	2	5	4	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	2	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	1	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
FLORIDA -----	10	5	15	17	25	27	29	19	6	1	-	-
WHITE-----MALE----	4	1	10	8	11	15	7	9	2	1	-	-
FEMALE--	4	4	3	6	11	12	19	9	4	-	-	-
ALL OTHER--MALE----	-	-	2	2	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	3	-	2	1	-	-	-	-
BLACK---MALE----	-	-	2	2	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	2	-	2	1	-	-	-	-
GEORGIA -----	4	4	3	5	5	12	10	6	-	-	-	-
WHITE-----MALE----	-	1	2	-	4	3	3	1	-	-	-	-
FEMALE--	3	1	1	5	1	7	6	4	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 597

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
HAWAII -----	-	1	1	1	1	3	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	2	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	3	2	3	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	2	1	3	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	8	9	22	19	16	10	8	3	-	-	-
WHITE-----MALE----	3	5	5	8	5	6	4	3	1	-	-	-
FEMALE--	1	3	3	10	13	8	6	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	2	-	1	-	-	-	-
BLACK---MALE----	1	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	1	-	-	-	-
INDIANA -----	1	4	3	10	12	8	6	8	1	1	-	-
WHITE-----MALE----	-	1	2	5	8	3	2	4	-	-	-	-
FEMALE--	1	3	1	5	4	5	3	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	2	1	5	2	4	6	4	-	-	-	-
WHITE-----MALE----	-	2	1	2	-	2	3	2	-	-	-	-
FEMALE--	1	-	-	3	2	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	4	3	1	3	6	1	1	-	-	-
WHITE-----MALE----	-	-	3	2	1	2	4	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 598

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
KENTUCKY -----	1	2	4	3	10	5	5	3	-	-	-	-
WHITE-----MALE----	1	1	3	1	3	3	2	1	-	-	-	-
FEMALE--	-	1	1	2	5	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
LOUISIANA -----	2	3	3	4	3	4	4	3	1	-	-	-
WHITE-----MALE----	2	-	1	-	1	2	2	-	1	-	-	-
FEMALE--	-	-	1	4	2	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
MAINE -----	1	-	2	4	1	5	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	4	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	5	3	3	11	9	5	5	1	-	-	-
WHITE-----MALE----	1	1	-	2	4	5	2	2	1	-	-	-
FEMALE--	2	-	2	-	5	1	3	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	3	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	3	3	3	5	15	5	10	5	3	1	-	-
WHITE-----MALE----	1	2	3	3	7	2	4	1	1	-	-	-
FEMALE--	1	-	-	2	8	3	5	4	1	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	3	4	9	17	19	14	7	3	1	-	-
WHITE-----MALE----	3	2	1	5	9	8	3	2	-	1	-	-
FEMALE--	4	1	3	1	7	8	8	4	3	-	-	-
ALL OTHER--MALE----	1	-	-	3	1	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	3	1	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 601
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
OHIO -----	2	6	6	15	19	22	13	13	4	-	-	-
WHITE-----MALE----	1	6	4	5	8	15	4	3	2	-	-	-
FEMALE--	1	-	2	8	7	7	9	9	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	1	1	-	-	-
OKLAHOMA -----	2	1	2	2	4	4	6	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	2	-	2	1	1	3	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	1	1	1	4	3	3	4	-	1	-	-	-
WHITE-----MALE----	-	-	-	3	3	3	2	-	1	-	-	-
FEMALE--	1	1	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	4	12	15	28	20	18	15	4	2	-	-
WHITE-----MALE----	3	3	5	9	17	9	8	7	-	-	-	-
FEMALE--	2	1	7	6	9	9	10	8	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	2	2	1	1	2	2	7	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	-	-	-	-
FEMALE--	2	1	1	1	1	1	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	-	4	5	7	2	5	2	-	-	-
WHITE-----MALE----	-	1	-	1	2	3	1	2	1	-	-	-
FEMALE--	-	-	-	3	3	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 602

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
SOUTH DAKOTA -----	-	2	-	1	-	1	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	2	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	2	3	6	10	10	6	-	-	-	-	-
WHITE-----MALE----	2	1	2	1	3	3	1	-	-	-	-	-
FEMALE--	-	1	1	2	6	6	4	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
TEXAS -----	6	14	12	18	22	23	15	9	4	2	-	-
WHITE-----MALE----	5	7	8	10	9	10	5	4	-	-	-	-
FEMALE--	1	5	2	7	9	12	9	4	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	2	2	-	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	-	-	-	-	-
UTAH -----	2	2	-	1	-	5	5	2	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	4	3	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	1	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	4	10	8	6	8	7	6	-	1	-	-
WHITE-----MALE----	-	3	4	4	3	3	3	4	-	-	-	-
FEMALE--	2	1	5	2	2	3	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 604

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
UNITED STATES --	4,229	1	4	2	1	4	5	4	15	29	84	164
WHITE-----MALE----	1,979	1	1	1	1	1	3	1	3	6	45	87
FEMALE--	1,417	-	3	-	-	2	1	2	3	7	16	20
ALL OTHER--MALE----	519	-	-	1	-	-	1	1	8	8	20	40
FEMALE--	314	-	-	-	-	1	-	-	1	8	3	17
BLACK---MALE----	386	-	-	1	-	-	-	1	5	4	11	31
FEMALE--	246	-	-	-	-	1	-	-	-	6	3	13
ALABAMA -----	121	-	1	-	-	-	-	1	1	-	1	10
WHITE-----MALE----	55	-	-	-	-	-	-	1	-	-	1	4
FEMALE--	34	-	1	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	3
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	74	-	-	-	-	-	-	-	-	-	-	5
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	106	-	-	-	-	-	-	-	-	3	2	4
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	474	-	-	-	-	-	2	1	4	3	14	17
WHITE-----MALE----	208	-	-	-	-	-	1	-	2	-	7	13
FEMALE--	155	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	76	-	-	-	-	-	1	1	2	1	7	3
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	21	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 604

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
UNITED STATES --	247	263	344	472	642	729	600	407	166	42	4	-
WHITE-----MALE----	120	123	183	232	340	352	281	147	43	8	-	-
FEMALE--	38	69	84	135	192	268	243	205	99	27	3	-
ALL OTHER--MALE----	68	53	57	71	63	58	42	18	8	2	-	-
FEMALE--	21	18	20	34	47	51	34	37	16	5	1	-
BLACK---MALE----	48	38	40	53	51	42	39	12	8	2	-	-
FEMALE--	17	15	15	25	38	39	24	31	14	4	1	-
ALABAMA -----	2	10	11	20	17	13	15	11	6	1	1	-
WHITE-----MALE----	-	5	5	12	9	7	6	5	-	-	-	-
FEMALE--	1	1	3	3	6	3	6	3	3	-	1	-
ALL OTHER--MALE----	1	2	2	3	-	2	2	1	2	1	-	-
FEMALE--	-	2	1	2	2	1	1	2	1	-	-	-
BLACK---MALE----	1	2	2	2	-	2	2	1	2	1	-	-
FEMALE--	-	2	1	2	2	1	1	2	1	-	-	-
ALASKA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	4	10	9	15	16	9	1	-	-	-
WHITE-----MALE----	2	1	3	4	5	7	6	2	1	-	-	-
FEMALE--	1	-	1	6	4	6	9	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	7	10	6	14	20	16	11	6	1	-	-
WHITE-----MALE----	3	3	7	5	10	8	9	4	1	-	-	-
FEMALE--	2	3	3	1	4	7	7	7	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	4	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	4	-	-	1	-	-	-
CALIFORNIA -----	41	23	44	56	64	79	60	42	19	5	-	-
WHITE-----MALE----	18	9	20	23	31	39	25	16	3	1	-	-
FEMALE--	11	7	14	16	19	26	26	17	14	4	-	-
ALL OTHER--MALE----	11	6	9	12	8	6	4	5	-	-	-	-
FEMALE--	1	1	1	5	6	8	5	4	2	-	-	-
BLACK---MALE----	2	2	3	3	2	2	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 605

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
COLORADO -----	38	-	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	27	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	13	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	311	-	-	-	-	-	-	-	1	3	5	10
WHITE-----MALE----	160	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	111	-	-	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	25	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	94	-	-	-	-	-	-	-	-	2	1	6
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 605

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
COLORADO -----	4	1	2	4	5	8	3	5	2	-	-	-
WHITE-----MALE----	2	-	1	1	3	5	-	3	1	-	-	-
FEMALE--	1	1	-	3	2	3	3	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	3	1	4	5	4	6	1	2	-	-	-
WHITE-----MALE----	-	1	1	4	3	-	2	-	1	-	-	-
FEMALE--	1	2	-	-	1	4	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	1	-	2	1	6	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	4	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	2	5	4	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	3	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	3	3	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
FLORIDA -----	10	12	20	37	51	53	55	35	19	-	-	-
WHITE-----MALE----	7	6	10	16	27	27	35	19	6	-	-	-
FEMALE--	1	2	6	13	16	23	19	16	11	-	-	-
ALL OTHER--MALE----	2	4	4	5	4	2	1	-	-	-	-	-
FEMALE--	-	-	-	3	4	1	-	-	2	-	-	-
BLACK---MALE----	2	4	4	3	4	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	4	1	-	-	2	-	-	-
GEORGIA -----	4	10	12	6	14	16	10	5	6	2	-	-
WHITE-----MALE----	3	6	7	2	7	9	1	1	1	-	-	-
FEMALE--	-	1	-	-	2	3	3	4	5	1	-	-
ALL OTHER--MALE----	1	1	2	1	4	2	3	-	-	-	-	-
FEMALE--	-	2	3	3	1	2	3	-	-	1	-	-
BLACK---MALE----	1	1	1	1	4	2	3	-	-	-	-	-
FEMALE--	-	2	3	3	-	2	3	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 607

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
KENTUCKY -----	2	2	10	8	13	12	14	5	-	-	-	-
WHITE-----MALE----	2	2	6	3	8	6	7	-	-	-	-	-
FEMALE--	-	-	4	4	3	4	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	-	-	-	-
LOUISIANA -----	8	7	17	20	20	24	22	9	8	2	2	-
WHITE-----MALE----	3	4	5	8	11	10	11	5	3	1	-	-
FEMALE--	1	1	6	10	6	8	5	2	3	-	1	-
ALL OTHER--MALE----	4	2	4	1	3	4	4	-	1	-	-	-
FEMALE--	-	-	2	1	-	2	2	2	1	1	1	-
BLACK---MALE----	4	2	3	1	3	4	4	-	1	-	-	-
FEMALE--	-	-	2	1	-	2	2	1	1	-	1	-
MAINE -----	2	1	2	2	2	7	1	1	1	-	-	-
WHITE-----MALE----	1	1	1	-	1	5	1	1	-	-	-	-
FEMALE--	1	-	1	2	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	2	3	9	13	12	8	5	4	-	-	-
WHITE-----MALE----	1	1	1	3	8	4	5	1	1	-	-	-
FEMALE--	-	1	1	1	4	3	2	3	2	-	-	-
ALL OTHER--MALE----	3	-	1	4	1	2	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	3	-	1	1	-	-	-
BLACK---MALE----	3	-	1	3	1	2	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	3	-	1	1	-	-	-
MASSACHUSETTS -----	4	3	8	13	10	16	15	15	6	1	-	-
WHITE-----MALE----	3	2	6	10	6	9	5	5	1	-	-	-
FEMALE--	1	-	1	3	4	7	10	8	5	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	9	14	13	26	33	32	29	15	3	2	-	-
WHITE-----MALE----	5	5	8	14	20	15	18	6	-	-	-	-
FEMALE--	1	6	4	3	9	10	6	8	3	2	-	-
ALL OTHER--MALE----	3	1	1	6	3	6	2	-	-	-	-	-
FEMALE--	-	2	-	3	1	1	3	1	-	-	-	-
BLACK---MALE----	3	-	1	6	3	6	2	-	-	-	-	-
FEMALE--	-	2	-	3	1	1	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 610

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
OHIO -----	13	9	12	19	26	36	31	14	4	3	-	-
WHITE-----MALE----	4	2	7	9	13	17	15	7	-	-	-	-
FEMALE--	2	3	4	6	8	17	13	5	2	2	-	-
ALL OTHER--MALE----	4	4	1	3	2	1	2	2	1	-	-	-
FEMALE--	3	-	-	1	3	1	1	-	1	1	-	-
BLACK---MALE----	4	3	1	3	2	1	2	2	1	-	-	-
FEMALE--	3	-	-	1	3	1	1	-	1	1	-	-
OKLAHOMA -----	3	4	3	1	12	10	10	2	3	-	-	-
WHITE-----MALE----	2	2	2	-	5	4	6	1	3	-	-	-
FEMALE--	-	-	-	1	5	4	3	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
OREGON -----	2	4	2	1	5	5	5	4	1	-	-	-
WHITE-----MALE----	-	3	-	-	3	2	2	2	1	-	-	-
FEMALE--	1	-	2	-	2	3	3	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	13	14	20	33	32	27	27	5	2	-	-
WHITE-----MALE----	3	6	7	13	20	14	7	12	3	-	-	-
FEMALE--	1	3	2	5	8	15	17	13	-	2	-	-
ALL OTHER--MALE----	2	3	4	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	4	1	2	2	2	-	-	-
BLACK---MALE----	2	2	3	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	4	1	2	2	2	-	-	-
RHODE ISLAND -----	-	-	3	1	-	3	3	1	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	3	4	10	12	15	5	1	3	-	-	-
WHITE-----MALE----	2	2	2	3	4	6	1	-	-	-	-	-
FEMALE--	-	1	1	3	6	4	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	3	2	2	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	3	1	-	1	-	-	-
BLACK---MALE----	1	-	1	3	2	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	3	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 611
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
SOUTH DAKOTA -----	1	2	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	9	12	6	9	19	8	7	6	1	-	-
WHITE-----MALE----	5	5	5	4	3	9	2	2	2	-	-	-
FEMALE--	2	2	4	2	4	7	5	3	2	-	-	-
ALL OTHER--MALE----	4	2	3	-	2	2	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	4	2	2	-	2	2	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
TEXAS -----	12	8	12	11	13	21	14	18	6	-	-	-
WHITE-----MALE----	8	5	9	6	5	12	7	6	2	-	-	-
FEMALE--	1	1	1	3	7	8	4	9	4	-	-	-
ALL OTHER--MALE----	2	2	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	2	3	-	-	-	-
BLACK---MALE----	2	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	2	3	-	-	-	-
UTAH -----	-	-	-	-	2	2	4	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	2	3	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	2	6	5	14	19	11	14	3	1	-	-
WHITE-----MALE----	1	-	3	3	6	10	2	2	1	-	-	-
FEMALE--	-	1	1	1	3	5	8	9	2	1	-	-
ALL OTHER--MALE----	2	1	1	-	3	1	1	2	-	-	-	-
FEMALE--	-	-	1	1	2	3	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	2	1	1	2	-	-	-	-
FEMALE--	-	-	1	-	2	3	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 613

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
UNITED STATES --	118	166	267	415	528	636	567	422	182	50	6	-
WHITE-----MALE----	36	57	80	163	169	240	198	119	44	8	-	-
FEMALE--	65	81	146	204	287	340	328	265	124	36	4	-
ALL OTHER--MALE----	3	11	18	17	29	17	6	14	5	2	1	-
FEMALE--	14	17	23	31	43	39	35	24	9	4	1	-
BLACK---MALE----	2	6	11	14	23	9	5	9	4	1	1	-
FEMALE--	12	12	15	19	32	24	27	23	5	3	1	-
ALABAMA -----	2	3	2	3	4	5	4	6	3	-	-	-
WHITE-----MALE----	-	1	-	2	2	2	2	-	-	-	-	-
FEMALE--	1	2	1	-	-	1	2	5	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
ALASKA -----	-	-	-	3	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	2	8	17	11	10	8	2	1	-	-
WHITE-----MALE----	-	1	-	3	7	2	6	2	-	1	-	-
FEMALE--	-	-	2	5	9	8	3	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	6	2	1	2	3	1	2	-	-	-
WHITE-----MALE----	-	1	2	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	3	1	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	19	21	27	35	66	77	40	33	12	3	1	-
WHITE-----MALE----	5	5	11	13	17	34	15	10	3	-	-	-
FEMALE--	12	11	11	18	36	31	22	19	7	2	1	-
ALL OTHER--MALE----	1	2	4	2	5	5	1	4	-	1	-	-
FEMALE--	1	3	1	2	8	7	2	-	2	-	-	-
BLACK---MALE----	-	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	4	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 614
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
COLORADO -----	1	1	4	5	7	7	4	3	5	1	-	-
WHITE-----MALE----	-	-	2	1	3	5	2	1	1	-	-	-
FEMALE--	1	1	2	4	2	2	2	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	1	5	2	5	4	15	12	11	7	-	-	-
WHITE-----MALE----	1	3	1	2	2	7	7	3	1	-	-	-
FEMALE--	-	1	1	2	2	8	5	8	6	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	1	3	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
FLORIDA -----	8	10	13	24	39	34	32	32	17	2	1	-
WHITE-----MALE----	1	5	4	8	17	15	10	9	6	-	-	-
FEMALE--	5	4	6	14	18	18	18	22	11	2	1	-
ALL OTHER--MALE----	1	-	1	-	2	1	1	1	-	-	-	-
FEMALE--	1	1	2	2	2	-	3	-	-	-	-	-
BLACK---MALE----	1	-	1	-	2	1	1	1	-	-	-	-
FEMALE--	1	-	2	1	2	-	3	-	-	-	-	-
GEORGIA -----	1	5	11	11	9	15	11	4	3	-	1	-
WHITE-----MALE----	-	3	1	6	4	10	3	1	1	-	-	-
FEMALE--	1	1	6	2	5	4	7	1	2	-	-	-
ALL OTHER--MALE----	-	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	2	-	-	1	2	-	-	1	-
BLACK---MALE----	-	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	2	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 616

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
KENTUCKY -----	-	3	4	5	10	7	11	6	4	-	-	-
WHITE-----MALE----	-	2	1	3	6	3	3	3	-	-	-	-
FEMALE--	-	1	3	2	3	4	7	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
LOUISIANA -----	1	7	2	5	6	7	5	5	-	1	-	-
WHITE-----MALE----	-	-	-	3	3	2	1	1	-	-	-	-
FEMALE--	1	2	2	1	2	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	4	-	1	-	1	2	4	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	4	-	1	-	1	2	4	-	1	-	-
MAINE -----	-	1	-	8	3	6	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	5	2	1	2	-	-	-	-	-
FEMALE--	-	1	-	3	1	5	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	7	11	11	2	8	5	7	2	-	-
WHITE-----MALE----	2	-	1	3	1	-	-	1	-	-	-	-
FEMALE--	-	-	2	5	7	2	7	3	4	2	-	-
ALL OTHER--MALE----	-	-	2	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	2	3	1	-	1	1	2	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	2	3	-	-	1	1	1	-	-	-
MASSACHUSETTS -----	5	3	1	12	10	25	9	7	3	1	-	-
WHITE-----MALE----	2	1	-	7	1	9	4	1	1	-	-	-
FEMALE--	3	2	1	4	9	15	5	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	9	2	7	18	24	30	29	12	12	1	-	-
WHITE-----MALE----	2	-	-	9	5	12	8	4	3	-	-	-
FEMALE--	6	2	7	8	14	15	20	7	9	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	1	-	-	1	4	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	3	2	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 617

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
MINNESOTA -----	1	3	5	8	6	8	12	17	1	1	-	-
WHITE-----MALE----	-	2	1	2	2	4	2	7	1	-	-	-
FEMALE--	1	1	3	6	4	4	10	10	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	-	3	2	2	1	2	4	1	-	-	-
WHITE-----MALE----	-	-	-	2	1	-	1	2	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	1	-	-	-	-
MISSOURI -----	5	5	5	10	12	19	16	12	3	1	-	-
WHITE-----MALE----	2	2	3	2	4	6	6	3	1	1	-	-
FEMALE--	2	2	2	7	7	12	9	8	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
MONTANA -----	-	-	-	-	2	-	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	3	8	5	3	5	4	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	3	2	-	-	-	-
FEMALE--	1	-	3	6	5	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	2	-	1	1	1	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 619

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
OHIO -----	2	4	14	16	21	24	27	29	8	5	-	-
WHITE-----MALE----	1	1	5	8	4	13	10	4	3	1	-	-
FEMALE--	-	3	9	7	14	8	15	24	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	3	2	1	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	1	1	2	-	-	-
OKLAHOMA -----	-	5	6	1	2	7	6	3	1	1	1	-
WHITE-----MALE----	-	4	1	1	2	6	1	-	-	-	-	-
FEMALE--	-	1	5	-	-	-	5	3	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	2	1	1	2	4	5	4	7	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	1	1	-	1	3	3	3	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	11	16	31	27	48	42	28	18	5	-	-
WHITE-----MALE----	4	4	6	14	8	18	19	12	4	-	-	-
FEMALE--	3	7	9	17	18	26	21	14	13	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	3	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	3	2	1	-	-	-	-
RHODE ISLAND -----	-	-	1	-	2	1	6	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	2	-	-	-	-
FEMALE--	-	-	1	-	2	-	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	3	7	9	8	10	6	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	4	1	1	1	-	-	-
FEMALE--	2	-	2	3	5	2	8	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	4	2	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	4	2	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	2	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 620

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
SOUTH DAKOTA -----	-	-	-	5	1	2	-	5	1	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	2	1	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	1	5	7	6	11	12	10	2	1	1	-
WHITE-----MALE----	2	1	1	2	2	2	4	3	-	-	-	-
FEMALE--	2	-	4	5	3	8	6	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
TEXAS -----	9	19	19	36	30	30	23	18	9	3	-	-
WHITE-----MALE----	2	5	4	16	13	11	7	7	1	-	-	-
FEMALE--	5	13	13	17	16	18	13	9	7	3	-	-
ALL OTHER--MALE----	-	-	2	1	-	1	1	-	-	-	-	-
FEMALE--	2	1	-	2	1	-	2	2	1	-	-	-
BLACK---MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	2	1	-	-	-
UTAH -----	-	-	2	2	5	1	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	-	1	-	-	-
FEMALE--	-	-	2	2	3	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	2	-	-	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	6	2	12	8	11	6	8	2	4	-	-
WHITE-----MALE----	1	1	1	3	2	3	-	1	1	1	-	-
FEMALE--	1	2	1	8	5	6	5	6	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	1	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	1	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 622

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF PANCREAS (157)												
UNITED STATES --	28,335	-	1	1	1	2	7	20	43	152	401	799
WHITE-----MALE----	11,978	-	1	-	1	1	2	7	19	65	200	375
FEMALE--	12,419	-	-	-	-	1	2	8	15	46	118	260
ALL OTHER--MALE----	1,828	-	-	-	-	-	-	2	6	16	41	105
FEMALE--	2,110	-	-	1	-	-	3	3	3	25	42	59
BLACK---MALE----	1,543	-	-	-	-	-	-	2	4	14	37	89
FEMALE--	1,842	-	-	-	-	-	3	3	3	21	35	52
ALABAMA -----	452	-	-	-	-	-	-	-	1	-	8	11
WHITE-----MALE----	170	-	-	-	-	-	-	-	-	-	2	7
FEMALE--	166	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	56	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	60	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	56	-	-	-	-	-	-	-	-	-	2	1
ALASKA -----	31	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	433	-	-	-	-	-	1	-	1	4	7	13
WHITE-----MALE----	205	-	-	-	-	-	-	-	-	2	6	9
FEMALE--	205	-	-	-	-	-	1	-	1	1	1	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	301	-	-	-	-	-	-	1	1	-	1	10
WHITE-----MALE----	119	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	126	-	-	-	-	-	-	-	1	-	-	5
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	2
CALIFORNIA -----	2,787	-	1	-	-	-	-	-	1	14	39	86
WHITE-----MALE----	1,128	-	1	-	-	-	-	-	-	6	20	38
FEMALE--	1,222	-	-	-	-	-	-	-	1	4	8	31
ALL OTHER--MALE----	195	-	-	-	-	-	-	-	-	1	4	10
FEMALE--	242	-	-	-	-	-	-	-	-	3	7	7
BLACK---MALE----	96	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	134	-	-	-	-	-	-	-	-	1	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 622
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PANCREAS (157)												
UNITED STATES --	1,346	1,900	2,517	3,591	4,559	4,857	4,062	2,685	1,092	266	33	-
WHITE-----MALE----	687	939	1,183	1,717	2,077	2,051	1,516	815	261	55	6	-
FEMALE--	421	624	882	1,341	1,881	2,223	2,114	1,589	699	173	22	-
ALL OTHER--MALE----	137	187	246	267	276	253	162	91	32	7	-	-
FEMALE--	101	150	206	266	325	330	270	190	100	31	5	-
BLACK---MALE----	119	155	212	230	229	215	136	66	30	5	-	-
FEMALE--	86	133	183	230	279	285	239	166	90	29	5	-
ALABAMA -----	27	33	43	62	69	63	62	47	21	4	1	-
WHITE-----MALE----	9	16	17	29	27	23	18	18	4	-	-	-
FEMALE--	10	11	15	22	23	22	27	17	11	2	1	-
ALL OTHER--MALE----	6	3	8	6	8	11	9	5	1	-	-	-
FEMALE--	2	3	3	5	11	7	8	7	5	2	-	-
BLACK---MALE----	6	3	8	6	8	11	9	5	1	-	-	-
FEMALE--	2	3	3	5	11	7	8	7	5	2	-	-
ALASKA -----	5	6	4	4	8	2	-	-	-	-	1	-
WHITE-----MALE----	2	3	2	3	3	1	-	-	-	-	1	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	4	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	21	19	34	59	75	82	53	49	11	4	-	-
WHITE-----MALE----	10	12	15	22	40	46	22	16	4	1	-	-
FEMALE--	8	6	15	32	33	35	30	30	6	2	-	-
ALL OTHER--MALE----	2	-	3	2	1	1	-	1	-	1	-	-
FEMALE--	1	1	1	3	1	-	1	2	1	-	-	-
BLACK---MALE----	2	-	1	2	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	2	-	-	1	-	-	-	-	-
ARKANSAS -----	20	26	25	41	39	48	41	32	14	2	-	-
WHITE-----MALE----	10	12	8	20	16	21	13	14	1	-	-	-
FEMALE--	5	10	10	15	13	19	20	16	10	2	-	-
ALL OTHER--MALE----	2	4	5	3	3	1	3	1	1	-	-	-
FEMALE--	3	-	2	3	7	7	5	1	2	-	-	-
BLACK---MALE----	2	4	5	3	3	1	3	1	1	-	-	-
FEMALE--	3	-	2	3	7	7	5	1	2	-	-	-
CALIFORNIA -----	155	189	241	306	460	496	404	274	97	21	3	-
WHITE-----MALE----	79	101	97	137	200	195	135	87	26	3	3	-
FEMALE--	47	49	97	121	191	239	211	148	60	15	-	-
ALL OTHER--MALE----	17	23	23	19	34	23	25	13	3	-	-	-
FEMALE--	12	16	24	29	35	39	33	26	8	3	-	-
BLACK---MALE----	13	10	9	13	18	8	12	5	2	-	-	-
FEMALE--	8	13	16	10	23	15	19	15	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 623

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF PANCREAS (157)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	336	-	-	-	-	-	-	-	2	3	7	12
WHITE-----MALE----	163	-	-	-	-	-	-	-	2	2	3	7
FEMALE--	158	-	-	-	-	-	-	-	-	-	3	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	419	-	-	-	-	-	-	1	-	2	5	12
WHITE-----MALE----	189	-	-	-	-	-	-	-	-	1	3	6
FEMALE--	200	-	-	-	-	-	-	1	-	-	1	6
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	74	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	61	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	1,997	-	-	-	-	-	1	-	1	11	26	32
WHITE-----MALE----	910	-	-	-	-	-	1	-	1	3	15	12
FEMALE--	911	-	-	-	-	-	-	-	-	5	9	14
ALL OTHER--MALE----	80	-	-	-	-	-	-	-	-	2	1	5
FEMALE--	96	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	76	-	-	-	-	-	-	-	-	2	1	5
FEMALE--	94	-	-	-	-	-	-	-	-	1	1	1
GEORGIA -----	603	-	-	-	-	-	1	1	1	3	12	24
WHITE-----MALE----	215	-	-	-	-	-	-	-	1	-	5	9
FEMALE--	215	-	-	-	-	-	-	-	-	1	5	7
ALL OTHER--MALE----	80	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	93	-	-	-	-	-	1	1	-	2	1	-
BLACK---MALE----	79	-	-	-	-	-	-	-	-	-	1	8
FEMALE--	88	-	-	-	-	-	1	1	-	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 623
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	17	23	40	33	55	55	46	30	12	1	-	-
WHITE-----MALE----	9	16	21	19	24	24	18	14	4	-	-	-
FEMALE--	8	7	15	11	30	28	27	16	8	1	-	-
ALL OTHER--MALE----	-	-	2	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	-	-	-
CONNECTICUT -----	18	25	31	53	65	69	72	42	19	5	-	-
WHITE-----MALE----	7	12	17	31	29	28	36	14	5	-	-	-
FEMALE--	10	8	6	18	34	38	32	28	13	5	-	-
ALL OTHER--MALE----	-	2	6	3	1	1	1	-	-	-	-	-
FEMALE--	1	3	2	1	1	2	3	-	1	-	-	-
BLACK---MALE----	-	2	5	3	1	1	1	-	-	-	-	-
FEMALE--	1	3	2	1	1	2	2	-	1	-	-	-
DELAWARE -----	1	8	8	9	8	12	11	6	3	3	-	-
WHITE-----MALE----	1	4	1	4	4	5	4	1	-	-	-	-
FEMALE--	-	2	6	4	4	7	6	5	3	2	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	1	-	-
DISTRICT OF COLUMBIA -----	-	9	4	6	12	13	7	5	4	-	-	-
WHITE-----MALE----	-	-	1	1	2	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	3	-	-	1	-	-	-
ALL OTHER--MALE----	-	5	3	3	4	3	1	1	1	-	-	-
FEMALE--	-	3	-	2	5	5	6	4	2	-	-	-
BLACK---MALE----	-	5	3	3	4	3	1	1	1	-	-	-
FEMALE--	-	3	-	2	5	5	6	4	2	-	-	-
FLORIDA -----	66	123	161	256	336	368	283	207	105	20	1	-
WHITE-----MALE----	34	67	86	118	161	180	119	72	36	5	-	-
FEMALE--	22	38	54	110	148	164	147	126	62	12	-	-
ALL OTHER--MALE----	6	10	7	15	12	9	6	3	4	-	-	-
FEMALE--	4	8	14	13	15	15	11	6	3	3	1	-
BLACK---MALE----	6	9	7	13	11	9	6	3	4	-	-	-
FEMALE--	4	8	14	12	15	15	11	6	2	3	1	-
GEORGIA -----	32	41	82	60	83	102	77	55	21	8	-	-
WHITE-----MALE----	15	18	29	24	43	35	26	5	3	2	-	-
FEMALE--	4	9	22	19	25	46	32	28	13	4	-	-
ALL OTHER--MALE----	7	6	17	7	6	10	7	9	1	1	-	-
FEMALE--	6	8	14	10	9	11	12	13	4	1	-	-
BLACK---MALE----	7	6	17	7	6	10	6	9	1	1	-	-
FEMALE--	6	8	13	9	9	10	11	12	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 624
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	4	4	11	11	23	18	15	11	6	3	-	-
WHITE-----MALE----	2	-	1	1	2	2	3	-	1	1	-	-
FEMALE--	1	-	1	2	-	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	2	4	3	11	9	4	6	1	1	-	-
FEMALE--	1	2	5	5	10	7	7	3	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	7	9	9	14	17	13	12	1	-	-	-
WHITE-----MALE----	2	3	6	4	7	9	5	5	-	-	-	-
FEMALE--	1	4	3	4	7	7	8	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	57	87	121	178	222	217	189	109	43	12	2	-
WHITE-----MALE----	26	47	57	82	90	83	71	31	12	5	-	-
FEMALE--	19	25	42	60	94	106	103	67	28	6	2	-
ALL OTHER--MALE----	6	7	11	17	21	11	4	3	-	-	-	-
FEMALE--	6	8	11	19	17	17	11	8	3	1	-	-
BLACK---MALE----	5	6	11	15	20	10	4	3	-	-	-	-
FEMALE--	6	8	11	19	15	16	10	7	3	1	-	-
INDIANA -----	22	50	65	90	94	104	97	56	22	3	1	-
WHITE-----MALE----	13	30	28	40	53	44	33	15	1	-	-	-
FEMALE--	8	16	30	41	35	54	56	37	19	2	1	-
ALL OTHER--MALE----	-	1	4	3	3	3	3	1	1	-	-	-
FEMALE--	1	3	3	6	3	3	5	3	1	1	-	-
BLACK---MALE----	-	1	3	3	3	3	3	1	1	-	-	-
FEMALE--	1	3	3	6	3	3	5	3	1	1	-	-
IOWA -----	15	23	29	55	51	62	60	31	11	11	-	-
WHITE-----MALE----	11	11	17	29	22	28	25	9	5	-	-	-
FEMALE--	4	11	11	23	28	34	35	22	6	11	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
KANSAS -----	14	20	14	33	35	59	40	27	15	2	-	-
WHITE-----MALE----	8	9	8	18	17	25	16	8	3	-	-	-
FEMALE--	5	7	4	12	11	29	23	19	10	2	-	-
ALL OTHER--MALE----	1	1	-	1	2	3	-	-	-	-	-	-
FEMALE--	-	3	2	2	5	2	1	-	2	-	-	-
BLACK---MALE----	1	1	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	2	1	2	4	2	1	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 625

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF PANCREAS (157)												
KENTUCKY -----	414	-	-	-	-	-	-	1	-	2	9	14
WHITE-----MALE----	182	-	-	-	-	-	-	-	-	1	8	7
FEMALE--	196	-	-	-	-	-	-	1	-	1	1	5
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	502	-	-	-	-	-	-	1	2	5	11	14
WHITE-----MALE----	184	-	-	-	-	-	-	1	-	2	1	7
FEMALE--	158	-	-	-	-	-	-	-	-	-	5	2
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	2	2	3	2
FEMALE--	82	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	77	-	-	-	-	-	-	-	2	2	3	2
FEMALE--	80	-	-	-	-	-	-	-	-	1	2	3
MAINE -----	138	-	-	-	-	-	-	-	1	1	2	3
WHITE-----MALE----	73	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	64	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	562	-	-	-	-	-	-	-	2	5	10	15
WHITE-----MALE----	208	-	-	-	-	-	-	-	1	1	2	4
FEMALE--	210	-	-	-	-	-	-	-	1	-	2	5
ALL OTHER--MALE----	74	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	70	-	-	-	-	-	-	-	-	3	4	1
BLACK---MALE----	70	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	69	-	-	-	-	-	-	-	-	3	4	1
MASSACHUSETTS -----	750	-	-	-	-	-	-	-	-	2	5	17
WHITE-----MALE----	318	-	-	-	-	-	-	-	-	1	4	11
FEMALE--	399	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1,039	-	-	-	-	-	-	1	1	8	18	40
WHITE-----MALE----	453	-	-	-	-	-	-	1	-	5	7	19
FEMALE--	429	-	-	-	-	-	-	-	1	1	7	8
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	-	1	1	7
FEMALE--	84	-	-	-	-	-	-	-	-	1	3	6
BLACK---MALE----	71	-	-	-	-	-	-	-	-	1	1	7
FEMALE--	80	-	-	-	-	-	-	-	-	1	2	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 625
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	19	24	38	60	62	79	55	31	16	4	-	-
WHITE-----MALE----	10	12	22	32	32	32	15	8	2	1	-	-
FEMALE--	7	11	15	23	24	41	33	19	12	3	-	-
ALL OTHER--MALE----	1	-	1	3	3	1	4	1	-	-	-	-
FEMALE--	1	1	-	2	3	5	3	3	2	-	-	-
BLACK---MALE----	1	-	1	3	3	1	4	1	-	-	-	-
FEMALE--	1	1	-	2	3	5	3	3	2	-	-	-
LOUISIANA -----	25	29	45	60	84	81	67	53	20	5	-	-
WHITE-----MALE----	14	13	20	24	35	32	23	7	5	-	-	-
FEMALE--	5	6	7	17	27	27	25	25	8	4	-	-
ALL OTHER--MALE----	4	6	10	9	11	12	9	5	2	1	-	-
FEMALE--	2	4	8	10	11	10	10	16	5	-	-	-
BLACK---MALE----	4	6	9	9	11	12	9	5	2	1	-	-
FEMALE--	2	4	7	10	10	10	10	16	5	-	-	-
MAINE -----	8	3	15	24	22	20	15	18	4	2	-	-
WHITE-----MALE----	4	2	7	15	14	12	5	9	-	1	-	-
FEMALE--	4	1	8	9	8	8	10	9	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MARYLAND -----	29	38	50	60	89	100	83	61	18	2	-	-
WHITE-----MALE----	11	8	22	27	38	41	29	18	6	-	-	-
FEMALE--	7	17	9	14	29	43	42	31	9	1	-	-
ALL OTHER--MALE----	7	7	13	12	10	8	6	2	1	-	-	-
FEMALE--	4	6	6	7	12	8	6	10	2	1	-	-
BLACK---MALE----	7	7	13	10	10	7	5	2	1	-	-	-
FEMALE--	4	5	6	7	12	8	6	10	2	1	-	-
MASSACHUSETTS -----	31	51	60	109	114	114	109	84	39	13	2	-
WHITE-----MALE----	20	25	31	45	52	48	42	28	9	2	-	-
FEMALE--	10	21	27	60	53	62	65	54	30	10	2	-
ALL OTHER--MALE----	1	3	1	3	2	2	1	1	-	-	-	-
FEMALE--	-	2	1	1	7	2	1	1	-	1	-	-
BLACK---MALE----	-	2	1	2	2	1	1	1	-	-	-	-
FEMALE--	-	2	1	1	6	2	1	1	-	1	-	-
MICHIGAN -----	49	78	100	147	159	199	126	80	27	5	1	-
WHITE-----MALE----	25	35	40	80	76	81	49	23	11	1	-	-
FEMALE--	15	30	41	49	62	89	62	47	14	2	1	-
ALL OTHER--MALE----	5	11	10	7	9	11	6	5	-	-	-	-
FEMALE--	4	2	9	11	12	18	9	5	2	2	-	-
BLACK---MALE----	5	11	10	7	8	11	6	4	-	-	-	-
FEMALE--	2	2	9	11	11	18	9	5	2	2	-	-

