

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,297
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
UNITED STATES --	40	51	130	276	758	1,622	3,065	4,247	3,674	1,652	357	-
WHITE-----MALE----	15	26	57	123	345	676	1,071	1,224	769	221	32	-
FEMALE--	16	17	44	112	315	794	1,763	2,731	2,698	1,336	286	-
ALL OTHER--MALE----	7	4	15	19	45	79	95	90	48	19	5	-
FEMALE--	2	4	14	22	53	73	136	202	159	76	34	-
BLACK---MALE----	7	3	14	16	40	68	85	72	39	17	5	-
FEMALE--	2	2	12	21	50	60	124	183	135	72	27	-
ALABAMA -----	-	-	4	2	13	26	56	58	44	38	1	-
WHITE-----MALE----	-	-	1	-	6	5	11	13	6	6	-	-
FEMALE--	-	-	2	1	2	14	29	39	28	25	-	-
ALL OTHER--MALE----	-	-	1	1	2	6	4	4	4	4	-	-
FEMALE--	-	-	-	-	3	1	10	2	6	3	1	-
BLACK---MALE----	-	-	1	1	2	6	6	4	4	4	-	-
FEMALE--	-	-	-	-	3	1	10	2	6	3	1	-
ALASKA -----	-	1	-	-	2	2	4	1	5	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	3	9	14	42	75	120	84	44	6	-
WHITE-----MALE----	-	1	1	3	5	12	26	34	19	6	-	-
FEMALE--	-	1	1	4	8	25	47	82	63	36	5	-
ALL OTHER--MALE----	-	-	1	1	-	2	2	1	2	1	-	-
FEMALE--	-	-	-	1	1	3	-	3	-	1	1	-
BLACK---MALE----	-	-	1	-	-	1	2	1	2	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	1	-	-
ARKANSAS -----	-	1	2	1	8	21	17	40	21	10	3	-
WHITE-----MALE----	-	1	1	-	3	6	5	8	5	2	1	-
FEMALE--	-	-	-	1	4	12	10	30	15	7	2	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	1	-	-
CALIFORNIA -----	-	2	4	9	25	73	96	130	139	65	17	-
WHITE-----MALE----	-	1	1	5	11	38	35	40	42	7	2	-
FEMALE--	-	1	2	4	11	31	54	82	88	55	14	-
ALL OTHER--MALE----	-	-	1	-	2	1	5	3	4	1	-	-
FEMALE--	-	-	-	-	1	3	2	5	5	2	1	-
BLACK---MALE----	-	-	1	-	1	1	3	1	1	1	-	-
FEMALE--	-	-	-	-	1	2	2	3	2	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,298

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
COLORADO -----	-	1	3	-	12	35	53	72	53	26	7	-
WHITE-----MALE----	-	1	3	-	5	17	24	19	14	2	3	-
FEMALE--	-	-	-	-	7	16	26	50	36	23	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	3	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	2	1	-	-
CONNECTICUT -----	-	1	2	3	14	26	38	64	66	23	7	-
WHITE-----MALE----	-	-	1	2	9	14	8	22	17	2	1	-
FEMALE--	-	1	1	1	4	11	30	40	47	20	6	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	-	-
DELAWARE -----	-	1	-	2	4	3	7	14	7	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	4	1	-	-	-
FEMALE--	-	1	-	1	4	2	3	8	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	2	1	2	4	6	6	3	1	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	3	2	3	1	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	3	2	3	1	-
FLORIDA -----	5	-	7	17	57	115	227	331	271	107	20	-
WHITE-----MALE----	3	-	3	5	25	51	77	107	68	22	5	-
FEMALE--	2	-	2	8	29	59	134	208	194	80	13	-
ALL OTHER--MALE----	-	-	1	3	1	3	7	6	-	-	1	-
FEMALE--	-	-	1	1	2	2	9	10	9	5	1	-
BLACK---MALE----	-	-	1	3	1	3	6	6	-	-	1	-
FEMALE--	-	-	1	1	2	2	9	9	9	5	1	-
GEORGIA -----	1	2	6	12	24	38	91	101	84	32	9	-
WHITE-----MALE----	-	-	2	2	7	13	32	13	11	4	-	-
FEMALE--	1	2	2	7	9	21	46	74	64	25	5	-
ALL OTHER--MALE----	-	-	2	2	5	2	6	3	2	-	1	-
FEMALE--	-	-	-	1	3	2	7	11	7	3	3	-
BLACK---MALE----	-	-	2	2	5	2	6	3	2	-	1	-
FEMALE--	-	-	-	1	3	2	7	11	6	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,299

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
HAWAII -----	-	1	-	1	1	7	12	18	15	3	3	-
WHITE-----MALE----	-	-	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	6	5	2	1	-
ALL OTHER--MALE----	-	1	-	-	1	3	4	7	3	-	-	-
FEMALE--	-	-	-	-	-	2	6	4	7	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO -----	-	-	1	2	6	8	12	24	17	8	1	-
WHITE-----MALE----	-	-	-	2	2	7	8	11	1	1	-	-
FEMALE--	-	-	1	-	4	1	4	13	16	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	2	9	15	25	77	147	193	183	95	18	-
WHITE-----MALE----	-	2	6	11	14	37	54	54	35	6	1	-
FEMALE--	2	-	2	1	9	32	88	128	136	79	15	-
ALL OTHER--MALE----	-	-	-	1	-	4	2	3	4	2	-	-
FEMALE--	-	-	1	2	2	4	3	8	8	8	2	-
BLACK---MALE----	-	-	-	1	-	4	2	3	4	2	-	-
FEMALE--	-	-	1	2	2	3	2	8	6	8	2	-
INDIANA -----	-	2	-	7	21	42	75	91	90	39	9	-
WHITE-----MALE----	-	-	-	5	10	12	30	28	18	2	1	-
FEMALE--	-	-	-	2	7	25	42	58	70	37	5	-
ALL OTHER--MALE----	-	1	-	-	2	1	-	1	1	-	1	-
FEMALE--	-	1	-	-	2	4	3	4	1	-	2	-
BLACK---MALE----	-	1	-	-	2	1	-	1	1	-	1	-
FEMALE--	-	-	-	-	2	4	3	4	1	-	2	-
IOWA -----	-	-	-	1	8	12	32	38	49	20	3	-
WHITE-----MALE----	-	-	-	1	5	4	17	10	12	2	-	-
FEMALE--	-	-	-	-	3	8	15	27	37	18	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
KANSAS -----	1	3	1	1	7	18	34	66	45	27	5	-
WHITE-----MALE----	1	2	1	-	5	6	16	24	8	3	-	-
FEMALE--	-	1	-	1	2	11	18	39	37	24	5	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,300

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER PSYCHOSES (292-299)												
KENTUCKY -----	251	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	72	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	169	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	177	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	100	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	113	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	77	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	404	-	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	103	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	252	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	700	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	190	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	491	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	469	-	-	-	-	1	-	-	-	1	-	1
WHITE-----MALE----	161	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	271	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,300

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
KENTUCKY -----	2	-	-	4	12	24	44	78	57	27	3	-
WHITE-----MALE----	1	-	-	2	6	10	14	23	13	3	-	-
FEMALE--	1	-	-	2	4	14	27	54	41	23	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	3	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	3	1	-	-
LOUISIANA -----	1	1	-	3	10	18	36	53	43	8	3	-
WHITE-----MALE----	-	-	-	-	2	5	6	16	8	1	1	-
FEMALE--	1	-	-	2	3	7	23	29	30	4	1	-
ALL OTHER--MALE----	-	-	-	-	4	4	4	1	1	1	-	-
FEMALE--	-	1	-	1	1	2	3	7	4	2	1	-
BLACK---MALE----	-	-	-	-	4	4	4	1	1	1	-	-
FEMALE--	-	1	-	1	1	1	3	7	4	2	1	-
MAINE -----	-	-	1	1	4	9	22	38	21	12	5	-
WHITE-----MALE----	-	-	1	-	2	6	7	14	3	2	-	-
FEMALE--	-	-	-	1	1	3	15	24	18	10	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	5	9	15	51	90	99	79	41	9	-
WHITE-----MALE----	-	-	-	3	9	18	21	30	15	5	-	-
FEMALE--	-	1	3	3	3	28	56	59	59	32	7	-
ALL OTHER--MALE----	-	-	1	-	-	5	1	1	1	-	-	-
FEMALE--	-	-	1	3	3	-	12	9	4	4	2	-
BLACK---MALE----	-	-	1	-	-	5	1	1	1	-	-	-
FEMALE--	-	-	1	3	3	-	12	9	4	4	2	-
MASSACHUSETTS -----	2	2	4	11	30	53	126	176	198	79	18	-
WHITE-----MALE----	1	2	2	7	13	26	40	55	38	6	-	-
FEMALE--	1	-	2	3	17	23	82	119	155	71	17	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	2	-	-	-
FEMALE--	-	-	-	1	-	3	2	2	3	2	1	-
BLACK---MALE----	-	-	-	-	-	1	2	-	2	-	-	-
FEMALE--	-	-	-	1	-	3	2	2	2	1	-	-
MICHIGAN -----	2	3	5	10	21	50	84	140	97	40	14	-
WHITE-----MALE----	1	2	1	4	7	27	35	56	23	3	-	-
FEMALE--	-	1	3	5	11	18	40	75	71	35	12	-
ALL OTHER--MALE----	-	-	1	-	2	3	5	1	-	2	-	-
FEMALE--	1	-	-	1	1	2	4	8	3	-	2	-
BLACK---MALE----	-	-	-	-	2	3	4	1	-	1	-	-
FEMALE--	1	-	-	1	1	1	4	7	3	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,301
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
MINNESOTA -----	3	2	7	12	36	58	143	173	168	102	22	-
WHITE-----MALE----	-	-	3	6	17	30	55	47	35	15	4	-
FEMALE--	3	2	3	4	17	27	88	126	130	86	16	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	3	1	2	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	1	1	-
MISSISSIPPI -----	-	-	2	2	8	9	18	23	17	4	1	-
WHITE-----MALE----	-	-	1	1	3	5	7	8	4	-	-	-
FEMALE--	-	-	1	-	2	2	9	9	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	3	1	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	4	2	1	-	-
BLACK---MALE----	-	-	-	-	3	1	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	4	2	1	-	-
MISSOURI -----	2	1	2	6	18	38	55	88	84	37	4	-
WHITE-----MALE----	1	1	1	4	13	13	14	25	20	9	1	-
FEMALE--	-	-	1	2	4	22	35	62	60	28	3	-
ALL OTHER--MALE----	1	-	-	-	1	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	-	4	-	-	-
BLACK---MALE----	1	-	-	-	1	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	-	4	-	-	-
MONTANA -----	-	-	1	1	3	9	9	12	20	2	1	-
WHITE-----MALE----	-	-	-	-	1	4	5	5	6	-	-	-
FEMALE--	-	-	1	1	2	4	4	6	14	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	2	2	7	15	24	28	11	1	-
WHITE-----MALE----	-	-	-	1	1	3	3	6	7	-	-	-
FEMALE--	-	-	-	1	1	4	12	18	21	11	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	1	1	13	19	32	30	29	11	-	-
WHITE-----MALE----	-	-	-	-	10	3	11	5	6	1	-	-
FEMALE--	-	-	1	-	3	14	21	21	23	9	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,303

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
OHIO -----	2	2	4	12	41	93	196	242	199	99	15	-
WHITE-----MALE----	1	2	2	5	21	35	78	68	36	12	1	-
FEMALE--	-	-	2	6	16	52	102	154	151	77	11	-
ALL OTHER--MALE----	1	-	-	1	1	5	5	9	3	2	1	-
FEMALE--	-	-	-	-	3	1	11	11	9	8	2	-
BLACK---MALE----	1	-	-	1	1	5	5	9	3	2	1	-
FEMALE--	-	-	-	-	3	1	11	9	9	8	2	-
OKLAHOMA -----	1	-	2	3	2	30	41	79	54	14	6	-
WHITE-----MALE----	1	-	1	1	-	12	16	17	9	1	-	-
FEMALE--	-	-	-	2	1	12	24	53	44	13	5	-
ALL OTHER--MALE----	-	-	-	-	1	4	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	7	1	-	1	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	6	1	-	-	-	-
OREGON -----	1	-	3	5	21	30	64	87	68	29	4	-
WHITE-----MALE----	1	-	1	3	7	13	22	29	18	5	-	-
FEMALE--	-	-	2	2	12	17	40	53	48	23	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	3	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	1	-	-
PENNSYLVANIA -----	1	1	6	14	44	71	142	187	149	86	11	-
WHITE-----MALE----	1	-	4	6	23	31	56	50	30	19	-	-
FEMALE--	-	1	1	6	16	37	77	128	111	62	10	-
ALL OTHER--MALE----	-	-	1	1	2	1	5	2	1	1	-	-
FEMALE--	-	-	-	1	3	2	4	7	7	4	1	-
BLACK---MALE----	-	-	1	1	2	1	5	2	1	1	-	-
FEMALE--	-	-	-	1	3	2	4	7	7	4	1	-
RHODE ISLAND -----	-	-	1	-	4	3	25	26	25	16	4	-
WHITE-----MALE----	-	-	-	-	3	1	11	7	3	-	-	-
FEMALE--	-	-	1	-	-	2	14	18	21	16	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	-	4	3	8	11	32	43	83	62	22	4	-
WHITE-----MALE----	-	2	1	3	3	15	10	18	11	1	-	-
FEMALE--	-	-	-	2	5	12	22	48	39	19	4	-
ALL OTHER--MALE----	-	1	1	1	1	1	4	2	4	1	-	-
FEMALE--	-	1	1	2	2	4	7	15	8	1	-	-
BLACK---MALE----	-	1	1	1	1	1	4	2	4	1	-	-
FEMALE--	-	1	1	2	2	4	6	15	8	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,304
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
SOUTH DAKOTA -----	-	1	1	-	3	5	11	12	16	9	-	-
WHITE-----MALE----	-	1	1	-	2	2	5	3	6	1	-	-
FEMALE--	-	-	-	-	1	3	5	9	10	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TENNESSEE -----	-	1	2	4	12	47	59	107	69	24	8	-
WHITE-----MALE----	-	1	-	2	7	19	26	31	15	7	2	-
FEMALE--	-	-	-	2	4	20	29	61	48	16	5	-
ALL OTHER--MALE----	-	-	1	-	1	6	2	4	3	-	-	-
FEMALE--	-	-	1	-	-	2	2	11	3	1	1	-
BLACK---MALE----	-	-	1	-	1	6	2	3	3	-	-	-
FEMALE--	-	-	1	-	-	2	2	11	3	1	1	-
TEXAS -----	4	2	9	17	43	96	172	213	222	82	18	-
WHITE-----MALE----	-	2	7	5	19	47	55	63	53	13	-	-
FEMALE--	2	-	1	6	18	44	99	135	154	61	17	-
ALL OTHER--MALE----	2	-	-	4	2	2	7	5	3	3	-	-
FEMALE--	-	-	1	2	4	3	11	10	12	5	1	-
BLACK---MALE----	2	-	-	3	2	2	7	4	2	3	-	-
FEMALE--	-	-	1	2	4	3	11	10	12	5	1	-
UTAH -----	1	-	2	4	7	15	32	36	28	13	2	-
WHITE-----MALE----	-	-	2	2	4	8	16	15	5	2	1	-
FEMALE--	1	-	-	2	3	7	16	20	23	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
VERMONT -----	1	-	-	3	-	4	9	17	11	9	-	-
WHITE-----MALE----	1	-	-	-	-	2	3	9	1	-	-	-
FEMALE--	-	-	-	3	-	2	6	8	10	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	3	6	10	21	34	87	122	84	33	11	-
WHITE-----MALE----	-	2	1	5	12	7	24	27	18	3	-	-
FEMALE--	1	1	1	4	5	17	51	79	56	27	10	-
ALL OTHER--MALE----	-	-	2	-	2	4	7	5	2	1	1	-
FEMALE--	-	-	2	1	2	6	5	11	8	2	-	-
BLACK---MALE----	-	-	2	-	2	4	7	5	2	1	1	-
FEMALE--	-	-	2	1	2	5	5	11	8	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,306

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
UNITED STATES --	5,266	-	1	-	1	-	12	45	151	411	645	851
WHITE-----MALE----	3,181	-	-	-	1	-	9	26	89	243	387	510
FEMALE--	918	-	1	-	-	-	1	9	21	84	117	123
ALL OTHER--MALE----	880	-	-	-	-	-	1	8	25	55	90	155
FEMALE--	287	-	-	-	-	-	1	2	16	29	51	63
BLACK---MALE----	753	-	-	-	-	-	1	6	17	41	75	131
FEMALE--	233	-	-	-	-	-	1	2	7	20	45	55
ALABAMA -----	94	-	-	-	-	-	1	1	1	8	9	16
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	18	-	-	-	-	-	1	-	-	4	1	4
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	1	2	3	4
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	26	-	-	-	-	-	-	1	1	2	3	4
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	3
ALASKA -----	27	-	-	-	-	-	-	1	2	4	5	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	114	-	-	-	-	-	1	1	3	5	11	24
WHITE-----MALE----	72	-	-	-	-	-	1	-	2	4	8	15
FEMALE--	20	-	-	-	-	-	-	1	1	1	2	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	37	-	1	-	-	-	-	-	2	-	4	6
WHITE-----MALE----	22	-	-	-	-	-	-	-	2	-	3	2
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
CALIFORNIA -----	675	-	-	-	-	-	2	9	19	44	76	104
WHITE-----MALE----	463	-	-	-	-	-	2	6	16	27	52	70
FEMALE--	144	-	-	-	-	-	-	2	3	11	15	20
ALL OTHER--MALE----	50	-	-	-	-	-	-	1	-	4	6	12
FEMALE--	18	-	-	-	-	-	-	-	-	2	3	2
BLACK---MALE----	35	-	-	-	-	-	-	1	-	4	4	7
FEMALE--	13	-	-	-	-	-	-	-	-	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,306

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALCOHOL DEPENDENCE SYNDROME (303)												
UNITED STATES --	803	634	560	445	345	191	107	50	10	3	1	-
WHITE-----MALE----	479	388	336	276	219	121	59	33	4	1	-	-
FEMALE--	136	94	85	91	69	39	33	12	2	1	-	-
ALL OTHER--MALE----	144	129	124	60	44	25	13	4	2	-	1	-
FEMALE--	44	23	15	18	13	6	2	1	2	1	-	-
BLACK---MALE----	131	109	109	55	37	23	12	3	2	-	1	-
FEMALE--	34	22	11	14	11	5	2	1	2	1	-	-
ALABAMA -----	22	7	8	9	4	4	4	-	-	-	-	-
WHITE-----MALE----	11	3	3	7	4	2	2	-	-	-	-	-
FEMALE--	2	-	3	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	9	3	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	8	3	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALASKA -----	1	3	3	2	2	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARIZONA -----	17	19	12	9	5	3	2	2	-	-	-	-
WHITE-----MALE----	13	11	6	5	1	2	2	2	-	-	-	-
FEMALE--	2	4	1	2	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	4	4	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	5	9	4	1	1	-	-	-	-	-	-
WHITE-----MALE----	3	3	7	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	96	76	69	67	50	31	22	7	3	-	-	-
WHITE-----MALE----	66	51	52	51	31	20	12	4	3	-	-	-
FEMALE--	22	16	13	11	12	8	9	2	-	-	-	-
ALL OTHER--MALE----	4	8	4	3	3	3	1	1	-	-	-	-
FEMALE--	4	1	-	2	4	-	-	-	-	-	-	-
BLACK---MALE----	3	4	4	3	2	2	1	-	-	-	-	-
FEMALE--	2	1	-	1	3	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,307

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
COLORADO -----	126	-	-	-	-	-	-	-	1	18	21	19
WHITE-----MALE----	82	-	-	-	-	-	-	-	1	11	14	12
FEMALE--	28	-	-	-	-	-	-	-	-	4	5	5
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
CONNECTICUT -----	50	-	-	-	-	-	-	-	1	6	7	10
WHITE-----MALE----	28	-	-	-	-	-	-	-	1	4	3	7
FEMALE--	14	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	2
DELAWARE -----	18	-	-	-	-	-	-	-	-	-	4	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	31	-	-	-	-	-	-	-	2	-	4	6
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	2	-	-	4
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	16	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	1
FLORIDA -----	396	-	-	-	-	-	-	3	8	26	52	57
WHITE-----MALE----	268	-	-	-	-	-	-	2	7	20	31	41
FEMALE--	68	-	-	-	-	-	-	1	1	3	14	9
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	3	6	4
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	47	-	-	-	-	-	-	-	-	3	5	4
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	3
GEORGIA -----	205	-	-	-	-	-	-	1	6	12	21	33
WHITE-----MALE----	86	-	-	-	-	-	-	1	2	6	11	12
FEMALE--	23	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	3	1	5	15
FEMALE--	24	-	-	-	-	-	-	-	1	2	5	5
BLACK---MALE----	71	-	-	-	-	-	-	-	3	1	5	15
FEMALE--	24	-	-	-	-	-	-	-	1	2	5	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,307

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALCOHOL DEPENDENCE SYNDROME (303)												
COLORADO -----	24	11	12	8	6	3	2	1	-	-	-	-
WHITE-----MALE----	16	7	8	5	4	1	2	1	-	-	-	-
FEMALE--	3	1	3	3	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	6	5	2	3	-	3	-	-	-	-	-
WHITE-----MALE----	3	3	4	-	1	-	2	-	-	-	-	-
FEMALE--	4	2	1	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	2	4	1	-	2	-	-	-	-	-
WHITE-----MALE----	1	-	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	9	3	3	1	3	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	58	49	47	35	32	14	10	4	1	-	-	-
WHITE-----MALE----	40	32	31	25	22	8	5	3	1	-	-	-
FEMALE--	8	6	7	4	7	2	5	1	-	-	-	-
ALL OTHER--MALE----	9	9	8	3	3	3	-	-	-	-	-	-
FEMALE--	1	2	1	3	-	1	-	-	-	-	-	-
BLACK---MALE----	9	9	8	3	3	3	-	-	-	-	-	-
FEMALE--	1	2	1	3	-	1	-	-	-	-	-	-
GEORGIA -----	37	25	34	19	9	6	-	1	1	-	-	-
WHITE-----MALE----	16	15	12	5	2	4	-	-	-	-	-	-
FEMALE--	4	2	6	3	4	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	8	15	9	2	2	-	-	-	-	-	-
FEMALE--	5	-	1	2	1	-	-	1	1	-	-	-
BLACK---MALE----	12	8	14	9	2	2	-	-	-	-	-	-
FEMALE--	5	-	1	2	1	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,313

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
SOUTH DAKOTA -----	16	-	-	-	-	-	-	-	2	-	2	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	110	-	-	-	1	-	-	2	3	8	19	8
WHITE-----MALE----	61	-	-	-	1	-	-	-	2	6	7	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	6	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	-	1	5	3
FEMALE--	8	-	-	-	-	-	-	1	1	1	1	2
BLACK---MALE----	23	-	-	-	-	-	-	1	-	1	5	3
FEMALE--	8	-	-	-	-	-	-	1	1	1	1	2
TEXAS -----	247	-	-	-	-	-	1	1	5	34	24	41
WHITE-----MALE----	179	-	-	-	-	-	1	1	5	28	19	32
FEMALE--	38	-	-	-	-	-	-	-	-	4	3	7
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	25	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	2
UTAH -----	51	-	-	-	-	-	-	-	4	8	9	4
WHITE-----MALE----	36	-	-	-	-	-	-	-	1	5	8	2
FEMALE--	11	-	-	-	-	-	-	-	2	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	133	-	-	-	-	-	-	1	3	7	21	18
WHITE-----MALE----	76	-	-	-	-	-	-	-	1	2	13	12
FEMALE--	18	-	-	-	-	-	-	-	1	3	2	1
ALL OTHER--MALE----	32	-	-	-	-	-	-	1	1	1	4	5
FEMALE--	7	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	32	-	-	-	-	-	-	1	1	1	4	5
FEMALE--	7	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,315

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DRUG DEPENDENCE (304)												
UNITED STATES --	264	-	-	-	-	4	8	16	32	50	61	50
WHITE-----MALE----	157	-	-	-	-	3	5	13	17	29	38	29
FEMALE--	47	-	-	-	-	1	1	2	4	12	13	4
ALL OTHER--MALE----	39	-	-	-	-	-	2	-	5	5	7	14
FEMALE--	21	-	-	-	-	-	-	1	6	4	3	3
BLACK---MALE----	33	-	-	-	-	-	1	-	4	4	7	12
FEMALE--	20	-	-	-	-	-	-	1	6	4	3	3
ALABAMA -----	2	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	-	-	-	-	-	-	-	1	2	2	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	83	-	-	-	-	2	4	2	4	19	22	16
WHITE-----MALE----	55	-	-	-	-	2	3	1	3	9	18	10
FEMALE--	11	-	-	-	-	-	-	-	-	6	2	1
ALL OTHER--MALE----	13	-	-	-	-	-	1	-	1	3	1	4
FEMALE--	4	-	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	11	-	-	-	-	-	1	-	1	2	1	3
FEMALE--	4	-	-	-	-	-	-	1	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,324

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
UNITED STATES --	6,017	5	3	1	5	48	97	120	246	390	481	401
WHITE-----MALE----	2,315	3	2	1	2	26	67	76	128	214	235	211
FEMALE--	2,782	-	-	-	3	14	17	27	51	76	104	65
ALL OTHER--MALE----	558	1	-	-	-	4	9	12	42	71	104	90
FEMALE--	362	1	1	-	-	4	4	5	25	29	38	35
BLACK---MALE----	503	1	-	-	-	1	7	10	39	61	98	85
FEMALE--	319	1	1	-	-	1	4	5	24	24	37	34
ALABAMA -----	116	-	-	-	-	1	2	1	2	4	2	4
WHITE-----MALE----	31	-	-	-	-	-	1	1	1	2	-	2
FEMALE--	57	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	1	-	1	1	2	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	17	-	-	-	-	-	1	-	1	1	2	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	14	-	-	-	-	-	-	2	2	-	3	3
WHITE-----MALE----	7	-	-	-	-	-	-	2	1	-	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	106	-	-	1	-	2	2	4	3	8	7	10
WHITE-----MALE----	46	-	-	1	-	1	1	1	2	6	4	7
FEMALE--	48	-	-	-	-	1	-	2	-	2	3	1
ALL OTHER--MALE----	7	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
ARKANSAS -----	64	-	-	-	-	-	2	1	2	3	-	3
WHITE-----MALE----	22	-	-	-	-	-	1	1	1	3	-	1
FEMALE--	33	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	617	-	-	-	1	7	20	20	49	68	82	79
WHITE-----MALE----	308	-	-	-	1	2	13	11	27	40	56	49
FEMALE--	231	-	-	-	-	1	5	7	14	20	18	16
ALL OTHER--MALE----	50	-	-	-	-	2	1	2	7	6	6	9
FEMALE--	28	-	-	-	-	2	1	-	1	2	2	5
BLACK---MALE----	38	-	-	-	-	-	-	-	7	4	6	8
FEMALE--	18	-	-	-	-	-	1	-	1	2	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,324

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
UNITED STATES --	251	201	152	187	241	412	675	903	770	334	94	-
WHITE-----MALE----	115	97	77	93	115	163	224	240	157	60	9	-
FEMALE--	59	54	45	60	95	210	398	612	566	251	75	-
ALL OTHER--MALE----	58	40	21	24	16	14	14	18	13	6	1	-
FEMALE--	19	10	9	10	15	25	39	33	34	17	9	-
BLACK---MALE----	56	33	18	23	14	14	12	15	9	6	1	-
FEMALE--	19	10	6	7	14	20	32	30	30	14	6	-
ALABAMA -----	6	4	5	6	6	9	17	25	12	9	1	-
WHITE-----MALE----	3	1	-	2	1	4	4	4	4	1	-	-
FEMALE--	1	1	3	3	1	4	11	20	6	5	1	-
ALL OTHER--MALE----	2	1	1	1	-	-	2	-	2	1	-	-
FEMALE--	-	1	1	-	4	1	-	1	-	2	-	-
BLACK---MALE----	2	1	1	1	-	-	2	-	2	1	-	-
FEMALE--	-	1	1	-	4	1	-	1	-	2	-	-
ALASKA -----	-	-	-	1	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	6	-	6	2	7	16	12	10	6	3	-
WHITE-----MALE----	1	4	-	3	1	1	7	3	1	2	-	-
FEMALE--	-	-	-	1	1	5	8	8	9	4	3	-
ALL OTHER--MALE----	-	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	3	2	-	1	3	6	9	12	9	8	-	-
WHITE-----MALE----	2	-	-	1	3	3	-	3	3	-	-	-
FEMALE--	1	-	-	-	-	3	8	8	4	7	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	1	-	-
CALIFORNIA -----	50	27	15	19	14	22	27	37	55	18	7	-
WHITE-----MALE----	28	14	9	10	5	13	6	8	13	3	-	-
FEMALE--	14	10	6	7	4	7	16	26	40	13	7	-
ALL OTHER--MALE----	8	3	-	-	4	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	4	2	2	2	-	-
BLACK---MALE----	8	2	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,325

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
COLORADO -----	64	-	-	-	-	2	1	-	3	3	5	3
WHITE-----MALE----	29	-	-	-	-	1	1	-	2	3	4	-
FEMALE--	28	-	-	-	-	1	-	-	1	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	51	-	-	-	-	1	-	1	-	2	2	3
WHITE-----MALE----	23	-	-	-	-	1	-	1	-	1	1	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	14	-	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	1	1	-	-	-	2	1
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	409	-	-	-	1	3	3	2	7	14	14	14
WHITE-----MALE----	139	-	-	-	-	2	2	2	2	7	7	11
FEMALE--	242	-	-	-	1	1	-	-	3	4	6	1
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	1	2	1	1
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	15	-	-	-	-	-	1	-	1	1	1	1
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	1
GEORGIA -----	147	-	-	-	1	-	-	5	7	13	23	17
WHITE-----MALE----	38	-	-	-	-	-	-	5	3	3	9	3
FEMALE--	50	-	-	-	1	-	-	-	-	2	4	1
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	2	6	3	11
FEMALE--	26	-	-	-	-	-	-	-	2	2	7	2
BLACK---MALE----	32	-	-	-	-	-	-	-	2	6	2	11
FEMALE--	26	-	-	-	-	-	-	-	2	2	7	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,325

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	3	3	6	2	5	5	7	5	7	2	-
WHITE-----MALE----	1	2	1	4	1	2	3	3	-	1	-	-
FEMALE--	-	1	2	1	1	3	2	4	4	4	2	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	-	-
CONNECTICUT -----	-	1	4	2	3	3	7	10	9	2	1	-
WHITE-----MALE----	-	-	4	1	1	1	3	5	1	-	1	-
FEMALE--	-	-	-	1	2	1	4	3	8	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
DELAWARE -----	-	2	1	-	-	1	1	2	2	1	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	-	1	-	-	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	12	10	3	11	17	29	67	92	62	34	14	-
WHITE-----MALE----	2	5	1	4	9	13	25	22	16	7	2	-
FEMALE--	8	2	1	5	6	16	39	66	44	27	12	-
ALL OTHER--MALE----	2	3	-	2	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	2	-	2	3	1	-	-	-
BLACK---MALE----	2	3	-	2	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	2	-	2	2	1	-	-	-
GEORGIA -----	8	8	7	2	2	11	12	14	14	1	2	-
WHITE-----MALE----	1	4	2	-	-	1	2	3	2	-	-	-
FEMALE--	2	3	3	1	1	5	8	9	8	1	1	-
ALL OTHER--MALE----	4	1	2	-	1	-	2	1	-	-	-	-
FEMALE--	1	-	-	1	-	5	-	1	4	-	1	-
BLACK---MALE----	4	1	2	-	1	-	2	1	-	-	-	-
FEMALE--	1	-	-	1	-	5	-	1	4	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,326

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
HAWAII -----	14	-	-	-	-	-	-	-	-	2	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	23	-	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	250	-	-	-	-	1	3	6	7	8	16	6
WHITE-----MALE----	75	-	-	-	-	-	3	3	3	4	8	4
FEMALE--	153	-	-	-	-	1	-	2	1	1	5	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	3	3	2	-
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	3	3	2	-
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	-
INDIANA -----	124	-	-	-	-	3	3	2	6	10	15	14
WHITE-----MALE----	51	-	-	-	-	2	3	2	2	5	5	7
FEMALE--	55	-	-	-	-	1	-	-	1	4	5	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	3	-	4	3
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	11	-	-	-	-	-	-	-	3	-	4	3
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	2
IOWA -----	83	-	-	-	-	-	-	-	2	2	-	1
WHITE-----MALE----	34	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	47	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	93	-	-	-	-	-	1	1	3	4	3	4
WHITE-----MALE----	38	-	-	-	-	-	-	1	2	2	2	2
FEMALE--	48	-	-	-	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,326

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	-	-	-	1	1	1	-	4	-	3	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	3	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	1	3	3	3	6	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	1	1	1	-	-
FEMALE--	-	-	-	-	1	1	3	2	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	5	3	5	16	15	35	53	41	22	4	-
WHITE-----MALE----	3	3	1	3	4	5	9	15	6	1	-	-
FEMALE--	-	1	1	2	10	10	26	33	35	20	3	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	-	5	-	-	1	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	-	5	-	-	1	-
INDIANA -----	1	4	3	6	3	5	14	10	15	8	2	-
WHITE-----MALE----	-	1	1	3	2	2	6	3	3	4	-	-
FEMALE--	-	2	2	2	1	3	8	6	12	4	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	-	-	-	-
IOWA -----	2	4	-	1	6	10	13	15	18	8	1	-
WHITE-----MALE----	1	4	-	1	2	5	5	6	5	1	-	-
FEMALE--	1	-	-	-	4	3	8	9	13	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	1	3	3	7	3	4	10	18	14	12	2	-
WHITE-----MALE----	1	2	3	3	1	1	3	6	4	4	1	-
FEMALE--	-	1	-	4	1	2	7	12	8	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,327

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
KENTUCKY -----	77	-	-	-	1	1	-	-	1	2	5	3
WHITE-----MALE----	28	-	-	-	-	1	-	-	-	2	3	2
FEMALE--	46	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	130	-	-	-	-	-	3	5	8	9	7	8
WHITE-----MALE----	30	-	-	-	-	-	-	1	4	1	-	3
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	38	-	-	-	-	-	3	4	1	7	5	3
FEMALE--	22	-	-	-	-	-	-	-	3	1	2	2
BLACK---MALE----	38	-	-	-	-	-	3	4	1	7	5	3
FEMALE--	22	-	-	-	-	-	-	-	3	1	2	2
MAINE -----	23	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	83	-	-	-	-	-	2	1	2	9	11	6
WHITE-----MALE----	22	-	-	-	-	-	1	-	1	6	2	1
FEMALE--	33	-	-	-	-	-	-	-	-	1	4	1
ALL OTHER--MALE----	21	-	-	-	-	-	1	1	-	2	4	4
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	21	-	-	-	-	-	1	1	-	2	4	4
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
MASSACHUSETTS -----	210	-	-	-	-	1	1	-	4	4	6	7
WHITE-----MALE----	68	-	-	-	-	1	-	-	2	2	3	5
FEMALE--	137	-	-	-	-	-	1	-	1	2	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	363	1	-	-	-	3	15	15	30	50	67	48
WHITE-----MALE----	135	-	-	-	-	1	9	9	15	25	22	16
FEMALE--	106	-	-	-	-	-	5	5	4	6	14	5
ALL OTHER--MALE----	76	-	-	-	-	-	-	1	4	13	24	17
FEMALE--	46	1	-	-	-	2	1	-	7	6	7	10
BLACK---MALE----	75	-	-	-	-	-	-	1	4	13	24	17
FEMALE--	44	1	-	-	-	1	1	-	7	5	7	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,327

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	3	3	1	5	3	5	12	13	15	3	1	-
WHITE-----MALE----	2	2	-	4	2	1	3	3	3	-	-	-
FEMALE--	1	1	-	1	1	4	9	10	12	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	4	5	4	8	8	9	18	18	10	1	-
WHITE-----MALE----	1	-	2	1	2	5	2	4	2	2	-	-
FEMALE--	-	1	2	1	3	2	5	12	8	5	1	-
ALL OTHER--MALE----	2	3	1	2	1	1	-	1	2	2	-	-
FEMALE--	2	-	-	-	2	-	2	1	6	1	-	-
BLACK---MALE----	2	3	1	2	1	1	-	1	2	2	-	-
FEMALE--	2	-	-	-	2	-	2	1	6	1	-	-
MAINE -----	2	2	-	-	1	5	4	1	6	1	1	-
WHITE-----MALE----	2	-	-	-	-	2	1	-	3	-	-	-
FEMALE--	-	2	-	-	1	3	3	1	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	4	2	1	5	4	6	9	7	6	1	-
WHITE-----MALE----	2	1	1	-	1	-	2	1	1	2	-	-
FEMALE--	2	1	-	-	2	3	3	7	5	4	-	-
ALL OTHER--MALE----	2	2	1	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	1	-
BLACK---MALE----	2	2	1	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	1	-
MASSACHUSETTS -----	4	3	4	2	5	19	33	43	49	22	3	-
WHITE-----MALE----	3	-	3	2	4	10	11	9	11	2	-	-
FEMALE--	1	1	-	-	1	9	22	34	38	20	3	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	19	15	8	4	6	10	20	25	16	7	4	-
WHITE-----MALE----	6	7	2	3	4	1	4	8	1	2	-	-
FEMALE--	2	2	1	-	2	7	15	16	14	4	4	-
ALL OTHER--MALE----	7	4	4	-	-	2	-	-	-	-	-	-
FEMALE--	4	2	1	1	-	-	1	1	1	1	-	-
BLACK---MALE----	7	4	3	-	-	2	-	-	-	-	-	-
FEMALE--	4	2	1	1	-	-	1	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,330

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
OHIO -----	238	-	-	-	-	1	2	2	8	12	14	15
WHITE-----MALE----	77	-	-	-	-	1	1	2	5	8	8	6
FEMALE--	135	-	-	-	-	-	-	-	1	1	4	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	2	2	1	7
FEMALE--	9	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	17	-	-	-	-	-	-	-	2	2	1	7
FEMALE--	9	-	-	-	-	-	1	-	-	1	1	-
OKLAHOMA -----	59	-	1	-	-	-	-	1	2	1	2	2
WHITE-----MALE----	25	-	1	-	-	-	-	1	1	1	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	101	-	-	-	-	2	1	5	7	4	9	8
WHITE-----MALE----	43	-	-	-	-	1	-	3	4	2	4	6
FEMALE--	50	-	-	-	-	-	1	2	3	2	3	2
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	261	-	-	-	-	-	3	4	5	9	9	8
WHITE-----MALE----	95	-	-	-	-	-	3	2	4	6	4	3
FEMALE--	150	-	-	-	-	-	-	2	1	2	1	5
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	16	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	86	-	-	-	-	-	-	-	4	5	5	4
WHITE-----MALE----	34	-	-	-	-	-	-	-	1	1	3	3
FEMALE--	27	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	12	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	12	-	-	-	-	-	-	-	1	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,330

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	6	3	4	9	7	32	32	34	45	7	5	-
WHITE-----MALE----	2	1	1	4	4	12	9	7	6	-	-	-
FEMALE--	2	-	2	4	3	18	22	27	37	7	5	-
ALL OTHER--MALE----	1	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	2	-	-	-
BLACK---MALE----	1	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	2	-	-	-
OKLAHOMA -----	2	1	2	1	2	6	12	9	9	5	1	-
WHITE-----MALE----	1	-	1	1	1	3	4	4	-	3	-	-
FEMALE--	1	1	-	-	-	3	8	4	7	1	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	2	7	6	1	4	6	9	13	10	6	1	-
WHITE-----MALE----	1	7	3	1	1	1	5	2	2	-	-	-
FEMALE--	1	-	2	-	3	4	4	10	7	5	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	12	10	3	10	9	21	44	54	41	12	7	-
WHITE-----MALE----	3	5	1	4	7	8	13	16	11	2	3	-
FEMALE--	5	2	2	5	2	13	30	38	28	10	4	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	2	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	2	-	-	-
RHODE ISLAND -----	-	1	1	1	1	1	2	1	5	1	-	-
WHITE-----MALE----	-	1	1	1	1	1	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	8	2	8	5	10	7	9	8	1	1	-
WHITE-----MALE----	5	4	-	5	1	2	3	2	4	-	-	-
FEMALE--	-	2	2	-	2	4	2	6	4	1	1	-
ALL OTHER--MALE----	2	1	-	3	2	2	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	2	2	1	-	-	-	-
BLACK---MALE----	2	1	-	3	2	2	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,331

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
SOUTH DAKOTA -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	105	-	-	-	-	2	1	1	3	6	7	6
WHITE-----MALE----	49	-	-	-	-	-	1	1	1	5	3	2
FEMALE--	47	-	-	-	-	2	-	-	2	-	4	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	372	2	-	-	-	3	8	8	13	22	22	14
WHITE-----MALE----	163	2	-	-	-	2	7	7	7	16	15	11
FEMALE--	175	-	-	-	-	1	-	1	5	4	4	2
ALL OTHER--MALE----	17	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	17	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	17	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	17	-	-	-	-	-	-	-	1	2	1	-
UTAH -----	27	-	-	-	-	-	-	-	-	3	4	3
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	19	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	127	-	-	-	-	-	2	2	1	6	4	2
WHITE-----MALE----	36	-	-	-	-	-	2	-	-	3	2	1
FEMALE--	61	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	2	2	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	1	-	2	2	-
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,331

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	2	-	-	1	-	2	7	6	1	-	-
WHITE-----MALE----	1	1	-	-	1	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	5	5	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	7	2	3	6	8	17	15	12	1	2	-
WHITE-----MALE----	3	4	2	-	5	4	9	7	2	-	-	-
FEMALE--	2	2	-	3	1	4	7	7	9	1	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	1	-
TEXAS -----	13	7	9	15	16	30	39	65	59	23	4	-
WHITE-----MALE----	8	5	8	7	8	11	15	20	12	2	-	-
FEMALE--	2	2	-	3	7	15	22	41	45	18	3	-
ALL OTHER--MALE----	-	-	1	4	1	2	-	3	1	1	-	-
FEMALE--	3	-	-	1	-	2	2	1	1	2	1	-
BLACK---MALE----	-	-	1	4	1	2	-	3	1	1	-	-
FEMALE--	3	-	-	1	-	2	2	1	1	2	1	-
UTAH -----	2	1	-	2	2	6	1	1	1	1	-	-
WHITE-----MALE----	2	-	-	1	2	-	-	1	-	1	-	-
FEMALE--	-	1	-	1	-	6	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	-	2	5	1	5	2	-	-	-
WHITE-----MALE----	-	-	1	-	2	1	-	2	1	-	-	-
FEMALE--	1	-	-	-	-	4	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	4	4	7	5	8	19	28	21	8	2	-
WHITE-----MALE----	1	1	3	4	3	2	5	6	3	-	-	-
FEMALE--	1	2	-	1	1	3	8	16	17	8	1	-
ALL OTHER--MALE----	-	1	-	2	1	1	-	2	1	-	-	-
FEMALE--	2	-	1	-	-	2	6	4	-	-	1	-
BLACK---MALE----	-	1	-	2	1	1	-	2	1	-	-	-
FEMALE--	2	-	-	-	-	2	6	4	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,342

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
UNITED STATES --	57,762	447	401	271	272	375	335	373	469	630	936	1,225
WHITE-----MALE----	23,128	176	168	113	130	201	169	157	194	286	385	510
FEMALE--	29,524	158	143	88	73	94	84	111	143	208	338	482
ALL OTHER--MALE----	2,382	66	45	38	46	52	55	57	78	79	123	128
FEMALE--	2,728	47	45	32	23	28	27	48	54	57	90	105
BLACK---MALE----	2,015	63	37	34	34	45	48	49	65	67	111	110
FEMALE--	2,389	40	37	28	19	25	20	44	52	52	83	98
ALABAMA -----	1,008	15	8	3	8	4	6	11	11	14	21	29
WHITE-----MALE----	364	7	2	-	3	1	4	3	5	4	4	10
FEMALE--	465	2	4	1	1	1	-	5	1	3	7	10
ALL OTHER--MALE----	83	5	1	2	1	2	2	1	5	2	6	5
FEMALE--	96	1	1	-	3	-	-	2	-	5	4	4
BLACK---MALE----	83	5	1	2	1	2	2	1	5	2	6	5
FEMALE--	96	1	1	-	3	-	-	2	-	5	4	4
ALASKA -----	56	-	3	1	2	-	3	-	-	-	1	1
WHITE-----MALE----	25	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	22	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	1,142	9	12	5	6	4	7	5	4	4	13	25
WHITE-----MALE----	514	4	6	2	3	3	4	1	3	2	7	10
FEMALE--	592	2	4	2	3	1	3	2	1	2	4	13
ALL OTHER--MALE----	20	2	1	1	-	-	-	2	-	-	2	1
FEMALE--	16	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	587	3	2	3	7	9	4	3	6	8	10	14
WHITE-----MALE----	245	1	1	2	3	2	1	1	2	2	2	9
FEMALE--	284	1	1	-	3	5	2	-	1	4	1	3
ALL OTHER--MALE----	27	-	-	-	1	-	-	1	1	1	6	-
FEMALE--	31	1	-	1	-	2	1	1	2	1	1	2
BLACK---MALE----	25	-	-	-	-	-	-	1	1	1	6	-
FEMALE--	30	1	-	1	-	2	1	1	2	1	1	2
CALIFORNIA -----	5,176	42	55	40	25	34	35	46	58	67	89	116
WHITE-----MALE----	2,113	17	21	18	10	17	15	20	27	32	42	51
FEMALE--	2,569	17	26	9	6	9	11	13	18	25	34	37
ALL OTHER--MALE----	260	4	6	7	5	8	5	6	10	6	6	23
FEMALE--	234	4	2	6	4	-	4	7	3	4	7	5
BLACK---MALE----	133	4	4	5	2	3	3	4	5	5	4	16
FEMALE--	132	4	-	4	2	-	-	5	3	4	5	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,342
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
UNITED STATES --	1,382	1,613	2,054	3,193	5,451	8,701	10,836	10,349	6,078	2,028	341	2
WHITE-----MALE----	595	700	900	1,568	2,634	4,112	4,619	3,587	1,552	342	30	-
FEMALE--	562	648	849	1,330	2,344	4,005	5,608	6,180	4,238	1,559	277	2
ALL OTHER--MALE----	128	137	150	146	219	278	226	206	92	31	2	-
FEMALE--	97	128	155	149	254	306	383	376	196	96	32	-
BLACK---MALE----	112	115	127	124	192	243	189	156	67	26	1	-
FEMALE--	91	104	138	123	213	275	337	322	175	84	29	-
ALABAMA -----	25	31	34	53	97	164	187	178	78	26	5	-
WHITE-----MALE----	12	11	13	25	44	69	76	50	16	5	-	-
FEMALE--	6	13	10	23	40	67	88	105	56	18	4	-
ALL OTHER--MALE----	4	2	4	1	6	15	7	10	1	1	-	-
FEMALE--	3	5	7	4	7	13	16	13	5	2	1	-
BLACK---MALE----	4	2	4	1	6	15	7	10	1	1	-	-
FEMALE--	3	5	7	4	7	13	16	13	5	2	1	-
ALASKA -----	3	3	4	4	8	8	8	6	-	1	-	-
WHITE-----MALE----	3	2	1	2	4	4	2	3	-	-	-	-
FEMALE--	-	1	3	2	3	4	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	24	26	31	60	107	187	233	223	116	32	9	-
WHITE-----MALE----	11	12	22	29	58	99	117	92	26	3	-	-
FEMALE--	12	12	8	30	47	83	113	126	88	27	9	-
ALL OTHER--MALE----	1	-	-	1	-	4	1	2	1	1	-	-
FEMALE--	-	2	1	-	2	1	2	3	1	1	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	2	2	1	-	-	-
ARKANSAS -----	8	26	22	39	54	95	104	102	46	19	3	-
WHITE-----MALE----	4	12	13	24	27	49	42	36	9	2	1	-
FEMALE--	3	7	6	14	23	41	55	61	37	15	1	-
ALL OTHER--MALE----	-	4	2	1	1	2	3	2	-	2	-	-
FEMALE--	1	3	1	-	3	3	4	3	-	-	1	-
BLACK---MALE----	-	4	1	1	1	2	3	2	-	2	-	-
FEMALE--	1	3	1	-	3	3	4	2	-	-	1	-
CALIFORNIA -----	144	156	143	272	466	772	955	927	521	178	34	1
WHITE-----MALE----	62	63	56	142	225	383	434	329	111	33	5	-
FEMALE--	70	67	70	101	196	321	465	535	376	135	27	1
ALL OTHER--MALE----	5	15	5	14	20	37	24	29	19	5	1	-
FEMALE--	7	11	12	15	25	31	32	34	15	5	1	-
BLACK---MALE----	3	6	1	5	10	23	10	9	7	4	-	-
FEMALE--	6	4	8	7	12	18	17	15	10	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,343

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
COLORADO -----	847	10	3	6	4	3	3	5	10	11	14	15
WHITE-----MALE----	352	7	2	5	1	2	-	3	3	5	9	10
FEMALE--	466	3	1	1	3	1	3	2	5	5	4	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	749	8	5	3	2	1	2	3	5	3	14	11
WHITE-----MALE----	307	4	5	2	1	1	2	2	2	2	6	4
FEMALE--	407	2	-	1	1	-	-	1	1	-	6	5
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	1	-	2	2
FEMALE--	18	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	17	1	-	-	-	-	-	-	1	-	2	2
FEMALE--	17	1	-	-	-	-	-	-	1	1	-	-
DELAWARE -----	156	-	-	1	1	1	1	-	3	5	4	5
WHITE-----MALE----	55	-	-	1	-	-	-	-	-	1	2	2
FEMALE--	81	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	9	-	-	-	1	-	1	-	1	1	-	1
FEMALE--	11	-	-	-	-	1	-	-	1	2	1	-
BLACK---MALE----	8	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	11	-	-	-	-	1	-	-	1	2	1	-
DISTRICT OF COLUMBIA ----	120	1	-	-	1	-	-	-	3	3	4	5
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	45	1	-	-	1	-	-	-	1	2	2	2
FEMALE--	40	-	-	-	-	-	-	-	2	1	2	3
BLACK---MALE----	45	1	-	-	1	-	-	-	1	2	2	2
FEMALE--	38	-	-	-	-	-	-	-	2	1	2	3
FLORIDA -----	4,049	20	23	10	20	24	19	20	31	35	55	48
WHITE-----MALE----	1,786	8	10	3	13	12	6	9	13	15	22	23
FEMALE--	1,986	7	6	2	4	3	5	4	10	14	19	12
ALL OTHER--MALE----	119	2	3	3	2	4	5	2	4	4	7	8
FEMALE--	158	3	4	2	1	5	3	5	4	2	7	5
BLACK---MALE----	114	2	2	3	2	4	5	2	4	3	7	8
FEMALE--	149	3	4	1	1	4	3	5	3	2	7	5
GEORGIA -----	1,373	13	11	6	10	13	9	16	10	18	36	32
WHITE-----MALE----	470	3	4	1	3	8	6	5	2	7	12	11
FEMALE--	633	6	3	1	4	2	1	4	3	4	7	7
ALL OTHER--MALE----	118	4	2	1	2	2	-	4	2	5	12	11
FEMALE--	152	-	2	3	1	1	2	3	3	2	5	3
BLACK---MALE----	114	4	2	1	2	2	-	3	2	5	12	11
FEMALE--	147	-	2	3	1	1	2	2	3	2	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,343

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	20	22	27	32	80	103	162	165	120	28	4	-
WHITE-----MALE----	11	13	14	19	33	58	68	55	26	8	-	-
FEMALE--	7	7	12	12	45	43	86	107	92	18	4	-
ALL OTHER--MALE----	2	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	2	1	1	-	1	7	2	2	2	-	-
BLACK---MALE----	2	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	5	2	2	1	-	-
CONNECTICUT -----	27	26	21	41	67	117	149	124	78	36	6	-
WHITE-----MALE----	11	8	5	23	29	52	73	45	24	6	-	-
FEMALE--	14	14	14	17	37	63	72	74	51	28	6	-
ALL OTHER--MALE----	-	4	1	-	-	1	2	2	1	-	-	-
FEMALE--	2	-	1	1	1	1	2	3	2	2	-	-
BLACK---MALE----	-	4	1	-	-	1	2	2	1	-	-	-
FEMALE--	2	-	-	1	1	1	2	3	2	2	-	-
DELAWARE -----	1	4	3	9	18	27	35	22	11	4	1	-
WHITE-----MALE----	1	1	1	4	8	14	12	4	3	1	-	-
FEMALE--	-	2	2	3	10	12	19	17	8	3	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	1	-	-	1	-
BLACK---MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	1	-	-	1	-
DISTRICT OF COLUMBIA ----	4	7	9	6	7	15	15	20	13	5	2	-
WHITE-----MALE----	-	2	2	2	2	1	-	3	3	-	-	-
FEMALE--	-	-	-	1	2	-	2	6	6	2	1	-
ALL OTHER--MALE----	2	3	5	2	2	8	6	6	1	1	-	-
FEMALE--	2	2	2	1	1	6	7	5	3	2	1	-
BLACK---MALE----	2	3	5	2	2	8	6	6	1	1	-	-
FEMALE--	2	1	2	1	1	6	7	4	3	2	1	-
FLORIDA -----	80	89	126	232	342	653	829	733	471	167	22	-
WHITE-----MALE----	42	36	52	121	187	333	408	296	138	35	4	-
FEMALE--	25	41	54	94	138	284	385	413	325	123	18	-
ALL OTHER--MALE----	4	5	8	8	10	14	16	7	2	1	-	-
FEMALE--	9	7	12	9	7	22	20	17	6	8	-	-
BLACK---MALE----	4	5	8	7	10	13	16	7	1	1	-	-
FEMALE--	9	7	12	6	7	21	19	16	6	8	-	-
GEORGIA -----	49	45	59	74	136	187	229	232	143	39	6	-
WHITE-----MALE----	15	18	20	30	64	67	86	63	37	8	-	-
FEMALE--	13	15	24	28	46	94	107	142	91	27	4	-
ALL OTHER--MALE----	12	2	9	11	9	8	12	6	2	2	-	-
FEMALE--	9	10	6	5	17	18	24	6	13	2	2	-
BLACK---MALE----	12	2	7	11	9	8	12	6	2	1	-	-
FEMALE--	9	10	5	5	16	18	24	20	13	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,344

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
HAWAII -----	151	-	1	1	-	-	1	1	1	4	4	1
WHITE-----MALE----	26	-	-	1	-	-	-	-	-	1	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	54	-	1	-	-	-	1	-	1	1	2	1
FEMALE--	53	-	-	-	-	-	-	1	-	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	268	1	2	-	2	1	3	1	-	3	2	5
WHITE-----MALE----	103	1	-	-	1	-	2	-	-	-	1	4
FEMALE--	161	-	1	-	1	1	1	1	-	3	1	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,761	18	18	16	9	21	15	22	21	28	49	58
WHITE-----MALE----	1,022	5	4	5	4	13	9	8	10	13	17	22
FEMALE--	1,443	3	6	6	2	3	-	3	5	8	19	24
ALL OTHER--MALE----	135	6	5	4	2	4	5	9	2	2	10	5
FEMALE--	161	4	3	1	1	1	1	2	4	5	3	7
BLACK---MALE----	130	6	5	4	2	4	5	8	2	2	10	5
FEMALE--	150	4	3	1	1	1	1	2	4	5	3	7
INDIANA -----	1,452	12	9	6	8	12	10	12	13	21	22	35
WHITE-----MALE----	612	6	5	5	4	5	8	4	8	8	14	13
FEMALE--	767	5	4	1	3	3	2	7	2	8	7	18
ALL OTHER--MALE----	32	1	-	-	-	3	-	1	1	3	1	1
FEMALE--	41	-	-	-	1	1	-	-	2	2	-	3
BLACK---MALE----	29	-	-	-	-	3	-	1	1	3	1	1
FEMALE--	38	-	-	-	1	1	-	-	2	2	-	3
IOWA -----	810	5	2	1	3	2	5	4	5	8	13	21
WHITE-----MALE----	361	2	1	1	2	2	4	2	3	5	7	12
FEMALE--	439	2	1	-	1	-	-	2	2	3	6	8
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	644	6	3	2	3	8	-	2	3	9	8	8
WHITE-----MALE----	278	5	2	2	3	4	-	1	1	3	3	2
FEMALE--	332	-	-	-	-	3	-	-	1	5	5	5
ALL OTHER--MALE----	13	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	21	-	1	-	-	-	-	-	1	-	-	1
BLACK---MALE----	10	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	20	-	1	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,344
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
HAWAII -----	2	8	8	3	11	23	24	39	14	3	2	-
WHITE-----MALE----	1	1	2	-	1	8	3	6	1	-	-	-
FEMALE--	-	1	-	-	2	2	2	9	1	1	-	-
ALL OTHER--MALE----	1	4	6	2	2	7	11	9	5	-	-	-
FEMALE--	-	2	-	1	6	6	8	15	7	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	8	8	8	17	17	40	46	61	34	8	1	-
WHITE-----MALE----	5	6	1	7	7	18	16	22	9	3	-	-
FEMALE--	3	2	6	10	10	22	30	38	24	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	57	75	99	138	262	414	530	475	303	111	22	-
WHITE-----MALE----	24	26	48	57	104	199	193	171	71	19	-	-
FEMALE--	20	34	40	55	127	177	299	283	220	87	22	-
ALL OTHER--MALE----	9	3	3	8	14	17	12	11	3	1	-	-
FEMALE--	4	12	8	18	17	21	26	10	9	4	-	-
BLACK---MALE----	9	3	3	7	13	17	11	11	2	1	-	-
FEMALE--	4	11	7	16	16	18	24	9	9	4	-	-
INDIANA -----	28	42	69	71	121	219	290	254	147	46	5	-
WHITE-----MALE----	10	20	41	36	62	107	121	95	34	5	1	-
FEMALE--	16	19	19	32	53	102	162	152	109	40	3	-
ALL OTHER--MALE----	2	2	3	3	1	2	4	2	1	1	-	-
FEMALE--	-	1	6	-	5	8	3	5	3	-	1	-
BLACK---MALE----	2	2	3	3	-	2	4	2	1	-	-	-
FEMALE--	-	-	6	-	5	7	3	5	2	-	1	-
IOWA -----	12	18	16	44	71	100	165	171	105	36	3	-
WHITE-----MALE----	7	10	5	20	34	50	72	79	39	4	-	-
FEMALE--	5	8	11	24	37	50	91	90	65	30	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
KANSAS -----	17	17	20	34	54	89	114	133	80	33	1	-
WHITE-----MALE----	10	8	6	18	24	40	59	54	25	8	-	-
FEMALE--	7	7	10	14	25	44	54	73	54	24	1	-
ALL OTHER--MALE----	-	1	-	2	2	2	-	1	-	1	-	-
FEMALE--	-	1	4	-	3	3	1	5	1	-	-	-
BLACK---MALE----	-	-	-	2	2	1	-	-	-	1	-	-
FEMALE--	-	1	4	-	2	3	1	5	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,345

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
KENTUCKY -----	931	7	5	3	3	10	5	9	8	7	15	17
WHITE-----MALE----	386	1	3	2	1	8	3	6	6	4	6	9
FEMALE--	511	5	-	1	2	2	2	2	-	1	8	6
ALL OTHER--MALE----	11	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	23	1	1	-	-	-	-	1	1	2	-	1
BLACK---MALE----	10	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	21	1	1	-	-	-	-	1	1	2	-	1
LOUISIANA -----	969	6	12	6	4	11	11	7	11	9	21	16
WHITE-----MALE----	313	-	4	1	1	2	2	1	3	5	10	6
FEMALE--	451	2	1	2	-	2	5	-	1	1	4	3
ALL OTHER--MALE----	89	3	2	2	2	5	4	3	4	-	1	2
FEMALE--	116	1	5	1	1	2	-	3	3	3	6	5
BLACK---MALE----	86	3	2	2	2	5	4	2	3	-	1	2
FEMALE--	114	1	5	1	1	2	-	3	2	3	6	5
MAINE -----	375	2	2	1	-	2	1	1	1	2	-	4
WHITE-----MALE----	158	2	1	-	-	2	1	-	-	1	-	3
FEMALE--	216	-	1	1	-	-	-	1	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,055	10	5	4	2	9	5	5	11	7	19	16
WHITE-----MALE----	362	2	2	1	1	6	2	-	4	3	9	4
FEMALE--	493	2	1	1	-	1	1	-	3	1	6	6
ALL OTHER--MALE----	91	4	-	-	-	1	2	1	2	2	1	2
FEMALE--	109	2	2	2	1	1	-	4	2	1	3	4
BLACK---MALE----	82	4	-	-	-	1	2	1	2	2	1	1
FEMALE--	108	2	2	2	1	1	-	4	2	1	3	4
MASSACHUSETTS -----	1,585	6	5	3	1	5	9	4	10	20	14	22
WHITE-----MALE----	622	3	4	1	-	2	7	4	7	10	4	9
FEMALE--	919	3	1	1	1	2	2	-	2	9	9	10
ALL OTHER--MALE----	21	-	-	1	-	-	-	-	1	1	1	2
FEMALE--	23	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	14	-	-	1	-	-	-	-	1	1	-	2
FEMALE--	20	-	-	-	-	1	-	-	-	-	-	1
MICHIGAN -----	2,160	19	18	9	11	16	16	11	22	30	52	75
WHITE-----MALE----	855	1	9	4	7	12	7	7	9	12	18	28
FEMALE--	1,072	13	4	1	2	3	6	1	7	12	20	34
ALL OTHER--MALE----	115	3	2	2	2	-	2	2	5	4	8	5
FEMALE--	118	2	3	2	-	1	1	1	1	2	6	8
BLACK---MALE----	110	3	2	2	2	-	2	2	5	3	7	5
FEMALE--	114	2	3	2	-	1	1	1	1	2	6	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,345

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
KENTUCKY -----	18	17	26	61	83	140	178	170	108	35	6	-
WHITE-----MALE----	7	9	12	37	42	72	74	51	28	5	-	-
FEMALE--	9	7	13	23	40	67	102	115	74	26	6	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	2	2	-	-	-
FEMALE--	-	1	1	-	1	1	2	2	4	4	-	-
BLACK---MALE----	1	-	-	1	-	-	-	2	2	-	-	-
FEMALE--	-	1	1	-	-	1	1	2	4	4	-	-
LOUISIANA -----	21	31	43	53	103	152	165	181	83	22	1	-
WHITE-----MALE----	10	6	24	24	44	54	58	43	13	2	-	-
FEMALE--	4	11	11	20	39	73	83	112	63	13	1	-
ALL OTHER--MALE----	4	3	4	6	11	13	10	8	1	1	-	-
FEMALE--	3	11	4	3	9	12	14	18	6	6	-	-
BLACK---MALE----	4	3	4	6	10	13	10	8	1	1	-	-
FEMALE--	3	11	4	3	9	12	13	18	6	6	-	-
MAINE -----	8	9	14	16	32	57	74	72	51	21	5	-
WHITE-----MALE----	2	6	10	9	15	27	34	29	12	4	-	-
FEMALE--	6	3	4	7	17	30	39	43	39	17	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	30	47	72	106	168	187	181	106	34	4	-
WHITE-----MALE----	9	11	15	28	41	75	69	52	23	5	-	-
FEMALE--	6	6	16	31	41	69	93	104	75	28	2	-
ALL OTHER--MALE----	8	7	7	6	12	14	11	8	3	-	-	-
FEMALE--	4	6	9	7	12	10	14	17	5	1	2	-
BLACK---MALE----	7	6	6	5	11	13	10	7	3	-	-	-
FEMALE--	4	6	9	7	11	10	14	17	5	1	2	-
MASSACHUSETTS -----	32	36	60	72	153	248	315	288	212	55	15	-
WHITE-----MALE----	11	18	27	32	88	124	130	93	43	4	1	-
FEMALE--	19	16	31	37	63	119	183	187	166	46	12	-
ALL OTHER--MALE----	2	1	2	2	-	2	1	1	2	2	-	-
FEMALE--	-	1	-	1	2	3	1	7	1	3	2	-
BLACK---MALE----	-	1	1	1	-	2	-	-	2	2	-	-
FEMALE--	-	1	-	-	2	3	-	7	1	2	2	-
MICHIGAN -----	65	72	72	128	223	326	404	353	167	63	8	-
WHITE-----MALE----	26	38	29	60	108	142	146	130	50	12	-	-
FEMALE--	26	24	30	55	91	154	224	205	106	47	7	-
ALL OTHER--MALE----	8	7	9	5	15	14	12	5	3	2	-	-
FEMALE--	5	3	4	8	9	16	22	13	8	2	1	-
BLACK---MALE----	8	7	9	5	15	13	11	5	2	2	-	-
FEMALE--	3	3	3	7	9	16	22	13	8	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,346

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
MINNESOTA -----	30	30	35	58	116	201	253	236	153	61	12	-
WHITE-----MALE----	9	12	21	33	76	91	98	88	45	8	2	-
FEMALE--	20	17	14	21	38	108	151	147	108	52	9	-
ALL OTHER--MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	3	-	1	4	1	-	1	1	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	1	1	-
MISSISSIPPI -----	8	18	33	40	51	78	95	76	31	11	1	-
WHITE-----MALE----	4	9	14	19	19	34	33	20	8	2	-	-
FEMALE--	2	3	12	14	23	30	51	40	18	7	-	-
ALL OTHER--MALE----	1	3	5	5	2	10	3	7	1	-	-	-
FEMALE--	1	3	2	2	7	4	8	9	4	2	1	-
BLACK---MALE----	1	3	5	5	2	10	3	7	1	-	-	-
FEMALE--	1	2	2	2	7	4	8	9	4	2	1	-
MISSOURI -----	25	39	54	71	150	184	259	252	153	57	7	-
WHITE-----MALE----	10	26	14	38	74	92	111	82	30	8	1	-
FEMALE--	10	10	31	26	65	79	130	154	113	47	5	-
ALL OTHER--MALE----	1	3	5	4	8	6	8	5	1	2	-	-
FEMALE--	4	-	4	3	3	7	10	11	9	-	1	-
BLACK---MALE----	1	3	5	3	6	4	8	5	1	2	-	-
FEMALE--	4	-	4	3	3	6	10	10	9	-	1	-
MONTANA -----	6	5	4	14	14	27	63	37	32	13	5	-
WHITE-----MALE----	2	3	1	6	7	15	31	15	8	2	-	-
FEMALE--	4	2	3	8	6	12	32	22	24	11	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	14	9	12	18	42	55	89	103	59	17	2	-
WHITE-----MALE----	9	3	6	10	23	30	52	33	13	6	-	-
FEMALE--	5	6	6	6	19	25	36	68	46	11	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
NEVADA -----	11	13	15	33	39	53	53	52	22	7	-	1
WHITE-----MALE----	9	8	9	14	22	19	22	18	8	2	-	-
FEMALE--	2	4	6	17	16	33	28	33	13	5	-	1
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	1	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,348

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
OHIO -----	2,630	16	14	17	3	12	9	21	16	27	49	60
WHITE-----MALE----	1,016	9	1	9	1	5	6	9	2	11	23	12
FEMALE--	1,418	5	11	5	2	6	3	6	11	12	15	39
ALL OTHER--MALE----	80	1	1	2	-	-	-	4	3	2	6	7
FEMALE--	116	1	1	1	-	1	-	2	-	2	5	2
BLACK---MALE----	78	1	1	2	-	-	-	4	3	2	6	7
FEMALE--	114	1	1	1	-	1	-	2	-	2	4	1
OKLAHOMA -----	785	5	5	2	1	6	4	8	6	13	16	18
WHITE-----MALE----	309	3	2	1	-	2	3	3	1	4	6	10
FEMALE--	411	1	2	1	-	1	-	5	3	4	8	6
ALL OTHER--MALE----	36	-	1	-	1	2	1	-	2	4	1	1
FEMALE--	29	1	-	-	-	1	-	-	-	1	1	1
BLACK---MALE----	22	-	1	-	1	2	-	-	1	1	1	-
FEMALE--	16	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	1,004	5	6	2	6	2	5	3	7	6	13	14
WHITE-----MALE----	445	5	4	1	4	1	1	2	3	6	4	5
FEMALE--	540	-	2	1	2	1	3	1	3	-	7	9
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,876	24	22	8	6	15	17	15	21	26	37	52
WHITE-----MALE----	1,222	9	8	4	4	8	9	9	8	13	20	19
FEMALE--	1,473	10	12	2	2	6	6	2	7	11	11	26
ALL OTHER--MALE----	84	4	-	-	-	1	1	-	4	-	3	3
FEMALE--	97	1	2	2	-	-	1	4	2	2	3	4
BLACK---MALE----	80	4	-	-	-	1	-	-	3	-	3	3
FEMALE--	95	1	2	2	-	-	1	4	2	2	3	4
RHODE ISLAND -----	294	-	2	1	1	2	1	-	-	-	3	7
WHITE-----MALE----	112	-	1	1	-	-	-	-	-	-	-	3
FEMALE--	170	-	-	-	1	1	-	-	-	-	3	4
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	775	6	4	5	4	7	3	6	10	2	17	20
WHITE-----MALE----	269	3	-	2	1	5	2	2	5	1	6	8
FEMALE--	352	-	2	2	1	-	-	2	1	-	6	7
ALL OTHER--MALE----	75	1	1	1	1	1	-	2	2	1	4	2
FEMALE--	79	2	1	-	1	1	1	-	2	-	1	3
BLACK---MALE----	73	1	1	1	1	1	-	1	2	1	4	2
FEMALE--	79	2	1	-	1	1	1	-	2	-	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,348

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	59	74	98	142	263	410	461	470	267	120	22	-
WHITE-----MALE----	28	30	45	68	141	185	182	158	67	22	2	-
FEMALE--	26	35	40	65	108	198	254	281	189	89	18	-
ALL OTHER--MALE----	2	4	8	3	7	9	9	11	1	-	-	-
FEMALE--	3	5	5	6	7	18	16	20	10	9	2	-
BLACK---MALE----	2	3	8	3	7	9	9	10	1	-	-	-
FEMALE--	3	5	5	6	7	18	16	20	10	9	2	-
OKLAHOMA -----	27	15	25	57	76	112	151	121	93	22	2	-
WHITE-----MALE----	12	5	7	27	44	50	65	40	21	2	1	-
FEMALE--	12	7	16	24	25	61	78	70	67	19	1	-
ALL OTHER--MALE----	1	2	2	3	3	-	4	5	2	1	-	-
FEMALE--	2	1	-	3	4	1	4	6	3	-	-	-
BLACK---MALE----	-	1	-	3	2	-	3	3	2	1	-	-
FEMALE--	2	-	-	3	2	1	4	2	1	-	-	-
OREGON -----	23	28	25	43	89	162	205	212	102	36	10	-
WHITE-----MALE----	12	13	8	26	50	82	95	87	29	4	3	-
FEMALE--	11	12	16	17	35	80	106	125	72	30	7	-
ALL OTHER--MALE----	-	1	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	3	-	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	1	-	-
PENNSYLVANIA -----	54	69	110	166	300	460	559	534	286	84	11	-
WHITE-----MALE----	30	37	59	77	133	240	256	183	78	17	1	-
FEMALE--	20	23	38	71	136	199	287	339	193	65	7	-
ALL OTHER--MALE----	1	7	7	6	20	8	11	3	5	-	-	-
FEMALE--	3	2	6	12	11	13	5	9	10	2	3	-
BLACK---MALE----	1	7	6	6	20	8	10	3	5	-	-	-
FEMALE--	3	2	6	12	9	13	5	9	10	2	3	-
RHODE ISLAND -----	6	6	5	19	22	36	49	63	48	20	3	-
WHITE-----MALE----	1	2	3	12	12	12	25	22	14	3	1	-
FEMALE--	4	4	2	5	9	23	24	40	32	16	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	2	1	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	1	-	-
SOUTH CAROLINA -----	19	30	29	52	85	135	125	125	65	20	6	-
WHITE-----MALE----	5	9	8	22	35	60	43	36	13	3	-	-
FEMALE--	4	9	8	20	35	57	61	73	46	15	3	-
ALL OTHER--MALE----	7	9	5	7	8	6	8	5	4	-	-	-
FEMALE--	3	3	8	3	7	12	13	11	2	2	3	-
BLACK---MALE----	7	9	5	7	8	6	8	5	3	-	-	-
FEMALE--	3	3	8	3	7	12	13	11	2	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,349

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
SOUTH DAKOTA -----	198	4	2	-	2	1	-	1	2	4	5	1
WHITE-----MALE----	91	2	-	-	2	1	-	-	2	2	1	-
FEMALE--	98	2	1	-	-	-	-	1	-	-	4	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,115	9	14	5	8	15	6	11	8	16	21	30
WHITE-----MALE----	414	3	5	2	4	8	2	4	4	11	10	12
FEMALE--	583	3	6	3	2	5	1	2	2	2	8	9
ALL OTHER--MALE----	53	1	-	-	2	-	2	3	2	3	1	4
FEMALE--	65	2	3	-	-	2	1	2	-	-	2	5
BLACK---MALE----	51	1	-	-	2	-	2	3	2	3	1	4
FEMALE--	64	2	2	-	-	2	1	2	-	-	2	5
TEXAS -----	3,713	37	33	22	31	33	28	25	27	44	65	88
WHITE-----MALE----	1,487	14	19	9	15	15	16	12	8	18	27	41
FEMALE--	1,926	18	10	10	8	11	6	12	10	13	25	33
ALL OTHER--MALE----	142	3	4	3	4	3	3	-	5	9	8	7
FEMALE--	158	2	-	-	4	4	3	1	4	4	5	7
BLACK---MALE----	130	3	4	3	3	3	3	-	5	9	7	7
FEMALE--	151	2	-	-	3	4	2	1	4	4	5	7
UTAH -----	415	2	1	-	3	6	1	5	3	4	4	9
WHITE-----MALE----	198	1	1	-	1	5	1	4	3	4	2	6
FEMALE--	209	1	-	-	1	1	-	1	-	-	2	3
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	161	2	2	1	-	3	-	-	2	-	1	6
WHITE-----MALE----	66	2	-	-	-	1	-	-	1	-	1	2
FEMALE--	95	-	2	1	-	2	-	-	1	-	-	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,370	6	10	4	7	8	8	7	13	19	22	28
WHITE-----MALE----	476	1	4	1	3	5	2	4	3	10	9	10
FEMALE--	660	3	5	2	1	1	1	3	3	3	5	9
ALL OTHER--MALE----	102	1	-	1	2	2	2	-	3	3	7	3
FEMALE--	132	1	1	-	1	-	3	-	4	3	1	6
BLACK---MALE----	97	1	-	1	2	2	2	-	3	2	6	3
FEMALE--	125	-	1	-	1	-	2	-	4	3	1	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,349

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
SOUTH DAKOTA -----	6	9	7	15	15	22	26	37	29	10	-	-
WHITE-----MALE----	2	5	3	10	11	13	12	15	9	1	-	-
FEMALE--	2	3	4	3	4	9	14	22	20	9	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	26	23	39	67	125	162	201	198	96	32	3	-
WHITE-----MALE----	15	9	23	30	49	64	68	60	24	7	-	-
FEMALE--	5	11	11	34	61	87	122	120	64	22	3	-
ALL OTHER--MALE----	3	1	4	2	4	6	4	7	3	1	-	-
FEMALE--	3	2	1	1	11	5	7	11	5	2	-	-
BLACK---MALE----	3	1	4	2	4	5	4	6	3	1	-	-
FEMALE--	3	2	1	1	11	5	7	11	5	2	-	-
TEXAS -----	83	94	133	208	337	563	667	659	389	124	23	-
WHITE-----MALE----	32	38	64	105	167	249	283	223	110	20	2	-
FEMALE--	39	44	46	87	153	277	348	400	258	99	19	-
ALL OTHER--MALE----	6	6	12	10	4	17	10	18	7	2	1	-
FEMALE--	6	6	11	6	13	20	26	18	14	3	1	-
BLACK---MALE----	6	5	10	9	4	15	10	15	6	2	1	-
FEMALE--	6	5	11	6	12	19	25	18	13	3	1	-
UTAH -----	8	6	13	26	36	71	79	76	46	16	-	-
WHITE-----MALE----	3	2	8	15	17	43	35	29	16	2	-	-
FEMALE--	5	4	5	10	18	27	44	45	30	12	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	2	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	4	2	3	9	18	22	22	29	23	10	2	-
WHITE-----MALE----	2	2	1	4	11	13	9	10	5	2	-	-
FEMALE--	2	-	2	5	7	9	13	19	18	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	47	35	59	71	154	214	236	236	139	43	4	-
WHITE-----MALE----	18	11	19	25	64	85	87	67	38	10	-	-
FEMALE--	12	11	23	31	56	100	127	150	85	26	3	-
ALL OTHER--MALE----	11	8	11	7	10	15	5	5	4	2	-	-
FEMALE--	6	5	6	8	24	14	17	14	12	5	1	-
BLACK---MALE----	10	8	10	6	10	15	5	5	4	2	-	-
FEMALE--	6	4	5	8	22	14	16	14	12	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,351

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
UNITED STATES --	57,658	440	398	270	272	374	335	372	467	625	934	1,220
WHITE-----MALE----	23,093	173	167	113	130	200	169	156	192	282	385	508
FEMALE--	29,476	155	142	88	73	94	84	111	143	208	338	480
ALL OTHER--MALE----	2,371	65	44	37	46	52	55	57	78	78	123	128
FEMALE--	2,718	47	45	32	23	28	27	48	54	57	88	104
BLACK---MALE----	2,006	62	36	33	34	45	48	49	65	66	111	110
FEMALE--	2,380	40	37	28	19	25	20	44	52	52	81	98
ALABAMA -----	1,006	15	8	3	8	4	6	11	11	14	21	28
WHITE-----MALE----	364	7	2	-	3	1	4	3	5	4	4	10
FEMALE--	464	2	4	1	1	1	-	5	1	3	7	9
ALL OTHER--MALE----	83	5	1	2	1	2	2	1	5	2	6	5
FEMALE--	95	1	1	-	3	-	-	2	-	5	4	4
BLACK---MALE----	83	5	1	2	1	2	2	1	5	2	6	5
FEMALE--	95	1	1	-	3	-	-	2	-	5	4	4
ALASKA -----	56	-	3	1	2	-	3	-	-	-	1	1
WHITE-----MALE----	25	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	22	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	1,142	9	12	5	6	4	7	5	4	4	13	25
WHITE-----MALE----	514	4	6	2	3	3	4	1	3	2	7	10
FEMALE--	592	2	4	2	3	1	3	2	1	2	4	13
ALL OTHER--MALE----	20	2	1	1	-	-	-	2	-	-	2	1
FEMALE--	16	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	586	3	2	3	7	9	4	3	6	8	10	14
WHITE-----MALE----	245	1	1	2	3	2	1	1	2	2	2	9
FEMALE--	283	1	1	-	3	5	2	-	1	4	1	3
ALL OTHER--MALE----	27	-	-	-	1	-	-	1	1	1	6	-
FEMALE--	31	1	-	1	-	2	1	1	2	1	1	2
BLACK---MALE----	25	-	-	-	-	-	-	1	1	1	6	-
FEMALE--	30	1	-	1	-	2	1	1	2	1	1	2
CALIFORNIA -----	5,165	40	54	40	25	34	35	46	57	67	89	116
WHITE-----MALE----	2,110	17	21	18	10	17	15	20	26	32	42	51
FEMALE--	2,564	16	26	9	6	9	11	13	18	25	34	37
ALL OTHER--MALE----	257	3	5	7	5	8	5	6	10	6	6	23
FEMALE--	234	4	2	6	4	-	4	7	3	4	7	5
BLACK---MALE----	131	3	3	5	2	3	3	4	5	5	4	16
FEMALE--	132	4	-	4	2	-	-	5	3	4	5	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,351

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
UNITED STATES --	1,378	1,612	2,050	3,191	5,442	8,690	10,821	10,340	6,070	2,019	336	2
WHITE-----MALE----	595	699	899	1,568	2,631	4,105	4,613	3,585	1,551	342	30	-
FEMALE--	559	648	848	1,329	2,339	4,002	5,602	6,174	4,233	1,552	272	2
ALL OTHER--MALE----	127	137	148	146	219	278	225	206	90	30	2	-
FEMALE--	97	128	155	148	253	305	381	375	196	95	32	-
BLACK---MALE----	111	115	125	124	192	243	188	156	66	26	1	-
FEMALE--	91	104	138	122	212	274	335	321	175	83	29	-
ALABAMA -----	25	31	34	53	97	164	187	178	78	25	5	-
WHITE-----MALE----	12	11	13	25	44	69	76	50	16	5	-	-
FEMALE--	6	13	10	23	40	67	88	105	56	18	4	-
ALL OTHER--MALE----	4	2	4	1	6	15	7	10	1	1	-	-
FEMALE--	3	5	7	4	7	13	16	13	5	1	1	-
BLACK---MALE----	4	2	4	1	6	15	7	10	1	1	-	-
FEMALE--	3	5	7	4	7	13	16	13	5	1	1	-
ALASKA -----	3	3	4	4	8	8	8	6	-	1	-	-
WHITE-----MALE----	3	2	1	2	4	4	2	3	-	-	-	-
FEMALE--	-	1	3	2	3	4	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	24	26	31	60	107	187	233	223	116	32	9	-
WHITE-----MALE----	11	12	22	29	58	99	117	92	26	3	-	-
FEMALE--	12	12	8	30	47	83	113	126	88	27	9	-
ALL OTHER--MALE----	1	-	-	1	-	4	1	2	1	1	-	-
FEMALE--	-	2	1	-	2	1	2	3	1	1	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	2	2	1	-	-	-
ARKANSAS -----	7	26	22	39	54	95	104	102	46	19	3	-
WHITE-----MALE----	4	12	13	24	27	49	42	36	9	2	1	-
FEMALE--	2	7	6	14	23	41	55	61	37	15	1	-
ALL OTHER--MALE----	-	4	2	1	1	2	3	2	-	2	-	-
FEMALE--	1	3	1	-	3	3	4	3	-	-	1	-
BLACK---MALE----	-	4	1	1	1	2	3	2	-	2	-	-
FEMALE--	1	3	1	-	3	3	4	2	-	-	1	-
CALIFORNIA -----	143	156	142	272	465	772	954	926	519	178	34	1
WHITE-----MALE----	62	63	56	142	224	383	433	329	111	33	5	-
FEMALE--	69	67	69	101	196	321	465	534	375	135	27	1
ALL OTHER--MALE----	5	15	5	14	20	37	24	29	18	5	1	-
FEMALE--	7	11	12	15	25	31	32	34	15	5	1	-
BLACK---MALE----	3	6	1	5	10	23	10	9	7	4	-	-
FEMALE--	6	4	8	7	12	18	17	15	10	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,352
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
COLORADO -----	846	9	3	6	4	3	3	5	10	11	14	15
WHITE-----MALE----	351	6	2	5	1	2	-	3	3	5	9	10
FEMALE--	466	3	1	1	3	1	3	2	5	5	4	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	749	8	5	3	2	1	2	3	5	3	14	11
WHITE-----MALE----	307	4	5	2	1	1	2	2	2	2	6	4
FEMALE--	407	2	-	1	1	-	-	1	1	-	6	5
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	1	-	2	2
FEMALE--	18	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	17	1	-	-	-	-	-	-	1	-	2	2
FEMALE--	17	1	-	-	-	-	-	-	1	1	-	-
DELAWARE -----	156	-	-	1	1	1	1	-	3	5	4	5
WHITE-----MALE----	55	-	-	1	-	-	-	-	-	1	2	2
FEMALE--	81	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	9	-	-	-	1	-	1	-	1	1	-	1
FEMALE--	11	-	-	-	-	1	-	-	1	2	1	-
BLACK---MALE----	8	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	11	-	-	-	-	1	-	-	1	2	1	-
DISTRICT OF COLUMBIA ----	119	1	-	-	1	-	-	-	3	3	3	5
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	45	1	-	-	1	-	-	-	1	2	2	2
FEMALE--	39	-	-	-	-	-	-	-	2	1	1	3
BLACK---MALE----	45	1	-	-	1	-	-	-	1	2	2	2
FEMALE--	37	-	-	-	-	-	-	-	2	1	1	3
FLORIDA -----	4,044	19	23	10	20	24	19	20	31	35	55	48
WHITE-----MALE----	1,784	7	10	3	13	12	6	9	13	15	22	23
FEMALE--	1,983	7	6	2	4	3	5	4	10	14	19	12
ALL OTHER--MALE----	119	2	3	3	2	4	5	2	4	4	7	8
FEMALE--	158	3	4	2	1	5	3	5	4	2	7	5
BLACK---MALE----	114	2	2	3	2	4	5	2	4	3	7	8
FEMALE--	149	3	4	1	1	4	3	5	3	2	7	5
GEORGIA -----	1,371	13	11	6	10	13	9	16	10	18	36	32
WHITE-----MALE----	470	3	4	1	3	8	6	5	2	7	12	11
FEMALE--	632	6	3	1	4	2	1	4	3	4	7	7
ALL OTHER--MALE----	117	4	2	1	2	2	-	4	2	5	12	11
FEMALE--	152	-	2	3	1	1	2	3	3	2	5	3
BLACK---MALE----	114	4	2	1	2	2	-	3	2	5	12	11
FEMALE--	147	-	2	3	1	1	2	2	3	2	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,352

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
COLORADO -----	20	22	27	32	80	103	162	165	120	28	4	-
WHITE-----MALE----	11	13	14	19	33	58	68	55	26	8	-	-
FEMALE--	7	7	12	12	45	43	86	107	92	18	4	-
ALL OTHER--MALE----	2	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	2	1	1	-	1	7	2	2	2	-	-
BLACK---MALE----	2	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	5	2	2	1	-	-
CONNECTICUT -----	27	26	21	41	67	117	149	124	78	36	6	-
WHITE-----MALE----	11	8	5	23	29	52	73	45	24	6	-	-
FEMALE--	14	14	14	17	37	63	72	74	51	28	6	-
ALL OTHER--MALE----	-	4	1	-	-	1	2	2	1	-	-	-
FEMALE--	2	-	1	1	1	1	2	3	2	2	-	-
BLACK---MALE----	-	4	1	-	-	1	2	2	1	-	-	-
FEMALE--	2	-	-	1	1	1	2	3	2	2	-	-
DELAWARE -----	1	4	3	9	18	27	35	22	11	4	1	-
WHITE-----MALE----	1	1	1	4	8	14	12	4	3	1	-	-
FEMALE--	-	2	2	3	10	12	19	17	8	3	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	1	-	-	1	-
BLACK---MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	1	-	-	1	-
DISTRICT OF COLUMBIA ----	4	7	9	6	7	15	15	20	13	5	2	-
WHITE-----MALE----	-	2	2	2	2	1	-	3	3	-	-	-
FEMALE--	-	-	-	1	2	-	2	6	6	2	1	-
ALL OTHER--MALE----	2	3	5	2	2	8	6	6	1	1	-	-
FEMALE--	2	2	2	1	1	6	7	5	3	2	1	-
BLACK---MALE----	2	3	5	2	2	8	6	6	1	1	-	-
FEMALE--	2	1	2	1	1	6	7	4	3	2	1	-
FLORIDA -----	80	89	126	232	342	651	829	733	470	166	22	-
WHITE-----MALE----	42	36	52	121	187	332	408	296	138	35	4	-
FEMALE--	25	41	54	94	138	283	385	413	324	122	18	-
ALL OTHER--MALE----	4	5	8	8	10	14	16	7	2	1	-	-
FEMALE--	9	7	12	9	7	22	20	17	6	8	-	-
BLACK---MALE----	4	5	8	7	10	13	16	7	1	1	-	-
FEMALE--	9	7	12	6	7	21	19	16	6	8	-	-
GEORGIA -----	48	45	59	74	136	187	229	232	143	38	6	-
WHITE-----MALE----	15	18	20	30	64	67	86	63	37	8	-	-
FEMALE--	12	15	24	28	46	94	107	142	91	27	4	-
ALL OTHER--MALE----	12	2	9	11	9	8	12	6	2	1	-	-
FEMALE--	9	10	6	5	17	18	24	6	13	2	2	-
BLACK---MALE----	12	2	7	11	9	8	12	6	2	1	-	-
FEMALE--	9	10	5	5	16	18	24	20	13	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,353

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
HAWAII -----	151	-	1	1	-	-	1	1	1	4	4	1
WHITE-----MALE----	26	-	-	1	-	-	-	-	-	1	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	54	-	1	-	-	-	1	-	1	1	2	1
FEMALE--	53	-	-	-	-	-	-	1	-	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	268	1	2	-	2	1	3	1	-	3	2	5
WHITE-----MALE----	103	1	-	-	1	-	2	-	-	-	1	4
FEMALE--	161	-	1	-	1	1	1	1	-	3	1	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,754	18	18	16	9	21	15	22	21	27	49	57
WHITE-----MALE----	1,019	5	4	5	4	13	9	8	10	12	17	21
FEMALE--	1,440	3	6	6	2	3	-	3	5	8	19	24
ALL OTHER--MALE----	135	6	5	4	2	4	5	9	2	2	10	5
FEMALE--	160	4	3	1	1	1	1	2	4	5	3	7
BLACK---MALE----	130	6	5	4	2	4	5	8	2	2	10	5
FEMALE--	149	4	3	1	1	1	1	2	4	5	3	7
INDIANA -----	1,451	12	9	6	8	12	10	12	13	21	22	35
WHITE-----MALE----	612	6	5	5	4	5	8	4	8	8	14	13
FEMALE--	766	5	4	1	3	3	2	7	2	8	7	18
ALL OTHER--MALE----	32	1	-	-	-	3	-	1	1	3	1	1
FEMALE--	41	-	-	-	1	1	-	-	2	2	-	3
BLACK---MALE----	29	-	-	-	-	3	-	1	1	3	1	1
FEMALE--	38	-	-	-	1	1	-	-	2	2	-	3
IOWA -----	808	5	2	1	3	2	5	4	5	8	13	21
WHITE-----MALE----	361	2	1	1	2	2	4	2	3	5	7	12
FEMALE--	437	2	1	-	1	-	-	2	2	3	6	8
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	644	6	3	2	3	8	-	2	3	9	8	8
WHITE-----MALE----	278	5	2	2	3	4	-	1	1	3	3	2
FEMALE--	332	-	-	-	-	3	-	-	1	5	5	5
ALL OTHER--MALE----	13	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	21	-	1	-	-	-	-	-	1	-	-	1
BLACK---MALE----	10	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	20	-	1	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,353

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
HAWAII -----	2	8	8	3	11	23	24	39	14	3	2	-
WHITE-----MALE----	1	1	2	-	1	8	3	6	1	-	-	-
FEMALE--	-	1	-	-	2	2	2	9	1	1	-	-
ALL OTHER--MALE----	1	4	6	2	2	7	11	9	5	-	-	-
FEMALE--	-	2	-	1	6	6	8	15	7	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	8	8	8	17	17	40	46	61	34	8	1	-
WHITE-----MALE----	5	6	1	7	7	18	16	22	9	3	-	-
FEMALE--	3	2	6	10	10	22	30	38	24	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	57	74	99	137	262	414	528	475	303	111	21	-
WHITE-----MALE----	24	25	48	57	104	199	193	171	71	19	-	-
FEMALE--	20	34	40	55	127	177	297	283	220	87	21	-
ALL OTHER--MALE----	9	3	3	8	14	17	12	11	3	1	-	-
FEMALE--	4	12	8	17	17	21	26	10	9	4	-	-
BLACK---MALE----	9	3	3	7	13	17	11	11	2	1	-	-
FEMALE--	4	11	7	15	16	18	24	9	9	4	-	-
INDIANA -----	28	42	69	71	121	219	290	254	146	46	5	-
WHITE-----MALE----	10	20	41	36	62	107	121	95	34	5	1	-
FEMALE--	16	19	19	32	53	102	162	152	108	40	3	-
ALL OTHER--MALE----	2	2	3	3	1	2	4	2	1	1	-	-
FEMALE--	-	1	6	-	5	8	3	5	3	-	1	-
BLACK---MALE----	2	2	3	3	-	2	4	2	1	-	-	-
FEMALE--	-	-	6	-	5	7	3	5	2	-	1	-
IOWA -----	12	18	16	44	70	100	165	171	105	36	2	-
WHITE-----MALE----	7	10	5	20	34	50	72	79	39	4	-	-
FEMALE--	5	8	11	24	36	50	91	90	65	30	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
KANSAS -----	17	17	20	34	54	89	114	133	80	33	1	-
WHITE-----MALE----	10	8	6	18	24	40	59	54	25	8	-	-
FEMALE--	7	7	10	14	25	44	54	73	54	24	1	-
ALL OTHER--MALE----	-	1	-	2	2	2	-	1	-	1	-	-
FEMALE--	-	1	4	-	3	3	1	5	1	-	-	-
BLACK---MALE----	-	-	-	2	2	1	-	-	-	1	-	-
FEMALE--	-	1	4	-	2	3	1	5	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,354

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
KENTUCKY -----	928	7	5	3	3	10	5	9	8	7	15	16
WHITE-----MALE----	383	1	3	2	1	8	3	6	6	4	6	8
FEMALE--	511	5	-	1	2	2	2	2	-	1	8	6
ALL OTHER--MALE----	11	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	23	1	1	-	-	-	-	1	1	2	-	1
BLACK---MALE----	10	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	21	1	1	-	-	-	-	1	1	2	-	1
LOUISIANA -----	968	6	12	6	4	11	11	7	11	9	21	16
WHITE-----MALE----	313	-	4	1	1	2	2	1	3	5	10	6
FEMALE--	451	2	1	2	-	2	5	-	1	1	4	3
ALL OTHER--MALE----	89	3	2	2	2	5	4	3	4	-	1	2
FEMALE--	115	1	5	1	1	2	-	3	3	3	6	5
BLACK---MALE----	86	3	2	2	2	5	4	2	3	-	1	2
FEMALE--	113	1	5	1	1	2	-	3	2	3	6	5
MAINE -----	375	2	2	1	-	2	1	1	1	2	-	4
WHITE-----MALE----	158	2	1	-	-	2	1	-	-	1	-	3
FEMALE--	216	-	1	1	-	-	-	1	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,054	10	5	4	2	9	5	5	11	7	19	16
WHITE-----MALE----	362	2	2	1	1	6	2	-	4	3	9	4
FEMALE--	492	2	1	1	-	1	1	-	3	1	6	6
ALL OTHER--MALE----	91	4	-	-	-	1	2	1	2	2	1	2
FEMALE--	109	2	2	2	1	1	-	4	2	1	3	4
BLACK---MALE----	82	4	-	-	-	1	2	1	2	2	1	1
FEMALE--	108	2	2	2	1	1	-	4	2	1	3	4
MASSACHUSETTS -----	1,583	6	5	3	1	5	9	4	10	20	14	22
WHITE-----MALE----	622	3	4	1	-	2	7	4	7	10	4	9
FEMALE--	917	3	1	1	1	2	2	-	2	9	9	10
ALL OTHER--MALE----	21	-	-	1	-	-	-	-	1	1	1	2
FEMALE--	23	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	14	-	-	1	-	-	-	-	1	1	-	2
FEMALE--	20	-	-	-	-	1	-	-	-	-	-	1
MICHIGAN -----	2,156	19	18	9	11	16	16	11	22	30	52	75
WHITE-----MALE----	854	1	9	4	7	12	7	7	9	12	18	28
FEMALE--	1,069	13	4	1	2	3	6	1	7	12	20	34
ALL OTHER--MALE----	115	3	2	2	2	-	2	2	5	4	8	5
FEMALE--	118	2	3	2	-	1	1	1	1	2	6	8
BLACK---MALE----	110	3	2	2	2	-	2	2	5	3	7	5
FEMALE--	114	2	3	2	-	1	1	1	1	2	6	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,354

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
KENTUCKY -----	18	17	26	61	83	138	178	170	108	35	6	-
WHITE-----MALE----	7	9	12	37	42	70	74	51	28	5	-	-
FEMALE--	9	7	13	23	40	67	102	115	74	26	6	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	2	2	-	-	-
FEMALE--	-	1	1	-	1	1	2	2	4	4	-	-
BLACK---MALE----	1	-	-	1	-	-	-	2	2	-	-	-
FEMALE--	-	1	1	-	-	1	1	2	4	4	-	-
LOUISIANA -----	21	31	43	53	103	151	165	181	83	22	1	-
WHITE-----MALE----	10	6	24	24	44	54	58	43	13	2	-	-
FEMALE--	4	11	11	20	39	73	83	112	63	13	1	-
ALL OTHER--MALE----	4	3	4	6	11	13	10	8	1	1	-	-
FEMALE--	3	11	4	3	9	11	14	18	6	6	-	-
BLACK---MALE----	4	3	4	6	10	13	10	8	1	1	-	-
FEMALE--	3	11	4	3	9	11	13	18	6	6	-	-
MAINE -----	8	9	14	16	32	57	74	72	51	21	5	-
WHITE-----MALE----	2	6	10	9	15	27	34	29	12	4	-	-
FEMALE--	6	3	4	7	17	30	39	43	39	17	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	30	47	72	106	168	186	181	106	34	4	-
WHITE-----MALE----	9	11	15	28	41	75	69	52	23	5	-	-
FEMALE--	6	6	16	31	41	69	92	104	75	28	2	-
ALL OTHER--MALE----	8	7	7	6	12	14	11	8	3	-	-	-
FEMALE--	4	6	9	7	12	10	14	17	5	1	2	-
BLACK---MALE----	7	6	6	5	11	13	10	7	3	-	-	-
FEMALE--	4	6	9	7	11	10	14	17	5	1	2	-
MASSACHUSETTS -----	32	36	60	72	151	248	315	288	212	55	15	-
WHITE-----MALE----	11	18	27	32	88	124	130	93	43	4	1	-
FEMALE--	19	16	31	37	61	119	183	187	166	46	12	-
ALL OTHER--MALE----	2	1	2	2	-	2	1	1	2	2	-	-
FEMALE--	-	1	-	1	2	3	1	7	1	3	2	-
BLACK---MALE----	-	1	1	1	-	2	-	-	2	2	-	-
FEMALE--	-	1	-	-	2	3	-	7	1	2	2	-
MICHIGAN -----	65	72	72	128	223	326	403	352	167	61	8	-
WHITE-----MALE----	26	38	29	60	108	142	145	130	50	12	-	-
FEMALE--	26	24	30	55	91	154	224	204	106	45	7	-
ALL OTHER--MALE----	8	7	9	5	15	14	12	5	3	2	-	-
FEMALE--	5	3	4	8	9	16	22	13	8	2	1	-
BLACK---MALE----	8	7	9	5	15	13	11	5	2	2	-	-
FEMALE--	3	3	3	7	9	16	22	13	8	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,355

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
MINNESOTA -----	30	30	35	58	116	201	253	236	153	60	12	-
WHITE-----MALE----	9	12	21	33	76	91	98	88	45	8	2	-
FEMALE--	20	17	14	21	38	108	151	147	108	51	9	-
ALL OTHER--MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	3	-	1	4	1	-	1	1	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	1	1	-
MISSISSIPPI -----	8	18	33	40	51	78	94	76	31	11	1	-
WHITE-----MALE----	4	9	14	19	19	34	33	20	8	2	-	-
FEMALE--	2	3	12	14	23	30	50	40	18	7	-	-
ALL OTHER--MALE----	1	3	5	5	2	10	3	7	1	-	-	-
FEMALE--	1	3	2	2	7	4	8	9	4	2	1	-
BLACK---MALE----	1	3	5	5	2	10	3	7	1	-	-	-
FEMALE--	1	2	2	2	7	4	8	9	4	2	1	-
MISSOURI -----	25	39	54	71	149	184	259	251	153	57	7	-
WHITE-----MALE----	10	26	14	38	73	92	111	81	30	8	1	-
FEMALE--	10	10	31	26	65	79	130	154	113	47	5	-
ALL OTHER--MALE----	1	3	5	4	8	6	8	5	1	2	-	-
FEMALE--	4	-	4	3	3	7	10	11	9	-	1	-
BLACK---MALE----	1	3	5	3	6	4	8	5	1	2	-	-
FEMALE--	4	-	4	3	3	6	10	10	9	-	1	-
MONTANA -----	6	5	4	14	14	27	63	37	32	13	5	-
WHITE-----MALE----	2	3	1	6	7	15	31	15	8	2	-	-
FEMALE--	4	2	3	8	6	12	32	22	24	11	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	14	9	12	18	42	55	89	103	59	17	2	-
WHITE-----MALE----	9	3	6	10	23	30	52	33	13	6	-	-
FEMALE--	5	6	6	6	19	25	36	68	46	11	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
NEVADA -----	11	13	15	33	39	53	53	52	22	7	-	1
WHITE-----MALE----	9	8	9	14	22	19	22	18	8	2	-	-
FEMALE--	2	4	6	17	16	33	28	33	13	5	-	1
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	1	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,357

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
OHIO -----	2,623	16	14	17	3	12	9	20	16	27	49	60
WHITE-----MALE----	1,013	9	1	9	1	5	6	8	2	11	23	12
FEMALE--	1,414	5	11	5	2	6	3	6	11	12	15	39
ALL OTHER--MALE----	80	1	1	2	-	-	-	4	3	2	6	7
FEMALE--	116	1	1	1	-	1	-	2	-	2	5	2
BLACK---MALE----	78	1	1	2	-	-	-	4	3	2	6	7
FEMALE--	114	1	1	1	-	1	-	2	-	2	4	1
OKLAHOMA -----	782	4	4	2	1	6	4	8	6	13	16	18
WHITE-----MALE----	308	3	2	1	-	2	3	3	1	4	6	10
FEMALE--	409	-	1	1	-	1	-	5	3	4	8	6
ALL OTHER--MALE----	36	-	1	-	1	2	1	-	2	4	1	1
FEMALE--	29	1	-	-	-	1	-	-	-	1	1	1
BLACK---MALE----	22	-	1	-	1	2	-	-	1	1	1	-
FEMALE--	16	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	1,001	5	6	2	6	2	5	3	7	6	13	14
WHITE-----MALE----	444	5	4	1	4	1	1	2	3	6	4	5
FEMALE--	538	-	2	1	2	1	3	1	3	-	7	9
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,872	24	22	8	6	15	17	15	21	26	37	52
WHITE-----MALE----	1,221	9	8	4	4	8	9	9	8	13	20	19
FEMALE--	1,470	10	12	2	2	6	6	2	7	11	11	26
ALL OTHER--MALE----	84	4	-	-	-	1	1	-	4	-	3	3
FEMALE--	97	1	2	2	-	-	1	4	2	2	3	4
BLACK---MALE----	80	4	-	-	-	1	-	-	3	-	3	3
FEMALE--	95	1	2	2	-	-	1	4	2	2	3	4
RHODE ISLAND -----	294	-	2	1	1	2	1	-	-	-	3	7
WHITE-----MALE----	112	-	1	1	-	-	-	-	-	-	-	3
FEMALE--	170	-	-	-	1	1	-	-	-	-	3	4
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	774	6	4	5	4	7	3	6	10	2	17	20
WHITE-----MALE----	269	3	-	2	1	5	2	2	5	1	6	8
FEMALE--	352	-	2	2	1	-	-	2	1	-	6	7
ALL OTHER--MALE----	75	1	1	1	1	1	-	2	2	1	4	2
FEMALE--	78	2	1	-	1	1	1	-	2	-	1	3
BLACK---MALE----	73	1	1	1	1	1	-	1	2	1	4	2
FEMALE--	78	2	1	-	1	1	1	-	2	-	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,357

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
OHIO -----	59	74	97	142	263	410	459	469	267	119	21	-
WHITE-----MALE----	28	30	44	68	141	185	181	158	67	22	2	-
FEMALE--	26	35	40	65	108	198	253	280	189	88	17	-
ALL OTHER--MALE----	2	4	8	3	7	9	9	11	1	-	-	-
FEMALE--	3	5	5	6	7	18	16	20	10	9	2	-
BLACK---MALE----	2	3	8	3	7	9	9	10	1	-	-	-
FEMALE--	3	5	5	6	7	18	16	20	10	9	2	-
OKLAHOMA -----	27	15	25	57	76	112	151	121	92	22	2	-
WHITE-----MALE----	12	5	7	27	44	50	65	40	20	2	1	-
FEMALE--	12	7	16	24	25	61	78	70	67	19	1	-
ALL OTHER--MALE----	1	2	2	3	3	-	4	5	2	1	-	-
FEMALE--	2	1	-	3	4	1	4	6	3	-	-	-
BLACK---MALE----	-	1	-	3	2	-	3	3	2	1	-	-
FEMALE--	2	-	-	3	2	1	4	2	1	-	-	-
OREGON -----	23	28	25	43	89	162	205	211	101	36	9	-
WHITE-----MALE----	12	13	8	26	50	82	95	86	29	4	3	-
FEMALE--	11	12	16	17	35	80	106	125	71	30	6	-
ALL OTHER--MALE----	-	1	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	3	-	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	1	-	-
PENNSYLVANIA -----	54	69	110	165	300	458	559	533	286	84	11	-
WHITE-----MALE----	30	37	59	77	133	239	256	183	78	17	1	-
FEMALE--	20	23	38	70	136	198	287	338	193	65	7	-
ALL OTHER--MALE----	1	7	7	6	20	8	11	3	5	-	-	-
FEMALE--	3	2	6	12	11	13	5	9	10	2	3	-
BLACK---MALE----	1	7	6	6	20	8	10	3	5	-	-	-
FEMALE--	3	2	6	12	9	13	5	9	10	2	3	-
RHODE ISLAND -----	6	6	5	19	22	36	49	63	48	20	3	-
WHITE-----MALE----	1	2	3	12	12	12	25	22	14	3	1	-
FEMALE--	4	4	2	5	9	23	24	40	32	16	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	2	1	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	1	-	-
SOUTH CAROLINA -----	19	30	29	52	85	135	125	124	65	20	6	-
WHITE-----MALE----	5	9	8	22	35	60	43	36	13	3	-	-
FEMALE--	4	9	8	20	35	57	61	73	46	15	3	-
ALL OTHER--MALE----	7	9	5	7	8	6	8	5	4	-	-	-
FEMALE--	3	3	8	3	7	12	13	10	2	2	3	-
BLACK---MALE----	7	9	5	7	8	6	8	5	3	-	-	-
FEMALE--	3	3	8	3	7	12	13	10	2	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,358

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
SOUTH DAKOTA -----	197	4	2	-	2	1	-	1	2	4	5	1
WHITE-----MALE----	90	2	-	-	2	1	-	-	2	2	1	-
FEMALE--	98	2	1	-	-	-	-	1	-	-	4	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,112	9	14	5	8	15	6	11	7	15	21	30
WHITE-----MALE----	412	3	5	2	4	8	2	4	3	10	10	12
FEMALE--	582	3	6	3	2	5	1	2	2	2	8	9
ALL OTHER--MALE----	53	1	-	-	2	-	2	3	2	3	1	4
FEMALE--	65	2	3	-	-	2	1	2	-	-	2	5
BLACK---MALE----	51	1	-	-	2	-	2	3	2	3	1	4
FEMALE--	64	2	2	-	-	2	1	2	-	-	2	5
TEXAS -----	3,708	37	33	21	31	33	28	25	27	44	65	87
WHITE-----MALE----	1,486	14	19	9	15	15	16	12	8	18	27	41
FEMALE--	1,923	18	10	10	8	11	6	12	10	13	25	32
ALL OTHER--MALE----	141	3	4	2	4	3	3	-	5	9	8	7
FEMALE--	158	2	-	-	4	4	3	1	4	4	5	7
BLACK---MALE----	129	3	4	2	3	3	3	-	5	9	7	7
FEMALE--	151	2	-	-	3	4	2	1	4	4	5	7
UTAH -----	412	1	1	-	3	6	1	5	3	4	4	9
WHITE-----MALE----	197	1	1	-	1	5	1	4	3	4	2	6
FEMALE--	207	-	-	-	1	1	-	1	-	-	2	3
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	161	2	2	1	-	3	-	-	2	-	1	6
WHITE-----MALE----	66	2	-	-	-	1	-	-	1	-	1	2
FEMALE--	95	-	2	1	-	2	-	-	1	-	-	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,369	6	10	4	7	8	8	7	13	19	22	28
WHITE-----MALE----	476	1	4	1	3	5	2	4	3	10	9	10
FEMALE--	660	3	5	2	1	1	1	3	3	3	5	9
ALL OTHER--MALE----	101	1	-	1	2	2	-	-	3	3	7	3
FEMALE--	132	1	1	-	1	-	3	-	4	3	1	6
BLACK---MALE----	96	1	-	1	2	2	2	-	3	2	6	3
FEMALE--	125	-	1	-	1	-	2	-	4	3	1	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,358

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
SOUTH DAKOTA -----	6	9	7	15	14	22	26	37	29	10	-	-
WHITE-----MALE----	2	5	3	10	10	13	12	15	9	1	-	-
FEMALE--	2	3	4	3	4	9	14	22	20	9	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	26	23	39	67	125	162	201	198	96	32	2	-
WHITE-----MALE----	15	9	23	30	49	64	68	60	24	7	-	-
FEMALE--	5	11	11	34	61	87	122	120	64	22	2	-
ALL OTHER--MALE----	3	1	4	2	4	6	4	7	3	1	-	-
FEMALE--	3	2	1	1	11	5	7	11	5	2	-	-
BLACK---MALE----	3	1	4	2	4	5	4	6	3	1	-	-
FEMALE--	3	2	1	1	11	5	7	11	5	2	-	-
TEXAS -----	83	94	133	208	337	563	665	659	389	123	23	-
WHITE-----MALE----	32	38	64	105	167	249	282	223	110	20	2	-
FEMALE--	39	44	46	87	153	277	347	400	258	98	19	-
ALL OTHER--MALE----	6	6	12	10	4	17	10	18	7	2	1	-
FEMALE--	6	6	11	6	13	20	26	18	14	3	1	-
BLACK---MALE----	6	5	10	9	4	15	10	15	6	2	1	-
FEMALE--	6	5	11	6	12	19	25	18	13	3	1	-
UTAH -----	8	6	13	26	35	70	79	76	46	16	-	-
WHITE-----MALE----	3	2	8	15	17	42	35	29	16	2	-	-
FEMALE--	5	4	5	10	17	27	44	45	30	12	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	2	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	4	2	3	9	18	22	22	29	23	10	2	-
WHITE-----MALE----	2	2	1	4	11	13	9	10	5	2	-	-
FEMALE--	2	-	2	5	7	9	13	19	18	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	46	35	59	71	154	214	236	236	139	43	4	-
WHITE-----MALE----	18	11	19	25	64	85	87	67	38	10	-	-
FEMALE--	12	11	23	31	56	100	127	150	85	26	3	-
ALL OTHER--MALE----	10	8	11	7	10	15	5	5	4	2	-	-
FEMALE--	6	5	6	8	24	14	17	14	12	5	1	-
BLACK---MALE----	9	8	10	6	10	15	5	5	4	2	-	-
FEMALE--	6	4	5	8	22	14	16	14	12	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,361

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGITIS (320-322)												
COLORADO -----	7	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	2	-	1	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	41	6	2	1	1	-	-	-	2	3	2	4
WHITE-----MALE----	18	2	1	-	1	-	-	-	1	1	1	1
FEMALE--	9	1	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	11	1	1	1	-	-	-	-	-	1	1	3
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	1	-	1	-	-	-	-	-	1	1	3
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	34	3	-	1	-	1	-	-	1	4	4	4
WHITE-----MALE----	6	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	2	2	1
FEMALE--	5	-	-	1	-	1	-	-	1	1	-	1
BLACK---MALE----	11	1	-	-	-	-	-	-	-	2	2	1
FEMALE--	5	-	-	1	-	1	-	-	1	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,363

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MENINGITIS (320-322)												
KENTUCKY -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	2	1	1	3	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	2	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	1	2	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	6	3	4	1	1	4	1	-	-	-	-
WHITE-----MALE----	-	4	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	1	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,366

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGITIS (320-322)												
OHIO -----	31	4	1	2	-	-	-	1	1	-	1	2
WHITE-----MALE----	12	3	-	2	-	-	-	-	-	-	-	-
FEMALE--	13	1	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	13	1	-	1	-	-	1	-	1	-	3	-
WHITE-----MALE----	6	1	-	1	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	8	1	3	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	6	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	39	3	2	2	-	-	5	1	-	-	4	4
WHITE-----MALE----	15	1	1	2	-	-	2	-	-	-	3	2
FEMALE--	13	-	1	-	-	-	2	-	-	-	1	1
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	8	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-
RHODE ISLAND -----	6	-	-	1	-	1	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	14	2	1	-	1	1	-	-	-	-	1	1
WHITE-----MALE----	5	1	-	-	1	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,366

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MENINGITIS (320-322)												
OHIO -----	2	2	1	2	2	5	1	2	2	-	-	-
WHITE-----MALE----	2	1	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	4	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	1	-	-	2	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	2	1	6	2	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	1	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,367

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGITIS (320-322)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	5	3	-	-	-	-	1	1	1	1	1
WHITE-----MALE----	6	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	7	2	2	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	2	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	2	-	-	-	-	-	1	-	-	-	-
TEXAS -----	58	10	2	1	-	2	2	4	1	4	6	5
WHITE-----MALE----	22	2	2	-	-	1	-	2	-	1	2	3
FEMALE--	18	5	-	1	-	1	1	2	1	-	2	1
ALL OTHER--MALE----	6	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	1	-	-	-	-	1	-	-	3	2	1
BLACK---MALE----	6	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	-	3	2	1
UTAH -----	4	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	1	1	-	-	2	-	-	-	3	-	1
WHITE-----MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	1	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	3	1	-	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,369
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
UNITED STATES --	22	56	167	483	1,465	2,810	3,594	2,968	1,288	264	33	-
WHITE-----MALE----	14	33	89	310	905	1,677	2,016	1,486	515	93	9	-
FEMALE--	6	14	61	142	487	992	1,448	1,345	716	160	24	-
ALL OTHER--MALE----	2	6	6	17	44	82	70	69	34	6	-	-
FEMALE--	-	3	11	14	29	59	60	68	23	5	-	-
BLACK---MALE----	2	4	4	12	38	63	53	48	20	5	-	-
FEMALE--	-	3	8	9	22	46	45	54	13	3	-	-
ALABAMA -----	-	1	4	13	23	46	52	33	13	-	-	-
WHITE-----MALE----	-	-	1	5	17	28	32	12	3	-	-	-
FEMALE--	-	-	2	6	5	14	17	16	10	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	2	-	-	-	-
FEMALE--	-	1	1	1	1	2	2	3	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	1	2	-	-	-	-
FEMALE--	-	1	1	1	1	2	2	3	-	-	-	-
ALASKA -----	-	-	-	2	1	3	3	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	3	16	35	61	77	57	25	1	-	-
WHITE-----MALE----	-	-	2	9	21	33	50	37	10	-	-	-
FEMALE--	-	1	1	7	14	26	25	17	14	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	-	-	6	20	23	31	33	13	2	1	-
WHITE-----MALE----	-	-	-	4	13	16	14	16	5	1	-	-
FEMALE--	-	-	-	2	6	7	14	17	8	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
CALIFORNIA -----	5	5	11	56	152	262	314	260	106	25	3	-
WHITE-----MALE----	5	1	7	40	92	160	185	133	31	11	-	-
FEMALE--	-	2	2	13	53	72	113	113	64	12	3	-
ALL OTHER--MALE----	-	1	-	3	5	17	7	11	8	2	-	-
FEMALE--	-	1	2	-	2	13	9	3	3	-	-	-
BLACK---MALE----	-	1	-	1	2	7	4	2	-	1	-	-
FEMALE--	-	1	1	-	-	4	3	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,370

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
COLORADO -----	1	-	3	7	14	39	40	45	22	6	1	-
WHITE-----MALE----	-	-	1	5	8	27	25	21	11	2	-	-
FEMALE--	-	-	2	1	6	11	15	23	11	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	-	-	1	4	11	43	49	46	15	5	1	-
WHITE-----MALE----	-	-	-	3	6	25	30	22	6	3	-	-
FEMALE--	-	-	1	1	5	18	19	24	9	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	2	10	14	5	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	7	6	2	-	-	-	-
FEMALE--	-	1	-	-	1	2	7	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	1	2	5	5	4	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	2	3	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	4	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	4	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	2	6	11	37	99	216	290	205	73	17	2	-
WHITE-----MALE----	-	4	9	28	69	137	180	117	37	9	1	-
FEMALE--	2	1	2	6	26	70	100	83	35	7	1	-
ALL OTHER--MALE----	-	1	-	1	4	3	8	1	1	1	-	-
FEMALE--	-	-	-	2	-	6	2	4	-	-	-	-
BLACK---MALE----	-	1	-	1	4	3	8	1	-	1	-	-
FEMALE--	-	-	-	1	-	5	2	3	-	-	-	-
GEORGIA -----	1	3	4	12	30	54	60	52	23	3	-	-
WHITE-----MALE----	-	3	1	6	22	24	29	24	12	2	-	-
FEMALE--	-	-	1	5	4	23	27	21	10	-	-	-
ALL OTHER--MALE----	1	-	1	1	2	3	1	2	1	1	-	-
FEMALE--	-	-	1	-	2	4	3	5	-	-	-	-
BLACK---MALE----	1	-	-	1	2	3	1	2	1	1	-	-
FEMALE--	-	-	1	-	1	4	3	5	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,371
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
HAWAII -----	-	2	-	-	2	6	10	9	6	-	-	-
WHITE-----MALE----	-	-	-	-	1	3	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	2	7	3	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	6	4	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	3	5	13	14	13	12	2	-	-
WHITE-----MALE----	-	-	-	3	1	7	7	9	5	1	-	-
FEMALE--	1	-	1	-	4	6	7	4	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	3	12	17	67	142	169	128	68	11	1	-
WHITE-----MALE----	-	2	8	11	34	89	86	70	24	3	-	-
FEMALE--	1	-	3	5	26	46	75	51	42	8	1	-
ALL OTHER--MALE----	-	1	-	-	5	4	1	5	1	-	-	-
FEMALE--	-	-	1	1	2	3	7	2	1	-	-	-
BLACK---MALE----	-	1	-	-	5	4	1	5	1	-	-	-
FEMALE--	-	-	-	1	2	2	5	2	1	-	-	-
INDIANA -----	-	4	2	15	32	78	99	71	25	6	1	-
WHITE-----MALE----	-	2	1	9	17	44	56	31	7	3	-	-
FEMALE--	-	2	1	6	15	32	41	39	18	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
IOWA -----	-	-	1	8	17	33	74	51	25	5	-	-
WHITE-----MALE----	-	-	1	6	9	21	41	32	17	-	-	-
FEMALE--	-	-	-	2	8	12	33	19	8	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	1	7	15	38	38	37	28	4	-	-
WHITE-----MALE----	-	1	-	2	13	18	21	20	13	1	-	-
FEMALE--	-	-	1	5	2	16	17	14	15	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,372

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
KENTUCKY -----	-	1	3	9	24	50	44	41	23	7	-	-
WHITE-----MALE----	-	1	2	7	19	33	29	14	6	2	-	-
FEMALE--	-	-	1	2	5	17	15	26	16	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	5	-	20	31	36	32	13	1	-	-
WHITE-----MALE----	-	-	3	-	11	18	18	12	2	1	-	-
FEMALE--	-	-	2	-	7	10	14	17	10	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	2	4	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	2	4	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
MAINE -----	-	1	1	3	11	13	27	23	11	6	-	-
WHITE-----MALE----	-	1	1	2	6	7	18	15	3	2	-	-
FEMALE--	-	-	-	1	5	6	8	8	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	2	15	33	48	65	70	20	7	1	-
WHITE-----MALE----	1	1	1	8	16	24	34	27	7	2	-	-
FEMALE--	-	-	1	4	13	18	26	37	11	5	1	-
ALL OTHER--MALE----	-	-	-	2	3	5	3	3	2	-	-	-
FEMALE--	-	-	-	1	1	1	2	3	-	-	-	-
BLACK---MALE----	-	-	-	2	3	5	2	3	2	-	-	-
FEMALE--	-	-	-	1	1	1	2	3	-	-	-	-
MASSACHUSETTS -----	-	2	1	6	43	74	98	82	42	7	3	-
WHITE-----MALE----	-	1	1	1	31	47	49	41	14	1	-	-
FEMALE--	-	1	-	4	11	25	48	40	27	5	3	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MICHIGAN -----	-	1	5	19	52	109	143	124	44	7	-	-
WHITE-----MALE----	-	1	2	11	32	67	72	56	24	4	-	-
FEMALE--	-	-	2	6	18	35	63	64	20	3	-	-
ALL OTHER--MALE----	-	-	1	-	1	5	2	2	-	-	-	-
FEMALE--	-	-	-	2	1	2	6	2	-	-	-	-
BLACK---MALE----	-	-	1	-	1	4	2	2	-	-	-	-
FEMALE--	-	-	-	1	1	2	6	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,373

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
MINNESOTA -----	-	2	-	12	31	77	94	84	40	6	1	-
WHITE-----MALE----	-	1	-	9	25	44	53	37	21	4	1	-
FEMALE--	-	1	-	3	6	32	41	47	19	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	1	1	6	13	19	20	20	6	2	-	-
WHITE-----MALE----	-	1	1	4	9	10	11	6	4	1	-	-
FEMALE--	-	-	-	1	4	7	9	11	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
MISSOURI -----	-	1	12	10	44	59	86	74	29	11	-	-
WHITE-----MALE----	-	1	5	7	29	34	45	38	7	4	-	-
FEMALE--	-	-	5	2	12	22	37	35	22	7	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	3	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	3	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
MONTANA -----	-	-	-	1	6	11	22	10	5	-	-	-
WHITE-----MALE----	-	-	-	-	3	9	16	5	1	-	-	-
FEMALE--	-	-	-	1	2	2	6	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	2	3	10	15	29	31	14	-	1	-
WHITE-----MALE----	-	-	1	2	8	10	20	16	7	-	-	-
FEMALE--	-	-	1	1	2	5	9	14	7	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	1	1	7	13	14	19	9	4	1	-	-
WHITE-----MALE----	1	-	1	1	7	7	10	6	2	-	-	-
FEMALE--	-	-	-	5	6	6	8	3	1	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,375

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
OHIO -----	-	1	9	18	65	132	142	135	62	14	1	-
WHITE-----MALE----	-	1	5	7	47	72	80	68	24	5	-	-
FEMALE--	-	-	3	10	18	52	57	57	36	9	1	-
ALL OTHER--MALE----	-	-	1	-	-	3	3	8	1	-	-	-
FEMALE--	-	-	-	1	-	5	2	2	1	-	-	-
BLACK---MALE----	-	-	1	-	-	3	3	7	1	-	-	-
FEMALE--	-	-	-	1	-	5	2	2	1	-	-	-
OKLAHOMA -----	1	-	3	9	24	33	47	39	24	2	-	-
WHITE-----MALE----	1	-	2	7	14	13	25	18	7	1	-	-
FEMALE--	-	-	1	1	9	20	20	19	16	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	1	1	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	1	1	1	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
OREGON -----	2	-	1	8	25	60	79	72	19	4	-	-
WHITE-----MALE----	1	-	1	6	18	40	45	42	7	1	-	-
FEMALE--	1	-	-	2	7	20	32	30	12	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
PENNSYLVANIA -----	1	4	10	22	91	162	231	184	71	19	1	-
WHITE-----MALE----	1	3	6	11	54	108	130	87	28	5	1	-
FEMALE--	-	1	4	11	32	51	96	93	38	14	-	-
ALL OTHER--MALE----	-	-	-	-	3	2	4	1	3	-	-	-
FEMALE--	-	-	-	-	2	1	1	3	2	-	-	-
BLACK---MALE----	-	-	-	-	3	2	3	1	3	-	-	-
FEMALE--	-	-	-	-	2	1	1	3	2	-	-	-
RHODE ISLAND -----	-	-	2	2	6	14	14	17	10	2	-	-
WHITE-----MALE----	-	-	-	1	4	6	8	10	5	1	-	-
FEMALE--	-	-	2	-	1	8	6	7	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	10	22	48	42	36	8	1	1	-
WHITE-----MALE----	-	-	-	5	9	25	20	14	3	1	-	-
FEMALE--	-	-	-	4	10	20	19	18	5	-	1	-
ALL OTHER--MALE----	-	-	-	1	2	2	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	2	-	-	-	-
BLACK---MALE----	-	-	-	1	2	2	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,376

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
SOUTH DAKOTA -----	-	-	-	1	4	9	12	13	6	2	-	-
WHITE-----MALE----	-	-	-	1	2	8	9	7	1	-	-	-
FEMALE--	-	-	-	-	2	1	3	6	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	3	8	31	45	56	49	18	1	-	-
WHITE-----MALE----	-	1	1	5	11	23	26	17	6	1	-	-
FEMALE--	-	-	2	3	16	22	30	26	10	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	3	-	-	4	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	3	-	-	4	1	-	-	-
TEXAS -----	-	3	13	32	98	168	217	172	83	16	5	-
WHITE-----MALE----	-	2	9	23	61	100	117	96	42	7	2	-
FEMALE--	-	-	4	9	35	61	94	67	35	9	3	-
ALL OTHER--MALE----	-	-	-	-	1	4	3	5	4	-	-	-
FEMALE--	-	1	-	-	1	3	3	4	2	-	-	-
BLACK---MALE----	-	-	-	-	1	3	3	4	3	-	-	-
FEMALE--	-	1	-	-	1	3	2	4	1	-	-	-
UTAH -----	-	-	1	3	12	25	25	23	11	-	-	-
WHITE-----MALE----	-	-	1	2	4	17	15	13	4	-	-	-
FEMALE--	-	-	-	-	7	8	10	10	7	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	4	8	9	10	5	1	-	-
WHITE-----MALE----	-	-	-	-	3	6	5	4	1	-	-	-
FEMALE--	-	-	-	1	1	2	4	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	4	5	39	71	64	62	29	8	-	-
WHITE-----MALE----	-	-	1	2	24	38	32	24	13	3	-	-
FEMALE--	-	-	2	2	9	26	30	35	16	3	-	-
ALL OTHER--MALE----	-	-	1	1	2	5	-	2	-	1	-	-
FEMALE--	-	-	-	-	4	2	2	1	-	1	-	-
BLACK---MALE----	-	-	-	1	2	5	-	2	-	1	-	-
FEMALE--	-	-	-	-	3	2	2	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,378

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
UNITED STATES --	30,144	151	128	57	59	45	50	38	78	129	214	322
WHITE-----MALE----	10,068	68	54	27	30	21	21	22	44	68	104	147
FEMALE--	18,098	55	47	16	20	18	23	8	23	42	86	125
ALL OTHER--MALE----	725	17	11	8	7	3	3	4	8	9	13	29
FEMALE--	1,253	11	16	6	2	3	3	4	3	10	11	21
BLACK---MALE----	611	16	10	7	6	3	3	4	8	9	12	23
FEMALE--	1,109	11	14	5	2	3	1	4	3	9	10	18
ALABAMA -----	556	3	3	-	2	1	-	1	2	4	6	7
WHITE-----MALE----	176	2	2	-	1	1	-	-	2	1	2	3
FEMALE--	308	-	-	-	1	-	-	1	-	-	3	2
ALL OTHER--MALE----	25	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	47	-	1	-	-	-	-	-	-	3	-	1
BLACK---MALE----	25	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	47	-	1	-	-	-	-	-	-	3	-	1
ALASKA -----	25	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	625	1	4	1	2	-	1	-	1	-	4	8
WHITE-----MALE----	231	1	3	1	1	-	-	-	1	-	3	3
FEMALE--	384	-	1	-	1	-	1	-	-	-	1	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	307	1	1	1	-	-	-	-	-	2	-	4
WHITE-----MALE----	116	-	-	1	-	-	-	-	-	1	-	4
FEMALE--	174	1	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2,791	18	16	8	4	9	9	5	10	13	20	33
WHITE-----MALE----	965	9	5	4	3	6	3	3	6	7	12	12
FEMALE--	1,616	6	9	2	1	3	4	1	4	5	6	12
ALL OTHER--MALE----	100	1	1	1	-	-	1	1	-	-	-	7
FEMALE--	110	2	1	1	-	-	1	-	-	1	2	2
BLACK---MALE----	59	1	1	-	-	-	1	1	-	-	-	5
FEMALE--	63	2	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,378

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
UNITED STATES --	424	600	859	1,497	2,469	4,294	5,923	6,466	4,423	1,638	279	1
WHITE-----MALE----	222	292	400	693	1,057	1,737	2,078	1,796	945	225	17	-
FEMALE--	163	244	382	710	1,230	2,271	3,501	4,316	3,279	1,309	229	1
ALL OTHER--MALE----	23	29	38	41	74	126	108	106	43	23	2	-
FEMALE--	16	35	39	53	108	160	236	248	156	81	31	-
BLACK---MALE----	16	24	27	34	61	117	93	82	35	20	1	-
FEMALE--	14	23	35	39	89	149	216	218	147	71	28	-
ALABAMA -----	5	12	11	22	49	93	116	132	60	22	5	-
WHITE-----MALE----	3	5	4	10	17	32	40	33	13	5	-	-
FEMALE--	2	5	5	10	27	43	64	84	42	15	4	-
ALL OTHER--MALE----	-	1	-	-	2	10	2	6	-	1	-	-
FEMALE--	-	1	2	2	3	8	10	9	5	1	1	-
BLACK---MALE----	-	1	-	-	2	10	2	6	-	1	-	-
FEMALE--	-	1	2	2	3	8	10	9	5	1	1	-
ALASKA -----	2	2	2	1	4	4	5	3	-	1	-	-
WHITE-----MALE----	2	1	-	1	1	3	1	2	-	-	-	-
FEMALE--	-	1	2	-	3	1	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	7	14	25	51	95	125	153	87	29	9	-
WHITE-----MALE----	4	4	9	9	26	46	53	48	16	3	-	-
FEMALE--	4	3	5	16	24	47	71	103	70	24	9	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
ARKANSAS -----	2	11	11	19	22	58	63	63	31	16	2	-
WHITE-----MALE----	2	7	8	12	8	27	22	18	4	1	1	-
FEMALE--	-	4	2	7	12	26	39	41	27	13	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	1	2	-	2	-	-
FEMALE--	-	-	-	-	2	3	1	2	-	-	1	-
BLACK---MALE----	-	-	-	-	-	2	1	2	-	2	-	-
FEMALE--	-	-	-	-	2	3	1	1	-	-	1	-
CALIFORNIA -----	57	72	58	132	209	401	553	602	385	148	28	1
WHITE-----MALE----	25	35	26	63	87	174	215	169	75	21	5	-
FEMALE--	27	25	26	56	98	200	307	391	291	120	21	1
ALL OTHER--MALE----	4	6	3	5	9	16	15	17	9	3	1	-
FEMALE--	1	6	3	8	15	11	16	25	10	4	1	-
BLACK---MALE----	3	3	-	3	4	14	6	7	7	3	-	-
FEMALE--	1	1	2	2	8	9	10	13	8	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,379

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
COLORADO -----	468	6	1	-	-	-	1	1	-	2	2	3
WHITE-----MALE----	151	3	1	-	-	-	-	1	-	2	1	1
FEMALE--	304	3	-	-	-	-	1	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	381	4	4	-	1	-	-	-	1	-	7	2
WHITE-----MALE----	136	2	4	-	-	-	-	-	-	-	2	1
FEMALE--	231	2	-	-	1	-	-	-	1	-	5	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	68	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	18	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	49	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	2,105	4	6	2	2	1	3	3	6	7	7	15
WHITE-----MALE----	777	2	2	2	1	1	1	1	3	2	4	9
FEMALE--	1,241	2	2	-	1	-	2	1	2	4	2	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	60	-	2	-	-	-	-	1	1	1	-	2
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	59	-	2	-	-	-	-	1	1	1	-	2
GEORGIA -----	747	5	4	2	-	3	1	3	1	4	5	8
WHITE-----MALE----	220	-	3	1	-	2	1	1	1	2	3	4
FEMALE--	418	4	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	34	1	-	1	-	1	-	1	-	1	-	3
FEMALE--	75	-	1	-	-	-	-	1	-	-	1	-
BLACK---MALE----	33	1	-	1	-	1	-	1	-	1	-	3
FEMALE--	75	-	1	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,379

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	10	9	12	40	47	98	111	96	21	3	-
WHITE-----MALE----	3	7	5	7	16	22	32	29	15	6	-	-
FEMALE--	2	3	4	5	24	24	58	81	79	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	7	-	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	5	-	2	1	-	-
CONNECTICUT -----	12	10	7	21	32	50	77	63	57	28	5	-
WHITE-----MALE----	6	3	3	14	12	17	37	18	14	3	-	-
FEMALE--	4	7	4	7	20	32	39	41	40	23	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	1	1	3	2	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	1	1	3	2	2	-	-
DELAWARE -----	-	1	1	2	9	11	15	16	9	2	1	-
WHITE-----MALE----	-	1	-	1	3	5	2	1	3	1	-	-
FEMALE--	-	-	1	-	6	6	11	14	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	1	-
DISTRICT OF COLUMBIA -----	-	-	-	2	4	7	9	13	7	3	2	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	6	4	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	3	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	3	5	4	3	2	1	-
BLACK---MALE----	-	-	-	1	-	3	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	3	5	3	3	2	1	-
FLORIDA -----	22	31	57	118	136	298	434	446	356	133	18	-
WHITE-----MALE----	14	14	22	55	66	126	189	147	93	20	3	-
FEMALE--	5	15	32	57	64	155	229	287	257	106	15	-
ALL OTHER--MALE----	1	-	1	3	3	7	5	4	1	-	-	-
FEMALE--	2	2	2	3	3	10	11	8	5	7	-	-
BLACK---MALE----	1	-	1	2	3	7	5	4	1	-	-	-
FEMALE--	2	2	2	2	3	10	11	8	5	7	-	-
GEORGIA -----	12	16	23	29	73	96	145	161	115	35	6	-
WHITE-----MALE----	5	7	7	12	28	29	47	37	24	6	-	-
FEMALE--	4	7	13	14	32	54	70	108	78	27	4	-
ALL OTHER--MALE----	1	1	1	3	4	3	10	3	-	-	-	-
FEMALE--	2	1	2	-	9	10	18	13	13	2	2	-
BLACK---MALE----	1	1	-	3	4	3	10	3	-	-	-	-
FEMALE--	2	1	2	-	9	10	18	13	13	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,380

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
HAWAII -----	-	4	2	2	5	11	9	25	7	3	2	-
WHITE-----MALE----	-	1	-	-	-	3	2	6	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	7	1	1	-	-
ALL OTHER--MALE----	-	1	2	1	2	4	3	5	4	-	-	-
FEMALE--	-	2	-	1	2	4	3	7	2	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	4	5	9	7	22	22	46	20	6	1	-
WHITE-----MALE----	4	2	-	2	4	10	5	12	4	2	-	-
FEMALE--	1	2	4	7	3	12	17	33	15	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	12	26	41	61	116	191	288	302	211	93	19	-
WHITE-----MALE----	8	11	20	27	44	79	86	85	41	16	-	-
FEMALE--	4	12	17	25	66	96	186	208	160	74	19	-
ALL OTHER--MALE----	-	-	1	2	1	6	4	3	2	1	-	-
FEMALE--	-	3	3	7	5	10	12	6	8	2	-	-
BLACK---MALE----	-	-	1	2	1	6	4	3	1	1	-	-
FEMALE--	-	2	3	6	5	10	12	5	8	2	-	-
INDIANA -----	9	11	30	25	52	116	160	168	115	37	4	-
WHITE-----MALE----	3	7	17	9	25	53	54	58	27	2	1	-
FEMALE--	6	4	11	13	24	56	102	105	85	34	2	-
ALL OTHER--MALE----	-	-	1	3	1	2	2	2	1	1	-	-
FEMALE--	-	-	1	-	2	5	2	3	2	-	1	-
BLACK---MALE----	-	-	1	3	-	2	2	2	1	-	-	-
FEMALE--	-	-	1	-	2	5	2	3	1	-	1	-
IOWA -----	4	6	10	24	42	51	80	114	71	29	2	-
WHITE-----MALE----	2	3	3	9	17	25	27	42	19	4	-	-
FEMALE--	2	3	7	15	25	26	51	70	51	23	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
KANSAS -----	7	11	8	16	26	34	59	83	45	27	1	-
WHITE-----MALE----	6	6	4	9	7	12	30	25	10	7	-	-
FEMALE--	1	5	3	7	16	21	29	55	34	19	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	2	1	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	1	-	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,381

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	4	12	33	36	71	118	117	80	27	5	-
WHITE-----MALE----	3	2	5	20	13	26	40	35	22	3	-	-
FEMALE--	3	2	7	13	22	45	76	79	53	20	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	2	4	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	4	4	-	-
LOUISIANA -----	8	11	17	26	52	81	112	129	66	18	1	-
WHITE-----MALE----	3	1	12	13	18	22	31	31	9	-	-	-
FEMALE--	2	5	4	10	24	44	66	80	52	11	1	-
ALL OTHER--MALE----	3	1	1	2	6	7	3	4	1	1	-	-
FEMALE--	-	4	-	1	4	8	12	14	4	6	-	-
BLACK---MALE----	3	1	1	2	5	7	3	4	1	1	-	-
FEMALE--	-	4	-	1	4	8	12	14	4	6	-	-
MAINE -----	2	2	3	9	11	38	40	43	37	13	5	-
WHITE-----MALE----	-	2	1	5	5	18	14	12	7	1	-	-
FEMALE--	2	-	2	4	6	20	26	31	30	12	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	11	20	29	47	78	96	97	79	25	3	-
WHITE-----MALE----	3	5	8	8	19	28	25	21	15	2	-	-
FEMALE--	2	4	6	16	17	36	55	60	60	22	1	-
ALL OTHER--MALE----	-	1	2	-	7	8	7	4	1	-	-	-
FEMALE--	-	1	4	5	4	6	9	12	3	1	2	-
BLACK---MALE----	-	1	2	-	7	8	7	3	1	-	-	-
FEMALE--	-	1	4	5	3	6	9	12	3	1	2	-
MASSACHUSETTS -----	15	19	38	32	69	119	177	173	158	45	10	-
WHITE-----MALE----	6	10	17	16	38	54	60	44	22	2	-	-
FEMALE--	7	9	19	15	31	64	116	127	135	39	8	-
ALL OTHER--MALE----	2	-	2	1	-	1	-	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	2	2	-
BLACK---MALE----	-	-	1	-	-	1	-	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	2	2	-
MICHIGAN -----	12	21	26	59	93	152	205	190	107	48	8	-
WHITE-----MALE----	7	15	14	28	41	55	56	60	22	6	-	-
FEMALE--	5	5	9	31	44	84	135	119	76	38	7	-
ALL OTHER--MALE----	-	1	-	-	6	6	4	2	1	2	-	-
FEMALE--	-	-	3	-	2	7	10	9	8	2	1	-
BLACK---MALE----	-	1	-	-	6	6	4	2	1	2	-	-
FEMALE--	-	-	2	-	2	7	10	9	8	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,384

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
OHIO -----	1,402	7	5	4	-	1	2	2	3	7	10	16
WHITE-----MALE----	451	5	1	1	-	-	-	2	1	3	7	4
FEMALE--	860	1	4	2	-	1	2	-	1	3	3	10
ALL OTHER--MALE----	26	1	-	1	-	-	-	-	1	-	-	1
FEMALE--	65	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	26	1	-	1	-	-	-	-	1	-	-	1
FEMALE--	64	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	404	1	1	-	-	-	1	-	2	3	5	5
WHITE-----MALE----	151	1	-	-	-	-	1	-	-	1	1	3
FEMALE--	234	-	1	-	-	-	-	-	2	1	4	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	543	2	1	-	2	-	2	-	1	2	2	6
WHITE-----MALE----	198	2	-	-	1	-	-	-	1	2	-	3
FEMALE--	336	-	1	-	1	-	1	-	-	-	2	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,346	8	8	1	1	1	2	2	4	5	12	14
WHITE-----MALE----	469	4	1	-	1	-	2	1	1	3	9	6
FEMALE--	823	4	6	1	-	1	-	-	1	2	2	5
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	33	-	1	-	-	-	-	1	-	-	1	2
BLACK---MALE----	20	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	32	-	1	-	-	-	-	1	-	-	1	2
RHODE ISLAND -----	165	-	2	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	57	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	105	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	402	2	2	-	3	-	-	-	2	-	5	5
WHITE-----MALE----	119	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	214	-	2	-	1	-	-	-	-	-	2	-
ALL OTHER--MALE----	26	1	-	-	1	-	-	-	1	-	1	1
FEMALE--	43	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	25	1	-	-	1	-	-	-	1	-	1	1
FEMALE--	43	1	-	-	1	-	-	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,384

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
OHIO -----	20	28	40	67	124	198	263	298	187	101	19	-
WHITE-----MALE----	9	9	20	31	57	82	80	79	41	17	2	-
FEMALE--	10	16	16	35	62	102	165	200	137	75	15	-
ALL OTHER--MALE----	1	1	3	-	4	5	5	3	-	-	-	-
FEMALE--	-	2	1	1	1	9	13	16	9	9	2	-
BLACK---MALE----	1	1	3	-	4	5	5	3	-	-	-	-
FEMALE--	-	2	1	1	1	9	13	16	9	9	2	-
OKLAHOMA -----	10	4	13	24	39	61	86	69	61	18	1	-
WHITE-----MALE----	6	1	5	11	25	35	29	19	12	1	-	-
FEMALE--	4	3	8	12	11	25	52	46	45	17	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	3	1	3	2	3	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	3	1	1	-	-	-
OREGON -----	9	14	12	22	40	84	106	122	77	31	8	-
WHITE-----MALE----	7	9	5	12	18	34	39	41	20	2	2	-
FEMALE--	2	4	7	10	19	50	65	81	56	28	6	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
PENNSYLVANIA -----	19	26	45	72	113	200	263	291	196	54	9	-
WHITE-----MALE----	13	13	25	33	43	84	99	78	44	9	-	-
FEMALE--	6	11	17	37	63	108	157	209	143	44	6	-
ALL OTHER--MALE----	-	2	2	1	5	2	4	1	1	-	-	-
FEMALE--	-	-	1	1	2	6	3	3	8	1	3	-
BLACK---MALE----	-	2	1	1	5	2	4	1	1	-	-	-
FEMALE--	-	-	1	1	1	6	3	3	8	1	3	-
RHODE ISLAND -----	-	3	2	7	9	17	24	37	38	18	3	-
WHITE-----MALE----	-	2	2	5	5	6	11	11	9	2	1	-
FEMALE--	-	1	-	2	4	11	13	25	29	15	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
SOUTH CAROLINA -----	5	9	12	23	35	69	69	85	53	19	4	-
WHITE-----MALE----	2	4	4	8	15	27	19	22	10	2	-	-
FEMALE--	1	4	4	12	14	30	37	53	38	15	1	-
ALL OTHER--MALE----	1	1	2	2	1	3	5	3	3	-	-	-
FEMALE--	1	-	2	1	5	9	8	7	2	2	3	-
BLACK---MALE----	1	1	2	2	1	3	5	3	2	-	-	-
FEMALE--	1	-	2	1	5	9	8	7	2	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,385

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
SOUTH DAKOTA -----	101	2	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	39	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	61	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	581	1	1	1	3	3	-	2	1	3	5	6
WHITE-----MALE----	184	1	-	-	2	-	-	1	1	3	2	3
FEMALE--	348	-	1	1	1	2	-	1	-	-	3	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	1	-	-	-	-	-	3
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	1	-	-	-	-	-	3
TEXAS -----	2,050	12	8	2	7	6	5	1	5	11	8	21
WHITE-----MALE----	664	5	4	-	3	1	2	1	1	4	4	10
FEMALE--	1,244	5	2	1	3	3	2	-	2	3	4	9
ALL OTHER--MALE----	55	1	2	1	-	-	-	-	2	4	-	2
FEMALE--	87	1	-	-	1	2	1	-	-	-	-	-
BLACK---MALE----	52	1	2	1	-	-	-	-	2	4	-	2
FEMALE--	85	1	-	-	1	2	1	-	-	-	-	-
UTAH -----	209	1	-	-	2	-	-	1	2	1	-	2
WHITE-----MALE----	86	1	-	-	1	-	-	1	2	1	-	2
FEMALE--	118	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	92	1	1	-	-	1	-	-	-	-	-	5
WHITE-----MALE----	34	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	58	-	1	-	-	1	-	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	732	2	1	1	1	1	-	1	4	8	6	7
WHITE-----MALE----	220	-	-	-	-	1	-	-	2	5	5	4
FEMALE--	411	2	1	-	-	-	-	1	1	2	1	2
ALL OTHER--MALE----	35	-	-	1	1	-	-	-	1	-	-	1
FEMALE--	66	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	33	-	-	1	1	-	-	-	1	-	-	1
FEMALE--	64	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,385

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
SOUTH DAKOTA -----	3	5	5	6	8	10	12	17	23	8	-	-
WHITE-----MALE----	1	3	2	4	6	5	2	5	8	1	-	-
FEMALE--	2	2	3	1	2	5	10	12	15	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	7	15	34	55	82	119	130	76	28	2	-
WHITE-----MALE----	6	1	11	12	19	26	39	36	16	5	-	-
FEMALE--	1	6	4	21	30	47	70	83	54	21	2	-
ALL OTHER--MALE----	-	-	-	-	-	4	4	5	2	1	-	-
FEMALE--	-	-	-	1	6	5	6	6	4	1	-	-
BLACK---MALE----	-	-	-	-	-	3	4	5	2	1	-	-
FEMALE--	-	-	-	1	6	5	6	6	4	1	-	-
TEXAS -----	16	34	66	117	167	319	392	452	283	101	17	-
WHITE-----MALE----	10	17	30	56	74	117	140	118	57	10	-	-
FEMALE--	6	14	24	54	84	178	226	310	213	86	15	-
ALL OTHER--MALE----	-	-	7	3	1	10	7	10	2	2	1	-
FEMALE--	-	3	5	4	8	14	19	14	11	3	1	-
BLACK---MALE----	-	-	5	3	1	10	7	9	2	2	1	-
FEMALE--	-	2	5	4	8	13	19	14	11	3	1	-
UTAH -----	3	2	4	14	14	32	37	46	33	15	-	-
WHITE-----MALE----	1	-	3	7	9	20	11	15	11	1	-	-
FEMALE--	2	2	1	7	5	12	26	29	22	12	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	-	2	12	11	10	19	16	9	2	-
WHITE-----MALE----	1	1	-	1	7	5	4	6	4	2	-	-
FEMALE--	1	-	-	1	5	6	6	13	12	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	9	22	32	69	105	149	153	107	35	4	-
WHITE-----MALE----	8	2	10	11	23	31	49	37	25	7	-	-
FEMALE--	3	5	7	13	34	59	85	103	66	23	3	-
ALL OTHER--MALE----	3	2	3	4	2	7	4	1	4	1	-	-
FEMALE--	1	-	2	4	10	8	11	12	12	4	1	-
BLACK---MALE----	2	2	3	3	2	7	4	1	4	1	-	-
FEMALE--	1	-	2	4	9	8	10	12	12	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,387

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
UNITED STATES --	2,468	-	-	-	1	2	5	20	39	90	177	299
WHITE-----MALE----	742	-	-	-	-	-	-	5	8	21	49	90
FEMALE--	1,470	-	-	-	-	-	2	10	18	55	98	173
ALL OTHER--MALE----	90	-	-	-	1	1	2	1	5	6	11	13
FEMALE--	166	-	-	-	-	1	1	4	8	8	19	23
BLACK---MALE----	86	-	-	-	1	1	2	1	5	6	11	11
FEMALE--	161	-	-	-	-	1	1	4	8	8	17	22
ALABAMA -----	26	-	-	-	-	-	1	-	1	-	3	4
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
ALASKA -----	2	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	41	-	-	-	-	-	-	1	-	2	3	5
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	25	-	-	-	-	-	-	1	-	1	2	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	18	-	-	-	-	1	-	-	-	-	1	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1
CALIFORNIA -----	230	-	-	-	-	-	1	-	2	8	16	23
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	-	3	9
FEMALE--	144	-	-	-	-	-	1	-	2	6	9	12
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	15	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,387
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE SCLEROSIS (340)												
UNITED STATES --	344	334	289	242	266	172	125	48	11	4	-	-
WHITE-----MALE----	95	106	92	84	87	54	37	11	2	1	-	-
FEMALE--	200	195	167	143	163	112	87	36	9	2	-	-
ALL OTHER--MALE----	17	16	8	3	4	2	-	-	-	-	-	-
FEMALE--	32	17	22	12	12	4	1	1	-	1	-	-
BLACK---MALE----	17	14	8	3	4	2	-	-	-	-	-	-
FEMALE--	31	17	22	12	12	3	1	1	-	1	-	-
ALABAMA -----	2	2	4	5	3	-	1	-	-	-	-	-
WHITE-----MALE----	2	2	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	2	3	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	5	5	3	2	2	4	-	1	-	-	-
WHITE-----MALE----	3	2	4	2	-	1	1	-	-	-	-	-
FEMALE--	5	2	1	1	2	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	2	2	-	4	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	1	-	-	-	-	-
FEMALE--	1	1	1	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	36	34	33	16	22	18	13	5	2	1	-	-
WHITE-----MALE----	12	6	6	5	7	6	7	2	-	-	-	-
FEMALE--	21	24	25	7	14	11	6	3	2	1	-	-
ALL OTHER--MALE----	-	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	2	3	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	3	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,388

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
COLORADO -----	29	-	-	-	-	-	-	1	1	1	2	-
WHITE-----MALE----	12	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	36	-	-	-	-	-	-	-	-	-	-	5
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	131	-	-	-	-	-	-	-	1	2	8	8
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	76	-	-	-	-	-	-	-	-	1	5	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
GEORGIA -----	49	-	-	-	-	-	1	-	3	1	3	5
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	24	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	12	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	12	-	-	-	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,390

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE SCLEROSIS (340)												
KENTUCKY -----	2	6	2	2	2	2	-	1	-	-	-	-
WHITE-----MALE----	1	3	2	2	-	2	-	-	-	-	-	-
FEMALE--	1	3	-	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	8	2	4	2	2	-	-	-	-	-	-
WHITE-----MALE----	2	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	3	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	4	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	2	3	2	2	1	2	-	-	-	-	-
WHITE-----MALE----	1	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	4	9	5	4	4	1	-	-	-	-	-
WHITE-----MALE----	-	2	2	2	-	2	-	-	-	-	-	-
FEMALE--	3	-	5	2	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	2	-	-	-	-	-	-	-
MASSACHUSETTS -----	8	9	7	10	8	5	2	4	-	-	-	-
WHITE-----MALE----	1	2	3	6	1	3	1	-	-	-	-	-
FEMALE--	7	5	4	4	7	2	1	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	23	15	10	10	22	7	7	3	-	-	-	-
WHITE-----MALE----	9	7	2	2	7	-	3	-	-	-	-	-
FEMALE--	13	7	8	6	13	5	4	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,394

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
SOUTH DAKOTA -----	9	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	36	-	-	-	-	-	-	1	-	-	3	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	121	-	-	-	1	-	1	2	1	3	12	17
WHITE-----MALE----	32	-	-	-	-	-	-	1	1	1	5	5
FEMALE--	78	-	-	-	-	-	-	1	-	2	6	11
ALL OTHER--MALE----	5	-	-	-	1	-	1	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	1	-	1	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
UTAH -----	20	-	-	-	-	-	-	-	1	1	2	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	64	-	-	-	-	-	-	-	2	2	5	11
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	30	-	-	-	-	-	-	-	1	-	1	5
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	1	1	1	4
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	1	1	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,394

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE SCLEROSIS (340)												
SOUTH DAKOTA -----	-	2	2	2	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	3	2	5	3	6	4	-	-	1	-	-
WHITE-----MALE----	2	1	-	4	1	1	1	-	-	-	-	-
FEMALE--	3	1	1	1	2	5	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	1	-	-
TEXAS -----	20	15	10	14	13	9	1	1	1	-	-	-
WHITE-----MALE----	4	3	1	5	5	1	-	-	-	-	-	-
FEMALE--	12	11	8	9	7	8	1	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	1	-	-	-	-	-	-	-
UTAH -----	2	-	3	3	3	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	2	-	3	1	2	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	2	1	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	3	8	9	7	2	-	2	1	-	-	-
WHITE-----MALE----	3	1	2	1	3	-	-	1	-	-	-	-
FEMALE--	5	2	5	7	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	2	1	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	2	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,396

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
UNITED STATES --	989	15	91	89	102	121	71	57	52	50	55	43
WHITE-----MALE----	441	4	36	32	46	54	28	22	17	25	23	21
FEMALE--	334	4	28	29	29	27	25	19	19	18	23	19
ALL OTHER--MALE----	126	5	13	16	15	25	12	9	10	4	9	1
FEMALE--	88	2	14	12	12	15	6	7	6	3	-	2
BLACK---MALE----	111	5	11	15	13	21	9	8	8	4	9	1
FEMALE--	81	2	13	12	11	12	5	6	6	3	-	2
ALABAMA -----	21	1	1	1	1	1	-	4	1	3	-	1
WHITE-----MALE----	7	-	-	-	1	-	-	1	-	1	-	1
FEMALE--	6	-	1	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	6	1	-	1	-	1	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	1	-	1	-	1	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	3	-	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	-	1	-	3	-	1	1	-	1	-	1
WHITE-----MALE----	6	-	1	-	2	-	1	1	-	1	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	19	1	1	1	4	3	1	-	1	1	2	-
WHITE-----MALE----	10	1	1	1	1	-	-	-	1	-	1	-
FEMALE--	6	-	-	-	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
CALIFORNIA -----	136	1	20	20	10	15	7	10	9	10	8	6
WHITE-----MALE----	53	-	8	8	3	5	3	4	3	4	2	5
FEMALE--	54	-	10	5	3	4	2	4	3	6	5	1
ALL OTHER--MALE----	21	1	2	5	2	6	2	-	1	-	1	-
FEMALE--	8	-	-	2	2	-	-	2	2	-	-	-
BLACK---MALE----	11	1	1	4	1	2	-	-	-	-	1	-
FEMALE--	6	-	-	2	1	-	-	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,397

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
COLORADO -----	8	-	-	2	-	-	1	1	-	1	-	-
WHITE-----MALE----	4	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	1	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
FLORIDA -----	68	-	6	4	11	12	7	3	1	2	4	2
WHITE-----MALE----	29	-	2	-	7	5	1	1	-	1	1	-
FEMALE--	17	-	2	2	2	-	2	1	1	1	2	1
ALL OTHER--MALE----	9	-	1	1	1	3	2	-	-	-	1	-
FEMALE--	13	-	1	1	1	4	2	1	-	-	-	1
BLACK---MALE----	9	-	1	1	1	3	2	-	-	-	1	-
FEMALE--	12	-	1	1	1	3	2	1	-	-	-	1
GEORGIA -----	24	-	2	-	6	2	1	3	1	2	-	1
WHITE-----MALE----	10	-	-	-	2	1	1	1	-	1	-	1
FEMALE--	4	-	-	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	1	-	1	1	-	2	-	1	-	-
FEMALE--	3	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	1	1	-	2	-	1	-	-
FEMALE--	3	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,397

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFANTILE CEREBRAL PALSY (343)												
COLORADO -----	-	1	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	1	1	1	4	3	-	3	-	-	-	-
WHITE-----MALE----	2	1	1	-	3	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	-	-	3	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,399

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
KENTUCKY -----	25	-	-	3	1	5	4	1	4	-	2	-
WHITE-----MALE----	15	-	-	2	-	5	2	1	3	-	-	-
FEMALE--	9	-	-	1	1	-	2	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	24	-	3	3	2	5	4	1	2	-	1	1
WHITE-----MALE----	8	-	1	1	-	2	-	-	1	-	1	1
FEMALE--	4	-	-	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	8	-	1	2	1	1	1	1	1	-	-	-
FEMALE--	4	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	7	-	1	2	1	1	1	-	1	-	-	-
FEMALE--	4	-	1	-	1	1	-	-	-	-	-	-
MAINE -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	-	-	3	2	3	-	2	3	1	1	-
WHITE-----MALE----	8	-	-	1	1	2	-	-	-	1	1	-
FEMALE--	4	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	4	-	-	1	1	-	-	2	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	4	-	-	1	1	-	-	2	-	-	-	-
MASSACHUSETTS -----	12	-	-	1	1	-	4	-	1	-	-	2
WHITE-----MALE----	5	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	2	-	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	47	-	9	1	1	7	6	-	3	3	4	2
WHITE-----MALE----	21	-	4	-	1	4	3	-	1	1	3	-
FEMALE--	16	-	1	-	-	2	2	-	2	1	-	2
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	3	1	-	1	1	-	-	1	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	3	1	-	1	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,403

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
SOUTH DAKOTA -----	7	-	1	-	1	1	-	-	-	-	1	-
WHITE-----MALE----	6	-	-	-	1	1	-	-	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	31	1	6	3	1	3	2	1	2	2	1	2
WHITE-----MALE----	14	1	2	2	-	1	-	-	-	2	-	2
FEMALE--	9	-	2	1	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	1	-	1	1	1	-	1	-
FEMALE--	3	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	-	1	1	1	-	1	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
TEXAS -----	78	3	9	9	13	9	5	2	1	2	7	4
WHITE-----MALE----	33	1	4	4	4	1	3	1	-	1	3	1
FEMALE--	28	2	4	4	5	4	1	1	-	1	2	2
ALL OTHER--MALE----	10	-	1	1	2	2	1	-	1	-	2	-
FEMALE--	7	-	-	-	2	2	-	-	-	-	-	1
BLACK---MALE----	10	-	1	1	2	2	1	-	1	-	2	-
FEMALE--	7	-	-	-	2	2	-	-	-	-	-	1
UTAH -----	8	-	-	-	-	2	1	2	-	1	-	-
WHITE-----MALE----	7	-	-	-	-	2	1	2	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	16	1	3	-	3	1	2	-	1	-	-	1
WHITE-----MALE----	7	1	2	-	1	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	3	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,405

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
UNITED STATES --	1,348	15	19	25	18	35	54	90	94	119	130	114
WHITE-----MALE----	512	8	10	10	8	11	19	40	39	54	63	52
FEMALE--	491	7	8	12	4	19	16	26	27	41	35	33
ALL OTHER--MALE----	216	-	1	1	4	2	13	17	18	19	23	20
FEMALE--	129	-	-	2	2	3	6	7	10	5	9	9
BLACK---MALE----	197	-	1	1	3	1	12	15	14	16	23	17
FEMALE--	119	-	-	2	2	3	4	7	10	4	8	8
ALABAMA -----	13	-	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	3	-	-	-	-	-	3	1	1	1	1
WHITE-----MALE----	7	3	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	17	-	-	-	-	1	1	-	1	4	2	2
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	7	-	-	-	-	1	-	-	-	2	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
CALIFORNIA -----	151	-	1	3	5	4	7	16	18	12	17	15
WHITE-----MALE----	60	-	1	2	1	2	1	6	7	4	9	5
FEMALE--	52	-	-	1	1	2	3	3	5	4	8	3
ALL OTHER--MALE----	23	-	-	-	2	-	1	3	6	2	-	5
FEMALE--	16	-	-	-	1	-	2	4	-	2	-	2
BLACK---MALE----	18	-	-	-	1	-	1	2	4	2	-	4
FEMALE--	13	-	-	-	1	-	-	4	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,408

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
KENTUCKY -----	18	-	-	-	-	1	-	2	2	2	2	-
WHITE-----MALE----	7	-	-	-	-	1	-	1	1	1	2	-
FEMALE--	8	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	20	-	-	-	-	2	1	-	2	-	1	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	8	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
MAINE -----	3	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	2	-	-	-	1	-	-	-	-	2	-
WHITE-----MALE----	7	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	17	-	2	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	7	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	87	2	-	1	-	1	4	5	6	8	10	8
WHITE-----MALE----	31	-	-	1	-	-	1	2	2	3	3	7
FEMALE--	28	2	-	-	-	1	2	-	1	2	4	-
ALL OTHER--MALE----	20	-	-	-	-	-	1	2	2	3	3	-
FEMALE--	8	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	18	-	-	-	-	-	1	2	2	2	3	-
FEMALE--	7	-	-	-	-	-	-	1	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,408

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EPILEPSY (345)												
KENTUCKY -----	2	2	-	2	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	2	3	4	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	-	-	-	-
MAINE -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	1	1	1	3	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	2	-	2	3	2	-	2	-	-	-	-
WHITE-----MALE----	2	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	2	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	9	6	1	8	8	3	4	2	1	-	-	-
WHITE-----MALE----	2	2	1	3	2	-	-	2	-	-	-	-
FEMALE--	5	3	-	3	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	4	1	2	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	4	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,411

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
OHIO -----	58	-	1	1	-	-	2	4	4	6	7	5
WHITE-----MALE----	21	-	-	1	-	-	2	2	-	3	2	1
FEMALE--	25	-	-	-	-	-	-	2	2	2	3	2
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	2	1	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	1	-	-	-	-	-	2	1	2	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	17	-	-	-	-	1	-	2	1	4	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	2	-	2	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	17	1	-	1	-	1	2	2	2	1	1	-
WHITE-----MALE----	5	1	-	-	-	-	-	2	-	1	-	-
FEMALE--	11	-	-	1	-	1	2	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	49	1	2	-	-	1	2	2	5	5	3	3
WHITE-----MALE----	23	-	1	-	-	-	1	1	2	3	1	2
FEMALE--	16	1	1	-	-	1	1	-	3	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	1	-	1	1	-
RHODE ISLAND -----	3	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	25	-	-	1	-	-	1	1	1	2	4	2
WHITE-----MALE----	2	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	1	1	2	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	1	1	1	2	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,412

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
SOUTH DAKOTA -----	6	-	-	-	1	-	-	1	-	1	1	-
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	43	-	1	1	-	2	3	4	1	7	3	4
WHITE-----MALE----	16	-	-	-	-	1	1	2	1	3	2	1
FEMALE--	17	-	1	1	-	1	-	1	-	2	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	1	1	-	2	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	1	1	-	2	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
TEXAS -----	91	-	1	3	2	3	1	5	5	9	11	11
WHITE-----MALE----	37	-	-	1	2	2	1	2	1	3	5	7
FEMALE--	35	-	1	2	-	1	-	3	3	4	3	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
UTAH -----	9	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	36	-	2	1	-	1	1	3	2	2	2	2
WHITE-----MALE----	10	-	-	-	-	1	-	3	-	1	1	1
FEMALE--	11	-	2	1	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,412

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EPILEPSY (345)												
SOUTH DAKOTA -----	-	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	3	1	1	3	1	1	-	-	-	-
WHITE-----MALE----	1	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	1	1	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	8	5	2	7	4	6	4	3	1	-	-	-
WHITE-----MALE----	4	1	1	2	1	1	2	1	-	-	-	-
FEMALE--	4	1	1	2	2	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	2	-	3	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	2	-	3	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	2	1	-	-	-	-	-
UTAH -----	1	-	2	-	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	4	2	7	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	3	-	-	-	-	-	-	-
BLACK---MALE----	1	1	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	3	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,414

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
UNITED STATES --	8,774	152	112	76	81	153	135	152	180	198	304	380
WHITE-----MALE----	3,878	57	42	34	38	109	95	65	76	99	124	168
FEMALE--	3,434	59	45	25	20	25	13	44	49	45	81	117
ALL OTHER--MALE----	748	18	15	9	17	15	21	22	30	31	59	53
FEMALE--	714	18	10	8	6	4	6	21	25	23	40	42
BLACK---MALE----	636	17	12	8	10	13	19	18	25	23	49	47
FEMALE--	626	13	7	6	3	4	5	18	23	20	39	42
ALABAMA -----	189	8	4	2	4	2	5	6	4	7	8	14
WHITE-----MALE----	67	5	-	-	1	-	4	2	1	2	1	5
FEMALE--	60	1	3	1	-	1	-	2	1	2	3	3
ALL OTHER--MALE----	35	1	1	1	1	1	1	1	2	1	2	4
FEMALE--	27	1	-	-	2	-	-	1	-	2	2	2
BLACK---MALE----	35	1	1	1	1	1	1	1	2	1	2	4
FEMALE--	27	1	-	-	2	-	-	1	-	2	2	2
ALASKA -----	11	-	-	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	155	3	5	4	1	2	5	-	2	-	5	9
WHITE-----MALE----	88	-	2	1	-	1	3	-	2	-	2	6
FEMALE--	59	2	2	2	1	1	2	-	-	-	1	3
ALL OTHER--MALE----	6	1	1	1	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	89	1	-	-	1	4	2	3	4	1	5	3
WHITE-----MALE----	33	-	-	-	1	2	-	1	1	-	1	-
FEMALE--	32	-	-	-	-	2	1	-	1	1	-	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	1	-	4	-
FEMALE--	11	1	-	-	-	-	1	1	1	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	1	1	-	4	-
FEMALE--	11	1	-	-	-	-	1	1	1	-	-	1
CALIFORNIA -----	571	10	7	8	5	6	10	14	15	19	22	36
WHITE-----MALE----	263	4	1	3	2	4	7	7	9	13	12	17
FEMALE--	220	4	4	1	1	-	1	5	3	4	6	9
ALL OTHER--MALE----	44	1	2	1	1	2	1	1	2	2	3	9
FEMALE--	44	1	-	3	1	-	1	1	1	-	1	1
BLACK---MALE----	16	1	1	1	-	1	1	-	1	1	1	6
FEMALE--	23	1	-	2	-	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,414

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
UNITED STATES --	397	477	597	802	1,066	1,235	1,053	779	315	105	24	1
WHITE-----MALE----	180	213	267	417	512	567	436	269	83	23	4	-
FEMALE--	127	142	196	268	391	547	505	434	206	75	19	1
ALL OTHER--MALE----	54	67	69	60	77	55	37	26	12	1	-	-
FEMALE--	36	55	65	57	86	66	75	50	14	6	1	-
BLACK---MALE----	46	54	61	50	69	49	34	21	10	1	-	-
FEMALE--	34	47	56	51	71	60	66	42	12	6	1	-
ALABAMA -----	10	14	12	12	19	23	17	12	4	2	-	-
WHITE-----MALE----	4	4	6	8	7	9	3	5	-	-	-	-
FEMALE--	2	7	-	3	6	9	6	5	3	2	-	-
ALL OTHER--MALE----	2	1	3	-	4	3	4	1	1	-	-	-
FEMALE--	2	2	3	1	2	2	4	1	-	-	-	-
BLACK---MALE----	2	1	3	-	4	3	4	1	1	-	-	-
FEMALE--	2	2	3	1	2	2	4	1	-	-	-	-
ALASKA -----	1	1	2	1	3	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	9	8	12	18	25	25	13	2	2	-	-
WHITE-----MALE----	3	6	6	8	11	18	12	7	-	-	-	-
FEMALE--	2	3	1	3	6	7	13	6	2	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	12	7	10	11	9	8	3	2	1	-	-
WHITE-----MALE----	1	4	2	6	5	3	4	2	-	-	-	-
FEMALE--	-	2	3	3	5	6	2	1	2	1	-	-
ALL OTHER--MALE----	-	4	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	2	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	4	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	2	1	-	1	-	1	-	-	-	-	-
CALIFORNIA -----	27	31	29	47	66	72	64	55	21	4	3	-
WHITE-----MALE----	14	15	12	24	30	37	24	23	4	1	-	-
FEMALE--	10	10	14	14	26	28	35	25	15	2	3	-
ALL OTHER--MALE----	1	4	1	5	4	1	1	1	1	-	-	-
FEMALE--	2	2	2	4	6	6	4	6	1	1	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	2	1	-	2	2	5	3	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,415

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
COLORADO -----	120	2	1	3	4	2	-	1	4	3	2	7
WHITE-----MALE----	61	2	-	3	1	2	-	-	-	1	-	6
FEMALE--	52	-	1	-	3	-	-	1	3	2	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	132	2	1	2	1	1	2	2	3	3	5	3
WHITE-----MALE----	55	1	1	2	1	1	2	1	2	2	3	-
FEMALE--	63	-	-	-	-	-	-	1	-	-	-	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	36	-	-	-	1	-	-	-	2	1	1	3
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
DISTRICT OF COLUMBIA ----	40	1	-	-	-	-	-	-	1	3	2	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	1	-	-	-	-	-	-	1	2	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	22	1	-	-	-	-	-	-	1	2	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	2
FLORIDA -----	623	6	7	1	5	9	4	5	14	12	25	11
WHITE-----MALE----	279	2	3	-	3	5	3	2	4	6	12	6
FEMALE--	263	2	2	-	1	2	-	1	4	3	6	1
ALL OTHER--MALE----	30	1	1	-	1	1	1	-	4	2	2	3
FEMALE--	51	1	1	1	-	1	-	2	2	1	5	1
BLACK---MALE----	28	1	1	-	1	1	1	-	4	1	2	3
FEMALE--	48	1	1	-	-	1	-	2	1	1	5	1
GEORGIA -----	246	5	5	2	2	7	5	8	4	5	20	11
WHITE-----MALE----	93	2	1	-	-	5	4	2	1	3	5	3
FEMALE--	78	1	3	1	2	2	-	3	1	1	4	3
ALL OTHER--MALE----	36	2	1	-	-	-	-	1	1	-	7	4
FEMALE--	39	-	-	1	-	-	1	2	1	1	4	1
BLACK---MALE----	35	2	1	-	-	-	-	-	1	-	7	4
FEMALE--	35	-	-	1	-	-	1	1	1	1	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,415

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
COLORADO -----	6	7	7	10	20	11	20	7	2	1	-	-
WHITE-----MALE----	3	3	6	6	8	6	10	4	-	-	-	-
FEMALE--	3	2	1	4	10	5	10	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	6	9	11	11	14	20	18	11	5	2	-	-
WHITE-----MALE----	2	3	2	5	7	7	5	5	3	-	-	-
FEMALE--	4	3	7	6	7	12	10	6	2	2	-	-
ALL OTHER--MALE----	-	3	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	3	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	1	2	7	6	4	6	1	-	1	-	-
WHITE-----MALE----	-	-	1	3	4	2	4	1	-	-	-	-
FEMALE--	-	-	1	3	2	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	4	7	3	2	5	1	2	2	2	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	1	4	1	2	3	-	1	1	1	-	-
FEMALE--	-	2	2	1	-	2	1	1	-	-	-	-
BLACK---MALE----	2	1	4	1	2	3	-	1	1	1	-	-
FEMALE--	-	1	2	1	-	2	1	1	-	-	-	-
FLORIDA -----	26	21	32	56	74	108	90	66	36	13	2	-
WHITE-----MALE----	14	11	11	32	39	57	32	25	7	5	-	-
FEMALE--	7	7	11	20	30	43	50	34	29	8	2	-
ALL OTHER--MALE----	2	-	3	1	2	3	1	2	-	-	-	-
FEMALE--	3	3	7	3	3	5	7	5	-	-	-	-
BLACK---MALE----	2	-	3	1	2	2	1	2	-	-	-	-
FEMALE--	3	3	7	3	3	5	6	5	-	-	-	-
GEORGIA -----	18	14	22	19	25	34	17	19	4	-	-	-
WHITE-----MALE----	8	5	8	9	13	13	8	2	1	-	-	-
FEMALE--	3	1	8	4	5	15	6	13	2	-	-	-
ALL OTHER--MALE----	4	1	5	4	2	2	-	1	1	-	-	-
FEMALE--	3	7	1	2	5	4	3	3	-	-	-	-
BLACK---MALE----	4	1	5	4	2	2	-	1	1	-	-	-
FEMALE--	3	7	-	2	5	4	3	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,416

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
HAWAII -----	37	-	1	1	-	-	1	1	-	1	3	1
WHITE-----MALE----	6	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	1	-	-	-	1	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	25	-	1	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	14	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	11	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	458	8	6	4	3	12	11	9	5	7	14	19
WHITE-----MALE----	165	2	2	2	2	12	7	4	3	3	4	6
FEMALE--	189	2	4	1	-	-	-	-	-	1	4	7
ALL OTHER--MALE----	52	2	-	1	1	-	4	4	2	2	3	2
FEMALE--	52	2	-	-	-	-	-	1	-	1	3	4
BLACK---MALE----	48	2	-	1	1	-	4	3	2	2	3	2
FEMALE--	48	2	-	-	-	-	-	1	-	1	3	4
INDIANA -----	229	5	1	1	2	4	6	5	4	10	7	11
WHITE-----MALE----	115	2	1	1	1	3	5	3	1	3	6	4
FEMALE--	92	3	-	-	1	-	1	2	1	5	-	5
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	16	-	-	-	-	-	-	-	2	1	-	2
BLACK---MALE----	6	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	15	-	-	-	-	-	-	-	2	1	-	2
IOWA -----	76	2	-	-	2	1	1	3	2	2	2	3
WHITE-----MALE----	38	1	-	-	1	1	1	1	-	2	2	1
FEMALE--	38	1	-	-	1	-	-	2	2	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	89	2	-	-	-	5	-	1	2	3	3	2
WHITE-----MALE----	45	2	-	-	-	4	-	-	1	2	1	-
FEMALE--	33	-	-	-	-	1	-	-	-	1	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,416

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
HAWAII -----	1	2	6	1	4	5	5	3	1	-	-	-
WHITE-----MALE----	-	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	1	1	4	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	3	2	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	3	4	2	6	2	1	-	-	-
WHITE-----MALE----	-	2	1	1	1	1	4	1	-	-	-	-
FEMALE--	-	-	-	2	3	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	14	25	31	39	62	65	56	40	21	6	1	-
WHITE-----MALE----	8	7	13	13	18	24	16	13	6	-	-	-
FEMALE--	5	9	14	15	29	28	28	22	15	4	1	-
ALL OTHER--MALE----	1	2	2	5	7	6	5	3	-	-	-	-
FEMALE--	-	7	2	6	8	7	7	2	-	2	-	-
BLACK---MALE----	1	2	2	4	6	6	4	3	-	-	-	-
FEMALE--	-	7	2	5	7	5	7	2	-	2	-	-
INDIANA -----	13	13	28	25	28	20	25	14	6	1	-	-
WHITE-----MALE----	7	6	17	15	15	9	10	6	-	-	-	-
FEMALE--	5	5	5	10	11	11	14	7	5	1	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	5	-	2	-	1	1	1	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	5	-	2	-	1	1	1	-	-	-
IOWA -----	3	8	1	7	6	11	6	5	9	2	-	-
WHITE-----MALE----	2	6	-	3	4	3	3	4	3	-	-	-
FEMALE--	1	2	1	4	2	8	3	1	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	3	3	8	9	12	11	13	7	2	-	-
WHITE-----MALE----	1	-	-	6	3	8	6	9	2	-	-	-
FEMALE--	2	1	1	-	4	4	4	4	5	2	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,417

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
KENTUCKY -----	123	1	2	-	1	3	1	4	2	3	4	6
WHITE-----MALE----	55	-	1	-	-	2	1	3	2	1	2	4
FEMALE--	60	1	-	-	1	1	-	-	-	-	2	2
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	2	-	-
LOUISIANA -----	191	1	3	-	1	2	3	5	3	7	11	6
WHITE-----MALE----	72	-	-	-	-	-	1	1	-	4	4	1
FEMALE--	63	1	1	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	24	-	-	-	1	1	2	2	2	-	1	2
FEMALE--	32	-	2	-	-	1	-	2	1	2	4	2
BLACK---MALE----	23	-	-	-	1	1	2	2	1	-	1	2
FEMALE--	30	-	2	-	-	1	-	2	-	2	4	2
MAINE -----	46	1	-	1	-	1	1	-	-	1	-	1
WHITE-----MALE----	24	1	-	-	-	1	1	-	-	1	-	1
FEMALE--	22	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	177	1	2	-	-	4	2	2	3	1	3	5
WHITE-----MALE----	68	-	-	-	-	3	1	-	2	-	3	2
FEMALE--	57	1	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	28	-	1	-	-	1	-	1	-	-	-	3
BLACK---MALE----	18	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	28	-	1	-	-	1	-	1	-	-	-	3
MASSACHUSETTS -----	235	2	-	2	-	4	3	4	5	8	7	4
WHITE-----MALE----	110	1	-	-	-	1	3	4	4	5	3	1
FEMALE--	111	1	-	1	-	2	-	-	-	3	3	2
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	1	-	1	-
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	2	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	1	-	-	-	-	-	1
MICHIGAN -----	363	7	1	2	5	7	4	3	10	6	10	27
WHITE-----MALE----	151	-	-	1	3	7	2	2	5	4	4	9
FEMALE--	141	6	1	-	1	-	1	1	3	-	3	13
ALL OTHER--MALE----	43	1	-	1	1	-	1	-	2	1	1	3
FEMALE--	28	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	42	1	-	1	1	-	1	-	2	1	1	3
FEMALE--	27	-	-	-	-	-	-	-	-	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,417

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
KENTUCKY -----	5	4	9	15	16	15	14	11	5	1	1	-
WHITE-----MALE----	1	3	3	8	8	9	5	2	-	-	-	-
FEMALE--	3	1	5	6	8	5	9	9	5	1	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
LOUISIANA -----	7	8	15	18	24	36	15	20	3	3	-	-
WHITE-----MALE----	5	2	7	9	14	14	8	-	1	1	-	-
FEMALE--	-	4	3	6	6	17	3	15	1	2	-	-
ALL OTHER--MALE----	1	-	2	1	1	3	3	2	-	-	-	-
FEMALE--	1	2	3	2	3	2	1	3	1	-	-	-
BLACK---MALE----	1	-	2	1	1	3	3	2	-	-	-	-
FEMALE--	1	2	3	2	3	2	-	3	1	-	-	-
MAINE -----	2	4	7	1	8	3	5	6	2	2	-	-
WHITE-----MALE----	-	1	6	-	4	1	2	2	2	1	-	-
FEMALE--	2	3	1	1	4	2	3	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	10	13	22	20	33	23	14	6	2	-	-
WHITE-----MALE----	4	2	4	10	5	16	10	4	1	1	-	-
FEMALE--	-	1	3	8	9	13	9	7	3	1	-	-
ALL OTHER--MALE----	4	6	2	4	2	1	1	1	-	-	-	-
FEMALE--	3	1	4	-	4	3	3	2	2	-	-	-
BLACK---MALE----	3	5	1	3	1	-	1	1	-	-	-	-
FEMALE--	3	1	4	-	4	3	3	2	2	-	-	-
MASSACHUSETTS -----	5	4	14	20	26	47	38	25	12	3	2	-
WHITE-----MALE----	1	3	6	7	16	19	20	7	7	1	1	-
FEMALE--	4	1	8	12	9	27	18	13	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	5	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	5	1	-	-	-
MICHIGAN -----	18	23	25	26	45	52	39	32	15	6	-	-
WHITE-----MALE----	7	9	9	13	25	20	13	12	4	2	-	-
FEMALE--	3	8	8	7	13	26	17	17	9	4	-	-
ALL OTHER--MALE----	6	4	7	2	4	2	4	1	2	-	-	-
FEMALE--	2	2	1	4	3	4	5	2	-	-	-	-
BLACK---MALE----	6	4	7	2	4	2	4	1	1	-	-	-
FEMALE--	1	2	1	4	3	4	5	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,418

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
MINNESOTA -----	11	2	14	8	26	29	24	27	7	7	2	-
WHITE-----MALE----	3	-	7	6	17	12	7	14	1	-	1	-
FEMALE--	8	1	7	1	7	17	16	13	6	7	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	8	3	11	12	14	12	8	3	1	-	-	-
WHITE-----MALE----	4	1	5	6	2	3	4	-	-	-	-	-
FEMALE--	2	-	2	1	6	4	1	2	-	-	-	-
ALL OTHER--MALE----	1	1	2	3	2	4	1	1	1	-	-	-
FEMALE--	1	1	2	2	4	1	2	-	-	-	-	-
BLACK---MALE----	1	1	2	3	2	4	1	1	1	-	-	-
FEMALE--	1	1	2	2	4	1	2	-	-	-	-	-
MISSOURI -----	12	16	14	16	32	29	36	29	11	6	2	-
WHITE-----MALE----	6	11	3	11	17	15	14	6	2	-	-	-
FEMALE--	2	2	7	3	11	7	17	19	5	6	2	-
ALL OTHER--MALE----	1	3	2	2	2	3	2	-	1	-	-	-
FEMALE--	3	-	2	-	2	4	3	4	3	-	-	-
BLACK---MALE----	1	3	2	2	2	3	2	-	1	-	-	-
FEMALE--	3	-	2	-	2	4	3	4	3	-	-	-
MONTANA -----	1	-	-	6	1	2	6	2	-	-	-	-
WHITE-----MALE----	-	-	-	3	-	1	3	2	-	-	-	-
FEMALE--	1	-	-	3	1	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	1	2	3	3	10	10	7	2	-	-	-
WHITE-----MALE----	4	-	-	-	2	9	6	4	-	-	-	-
FEMALE--	-	1	2	2	1	1	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	2	3	8	10	12	13	9	5	-	-	-	1
WHITE-----MALE----	2	3	4	6	9	5	4	3	-	-	-	-
FEMALE--	-	-	4	3	3	8	4	2	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,420

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
OHIO -----	386	4	6	7	3	8	5	9	3	7	16	18
WHITE-----MALE----	163	1	-	4	1	5	4	2	-	3	7	6
FEMALE--	178	2	6	2	2	3	1	4	3	3	4	10
ALL OTHER--MALE----	19	-	-	1	-	-	-	1	-	1	3	2
FEMALE--	26	1	-	-	-	-	-	2	-	-	2	-
BLACK---MALE----	18	-	-	1	-	-	-	1	-	1	3	2
FEMALE--	26	1	-	-	-	-	-	2	-	-	2	-
OKLAHOMA -----	129	2	2	1	1	5	1	2	2	5	5	7
WHITE-----MALE----	45	1	1	-	-	2	1	-	1	1	2	5
FEMALE--	58	-	-	1	-	1	-	2	1	1	2	2
ALL OTHER--MALE----	18	-	1	-	1	2	-	-	-	3	1	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	1	-	1	2	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	109	1	1	1	1	1	1	1	4	1	4	4
WHITE-----MALE----	56	1	1	1	1	1	1	-	2	1	1	2
FEMALE--	47	-	-	-	-	-	-	1	2	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	492	12	8	3	-	4	4	5	10	7	12	14
WHITE-----MALE----	220	4	4	2	-	2	3	3	4	3	5	3
FEMALE--	199	5	3	-	-	2	-	1	3	4	3	10
ALL OTHER--MALE----	35	2	-	-	-	-	1	-	2	-	3	-
FEMALE--	38	1	1	1	-	-	-	1	1	-	1	1
BLACK---MALE----	33	2	-	-	-	-	-	-	1	-	3	-
FEMALE--	37	1	1	1	-	-	-	1	1	-	1	1
RHODE ISLAND -----	38	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	124	2	1	2	-	4	1	3	5	-	5	6
WHITE-----MALE----	52	2	-	-	-	3	1	1	3	-	3	3
FEMALE--	35	-	-	2	-	-	-	2	-	-	-	1
ALL OTHER--MALE----	21	-	1	-	-	1	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	2	-	1	2
BLACK---MALE----	21	-	1	-	-	1	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	2	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,420

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
OHIO -----	17	24	28	33	51	63	34	32	13	4	1	-
WHITE-----MALE----	8	10	12	20	27	25	16	10	2	-	-	-
FEMALE--	7	9	11	8	16	33	17	21	11	4	1	-
ALL OTHER--MALE----	1	3	2	2	2	1	-	-	-	-	-	-
FEMALE--	1	2	3	3	6	4	1	1	-	-	-	-
BLACK---MALE----	1	2	2	2	2	1	-	-	-	-	-	-
FEMALE--	1	2	3	3	6	4	1	1	-	-	-	-
OKLAHOMA -----	5	7	4	16	12	17	16	10	6	2	1	-
WHITE-----MALE----	1	4	-	6	5	2	10	2	-	-	1	-
FEMALE--	2	-	3	7	4	15	5	4	6	2	-	-
ALL OTHER--MALE----	1	2	1	2	3	-	-	1	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	3	-	-	-	-
BLACK---MALE----	-	1	-	2	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
OREGON -----	4	5	9	8	14	14	15	13	5	1	1	-
WHITE-----MALE----	-	1	2	7	11	6	10	3	2	1	1	-
FEMALE--	4	2	6	1	2	8	5	10	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	26	38	54	65	74	55	53	18	11	1	-
WHITE-----MALE----	11	18	23	23	27	37	23	17	5	3	-	-
FEMALE--	4	1	11	18	26	27	28	33	12	7	1	-
ALL OTHER--MALE----	1	5	1	4	7	4	3	1	1	-	-	-
FEMALE--	2	2	3	9	5	6	1	2	-	1	-	-
BLACK---MALE----	1	5	1	4	7	4	3	1	1	-	-	-
FEMALE--	2	2	3	9	4	6	1	2	-	1	-	-
RHODE ISLAND -----	2	2	1	6	5	5	10	5	-	-	-	-
WHITE-----MALE----	1	-	1	4	2	-	6	1	-	-	-	-
FEMALE--	-	2	-	1	3	4	4	4	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	6	13	10	12	19	15	13	2	4	-	1	-
WHITE-----MALE----	2	3	4	8	8	7	4	-	-	-	-	-
FEMALE--	-	3	1	2	8	6	5	1	3	-	1	-
ALL OTHER--MALE----	2	6	3	1	3	-	2	-	1	-	-	-
FEMALE--	2	1	2	1	-	2	2	1	-	-	-	-
BLACK---MALE----	2	6	3	1	3	-	2	-	1	-	-	-
FEMALE--	2	1	2	1	-	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,421

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
SOUTH DAKOTA -----	26	2	1	-	-	-	-	-	1	2	1	1
WHITE-----MALE----	10	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	189	2	3	-	4	7	1	2	2	2	8	14
WHITE-----MALE----	89	-	2	-	2	6	1	1	1	2	4	5
FEMALE--	72	1	-	-	1	1	-	-	-	-	3	4
ALL OTHER--MALE----	17	1	-	-	1	-	-	1	1	-	-	3
FEMALE--	11	-	1	-	-	-	-	-	-	-	1	2
BLACK---MALE----	17	1	-	-	1	-	-	1	1	-	-	3
FEMALE--	11	-	1	-	-	-	-	-	-	-	1	2
TEXAS -----	503	12	13	6	8	13	14	11	14	15	21	29
WHITE-----MALE----	239	6	9	4	6	10	10	5	5	8	8	15
FEMALE--	203	6	3	2	-	2	2	5	4	3	8	7
ALL OTHER--MALE----	36	-	1	-	1	1	1	-	2	3	4	3
FEMALE--	25	-	-	-	1	-	1	1	3	1	1	4
BLACK---MALE----	30	-	1	-	-	1	1	-	2	3	3	3
FEMALE--	23	-	-	-	-	-	1	1	3	1	1	4
UTAH -----	62	-	1	-	1	3	-	2	-	1	2	1
WHITE-----MALE----	34	-	1	-	-	3	-	1	-	1	2	-
FEMALE--	28	-	-	-	1	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	16	-	-	-	-	-	-	-	2	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	227	2	3	2	3	3	5	3	4	4	9	6
WHITE-----MALE----	83	-	2	1	2	2	2	1	-	3	1	3
FEMALE--	79	1	1	1	-	1	1	2	-	-	3	1
ALL OTHER--MALE----	36	-	-	-	1	-	1	-	1	1	5	1
FEMALE--	29	1	-	-	-	-	1	-	3	-	-	1
BLACK---MALE----	35	-	-	-	1	-	1	-	1	1	4	1
FEMALE--	26	-	-	-	-	-	1	-	3	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,421

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
SOUTH DAKOTA -----	2	-	-	5	1	2	1	7	-	-	-	-
WHITE-----MALE----	-	-	-	3	1	-	-	3	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	4	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	8	14	18	33	23	19	17	2	2	-	-
WHITE-----MALE----	5	5	7	9	18	10	1	7	2	1	-	-
FEMALE--	1	2	3	7	11	11	17	9	-	1	-	-
ALL OTHER--MALE----	-	-	4	2	2	2	-	-	-	-	-	-
FEMALE--	2	1	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	4	2	2	2	-	-	-	-	-	-
FEMALE--	2	1	-	-	2	-	1	1	-	-	-	-
TEXAS -----	32	31	39	34	51	55	49	29	20	6	1	-
WHITE-----MALE----	11	12	21	16	24	26	21	8	11	3	-	-
FEMALE--	16	17	9	13	25	26	25	18	8	3	1	-
ALL OTHER--MALE----	4	2	5	3	-	3	-	3	-	-	-	-
FEMALE--	1	-	4	2	2	-	3	-	1	-	-	-
BLACK---MALE----	4	1	5	2	-	2	-	2	-	-	-	-
FEMALE--	1	-	4	2	1	-	3	-	1	-	-	-
UTAH -----	1	4	1	6	5	11	15	5	2	1	-	-
WHITE-----MALE----	1	2	1	4	2	4	9	1	1	1	-	-
FEMALE--	-	2	-	2	3	7	6	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	4	2	3	1	-	2	-	-	-
WHITE-----MALE----	-	-	1	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	21	18	23	32	31	21	18	2	-	-	-
WHITE-----MALE----	7	7	5	11	12	14	5	5	-	-	-	-
FEMALE--	4	4	7	8	10	11	11	11	2	-	-	-
ALL OTHER--MALE----	4	5	4	2	5	3	1	2	-	-	-	-
FEMALE--	2	5	2	2	5	3	4	-	-	-	-	-
BLACK---MALE----	4	5	4	2	5	3	1	2	-	-	-	-
FEMALE--	2	4	1	2	5	3	4	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,429

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 DISORDERS OF THE EYE AND ADNEXA (360-379)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,441

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
UNITED STATES --	944,962	993	283	200	234	510	823	1,466	2,785	6,132	11,182	17,696
WHITE-----MALE----	386,119	365	87	89	91	219	328	582	1,207	2,924	5,710	9,419
FEMALE--	439,302	297	90	49	72	119	216	376	653	1,338	2,111	3,271
ALL OTHER--MALE----	57,102	170	59	31	40	114	164	296	532	1,125	2,007	3,130
FEMALE--	62,439	161	47	31	31	58	115	212	393	745	1,354	1,876
BLACK---MALE----	48,708	149	51	28	35	104	144	267	477	993	1,809	2,805
FEMALE--	55,495	136	37	27	28	49	100	198	368	700	1,286	1,759
ALABAMA -----	17,457	28	5	3	5	11	22	41	72	156	271	413
WHITE-----MALE----	6,290	7	3	1	1	5	9	10	25	60	119	164
FEMALE--	6,934	7	-	1	-	3	3	6	11	24	48	70
ALL OTHER--MALE----	1,949	8	1	-	1	2	6	14	21	50	61	122
FEMALE--	2,284	6	1	1	3	1	4	11	15	22	43	57
BLACK---MALE----	1,927	8	1	-	1	2	6	13	21	50	59	121
FEMALE--	2,272	6	1	1	3	1	4	11	15	22	43	56
ALASKA -----	765	2	-	1	-	1	-	6	5	15	22	48
WHITE-----MALE----	366	-	-	1	-	1	-	1	2	6	9	39
FEMALE--	230	-	-	-	-	-	-	2	2	2	3	4
ALL OTHER--MALE----	86	1	-	-	-	-	-	1	-	3	7	4
FEMALE--	83	1	-	-	-	-	-	2	1	4	3	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1
ARIZONA -----	14,061	18	8	2	3	10	16	23	47	97	156	210
WHITE-----MALE----	6,795	6	3	1	2	6	7	13	22	42	112	142
FEMALE--	6,523	5	1	1	1	2	6	7	12	34	26	46
ALL OTHER--MALE----	406	4	1	-	-	2	2	2	9	13	9	18
FEMALE--	337	3	3	-	-	-	1	1	4	8	9	4
BLACK---MALE----	185	1	-	-	-	1	1	2	4	5	3	10
FEMALE--	162	2	1	-	-	-	-	-	1	4	7	4
ARKANSAS -----	11,430	8	3	4	2	5	11	14	32	70	141	225
WHITE-----MALE----	4,624	-	1	1	1	3	3	3	16	33	69	111
FEMALE--	5,103	5	2	1	1	-	2	5	6	20	22	44
ALL OTHER--MALE----	764	-	-	-	-	1	3	4	5	8	28	41
FEMALE--	939	3	-	2	-	1	3	2	5	9	22	29
BLACK---MALE----	751	-	-	-	-	1	3	4	5	8	28	41
FEMALE--	923	3	-	2	-	1	3	2	5	9	22	29
CALIFORNIA -----	92,774	114	31	19	21	39	84	167	282	590	1,072	1,724
WHITE-----MALE----	37,716	45	14	8	10	22	30	75	127	287	557	909
FEMALE--	42,096	43	5	6	6	5	32	45	69	142	235	354
ALL OTHER--MALE----	6,627	17	4	1	3	9	13	30	55	103	181	299
FEMALE--	6,335	9	8	4	2	3	9	17	31	58	99	162
BLACK---MALE----	3,456	15	1	-	3	6	8	19	39	75	126	195
FEMALE--	3,759	4	4	3	1	-	4	13	25	47	78	125

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,441
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
UNITED STATES --	25,246	33,106	46,189	68,136	102,715	138,357	162,928	159,805	110,728	44,856	10,527	65
WHITE-----MALE----	13,920	17,964	24,698	35,789	51,634	64,631	66,911	52,304	27,734	8,133	1,359	21
FEMALE--	5,315	7,835	12,084	20,766	36,582	57,501	80,536	94,243	74,722	33,090	8,022	14
ALL OTHER--MALE----	3,780	4,446	5,528	6,333	7,251	7,667	6,259	4,685	2,410	849	206	20
FEMALE--	2,231	2,861	3,879	5,248	7,248	8,558	9,222	8,573	5,862	2,784	940	10
BLACK---MALE----	3,327	3,906	4,805	5,556	6,196	6,390	5,160	3,762	1,877	664	185	18
FEMALE--	2,034	2,618	3,505	4,650	6,373	7,551	8,051	7,533	5,182	2,440	860	10
ALABAMA -----	597	709	1,046	1,471	1,938	2,597	2,789	2,696	1,730	685	172	-
WHITE-----MALE----	271	327	502	709	879	1,060	964	733	329	99	13	-
FEMALE--	111	159	225	390	598	973	1,287	1,417	1,077	433	91	-
ALL OTHER--MALE----	141	125	181	209	212	247	218	194	97	30	9	-
FEMALE--	74	98	138	163	249	317	320	352	227	123	59	-
BLACK---MALE----	140	124	179	207	210	241	218	193	94	30	9	-
FEMALE--	73	98	135	163	248	313	320	351	226	123	59	-
ALASKA -----	44	45	59	77	88	113	96	76	46	18	3	-
WHITE-----MALE----	24	32	36	42	47	49	39	20	12	6	-	-
FEMALE--	8	6	3	19	24	41	42	41	25	6	2	-
ALL OTHER--MALE----	8	3	10	13	7	16	5	2	4	2	-	-
FEMALE--	4	4	10	3	10	7	10	13	5	4	1	-
BLACK---MALE----	2	-	1	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	2	-	2	-	-	-	-
ARIZONA -----	403	520	720	1,033	1,625	2,228	2,488	2,288	1,519	535	112	-
WHITE-----MALE----	279	327	434	616	909	1,159	1,216	896	476	110	17	-
FEMALE--	82	138	231	345	621	979	1,185	1,310	989	411	91	-
ALL OTHER--MALE----	24	35	35	44	58	46	41	38	18	7	-	-
FEMALE--	18	20	20	28	37	44	46	44	36	7	4	-
BLACK---MALE----	11	16	16	24	26	24	18	15	6	2	-	-
FEMALE--	7	9	8	10	19	25	21	23	14	4	3	-
ARKANSAS -----	298	445	609	864	1,295	1,593	1,936	1,911	1,337	510	117	-
WHITE-----MALE----	169	244	317	449	702	712	770	598	321	89	12	-
FEMALE--	60	109	164	287	420	661	921	1,094	860	346	73	-
ALL OTHER--MALE----	44	57	73	60	76	106	94	87	50	20	7	-
FEMALE--	25	35	55	68	97	114	151	132	106	55	25	-
BLACK---MALE----	43	56	71	58	74	105	91	87	49	20	7	-
FEMALE--	25	33	54	67	94	111	151	126	106	55	25	-
CALIFORNIA -----	2,561	3,220	4,298	6,389	9,891	13,528	16,036	15,855	10,997	4,708	1,141	7
WHITE-----MALE----	1,443	1,707	2,231	3,258	4,726	6,230	6,672	5,400	2,901	914	146	4
FEMALE--	524	767	1,109	1,945	3,604	5,428	7,461	8,908	7,151	3,378	878	1
ALL OTHER--MALE----	409	489	578	668	831	976	822	653	351	116	17	2
FEMALE--	185	257	380	518	730	894	1,081	894	594	300	100	-
BLACK---MALE----	256	310	352	398	419	448	350	263	123	38	11	1
FEMALE--	143	185	256	300	412	513	616	457	335	172	66	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,442
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
COLORADO -----	9,293	15	5	3	4	6	4	14	37	58	121	193
WHITE-----MALE----	4,134	8	2	3	2	4	2	7	29	33	79	136
FEMALE--	4,728	6	2	-	1	-	-	5	8	19	28	44
ALL OTHER--MALE----	195	1	1	-	1	-	2	1	-	3	5	7
FEMALE--	236	-	-	-	-	1	-	1	-	3	9	6
BLACK---MALE----	140	1	1	-	-	1	1	1	-	3	5	6
FEMALE--	175	-	-	-	-	1	-	1	-	3	9	4
CONNECTICUT -----	12,378	5	3	2	5	4	8	14	29	63	99	165
WHITE-----MALE----	5,160	2	1	1	2	4	4	7	12	34	62	96
FEMALE--	6,456	1	1	1	2	-	3	5	9	16	17	40
ALL OTHER--MALE----	353	2	-	-	1	-	1	2	5	6	10	17
FEMALE--	409	-	1	-	-	-	-	-	3	7	10	12
BLACK---MALE----	324	2	-	-	1	-	1	2	5	6	10	16
FEMALE--	389	-	1	-	-	-	-	-	3	7	8	12
DELAWARE -----	2,438	7	2	1	2	2	2	2	12	12	43	54
WHITE-----MALE----	1,003	4	1	1	1	-	1	1	2	6	16	25
FEMALE--	1,054	2	1	-	1	-	-	1	5	1	10	7
ALL OTHER--MALE----	192	1	-	-	-	2	1	-	4	2	11	19
FEMALE--	189	-	-	-	-	-	-	-	1	3	6	3
BLACK---MALE----	188	1	-	-	-	2	1	-	4	2	11	19
FEMALE--	180	-	-	-	-	-	-	-	1	3	6	3
DISTRICT OF COLUMBIA ----	2,140	2	4	1	-	1	4	6	13	29	41	64
WHITE-----MALE----	211	-	-	1	-	1	1	-	3	4	1	5
FEMALE--	272	-	2	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	747	1	1	-	-	-	-	1	4	18	26	39
FEMALE--	910	1	1	-	-	-	3	4	6	7	14	19
BLACK---MALE----	737	1	1	-	-	-	-	1	4	18	26	39
FEMALE--	902	1	1	-	-	-	3	4	6	6	14	19
FLORIDA -----	65,702	52	13	14	12	21	40	91	150	337	617	945
WHITE-----MALE----	29,474	16	3	4	-	6	21	34	65	151	318	535
FEMALE--	30,049	12	3	3	7	4	6	22	36	66	113	160
ALL OTHER--MALE----	2,905	16	6	5	2	4	8	23	25	60	106	140
FEMALE--	3,274	8	1	2	3	7	5	12	24	60	80	110
BLACK---MALE----	2,813	15	6	5	2	4	7	23	23	59	104	133
FEMALE--	3,186	8	1	2	3	7	5	12	23	60	79	108
GEORGIA -----	23,818	39	11	4	13	20	36	55	110	205	457	705
WHITE-----MALE----	8,236	13	2	-	4	5	15	19	39	64	165	287
FEMALE--	9,250	11	2	1	4	2	3	15	22	26	77	93
ALL OTHER--MALE----	2,869	7	4	2	4	9	9	13	26	76	122	186
FEMALE--	3,463	8	3	1	1	4	9	8	23	39	93	139
BLACK---MALE----	2,790	7	4	2	4	9	9	13	26	74	120	182
FEMALE--	3,421	8	3	1	1	4	9	8	23	39	91	139

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,442
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
COLORADO -----	245	325	430	644	946	1,330	1,645	1,598	1,121	447	102	-
WHITE-----MALE----	156	199	254	368	515	653	727	544	324	79	10	-
FEMALE--	70	101	137	234	389	603	860	1,010	769	353	89	-
ALL OTHER--MALE----	11	11	18	30	28	34	21	8	9	3	-	-
FEMALE--	8	14	21	12	14	40	37	36	19	12	3	-
BLACK---MALE----	9	7	12	25	22	23	10	4	6	3	-	-
FEMALE--	4	11	17	8	12	29	24	26	15	9	2	-
CONNECTICUT -----	252	390	499	773	1,184	1,756	2,290	2,195	1,703	770	169	-
WHITE-----MALE----	146	242	293	447	640	869	978	718	428	149	25	-
FEMALE--	57	87	131	250	435	788	1,233	1,401	1,234	605	140	-
ALL OTHER--MALE----	31	38	43	39	48	47	30	17	13	2	1	-
FEMALE--	18	23	32	37	61	52	49	59	28	14	3	-
BLACK---MALE----	28	36	39	38	44	42	27	14	10	2	1	-
FEMALE--	17	23	30	37	57	47	46	57	27	14	3	-
DELAWARE -----	67	102	129	186	277	390	419	357	240	103	29	-
WHITE-----MALE----	32	47	65	114	151	190	166	100	54	20	6	-
FEMALE--	12	23	28	45	88	152	199	223	165	70	21	-
ALL OTHER--MALE----	15	19	18	18	22	17	26	8	3	5	1	-
FEMALE--	8	13	18	9	16	31	28	26	18	8	1	-
BLACK---MALE----	15	19	18	18	20	17	25	8	3	4	1	-
FEMALE--	8	12	17	8	15	31	28	23	16	8	1	-
DISTRICT OF COLUMBIA ----	80	110	154	223	254	297	309	258	171	91	26	2
WHITE-----MALE----	5	6	7	22	31	32	37	29	20	5	-	1
FEMALE--	4	2	4	7	15	36	42	62	54	33	9	-
ALL OTHER--MALE----	35	65	80	113	106	98	77	57	18	6	1	1
FEMALE--	36	37	63	81	102	131	153	110	79	47	16	-
BLACK---MALE----	35	64	79	112	105	97	74	57	16	6	1	1
FEMALE--	35	37	63	81	102	131	153	108	77	45	16	-
FLORIDA -----	1,390	1,933	2,779	4,393	7,078	9,792	12,003	11,903	8,246	3,189	690	14
WHITE-----MALE----	776	1,092	1,598	2,475	3,840	5,088	5,599	4,557	2,485	688	117	6
FEMALE--	314	448	700	1,320	2,467	3,918	5,624	6,637	5,339	2,320	526	4
ALL OTHER--MALE----	189	228	292	322	380	362	311	248	112	50	14	2
FEMALE--	111	165	189	276	391	424	469	461	310	131	33	2
BLACK---MALE----	178	223	285	320	367	353	299	239	104	48	14	2
FEMALE--	105	163	183	259	378	412	455	452	307	129	33	2
GEORGIA -----	926	1,171	1,506	2,055	2,685	3,436	3,671	3,474	2,278	766	194	1
WHITE-----MALE----	402	539	693	871	1,133	1,340	1,206	878	436	115	10	-
FEMALE--	163	197	307	520	828	1,293	1,715	1,913	1,448	487	123	-
ALL OTHER--MALE----	217	255	284	350	337	346	278	225	85	28	5	1
FEMALE--	144	180	222	314	387	457	472	458	309	136	56	-
BLACK---MALE----	214	242	273	339	326	335	273	221	83	28	5	1
FEMALE--	144	177	221	310	378	449	466	454	306	134	56	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,443

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
HAWAII -----	3,317	3	2	-	-	4	5	4	11	35	31	57
WHITE-----MALE----	486	-	-	-	-	-	-	-	3	6	7	14
FEMALE--	355	-	-	-	-	1	1	-	-	1	-	2
ALL OTHER--MALE----	1,372	3	1	-	-	2	2	2	5	18	17	32
FEMALE--	1,104	-	1	-	-	1	2	2	3	10	7	9
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3,389	5	1	1	1	5	3	4	6	15	37	53
WHITE-----MALE----	1,670	2	-	-	1	2	1	3	3	9	27	38
FEMALE--	1,668	3	1	1	-	3	2	1	3	5	7	14
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	42,632	45	17	13	9	30	59	87	144	288	590	837
WHITE-----MALE----	16,754	13	2	8	6	12	28	31	57	128	270	409
FEMALE--	19,843	14	8	3	-	6	15	12	32	61	85	123
ALL OTHER--MALE----	2,983	8	3	2	2	6	6	27	37	53	141	202
FEMALE--	3,052	10	4	-	1	6	10	17	18	46	94	103
BLACK---MALE----	2,788	7	3	2	1	6	6	26	35	50	139	190
FEMALE--	2,914	9	4	-	1	6	10	16	18	45	93	100
INDIANA -----	21,819	27	6	2	4	11	10	29	60	125	272	384
WHITE-----MALE----	9,344	8	2	1	3	5	5	12	25	72	159	245
FEMALE--	10,821	8	2	1	-	4	2	10	18	32	61	78
ALL OTHER--MALE----	790	5	2	-	1	2	1	3	7	13	31	38
FEMALE--	864	6	-	-	-	-	2	4	10	8	21	23
BLACK---MALE----	771	5	2	-	1	2	1	3	7	12	31	38
FEMALE--	851	6	-	-	-	-	2	4	10	8	20	23
IOWA -----	12,269	6	4	1	3	8	9	9	17	53	89	152
WHITE-----MALE----	5,460	3	-	-	1	3	4	4	9	31	60	101
FEMALE--	6,626	3	3	1	2	3	3	5	7	18	24	44
ALL OTHER--MALE----	92	-	1	-	-	1	2	-	-	2	4	6
FEMALE--	91	-	-	-	-	1	-	-	1	2	1	1
BLACK---MALE----	76	-	1	-	-	1	2	-	-	1	3	6
FEMALE--	79	-	-	-	-	-	-	-	1	1	1	1
KANSAS -----	9,782	5	1	1	6	2	6	13	23	41	97	133
WHITE-----MALE----	4,238	4	-	1	3	1	-	4	10	22	69	84
FEMALE--	5,038	1	1	-	2	-	1	5	6	11	16	35
ALL OTHER--MALE----	241	-	-	-	1	-	4	4	4	5	6	4
FEMALE--	265	-	-	-	-	1	1	-	3	3	6	10
BLACK---MALE----	207	-	-	-	1	-	4	4	4	4	5	4
FEMALE--	231	-	-	-	-	1	1	-	2	3	6	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,443

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
HAWAII -----	132	132	181	265	356	519	533	532	328	158	28	1
WHITE-----MALE----	31	20	31	48	44	86	96	64	30	3	3	-
FEMALE--	5	10	8	28	42	46	48	83	48	28	4	-
ALL OTHER--MALE----	63	69	96	103	150	222	207	217	110	47	5	1
FEMALE--	33	33	46	86	120	165	182	168	140	80	16	-
BLACK---MALE----	2	1	1	-	1	3	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	1	-	1	-	-
IDAHO -----	67	102	148	238	339	498	572	673	433	154	34	-
WHITE-----MALE----	48	57	104	154	202	276	285	288	135	31	4	-
FEMALE--	16	41	44	81	125	216	280	377	295	123	30	-
ALL OTHER--MALE----	3	3	-	-	7	3	2	3	2	-	-	-
FEMALE--	-	1	-	3	5	3	5	5	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
ILLINOIS -----	1,121	1,525	2,080	2,912	4,583	6,125	7,538	7,152	4,905	2,081	485	6
WHITE-----MALE----	574	729	1,018	1,463	2,176	2,933	3,021	2,281	1,184	345	65	1
FEMALE--	210	343	506	847	1,663	2,449	3,783	4,324	3,392	1,586	379	2
ALL OTHER--MALE----	222	263	319	339	362	362	302	184	95	38	9	1
FEMALE--	115	190	237	263	382	381	432	363	234	112	32	2
BLACK---MALE----	209	247	303	311	334	341	275	171	89	35	7	1
FEMALE--	112	186	231	250	364	359	405	345	221	107	30	2
INDIANA -----	579	783	1,132	1,585	2,452	3,249	3,755	3,522	2,534	1,061	237	-
WHITE-----MALE----	331	484	675	853	1,322	1,583	1,548	1,152	632	196	31	-
FEMALE--	161	219	314	575	929	1,451	1,986	2,188	1,778	813	191	-
ALL OTHER--MALE----	53	57	90	88	95	103	79	71	37	9	5	-
FEMALE--	34	23	53	69	106	112	142	111	87	43	10	-
BLACK---MALE----	51	56	89	87	93	101	74	68	36	9	5	-
FEMALE--	31	23	52	69	104	112	139	111	86	41	10	-
IOWA -----	221	311	424	712	1,188	1,567	2,210	2,354	1,852	852	226	1
WHITE-----MALE----	172	208	283	434	714	868	1,007	856	513	156	32	1
FEMALE--	44	92	128	260	441	676	1,178	1,480	1,331	692	191	-
ALL OTHER--MALE----	3	7	7	9	16	12	15	5	1	-	1	-
FEMALE--	2	4	6	9	17	11	10	13	7	4	2	-
BLACK---MALE----	3	4	5	9	13	10	12	5	1	-	-	-
FEMALE--	2	3	5	9	15	10	9	11	6	3	2	-
KANSAS -----	200	265	385	620	947	1,333	1,635	1,818	1,477	616	158	-
WHITE-----MALE----	135	161	234	369	549	663	765	632	397	118	17	-
FEMALE--	39	75	110	207	349	613	806	1,130	1,026	470	135	-
ALL OTHER--MALE----	16	17	27	25	24	27	28	22	18	6	3	-
FEMALE--	10	12	14	19	25	30	36	34	36	22	3	-
BLACK---MALE----	14	11	22	23	21	23	25	20	15	4	3	-
FEMALE--	9	11	13	16	21	24	30	32	30	20	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,444

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
KENTUCKY -----	15,268	14	6	5	5	9	15	28	63	124	196	302
WHITE-----MALE----	6,618	8	-	2	3	5	5	12	33	75	127	196
FEMALE--	7,612	4	4	3	1	3	9	9	17	30	44	72
ALL OTHER--MALE----	471	1	2	-	-	1	-	5	7	11	12	19
FEMALE--	567	1	-	-	1	-	1	2	6	8	13	15
BLACK---MALE----	467	1	2	-	-	1	-	5	7	11	12	19
FEMALE--	559	1	-	-	1	-	1	2	6	8	13	15
LOUISIANA -----	15,323	26	4	4	7	8	26	30	52	144	279	417
WHITE-----MALE----	5,049	7	-	1	2	1	6	10	19	48	88	147
FEMALE--	5,671	5	1	-	3	-	4	6	10	18	37	49
ALL OTHER--MALE----	2,157	8	3	2	1	5	11	9	12	43	84	127
FEMALE--	2,446	6	-	1	1	2	5	5	11	35	70	94
BLACK---MALE----	2,115	8	3	2	1	4	11	9	12	40	83	124
FEMALE--	2,419	6	-	1	1	2	5	5	11	35	70	94
MAINE -----	4,687	4	-	-	-	1	1	5	5	22	50	70
WHITE-----MALE----	2,193	1	-	-	-	-	1	3	4	13	40	60
FEMALE--	2,471	3	-	-	-	1	-	2	1	8	10	10
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15,543	16	6	4	2	8	14	32	57	131	222	371
WHITE-----MALE----	5,476	5	-	1	-	3	3	4	24	39	85	151
FEMALE--	6,318	1	1	2	-	2	2	6	6	14	33	42
ALL OTHER--MALE----	1,867	6	4	-	1	2	3	15	16	53	63	115
FEMALE--	1,882	4	1	1	1	1	6	7	11	25	41	63
BLACK---MALE----	1,781	5	4	-	1	2	3	15	15	49	61	113
FEMALE--	1,808	4	1	1	1	1	6	7	11	24	39	62
MASSACHUSETTS -----	20,827	12	3	2	5	11	12	22	51	119	164	269
WHITE-----MALE----	8,831	8	1	2	2	6	9	15	31	73	107	167
FEMALE--	11,193	3	2	-	2	3	-	4	13	31	39	70
ALL OTHER--MALE----	388	-	-	-	1	1	2	2	4	7	12	18
FEMALE--	415	1	-	-	-	1	1	1	3	8	6	14
BLACK---MALE----	311	-	-	-	-	1	2	2	3	5	11	12
FEMALE--	348	1	-	-	-	1	1	1	3	7	6	14
MICHIGAN -----	36,141	33	8	6	5	23	28	62	125	257	451	759
WHITE-----MALE----	14,566	13	4	2	2	11	12	26	60	121	234	364
FEMALE--	16,725	6	3	1	2	2	6	16	23	62	76	143
ALL OTHER--MALE----	2,345	7	1	1	1	5	8	11	22	45	77	157
FEMALE--	2,505	7	-	2	-	5	2	9	20	29	64	95
BLACK---MALE----	2,217	7	1	1	1	5	7	11	22	42	74	148
FEMALE--	2,382	4	-	2	-	5	1	9	20	28	62	93

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,444
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
KENTUCKY -----	433	597	844	1,246	1,719	2,285	2,455	2,490	1,642	633	157	-
WHITE-----MALE----	277	385	492	707	895	1,089	1,011	768	387	115	26	-
FEMALE--	117	166	280	438	701	1,059	1,316	1,580	1,162	475	122	-
ALL OTHER--MALE----	23	31	53	46	60	63	60	45	22	6	4	-
FEMALE--	16	15	19	55	63	74	68	97	71	37	5	-
BLACK---MALE----	22	31	53	46	58	62	60	45	22	6	4	-
FEMALE--	16	15	19	55	62	73	67	95	69	36	5	-
LOUISIANA -----	538	721	949	1,322	1,766	2,132	2,390	2,250	1,535	573	150	-
WHITE-----MALE----	211	293	398	552	684	782	798	613	312	67	10	-
FEMALE--	86	129	200	311	544	743	1,012	1,163	899	375	76	-
ALL OTHER--MALE----	149	182	192	230	282	277	225	176	98	31	10	-
FEMALE--	92	117	159	229	256	330	355	298	226	100	54	-
BLACK---MALE----	146	180	189	228	273	270	222	174	95	31	10	-
FEMALE--	90	112	158	229	251	330	348	296	221	100	54	-
MAINE -----	98	114	202	338	502	721	832	791	608	251	72	-
WHITE-----MALE----	73	83	137	224	306	378	401	275	151	38	5	-
FEMALE--	23	29	59	111	193	339	431	516	455	213	67	-
ALL OTHER--MALE----	2	2	4	1	2	1	-	-	1	-	-	-
FEMALE--	-	-	2	2	1	3	-	-	1	-	-	-
BLACK---MALE----	2	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MARYLAND -----	511	626	853	1,174	1,802	2,338	2,597	2,378	1,580	656	154	11
WHITE-----MALE----	200	267	355	518	781	937	905	703	372	107	13	3
FEMALE--	79	98	168	300	566	879	1,252	1,320	986	451	109	1
ALL OTHER--MALE----	144	152	200	216	244	250	180	109	63	21	5	5
FEMALE--	88	109	130	140	211	272	260	246	159	77	27	2
BLACK---MALE----	139	151	191	205	235	234	168	105	58	17	5	5
FEMALE--	87	106	125	133	199	260	245	239	157	71	27	2
MASSACHUSETTS -----	452	586	819	1,317	2,086	2,924	3,816	3,896	2,762	1,220	279	-
WHITE-----MALE----	310	364	512	747	1,190	1,460	1,630	1,299	686	184	28	-
FEMALE--	97	172	245	487	806	1,357	2,084	2,511	2,015	1,008	244	-
ALL OTHER--MALE----	25	24	37	48	47	55	43	36	16	7	3	-
FEMALE--	20	26	25	35	43	52	59	50	45	21	4	-
BLACK---MALE----	19	22	33	40	42	44	33	26	7	6	3	-
FEMALE--	15	22	22	33	34	42	47	41	37	17	4	-
MICHIGAN -----	1,031	1,221	1,743	2,665	4,136	5,287	6,360	5,982	3,967	1,645	346	1
WHITE-----MALE----	552	661	889	1,389	2,046	2,431	2,526	1,923	967	292	41	-
FEMALE--	200	284	485	773	1,467	2,174	3,212	3,576	2,719	1,220	275	-
ALL OTHER--MALE----	168	168	213	264	318	328	263	170	80	33	4	1
FEMALE--	111	108	156	239	305	354	359	313	201	100	26	-
BLACK---MALE----	162	163	194	256	297	308	254	158	69	32	4	1
FEMALE--	109	105	149	229	283	339	340	295	189	94	26	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,445

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
MINNESOTA -----	13,438	15	6	4	2	8	7	7	25	88	131	211
WHITE-----MALE----	6,284	6	2	-	1	4	3	3	11	52	81	144
FEMALE--	6,845	4	3	1	1	2	3	2	10	22	33	48
ALL OTHER--MALE----	170	-	-	1	-	1	1	-	3	11	9	16
FEMALE--	139	5	1	2	-	1	-	2	1	3	8	3
BLACK---MALE----	83	-	-	-	-	1	1	-	3	6	5	12
FEMALE--	75	4	1	2	-	-	-	1	-	3	6	2
MISSISSIPPI -----	11,952	21	7	7	4	10	21	17	55	111	215	340
WHITE-----MALE----	3,768	5	-	4	1	2	4	7	10	34	60	116
FEMALE--	4,222	5	-	-	-	2	4	1	6	16	25	36
ALL OTHER--MALE----	1,841	5	3	3	2	5	7	4	23	37	80	109
FEMALE--	2,121	6	4	-	1	1	6	5	16	24	50	79
BLACK---MALE----	1,828	5	3	3	2	5	6	4	22	36	80	108
FEMALE--	2,102	6	4	-	1	1	6	4	16	24	50	77
MISSOURI -----	23,163	21	3	2	10	7	14	28	60	138	235	422
WHITE-----MALE----	9,513	8	1	1	5	5	5	13	29	66	119	230
FEMALE--	11,460	7	2	1	1	2	6	7	11	40	40	95
ALL OTHER--MALE----	1,009	3	-	-	3	-	3	4	8	17	40	67
FEMALE--	1,181	3	-	-	1	-	-	4	12	15	36	30
BLACK---MALE----	969	3	-	-	3	-	3	4	8	16	38	65
FEMALE--	1,149	3	-	-	1	-	-	4	12	15	35	28
MONTANA -----	2,804	4	-	-	-	1	2	3	8	18	30	40
WHITE-----MALE----	1,380	3	-	-	-	-	2	2	4	12	21	24
FEMALE--	1,336	1	-	-	-	1	-	-	2	5	6	10
ALL OTHER--MALE----	52	-	-	-	-	-	-	1	1	1	1	5
FEMALE--	36	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6,394	7	4	-	1	2	2	8	15	28	63	90
WHITE-----MALE----	2,747	3	4	-	1	-	1	6	5	15	39	57
FEMALE--	3,416	4	-	-	-	-	1	1	8	8	18	23
ALL OTHER--MALE----	106	-	-	-	-	1	-	-	1	5	2	3
FEMALE--	125	-	-	-	-	1	-	1	1	-	4	7
BLACK---MALE----	79	-	-	-	-	1	-	-	1	4	2	2
FEMALE--	100	-	-	-	-	1	-	1	1	-	3	7
NEVADA -----	5,264	3	2	-	-	5	7	12	19	35	70	140
WHITE-----MALE----	2,566	1	-	-	-	2	2	9	9	20	40	86
FEMALE--	2,254	2	-	-	-	3	3	2	4	9	14	33
ALL OTHER--MALE----	245	-	1	-	-	-	1	-	5	5	12	15
FEMALE--	199	-	1	-	-	-	1	1	1	1	4	6
BLACK---MALE----	176	-	1	-	-	-	-	-	4	5	8	13
FEMALE--	140	-	-	-	-	-	1	1	1	-	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,445
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
MINNESOTA -----	310	360	461	784	1,305	1,782	2,434	2,594	1,923	786	195	-
WHITE-----MALE----	207	253	329	502	798	973	1,160	1,000	554	165	36	-
FEMALE--	76	86	105	257	466	775	1,242	1,574	1,359	617	159	-
ALL OTHER--MALE----	17	15	16	14	24	17	13	8	4	-	-	-
FEMALE--	10	6	11	11	17	17	19	12	6	4	-	-
BLACK---MALE----	5	6	5	7	13	10	6	3	-	-	-	-
FEMALE--	4	5	7	2	7	10	9	6	4	2	-	-
MISSISSIPPI -----	386	545	715	993	1,310	1,706	1,859	1,844	1,214	452	119	1
WHITE-----MALE----	155	215	301	420	520	628	570	433	212	57	14	-
FEMALE--	61	97	136	245	360	579	786	889	669	248	56	1
ALL OTHER--MALE----	107	134	160	178	207	225	197	189	108	46	12	-
FEMALE--	63	99	118	150	223	274	306	333	225	101	37	-
BLACK---MALE----	106	133	158	176	205	224	197	189	108	46	12	-
FEMALE--	63	98	116	148	220	271	303	332	224	101	37	-
MISSOURI -----	579	798	1,120	1,588	2,389	3,189	3,892	4,155	3,022	1,230	261	-
WHITE-----MALE----	320	465	628	849	1,242	1,559	1,643	1,322	746	216	41	-
FEMALE--	142	195	341	534	876	1,348	1,979	2,602	2,101	935	195	-
ALL OTHER--MALE----	63	79	88	114	128	120	120	83	45	17	7	-
FEMALE--	54	59	63	91	143	162	150	148	130	62	18	-
BLACK---MALE----	61	78	84	111	117	117	118	79	40	17	7	-
FEMALE--	51	57	59	90	138	159	149	144	124	62	18	-
MONTANA -----	55	101	140	193	293	415	506	507	319	134	35	-
WHITE-----MALE----	35	74	94	123	173	233	240	201	104	30	5	-
FEMALE--	15	20	38	61	108	171	254	301	212	101	30	-
ALL OTHER--MALE----	2	5	6	7	9	3	6	3	2	-	-	-
FEMALE--	3	2	2	2	3	8	6	2	1	3	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
NEBRASKA -----	128	149	242	356	610	825	1,073	1,241	951	456	143	-
WHITE-----MALE----	77	93	152	209	355	438	516	414	255	88	19	-
FEMALE--	36	37	73	123	228	354	537	802	680	361	122	-
ALL OTHER--MALE----	10	9	14	13	13	15	7	8	5	-	-	-
FEMALE--	5	10	3	11	14	18	13	17	11	7	2	-
BLACK---MALE----	7	7	11	9	9	11	6	6	3	-	-	-
FEMALE--	4	6	2	8	13	14	8	15	8	7	2	-
NEVADA -----	208	248	351	551	755	840	860	634	389	116	19	-
WHITE-----MALE----	138	167	204	311	421	407	390	246	84	27	2	-
FEMALE--	47	52	103	172	263	374	427	358	289	84	15	-
ALL OTHER--MALE----	9	21	23	38	40	34	21	11	6	3	-	-
FEMALE--	14	8	21	30	31	25	22	19	10	2	2	-
BLACK---MALE----	7	15	17	26	26	26	15	7	4	2	-	-
FEMALE--	9	8	17	17	24	15	14	14	8	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,447
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
OHIO -----	42,963	30	5	7	10	14	23	45	103	260	497	799
WHITE-----MALE----	17,720	13	1	3	2	4	5	12	52	150	276	444
FEMALE--	20,910	8	2	1	3	3	13	13	21	53	104	159
ALL OTHER--MALE----	2,076	5	1	2	4	6	3	8	19	28	72	130
FEMALE--	2,257	4	1	1	1	1	2	12	11	29	45	66
BLACK---MALE----	2,017	4	1	1	3	6	3	8	19	27	71	125
FEMALE--	2,228	4	1	1	1	1	2	12	11	29	45	66
OKLAHOMA -----	14,492	19	2	4	2	6	14	23	32	101	159	266
WHITE-----MALE----	6,031	7	1	1	-	5	7	8	12	49	86	155
FEMALE--	7,028	8	1	-	-	1	3	6	9	23	33	58
ALL OTHER--MALE----	672	2	-	1	-	-	1	6	4	17	27	41
FEMALE--	761	2	-	2	2	-	3	3	7	12	13	12
BLACK---MALE----	369	-	-	1	-	-	-	1	2	10	18	27
FEMALE--	471	2	-	1	1	-	1	3	5	9	12	8
OREGON -----	10,763	11	2	2	-	6	5	8	19	50	104	155
WHITE-----MALE----	5,008	4	1	2	-	5	5	3	13	33	72	99
FEMALE--	5,480	5	1	-	-	1	-	4	3	14	24	44
ALL OTHER--MALE----	139	1	-	-	-	-	-	1	1	3	5	9
FEMALE--	136	1	-	-	-	-	-	-	2	-	3	3
BLACK---MALE----	68	1	-	-	-	-	-	1	1	2	2	6
FEMALE--	61	-	-	-	-	-	-	-	2	-	3	1
PENNSYLVANIA -----	52,797	23	12	10	7	17	32	60	123	259	488	758
WHITE-----MALE----	22,216	11	3	6	4	11	9	30	58	149	281	454
FEMALE--	26,514	6	2	2	2	2	15	22	39	58	112	147
ALL OTHER--MALE----	1,910	4	4	2	1	1	5	3	14	30	53	93
FEMALE--	2,157	2	3	-	-	3	3	5	12	22	42	64
BLACK---MALE----	1,836	4	2	2	1	1	5	3	14	28	52	92
FEMALE--	2,082	1	3	-	-	3	3	5	11	22	42	62
RHODE ISLAND -----	3,899	7	-	2	-	1	1	2	1	18	36	56
WHITE-----MALE----	1,699	2	-	1	-	1	1	2	-	11	25	42
FEMALE--	2,081	2	-	1	-	-	-	-	1	6	6	8
ALL OTHER--MALE----	58	2	-	-	-	-	-	-	-	-	3	2
FEMALE--	61	1	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	44	2	-	-	-	-	-	-	-	-	3	1
FEMALE--	47	1	-	-	-	-	-	-	-	1	2	2
SOUTH CAROLINA -----	13,920	16	8	8	3	9	11	25	65	123	257	368
WHITE-----MALE----	4,794	2	2	3	1	1	4	7	23	44	94	154
FEMALE--	5,126	2	-	1	-	2	1	3	9	21	38	39
ALL OTHER--MALE----	1,862	8	3	3	1	2	3	4	17	34	83	109
FEMALE--	2,138	4	3	1	1	4	3	11	16	24	42	66
BLACK---MALE----	1,851	8	3	3	1	2	3	4	17	34	82	108
FEMALE--	2,122	4	3	1	1	4	3	11	16	24	42	66

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,447
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
OHIO -----	1,095	1,532	2,094	3,215	4,860	6,794	7,503	7,155	4,682	1,797	442	1
WHITE-----MALE----	629	871	1,115	1,697	2,451	3,206	2,995	2,315	1,078	336	64	1
FEMALE--	255	407	635	1,076	1,863	2,933	3,974	4,382	3,317	1,350	338	-
ALL OTHER--MALE----	139	151	185	246	265	325	231	153	70	28	5	-
FEMALE--	72	103	159	196	281	330	303	305	217	83	35	-
BLACK---MALE----	134	146	178	242	261	313	223	152	70	25	5	-
FEMALE--	72	102	155	192	277	326	299	300	214	83	35	-
OKLAHOMA -----	412	514	791	1,004	1,566	2,063	2,334	2,454	1,874	712	139	1
WHITE-----MALE----	245	286	432	553	817	1,001	953	786	458	143	26	-
FEMALE--	102	158	239	328	597	868	1,202	1,479	1,296	521	96	-
ALL OTHER--MALE----	44	39	72	62	77	89	73	72	29	11	4	1
FEMALE--	21	31	48	61	75	105	106	117	91	37	13	-
BLACK---MALE----	20	18	35	31	45	47	37	43	22	7	4	1
FEMALE--	17	16	31	39	50	60	53	79	52	21	11	-
OREGON -----	239	315	467	639	1,086	1,599	2,002	1,978	1,367	568	141	-
WHITE-----MALE----	163	205	295	411	637	827	929	755	414	111	24	-
FEMALE--	61	94	153	207	407	730	1,027	1,198	942	449	116	-
ALL OTHER--MALE----	7	11	14	12	14	22	24	9	4	1	1	-
FEMALE--	8	5	5	9	28	20	22	16	7	7	-	-
BLACK---MALE----	5	7	4	6	4	11	11	4	2	-	1	-
FEMALE--	5	2	2	4	9	9	12	7	4	1	-	-
PENNSYLVANIA -----	1,082	1,508	2,236	3,596	5,976	8,233	9,864	9,285	6,236	2,427	563	2
WHITE-----MALE----	646	867	1,302	1,995	3,129	3,894	4,185	3,123	1,578	410	70	1
FEMALE--	259	399	620	1,190	2,280	3,722	5,156	5,740	4,409	1,881	450	1
ALL OTHER--MALE----	104	142	195	247	299	272	218	126	62	27	8	-
FEMALE--	73	100	119	164	268	345	305	296	187	109	35	-
BLACK---MALE----	102	134	187	240	288	265	206	116	61	25	8	-
FEMALE--	70	97	116	154	257	332	293	284	187	105	35	-
RHODE ISLAND -----	54	115	160	248	380	564	736	693	555	215	54	1
WHITE-----MALE----	32	81	97	150	231	301	322	232	127	36	4	1
FEMALE--	19	24	52	82	143	246	392	454	420	176	49	-
ALL OTHER--MALE----	1	9	4	11	3	10	8	-	3	2	-	-
FEMALE--	2	1	7	5	3	7	14	7	5	1	1	-
BLACK---MALE----	1	6	2	7	3	10	5	-	2	2	-	-
FEMALE--	1	1	7	3	2	4	11	6	5	-	1	-
SOUTH CAROLINA -----	503	641	927	1,239	1,677	2,164	2,230	1,943	1,164	434	104	1
WHITE-----MALE----	212	277	408	523	720	825	718	496	219	53	8	-
FEMALE--	76	113	191	302	473	775	992	1,031	714	285	58	-
ALL OTHER--MALE----	135	139	189	233	209	280	195	134	56	18	7	-
FEMALE--	80	112	139	181	275	284	325	282	175	78	31	1
BLACK---MALE----	135	139	187	231	208	277	195	134	55	18	7	-
FEMALE--	80	112	138	178	267	284	323	280	175	78	31	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,448

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
SOUTH DAKOTA -----	2,797	4	3	1	1	1	2	1	6	7	30	43
WHITE-----MALE----	1,306	-	1	1	-	1	1	1	1	4	18	31
FEMALE--	1,367	3	-	-	1	-	1	-	4	2	3	4
ALL OTHER--MALE----	73	-	1	-	-	-	-	-	1	1	9	7
FEMALE--	51	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21,897	23	8	6	3	15	16	32	86	177	290	502
WHITE-----MALE----	8,681	7	3	1	-	8	8	15	35	83	143	258
FEMALE--	9,826	5	3	1	2	5	2	6	23	42	58	97
ALL OTHER--MALE----	1,581	5	-	2	-	-	3	6	20	25	52	86
FEMALE--	1,809	6	2	2	1	2	3	5	8	27	37	61
BLACK---MALE----	1,559	5	-	2	-	-	3	6	20	24	52	85
FEMALE--	1,783	6	2	2	1	2	3	5	8	27	36	59
TEXAS -----	56,345	81	11	16	17	55	81	117	189	452	786	1,350
WHITE-----MALE----	23,274	38	3	9	8	24	33	54	79	224	401	754
FEMALE--	25,512	22	6	5	6	23	23	30	52	97	159	250
ALL OTHER--MALE----	3,582	10	-	1	2	7	16	20	36	79	144	214
FEMALE--	3,977	11	2	1	1	1	9	13	22	52	82	132
BLACK---MALE----	3,375	9	-	1	2	7	15	19	32	72	136	201
FEMALE--	3,816	8	2	1	1	-	9	12	22	52	82	129
UTAH -----	3,962	9	1	2	1	3	7	13	17	35	46	63
WHITE-----MALE----	1,905	7	-	2	1	2	3	6	12	21	30	40
FEMALE--	1,986	2	1	-	-	1	2	7	5	13	14	20
ALL OTHER--MALE----	38	-	-	-	-	-	2	-	-	1	2	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1,884	1	2	-	1	-	2	1	3	7	26	20
WHITE-----MALE----	886	-	1	-	1	-	2	1	3	7	16	17
FEMALE--	992	1	1	-	-	-	-	-	-	-	9	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	21,112	26	11	5	8	17	20	43	77	173	317	462
WHITE-----MALE----	7,752	6	4	2	3	5	8	14	29	76	152	220
FEMALE--	8,895	7	3	1	2	2	7	13	14	37	45	78
ALL OTHER--MALE----	2,121	4	4	-	1	7	4	8	16	33	81	105
FEMALE--	2,344	9	-	2	2	3	1	8	18	27	39	59
BLACK---MALE----	2,026	4	4	-	1	6	4	8	15	29	76	102
FEMALE--	2,249	9	-	2	2	3	1	8	15	27	37	56

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,448

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
SOUTH DAKOTA -----	65	78	119	171	241	376	469	522	409	190	58	-
WHITE-----MALE----	46	45	78	113	148	210	230	191	130	48	8	-
FEMALE--	12	26	27	51	80	145	227	316	274	141	50	-
ALL OTHER--MALE----	5	7	9	4	8	10	6	5	-	-	-	-
FEMALE--	2	-	5	3	5	11	6	10	5	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	-	-	-
TENNESSEE -----	743	933	1,323	1,827	2,395	3,243	3,637	3,339	2,240	868	189	2
WHITE-----MALE----	382	499	711	1,003	1,158	1,406	1,357	936	494	150	24	-
FEMALE--	163	233	357	523	838	1,416	1,859	2,006	1,467	591	129	-
ALL OTHER--MALE----	130	129	147	156	205	206	163	128	73	35	8	2
FEMALE--	68	72	108	145	194	215	258	269	206	92	28	-
BLACK---MALE----	126	127	146	153	200	202	163	127	73	35	8	2
FEMALE--	68	71	105	141	193	212	253	267	203	91	28	-
TEXAS -----	1,861	2,291	3,153	4,315	6,345	7,908	8,993	9,038	6,235	2,477	572	2
WHITE-----MALE----	1,097	1,268	1,699	2,298	3,129	3,689	3,651	2,826	1,500	414	75	1
FEMALE--	400	546	890	1,294	2,284	3,306	4,409	5,324	4,154	1,818	414	-
ALL OTHER--MALE----	233	287	326	385	475	426	367	313	182	46	13	-
FEMALE--	131	190	238	338	457	487	566	575	399	199	70	1
BLACK---MALE----	218	265	310	363	443	401	350	300	173	45	13	-
FEMALE--	127	185	229	323	431	465	534	556	389	190	68	1
UTAH -----	88	130	153	243	402	574	745	702	523	184	21	-
WHITE-----MALE----	63	88	110	152	233	297	358	275	154	47	4	-
FEMALE--	21	37	38	86	164	262	379	418	366	133	17	-
ALL OTHER--MALE----	2	4	2	1	2	10	3	3	1	3	-	-
FEMALE--	2	1	3	4	3	5	5	6	2	1	-	-
BLACK---MALE----	-	-	1	-	-	4	1	1	-	-	-	-
FEMALE--	-	-	1	3	-	-	3	2	1	-	-	-
VERMONT -----	49	40	71	121	192	290	318	338	255	119	28	-
WHITE-----MALE----	38	20	55	78	119	149	149	117	82	24	7	-
FEMALE--	10	19	16	42	73	140	168	221	173	95	21	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
VIRGINIA -----	635	882	1,147	1,682	2,399	3,135	3,443	3,329	2,227	890	181	3
WHITE-----MALE----	307	446	558	778	1,062	1,256	1,239	958	470	140	19	-
FEMALE--	138	187	271	445	785	1,194	1,582	1,879	1,455	619	130	1
ALL OTHER--MALE----	126	166	198	249	283	311	234	170	81	31	7	2
FEMALE--	64	83	120	210	269	374	388	322	221	100	25	-
BLACK---MALE----	124	157	191	237	272	292	228	161	76	30	7	2
FEMALE--	61	77	117	201	256	360	373	312	209	98	25	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,449

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
WASHINGTON -----	388	499	717	1,089	1,586	2,359	2,943	2,930	2,007	771	177	1
WHITE-----MALE----	249	313	450	673	877	1,213	1,340	1,085	613	180	23	-
FEMALE--	107	140	205	338	609	1,015	1,494	1,750	1,345	578	150	-
ALL OTHER--MALE----	23	31	38	45	52	70	50	47	22	3	1	1
FEMALE--	9	15	24	33	48	61	59	48	27	10	3	-
BLACK---MALE----	16	16	18	14	21	29	16	14	4	-	-	1
FEMALE--	5	5	6	14	20	21	20	14	13	4	2	-
WEST VIRGINIA -----	252	294	507	689	1,015	1,350	1,454	1,399	899	340	88	-
WHITE-----MALE----	184	192	305	421	545	654	597	481	210	70	18	-
FEMALE--	60	88	171	244	425	656	818	883	667	258	67	-
ALL OTHER--MALE----	5	8	18	16	17	16	15	15	5	3	1	-
FEMALE--	3	6	13	8	28	24	24	20	17	9	2	-
BLACK---MALE----	5	8	18	16	16	16	15	14	5	3	1	-
FEMALE--	3	6	12	7	27	24	23	20	17	9	2	-
WISCONSIN -----	398	516	761	1,223	1,880	2,629	3,344	3,357	2,431	1,070	259	-
WHITE-----MALE----	261	323	469	759	1,075	1,401	1,535	1,225	679	243	37	-
FEMALE--	99	146	229	388	737	1,156	1,746	2,082	1,712	813	217	-
ALL OTHER--MALE----	25	27	44	46	42	36	31	10	18	5	3	-
FEMALE--	13	20	19	30	26	36	32	40	22	9	2	-
BLACK---MALE----	23	21	29	36	34	34	25	8	14	2	2	-
FEMALE--	13	16	15	25	21	31	26	27	19	8	2	-
WYOMING -----	31	48	68	101	166	229	242	251	162	54	12	-
WHITE-----MALE----	20	32	41	63	100	118	104	91	42	11	1	-
FEMALE--	10	13	26	34	64	105	138	158	120	43	11	-
ALL OTHER--MALE----	1	-	-	3	1	3	-	1	-	-	-	-
FEMALE--	-	3	1	1	1	3	-	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	1	1	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,450

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
UNITED STATES --	4,792	2	1	1	3	8	25	38	44	78	117	141
WHITE-----MALE----	1,288	2	-	1	1	2	6	11	16	26	33	44
FEMALE--	3,046	-	-	-	2	4	15	18	17	29	50	56
ALL OTHER--MALE----	134	-	1	-	-	2	2	4	2	8	10	15
FEMALE--	324	-	-	-	-	-	2	5	9	15	24	26
BLACK---MALE----	101	-	-	-	-	2	2	4	2	8	8	10
FEMALE--	255	-	-	-	-	-	2	4	9	12	20	23
ALABAMA -----	56	-	-	-	-	-	1	1	1	1	2	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	64	-	-	-	-	-	-	2	1	1	1	4
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	43	-	-	-	-	-	-	2	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	49	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
CALIFORNIA -----	504	-	-	-	-	1	4	5	6	8	9	24
WHITE-----MALE----	128	-	-	-	-	1	1	1	-	4	3	8
FEMALE--	308	-	-	-	-	-	3	2	3	2	4	4
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	-	-	1	6
FEMALE--	47	-	-	-	-	-	-	1	3	2	1	6
BLACK---MALE----	8	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	19	-	-	-	-	-	-	1	3	1	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,450

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
UNITED STATES --	187	232	317	445	623	759	759	617	290	89	16	-
WHITE-----MALE----	63	65	97	142	169	219	190	132	55	14	-	-
FEMALE--	87	125	172	260	407	499	542	461	220	68	14	-
ALL OTHER--MALE----	13	11	16	13	8	12	8	2	3	3	1	-
FEMALE--	24	31	32	30	39	29	19	22	12	4	1	-
BLACK---MALE----	9	8	13	10	4	11	6	1	-	2	1	-
FEMALE--	21	24	26	24	28	19	14	16	10	2	1	-
ALABAMA -----	2	4	8	6	8	6	3	8	3	1	-	-
WHITE-----MALE----	-	1	1	2	4	2	2	1	-	-	-	-
FEMALE--	1	2	4	3	3	4	1	6	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	1	-	-	-	-
ALASKA -----	1	2	-	1	3	-	2	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	3	2	6	7	10	5	12	4	1	-	-
WHITE-----MALE----	3	1	-	1	1	3	2	2	2	-	-	-
FEMALE--	1	2	2	5	6	7	3	10	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	3	7	2	6	6	5	10	4	1	-	-
WHITE-----MALE----	-	1	3	1	3	2	2	-	1	-	-	-
FEMALE--	1	2	4	1	2	4	3	9	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	14	23	33	38	69	86	77	65	34	6	2	-
WHITE-----MALE----	2	5	13	12	17	20	17	15	8	1	-	-
FEMALE--	9	13	14	18	44	58	56	47	24	5	2	-
ALL OTHER--MALE----	2	2	3	3	1	-	1	-	1	-	-	-
FEMALE--	1	3	3	5	7	8	3	3	1	-	-	-
BLACK---MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,451

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
COLORADO -----	6	13	10	8	12	10	14	14	6	1	-	-
WHITE-----MALE----	2	3	3	4	3	3	4	2	1	-	-	-
FEMALE--	4	10	5	4	8	6	10	11	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	2	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
CONNECTICUT -----	5	-	3	4	6	12	10	8	5	-	-	-
WHITE-----MALE----	1	-	1	-	2	-	1	3	-	-	-	-
FEMALE--	3	-	2	3	4	12	9	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	1	-	-	3	4	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	-	1	4	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	1	-	-	-
FLORIDA -----	10	14	15	28	54	57	66	44	28	10	1	-
WHITE-----MALE----	1	3	4	6	17	27	19	13	7	2	-	-
FEMALE--	6	8	9	22	34	29	46	31	20	8	1	-
ALL OTHER--MALE----	2	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	2	-	2	-	1	-	1	-	-	-
BLACK---MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	2	-	1	-	1	-	-	-
GEORGIA -----	7	6	8	6	10	19	13	15	2	2	1	-
WHITE-----MALE----	3	2	1	2	3	4	4	3	-	-	-	-
FEMALE--	2	3	5	4	6	11	9	12	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	3	-	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	3	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,452

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
HAWAII -----	1	-	1	4	5	-	2	6	1	1	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	3	-	1	4	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	2	6	4	13	6	5	3	1	-	-
WHITE-----MALE----	-	-	1	1	-	5	1	1	1	-	-	-
FEMALE--	-	-	1	5	4	8	5	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9	6	14	17	27	17	28	19	11	2	-	-
WHITE-----MALE----	4	2	5	6	5	6	9	6	1	1	-	-
FEMALE--	1	3	4	8	20	10	16	13	10	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	3	1	4	2	2	-	2	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	4	2	2	-	2	-	-	-	-	-
INDIANA -----	5	5	7	10	11	16	13	11	8	1	1	-
WHITE-----MALE----	2	2	3	5	1	5	4	2	1	-	-	-
FEMALE--	2	3	3	4	10	10	9	9	7	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
IOWA -----	4	1	3	10	7	7	16	20	5	4	-	-
WHITE-----MALE----	2	1	1	2	2	1	2	3	-	1	-	-
FEMALE--	2	-	2	8	5	6	14	17	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	1	3	9	10	5	1	3	2	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	3	7	8	4	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,453

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
KENTUCKY -----	74	-	-	-	-	1	-	-	-	2	2	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	52	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	34	-	-	-	-	-	-	1	-	1	2	4
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	3
MAINE -----	24	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	79	-	-	-	-	-	-	-	-	4	3	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	47	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	100	-	-	-	-	-	1	1	2	1	1	2
WHITE-----MALE----	31	-	-	-	-	-	1	1	1	1	-	-
FEMALE--	68	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	170	-	-	-	-	-	3	-	1	3	8	4
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	105	-	-	-	-	-	3	-	-	1	4	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,453

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
KENTUCKY -----	4	5	4	7	6	8	16	11	6	2	-	-
WHITE-----MALE----	1	1	1	2	2	2	2	2	1	-	-	-
FEMALE--	3	3	2	4	3	6	14	8	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	1	-	-	-	-
LOUISIANA -----	-	-	3	7	2	7	3	2	2	-	-	-
WHITE-----MALE----	-	-	2	2	-	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	1	4	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	4	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	4	1	1	-	-	1	-	-	-
MAINE -----	-	2	1	4	2	7	2	4	2	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	1	1	1	-	-	-
FEMALE--	-	1	1	3	1	7	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	4	4	5	8	14	13	12	3	2	-	-
WHITE-----MALE----	1	1	1	3	4	2	2	5	-	-	-	-
FEMALE--	4	1	1	1	4	11	9	7	3	2	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	2	-	5	10	10	17	22	18	6	2	-	-
WHITE-----MALE----	1	-	1	4	6	7	1	5	2	-	-	-
FEMALE--	1	-	4	5	4	10	21	13	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	9	10	12	25	33	22	19	7	5	-	-
WHITE-----MALE----	3	2	3	3	9	9	5	3	2	-	-	-
FEMALE--	3	3	4	8	14	23	16	16	5	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	4	3	1	2	1	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	4	3	1	2	1	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,456

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
OHIO -----	237	-	-	-	-	-	1	1	2	5	6	12
WHITE-----MALE----	65	-	-	-	-	-	-	1	1	2	-	3
FEMALE--	148	-	-	-	-	-	1	-	-	2	3	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	2	4
OKLAHOMA -----	43	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	83	-	-	-	-	-	-	-	-	3	2	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	54	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	382	1	1	-	-	-	-	4	2	2	7	14
WHITE-----MALE----	112	1	-	-	-	-	-	-	1	-	4	7
FEMALE--	255	-	-	-	-	-	-	4	1	2	3	5
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	19	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	60	-	-	-	-	-	1	-	1	1	2	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,456

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
OHIO -----	8	13	13	24	39	31	40	27	12	3	-	-
WHITE-----MALE----	3	4	4	6	12	11	10	4	3	1	-	-
FEMALE--	3	7	9	16	26	19	28	20	8	2	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	1	1	3	1	-	-	-
BLACK---MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	1	1	3	1	-	-	-
OKLAHOMA -----	1	1	6	4	7	8	8	5	1	-	-	-
WHITE-----MALE----	-	-	2	2	2	4	2	2	-	-	-	-
FEMALE--	-	1	3	2	4	4	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	6	4	11	11	20	11	7	3	2	-
WHITE-----MALE----	1	2	2	2	2	4	4	4	-	1	-	-
FEMALE--	-	-	3	2	8	6	15	7	7	2	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	12	20	29	30	45	70	76	49	18	1	1	-
WHITE-----MALE----	7	6	10	12	14	21	17	10	2	-	-	-
FEMALE--	4	12	18	17	30	48	57	38	15	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	1	-
FEMALE--	1	2	-	1	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	1	-
FEMALE--	1	1	-	1	-	1	1	1	1	-	-	-
RHODE ISLAND -----	-	-	1	3	5	2	3	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	3	3	2	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	4	4	5	8	6	11	8	2	2	-	-
WHITE-----MALE----	-	-	1	1	3	2	2	2	-	1	-	-
FEMALE--	2	-	2	1	4	3	8	5	2	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	3	1	2	1	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	3	1	2	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,457

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
SOUTH DAKOTA -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	92	-	-	-	-	-	1	1	2	3	3	4
WHITE-----MALE----	26	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	56	-	-	-	-	-	1	-	1	-	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
TEXAS -----	222	1	-	-	-	-	1	2	5	4	6	3
WHITE-----MALE----	55	1	-	-	-	-	-	-	3	-	4	1
FEMALE--	145	-	-	-	-	-	1	1	2	2	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	1	-	2	-	-
UTAH -----	55	-	-	-	-	1	-	1	-	-	1	1
WHITE-----MALE----	12	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	43	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	13	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	101	-	-	-	-	-	-	2	4	4	2	4
WHITE-----MALE----	29	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	53	-	-	-	-	-	-	1	2	1	1	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,457

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
SOUTH DAKOTA -----	-	-	2	1	-	1	1	1	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	4	7	11	10	22	8	8	2	-	-	-
WHITE-----MALE----	2	1	3	4	2	6	1	1	1	-	-	-
FEMALE--	3	3	3	6	8	16	5	6	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	18	12	14	26	26	31	29	26	14	3	1	-
WHITE-----MALE----	6	1	4	8	5	7	8	5	1	1	-	-
FEMALE--	9	7	8	15	20	22	21	20	12	1	1	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	1	3	2	3	1	1	-	-	1	-	-	-
BLACK---MALE----	2	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	1	3	2	3	1	1	-	-	1	-	-	-
UTAH -----	1	3	4	4	6	9	12	5	5	1	1	-
WHITE-----MALE----	-	2	-	1	-	2	4	-	-	1	-	-
FEMALE--	1	1	4	3	6	7	8	5	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	6	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	6	7	16	11	16	10	11	4	2	-	-
WHITE-----MALE----	2	2	2	6	2	3	4	4	1	-	-	-
FEMALE--	-	2	2	8	7	10	6	6	2	2	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	2	3	-	1	1	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	1	3	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,468

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
UNITED STATES --	4,697	1	1	1	3	7	24	36	42	76	113	138
WHITE-----MALE----	1,255	1	-	1	1	2	6	11	15	24	32	44
FEMALE--	2,995	-	-	-	2	3	14	16	16	29	48	55
ALL OTHER--MALE----	130	-	1	-	-	2	2	4	2	8	10	14
FEMALE--	317	-	-	-	-	-	2	5	9	15	23	25
BLACK---MALE----	97	-	-	-	-	2	2	4	2	8	8	9
FEMALE--	251	-	-	-	-	-	2	4	9	12	19	23
ALABAMA -----	54	-	-	-	-	-	1	1	1	1	2	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	64	-	-	-	-	-	-	2	1	1	1	4
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	43	-	-	-	-	-	-	2	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	47	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
CALIFORNIA -----	489	-	-	-	-	1	3	5	6	7	8	23
WHITE-----MALE----	125	-	-	-	-	1	1	1	-	3	3	8
FEMALE--	299	-	-	-	-	-	2	2	3	2	3	4
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	-	-	1	6
FEMALE--	44	-	-	-	-	-	-	1	3	2	1	5
BLACK---MALE----	8	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	19	-	-	-	-	-	-	1	3	1	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,468

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
UNITED STATES --	180	224	308	432	614	747	751	609	285	89	16	-
WHITE-----MALE----	60	62	92	141	165	215	186	129	54	14	-	-
FEMALE--	84	120	168	252	403	492	538	456	217	68	14	-
ALL OTHER--MALE----	13	11	16	11	8	11	8	2	3	3	1	-
FEMALE--	23	31	32	28	38	29	19	22	11	4	1	-
BLACK---MALE----	9	8	13	8	4	10	6	1	-	2	1	-
FEMALE--	20	24	26	23	28	19	14	16	9	2	1	-
ALABAMA -----	2	4	7	5	8	6	3	8	3	1	-	-
WHITE-----MALE----	-	1	-	2	4	2	2	1	-	-	-	-
FEMALE--	1	2	4	3	3	4	1	6	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	1	-	-	-	-
ALASKA -----	1	2	-	1	3	-	2	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	3	2	6	7	10	5	12	4	1	-	-
WHITE-----MALE----	3	1	-	1	1	3	2	2	2	-	-	-
FEMALE--	1	2	2	5	6	7	3	10	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	7	2	6	5	5	10	4	1	-	-
WHITE-----MALE----	-	1	3	1	3	2	2	-	1	-	-	-
FEMALE--	1	1	4	1	2	3	3	9	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	13	23	33	36	65	86	76	63	33	6	2	-
WHITE-----MALE----	2	5	13	12	16	20	16	15	8	1	-	-
FEMALE--	8	13	14	17	42	58	56	45	23	5	2	-
ALL OTHER--MALE----	2	2	3	3	1	-	1	-	1	-	-	-
FEMALE--	1	3	3	4	6	8	3	3	1	-	-	-
BLACK---MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,469

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
COLORADO -----	5	13	10	8	12	10	14	14	5	1	-	-
WHITE-----MALE----	1	3	3	4	3	3	4	2	-	-	-	-
FEMALE--	4	10	5	4	8	6	10	11	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	2	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
CONNECTICUT -----	5	-	3	4	6	12	10	7	5	-	-	-
WHITE-----MALE----	1	-	1	-	2	-	1	2	-	-	-	-
FEMALE--	3	-	2	3	4	12	9	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	1	-	-	3	4	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	-	1	4	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	1	-	-	-
FLORIDA -----	10	13	15	28	53	57	66	44	28	10	1	-
WHITE-----MALE----	1	2	4	6	16	27	19	13	7	2	-	-
FEMALE--	6	8	9	22	34	29	46	31	20	8	1	-
ALL OTHER--MALE----	2	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	2	-	2	-	1	-	1	-	-	-
BLACK---MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	2	-	1	-	1	-	-	-
GEORGIA -----	7	4	8	6	10	19	13	14	2	2	1	-
WHITE-----MALE----	3	1	1	2	3	4	4	3	-	-	-	-
FEMALE--	2	2	5	4	6	11	9	11	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	3	-	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	3	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,470

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
HAWAII -----	1	-	1	4	5	-	2	6	1	1	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	3	-	1	4	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	2	5	4	11	6	5	3	1	-	-
WHITE-----MALE----	-	-	1	1	-	4	1	1	1	-	-	-
FEMALE--	-	-	1	4	4	7	5	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9	6	13	17	27	17	27	19	11	2	-	-
WHITE-----MALE----	4	2	4	6	5	6	9	6	1	1	-	-
FEMALE--	1	3	4	8	20	10	15	13	10	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	3	1	4	2	2	-	2	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	4	2	2	-	2	-	-	-	-	-
INDIANA -----	4	5	7	10	10	16	13	10	8	1	1	-
WHITE-----MALE----	1	2	3	5	1	5	4	2	1	-	-	-
FEMALE--	2	3	3	4	9	10	9	8	7	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
IOWA -----	4	1	3	10	7	7	16	20	5	4	-	-
WHITE-----MALE----	2	1	1	2	2	1	2	3	-	1	-	-
FEMALE--	2	-	2	8	5	6	14	17	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	1	3	9	10	5	1	3	2	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	3	7	8	4	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,471

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
KENTUCKY -----	74	-	-	-	-	1	-	-	-	2	2	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	52	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	34	-	-	-	-	-	-	1	-	1	2	4
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	3
MAINE -----	22	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	77	-	-	-	-	-	-	-	-	4	3	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	98	-	-	-	-	-	1	1	2	1	1	2
WHITE-----MALE----	31	-	-	-	-	-	1	1	1	1	-	-
FEMALE--	66	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	167	-	-	-	-	-	3	-	1	3	7	4
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	104	-	-	-	-	-	3	-	-	1	4	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,471

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
KENTUCKY -----	4	5	4	7	6	8	16	11	6	2	-	-
WHITE-----MALE----	1	1	1	2	2	2	2	2	1	-	-	-
FEMALE--	3	3	2	4	3	6	14	8	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	1	-	-	-	-
LOUISIANA -----	-	-	3	7	2	7	3	2	2	-	-	-
WHITE-----MALE----	-	-	2	2	-	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	1	4	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	4	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	4	1	1	-	-	1	-	-	-
MAINE -----	-	2	1	3	2	7	2	3	2	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	1	1	2	1	7	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	4	4	5	8	13	13	12	3	2	-	-
WHITE-----MALE----	1	1	1	3	4	2	2	5	-	-	-	-
FEMALE--	3	1	1	1	4	10	9	7	3	2	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	2	-	5	9	10	16	22	18	6	2	-	-
WHITE-----MALE----	1	-	1	4	6	7	1	5	2	-	-	-
FEMALE--	1	-	4	4	4	9	21	13	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	9	10	12	24	33	22	19	7	5	-	-
WHITE-----MALE----	3	2	3	3	9	9	5	3	2	-	-	-
FEMALE--	3	3	4	8	13	23	16	16	5	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	4	3	1	2	1	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	4	3	1	2	1	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,474

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
OHIO -----	236	-	-	-	-	-	1	1	2	5	6	12
WHITE-----MALE----	65	-	-	-	-	-	-	1	1	2	-	3
FEMALE--	148	-	-	-	-	-	1	-	-	2	3	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	2	4
OKLAHOMA -----	43	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	82	-	-	-	-	-	-	-	-	3	2	-
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	54	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	378	1	1	-	-	-	-	4	2	2	6	14
WHITE-----MALE----	110	1	-	-	-	-	-	-	1	-	3	7
FEMALE--	253	-	-	-	-	-	-	4	1	2	3	5
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	19	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	59	-	-	-	-	-	1	-	1	1	2	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,474

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
OHIO -----	8	13	13	23	39	31	40	27	12	3	-	-
WHITE-----MALE----	3	4	4	6	12	11	10	4	3	1	-	-
FEMALE--	3	7	9	16	26	19	28	20	8	2	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	1	3	1	-	-	-
BLACK---MALE----	1	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	1	3	1	-	-	-
OKLAHOMA -----	1	1	6	4	7	8	8	5	1	-	-	-
WHITE-----MALE----	-	-	2	2	2	4	2	2	-	-	-	-
FEMALE--	-	1	3	2	4	4	6	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	5	4	11	11	20	11	7	3	2	-
WHITE-----MALE----	1	2	1	2	2	4	4	4	-	1	-	-
FEMALE--	-	-	3	2	8	6	15	7	7	2	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	12	20	28	30	44	70	75	49	18	1	1	-
WHITE-----MALE----	7	6	10	12	13	21	17	10	2	-	-	-
FEMALE--	4	12	17	17	30	48	56	38	15	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	1	-
FEMALE--	1	2	-	1	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	1	-
FEMALE--	1	1	-	1	-	1	1	1	1	-	-	-
RHODE ISLAND -----	-	-	1	3	5	2	3	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	3	3	2	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	4	4	5	8	6	10	8	2	2	-	-
WHITE-----MALE----	-	-	1	1	3	2	2	2	-	1	-	-
FEMALE--	2	-	2	1	4	3	7	5	2	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	3	1	2	1	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	3	1	2	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,475

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
SOUTH DAKOTA -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	90	-	-	-	-	-	1	1	2	3	3	3
WHITE-----MALE----	26	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	54	-	-	-	-	-	1	-	1	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
TEXAS -----	216	-	-	-	-	-	1	2	5	4	6	3
WHITE-----MALE----	53	-	-	-	-	-	-	-	3	-	4	1
FEMALE--	142	-	-	-	-	-	1	1	2	2	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	1	-	2	-	-
UTAH -----	52	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	12	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	97	-	-	-	-	-	-	2	4	4	2	4
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	52	-	-	-	-	-	-	1	2	1	1	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,475

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
SOUTH DAKOTA -----	-	-	2	1	-	1	1	1	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	1	-	1	1	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	4	7	11	10	21	8	8	2	-	-	-
WHITE-----MALE----	2	1	3	4	2	6	1	1	1	-	-	-
FEMALE--	3	3	3	6	8	15	5	6	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	16	12	13	25	26	31	29	26	13	3	1	-
WHITE-----MALE----	5	1	4	8	5	7	8	5	1	1	-	-
FEMALE--	8	7	7	14	20	22	21	20	12	1	1	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	1	3	2	3	1	1	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	1	-	1	-	1	-	-
FEMALE--	1	3	2	3	1	1	-	-	-	-	-	-
UTAH -----	1	3	4	4	6	9	11	5	5	1	1	-
WHITE-----MALE----	-	2	-	1	-	2	4	-	-	1	-	-
FEMALE--	1	1	4	3	6	7	7	5	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	5	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	6	7	14	11	15	10	10	4	2	-	-
WHITE-----MALE----	2	2	2	6	2	2	4	3	1	-	-	-
FEMALE--	-	2	2	7	7	10	6	6	2	2	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	2	3	-	1	1	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	1	3	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,477

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
UNITED STATES --	2,486	1	1	1	2	4	21	32	32	50	78	98
WHITE-----MALE----	658	1	-	1	-	-	4	10	9	17	18	30
FEMALE--	1,588	-	-	-	2	3	13	14	14	23	40	45
ALL OTHER--MALE----	68	-	1	-	-	1	2	3	2	4	5	11
FEMALE--	172	-	-	-	-	-	2	5	7	6	15	12
BLACK---MALE----	57	-	-	-	-	1	2	3	2	4	5	7
FEMALE--	136	-	-	-	-	-	2	4	7	5	14	12
ALABAMA -----	38	-	-	-	-	-	1	1	1	-	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	30	-	-	-	-	-	-	1	-	-	1	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	20	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	28	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
CALIFORNIA -----	292	-	-	-	-	-	3	5	5	7	5	11
WHITE-----MALE----	75	-	-	-	-	-	1	1	-	3	1	3
FEMALE--	179	-	-	-	-	-	2	2	3	2	2	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	-	1	6
FEMALE--	26	-	-	-	-	-	-	1	2	2	1	-
BLACK---MALE----	5	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	11	-	-	-	-	-	-	1	2	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,477

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL VALVE (394)												
UNITED STATES --	113	129	183	223	332	397	376	259	117	29	8	-
WHITE-----MALE----	41	39	55	68	87	110	88	54	20	6	-	-
FEMALE--	50	69	103	132	221	266	276	195	94	21	7	-
ALL OTHER--MALE----	4	4	8	8	2	7	3	1	-	1	1	-
FEMALE--	18	17	17	15	22	14	9	9	3	1	-	-
BLACK---MALE----	4	3	7	7	2	6	3	-	-	-	1	-
FEMALE--	15	12	14	13	15	8	7	5	3	1	-	-
ALABAMA -----	1	3	4	3	7	5	3	6	1	1	-	-
WHITE-----MALE----	-	-	-	2	3	2	2	-	-	-	-	-
FEMALE--	-	2	3	1	3	3	1	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	1	-	-	-	-
ALASKA -----	-	1	-	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	-	4	4	2	2	4	2	-	-	-
WHITE-----MALE----	2	1	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	2	-	3	4	2	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	5	1	5	4	4	3	1	-	-	-
WHITE-----MALE----	-	1	2	-	3	2	2	-	-	-	-	-
FEMALE--	-	-	3	1	2	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	12	19	15	40	52	46	38	24	1	2	-
WHITE-----MALE----	1	4	8	7	10	12	9	10	5	-	-	-
FEMALE--	5	5	9	4	26	35	35	26	18	1	2	-
ALL OTHER--MALE----	-	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	2	4	5	2	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,478

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL VALVE (394)												
COLORADO -----	2	11	6	5	7	4	5	5	2	-	-	-
WHITE-----MALE----	1	3	2	3	2	2	3	-	-	-	-	-
FEMALE--	1	8	3	2	5	2	2	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	-	1	1	2	6	4	5	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	1	2	-	-	-	-
FEMALE--	2	-	-	1	1	6	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	2	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	5	9	15	25	33	27	16	11	2	-	-
WHITE-----MALE----	-	1	1	2	9	16	9	3	3	-	-	-
FEMALE--	4	4	7	13	14	17	17	13	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
GEORGIA -----	6	4	3	6	5	10	7	6	2	1	-	-
WHITE-----MALE----	2	1	-	2	3	2	3	1	-	-	-	-
FEMALE--	2	2	2	4	2	6	4	5	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,480

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
KENTUCKY -----	28	-	-	-	-	1	-	-	-	1	2	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	19	-	-	-	-	-	-	1	-	-	1	3
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
MAINE -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	42	-	-	-	-	-	-	-	-	3	1	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	49	-	-	-	-	-	-	1	1	1	1	1
WHITE-----MALE----	13	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	35	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	97	-	-	-	-	-	3	-	1	1	4	3
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	64	-	-	-	-	-	3	-	-	-	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,480

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL VALVE (394)												
KENTUCKY -----	1	2	3	3	3	3	4	3	2	-	-	-
WHITE-----MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	3	2	2	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	3	4	1	1	2	1	2	-	-	-
WHITE-----MALE----	-	-	2	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	1	-	-	-
MAINE -----	-	2	-	2	-	2	1	1	2	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	2	3	5	7	6	7	2	2	-	-
WHITE-----MALE----	1	-	-	2	1	2	1	4	-	-	-	-
FEMALE--	-	1	1	-	4	5	5	3	2	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	3	3	3	6	12	13	2	1	-	-
WHITE-----MALE----	1	-	-	1	2	2	1	3	1	-	-	-
FEMALE--	-	-	3	1	1	4	11	10	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	8	9	7	16	14	13	8	4	-	-	-
WHITE-----MALE----	2	2	3	1	3	4	2	-	1	-	-	-
FEMALE--	3	3	4	5	11	9	11	8	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	2	1	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	2	1	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,483

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
OHIO -----	136	-	-	-	-	-	1	1	1	2	6	10
WHITE-----MALE----	35	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	86	-	-	-	-	-	1	-	-	1	3	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	3
OKLAHOMA -----	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	33	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	214	1	1	-	-	-	-	3	2	2	5	13
WHITE-----MALE----	62	1	-	-	-	-	-	-	1	-	2	7
FEMALE--	143	-	-	-	-	-	-	3	1	2	3	5
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	32	-	-	-	-	-	1	-	1	1	2	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,483

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL VALVE (394)												
OHIO -----	6	8	8	12	22	21	23	7	5	3	-	-
WHITE-----MALE----	2	3	4	2	5	7	4	2	1	1	-	-
FEMALE--	3	4	4	9	17	13	17	4	4	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
OKLAHOMA -----	1	1	4	1	2	4	5	3	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	2	2	1	-	-	-	-
FEMALE--	-	1	2	1	1	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	2	2	2	6	9	2	3	1	1	-
WHITE-----MALE----	1	1	1	-	-	1	2	1	-	1	-	-
FEMALE--	-	-	1	2	1	4	7	1	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	13	18	17	25	39	38	16	10	1	1	-
WHITE-----MALE----	6	4	6	6	7	10	7	4	1	-	-	-
FEMALE--	3	7	11	11	17	29	29	12	9	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	-	-	1	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	1	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	3	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	3	3	4	5	2	4	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	1	-	1	1	3	3	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,484

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	44	-	-	-	-	-	1	1	1	2	1	2
WHITE-----MALE----	12	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	28	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	115	-	-	-	-	-	1	2	3	3	5	3
WHITE-----MALE----	27	-	-	-	-	-	-	-	2	-	3	1
FEMALE--	74	-	-	-	-	-	1	1	1	2	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	1	-	1	-	-
UTAH -----	19	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	58	-	-	-	-	-	-	1	4	1	1	3
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	33	-	-	-	-	-	-	1	2	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,484

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL VALVE (394)												
SOUTH DAKOTA -----	-	-	2	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	1	7	7	6	6	4	1	-	-	-
WHITE-----MALE----	2	-	-	3	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	3	6	5	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	10	7	9	15	14	16	15	7	5	-	-	-
WHITE-----MALE----	2	1	3	4	3	4	3	1	-	-	-	-
FEMALE--	5	4	5	8	10	11	12	6	5	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	3	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	3	1	-	-	-	-	-	-	-
UTAH -----	-	2	2	1	2	4	5	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	2	1	2	4	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	3	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	4	5	7	7	6	5	9	2	1	-	-
WHITE-----MALE----	2	2	1	3	2	-	1	3	1	-	-	-
FEMALE--	-	1	2	3	3	5	4	6	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,487

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF AORTIC VALVE (395)												
COLORADO -----	-	-	1	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	1	2	1	1	3	4	1	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	1	1	-	1	-	-
FEMALE--	-	-	-	2	-	-	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,495

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL AND AORTIC VALVES (396)												
UNITED STATES --	31	27	39	68	110	125	158	166	82	35	4	-
WHITE-----MALE----	10	12	13	33	33	42	52	40	18	4	-	-
FEMALE--	14	11	20	31	68	79	100	122	61	30	4	-
ALL OTHER--MALE----	4	2	2	-	1	-	4	1	1	-	-	-
FEMALE--	3	2	4	4	8	4	2	3	2	1	-	-
BLACK---MALE----	3	2	1	-	-	-	2	1	-	-	-	-
FEMALE--	3	2	2	4	7	3	1	3	2	1	-	-
ALABAMA -----	1	-	1	1	-	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	1	-	1	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	-	-	-	1	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	1	7	8	16	10	15	13	5	3	-	-
WHITE-----MALE----	1	-	3	4	5	-	5	2	1	1	-	-
FEMALE--	1	1	3	4	9	10	8	10	3	2	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,496

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL AND AORTIC VALVES (396)												
COLORADO -----	-	-	1	-	2	2	2	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	1	3	1	2	1	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	1	2	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	4	2	3	3	11	7	15	14	9	4	1	-
WHITE-----MALE----	-	-	1	3	1	2	6	6	2	1	-	-
FEMALE--	2	1	2	-	10	5	9	8	7	3	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	2	-	2	5	4	4	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	2	4	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,497

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL AND AORTIC VALVES (396)												
HAWAII -----	-	-	1	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	2	1	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	-	2	5	7	2	11	6	2	-	-	-
WHITE-----MALE----	-	-	1	1	2	1	4	2	-	-	-	-
FEMALE--	-	-	-	2	5	1	6	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
INDIANA -----	-	-	-	1	-	3	4	4	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	2	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	1	3	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	1	-	2	1	1	2	6	-	3	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	2	-	1	-	-
FEMALE--	-	-	-	2	-	1	2	4	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	2	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,502
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL AND AORTIC VALVES (396)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	1	2	1	4	1	1	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	-	1	-	-	-
FEMALE--	1	-	1	1	1	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	4	2	-	4	5	5	5	8	2	1	1	-
WHITE-----MALE----	3	-	-	1	1	1	1	3	1	-	-	-
FEMALE--	1	1	-	3	4	4	4	4	1	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	1	-	-	1	-	2	2	1	-	1	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	2	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	2	-	3	1	-	2	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,504

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
UNITED STATES --	1,190	-	-	-	-	1	2	1	4	17	20	23
WHITE-----MALE----	271	-	-	-	-	1	1	-	2	5	8	4
FEMALE--	786	-	-	-	-	-	1	1	1	3	7	6
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	97	-	-	-	-	-	-	-	1	7	3	10
BLACK---MALE----	22	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	75	-	-	-	-	-	-	-	1	6	2	8
ALABAMA -----	8	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	23	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	87	-	-	-	-	1	-	-	1	-	2	6
WHITE-----MALE----	16	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	4
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,507

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
KENTUCKY -----	2	2	1	2	1	4	6	5	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	2	1	1	1	-	4	6	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
LOUISIANA -----	-	-	-	1	-	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	-	1	-	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	1	2	2	3	5	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	-	2	6	3	3	7	3	-	-	-	-
WHITE-----MALE----	-	-	1	3	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	3	2	1	7	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	1	1	3	5	13	5	5	1	2	-	-
WHITE-----MALE----	1	-	-	1	3	3	1	2	1	-	-	-
FEMALE--	-	-	-	2	2	10	3	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,510

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
OHIO -----	-	3	3	6	9	6	6	8	1	-	-	-
WHITE-----MALE----	-	1	-	1	4	2	2	-	-	-	-	-
FEMALE--	-	1	3	5	5	4	4	7	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
OKLAHOMA -----	-	-	1	1	4	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	-	4	2	10	5	2	1	1	-
WHITE-----MALE----	-	-	-	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	1	-	3	1	7	3	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	1	5	4	7	12	20	18	7	4	-	-	-
WHITE-----MALE----	-	1	1	2	4	5	1	1	-	-	-	-
FEMALE--	1	4	3	4	8	14	17	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
RHODE ISLAND -----	-	-	1	2	1	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	3	1	2	4	1	5	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	3	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	4	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,511

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	29	-	-	-	-	-	-	-	1	1	2	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
TEXAS -----	54	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
UTAH -----	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	28	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,511

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	4	2	2	11	-	2	-	-	-	-
WHITE-----MALE----	-	-	3	-	1	4	-	1	-	-	-	-
FEMALE--	1	2	1	2	1	7	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	3	3	6	6	8	7	11	6	1	-	-
WHITE-----MALE----	-	-	1	3	-	1	2	1	-	-	-	-
FEMALE--	2	2	2	3	6	6	5	10	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
UTAH -----	-	-	2	3	3	3	4	2	3	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	-	1	-	-
FEMALE--	-	-	2	2	3	3	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	1	5	4	6	4	1	-	1	-	-
WHITE-----MALE----	-	-	-	2	-	2	3	-	-	-	-	-
FEMALE--	-	1	-	3	4	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,513

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
UNITED STATES --	44,435	13	1	1	3	9	26	100	182	458	838	1,362
WHITE-----MALE----	12,997	3	-	-	1	3	9	26	52	172	291	523
FEMALE--	19,516	4	-	1	-	2	2	8	19	42	88	162
ALL OTHER--MALE----	5,462	4	-	-	-	2	11	40	70	143	281	406
FEMALE--	6,460	2	1	-	2	2	4	26	41	101	178	271
BLACK---MALE----	5,032	4	-	-	-	2	11	36	62	133	266	389
FEMALE--	6,005	2	1	-	2	1	4	25	40	98	174	264
ALABAMA -----	780	-	-	-	-	-	-	2	4	9	18	39
WHITE-----MALE----	178	-	-	-	-	-	-	1	2	2	1	10
FEMALE--	250	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	162	-	-	-	-	-	-	1	1	5	9	21
FEMALE--	190	-	-	-	-	-	-	-	1	2	6	5
BLACK---MALE----	162	-	-	-	-	-	-	1	1	5	9	21
FEMALE--	190	-	-	-	-	-	-	-	1	2	6	5
ALASKA -----	28	-	-	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	492	-	-	-	-	-	-	1	1	3	7	5
WHITE-----MALE----	192	-	-	-	-	-	-	1	-	2	4	4
FEMALE--	262	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	2	-
ARKANSAS -----	321	-	-	-	-	-	-	2	2	9	6	13
WHITE-----MALE----	82	-	-	-	-	-	-	-	1	1	3	4
FEMALE--	148	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	38	-	-	-	-	-	-	1	-	4	1	4
FEMALE--	53	-	-	-	-	-	-	1	1	2	1	3
BLACK---MALE----	36	-	-	-	-	-	-	1	-	4	1	4
FEMALE--	51	-	-	-	-	-	-	1	1	2	1	3
CALIFORNIA -----	5,535	-	-	-	-	2	3	14	28	55	72	175
WHITE-----MALE----	1,767	-	-	-	-	1	2	4	12	27	22	68
FEMALE--	2,499	-	-	-	-	-	1	1	3	4	15	39
ALL OTHER--MALE----	565	-	-	-	-	-	-	6	9	12	22	41
FEMALE--	704	-	-	-	-	1	-	3	4	12	13	27
BLACK---MALE----	378	-	-	-	-	-	-	4	7	8	16	35
FEMALE--	499	-	-	-	-	-	-	2	4	10	13	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,513

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
UNITED STATES --	1,700	2,014	2,611	3,258	4,546	5,776	6,905	7,067	5,044	2,026	490	5
WHITE-----MALE----	662	790	981	1,161	1,621	1,875	1,952	1,659	932	243	41	-
FEMALE--	277	340	528	908	1,569	2,448	3,601	4,245	3,426	1,498	346	2
ALL OTHER--MALE----	482	522	582	634	621	620	483	323	165	54	18	1
FEMALE--	279	362	520	555	735	833	869	840	521	231	85	2
BLACK---MALE----	448	504	550	599	566	564	418	280	141	41	17	1
FEMALE--	271	347	489	517	675	778	793	760	479	208	75	2
ALABAMA -----	36	36	48	53	85	93	112	119	81	33	12	-
WHITE-----MALE----	8	11	15	14	22	25	24	24	14	5	-	-
FEMALE--	3	3	6	16	20	25	45	55	44	21	7	-
ALL OTHER--MALE----	15	13	14	12	23	16	14	14	4	-	-	-
FEMALE--	10	9	13	11	20	27	29	26	19	7	5	-
BLACK---MALE----	15	13	14	12	23	16	14	14	4	-	-	-
FEMALE--	10	9	13	11	20	27	29	26	19	7	5	-
ALASKA -----	1	1	2	1	5	6	2	4	-	-	-	-
WHITE-----MALE----	-	1	1	-	2	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	5	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ARIZONA -----	13	14	23	32	60	63	84	94	71	20	1	-
WHITE-----MALE----	7	11	14	15	30	23	25	35	17	4	-	-
FEMALE--	1	2	7	13	28	33	54	57	49	15	1	-
ALL OTHER--MALE----	5	-	2	2	2	3	1	1	1	1	-	-
FEMALE--	-	1	-	2	-	4	4	1	4	-	-	-
BLACK---MALE----	4	-	2	2	1	1	1	1	-	1	-	-
FEMALE--	-	-	-	1	-	3	2	-	3	-	-	-
ARKANSAS -----	11	12	21	17	24	43	40	67	37	13	4	-
WHITE-----MALE----	6	4	7	7	10	12	7	12	7	1	-	-
FEMALE--	1	1	5	7	9	18	24	43	23	10	2	-
ALL OTHER--MALE----	2	4	4	1	2	6	-	4	3	1	1	-
FEMALE--	2	3	5	2	3	7	9	8	4	1	1	-
BLACK---MALE----	2	4	3	1	2	6	-	4	2	1	1	-
FEMALE--	2	3	4	2	3	6	9	8	4	1	1	-
CALIFORNIA -----	177	215	314	359	615	740	884	926	610	267	78	1
WHITE-----MALE----	76	95	129	143	232	264	272	244	134	34	8	-
FEMALE--	33	46	63	113	237	306	433	549	398	198	59	1
ALL OTHER--MALE----	45	39	62	54	65	76	63	42	20	9	-	-
FEMALE--	23	35	60	49	81	94	116	91	58	26	11	-
BLACK---MALE----	32	32	50	38	44	52	28	22	10	-	-	-
FEMALE--	21	30	49	33	53	72	79	54	34	12	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,514

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
COLORADO -----	286	-	-	-	-	-	-	-	1	1	1	7
WHITE-----MALE----	98	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	159	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	458	-	-	-	-	-	-	1	2	4	12	12
WHITE-----MALE----	159	-	-	-	-	-	-	1	-	2	7	6
FEMALE--	227	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	37	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	35	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	35	-	-	-	-	-	-	-	1	1	2	2
DELAWARE -----	139	-	-	-	-	-	-	-	1	-	6	5
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	351	-	-	-	-	-	-	1	3	9	13	12
WHITE-----MALE----	19	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	159	-	-	-	-	-	-	-	-	7	10	8
FEMALE--	150	-	-	-	-	-	-	1	2	2	3	4
BLACK---MALE----	158	-	-	-	-	-	-	-	-	7	10	8
FEMALE--	148	-	-	-	-	-	-	1	2	2	3	4
FLORIDA -----	3,384	2	-	-	-	-	1	5	12	30	68	93
WHITE-----MALE----	1,225	1	-	-	-	-	-	1	4	6	26	40
FEMALE--	1,463	-	-	-	-	-	-	1	1	4	7	12
ALL OTHER--MALE----	311	1	-	-	-	-	-	2	3	8	22	25
FEMALE--	385	-	-	-	-	-	1	1	4	12	13	16
BLACK---MALE----	301	1	-	-	-	-	-	2	2	8	22	25
FEMALE--	382	-	-	-	-	-	1	1	4	12	13	15
GEORGIA -----	1,272	1	-	-	-	-	3	4	2	17	36	43
WHITE-----MALE----	243	1	-	-	-	-	-	1	1	5	6	11
FEMALE--	358	-	-	-	-	-	1	1	-	-	5	-
ALL OTHER--MALE----	281	-	-	-	-	-	1	2	-	6	18	19
FEMALE--	390	-	-	-	-	-	1	-	1	6	7	13
BLACK---MALE----	280	-	-	-	-	-	1	2	-	6	18	19
FEMALE--	386	-	-	-	-	-	1	-	1	6	7	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,514

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
COLORADO -----	8	6	16	9	37	41	44	54	38	19	4	-
WHITE-----MALE----	3	3	10	3	9	16	22	17	6	4	-	-
FEMALE--	2	2	2	3	25	21	20	35	31	15	3	-
ALL OTHER--MALE----	1	-	2	3	3	1	2	-	1	-	-	-
FEMALE--	2	1	2	-	-	3	-	2	-	-	1	-
BLACK---MALE----	1	-	2	3	3	-	1	-	1	-	-	-
FEMALE--	1	1	1	-	-	3	-	2	-	-	-	-
CONNECTICUT -----	18	22	29	34	34	60	84	69	52	19	6	-
WHITE-----MALE----	8	10	9	14	20	23	29	20	9	-	1	-
FEMALE--	4	4	11	11	9	32	45	47	40	15	5	-
ALL OTHER--MALE----	4	7	6	5	1	1	5	-	-	1	-	-
FEMALE--	2	1	3	4	4	4	5	2	3	3	-	-
BLACK---MALE----	4	7	6	5	1	1	5	-	-	1	-	-
FEMALE--	1	1	3	4	3	4	5	2	3	3	-	-
DELAWARE -----	6	4	7	10	11	19	21	21	19	7	2	-
WHITE-----MALE----	2	-	3	6	5	4	6	6	3	-	-	-
FEMALE--	-	2	1	1	3	11	9	14	15	7	1	-
ALL OTHER--MALE----	1	1	2	3	2	1	2	1	1	-	-	-
FEMALE--	3	1	1	-	1	3	4	-	-	-	1	-
BLACK---MALE----	1	1	2	3	2	1	2	1	1	-	-	-
FEMALE--	3	1	1	-	1	3	4	-	-	-	1	-
DISTRICT OF COLUMBIA ----	23	27	49	42	38	41	32	29	17	11	4	-
WHITE-----MALE----	3	-	2	2	2	2	1	2	3	1	-	-
FEMALE--	3	-	-	1	2	3	1	6	4	2	1	-
ALL OTHER--MALE----	10	18	25	27	17	20	9	5	3	-	-	-
FEMALE--	7	9	22	12	17	16	21	16	7	8	3	-
BLACK---MALE----	10	18	25	27	17	20	8	5	3	-	-	-
FEMALE--	7	9	22	12	17	16	21	15	7	7	3	-
FLORIDA -----	130	132	200	237	345	478	534	549	392	145	31	-
WHITE-----MALE----	71	57	87	102	150	187	200	176	88	24	5	-
FEMALE--	27	30	39	61	125	213	250	304	260	107	22	-
ALL OTHER--MALE----	24	21	34	36	26	35	34	24	12	1	3	-
FEMALE--	8	24	40	38	44	43	50	45	32	13	1	-
BLACK---MALE----	24	21	34	35	24	34	34	22	9	1	3	-
FEMALE--	8	24	39	38	43	43	50	45	32	13	1	-
GEORGIA -----	88	87	88	122	127	156	169	160	117	38	14	-
WHITE-----MALE----	20	34	11	28	23	35	29	22	15	1	-	-
FEMALE--	6	6	13	23	35	40	63	75	63	21	6	-
ALL OTHER--MALE----	34	23	30	38	35	29	26	12	4	4	-	-
FEMALE--	28	24	34	33	34	52	51	51	35	12	8	-
BLACK---MALE----	34	23	29	38	35	29	26	12	4	4	-	-
FEMALE--	28	23	34	32	34	52	50	50	35	12	8	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,515

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
HAWAII -----	5	8	7	8	19	18	19	31	12	7	3	-
WHITE-----MALE----	-	2	1	1	2	4	1	2	-	1	-	-
FEMALE--	-	-	-	1	1	2	3	3	2	2	-	-
ALL OTHER--MALE----	4	5	1	4	10	8	9	13	3	1	1	-
FEMALE--	1	1	5	2	6	4	6	13	7	3	2	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	6	6	6	12	11	22	32	24	7	3	-
WHITE-----MALE----	1	2	5	5	6	3	8	9	6	2	-	-
FEMALE--	-	4	1	1	5	8	13	22	17	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ILLINOIS -----	88	77	125	129	190	239	293	303	223	89	18	-
WHITE-----MALE----	22	21	37	35	62	79	76	64	36	10	1	-
FEMALE--	9	9	17	33	55	96	157	188	162	73	14	-
ALL OTHER--MALE----	36	26	34	35	28	24	23	21	6	1	2	-
FEMALE--	21	21	37	26	45	40	37	30	19	5	1	-
BLACK---MALE----	35	26	32	35	28	22	21	21	6	1	2	-
FEMALE--	21	21	37	24	44	38	37	27	18	5	1	-
INDIANA -----	17	14	24	46	70	112	131	138	94	36	12	-
WHITE-----MALE----	5	6	8	13	22	39	34	28	15	5	1	-
FEMALE--	5	4	7	22	35	60	70	94	74	28	8	-
ALL OTHER--MALE----	4	4	5	10	6	4	7	6	2	-	2	-
FEMALE--	3	-	4	1	7	9	20	10	3	3	1	-
BLACK---MALE----	4	4	5	10	6	4	7	6	2	-	2	-
FEMALE--	3	-	4	1	7	9	19	10	3	3	1	-
IOWA -----	11	14	20	22	26	43	89	87	89	31	6	-
WHITE-----MALE----	10	11	10	8	10	23	34	21	21	8	1	-
FEMALE--	1	1	8	14	13	19	55	65	67	23	5	-
ALL OTHER--MALE----	-	2	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	2	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
KANSAS -----	2	8	11	11	24	33	48	60	52	15	4	-
WHITE-----MALE----	1	4	7	3	9	8	14	16	11	3	-	-
FEMALE--	1	3	2	4	11	23	29	40	37	11	4	-
ALL OTHER--MALE----	-	1	2	2	1	-	3	-	2	-	-	-
FEMALE--	-	-	-	2	3	2	2	4	2	1	-	-
BLACK---MALE----	-	1	2	2	1	-	3	-	2	-	-	-
FEMALE--	-	-	-	2	3	2	1	4	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,516

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
KENTUCKY -----	490	-	-	-	-	-	-	5	4	5	13	13
WHITE-----MALE----	148	-	-	-	-	-	-	1	1	3	8	9
FEMALE--	264	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	40	-	-	-	-	-	-	3	1	2	2	1
FEMALE--	38	-	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	40	-	-	-	-	-	-	3	1	2	2	1
FEMALE--	37	-	-	-	-	-	-	1	1	-	1	1
LOUISIANA -----	1,323	1	-	-	-	-	-	2	6	10	31	45
WHITE-----MALE----	282	-	-	-	-	-	-	-	-	4	9	11
FEMALE--	424	-	-	-	-	-	-	-	-	-	1	6
ALL OTHER--MALE----	287	1	-	-	-	-	-	-	5	5	15	14
FEMALE--	330	-	-	-	-	-	-	2	1	1	6	14
BLACK---MALE----	284	1	-	-	-	-	-	-	5	5	15	14
FEMALE--	328	-	-	-	-	-	-	2	1	1	6	14
MAINE -----	146	1	-	-	-	1	-	-	-	3	4	2
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	2	4	2
FEMALE--	85	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,002	-	-	-	-	-	2	3	3	8	26	41
WHITE-----MALE----	249	-	-	-	-	-	-	1	-	1	5	11
FEMALE--	306	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	224	-	-	-	-	-	2	2	2	3	12	17
FEMALE--	223	-	-	-	-	-	-	-	1	4	8	12
BLACK---MALE----	219	-	-	-	-	-	2	2	2	3	12	17
FEMALE--	216	-	-	-	-	-	-	-	1	4	8	12
MASSACHUSETTS -----	650	-	-	-	1	-	-	-	2	5	8	17
WHITE-----MALE----	215	-	-	-	1	-	-	-	2	3	5	7
FEMALE--	376	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	33	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	1
MICHIGAN -----	1,612	1	-	-	-	-	-	3	7	19	35	55
WHITE-----MALE----	516	1	-	-	-	-	-	2	2	8	13	15
FEMALE--	723	-	-	-	-	-	-	-	1	3	4	5
ALL OTHER--MALE----	179	-	-	-	-	-	-	-	3	5	9	21
FEMALE--	194	-	-	-	-	-	-	1	1	3	9	14
BLACK---MALE----	177	-	-	-	-	-	-	-	3	5	9	20
FEMALE--	191	-	-	-	-	-	-	1	1	3	9	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,516

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
KENTUCKY -----	7	21	24	34	46	66	82	74	65	23	8	-
WHITE-----MALE----	5	10	5	10	23	22	22	16	9	3	1	-
FEMALE--	1	6	16	20	12	37	51	45	49	17	5	-
ALL OTHER--MALE----	1	4	2	3	7	4	6	2	1	-	1	-
FEMALE--	-	1	1	1	4	3	3	11	6	3	1	-
BLACK---MALE----	1	4	2	3	7	4	6	2	1	-	1	-
FEMALE--	-	1	1	1	4	3	3	10	6	3	1	-
LOUISIANA -----	47	82	85	125	128	166	211	179	134	52	19	-
WHITE-----MALE----	9	17	24	26	30	42	53	32	20	3	2	-
FEMALE--	5	8	16	21	26	45	92	92	70	34	8	-
ALL OTHER--MALE----	17	34	25	38	36	37	25	20	11	4	-	-
FEMALE--	16	23	20	40	36	42	41	35	33	11	9	-
BLACK---MALE----	17	34	25	38	35	37	23	20	11	4	-	-
FEMALE--	16	22	20	40	36	42	40	35	33	11	9	-
MAINE -----	4	2	7	11	15	13	26	25	15	13	4	-
WHITE-----MALE----	2	2	5	6	10	4	10	7	4	-	1	-
FEMALE--	2	-	2	4	5	9	16	18	11	13	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MARYLAND -----	47	69	80	83	102	123	157	121	85	41	8	3
WHITE-----MALE----	11	16	23	23	33	34	32	38	16	4	1	-
FEMALE--	6	3	5	17	28	33	73	53	52	28	5	1
ALL OTHER--MALE----	17	32	30	29	23	27	21	1	3	2	-	1
FEMALE--	13	18	22	14	18	29	31	29	14	7	2	1
BLACK---MALE----	17	32	29	27	21	27	21	1	3	2	-	1
FEMALE--	13	17	22	14	16	28	29	28	14	7	2	1
MASSACHUSETTS -----	21	26	29	36	57	73	116	106	93	47	13	-
WHITE-----MALE----	11	13	21	14	23	28	40	23	17	7	-	-
FEMALE--	5	6	7	14	28	39	68	81	72	38	12	-
ALL OTHER--MALE----	3	3	-	4	3	4	2	-	-	-	1	-
FEMALE--	2	4	1	4	3	2	6	2	4	2	-	-
BLACK---MALE----	1	3	-	4	2	4	1	-	-	-	1	-
FEMALE--	2	4	-	4	3	1	4	2	1	2	-	-
MICHIGAN -----	92	72	94	117	163	207	272	228	161	77	9	-
WHITE-----MALE----	37	37	43	46	69	69	90	44	26	13	1	-
FEMALE--	15	7	20	39	57	94	143	150	122	56	7	-
ALL OTHER--MALE----	24	16	19	14	15	22	14	10	4	3	-	-
FEMALE--	16	12	12	18	22	22	25	24	9	5	1	-
BLACK---MALE----	23	16	19	14	15	22	14	10	4	3	-	-
FEMALE--	16	12	11	18	21	21	25	24	9	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,517

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
MINNESOTA -----	564	-	-	-	-	-	-	-	5	2	6	7
WHITE-----MALE----	192	-	-	-	-	-	-	-	1	2	5	4
FEMALE--	348	-	-	-	-	-	-	-	2	-	-	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	807	1	-	-	1	-	2	1	4	12	23	32
WHITE-----MALE----	121	-	-	-	-	-	1	1	-	4	2	8
FEMALE--	265	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	172	1	-	-	-	-	1	-	3	4	13	13
FEMALE--	249	-	-	-	1	-	-	-	1	3	6	8
BLACK---MALE----	172	1	-	-	-	-	1	-	3	4	13	13
FEMALE--	247	-	-	-	1	-	-	-	1	3	6	8
MISSOURI -----	852	2	-	-	1	-	-	3	6	11	18	29
WHITE-----MALE----	232	-	-	-	-	-	-	1	2	4	9	12
FEMALE--	387	1	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	113	-	-	-	-	-	-	1	1	3	5	12
FEMALE--	120	1	-	-	1	-	-	1	3	1	4	4
BLACK---MALE----	113	-	-	-	-	-	-	1	1	3	5	12
FEMALE--	120	1	-	-	1	-	-	1	3	1	4	4
MONTANA -----	70	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	167	-	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	99	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	466	-	-	-	-	-	-	2	3	3	7	19
WHITE-----MALE----	210	-	-	-	-	-	-	1	1	1	2	11
FEMALE--	184	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	32	-	-	-	-	-	-	1	1	-	2	2
BLACK---MALE----	33	-	-	-	-	-	-	-	1	2	-	3
FEMALE--	26	-	-	-	-	-	-	1	1	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,517

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
MINNESOTA -----	9	18	22	34	48	65	95	102	89	43	19	-
WHITE-----MALE----	3	13	15	23	20	28	31	24	16	4	3	-
FEMALE--	2	4	5	9	23	36	60	76	73	39	16	-
ALL OTHER--MALE----	4	-	1	2	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	4	2	-	-	-	-
BLACK---MALE----	2	-	-	2	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	2	-	-	-	-	-
MISSISSIPPI -----	28	37	34	54	87	92	106	141	106	37	9	-
WHITE-----MALE----	6	8	7	17	15	14	10	13	12	3	-	-
FEMALE--	4	6	4	6	19	27	46	69	60	15	3	-
ALL OTHER--MALE----	12	12	13	16	22	19	16	15	8	2	2	-
FEMALE--	6	11	10	15	31	32	34	44	26	17	4	-
BLACK---MALE----	12	12	13	16	22	19	16	15	8	2	2	-
FEMALE--	6	11	10	15	29	32	34	44	26	17	4	-
MISSOURI -----	29	40	47	62	96	112	103	127	111	52	3	-
WHITE-----MALE----	11	16	17	16	26	39	30	28	16	5	-	-
FEMALE--	7	3	13	14	36	44	60	83	79	40	3	-
ALL OTHER--MALE----	7	13	9	20	18	10	5	5	4	-	-	-
FEMALE--	4	8	8	12	16	19	8	11	12	7	-	-
BLACK---MALE----	7	13	9	20	18	10	5	5	4	-	-	-
FEMALE--	4	8	8	12	16	19	8	11	12	7	-	-
MONTANA -----	3	2	4	4	11	4	12	11	13	2	1	-
WHITE-----MALE----	1	1	2	3	4	4	3	4	6	-	-	-
FEMALE--	2	1	1	1	6	-	9	7	7	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	2	3	9	17	21	21	35	30	15	3	-
WHITE-----MALE----	2	1	2	4	10	10	4	8	9	1	-	-
FEMALE--	3	-	1	4	6	9	15	24	20	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	1	-	1	1	-	2	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	3	-	-	-	-
NEVADA -----	31	33	46	63	74	58	49	54	18	5	1	-
WHITE-----MALE----	16	23	24	35	42	15	18	19	2	-	-	-
FEMALE--	12	4	11	18	22	35	25	30	16	5	1	-
ALL OTHER--MALE----	1	6	8	6	3	3	5	1	-	-	-	-
FEMALE--	2	-	3	4	7	5	1	4	-	-	-	-
BLACK---MALE----	1	5	7	5	2	3	4	-	-	-	-	-
FEMALE--	2	-	3	2	7	2	-	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,519

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
OHIO -----	1,920	1	-	-	-	1	2	5	6	16	32	51
WHITE-----MALE----	536	-	-	-	-	-	-	1	-	7	13	20
FEMALE--	954	1	-	-	-	-	-	-	-	-	4	10
ALL OTHER--MALE----	195	-	-	-	-	1	1	2	5	4	10	13
FEMALE--	235	-	-	-	-	-	1	2	1	5	5	8
BLACK---MALE----	192	-	-	-	-	1	1	2	5	4	10	13
FEMALE--	233	-	-	-	-	-	1	2	1	5	5	8
OKLAHOMA -----	439	-	-	-	-	-	-	-	-	1	3	11
WHITE-----MALE----	104	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	261	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	431	-	-	-	-	-	-	-	1	1	2	6
WHITE-----MALE----	142	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	276	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	1,616	-	-	-	-	-	-	2	6	9	21	35
WHITE-----MALE----	465	-	-	-	-	-	-	1	2	4	11	17
FEMALE--	873	-	-	-	-	-	-	-	3	2	2	4
ALL OTHER--MALE----	115	-	-	-	-	-	-	-	1	2	2	8
FEMALE--	163	-	-	-	-	-	-	1	-	1	6	6
BLACK---MALE----	112	-	-	-	-	-	-	-	1	2	2	8
FEMALE--	158	-	-	-	-	-	-	1	-	1	6	6
RHODE ISLAND -----	163	-	-	-	-	-	-	-	-	3	5	4
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	3	2	4
FEMALE--	90	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	685	-	-	-	-	-	1	1	3	5	13	18
WHITE-----MALE----	143	-	-	-	-	-	1	-	1	-	2	6
FEMALE--	202	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	146	-	-	-	-	-	-	1	1	1	6	7
FEMALE--	194	-	-	-	-	-	-	-	1	4	5	4
BLACK---MALE----	145	-	-	-	-	-	-	1	1	1	6	7
FEMALE--	193	-	-	-	-	-	-	-	1	4	5	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,519

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
OHIO -----	50	93	85	146	200	269	299	324	227	93	20	-
WHITE-----MALE----	17	42	28	46	70	91	95	60	35	10	1	-
FEMALE--	13	20	27	49	77	117	164	216	168	73	15	-
ALL OTHER--MALE----	10	15	14	30	24	25	16	16	7	1	1	-
FEMALE--	10	16	16	21	29	36	24	32	17	9	3	-
BLACK---MALE----	10	15	14	30	23	24	15	16	7	1	1	-
FEMALE--	10	16	15	21	29	35	24	32	17	9	3	-
OKLAHOMA -----	10	8	21	31	42	49	63	90	74	29	7	-
WHITE-----MALE----	6	5	8	11	16	11	10	15	10	-	2	-
FEMALE--	2	2	6	10	15	28	45	66	56	26	5	-
ALL OTHER--MALE----	2	-	4	5	4	3	5	2	2	1	-	-
FEMALE--	-	1	3	5	7	7	3	7	6	2	-	-
BLACK---MALE----	2	-	3	4	2	-	3	2	2	1	-	-
FEMALE--	-	1	2	4	7	7	3	6	5	2	-	-
OREGON -----	12	14	11	15	44	59	84	91	61	25	5	-
WHITE-----MALE----	8	9	10	5	11	24	25	26	18	-	-	-
FEMALE--	3	3	1	9	31	33	55	65	43	25	5	-
ALL OTHER--MALE----	1	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	3	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	47	38	69	99	151	218	285	306	207	103	20	-
WHITE-----MALE----	15	11	29	46	55	71	78	75	37	8	5	-
FEMALE--	14	13	16	30	59	103	186	200	150	80	11	-
ALL OTHER--MALE----	11	9	12	13	16	19	7	9	3	1	2	-
FEMALE--	7	5	12	10	21	25	14	22	17	14	2	-
BLACK---MALE----	11	9	12	13	15	18	7	9	3	-	2	-
FEMALE--	7	4	12	9	21	23	14	21	17	14	2	-
RHODE ISLAND -----	2	8	4	11	12	16	30	29	28	9	2	-
WHITE-----MALE----	-	5	3	7	6	6	15	5	9	1	-	-
FEMALE--	2	2	1	3	6	9	13	24	19	7	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	35	40	39	61	74	108	106	108	52	19	2	-
WHITE-----MALE----	7	10	10	11	20	26	20	23	6	-	-	-
FEMALE--	2	6	11	13	19	34	37	41	29	8	1	-
ALL OTHER--MALE----	17	11	10	25	13	22	13	11	4	4	-	-
FEMALE--	9	13	8	12	22	26	36	33	13	7	1	-
BLACK---MALE----	17	11	10	25	13	21	13	11	4	4	-	-
FEMALE--	9	13	8	12	21	26	36	33	13	7	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,520

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
SOUTH DAKOTA -----	48	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,177	1	-	-	-	-	1	2	10	17	27	49
WHITE-----MALE----	286	-	-	-	-	-	-	-	3	3	6	9
FEMALE--	476	-	-	-	-	-	-	-	2	-	2	5
ALL OTHER--MALE----	173	-	-	-	-	-	1	1	5	8	12	20
FEMALE--	242	1	-	-	-	-	-	1	-	6	7	15
BLACK---MALE----	172	-	-	-	-	-	1	1	5	8	12	20
FEMALE--	239	1	-	-	-	-	-	1	-	6	7	15
TEXAS -----	2,991	2	-	-	-	1	-	7	9	34	46	109
WHITE-----MALE----	906	-	-	-	-	1	-	2	2	19	20	44
FEMALE--	1,313	1	-	-	-	-	-	1	-	2	6	14
ALL OTHER--MALE----	327	1	-	-	-	-	-	1	4	7	12	22
FEMALE--	445	-	-	-	-	-	-	3	3	6	8	29
BLACK---MALE----	314	1	-	-	-	-	-	1	3	7	12	22
FEMALE--	432	-	-	-	-	-	-	3	3	6	8	29
UTAH -----	155	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	94	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	76	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	819	-	-	-	-	1	-	-	5	7	16	18
WHITE-----MALE----	176	-	-	-	-	-	-	-	1	3	4	4
FEMALE--	326	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	145	-	-	-	-	1	-	-	1	2	10	10
FEMALE--	172	-	-	-	-	-	-	-	2	2	2	4
BLACK---MALE----	140	-	-	-	-	1	-	-	1	2	10	10
FEMALE--	165	-	-	-	-	-	-	-	2	2	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,520

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
SOUTH DAKOTA -----	1	-	-	-	5	4	9	14	10	5	-	-
WHITE-----MALE----	1	-	-	-	2	1	3	4	2	2	-	-
FEMALE--	-	-	-	-	3	2	5	9	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	56	60	60	75	118	125	171	198	153	44	10	-
WHITE-----MALE----	14	15	16	26	49	30	42	40	25	8	-	-
FEMALE--	9	8	14	17	30	56	93	113	96	27	4	-
ALL OTHER--MALE----	15	19	15	13	11	15	14	11	8	4	1	-
FEMALE--	18	18	15	19	28	24	22	34	24	5	5	-
BLACK---MALE----	15	19	15	13	11	15	14	10	8	4	1	-
FEMALE--	18	18	14	18	28	24	22	33	24	5	5	-
TEXAS -----	115	148	197	233	284	409	455	460	322	131	28	1
WHITE-----MALE----	60	66	63	95	95	143	118	100	60	17	1	-
FEMALE--	13	23	51	58	104	177	248	288	214	93	20	-
ALL OTHER--MALE----	29	38	46	40	36	28	28	18	13	3	1	-
FEMALE--	13	21	37	40	49	61	61	54	35	18	6	1
BLACK---MALE----	28	35	45	38	35	26	27	18	12	3	1	-
FEMALE--	13	21	36	40	47	56	61	51	35	17	5	1
UTAH -----	4	5	6	8	18	19	32	23	30	7	-	-
WHITE-----MALE----	4	4	3	4	8	4	15	7	9	1	-	-
FEMALE--	-	1	3	4	10	15	17	16	21	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	3	3	6	8	6	12	14	9	7	-	-
WHITE-----MALE----	3	1	3	3	6	3	7	2	4	1	-	-
FEMALE--	1	2	-	3	2	3	5	12	5	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	39	57	65	78	112	136	127	96	31	11	-
WHITE-----MALE----	5	14	16	24	21	26	22	22	9	4	1	-
FEMALE--	3	6	10	15	18	41	76	67	62	18	9	-
ALL OTHER--MALE----	9	13	18	10	17	24	13	12	4	1	-	-
FEMALE--	3	6	13	16	22	21	25	26	21	8	1	-
BLACK---MALE----	8	12	17	10	16	24	13	12	3	1	-	-
FEMALE--	2	6	13	16	21	21	23	26	20	7	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,522

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ESSENTIAL HYPERTENSION (401)												
UNITED STATES --	8,263	9	-	-	2	2	1	8	14	59	89	160
WHITE-----MALE----	2,230	2	-	-	1	-	-	3	3	26	31	62
FEMALE--	4,278	3	-	-	-	2	-	1	-	8	13	23
ALL OTHER--MALE----	709	3	-	-	-	-	-	2	7	15	23	45
FEMALE--	1,046	1	-	-	1	-	1	2	4	10	22	30
BLACK---MALE----	630	3	-	-	-	-	-	2	6	13	22	42
FEMALE--	957	1	-	-	1	-	1	2	4	10	21	28
ALABAMA -----	197	-	-	-	-	-	-	1	1	2	3	11
WHITE-----MALE----	51	-	-	-	-	-	-	1	1	1	-	5
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	47	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	42	-	-	-	-	-	-	-	-	1	2	4
FEMALE--	47	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	109	-	-	-	-	-	-	-	-	3	1	2
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	66	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	84	-	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	967	-	-	-	-	-	-	1	2	7	5	13
WHITE-----MALE----	278	-	-	-	-	-	-	1	-	2	1	5
FEMALE--	490	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	86	-	-	-	-	-	-	-	1	2	3	3
FEMALE--	113	-	-	-	-	-	-	-	1	3	-	-
BLACK---MALE----	49	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	79	-	-	-	-	-	-	-	1	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,522

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
UNITED STATES --	209	283	417	539	867	1,071	1,399	1,472	1,067	464	131	-
WHITE-----MALE----	90	115	167	195	299	322	375	299	180	54	6	-
FEMALE--	44	69	106	177	368	520	777	958	768	343	98	-
ALL OTHER--MALE----	43	60	63	88	91	94	83	51	26	12	3	-
FEMALE--	32	39	81	79	109	135	164	164	93	55	24	-
BLACK---MALE----	38	59	58	84	83	80	64	45	21	7	3	-
FEMALE--	32	37	74	70	103	119	149	145	86	51	23	-
ALABAMA -----	15	7	20	8	19	23	26	31	13	11	6	-
WHITE-----MALE----	4	1	7	2	5	5	9	6	2	2	-	-
FEMALE--	2	2	1	1	4	7	5	15	8	6	4	-
ALL OTHER--MALE----	5	3	5	3	5	6	4	4	-	-	-	-
FEMALE--	4	1	7	2	5	5	8	6	3	3	2	-
BLACK---MALE----	5	3	5	3	5	6	4	4	-	-	-	-
FEMALE--	4	1	7	2	5	5	8	6	3	3	2	-
ALASKA -----	-	-	-	1	2	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	6	4	12	13	18	21	19	7	-	-
WHITE-----MALE----	2	1	1	1	3	3	6	8	6	3	-	-
FEMALE--	-	-	4	3	8	10	11	13	11	4	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	2	5	5	4	11	7	17	15	12	1	2	-
WHITE-----MALE----	2	2	3	1	5	1	3	2	3	1	-	-
FEMALE--	-	1	1	2	4	3	10	12	6	-	2	-
ALL OTHER--MALE----	-	2	-	1	1	2	-	1	2	-	-	-
FEMALE--	-	-	1	-	1	1	4	-	1	-	-	-
BLACK---MALE----	-	2	-	1	1	2	-	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	4	-	1	-	-	-
CALIFORNIA -----	20	26	47	59	113	124	179	184	123	46	18	-
WHITE-----MALE----	7	14	20	18	42	43	62	38	19	6	-	-
FEMALE--	4	6	10	26	57	50	73	119	90	35	14	-
ALL OTHER--MALE----	6	3	9	7	5	16	19	6	4	2	-	-
FEMALE--	3	3	8	8	9	15	25	21	10	3	4	-
BLACK---MALE----	4	2	7	5	3	8	5	4	4	-	-	-
FEMALE--	3	3	7	7	4	7	19	13	7	1	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,523

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ESSENTIAL HYPERTENSION (401)												
COLORADO -----	75	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	114	-	-	-	-	-	-	-	-	1	3	-
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	36	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	535	2	-	-	-	-	-	1	1	3	3	8
WHITE-----MALE----	167	1	-	-	-	-	-	-	-	-	2	3
FEMALE--	277	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	42	1	-	-	-	-	-	1	1	-	1	2
FEMALE--	49	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	37	1	-	-	-	-	-	1	-	-	1	2
FEMALE--	49	-	-	-	-	-	-	-	-	2	-	2
GEORGIA -----	313	-	-	-	-	-	1	1	1	7	8	13
WHITE-----MALE----	64	-	-	-	-	-	-	1	-	2	3	3
FEMALE--	103	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	-	4	3	4
FEMALE--	87	-	-	-	-	-	1	-	1	1	-	6
BLACK---MALE----	59	-	-	-	-	-	-	-	-	4	3	4
FEMALE--	85	-	-	-	-	-	1	-	1	1	-	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,523

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
COLORADO -----	1	-	8	3	9	11	13	16	8	5	1	-
WHITE-----MALE----	-	-	6	1	3	4	6	6	3	1	-	-
FEMALE--	1	-	-	-	6	7	5	10	5	4	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	2	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	5	5	7	9	10	18	22	17	10	2	-
WHITE-----MALE----	2	1	1	4	5	5	7	6	3	-	-	-
FEMALE--	3	1	3	2	4	5	11	16	11	8	2	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	3	2	-	-
BLACK---MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	3	2	-	-
DELAWARE -----	-	1	-	-	2	3	2	4	5	3	1	-
WHITE-----MALE----	-	-	-	-	2	1	-	2	1	-	-	-
FEMALE--	-	1	-	-	-	2	1	2	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	3	2	5	5	8	5	2	1	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	1	1	3	3	2	1	1	-	-	-
FEMALE--	-	1	2	1	2	2	6	2	1	1	1	-
BLACK---MALE----	-	-	1	1	3	3	2	1	1	-	-	-
FEMALE--	-	1	2	1	2	2	6	2	1	1	1	-
FLORIDA -----	14	11	18	41	59	83	87	87	76	33	8	-
WHITE-----MALE----	7	5	8	19	17	30	29	25	15	5	1	-
FEMALE--	5	2	5	8	31	43	49	47	51	27	7	-
ALL OTHER--MALE----	2	1	3	9	4	4	5	4	4	-	-	-
FEMALE--	-	3	2	5	7	6	4	11	6	1	-	-
BLACK---MALE----	2	1	3	9	4	3	5	3	2	-	-	-
FEMALE--	-	3	2	5	7	6	4	11	6	1	-	-
GEORGIA -----	19	17	15	33	22	34	46	45	34	12	5	-
WHITE-----MALE----	7	7	3	11	4	4	9	5	5	-	-	-
FEMALE--	1	2	2	7	7	14	17	22	22	6	1	-
ALL OTHER--MALE----	4	4	5	8	7	6	6	7	-	1	-	-
FEMALE--	7	4	5	7	4	10	14	11	7	5	4	-
BLACK---MALE----	4	4	5	8	7	6	6	7	-	1	-	-
FEMALE--	7	3	5	6	4	10	14	11	7	5	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,524
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
HAWAII -----	-	-	4	2	6	5	5	10	1	2	1	-
WHITE-----MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	3	1	1	3	-	1	-	-
FEMALE--	-	-	3	1	-	1	2	6	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	2	2	1	2	4	3	3	-	-
WHITE-----MALE----	-	-	-	2	1	-	1	-	-	1	-	-
FEMALE--	-	2	1	-	-	1	1	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	7	12	21	17	39	41	64	74	49	20	-	-
WHITE-----MALE----	4	4	6	5	14	17	15	17	6	2	-	-
FEMALE--	1	1	6	5	16	13	39	49	38	16	-	-
ALL OTHER--MALE----	2	6	1	4	3	5	3	2	1	1	-	-
FEMALE--	-	1	8	3	6	6	7	6	4	1	-	-
BLACK---MALE----	2	6	1	4	3	5	3	2	1	1	-	-
FEMALE--	-	1	8	2	6	6	7	5	4	1	-	-
INDIANA -----	4	4	3	9	15	22	34	35	22	11	3	-
WHITE-----MALE----	1	2	2	3	3	9	8	5	2	3	1	-
FEMALE--	1	1	1	4	8	13	23	29	20	8	1	-
ALL OTHER--MALE----	2	1	-	2	2	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	2	1	-	2	2	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
IOWA -----	-	-	2	4	4	6	9	10	20	10	1	-
WHITE-----MALE----	-	-	1	1	1	2	5	2	6	3	1	-
FEMALE--	-	-	1	3	3	3	4	7	14	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
KANSAS -----	1	4	5	-	6	11	19	18	14	2	1	-
WHITE-----MALE----	1	1	3	-	3	1	5	6	1	1	-	-
FEMALE--	-	3	1	-	1	10	12	10	12	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,525

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
KENTUCKY -----	1	4	4	6	14	16	14	13	15	5	2	-
WHITE-----MALE----	1	2	2	2	7	4	3	2	3	1	-	-
FEMALE--	-	1	1	4	4	10	9	10	10	3	2	-
ALL OTHER--MALE----	-	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	2	1	-	-
BLACK---MALE----	-	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	2	1	-	-
LOUISIANA -----	3	8	7	11	15	13	18	23	17	5	2	-
WHITE-----MALE----	-	3	3	2	2	1	3	7	4	-	1	-
FEMALE--	-	2	2	2	5	4	9	10	8	3	-	-
ALL OTHER--MALE----	1	2	-	6	4	2	2	2	1	-	-	-
FEMALE--	2	1	2	1	4	6	4	4	4	2	1	-
BLACK---MALE----	1	2	-	6	4	2	2	2	1	-	-	-
FEMALE--	2	1	2	1	4	6	4	4	4	2	1	-
MAINE -----	1	-	1	2	1	4	4	4	-	2	1	-
WHITE-----MALE----	1	-	1	1	-	1	3	1	-	-	-	-
FEMALE--	-	-	-	1	1	3	1	3	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	5	8	9	11	12	24	24	15	8	3	-
WHITE-----MALE----	3	1	2	1	4	6	3	8	2	1	1	-
FEMALE--	2	1	1	4	5	1	16	11	11	5	2	-
ALL OTHER--MALE----	1	3	3	3	1	3	4	-	1	-	-	-
FEMALE--	-	-	2	1	1	2	1	5	1	2	-	-
BLACK---MALE----	1	3	3	3	1	3	4	-	1	-	-	-
FEMALE--	-	-	2	1	1	2	1	5	1	2	-	-
MASSACHUSETTS -----	6	7	14	12	22	26	37	34	37	14	5	-
WHITE-----MALE----	5	4	9	6	6	8	10	7	6	2	-	-
FEMALE--	-	3	4	4	14	16	26	27	30	11	5	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	1	-	-
MICHIGAN -----	9	7	12	13	25	28	36	33	25	17	2	-
WHITE-----MALE----	4	2	5	6	12	5	12	6	4	5	-	-
FEMALE--	2	2	5	5	7	16	18	24	19	11	2	-
ALL OTHER--MALE----	1	2	-	1	2	2	2	1	-	-	-	-
FEMALE--	2	1	2	1	4	5	4	2	2	1	-	-
BLACK---MALE----	1	2	-	1	2	2	2	1	-	-	-	-
FEMALE--	2	1	2	1	4	5	4	2	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,526

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
MINNESOTA -----	5	13	11	20	24	27	51	44	40	15	8	-
WHITE-----MALE----	2	8	8	13	11	11	16	11	7	1	-	-
FEMALE--	1	4	2	5	12	15	32	32	33	14	8	-
ALL OTHER--MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	3	1	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	-	-	-	-	-
MISSISSIPPI -----	4	5	9	9	16	14	15	25	26	6	1	-
WHITE-----MALE----	1	1	3	5	2	3	-	4	4	1	-	-
FEMALE--	-	2	1	2	5	5	11	11	15	5	1	-
ALL OTHER--MALE----	1	2	4	2	5	3	2	1	-	-	-	-
FEMALE--	2	-	1	-	4	3	2	9	7	-	-	-
BLACK---MALE----	1	2	4	2	5	3	2	1	-	-	-	-
FEMALE--	2	-	1	-	4	3	2	9	7	-	-	-
MISSOURI -----	4	5	5	10	14	19	20	18	20	4	-	-
WHITE-----MALE----	2	4	-	2	5	6	7	3	4	1	-	-
FEMALE--	1	1	4	2	6	9	13	14	14	3	-	-
ALL OTHER--MALE----	1	-	-	4	3	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	3	-	-	2	-	-	-
BLACK---MALE----	1	-	-	4	3	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	3	-	-	2	-	-	-
MONTANA -----	1	-	1	-	3	2	4	1	3	-	-	-
WHITE-----MALE----	-	-	1	-	2	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	3	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	1	1	2	7	4	9	9	9	7	1	-
WHITE-----MALE----	1	-	1	1	4	1	1	2	3	1	-	-
FEMALE--	1	-	-	1	2	2	7	7	6	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
NEVADA -----	1	1	2	2	7	4	6	2	4	-	1	-
WHITE-----MALE----	1	1	2	2	4	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	5	2	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,528

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
OHIO -----	5	12	17	39	39	54	61	93	61	29	9	-
WHITE-----MALE----	2	7	5	12	10	20	14	18	9	1	-	-
FEMALE--	2	4	7	18	20	29	44	66	47	25	6	-
ALL OTHER--MALE----	-	1	2	3	2	2	-	1	5	-	1	-
FEMALE--	1	-	3	6	7	3	3	8	-	3	2	-
BLACK---MALE----	-	1	2	3	2	1	-	1	5	-	1	-
FEMALE--	1	-	3	6	7	3	3	8	-	3	2	-
OKLAHOMA -----	4	3	10	5	13	20	19	18	15	5	3	-
WHITE-----MALE----	2	2	4	3	4	4	4	2	-	-	-	-
FEMALE--	1	1	2	-	6	12	12	14	13	5	3	-
ALL OTHER--MALE----	1	-	2	1	2	1	2	-	1	-	-	-
FEMALE--	-	-	2	1	1	3	1	2	1	-	-	-
BLACK---MALE----	1	-	1	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	3	1	1	1	-	-	-
OREGON -----	3	7	3	2	13	20	16	19	19	8	2	-
WHITE-----MALE----	2	5	3	-	4	9	4	5	3	-	-	-
FEMALE--	1	2	-	2	8	11	10	14	16	8	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	4	11	18	36	54	74	69	36	27	8	-
WHITE-----MALE----	2	1	5	7	16	15	18	16	5	1	1	-
FEMALE--	1	2	4	7	15	24	51	44	29	19	6	-
ALL OTHER--MALE----	1	-	2	3	2	6	1	2	-	1	-	-
FEMALE--	-	1	-	1	3	9	4	7	2	6	1	-
BLACK---MALE----	1	-	2	3	2	6	1	2	-	-	-	-
FEMALE--	-	1	-	1	3	8	4	6	2	6	1	-
RHODE ISLAND -----	-	2	-	2	1	1	8	6	1	-	-	-
WHITE-----MALE----	-	2	-	1	1	-	4	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	10	16	14	13	17	19	26	23	13	7	1	-
WHITE-----MALE----	3	4	4	3	6	5	4	4	1	-	-	-
FEMALE--	2	2	5	2	4	7	9	8	9	4	1	-
ALL OTHER--MALE----	4	5	4	5	4	2	2	3	-	2	-	-
FEMALE--	1	5	1	3	3	5	11	8	3	1	-	-
BLACK---MALE----	4	5	4	5	4	2	2	3	-	2	-	-
FEMALE--	1	5	1	3	3	5	11	8	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,529

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ESSENTIAL HYPERTENSION (401)												
SOUTH DAKOTA -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	179	-	-	-	-	-	-	-	2	3	3	3
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	2	1	1	1
FEMALE--	38	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	24	-	-	-	-	-	-	-	2	1	1	1
FEMALE--	37	-	-	-	-	-	-	-	-	1	1	1
TEXAS -----	520	2	-	-	-	-	-	-	-	4	3	13
WHITE-----MALE----	148	-	-	-	-	-	-	-	-	3	1	7
FEMALE--	280	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	28	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	64	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	27	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	62	-	-	-	-	-	-	-	-	-	1	3
UTAH -----	45	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	13	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	178	-	-	-	-	-	-	-	1	2	3	5
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	39	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	36	-	-	-	-	-	-	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,529

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
SOUTH DAKOTA -----	-	-	-	-	1	1	-	4	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	8	9	10	27	18	33	37	17	4	1	-
WHITE-----MALE----	3	4	2	4	12	5	9	7	4	-	-	-
FEMALE--	1	-	3	1	5	6	18	18	9	3	-	-
ALL OTHER--MALE----	-	3	2	3	3	5	1	2	-	-	-	-
FEMALE--	-	1	2	2	7	2	5	10	4	1	1	-
BLACK---MALE----	-	3	2	3	3	5	1	2	-	-	-	-
FEMALE--	-	1	2	1	7	2	5	10	4	1	1	-
TEXAS -----	9	16	28	37	49	82	83	99	64	26	5	-
WHITE-----MALE----	6	4	10	19	21	22	21	19	15	-	-	-
FEMALE--	-	8	10	8	21	44	46	72	43	21	3	-
ALL OTHER--MALE----	1	3	2	4	4	5	3	1	1	-	1	-
FEMALE--	2	1	6	6	3	11	13	7	5	5	1	-
BLACK---MALE----	1	3	2	4	4	4	3	1	1	-	1	-
FEMALE--	2	1	6	6	3	9	13	7	5	5	1	-
UTAH -----	1	1	1	-	5	9	11	8	7	2	-	-
WHITE-----MALE----	1	1	-	-	2	1	4	3	2	1	-	-
FEMALE--	-	-	1	-	3	8	7	5	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	3	1	-	3	1	2	-	-
WHITE-----MALE----	-	-	1	1	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	7	11	14	18	25	38	26	14	11	1	-
WHITE-----MALE----	-	4	5	4	6	8	6	4	1	1	-	-
FEMALE--	1	-	1	3	5	13	22	15	8	6	1	-
ALL OTHER--MALE----	1	2	1	2	2	1	4	3	1	1	-	-
FEMALE--	-	1	4	5	5	3	6	4	4	3	-	-
BLACK---MALE----	-	2	1	2	2	1	4	3	1	1	-	-
FEMALE--	-	1	4	5	5	3	5	4	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,531

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
UNITED STATES --	27,715	1	1	-	-	5	19	68	137	350	653	1,059
WHITE-----MALE----	8,223	-	-	-	-	1	8	21	41	135	241	427
FEMALE--	11,824	1	-	-	-	-	1	2	12	29	66	127
ALL OTHER--MALE----	3,714	-	-	-	-	2	8	26	56	109	217	301
FEMALE--	3,954	-	1	-	-	2	2	19	28	77	129	204
BLACK---MALE----	3,463	-	-	-	-	2	8	23	49	102	206	289
FEMALE--	3,695	-	1	-	-	1	2	18	27	76	126	201
ALABAMA -----	448	-	-	-	-	-	-	1	3	7	14	22
WHITE-----MALE----	104	-	-	-	-	-	-	-	1	1	1	5
FEMALE--	152	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	86	-	-	-	-	-	-	1	1	4	6	13
FEMALE--	106	-	-	-	-	-	-	-	1	2	5	3
BLACK---MALE----	86	-	-	-	-	-	-	1	1	4	6	13
FEMALE--	106	-	-	-	-	-	-	-	1	2	5	3
ALASKA -----	17	-	-	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	277	-	-	-	-	-	-	1	1	-	5	2
WHITE-----MALE----	111	-	-	-	-	-	-	1	-	-	3	2
FEMALE--	146	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
ARKANSAS -----	170	-	-	-	-	-	-	1	1	7	5	11
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	78	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	-	2	-	3
FEMALE--	35	-	-	-	-	-	-	-	1	2	1	2
BLACK---MALE----	18	-	-	-	-	-	-	1	-	2	-	3
FEMALE--	33	-	-	-	-	-	-	-	1	2	1	2
CALIFORNIA -----	3,477	-	-	-	-	2	1	9	18	40	52	145
WHITE-----MALE----	1,116	-	-	-	-	1	1	2	7	23	18	58
FEMALE--	1,599	-	-	-	-	-	-	-	2	4	12	31
ALL OTHER--MALE----	347	-	-	-	-	-	-	4	6	6	14	32
FEMALE--	415	-	-	-	-	1	-	3	3	7	8	24
BLACK---MALE----	245	-	-	-	-	-	-	3	4	4	10	27
FEMALE--	297	-	-	-	-	-	-	2	3	6	8	23

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,531

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
UNITED STATES --	1,303	1,498	1,836	2,145	2,752	3,404	3,869	4,053	2,996	1,270	291	5
WHITE-----MALE----	527	607	726	795	1,023	1,098	1,049	885	487	128	24	-
FEMALE--	206	246	349	582	875	1,442	2,062	2,523	2,118	974	207	2
ALL OTHER--MALE----	358	383	429	425	404	375	290	187	98	34	11	1
FEMALE--	212	262	332	343	450	489	468	458	293	134	49	2
BLACK---MALE----	335	368	407	403	367	354	262	163	86	28	10	1
FEMALE--	205	250	314	324	409	463	435	411	269	120	41	2
ALABAMA -----	18	21	23	36	46	54	64	62	51	21	5	-
WHITE-----MALE----	4	9	8	10	15	16	12	11	8	3	-	-
FEMALE--	1	1	5	12	12	12	27	31	31	14	3	-
ALL OTHER--MALE----	8	6	6	7	10	6	10	7	1	-	-	-
FEMALE--	5	5	4	7	9	20	15	13	11	4	2	-
BLACK---MALE----	8	6	6	7	10	6	10	7	1	-	-	-
FEMALE--	5	5	4	7	9	20	15	13	11	4	2	-
ALASKA -----	1	1	2	-	2	3	-	2	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ARIZONA -----	9	13	16	20	36	35	46	43	38	12	-	-
WHITE-----MALE----	4	10	13	10	20	12	12	14	9	1	-	-
FEMALE--	1	2	2	7	16	19	33	28	28	10	-	-
ALL OTHER--MALE----	4	-	1	2	-	-	1	1	-	1	-	-
FEMALE--	-	1	-	1	-	4	-	-	1	-	-	-
BLACK---MALE----	4	-	1	2	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	1	-	3	-	-	1	-	-	-
ARKANSAS -----	6	5	11	7	7	25	15	38	17	12	2	-
WHITE-----MALE----	2	2	4	5	2	6	2	7	1	-	-	-
FEMALE--	1	-	3	2	3	12	9	20	13	10	-	-
ALL OTHER--MALE----	1	1	1	-	-	3	-	3	1	1	1	-
FEMALE--	2	2	3	-	2	4	4	8	2	1	1	-
BLACK---MALE----	1	1	1	-	-	3	-	3	1	1	1	-
FEMALE--	2	2	2	-	2	3	4	8	2	1	1	-
CALIFORNIA -----	137	159	224	223	389	438	514	536	358	180	51	1
WHITE-----MALE----	62	69	99	94	155	159	141	129	72	20	6	-
FEMALE--	25	36	45	67	136	193	287	338	244	139	39	1
ALL OTHER--MALE----	32	26	43	35	45	39	27	22	11	5	-	-
FEMALE--	18	28	37	27	53	47	59	47	31	16	6	-
BLACK---MALE----	22	21	35	25	29	32	16	13	4	-	-	-
FEMALE--	16	24	29	19	38	35	42	26	17	7	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,532

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
COLORADO -----	154	-	-	-	-	-	-	-	1	1	1	6
WHITE-----MALE----	51	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	87	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	277	-	-	-	-	-	-	1	2	3	7	12
WHITE-----MALE----	96	-	-	-	-	-	-	1	-	2	4	6
FEMALE--	130	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	24	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	27	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	22	-	-	-	-	-	-	-	1	-	1	2
DELAWARE -----	96	-	-	-	-	-	-	-	1	-	6	3
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	288	-	-	-	-	-	-	1	3	8	11	11
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	138	-	-	-	-	-	-	-	-	7	8	7
FEMALE--	114	-	-	-	-	-	-	1	2	1	3	4
BLACK---MALE----	137	-	-	-	-	-	-	-	-	7	8	7
FEMALE--	113	-	-	-	-	-	-	1	2	1	3	4
FLORIDA -----	2,141	-	-	-	-	-	1	2	11	24	55	73
WHITE-----MALE----	788	-	-	-	-	-	-	1	4	6	23	35
FEMALE--	929	-	-	-	-	-	-	-	1	3	7	11
ALL OTHER--MALE----	193	-	-	-	-	-	-	-	2	7	18	16
FEMALE--	231	-	-	-	-	-	1	1	4	8	7	11
BLACK---MALE----	192	-	-	-	-	-	-	-	2	7	18	16
FEMALE--	228	-	-	-	-	-	1	1	4	8	7	10
GEORGIA -----	761	-	-	-	-	-	2	2	1	8	24	28
WHITE-----MALE----	154	-	-	-	-	-	-	-	1	2	3	8
FEMALE--	203	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	178	-	-	-	-	-	1	2	-	2	13	14
FEMALE--	226	-	-	-	-	-	-	-	-	4	6	6
BLACK---MALE----	177	-	-	-	-	-	1	2	-	2	13	14
FEMALE--	224	-	-	-	-	-	-	-	-	4	6	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,532

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
COLORADO -----	5	6	7	3	20	21	20	29	20	12	2	-
WHITE-----MALE----	3	3	4	1	6	6	11	9	-	3	-	-
FEMALE--	1	2	1	2	11	12	9	19	19	9	2	-
ALL OTHER--MALE----	-	-	2	-	3	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	3	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	3	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	3	-	1	-	-	-	-
CONNECTICUT -----	11	13	20	25	19	33	58	35	27	7	4	-
WHITE-----MALE----	5	7	7	10	11	11	17	9	5	-	1	-
FEMALE--	1	3	7	8	3	17	32	24	22	6	3	-
ALL OTHER--MALE----	3	3	5	4	1	1	5	-	-	1	-	-
FEMALE--	2	-	1	3	4	4	4	2	-	-	-	-
BLACK---MALE----	3	3	5	4	1	1	5	-	-	1	-	-
FEMALE--	1	-	1	3	3	4	4	2	-	-	-	-
DELAWARE -----	6	2	5	9	7	13	11	17	12	3	1	-
WHITE-----MALE----	2	-	3	6	2	2	4	4	2	-	-	-
FEMALE--	-	-	1	1	3	7	5	12	9	3	-	-
ALL OTHER--MALE----	1	1	-	2	1	1	1	1	1	-	-	-
FEMALE--	3	1	1	-	1	3	1	-	-	-	1	-
BLACK---MALE----	1	1	-	2	1	1	1	1	1	-	-	-
FEMALE--	3	1	1	-	1	3	1	-	-	-	1	-
DISTRICT OF COLUMBIA ----	22	24	44	39	30	32	18	21	15	7	2	-
WHITE-----MALE----	3	-	2	1	2	2	1	1	3	1	-	-
FEMALE--	3	-	-	1	2	3	-	4	4	2	-	-
ALL OTHER--MALE----	10	16	23	26	13	16	6	4	2	-	-	-
FEMALE--	6	8	19	11	13	11	11	12	6	4	2	-
BLACK---MALE----	10	16	23	26	13	16	5	4	2	-	-	-
FEMALE--	6	8	19	11	13	11	11	11	6	4	2	-
FLORIDA -----	100	103	156	148	218	283	295	322	243	89	18	-
WHITE-----MALE----	62	47	73	66	102	105	105	92	53	12	2	-
FEMALE--	17	24	30	43	76	126	138	199	171	69	14	-
ALL OTHER--MALE----	16	16	24	19	16	23	21	11	3	-	1	-
FEMALE--	5	16	29	20	24	29	31	20	16	8	1	-
BLACK---MALE----	16	16	24	19	15	23	21	11	3	-	1	-
FEMALE--	5	16	28	20	23	29	31	20	16	8	1	-
GEORGIA -----	65	61	55	69	87	89	92	79	68	24	7	-
WHITE-----MALE----	13	25	7	15	18	23	18	13	7	1	-	-
FEMALE--	5	4	7	13	22	18	35	40	38	13	5	-
ALL OTHER--MALE----	27	14	22	25	23	16	14	1	1	3	-	-
FEMALE--	20	18	19	16	24	32	25	25	22	7	2	-
BLACK---MALE----	27	14	21	25	23	16	14	1	1	3	-	-
FEMALE--	20	18	19	16	24	32	24	24	22	7	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,533

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
HAWAII -----	4	7	3	4	11	9	9	20	5	4	2	-
WHITE-----MALE----	-	2	1	-	-	3	-	2	-	1	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	3	4	-	2	5	5	6	10	1	-	1	-
FEMALE--	1	1	2	1	6	1	2	6	3	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	3	1	6	5	14	17	15	2	3	-
WHITE-----MALE----	1	2	3	-	3	1	5	3	2	-	-	-
FEMALE--	-	-	-	1	3	4	8	14	12	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	70	57	89	92	111	147	157	166	129	57	16	-
WHITE-----MALE----	18	15	24	23	38	48	39	35	18	6	1	-
FEMALE--	7	7	11	26	27	64	84	105	93	47	12	-
ALL OTHER--MALE----	26	19	30	26	19	12	16	13	5	-	2	-
FEMALE--	19	16	24	17	27	23	18	13	13	4	1	-
BLACK---MALE----	25	19	28	26	19	12	15	13	5	-	2	-
FEMALE--	19	16	24	16	27	22	18	12	12	4	1	-
INDIANA -----	12	5	14	30	34	58	49	66	44	22	5	-
WHITE-----MALE----	4	2	5	9	8	17	17	15	6	1	-	-
FEMALE--	4	2	4	14	19	34	21	41	34	18	4	-
ALL OTHER--MALE----	2	1	3	6	3	2	3	4	2	-	1	-
FEMALE--	2	-	2	1	4	5	8	6	2	3	-	-
BLACK---MALE----	2	1	3	6	3	2	3	4	2	-	1	-
FEMALE--	2	-	2	1	4	5	8	6	2	3	-	-
IOWA -----	10	14	16	17	16	22	43	46	49	13	4	-
WHITE-----MALE----	9	11	8	7	6	10	12	8	9	1	-	-
FEMALE--	1	1	6	10	7	12	31	38	40	12	4	-
ALL OTHER--MALE----	-	2	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	-	4	6	6	12	15	18	21	22	11	1	-
WHITE-----MALE----	-	3	4	2	4	4	7	3	4	1	-	-
FEMALE--	-	-	1	4	6	10	9	18	16	9	1	-
ALL OTHER--MALE----	-	1	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	1	-	-
BLACK---MALE----	-	1	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,534

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
KENTUCKY -----	287	-	-	-	-	-	-	5	2	3	7	11
WHITE-----MALE----	86	-	-	-	-	-	-	1	1	2	5	8
FEMALE--	158	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	3	1	1	1	1
FEMALE--	20	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	23	-	-	-	-	-	-	3	1	1	1	1
FEMALE--	19	-	-	-	-	-	-	1	-	-	1	1
LOUISIANA -----	1,022	-	-	-	-	-	-	1	6	8	24	33
WHITE-----MALE----	227	-	-	-	-	-	-	-	-	3	8	10
FEMALE--	332	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	224	-	-	-	-	-	-	-	5	4	10	11
FEMALE--	239	-	-	-	-	-	-	1	1	1	5	7
BLACK---MALE----	221	-	-	-	-	-	-	-	5	4	10	11
FEMALE--	237	-	-	-	-	-	-	1	1	1	5	7
MAINE -----	86	1	-	-	-	-	-	-	-	3	4	2
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	2	4	2
FEMALE--	50	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	649	-	-	-	-	-	2	1	2	6	19	35
WHITE-----MALE----	154	-	-	-	-	-	-	1	-	1	4	10
FEMALE--	193	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	159	-	-	-	-	-	2	-	2	2	9	15
FEMALE--	143	-	-	-	-	-	-	-	-	3	5	10
BLACK---MALE----	154	-	-	-	-	-	2	-	2	2	9	15
FEMALE--	136	-	-	-	-	-	-	-	-	3	5	10
MASSACHUSETTS -----	293	-	-	-	-	-	-	-	2	4	7	10
WHITE-----MALE----	105	-	-	-	-	-	-	-	2	2	4	4
FEMALE--	162	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	1
MICHIGAN -----	1,098	-	-	-	-	-	-	3	6	13	28	49
WHITE-----MALE----	353	-	-	-	-	-	-	2	2	6	10	12
FEMALE--	490	-	-	-	-	-	-	-	1	1	3	5
ALL OTHER--MALE----	134	-	-	-	-	-	-	-	3	4	8	19
FEMALE--	121	-	-	-	-	-	-	1	-	2	7	13
BLACK---MALE----	133	-	-	-	-	-	-	-	3	4	8	19
FEMALE--	119	-	-	-	-	-	-	1	-	2	7	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,534
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
KENTUCKY -----	5	14	15	18	23	36	46	47	38	13	4	-
WHITE-----MALE----	4	7	3	3	14	12	11	9	5	1	-	-
FEMALE--	1	5	11	12	4	21	31	29	29	11	3	-
ALL OTHER--MALE----	-	2	1	2	3	2	2	2	1	-	1	-
FEMALE--	-	-	-	1	2	1	2	7	3	1	-	-
BLACK---MALE----	-	2	1	2	3	2	2	2	1	-	1	-
FEMALE--	-	-	-	1	2	1	2	6	3	1	-	-
LOUISIANA -----	39	65	67	101	97	129	165	133	97	42	15	-
WHITE-----MALE----	9	14	19	22	24	39	42	20	13	3	1	-
FEMALE--	5	6	13	17	17	34	74	73	53	28	6	-
ALL OTHER--MALE----	13	26	21	29	27	31	19	15	9	4	-	-
FEMALE--	12	19	14	33	29	25	30	25	22	7	8	-
BLACK---MALE----	13	26	21	29	26	31	17	15	9	4	-	-
FEMALE--	12	18	14	33	29	25	29	25	22	7	8	-
MAINE -----	3	1	5	6	7	7	13	15	8	9	2	-
WHITE-----MALE----	1	1	4	4	5	2	3	4	2	-	-	-
FEMALE--	2	-	1	1	2	5	10	11	6	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MARYLAND -----	33	57	60	55	65	73	89	66	54	25	4	3
WHITE-----MALE----	6	14	19	17	18	18	17	19	8	2	-	-
FEMALE--	4	2	4	11	19	20	40	31	40	17	3	1
ALL OTHER--MALE----	13	26	22	19	16	17	11	1	1	2	-	1
FEMALE--	10	15	15	8	12	18	21	15	5	4	1	1
BLACK---MALE----	13	26	21	17	14	17	11	1	1	2	-	1
FEMALE--	10	14	15	8	10	17	19	14	5	4	1	1
MASSACHUSETTS -----	13	16	14	16	23	32	46	46	34	25	5	-
WHITE-----MALE----	6	7	11	7	12	11	20	11	5	3	-	-
FEMALE--	4	3	3	6	10	18	25	34	27	22	5	-
ALL OTHER--MALE----	2	3	-	2	-	2	-	-	-	-	-	-
FEMALE--	1	3	-	1	1	1	1	1	2	-	-	-
BLACK---MALE----	1	3	-	2	-	2	-	-	-	-	-	-
FEMALE--	1	3	-	1	1	1	1	1	-	-	-	-
MICHIGAN -----	78	59	71	81	98	125	166	154	111	49	7	-
WHITE-----MALE----	31	33	34	31	46	45	55	24	14	7	1	-
FEMALE--	13	4	14	29	31	57	90	110	89	38	5	-
ALL OTHER--MALE----	21	13	17	9	10	10	8	6	4	2	-	-
FEMALE--	13	9	6	12	11	13	13	14	4	2	1	-
BLACK---MALE----	20	13	17	9	10	10	8	6	4	2	-	-
FEMALE--	13	9	6	12	10	12	13	14	4	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,535

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
MINNESOTA -----	199	-	-	-	-	-	-	-	3	1	5	5
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	123	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	547	-	-	-	-	-	2	1	4	8	14	22
WHITE-----MALE----	78	-	-	-	-	-	1	1	-	2	2	5
FEMALE--	173	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	124	-	-	-	-	-	1	-	3	3	10	11
FEMALE--	172	-	-	-	-	-	-	-	1	3	2	5
BLACK---MALE----	124	-	-	-	-	-	1	-	3	3	10	11
FEMALE--	170	-	-	-	-	-	-	-	1	3	2	5
MISSOURI -----	529	-	-	-	-	-	-	2	5	10	15	24
WHITE-----MALE----	145	-	-	-	-	-	-	1	2	4	7	9
FEMALE--	226	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	80	-	-	-	-	-	-	-	-	2	5	10
FEMALE--	78	-	-	-	-	-	-	1	3	1	3	4
BLACK---MALE----	80	-	-	-	-	-	-	-	-	2	5	10
FEMALE--	78	-	-	-	-	-	-	1	3	1	3	4
MONTANA -----	40	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	72	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	391	-	-	-	-	-	-	2	1	3	5	16
WHITE-----MALE----	177	-	-	-	-	-	-	1	-	1	1	9
FEMALE--	156	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	25	-	-	-	-	-	-	1	-	-	2	2
BLACK---MALE----	28	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	21	-	-	-	-	-	-	1	-	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,535

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
MINNESOTA -----	2	4	6	12	14	22	26	35	35	21	8	-
WHITE-----MALE----	-	4	6	9	5	8	11	8	5	1	3	-
FEMALE--	1	-	-	3	7	14	14	26	30	20	5	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI -----	21	27	22	35	57	63	71	98	68	27	7	-
WHITE-----MALE----	5	6	4	10	11	7	8	8	7	1	-	-
FEMALE--	4	4	3	3	8	20	30	52	39	8	1	-
ALL OTHER--MALE----	9	10	7	10	14	14	11	9	8	2	2	-
FEMALE--	3	7	8	12	24	22	22	29	14	16	4	-
BLACK---MALE----	9	10	7	10	14	14	11	9	8	2	2	-
FEMALE--	3	7	8	12	22	22	22	29	14	16	4	-
MISSOURI -----	25	30	35	40	46	68	58	67	66	36	2	-
WHITE-----MALE----	9	11	15	11	13	23	14	15	9	2	-	-
FEMALE--	6	2	7	7	14	27	36	43	48	30	2	-
ALL OTHER--MALE----	6	10	7	15	11	6	4	1	3	-	-	-
FEMALE--	4	7	6	7	8	12	4	8	6	4	-	-
BLACK---MALE----	6	10	7	15	11	6	4	1	3	-	-	-
FEMALE--	4	7	6	7	8	12	4	8	6	4	-	-
MONTANA -----	-	2	2	4	7	1	5	10	6	1	1	-
WHITE-----MALE----	-	1	1	3	2	1	1	4	4	-	-	-
FEMALE--	-	1	1	1	4	-	4	6	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	1	2	4	4	9	7	14	16	6	2	-
WHITE-----MALE----	1	1	1	2	3	3	-	2	3	-	-	-
FEMALE--	2	-	1	2	1	5	6	10	12	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
NEVADA -----	26	30	38	56	63	52	35	47	12	5	-	-
WHITE-----MALE----	12	20	19	31	35	15	14	17	2	-	-	-
FEMALE--	11	4	10	17	19	32	17	26	10	5	-	-
ALL OTHER--MALE----	1	6	7	4	3	2	4	1	-	-	-	-
FEMALE--	2	-	2	4	6	3	-	3	-	-	-	-
BLACK---MALE----	1	5	6	4	2	2	3	-	-	-	-	-
FEMALE--	2	-	2	2	6	1	-	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,537

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
OHIO -----	1,102	-	-	-	-	1	1	4	4	13	26	43
WHITE-----MALE----	321	-	-	-	-	-	-	1	-	4	11	18
FEMALE--	514	-	-	-	-	-	-	-	-	-	2	7
ALL OTHER--MALE----	133	-	-	-	-	1	1	1	3	4	9	11
FEMALE--	134	-	-	-	-	-	-	2	1	5	4	7
BLACK---MALE----	132	-	-	-	-	1	1	1	3	4	9	11
FEMALE--	133	-	-	-	-	-	-	2	1	5	4	7
OKLAHOMA -----	225	-	-	-	-	-	-	-	-	-	2	5
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	142	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	221	-	-	-	-	-	-	-	1	1	2	6
WHITE-----MALE----	72	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	143	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	916	-	-	-	-	-	-	2	4	7	15	21
WHITE-----MALE----	259	-	-	-	-	-	-	1	2	3	7	12
FEMALE--	505	-	-	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	63	-	-	-	-	-	-	-	1	2	1	4
FEMALE--	89	-	-	-	-	-	-	1	-	1	5	2
BLACK---MALE----	62	-	-	-	-	-	-	-	1	2	1	4
FEMALE--	87	-	-	-	-	-	-	1	-	1	5	2
RHODE ISLAND -----	106	-	-	-	-	-	-	-	-	3	5	3
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	3	2	3
FEMALE--	64	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	334	-	-	-	-	-	1	-	3	3	7	10
WHITE-----MALE----	72	-	-	-	-	-	1	-	1	-	1	2
FEMALE--	110	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	1	-	4	4
FEMALE--	88	-	-	-	-	-	-	-	1	3	2	3
BLACK---MALE----	64	-	-	-	-	-	-	-	1	-	4	4
FEMALE--	88	-	-	-	-	-	-	-	1	3	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,537

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
OHIO -----	42	61	55	81	111	156	153	170	126	45	10	-
WHITE-----MALE----	15	28	18	30	45	54	46	31	13	6	1	-
FEMALE--	11	14	14	19	36	65	83	119	101	35	8	-
ALL OTHER--MALE----	9	8	11	20	17	13	13	9	2	1	-	-
FEMALE--	7	11	12	12	13	24	11	11	10	3	1	-
BLACK---MALE----	9	8	11	20	16	13	13	9	2	1	-	-
FEMALE--	7	11	11	12	13	24	11	11	10	3	1	-
OKLAHOMA -----	5	4	8	18	22	14	32	50	43	19	3	-
WHITE-----MALE----	4	2	3	6	8	2	5	8	6	-	1	-
FEMALE--	1	1	3	8	6	9	25	37	34	16	2	-
ALL OTHER--MALE----	-	-	1	2	2	1	1	1	-	1	-	-
FEMALE--	-	1	1	2	6	2	1	4	3	2	-	-
BLACK---MALE----	-	-	1	2	2	-	1	1	-	1	-	-
FEMALE--	-	1	1	2	6	2	1	4	2	2	-	-
OREGON -----	9	7	6	8	21	25	37	51	29	15	3	-
WHITE-----MALE----	6	4	5	3	5	9	10	13	11	-	-	-
FEMALE--	2	1	1	5	16	15	26	38	18	15	3	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	31	26	47	62	78	109	150	165	130	61	8	-
WHITE-----MALE----	12	9	19	32	27	39	36	35	19	4	2	-
FEMALE--	9	10	11	17	31	51	103	113	97	53	3	-
ALL OTHER--MALE----	5	4	8	6	9	9	4	6	2	-	2	-
FEMALE--	5	3	9	7	11	10	7	11	12	4	1	-
BLACK---MALE----	5	4	8	6	9	8	4	6	2	-	2	-
FEMALE--	5	2	9	6	11	10	7	11	12	4	1	-
RHODE ISLAND -----	2	6	4	5	8	11	14	15	19	9	2	-
WHITE-----MALE----	-	3	3	3	4	4	5	1	5	1	-	-
FEMALE--	2	2	1	2	4	6	8	14	14	7	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	18	21	14	22	32	50	57	61	26	8	1	-
WHITE-----MALE----	4	5	5	4	11	11	12	13	2	-	-	-
FEMALE--	-	3	4	7	8	17	22	30	14	4	-	-
ALL OTHER--MALE----	8	5	2	6	5	11	10	5	3	-	-	-
FEMALE--	6	8	3	5	8	11	13	13	7	4	1	-
BLACK---MALE----	8	5	2	6	5	11	10	5	3	-	-	-
FEMALE--	6	8	3	5	8	11	13	13	7	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,538

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
SOUTH DAKOTA -----	26	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	772	-	-	-	-	-	1	2	8	13	21	37
WHITE-----MALE----	176	-	-	-	-	-	-	-	3	2	5	8
FEMALE--	315	-	-	-	-	-	-	-	2	-	2	3
ALL OTHER--MALE----	115	-	-	-	-	-	1	1	3	6	9	15
FEMALE--	166	-	-	-	-	-	-	1	-	5	5	11
BLACK---MALE----	114	-	-	-	-	-	1	1	3	6	9	15
FEMALE--	165	-	-	-	-	-	-	1	-	5	5	11
TEXAS -----	1,828	-	-	-	-	-	-	5	7	23	37	80
WHITE-----MALE----	570	-	-	-	-	-	-	2	2	13	17	35
FEMALE--	766	-	-	-	-	-	-	-	-	1	4	9
ALL OTHER--MALE----	230	-	-	-	-	-	-	1	3	6	10	14
FEMALE--	262	-	-	-	-	-	-	2	2	3	6	22
BLACK---MALE----	219	-	-	-	-	-	-	1	2	6	10	14
FEMALE--	252	-	-	-	-	-	-	2	2	3	6	22
UTAH -----	76	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	49	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	471	-	-	-	-	1	-	-	4	3	9	12
WHITE-----MALE----	100	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	194	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	88	-	-	-	-	1	-	-	1	-	6	7
FEMALE--	89	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	84	-	-	-	-	1	-	-	1	-	6	7
FEMALE--	88	-	-	-	-	-	-	-	1	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,538

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
SOUTH DAKOTA -----	-	-	-	-	3	2	4	9	5	3	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	3	-	1	-	-
FEMALE--	-	-	-	-	2	1	3	5	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	49	47	40	51	73	73	97	118	101	33	8	-
WHITE-----MALE----	11	10	11	17	30	16	19	22	16	6	-	-
FEMALE--	8	8	9	13	19	33	57	72	64	21	4	-
ALL OTHER--MALE----	15	15	9	8	7	6	7	7	4	2	-	-
FEMALE--	15	14	11	13	17	18	14	17	17	4	4	-
BLACK---MALE----	15	15	9	8	7	6	7	6	4	2	-	-
FEMALE--	15	14	10	13	17	18	14	17	17	4	4	-
TEXAS -----	89	114	139	146	151	236	243	261	197	80	19	1
WHITE-----MALE----	47	55	47	62	51	86	61	54	29	8	1	-
FEMALE--	11	13	35	34	50	96	137	166	137	58	15	-
ALL OTHER--MALE----	22	31	36	28	19	18	16	13	10	3	-	-
FEMALE--	9	15	21	22	31	36	29	28	21	11	3	1
BLACK---MALE----	21	28	35	26	18	18	15	13	9	3	-	-
FEMALE--	9	15	21	22	29	33	29	25	21	10	2	1
UTAH -----	2	4	4	6	7	7	14	9	18	3	-	-
WHITE-----MALE----	2	3	3	3	3	2	7	3	5	-	-	-
FEMALE--	-	1	1	3	4	5	7	6	13	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	2	2	5	2	3	8	11	5	5	-	-
WHITE-----MALE----	2	-	2	2	2	2	4	2	1	1	-	-
FEMALE--	1	2	-	3	-	1	4	9	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	27	34	38	41	61	67	71	68	16	6	-
WHITE-----MALE----	4	9	10	16	11	13	8	12	7	2	1	-
FEMALE--	2	6	5	11	8	22	40	38	46	10	5	-
ALL OTHER--MALE----	5	8	12	5	12	15	8	6	2	-	-	-
FEMALE--	2	4	7	6	10	11	11	15	13	4	-	-
BLACK---MALE----	5	7	11	5	11	15	8	6	1	-	-	-
FEMALE--	2	4	7	6	10	11	11	15	13	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,540
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
UNITED STATES --	129	167	259	410	679	939	1,166	1,117	707	198	47	-
WHITE-----MALE----	30	52	64	112	225	343	392	365	193	38	9	-
FEMALE--	17	22	57	114	238	352	533	532	384	129	27	-
ALL OTHER--MALE----	57	53	58	87	90	100	78	62	32	5	2	-
FEMALE--	25	40	80	97	126	144	163	158	98	26	9	-
BLACK---MALE----	53	53	54	79	86	85	66	53	27	4	2	-
FEMALE--	24	40	77	90	117	137	141	148	89	22	8	-
ALABAMA -----	1	4	3	6	12	10	14	18	11	1	1	-
WHITE-----MALE----	-	-	-	1	1	1	1	6	3	-	-	-
FEMALE--	-	-	-	2	2	5	10	4	3	1	-	-
ALL OTHER--MALE----	1	2	2	1	6	3	-	2	2	-	-	-
FEMALE--	-	2	1	2	3	1	3	6	3	-	1	-
BLACK---MALE----	1	2	2	1	6	3	-	2	2	-	-	-
FEMALE--	-	2	1	2	3	1	3	6	3	-	1	-
ALASKA -----	-	-	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	1	8	9	13	17	26	12	1	-	-
WHITE-----MALE----	1	-	-	4	6	7	7	12	2	-	-	-
FEMALE--	-	-	1	3	2	3	9	13	8	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	2	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	2	2	5	5	4	7	5	6	6	-	-	-
WHITE-----MALE----	2	-	-	1	2	2	2	3	3	-	-	-
FEMALE--	-	-	1	2	1	2	3	3	2	-	-	-
ALL OTHER--MALE----	-	1	3	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	2	-	-	1	-	-	-
BLACK---MALE----	-	1	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	2	-	-	1	-	-	-
CALIFORNIA -----	11	17	30	47	73	118	132	140	89	26	5	-
WHITE-----MALE----	4	6	7	19	22	45	46	63	27	6	-	-
FEMALE--	3	3	5	11	31	46	52	57	43	14	4	-
ALL OTHER--MALE----	3	6	6	8	8	12	13	8	4	1	-	-
FEMALE--	1	2	12	9	12	15	21	12	15	5	1	-
BLACK---MALE----	3	6	5	4	8	6	5	3	2	-	-	-
FEMALE--	1	2	11	4	6	15	12	7	10	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,541

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
COLORADO -----	-	-	1	2	6	7	8	6	8	1	1	-
WHITE-----MALE----	-	-	-	-	-	5	4	-	3	-	-	-
FEMALE--	-	-	1	1	6	2	4	6	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	4	3	-	4	12	5	11	5	2	-	-
WHITE-----MALE----	1	2	1	-	2	5	4	5	1	-	-	-
FEMALE--	-	-	1	-	2	7	1	6	4	1	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
DELAWARE -----	-	1	2	-	2	3	8	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	1	2	-	6	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	4	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	4	-	-	1	-	-
FLORIDA -----	13	17	16	32	51	91	117	111	52	18	5	-
WHITE-----MALE----	1	4	4	11	25	43	49	48	16	4	2	-
FEMALE--	3	4	3	8	11	37	51	47	25	10	1	-
ALL OTHER--MALE----	6	4	2	6	4	5	7	5	4	1	2	-
FEMALE--	3	5	7	7	11	6	10	11	7	3	-	-
BLACK---MALE----	6	4	2	6	3	5	7	4	3	1	2	-
FEMALE--	3	5	7	7	11	6	10	11	7	3	-	-
GEORGIA -----	4	8	14	15	14	22	26	24	9	1	2	-
WHITE-----MALE----	-	2	1	2	-	6	1	4	1	-	-	-
FEMALE--	-	-	2	3	6	5	8	8	-	1	-	-
ALL OTHER--MALE----	3	4	3	3	4	5	6	3	3	-	-	-
FEMALE--	1	2	8	7	4	6	11	9	5	-	2	-
BLACK---MALE----	3	4	3	3	4	5	6	3	3	-	-	-
FEMALE--	1	2	8	7	4	6	11	9	5	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,542
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
HAWAII -----	-	-	-	2	1	2	3	-	5	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	2	2	3	5	6	8	6	2	-	-
WHITE-----MALE----	-	-	2	2	2	2	2	5	4	1	-	-
FEMALE--	-	1	-	-	1	3	4	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ILLINOIS -----	9	6	9	16	33	30	51	52	34	10	1	-
WHITE-----MALE----	-	1	4	6	10	8	17	10	10	2	-	-
FEMALE--	1	1	-	2	11	11	23	29	22	8	1	-
ALL OTHER--MALE----	6	1	2	4	5	3	3	3	-	-	-	-
FEMALE--	2	3	3	4	7	8	8	10	2	-	-	-
BLACK---MALE----	6	1	2	4	5	1	3	3	-	-	-	-
FEMALE--	2	3	3	4	6	7	8	9	2	-	-	-
INDIANA -----	1	5	6	3	17	26	35	26	23	1	2	-
WHITE-----MALE----	-	2	1	-	8	11	8	7	7	-	-	-
FEMALE--	-	1	1	1	7	10	16	14	16	1	1	-
ALL OTHER--MALE----	-	2	2	2	1	1	2	2	-	-	-	-
FEMALE--	1	-	2	-	1	4	9	3	-	-	1	-
BLACK---MALE----	-	2	2	2	1	1	2	2	-	-	-	-
FEMALE--	1	-	2	-	1	4	8	3	-	-	1	-
IOWA -----	-	-	1	1	5	12	28	26	17	5	1	-
WHITE-----MALE----	-	-	1	-	2	10	15	10	4	2	-	-
FEMALE--	-	-	-	1	3	2	13	16	12	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	-	-	-	4	5	4	11	16	14	2	2	-
WHITE-----MALE----	-	-	-	1	2	1	2	7	5	1	-	-
FEMALE--	-	-	-	-	3	2	8	8	8	1	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,543

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE RENAL DISEASE (403)												
KENTUCKY -----	78	-	-	-	-	-	-	-	2	1	1	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	39	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	93	1	-	-	-	-	-	1	-	1	1	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	29	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	17	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	29	-	-	-	-	-	-	1	-	-	-	2
MAINE -----	29	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	125	-	-	-	-	-	-	1	-	1	2	2
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	22	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	1	2	2
MASSACHUSETTS -----	107	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	206	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	65	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	87	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,543

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
KENTUCKY -----	1	1	4	10	8	11	16	9	10	2	1	-
WHITE-----MALE----	-	1	-	5	2	5	6	3	1	-	1	-
FEMALE--	-	-	3	4	3	4	8	5	8	2	-	-
ALL OTHER--MALE----	1	-	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	1	-	-	-
LOUISIANA -----	1	3	6	9	11	11	17	16	10	2	1	-
WHITE-----MALE----	-	-	1	2	3	1	5	1	3	-	-	-
FEMALE--	-	-	-	2	2	4	8	8	5	1	1	-
ALL OTHER--MALE----	1	2	1	3	3	2	1	1	-	-	-	-
FEMALE--	-	1	4	2	3	4	3	6	2	1	-	-
BLACK---MALE----	1	2	1	3	3	2	1	1	-	-	-	-
FEMALE--	-	1	4	2	3	4	3	6	2	1	-	-
MAINE -----	-	1	1	2	3	2	8	4	5	2	1	-
WHITE-----MALE----	-	1	-	1	3	1	4	1	1	-	1	-
FEMALE--	-	-	1	1	-	1	4	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	2	6	9	17	21	23	20	10	5	1	-
WHITE-----MALE----	1	1	1	1	6	6	7	8	4	1	-	-
FEMALE--	-	-	-	2	2	5	9	5	-	3	-	-
ALL OTHER--MALE----	1	-	3	4	5	5	3	-	-	-	-	-
FEMALE--	3	1	2	2	4	5	4	7	6	1	1	-
BLACK---MALE----	1	-	3	4	5	5	3	-	-	-	-	-
FEMALE--	3	1	2	2	4	5	4	7	6	1	1	-
MASSACHUSETTS -----	2	3	1	8	10	11	27	16	16	8	2	-
WHITE-----MALE----	-	2	1	1	5	8	7	1	5	2	-	-
FEMALE--	1	-	-	4	4	3	14	14	10	5	2	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	5	1	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	3	1	1	1	-	-
MICHIGAN -----	4	4	8	14	30	42	43	31	17	9	-	-
WHITE-----MALE----	1	2	4	6	8	16	12	10	4	1	-	-
FEMALE--	-	1	1	3	15	15	23	12	10	6	-	-
ALL OTHER--MALE----	2	1	1	2	2	7	2	2	-	-	-	-
FEMALE--	1	-	2	3	5	4	6	7	3	2	-	-
BLACK---MALE----	2	1	1	2	2	7	2	2	-	-	-	-
FEMALE--	1	-	2	3	5	4	6	7	3	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,544

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
MINNESOTA -----	2	1	4	2	8	14	15	21	10	6	3	-
WHITE-----MALE----	1	1	-	1	3	8	3	4	2	1	-	-
FEMALE--	-	-	3	1	4	6	12	17	8	5	3	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	-	4	1	9	6	9	10	11	6	3	1	-
WHITE-----MALE----	-	1	-	1	-	3	2	-	1	1	-	-
FEMALE--	-	-	-	1	3	1	2	3	3	2	1	-
ALL OTHER--MALE----	-	-	1	4	3	1	1	4	-	-	-	-
FEMALE--	-	3	-	3	-	4	5	4	2	-	-	-
BLACK---MALE----	-	-	1	4	3	1	1	4	-	-	-	-
FEMALE--	-	3	-	3	-	4	5	4	2	-	-	-
MISSOURI -----	-	4	4	7	26	23	18	33	18	9	-	-
WHITE-----MALE----	-	-	1	2	5	8	7	8	2	-	-	-
FEMALE--	-	-	2	3	13	8	8	19	12	6	-	-
ALL OTHER--MALE----	-	3	1	-	3	3	1	3	-	-	-	-
FEMALE--	-	1	-	2	5	4	2	3	4	3	-	-
BLACK---MALE----	-	3	1	-	3	3	1	3	-	-	-	-
FEMALE--	-	1	-	2	5	4	2	3	4	3	-	-
MONTANA -----	2	-	1	-	1	1	2	-	2	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	2	6	8	4	5	4	2	-	-
WHITE-----MALE----	-	-	-	-	3	6	3	2	3	-	-	-
FEMALE--	-	-	-	1	3	2	1	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
NEVADA -----	1	2	2	3	3	1	4	3	2	-	-	-
WHITE-----MALE----	1	2	2	1	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,546

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE RENAL DISEASE (403)												
OHIO -----	270	-	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	86	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	106	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	72	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	76	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	232	-	-	-	-	-	-	-	1	-	3	5
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	110	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	3
RHODE ISLAND -----	26	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	146	-	-	-	-	-	-	1	-	1	1	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	39	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	50	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	38	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	49	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,546

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
OHIO -----	3	19	11	17	34	44	56	42	27	11	-	-
WHITE-----MALE----	-	7	3	3	11	13	29	8	8	2	-	-
FEMALE--	-	2	6	8	12	16	19	21	14	7	-	-
ALL OTHER--MALE----	1	5	1	3	3	7	2	5	-	-	-	-
FEMALE--	2	5	1	3	8	8	6	8	5	2	-	-
BLACK---MALE----	1	5	1	3	3	7	2	5	-	-	-	-
FEMALE--	2	5	1	3	8	7	6	8	5	2	-	-
OKLAHOMA -----	1	-	3	8	5	12	6	16	14	4	1	-
WHITE-----MALE----	-	-	1	2	2	5	-	5	3	-	1	-
FEMALE--	-	-	1	2	3	4	3	10	8	4	-	-
ALL OTHER--MALE----	1	-	1	2	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	2	-	2	1	-	2	-	-	-
BLACK---MALE----	1	-	1	1	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	2	-	2	1	-	2	-	-	-
OREGON -----	-	-	2	4	8	13	20	15	12	2	-	-
WHITE-----MALE----	-	-	2	2	2	6	8	7	4	-	-	-
FEMALE--	-	-	-	1	5	6	12	8	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	6	9	14	29	40	39	41	27	7	4	-
WHITE-----MALE----	-	1	4	4	8	12	18	11	6	2	2	-
FEMALE--	3	1	1	5	10	21	17	27	18	4	2	-
ALL OTHER--MALE----	3	3	2	3	4	3	2	1	1	-	-	-
FEMALE--	1	1	2	2	7	4	2	2	2	1	-	-
BLACK---MALE----	3	3	2	3	3	3	2	1	1	-	-	-
FEMALE--	1	1	2	2	7	4	2	2	2	1	-	-
RHODE ISLAND -----	-	-	-	1	3	3	7	4	7	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	5	2	4	-	-	-
FEMALE--	-	-	-	-	2	1	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	3	9	21	23	28	20	17	12	2	-	-
WHITE-----MALE----	-	1	-	2	3	7	3	4	3	-	-	-
FEMALE--	-	1	1	3	7	8	6	2	5	-	-	-
ALL OTHER--MALE----	5	1	4	12	4	6	1	2	1	1	-	-
FEMALE--	2	-	4	4	9	7	10	9	3	1	-	-
BLACK---MALE----	5	1	4	12	4	5	1	2	1	1	-	-
FEMALE--	2	-	4	4	8	7	10	9	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,547

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
SOUTH DAKOTA -----	1	-	-	-	1	-	2	-	1	2	-	-
WHITE-----MALE----	1	-	-	-	1	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	2	8	9	13	22	18	29	27	6	-	-
WHITE-----MALE----	-	1	3	2	5	6	7	9	4	1	-	-
FEMALE--	-	-	2	2	4	10	9	12	18	3	-	-
ALL OTHER--MALE----	-	-	2	2	1	3	2	2	3	2	-	-
FEMALE--	3	1	1	3	3	3	-	6	2	-	-	-
BLACK---MALE----	-	-	2	2	1	3	2	2	3	2	-	-
FEMALE--	3	1	1	3	3	3	-	5	2	-	-	-
TEXAS -----	13	16	20	43	63	69	99	79	45	18	2	-
WHITE-----MALE----	6	7	4	11	18	27	27	23	12	6	-	-
FEMALE--	-	2	4	15	25	27	53	40	24	11	1	-
ALL OTHER--MALE----	5	4	5	6	9	3	5	3	2	-	-	-
FEMALE--	2	3	7	11	11	12	14	13	7	1	1	-
BLACK---MALE----	5	4	5	6	9	3	5	3	2	-	-	-
FEMALE--	2	3	6	11	11	12	14	13	7	1	1	-
UTAH -----	1	-	1	2	6	2	6	5	4	1	-	-
WHITE-----MALE----	1	-	-	1	3	-	4	1	2	-	-	-
FEMALE--	-	-	1	1	3	2	2	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	3	1	4	-	2	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	3	-	2	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	4	10	10	11	21	22	23	8	1	2	-
WHITE-----MALE----	1	1	-	4	2	4	8	4	1	-	-	-
FEMALE--	-	-	4	1	3	4	6	10	6	1	1	-
ALL OTHER--MALE----	3	2	4	3	3	6	1	3	-	-	-	-
FEMALE--	1	1	2	2	3	7	7	6	1	-	1	-
BLACK---MALE----	3	2	4	3	3	6	1	3	-	-	-	-
FEMALE--	-	1	2	2	3	7	6	6	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,549

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
UNITED STATES --	2,412	-	-	-	-	1	3	6	16	13	42	48
WHITE-----MALE----	669	-	-	-	-	1	-	-	4	1	7	13
FEMALE--	979	-	-	-	-	-	-	1	3	2	2	2
ALL OTHER--MALE----	327	-	-	-	-	-	2	3	3	4	21	22
FEMALE--	437	-	-	-	-	-	1	2	6	6	12	11
BLACK---MALE----	293	-	-	-	-	-	2	3	3	4	19	21
FEMALE--	407	-	-	-	-	-	1	2	6	6	12	11
ALABAMA -----	48	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	22	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	366	-	-	-	-	-	-	-	3	3	7	4
WHITE-----MALE----	115	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	135	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	65	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	33	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	47	-	-	-	-	-	-	-	-	1	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,549

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
UNITED STATES --	59	66	99	164	248	362	471	425	274	94	21	-
WHITE-----MALE----	15	16	24	59	74	112	136	110	72	23	2	-
FEMALE--	10	3	16	35	88	134	229	232	156	52	14	-
ALL OTHER--MALE----	24	26	32	34	36	51	32	23	9	3	2	-
FEMALE--	10	21	27	36	50	65	74	60	37	16	3	-
BLACK---MALE----	22	24	31	33	30	45	26	19	7	2	2	-
FEMALE--	10	20	24	33	46	59	68	56	35	15	3	-
ALABAMA -----	2	4	2	3	8	6	8	8	6	-	-	-
WHITE-----MALE----	-	1	-	1	1	3	2	1	1	-	-	-
FEMALE--	-	-	-	1	2	1	3	5	2	-	-	-
ALL OTHER--MALE----	1	2	1	1	2	1	-	1	1	-	-	-
FEMALE--	1	1	1	-	3	1	3	1	2	-	-	-
BLACK---MALE----	1	2	1	1	2	1	-	1	1	-	-	-
FEMALE--	1	1	1	-	3	1	3	1	2	-	-	-
ALASKA -----	-	-	-	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	3	2	3	4	2	-	1	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ARKANSAS -----	1	-	-	1	2	4	3	8	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	8	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	9	13	13	30	40	60	59	66	40	15	4	-
WHITE-----MALE----	3	6	3	12	13	17	23	14	16	2	2	-
FEMALE--	1	1	3	9	13	17	21	35	21	10	2	-
ALL OTHER--MALE----	4	4	4	4	7	9	4	6	1	1	-	-
FEMALE--	1	2	3	5	7	17	11	11	2	2	-	-
BLACK---MALE----	3	3	3	4	4	6	2	2	-	-	-	-
FEMALE--	1	1	2	3	5	15	6	8	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,550

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
COLORADO -----	16	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	17	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	166	-	-	-	-	-	-	-	-	1	4	3
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	1	3	1
GEORGIA -----	53	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,550

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
COLORADO -----	2	-	-	1	2	2	3	3	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	-	-	1	2	2	5	3	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	1	-	1	4	-	3	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	3	-	2	-	2	-	-
BLACK---MALE----	-	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	3	-	2	-	1	-	-
FLORIDA -----	3	1	10	16	17	21	35	29	21	5	-	-
WHITE-----MALE----	1	1	2	6	6	9	17	11	4	3	-	-
FEMALE--	2	-	1	2	7	7	12	11	13	1	-	-
ALL OTHER--MALE----	-	-	5	2	2	3	1	4	1	-	-	-
FEMALE--	-	-	2	6	2	2	5	3	3	1	-	-
BLACK---MALE----	-	-	5	1	2	3	1	4	1	-	-	-
FEMALE--	-	-	2	6	2	2	5	3	3	1	-	-
GEORGIA -----	-	1	4	5	4	11	5	12	6	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	2	-	-	-
FEMALE--	-	-	2	-	-	3	3	5	3	1	-	-
ALL OTHER--MALE----	-	1	-	2	1	2	-	1	-	-	-	-
FEMALE--	-	-	2	3	2	4	1	6	1	-	-	-
BLACK---MALE----	-	1	-	2	1	2	-	1	-	-	-	-
FEMALE--	-	-	2	3	2	4	1	6	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,551

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
HAWAII -----	1	1	-	-	1	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	1	1	-	-	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	2	6	4	7	21	21	11	11	2	1	-
WHITE-----MALE----	-	1	3	1	-	6	5	2	2	-	-	-
FEMALE--	-	-	-	-	1	8	11	5	9	2	1	-
ALL OTHER--MALE----	2	-	1	1	1	4	1	3	-	-	-	-
FEMALE--	-	1	2	2	5	3	4	1	-	-	-	-
BLACK---MALE----	2	-	1	1	1	4	-	3	-	-	-	-
FEMALE--	-	1	2	2	5	3	4	1	-	-	-	-
INDIANA -----	-	-	1	4	4	6	13	11	5	2	2	-
WHITE-----MALE----	-	-	-	1	3	2	1	1	-	1	-	-
FEMALE--	-	-	1	3	1	3	10	10	4	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
IOWA -----	1	-	1	-	1	3	9	5	3	3	-	-
WHITE-----MALE----	1	-	-	-	1	1	2	1	2	2	-	-
FEMALE--	-	-	1	-	-	2	7	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	-	1	1	3	-	5	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	-	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,552

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
KENTUCKY -----	24	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	75	-	-	-	-	-	-	-	-	-	2	4
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	2
MAINE -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	97	-	-	-	-	-	-	1	1	-	2	2
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	24	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	21	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	24	-	-	-	-	-	-	-	1	-	1	-
MASSACHUSETTS -----	30	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	91	-	-	-	-	-	-	-	1	1	3	2
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,552

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
KENTUCKY -----	-	2	1	-	1	3	6	5	2	3	1	-
WHITE-----MALE----	-	-	-	-	-	1	2	2	-	1	-	-
FEMALE--	-	-	1	-	1	2	3	1	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	1	1	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	1	1	-
LOUISIANA -----	4	6	5	4	5	13	11	7	10	3	1	-
WHITE-----MALE----	-	-	1	-	1	1	3	4	-	-	-	-
FEMALE--	-	-	1	-	2	3	1	1	4	2	1	-
ALL OTHER--MALE----	2	4	3	-	2	2	3	2	1	-	-	-
FEMALE--	2	2	-	4	-	7	4	-	5	1	-	-
BLACK---MALE----	2	4	3	-	2	2	3	2	1	-	-	-
FEMALE--	2	2	-	4	-	7	4	-	5	1	-	-
MAINE -----	-	-	-	1	4	-	1	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	5	6	10	9	17	21	11	6	3	-	-
WHITE-----MALE----	1	-	1	4	5	4	5	3	2	-	-	-
FEMALE--	-	-	-	-	2	7	8	6	1	3	-	-
ALL OTHER--MALE----	2	3	2	3	1	2	3	-	1	-	-	-
FEMALE--	-	2	3	3	1	4	5	2	2	-	-	-
BLACK---MALE----	2	3	2	3	1	2	3	-	1	-	-	-
FEMALE--	-	2	3	3	1	4	5	2	2	-	-	-
MASSACHUSETTS -----	-	-	-	-	2	4	6	10	6	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	3	4	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	2	3	9	10	12	27	10	8	2	-	-
WHITE-----MALE----	1	-	-	3	3	3	11	4	4	-	-	-
FEMALE--	-	-	-	2	4	6	12	4	4	1	-	-
ALL OTHER--MALE----	-	-	1	2	1	3	2	1	-	1	-	-
FEMALE--	-	2	2	2	2	-	2	1	-	-	-	-
BLACK---MALE----	-	-	1	2	1	3	2	1	-	1	-	-
FEMALE--	-	2	1	2	2	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,553

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
MINNESOTA -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	47	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
MISSOURI -----	51	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	11	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	24	-	-	-	-	-	-	-	2	-	2	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,555

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
OHIO -----	-	1	2	9	16	15	29	19	13	8	1	-
WHITE-----MALE----	-	-	2	1	4	4	6	3	5	1	-	-
FEMALE--	-	-	-	4	9	7	18	10	6	6	1	-
ALL OTHER--MALE----	-	1	-	4	2	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	5	2	1	-	-
BLACK---MALE----	-	1	-	4	2	3	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	4	5	2	1	-	-
OKLAHOMA -----	-	1	-	-	2	3	6	6	2	1	-	-
WHITE-----MALE----	-	1	-	-	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	5	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	-	-	-	1	2	1	11	6	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	7	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	2	2	5	8	15	22	31	14	8	-	-
WHITE-----MALE----	1	-	1	3	4	5	6	13	7	1	-	-
FEMALE--	1	-	-	1	3	7	15	16	6	4	-	-
ALL OTHER--MALE----	2	2	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	1	2	1	3	-	-
BLACK---MALE----	2	2	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	2	1	3	-	-
RHODE ISLAND -----	-	-	-	3	-	1	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	3	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	2	5	2	11	3	7	1	2	-	-
WHITE-----MALE----	-	-	1	2	-	3	1	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	3	-	1	-	1	-	-
FEMALE--	-	-	-	-	2	3	2	3	-	1	-	-
BLACK---MALE----	-	-	-	2	-	3	-	1	-	1	-	-
FEMALE--	-	-	-	-	2	3	2	3	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,556

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
SOUTH DAKOTA -----	-	-	-	-	-	1	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	3	3	5	5	12	23	14	8	1	1	-
WHITE-----MALE----	-	-	-	3	2	3	7	2	1	1	-	-
FEMALE--	-	-	-	1	2	7	9	11	5	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	1	4	-	1	-	1	-
FEMALE--	-	2	1	1	1	1	3	1	1	-	-	-
BLACK---MALE----	-	1	2	-	-	1	4	-	1	-	1	-
FEMALE--	-	2	1	1	1	1	3	1	1	-	-	-
TEXAS -----	4	2	10	7	21	22	30	21	16	7	2	-
WHITE-----MALE----	1	-	2	3	5	8	9	4	4	3	-	-
FEMALE--	2	-	2	1	8	10	12	10	10	3	1	-
ALL OTHER--MALE----	1	-	3	2	4	2	4	1	-	-	-	-
FEMALE--	-	2	3	1	4	2	5	6	2	1	1	-
BLACK---MALE----	1	-	3	2	4	1	4	1	-	-	-	-
FEMALE--	-	2	3	1	4	2	5	6	2	1	1	-
UTAH -----	-	-	-	-	-	1	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	2	3	8	5	9	7	6	3	2	-
WHITE-----MALE----	-	-	1	-	2	1	-	2	-	1	-	-
FEMALE--	-	-	-	-	2	2	8	4	2	1	2	-
ALL OTHER--MALE----	-	1	1	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	3	4	-	1	1	3	1	-	-
BLACK---MALE----	-	1	1	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	3	3	-	1	1	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,558

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
UNITED STATES --	459,841	19	7	9	14	41	70	234	702	2,062	4,473	7,885
WHITE-----MALE----	210,056	5	2	5	6	23	33	134	383	1,272	2,822	5,072
FEMALE--	202,295	3	4	1	4	7	14	41	161	342	720	1,215
ALL OTHER--MALE----	23,318	7	1	3	1	10	15	36	105	313	630	1,083
FEMALE--	24,172	4	-	-	3	1	8	23	53	135	301	515
BLACK---MALE----	19,307	7	1	3	1	10	14	33	96	265	546	930
FEMALE--	21,290	2	-	-	3	1	7	23	50	130	292	486
ALABAMA -----	6,481	-	-	-	-	1	2	4	18	54	94	155
WHITE-----MALE----	2,814	-	-	-	-	-	2	1	6	21	57	79
FEMALE--	2,366	-	-	-	-	1	-	1	6	9	11	26
ALL OTHER--MALE----	652	-	-	-	-	-	-	1	6	19	17	36
FEMALE--	649	-	-	-	-	-	-	1	-	5	9	14
BLACK---MALE----	644	-	-	-	-	-	-	1	6	19	16	35
FEMALE--	642	-	-	-	-	-	-	1	-	5	9	14
ALASKA -----	319	-	-	-	-	1	-	1	-	4	8	25
WHITE-----MALE----	197	-	-	-	-	1	-	-	-	3	5	20
FEMALE--	70	-	-	-	-	-	-	1	-	-	2	3
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6,548	1	-	-	1	1	-	2	6	15	54	90
WHITE-----MALE----	3,514	-	-	-	1	1	-	2	2	11	44	68
FEMALE--	2,774	1	-	-	-	-	-	-	1	2	6	16
ALL OTHER--MALE----	144	-	-	-	-	-	-	-	3	2	3	5
FEMALE--	116	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	69	-	-	-	-	-	-	-	2	1	1	4
FEMALE--	63	-	-	-	-	-	-	-	-	-	1	1
ARKANSAS -----	5,504	-	-	-	-	1	2	3	8	20	78	117
WHITE-----MALE----	2,588	-	-	-	-	1	-	2	4	11	43	60
FEMALE--	2,158	-	-	-	-	-	-	-	2	7	11	24
ALL OTHER--MALE----	356	-	-	-	-	-	1	1	1	1	17	19
FEMALE--	402	-	-	-	-	-	1	-	1	1	7	14
BLACK---MALE----	352	-	-	-	-	-	1	1	1	1	17	19
FEMALE--	397	-	-	-	-	-	1	-	1	1	7	14
CALIFORNIA -----	46,573	3	-	-	-	1	2	19	44	172	387	692
WHITE-----MALE----	20,571	1	-	-	-	-	-	11	22	112	231	445
FEMALE--	20,234	-	-	-	-	1	1	2	11	27	70	105
ALL OTHER--MALE----	3,053	-	-	-	-	-	1	3	8	26	63	108
FEMALE--	2,715	2	-	-	-	-	-	3	3	7	23	34
BLACK---MALE----	1,470	-	-	-	-	-	1	2	5	17	36	58
FEMALE--	1,580	-	-	-	-	-	-	3	3	6	20	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,558

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
UNITED STATES --	12,280	16,902	24,066	35,932	53,693	69,929	79,739	75,237	50,936	20,709	4,883	19
WHITE-----MALE----	7,943	10,495	14,298	20,879	29,603	35,700	35,884	27,006	13,760	4,059	664	8
FEMALE--	2,183	3,588	6,002	10,226	17,907	27,311	37,351	42,769	33,617	15,101	3,724	4
ALL OTHER--MALE----	1,444	1,834	2,289	2,685	3,159	3,398	2,715	2,061	1,071	366	87	5
FEMALE--	710	985	1,477	2,142	3,024	3,520	3,789	3,401	2,488	1,183	408	2
BLACK---MALE----	1,235	1,550	1,939	2,304	2,629	2,746	2,190	1,612	839	279	74	4
FEMALE--	636	897	1,336	1,881	2,643	3,076	3,301	2,968	2,167	1,016	373	2
ALABAMA -----	245	285	438	624	814	1,028	1,010	928	532	205	44	-
WHITE-----MALE----	136	163	230	332	446	505	402	290	109	30	5	-
FEMALE--	34	58	103	169	218	351	434	469	323	132	21	-
ALL OTHER--MALE----	49	39	62	77	75	83	72	66	38	9	3	-
FEMALE--	26	25	43	46	75	89	102	103	62	34	15	-
BLACK---MALE----	49	39	62	76	74	80	72	66	37	9	3	-
FEMALE--	25	25	41	46	75	86	102	103	61	34	15	-
ALASKA -----	26	24	25	39	40	52	43	16	10	3	2	-
WHITE-----MALE----	17	19	17	22	29	29	25	6	3	1	-	-
FEMALE--	3	2	1	10	8	13	13	5	6	1	2	-
ALL OTHER--MALE----	5	2	5	6	3	9	2	1	-	-	-	-
FEMALE--	1	1	2	1	-	1	3	4	1	1	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	184	239	359	525	856	1,077	1,205	1,002	649	227	55	-
WHITE-----MALE----	141	162	232	360	523	620	650	425	213	48	11	-
FEMALE--	30	57	106	142	288	425	523	541	421	172	43	-
ALL OTHER--MALE----	9	15	13	15	28	20	9	13	6	3	-	-
FEMALE--	4	5	8	8	17	12	23	23	9	4	1	-
BLACK---MALE----	3	7	6	7	14	12	5	5	2	-	-	-
FEMALE--	1	3	4	2	10	8	11	13	6	2	1	-
ARKANSAS -----	174	265	332	486	745	754	904	832	547	184	52	-
WHITE-----MALE----	113	163	201	297	438	365	424	300	134	27	5	-
FEMALE--	31	58	76	127	222	295	377	428	346	123	31	-
ALL OTHER--MALE----	21	29	34	27	42	49	40	39	23	12	-	-
FEMALE--	9	15	21	35	43	45	63	65	44	22	16	-
BLACK---MALE----	20	28	34	27	42	49	38	39	23	12	-	-
FEMALE--	9	15	21	34	42	44	63	63	44	22	16	-
CALIFORNIA -----	1,131	1,526	2,136	3,366	5,175	7,084	8,341	7,954	5,521	2,447	570	2
WHITE-----MALE----	725	913	1,199	1,836	2,684	3,544	3,769	2,923	1,561	512	83	-
FEMALE--	195	300	532	984	1,753	2,634	3,671	4,294	3,498	1,725	431	-
ALL OTHER--MALE----	155	222	264	300	413	502	415	343	167	56	5	2
FEMALE--	56	91	141	246	325	404	486	394	295	154	51	-
BLACK---MALE----	85	133	148	179	201	214	182	136	56	13	3	1
FEMALE--	44	68	95	145	190	225	278	190	165	89	33	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,559

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
COLORADO -----	3,868	-	-	-	-	-	-	3	13	14	44	94
WHITE-----MALE----	1,987	-	-	-	-	-	-	1	10	11	34	73
FEMALE--	1,723	-	-	-	-	-	-	2	3	2	4	17
ALL OTHER--MALE----	83	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	75	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	56	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	53	-	-	-	-	-	-	-	-	-	2	1
CONNECTICUT -----	5,455	-	-	-	-	1	1	2	8	14	36	59
WHITE-----MALE----	2,460	-	-	-	-	1	-	2	4	8	28	42
FEMALE--	2,715	-	-	-	-	-	-	-	2	3	4	9
ALL OTHER--MALE----	135	-	-	-	-	-	1	-	2	1	3	5
FEMALE--	145	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	119	-	-	-	-	-	1	-	2	1	3	5
FEMALE--	140	-	-	-	-	-	-	-	-	2	1	3
DELAWARE -----	1,087	-	-	-	1	-	-	-	4	2	13	18
WHITE-----MALE----	488	-	-	-	1	-	-	-	1	-	5	10
FEMALE--	459	-	-	-	-	-	-	-	2	-	2	1
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	1	-	2	6
FEMALE--	78	-	-	-	-	-	-	-	-	2	4	1
BLACK---MALE----	61	-	-	-	-	-	-	-	1	-	2	6
FEMALE--	73	-	-	-	-	-	-	-	-	2	4	1
DISTRICT OF COLUMBIA ----	714	-	-	-	-	-	1	1	-	3	14	15
WHITE-----MALE----	84	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	97	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	233	-	-	-	-	-	-	-	-	1	8	7
FEMALE--	300	-	-	-	-	-	1	1	-	-	5	4
BLACK---MALE----	229	-	-	-	-	-	-	-	-	1	8	7
FEMALE--	299	-	-	-	-	-	1	1	-	-	5	4
FLORIDA -----	35,776	2	-	2	3	1	4	18	40	107	231	425
WHITE-----MALE----	17,285	-	-	1	-	1	3	10	21	70	152	277
FEMALE--	15,795	1	-	-	2	-	-	3	10	13	39	62
ALL OTHER--MALE----	1,292	1	-	1	1	-	-	2	6	15	26	49
FEMALE--	1,404	-	-	-	-	-	1	3	3	9	14	37
BLACK---MALE----	1,244	1	-	1	1	-	-	2	6	14	24	47
FEMALE--	1,363	-	-	-	-	-	1	3	3	9	14	37
GEORGIA -----	9,269	1	-	-	-	1	3	7	21	67	159	274
WHITE-----MALE----	3,926	-	-	-	-	-	-	2	10	21	80	142
FEMALE--	3,316	-	-	-	-	-	1	2	5	8	22	36
ALL OTHER--MALE----	976	-	-	-	-	1	2	3	3	31	38	63
FEMALE--	1,051	1	-	-	-	-	-	-	3	7	19	33
BLACK---MALE----	934	-	-	-	-	1	2	3	3	30	38	60
FEMALE--	1,037	1	-	-	-	-	-	-	3	7	19	33

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,559

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
COLORADO -----	136	172	203	328	438	576	684	618	376	137	32	-
WHITE-----MALE----	97	119	134	214	270	319	312	239	134	18	2	-
FEMALE--	30	45	54	101	149	231	350	361	234	111	29	-
ALL OTHER--MALE----	7	4	9	9	11	16	10	5	3	1	-	-
FEMALE--	2	4	6	4	8	10	12	13	5	7	1	-
BLACK---MALE----	5	3	4	8	9	10	4	3	2	1	-	-
FEMALE--	-	2	6	3	6	7	7	9	4	5	1	-
CONNECTICUT -----	106	182	236	361	549	781	986	991	749	324	69	-
WHITE-----MALE----	74	125	154	224	316	399	454	353	196	69	11	-
FEMALE--	18	35	51	114	188	337	508	605	533	252	56	-
ALL OTHER--MALE----	9	12	18	12	20	22	12	11	7	-	-	-
FEMALE--	5	10	13	11	25	23	12	22	13	3	2	-
BLACK---MALE----	7	11	15	11	17	19	11	9	7	-	-	-
FEMALE--	5	10	11	11	24	23	12	21	12	3	2	-
DELAWARE -----	29	45	50	83	126	198	192	166	109	43	8	-
WHITE-----MALE----	19	25	31	49	72	107	79	54	24	8	3	-
FEMALE--	4	11	12	23	39	70	92	96	74	28	5	-
ALL OTHER--MALE----	4	5	5	6	9	6	9	4	2	3	-	-
FEMALE--	2	4	2	5	6	15	12	12	9	4	-	-
BLACK---MALE----	4	5	5	6	8	6	9	4	2	3	-	-
FEMALE--	2	3	2	4	6	15	12	10	8	4	-	-
DISTRICT OF COLUMBIA ----	18	43	36	67	88	109	125	83	69	29	12	1
WHITE-----MALE----	-	4	4	9	11	11	20	7	9	1	-	1
FEMALE--	-	-	-	3	4	9	20	21	23	13	4	-
ALL OTHER--MALE----	9	24	18	34	35	41	29	21	3	2	1	-
FEMALE--	9	15	14	21	38	48	56	34	34	13	7	-
BLACK---MALE----	9	23	18	33	34	40	29	21	3	2	1	-
FEMALE--	9	15	14	21	38	48	56	34	33	13	7	-
FLORIDA -----	636	992	1,497	2,491	4,020	5,429	6,575	6,525	4,589	1,791	393	5
WHITE-----MALE----	413	631	944	1,520	2,331	3,018	3,309	2,661	1,457	393	71	2
FEMALE--	100	208	356	688	1,320	2,035	2,901	3,531	2,915	1,306	303	2
ALL OTHER--MALE----	78	105	118	163	197	168	152	118	59	27	5	1
FEMALE--	45	48	79	120	172	208	213	215	158	65	14	-
BLACK---MALE----	73	104	113	163	187	164	144	113	55	26	5	1
FEMALE--	41	47	77	112	163	201	208	213	156	64	14	-
GEORGIA -----	360	530	681	931	1,146	1,433	1,395	1,239	728	234	59	-
WHITE-----MALE----	201	279	376	495	572	667	516	375	149	39	2	-
FEMALE--	64	93	136	216	301	507	645	637	456	153	34	-
ALL OTHER--MALE----	68	99	105	106	131	122	85	80	29	6	4	-
FEMALE--	27	59	64	114	142	137	149	147	94	36	19	-
BLACK---MALE----	67	93	99	100	124	118	82	76	28	6	4	-
FEMALE--	27	58	64	112	140	135	146	146	93	34	19	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,560

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
HAWAII -----	54	60	70	110	143	210	195	179	119	59	6	-
WHITE-----MALE----	16	12	14	20	22	42	41	31	8	1	-	-
FEMALE--	1	3	1	10	19	14	12	22	18	6	1	-
ALL OTHER--MALE----	24	33	39	51	57	92	86	76	39	19	3	-
FEMALE--	13	12	16	29	45	62	56	50	54	33	2	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
IDAHO -----	35	59	92	136	177	259	260	279	158	58	9	-
WHITE-----MALE----	29	43	71	93	124	172	143	133	62	9	-	-
FEMALE--	5	14	21	42	49	86	115	144	95	49	9	-
ALL OTHER--MALE----	1	2	-	-	3	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ILLINOIS -----	492	733	1,062	1,555	2,512	3,183	3,833	3,568	2,418	1,024	250	1
WHITE-----MALE----	308	438	605	858	1,312	1,616	1,671	1,213	650	167	30	1
FEMALE--	87	152	260	447	894	1,236	1,839	2,109	1,617	775	201	-
ALL OTHER--MALE----	68	89	114	140	133	162	132	77	49	21	4	-
FEMALE--	29	54	83	110	173	169	191	169	102	61	15	-
BLACK---MALE----	61	79	107	125	120	152	115	70	46	20	3	-
FEMALE--	28	54	82	104	160	160	178	159	97	56	14	-
INDIANA -----	339	487	672	904	1,298	1,688	1,766	1,616	1,126	467	96	-
WHITE-----MALE----	226	333	424	519	772	894	794	606	293	94	15	-
FEMALE--	75	116	172	306	440	700	883	935	775	345	76	-
ALL OTHER--MALE----	27	30	44	42	42	49	39	33	19	4	2	-
FEMALE--	11	8	32	37	44	45	50	42	39	24	3	-
BLACK---MALE----	25	29	44	41	41	48	37	32	18	4	2	-
FEMALE--	9	8	31	37	42	45	49	42	39	23	3	-
IOWA -----	123	161	225	373	654	820	1,109	1,135	865	391	109	1
WHITE-----MALE----	99	108	162	243	416	471	544	461	261	84	16	1
FEMALE--	20	48	58	120	220	338	554	666	603	305	92	-
ALL OTHER--MALE----	2	3	4	7	9	6	8	3	1	-	1	-
FEMALE--	2	2	1	3	9	5	3	5	-	2	-	-
BLACK---MALE----	2	1	2	7	7	5	6	3	1	-	-	-
FEMALE--	2	1	1	3	8	4	3	4	-	2	-	-
KANSAS -----	125	147	224	337	475	665	736	741	560	249	51	-
WHITE-----MALE----	94	105	152	229	300	364	382	292	176	55	2	-
FEMALE--	19	29	53	92	158	282	332	426	365	181	47	-
ALL OTHER--MALE----	9	9	11	10	8	9	9	13	9	2	1	-
FEMALE--	3	4	8	6	9	10	13	10	10	11	1	-
BLACK---MALE----	7	5	9	8	7	7	8	11	8	1	1	-
FEMALE--	3	3	8	5	7	5	12	9	6	9	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,561

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
KENTUCKY -----	7,373	1	-	-	-	2	3	7	25	50	98	163
WHITE-----MALE----	3,640	1	-	-	-	2	1	5	15	35	74	114
FEMALE--	3,343	-	-	-	-	-	2	1	7	10	17	35
ALL OTHER--MALE----	208	-	-	-	-	-	-	1	3	4	6	9
FEMALE--	182	-	-	-	-	-	-	-	-	1	1	5
BLACK---MALE----	206	-	-	-	-	-	-	1	3	4	6	9
FEMALE--	180	-	-	-	-	-	-	-	-	1	1	5
LOUISIANA -----	6,391	1	1	1	-	-	2	6	18	61	118	205
WHITE-----MALE----	2,517	-	-	-	-	-	-	3	9	24	48	90
FEMALE--	2,207	-	-	-	-	-	-	-	3	7	14	18
ALL OTHER--MALE----	851	-	1	1	-	-	2	3	2	18	30	64
FEMALE--	816	1	-	-	-	-	-	-	4	12	26	33
BLACK---MALE----	829	-	1	1	-	-	2	3	2	15	29	61
FEMALE--	804	1	-	-	-	-	-	-	4	12	26	33
MAINE -----	2,238	-	-	-	-	-	-	-	1	7	24	42
WHITE-----MALE----	1,138	-	-	-	-	-	-	-	1	4	18	36
FEMALE--	1,091	-	-	-	-	-	-	-	-	3	6	6
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6,498	-	-	-	-	1	-	-	5	18	41	95
WHITE-----MALE----	2,654	-	-	-	-	-	-	-	1	7	24	49
FEMALE--	2,662	-	-	-	-	-	-	-	1	1	4	11
ALL OTHER--MALE----	552	-	-	-	-	1	-	-	1	8	8	23
FEMALE--	630	-	-	-	-	-	-	-	2	2	5	12
BLACK---MALE----	522	-	-	-	-	1	-	-	1	7	7	22
FEMALE--	606	-	-	-	-	-	-	-	2	2	5	11
MASSACHUSETTS -----	9,798	-	-	-	-	1	-	4	13	48	72	117
WHITE-----MALE----	4,587	-	-	-	-	1	-	3	9	36	54	83
FEMALE--	4,893	-	-	-	-	-	-	1	3	5	13	23
ALL OTHER--MALE----	159	-	-	-	-	-	-	-	1	3	5	8
FEMALE--	159	-	-	-	-	-	-	-	-	4	-	3
BLACK---MALE----	123	-	-	-	-	-	-	-	-	2	5	5
FEMALE--	135	-	-	-	-	-	-	-	-	4	-	3
MICHIGAN -----	17,273	1	-	-	-	-	2	10	29	85	151	289
WHITE-----MALE----	7,766	-	-	-	-	-	1	5	17	49	110	190
FEMALE--	8,016	-	-	-	-	-	-	4	8	18	25	52
ALL OTHER--MALE----	707	1	-	-	-	-	1	1	1	14	13	29
FEMALE--	784	-	-	-	-	-	-	-	3	4	3	18
BLACK---MALE----	641	1	-	-	-	-	1	1	1	12	11	24
FEMALE--	730	-	-	-	-	-	-	-	3	4	3	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,561

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
KENTUCKY -----	269	385	465	698	929	1,147	1,113	1,064	645	253	56	-
WHITE-----MALE----	188	276	286	442	510	597	508	359	160	56	11	-
FEMALE--	57	90	143	210	369	494	558	663	461	183	43	-
ALL OTHER--MALE----	16	14	29	21	27	26	25	19	6	2	-	-
FEMALE--	8	5	7	25	23	30	22	23	18	12	2	-
BLACK---MALE----	16	14	29	21	26	25	25	19	6	2	-	-
FEMALE--	8	5	7	25	22	29	22	23	18	12	2	-
LOUISIANA -----	273	349	489	628	789	966	923	805	536	170	50	-
WHITE-----MALE----	129	168	225	308	345	421	351	242	126	25	3	-
FEMALE--	37	64	105	153	247	328	377	425	301	101	27	-
ALL OTHER--MALE----	75	81	92	88	108	108	75	51	37	11	4	-
FEMALE--	32	36	67	79	89	109	120	87	72	33	16	-
BLACK---MALE----	74	80	89	87	104	107	74	50	35	11	4	-
FEMALE--	31	34	66	79	86	109	119	87	68	33	16	-
MAINE -----	57	64	106	187	260	361	382	349	267	101	30	-
WHITE-----MALE----	51	51	73	134	163	199	196	120	68	21	3	-
FEMALE--	6	12	31	52	94	160	186	229	199	80	27	-
ALL OTHER--MALE----	-	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MARYLAND -----	174	233	354	537	855	1,078	1,116	1,009	627	290	65	-
WHITE-----MALE----	87	126	183	278	427	494	425	319	175	53	6	-
FEMALE--	24	42	81	144	252	386	530	567	369	202	48	-
ALL OTHER--MALE----	38	38	60	59	94	86	60	39	27	7	3	-
FEMALE--	25	27	30	56	82	112	101	84	56	28	8	-
BLACK---MALE----	36	38	58	56	91	77	54	39	26	6	3	-
FEMALE--	25	26	30	53	78	109	95	83	55	24	8	-
MASSACHUSETTS -----	208	302	443	688	1,098	1,420	1,787	1,758	1,218	510	111	-
WHITE-----MALE----	155	208	303	417	685	757	829	643	317	73	14	-
FEMALE--	39	74	114	236	378	624	916	1,080	872	422	93	-
ALL OTHER--MALE----	9	11	19	19	19	20	18	13	7	5	2	-
FEMALE--	5	9	7	16	16	19	24	22	22	10	2	-
BLACK---MALE----	6	10	18	12	17	16	13	9	3	5	2	-
FEMALE--	5	9	7	14	12	14	18	18	20	9	2	-
MICHIGAN -----	430	555	820	1,298	2,115	2,596	3,109	2,929	1,885	797	172	-
WHITE-----MALE----	289	355	466	769	1,169	1,307	1,352	1,017	501	146	23	-
FEMALE--	74	130	253	373	747	1,064	1,527	1,733	1,274	598	136	-
ALL OTHER--MALE----	40	47	66	79	105	110	95	67	27	10	1	-
FEMALE--	27	23	35	77	94	115	135	112	83	43	12	-
BLACK---MALE----	38	43	59	76	93	100	92	59	19	10	1	-
FEMALE--	26	23	34	74	82	108	124	103	77	40	12	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,562
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
MINNESOTA -----	193	199	251	419	663	799	1,080	1,054	688	271	64	-
WHITE-----MALE----	149	149	195	284	449	508	560	459	221	59	13	-
FEMALE--	30	41	40	121	196	278	507	587	464	209	51	-
ALL OTHER--MALE----	10	8	13	7	11	10	5	4	-	-	-	-
FEMALE--	4	1	3	7	7	3	8	4	3	3	-	-
BLACK---MALE----	2	4	5	3	2	7	2	1	-	-	-	-
FEMALE--	1	1	-	2	3	1	3	4	2	1	-	-
MISSISSIPPI -----	195	246	374	449	572	717	722	629	368	131	35	1
WHITE-----MALE----	93	117	193	216	273	296	274	192	67	18	1	-
FEMALE--	27	36	59	100	149	239	293	287	208	71	19	1
ALL OTHER--MALE----	47	58	68	72	71	88	63	60	31	15	5	-
FEMALE--	28	35	54	61	79	94	92	90	62	27	10	-
BLACK---MALE----	46	57	67	71	71	88	63	60	31	15	5	-
FEMALE--	28	35	53	60	79	92	92	89	61	27	10	-
MISSOURI -----	348	475	680	920	1,363	1,685	2,052	2,067	1,500	624	137	-
WHITE-----MALE----	215	313	421	550	770	872	938	715	402	124	20	-
FEMALE--	78	102	182	278	454	673	973	1,234	1,007	462	101	-
ALL OTHER--MALE----	30	39	49	52	67	58	67	45	28	9	4	-
FEMALE--	25	21	28	40	72	82	74	73	63	29	12	-
BLACK---MALE----	29	39	49	52	59	57	66	41	27	9	4	-
FEMALE--	24	20	25	39	69	80	73	72	59	29	12	-
MONTANA -----	23	59	71	90	132	182	182	174	100	44	11	-
WHITE-----MALE----	17	49	56	62	86	110	100	70	35	10	2	-
FEMALE--	2	5	12	23	39	67	77	103	63	34	9	-
ALL OTHER--MALE----	1	4	3	5	5	1	4	-	2	-	-	-
FEMALE--	3	1	-	-	2	4	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	44	70	113	169	280	351	429	467	316	153	49	-
WHITE-----MALE----	29	47	79	102	173	206	232	173	101	36	12	-
FEMALE--	11	14	28	60	101	136	191	289	210	114	36	-
ALL OTHER--MALE----	4	6	5	4	2	3	2	4	-	-	-	-
FEMALE--	-	3	1	3	4	6	4	1	5	3	1	-
BLACK---MALE----	2	5	4	1	1	2	1	3	-	-	-	-
FEMALE--	-	2	1	1	4	4	2	1	4	3	1	-
NEVADA -----	70	98	114	183	265	330	288	191	117	40	5	-
WHITE-----MALE----	52	69	70	101	167	177	140	77	23	7	-	-
FEMALE--	12	22	36	55	79	135	137	107	86	30	4	-
ALL OTHER--MALE----	5	4	6	16	11	11	4	4	3	2	-	-
FEMALE--	1	3	2	11	8	7	7	3	5	1	1	-
BLACK---MALE----	3	3	4	12	7	6	3	3	2	1	-	-
FEMALE--	-	3	2	7	5	4	4	1	4	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,564

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
OHIO -----	21,942	-	-	1	-	1	-	5	30	105	234	384
WHITE-----MALE----	10,014	-	-	1	-	-	-	3	23	77	157	251
FEMALE--	10,019	-	-	-	-	-	-	1	3	13	40	62
ALL OTHER--MALE----	925	-	-	-	-	1	-	1	3	7	23	51
FEMALE--	984	-	-	-	-	-	-	-	1	8	14	20
BLACK---MALE----	899	-	-	-	-	1	-	1	3	6	23	47
FEMALE--	969	-	-	-	-	-	-	-	1	8	14	20
OKLAHOMA -----	7,270	-	-	-	-	-	1	4	12	31	76	135
WHITE-----MALE----	3,387	-	-	-	-	-	1	1	6	16	49	87
FEMALE--	3,238	-	-	-	-	-	-	1	3	6	12	24
ALL OTHER--MALE----	324	-	-	-	-	-	-	2	1	5	12	18
FEMALE--	321	-	-	-	-	-	-	-	2	4	3	6
BLACK---MALE----	178	-	-	-	-	-	-	-	-	4	8	12
FEMALE--	188	-	-	-	-	-	-	-	1	3	2	3
OREGON -----	4,665	-	-	-	-	1	1	-	6	20	55	84
WHITE-----MALE----	2,523	-	-	-	-	1	1	-	5	14	42	64
FEMALE--	2,024	-	-	-	-	-	-	-	-	5	9	17
ALL OTHER--MALE----	69	-	-	-	-	-	-	-	1	1	3	3
FEMALE--	49	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	28	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	25,228	2	1	-	-	1	1	8	26	78	178	330
WHITE-----MALE----	11,855	1	-	-	-	1	-	5	13	56	130	242
FEMALE--	11,947	-	1	-	-	-	-	3	11	15	31	53
ALL OTHER--MALE----	657	1	-	-	-	-	-	-	2	6	15	21
FEMALE--	769	-	-	-	-	-	1	-	-	1	2	14
BLACK---MALE----	630	1	-	-	-	-	-	-	2	6	15	21
FEMALE--	742	-	-	-	-	-	1	-	-	1	2	14
RHODE ISLAND -----	2,216	1	-	-	-	-	-	1	-	4	12	27
WHITE-----MALE----	1,016	-	-	-	-	-	-	1	-	3	12	24
FEMALE--	1,140	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	27	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	23	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6,241	-	-	-	-	3	3	5	13	45	107	174
WHITE-----MALE----	2,601	-	-	-	-	1	2	3	2	23	54	91
FEMALE--	2,121	-	-	-	-	-	-	-	2	6	18	18
ALL OTHER--MALE----	744	-	-	-	-	1	1	1	3	13	17	48
FEMALE--	775	-	-	-	-	1	-	1	6	3	18	17
BLACK---MALE----	740	-	-	-	-	1	1	1	3	13	17	48
FEMALE--	768	-	-	-	-	1	-	1	6	3	18	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,564
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
OHIO -----	594	866	1,162	1,818	2,646	3,581	3,862	3,423	2,214	811	204	1
WHITE-----MALE----	397	552	703	1,049	1,436	1,809	1,649	1,170	540	166	30	1
FEMALE--	116	197	303	568	960	1,461	1,955	2,050	1,539	596	155	-
ALL OTHER--MALE----	54	69	90	112	130	151	109	75	35	12	2	-
FEMALE--	27	48	66	89	120	160	149	128	100	37	17	-
BLACK---MALE----	51	68	87	108	128	147	107	75	35	10	2	-
FEMALE--	27	48	66	86	118	157	146	126	98	37	17	-
OKLAHOMA -----	223	313	451	550	839	1,093	1,168	1,132	865	315	62	-
WHITE-----MALE----	147	190	261	320	465	583	539	397	235	81	9	-
FEMALE--	46	87	133	170	301	414	552	650	582	215	42	-
ALL OTHER--MALE----	23	21	39	32	38	48	28	35	11	7	4	-
FEMALE--	7	15	18	28	35	48	49	50	37	12	7	-
BLACK---MALE----	10	9	17	15	20	26	16	24	8	5	4	-
FEMALE--	6	8	10	14	25	28	24	33	19	6	6	-
OREGON -----	133	182	264	364	539	738	821	750	462	191	54	-
WHITE-----MALE----	103	131	181	251	337	440	443	309	145	49	7	-
FEMALE--	24	44	72	102	183	281	363	429	311	138	46	-
ALL OTHER--MALE----	4	7	7	7	9	12	7	4	3	-	1	-
FEMALE--	2	-	4	4	10	5	8	8	3	4	-	-
BLACK---MALE----	3	4	1	2	2	5	3	1	2	-	1	-
FEMALE--	1	-	1	1	2	3	5	4	1	1	-	-
PENNSYLVANIA -----	540	743	1,178	1,884	3,104	4,023	4,817	4,193	2,786	1,074	259	2
WHITE-----MALE----	381	485	759	1,163	1,765	2,046	2,209	1,593	776	200	29	1
FEMALE--	106	187	317	586	1,127	1,743	2,400	2,436	1,906	816	208	1
ALL OTHER--MALE----	28	42	58	78	107	107	92	59	25	14	2	-
FEMALE--	25	29	44	57	105	127	116	105	79	44	20	-
BLACK---MALE----	28	41	54	76	102	104	85	54	25	14	2	-
FEMALE--	24	28	42	54	102	121	113	99	79	42	20	-
RHODE ISLAND -----	25	65	96	137	219	331	427	401	313	122	34	1
WHITE-----MALE----	19	45	60	89	137	181	200	144	74	24	2	1
FEMALE--	6	14	30	43	77	137	216	252	233	97	32	-
ALL OTHER--MALE----	-	5	2	3	2	7	5	-	2	-	-	-
FEMALE--	-	1	4	2	3	6	6	5	4	1	-	-
BLACK---MALE----	-	4	1	3	2	7	3	-	2	-	-	-
FEMALE--	-	1	4	1	2	3	5	4	4	-	-	-
SOUTH CAROLINA -----	240	334	502	626	817	1,012	970	755	448	152	35	-
WHITE-----MALE----	132	174	251	309	395	439	360	234	104	25	2	-
FEMALE--	35	49	97	138	215	344	431	380	262	101	25	-
ALL OTHER--MALE----	47	68	92	97	94	113	76	53	18	2	-	-
FEMALE--	26	43	62	82	113	116	103	88	64	24	8	-
BLACK---MALE----	47	68	90	97	94	111	76	53	18	2	-	-
FEMALE--	26	43	61	81	109	116	102	88	64	24	8	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,565

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
SOUTH DAKOTA -----	1,360	-	-	-	-	-	-	-	2	3	20	25
WHITE-----MALE----	716	-	-	-	-	-	-	-	1	1	11	22
FEMALE--	587	-	-	-	-	-	-	-	1	1	3	1
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	1	6	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10,581	-	-	1	-	3	1	8	26	59	110	236
WHITE-----MALE----	4,870	-	-	-	-	2	1	6	15	45	70	163
FEMALE--	4,515	-	-	-	-	1	-	1	6	12	22	40
ALL OTHER--MALE----	566	-	-	1	-	-	-	1	4	1	9	21
FEMALE--	630	-	-	-	-	-	-	-	1	1	9	12
BLACK---MALE----	558	-	-	1	-	-	-	1	4	1	9	21
FEMALE--	622	-	-	-	-	-	-	-	1	1	9	11
TEXAS -----	27,394	-	1	1	3	3	9	21	52	167	314	590
WHITE-----MALE----	12,675	-	-	1	1	2	6	12	27	106	175	384
FEMALE--	11,584	-	1	-	2	-	2	3	13	22	59	84
ALL OTHER--MALE----	1,520	-	-	-	-	1	-	5	7	28	57	82
FEMALE--	1,615	-	-	-	-	-	1	1	5	11	23	40
BLACK---MALE----	1,422	-	-	-	-	1	-	5	7	25	55	75
FEMALE--	1,552	-	-	-	-	-	1	1	5	11	23	40
UTAH -----	1,640	-	1	-	-	-	1	1	6	18	21	19
WHITE-----MALE----	907	-	-	-	-	-	1	-	5	10	17	14
FEMALE--	710	-	1	-	-	-	-	1	1	8	2	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	821	-	-	-	-	-	-	1	2	3	10	14
WHITE-----MALE----	447	-	-	-	-	-	-	1	2	3	9	12
FEMALE--	372	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9,200	-	-	-	-	1	3	14	19	64	131	229
WHITE-----MALE----	3,998	-	-	-	-	-	2	8	13	34	82	141
FEMALE--	3,443	-	-	-	-	-	-	1	-	12	14	23
ALL OTHER--MALE----	908	-	-	-	-	1	-	2	5	13	25	50
FEMALE--	851	-	-	-	-	-	1	3	1	5	10	15
BLACK---MALE----	868	-	-	-	-	1	-	2	5	12	22	48
FEMALE--	816	-	-	-	-	-	1	3	-	5	10	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,565

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
SOUTH DAKOTA -----	42	46	74	106	116	187	250	212	174	81	22	-
WHITE-----MALE----	32	29	49	78	72	116	131	85	62	23	4	-
FEMALE--	6	11	16	26	37	66	114	121	108	58	18	-
ALL OTHER--MALE----	3	6	5	1	6	2	2	3	-	-	-	-
FEMALE--	1	-	4	1	1	3	3	3	4	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
TENNESSEE -----	373	512	710	1,025	1,223	1,592	1,766	1,463	994	387	91	1
WHITE-----MALE----	234	320	429	644	650	752	747	460	245	73	14	-
FEMALE--	75	122	190	262	416	672	851	869	647	265	64	-
ALL OTHER--MALE----	45	46	54	60	86	80	60	51	28	17	1	1
FEMALE--	19	24	37	59	71	88	108	83	74	32	12	-
BLACK---MALE----	45	44	54	59	84	77	60	51	28	17	1	1
FEMALE--	19	24	35	59	71	87	105	83	73	32	12	-
TEXAS -----	905	1,146	1,647	2,329	3,343	4,061	4,493	4,147	2,774	1,126	262	-
WHITE-----MALE----	611	702	966	1,371	1,833	2,086	2,020	1,409	710	210	43	-
FEMALE--	167	263	452	650	1,102	1,575	2,063	2,347	1,790	806	183	-
ALL OTHER--MALE----	96	107	129	175	214	199	168	142	85	18	7	-
FEMALE--	31	74	100	133	194	201	242	249	189	92	29	-
BLACK---MALE----	90	96	124	163	198	185	157	134	83	17	7	-
FEMALE--	28	71	97	127	182	190	231	243	184	89	29	-
UTAH -----	44	61	81	118	192	238	309	276	186	61	7	-
WHITE-----MALE----	34	49	66	83	116	142	163	123	65	17	2	-
FEMALE--	9	10	15	32	73	89	145	152	120	43	5	-
ALL OTHER--MALE----	1	2	-	1	2	4	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
VERMONT -----	28	18	42	58	100	145	128	148	77	38	9	-
WHITE-----MALE----	23	10	33	40	62	77	72	65	24	10	4	-
FEMALE--	4	7	9	18	38	68	56	83	53	28	5	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	314	476	592	840	1,212	1,392	1,466	1,299	784	305	58	1
WHITE-----MALE----	183	285	316	445	604	626	596	421	184	52	6	-
FEMALE--	60	83	134	204	362	491	629	700	480	209	41	-
ALL OTHER--MALE----	50	76	91	116	131	125	103	70	36	9	4	1
FEMALE--	21	32	51	75	115	150	138	108	84	35	7	-
BLACK---MALE----	50	70	88	110	125	118	101	68	34	9	4	1
FEMALE--	20	29	50	71	111	143	135	103	79	34	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,566

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
WASHINGTON -----	185	242	363	551	754	1,106	1,215	1,157	723	297	69	-
WHITE-----MALE----	132	166	245	368	448	633	622	490	238	88	10	-
FEMALE--	38	53	93	149	264	419	548	636	466	205	56	-
ALL OTHER--MALE----	10	15	16	23	26	33	25	19	8	1	1	-
FEMALE--	5	8	9	11	16	21	20	12	11	3	2	-
BLACK---MALE----	8	5	8	7	8	12	4	3	2	-	-	-
FEMALE--	2	4	2	5	4	7	6	2	6	1	2	-
WEST VIRGINIA -----	157	171	293	390	567	673	685	617	364	137	32	-
WHITE-----MALE----	119	131	197	260	341	382	307	229	90	29	6	-
FEMALE--	34	37	87	119	206	275	360	371	266	105	25	-
ALL OTHER--MALE----	3	2	5	6	8	8	5	7	1	2	-	-
FEMALE--	1	1	4	5	12	8	13	10	7	1	1	-
BLACK---MALE----	3	2	5	6	8	8	5	7	1	2	-	-
FEMALE--	1	1	4	5	12	8	12	10	7	1	1	-
WISCONSIN -----	239	312	442	675	1,025	1,387	1,573	1,476	993	419	99	-
WHITE-----MALE----	182	226	293	452	620	815	807	580	299	96	12	-
FEMALE--	44	64	127	188	370	543	739	876	674	319	85	-
ALL OTHER--MALE----	10	15	12	21	24	17	16	4	10	1	1	-
FEMALE--	3	7	10	14	11	12	11	16	10	3	1	-
BLACK---MALE----	8	9	7	15	18	16	13	3	9	1	-	-
FEMALE--	3	5	7	12	10	10	10	9	9	3	1	-
WYOMING -----	20	26	46	62	90	104	94	110	48	23	6	-
WHITE-----MALE----	15	19	31	44	56	54	45	41	12	7	1	-
FEMALE--	5	6	14	15	34	46	49	68	36	16	5	-
ALL OTHER--MALE----	-	-	-	3	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,567

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
UNITED STATES --	203,551	12	6	6	7	21	36	128	360	1,035	2,454	4,362
WHITE-----MALE----	95,921	3	1	3	4	11	15	73	191	653	1,582	2,837
FEMALE--	85,377	3	4	1	3	4	7	20	85	158	387	684
ALL OTHER--MALE----	11,074	4	1	2	-	6	9	22	50	150	334	567
FEMALE--	11,179	2	-	-	-	-	5	13	34	74	151	274
BLACK---MALE----	9,273	4	1	2	-	6	8	21	46	131	285	491
FEMALE--	9,925	1	-	-	-	-	5	13	32	71	146	262
ALABAMA -----	3,494	-	-	-	-	-	1	3	10	30	53	94
WHITE-----MALE----	1,465	-	-	-	-	-	1	1	4	14	34	51
FEMALE--	1,262	-	-	-	-	-	-	1	3	5	6	15
ALL OTHER--MALE----	387	-	-	-	-	-	-	1	3	9	6	21
FEMALE--	380	-	-	-	-	-	-	-	-	2	7	7
BLACK---MALE----	383	-	-	-	-	-	-	1	3	9	6	21
FEMALE--	376	-	-	-	-	-	-	-	-	2	7	7
ALASKA -----	138	-	-	-	-	1	-	1	-	1	1	13
WHITE-----MALE----	82	-	-	-	-	1	-	-	-	-	1	10
FEMALE--	29	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,809	1	-	-	-	1	-	2	3	9	28	49
WHITE-----MALE----	1,507	-	-	-	-	1	-	2	1	6	23	37
FEMALE--	1,181	1	-	-	-	-	-	-	-	2	3	11
ALL OTHER--MALE----	79	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	32	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3,617	-	-	-	-	1	2	3	7	17	65	95
WHITE-----MALE----	1,768	-	-	-	-	1	-	2	3	9	38	51
FEMALE--	1,312	-	-	-	-	-	-	-	2	6	10	17
ALL OTHER--MALE----	270	-	-	-	-	-	1	1	1	1	14	17
FEMALE--	267	-	-	-	-	-	1	-	1	1	3	10
BLACK---MALE----	269	-	-	-	-	-	1	1	1	1	14	17
FEMALE--	264	-	-	-	-	-	1	-	1	1	3	10
CALIFORNIA -----	17,422	1	-	-	-	1	-	9	23	61	169	312
WHITE-----MALE----	7,853	-	-	-	-	-	-	4	9	44	102	192
FEMALE--	7,109	-	-	-	-	1	-	1	8	6	33	53
ALL OTHER--MALE----	1,295	-	-	-	-	-	-	3	5	8	27	54
FEMALE--	1,165	1	-	-	-	-	-	1	1	3	7	13
BLACK---MALE----	619	-	-	-	-	-	-	2	3	4	13	26
FEMALE--	696	-	-	-	-	-	-	1	1	2	5	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,567
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
UNITED STATES --	6,834	9,414	12,813	18,111	25,619	32,018	34,270	30,011	18,202	6,488	1,337	7
WHITE-----MALE----	4,467	5,946	7,685	10,555	13,867	15,793	15,051	10,643	4,987	1,334	217	3
FEMALE--	1,220	2,018	3,223	5,189	8,803	13,013	16,214	16,988	11,804	4,590	957	2
ALL OTHER--MALE----	775	925	1,152	1,297	1,497	1,574	1,234	873	425	149	27	1
FEMALE--	372	525	753	1,070	1,452	1,638	1,771	1,507	986	415	136	1
BLACK---MALE----	663	787	975	1,113	1,258	1,290	1,008	692	347	119	26	-
FEMALE--	330	478	675	929	1,274	1,446	1,572	1,329	874	361	126	1
ALABAMA -----	165	174	253	355	473	535	520	453	273	86	16	-
WHITE-----MALE----	91	98	133	179	247	226	192	120	61	11	2	-
FEMALE--	25	39	58	109	128	210	219	238	152	48	6	-
ALL OTHER--MALE----	34	21	38	46	53	47	48	34	20	4	2	-
FEMALE--	15	16	24	21	45	52	61	61	40	23	6	-
BLACK---MALE----	34	21	38	46	52	45	48	34	19	4	2	-
FEMALE--	14	16	23	21	45	50	61	61	40	23	6	-
ALASKA -----	15	12	9	16	17	21	18	7	4	1	1	-
WHITE-----MALE----	10	10	4	7	10	15	10	2	2	-	-	-
FEMALE--	1	-	1	5	5	3	5	2	2	1	1	-
ALL OTHER--MALE----	3	2	3	3	2	3	2	1	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	2	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	94	122	180	241	395	500	499	372	235	63	15	-
WHITE-----MALE----	74	85	119	165	226	281	262	141	66	16	2	-
FEMALE--	14	25	51	63	146	202	227	216	161	46	13	-
ALL OTHER--MALE----	3	9	7	9	16	12	5	7	4	1	-	-
FEMALE--	3	3	3	4	7	5	5	8	4	-	-	-
BLACK---MALE----	-	5	3	2	6	7	3	2	1	-	-	-
FEMALE--	1	2	2	-	3	2	3	5	2	-	-	-
ARKANSAS -----	135	213	259	339	488	490	577	478	323	101	24	-
WHITE-----MALE----	86	128	164	206	284	239	275	183	85	12	2	-
FEMALE--	25	47	54	89	142	184	233	226	192	71	14	-
ALL OTHER--MALE----	18	23	27	18	33	40	29	26	14	7	-	-
FEMALE--	6	15	14	26	29	27	40	43	32	11	8	-
BLACK---MALE----	18	23	27	18	33	40	28	26	14	7	-	-
FEMALE--	6	15	14	25	28	27	40	42	32	11	8	-
CALIFORNIA -----	526	732	961	1,433	2,146	2,815	3,033	2,737	1,691	635	136	1
WHITE-----MALE----	345	431	541	767	1,079	1,344	1,355	997	471	145	27	-
FEMALE--	77	160	236	430	733	1,073	1,270	1,450	1,068	416	94	-
ALL OTHER--MALE----	74	94	120	119	192	212	183	130	49	22	2	1
FEMALE--	30	47	64	117	142	186	225	160	103	52	13	-
BLACK---MALE----	31	54	63	67	100	92	77	59	18	8	2	-
FEMALE--	25	36	40	62	80	106	140	83	65	32	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,568

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
COLORADO -----	1,808	-	-	-	-	-	-	3	6	7	24	48
WHITE-----MALE----	972	-	-	-	-	-	-	1	5	5	21	38
FEMALE--	774	-	-	-	-	-	-	2	1	1	2	10
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1,890	-	-	-	-	-	-	-	3	2	15	24
WHITE-----MALE----	873	-	-	-	-	-	-	-	1	1	12	17
FEMALE--	919	-	-	-	-	-	-	-	1	1	2	5
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	53	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	40	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	49	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	517	-	-	-	-	-	-	-	1	1	3	10
WHITE-----MALE----	241	-	-	-	-	-	-	-	1	-	2	5
FEMALE--	213	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ----	344	-	-	-	-	-	1	-	-	-	3	6
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	94	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	170	-	-	-	-	-	1	-	-	-	1	3
BLACK---MALE----	93	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	169	-	-	-	-	-	1	-	-	-	1	3
FLORIDA -----	13,134	1	-	1	1	-	-	4	18	52	112	194
WHITE-----MALE----	6,483	-	-	-	-	-	-	2	7	34	71	127
FEMALE--	5,602	1	-	-	1	-	-	-	4	7	19	27
ALL OTHER--MALE----	517	-	-	1	-	-	-	-	4	7	14	22
FEMALE--	532	-	-	-	-	-	-	2	3	4	8	18
BLACK---MALE----	501	-	-	1	-	-	-	-	4	7	12	21
FEMALE--	511	-	-	-	-	-	-	2	3	4	8	18
GEORGIA -----	4,831	-	-	-	-	1	1	3	8	35	81	158
WHITE-----MALE----	2,038	-	-	-	-	-	-	-	3	15	42	81
FEMALE--	1,670	-	-	-	-	-	-	1	2	1	10	21
ALL OTHER--MALE----	536	-	-	-	-	1	1	2	1	15	20	31
FEMALE--	587	-	-	-	-	-	-	-	2	4	9	25
BLACK---MALE----	508	-	-	-	-	1	1	2	1	15	20	30
FEMALE--	576	-	-	-	-	-	-	-	2	4	9	25

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,568

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
COLORADO -----	75	101	99	163	221	279	311	264	154	46	7	-
WHITE-----MALE----	55	71	67	105	135	152	148	106	54	9	-	-
FEMALE--	17	27	26	56	77	119	150	151	94	35	6	-
ALL OTHER--MALE----	2	1	5	1	6	6	7	1	3	-	-	-
FEMALE--	1	2	1	1	3	2	6	6	3	2	1	-
BLACK---MALE----	2	-	2	1	4	4	4	1	2	-	-	-
FEMALE--	-	1	1	-	2	1	3	6	3	1	1	-
CONNECTICUT -----	48	83	95	146	210	290	354	305	222	77	16	-
WHITE-----MALE----	35	59	59	94	108	140	164	102	57	22	2	-
FEMALE--	9	17	21	47	83	135	181	190	158	55	14	-
ALL OTHER--MALE----	3	2	8	2	7	8	6	5	2	-	-	-
FEMALE--	1	5	7	3	12	7	3	8	5	-	-	-
BLACK---MALE----	3	2	6	1	7	7	6	4	2	-	-	-
FEMALE--	1	5	5	3	12	7	3	7	4	-	-	-
DELAWARE -----	12	27	21	45	58	95	101	73	44	25	1	-
WHITE-----MALE----	9	14	16	30	31	51	45	23	8	5	1	-
FEMALE--	1	7	3	12	19	35	48	42	31	15	-	-
ALL OTHER--MALE----	1	4	1	1	5	2	3	2	1	2	-	-
FEMALE--	1	2	1	2	3	7	5	6	4	3	-	-
BLACK---MALE----	1	4	1	1	5	2	3	2	1	2	-	-
FEMALE--	1	1	1	1	3	7	5	5	3	3	-	-
DISTRICT OF COLUMBIA ----	7	18	19	32	40	59	69	41	32	12	5	-
WHITE-----MALE----	-	1	3	4	4	2	9	1	4	-	-	-
FEMALE--	-	-	-	1	3	7	12	10	10	6	2	-
ALL OTHER--MALE----	4	11	10	12	11	18	13	10	1	-	-	-
FEMALE--	3	6	6	15	22	32	35	20	17	6	3	-
BLACK---MALE----	4	11	10	12	10	18	13	10	1	-	-	-
FEMALE--	3	6	6	15	22	32	35	20	16	6	3	-
FLORIDA -----	290	469	685	1,013	1,645	2,150	2,394	2,157	1,391	475	81	1
WHITE-----MALE----	188	301	410	618	940	1,138	1,158	907	452	111	18	1
FEMALE--	45	98	191	303	552	857	1,092	1,140	868	336	61	-
ALL OTHER--MALE----	36	51	49	46	84	77	61	34	21	10	-	-
FEMALE--	21	19	35	46	69	78	83	76	50	18	2	-
BLACK---MALE----	34	50	49	46	81	75	58	33	20	10	-	-
FEMALE--	19	19	34	40	66	74	80	74	50	18	2	-
GEORGIA -----	217	306	415	537	614	750	692	581	333	78	21	-
WHITE-----MALE----	121	167	230	278	292	324	244	162	68	11	-	-
FEMALE--	35	57	81	131	173	282	309	300	206	51	10	-
ALL OTHER--MALE----	44	47	66	57	73	66	54	38	16	3	1	-
FEMALE--	17	35	38	71	76	78	85	81	43	13	10	-
BLACK---MALE----	43	42	61	52	69	63	52	37	15	3	1	-
FEMALE--	17	34	38	69	74	78	82	80	42	12	10	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,569

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
HAWAII -----	23	25	32	60	62	80	72	77	44	14	1	-
WHITE-----MALE----	7	4	7	12	9	16	19	9	1	-	-	-
FEMALE--	-	2	-	5	8	5	6	6	5	-	1	-
ALL OTHER--MALE----	9	13	15	26	25	38	29	42	17	7	-	-
FEMALE--	7	6	10	17	20	21	18	20	21	7	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
IDAHO -----	23	43	63	80	107	159	142	139	79	21	3	-
WHITE-----MALE----	18	31	49	61	78	106	79	70	36	4	-	-
FEMALE--	5	11	14	18	25	52	62	67	43	17	3	-
ALL OTHER--MALE----	-	1	-	-	3	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	300	451	632	884	1,320	1,614	1,835	1,629	965	375	82	-
WHITE-----MALE----	177	285	377	495	667	808	761	544	271	56	9	-
FEMALE--	60	89	156	255	495	634	913	959	629	289	66	-
ALL OTHER--MALE----	42	45	57	72	72	81	63	43	21	9	1	-
FEMALE--	21	32	42	62	86	91	98	83	44	21	6	-
BLACK---MALE----	36	39	53	64	65	77	52	37	19	8	1	-
FEMALE--	20	32	42	59	80	85	90	78	42	21	6	-
INDIANA -----	186	267	354	459	619	799	776	618	388	126	20	-
WHITE-----MALE----	124	197	235	274	370	426	359	257	102	33	7	-
FEMALE--	42	60	87	156	215	332	389	340	271	89	12	-
ALL OTHER--MALE----	12	7	19	15	18	23	15	8	5	1	-	-
FEMALE--	8	3	13	14	16	18	13	13	10	3	1	-
BLACK---MALE----	12	7	19	14	18	22	15	8	4	1	-	-
FEMALE--	6	3	12	14	16	18	12	13	10	2	1	-
IOWA -----	83	98	137	206	340	410	502	439	299	128	27	1
WHITE-----MALE----	69	66	96	135	215	231	242	167	96	30	6	1
FEMALE--	12	29	36	64	112	174	255	267	203	96	21	-
ALL OTHER--MALE----	1	2	4	4	6	2	3	2	-	-	-	-
FEMALE--	1	1	1	3	7	3	2	3	-	2	-	-
BLACK---MALE----	1	1	2	4	4	2	3	2	-	-	-	-
FEMALE--	1	-	1	3	6	3	2	2	-	2	-	-
KANSAS -----	85	82	122	171	236	304	328	313	222	87	8	-
WHITE-----MALE----	68	59	84	120	142	159	161	127	75	19	1	-
FEMALE--	11	16	28	44	88	139	163	175	138	64	7	-
ALL OTHER--MALE----	4	4	6	3	2	3	1	6	5	-	-	-
FEMALE--	2	3	4	4	4	3	3	5	4	4	-	-
BLACK---MALE----	3	2	4	1	1	2	1	6	4	-	-	-
FEMALE--	2	2	4	3	3	2	3	4	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,570

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
KENTUCKY -----	4,303	1	-	-	-	1	2	3	14	35	78	112
WHITE-----MALE----	2,244	1	-	-	-	1	-	2	9	24	61	82
FEMALE--	1,827	-	-	-	-	-	2	-	4	8	11	22
ALL OTHER--MALE----	130	-	-	-	-	-	-	1	1	2	5	5
FEMALE--	102	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	129	-	-	-	-	-	-	1	1	2	5	5
FEMALE--	102	-	-	-	-	-	-	-	-	1	1	3
LOUISIANA -----	3,729	1	1	-	-	-	2	4	12	42	85	142
WHITE-----MALE----	1,490	-	-	-	-	-	-	2	7	17	34	58
FEMALE--	1,187	-	-	-	-	-	-	-	2	4	12	13
ALL OTHER--MALE----	555	-	1	-	-	-	2	2	1	11	21	49
FEMALE--	497	1	-	-	-	-	-	-	2	10	18	22
BLACK---MALE----	536	-	1	-	-	-	2	2	1	8	20	47
FEMALE--	491	1	-	-	-	-	-	-	2	10	18	22
MAINE -----	991	-	-	-	-	-	-	-	1	6	18	27
WHITE-----MALE----	530	-	-	-	-	-	-	-	1	4	14	24
FEMALE--	456	-	-	-	-	-	-	-	-	2	4	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,353	-	-	-	-	1	-	-	3	13	34	68
WHITE-----MALE----	1,326	-	-	-	-	-	-	-	-	5	18	33
FEMALE--	1,347	-	-	-	-	-	-	-	-	-	4	9
ALL OTHER--MALE----	316	-	-	-	-	1	-	-	1	7	8	18
FEMALE--	364	-	-	-	-	-	-	-	2	1	4	8
BLACK---MALE----	291	-	-	-	-	1	-	-	1	6	7	17
FEMALE--	349	-	-	-	-	-	-	-	2	1	4	7
MASSACHUSETTS -----	4,275	-	-	-	-	1	-	1	2	20	43	51
WHITE-----MALE----	2,014	-	-	-	-	1	-	1	2	14	31	37
FEMALE--	2,118	-	-	-	-	-	-	-	-	2	8	11
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	73	-	-	-	-	-	-	-	-	3	-	-
BLACK---MALE----	57	-	-	-	-	-	-	-	-	1	4	1
FEMALE--	58	-	-	-	-	-	-	-	-	3	-	-
MICHIGAN -----	7,924	1	-	-	-	-	1	4	15	43	97	171
WHITE-----MALE----	3,660	-	-	-	-	-	-	3	10	30	72	121
FEMALE--	3,551	-	-	-	-	-	-	1	3	6	15	24
ALL OTHER--MALE----	347	1	-	-	-	-	1	-	-	5	8	17
FEMALE--	366	-	-	-	-	-	-	-	2	2	2	9
BLACK---MALE----	321	1	-	-	-	-	1	-	-	5	6	15
FEMALE--	344	-	-	-	-	-	-	-	2	2	2	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,570
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
KENTUCKY -----	187	262	321	444	580	671	628	543	301	102	18	-
WHITE-----MALE----	133	188	201	287	316	334	307	190	79	24	5	-
FEMALE--	38	61	95	129	234	299	298	334	209	70	13	-
ALL OTHER--MALE----	12	9	21	12	16	19	13	9	3	2	-	-
FEMALE--	4	4	4	16	14	19	10	10	10	6	-	-
BLACK---MALE----	12	9	21	12	16	18	13	9	3	2	-	-
FEMALE--	4	4	4	16	14	19	10	10	10	6	-	-
LOUISIANA -----	194	250	313	412	458	544	509	405	254	82	19	-
WHITE-----MALE----	93	131	149	198	194	225	183	125	59	13	2	-
FEMALE--	28	36	62	105	146	186	212	194	136	44	7	-
ALL OTHER--MALE----	54	57	62	57	59	71	44	34	22	6	2	-
FEMALE--	19	26	40	52	59	62	70	52	37	19	8	-
BLACK---MALE----	53	56	60	56	55	70	44	33	20	6	2	-
FEMALE--	18	24	39	52	58	62	70	52	36	19	8	-
MAINE -----	40	37	53	85	133	172	155	127	97	32	8	-
WHITE-----MALE----	37	30	36	63	87	90	69	40	26	7	2	-
FEMALE--	3	6	16	21	44	82	86	87	71	25	6	-
ALL OTHER--MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	116	145	214	319	434	547	550	488	279	123	19	-
WHITE-----MALE----	60	74	114	160	217	224	187	142	68	21	3	-
FEMALE--	19	29	46	90	127	203	270	276	172	88	14	-
ALL OTHER--MALE----	23	24	37	40	47	50	30	19	11	-	-	-
FEMALE--	14	18	17	29	43	70	63	51	28	14	2	-
BLACK---MALE----	21	24	36	37	45	42	25	19	10	-	-	-
FEMALE--	14	18	17	26	42	67	61	50	27	11	2	-
MASSACHUSETTS -----	107	166	230	368	507	645	760	710	457	181	26	-
WHITE-----MALE----	84	107	157	226	302	326	346	243	110	24	3	-
FEMALE--	15	48	60	125	190	301	396	450	339	150	23	-
ALL OTHER--MALE----	5	6	11	7	9	9	7	5	1	2	-	-
FEMALE--	3	5	2	10	6	9	11	12	7	5	-	-
BLACK---MALE----	4	6	11	4	7	7	5	4	1	2	-	-
FEMALE--	3	5	2	8	5	4	8	9	6	5	-	-
MICHIGAN -----	262	308	440	683	1,041	1,199	1,386	1,218	728	282	45	-
WHITE-----MALE----	177	190	247	414	573	577	594	387	200	57	8	-
FEMALE--	45	74	135	188	371	519	686	766	477	207	34	-
ALL OTHER--MALE----	23	30	38	42	44	48	44	27	13	6	-	-
FEMALE--	17	14	20	39	53	55	62	38	38	12	3	-
BLACK---MALE----	22	28	37	41	38	45	42	25	9	6	-	-
FEMALE--	17	14	19	37	45	53	57	37	35	12	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,571

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
MINNESOTA -----	79	92	124	200	284	347	451	437	265	81	12	-
WHITE-----MALE----	62	71	97	135	182	202	221	189	93	23	3	-
FEMALE--	13	17	21	58	94	141	223	247	170	57	9	-
ALL OTHER--MALE----	3	4	4	3	5	4	2	1	-	-	-	-
FEMALE--	1	-	2	4	3	-	5	-	2	1	-	-
BLACK---MALE----	-	2	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	1	-	-	-
MISSISSIPPI -----	128	175	242	253	350	403	368	317	169	53	18	1
WHITE-----MALE----	61	86	120	118	172	145	141	86	31	7	-	-
FEMALE--	13	22	39	45	80	145	138	150	91	28	7	1
ALL OTHER--MALE----	33	44	48	50	46	55	40	34	14	9	4	-
FEMALE--	21	23	35	40	52	58	49	47	33	9	7	-
BLACK---MALE----	32	43	47	49	46	55	40	34	14	9	4	-
FEMALE--	21	23	35	40	52	56	49	47	32	9	7	-
MISSOURI -----	205	296	409	561	760	883	1,028	920	580	198	41	-
WHITE-----MALE----	127	201	252	340	420	432	472	309	167	50	9	-
FEMALE--	52	66	114	175	272	375	486	560	377	135	24	-
ALL OTHER--MALE----	15	15	29	29	32	33	31	21	12	3	3	-
FEMALE--	11	14	14	17	36	43	39	30	24	10	5	-
BLACK---MALE----	14	15	29	29	30	32	31	18	12	3	3	-
FEMALE--	11	14	13	17	33	42	38	30	23	10	5	-
MONTANA -----	8	29	38	43	67	76	83	67	33	10	3	-
WHITE-----MALE----	5	24	29	28	44	45	42	26	11	3	1	-
FEMALE--	1	2	6	12	22	29	37	41	22	7	2	-
ALL OTHER--MALE----	1	2	3	3	1	1	4	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	24	39	53	71	109	150	173	163	100	37	10	-
WHITE-----MALE----	16	26	34	41	67	82	92	56	38	8	4	-
FEMALE--	7	9	18	27	39	64	80	106	62	28	6	-
ALL OTHER--MALE----	1	2	1	2	2	-	1	1	-	-	-	-
FEMALE--	-	2	-	1	1	4	-	-	-	1	-	-
BLACK---MALE----	1	2	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	1	2	-	-	-	1	-	-
NEVADA -----	37	52	62	85	124	130	104	67	22	11	-	-
WHITE-----MALE----	26	36	36	46	73	64	46	29	3	2	-	-
FEMALE--	8	12	21	26	44	59	54	35	19	8	-	-
ALL OTHER--MALE----	2	3	4	8	3	2	2	1	-	1	-	-
FEMALE--	1	1	1	5	4	5	2	2	-	-	-	-
BLACK---MALE----	-	2	2	6	3	1	2	-	-	-	-	-
FEMALE--	-	1	1	3	2	3	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,573

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
OHIO -----	9,148	-	-	1	-	1	-	3	13	67	136	218
WHITE-----MALE----	4,458	-	-	1	-	-	-	2	10	51	99	150
FEMALE--	3,976	-	-	-	-	-	-	-	1	6	19	33
ALL OTHER--MALE----	355	-	-	-	-	1	-	1	2	5	12	26
FEMALE--	359	-	-	-	-	-	-	-	-	5	6	9
BLACK---MALE----	338	-	-	-	-	1	-	1	2	4	12	24
FEMALE--	353	-	-	-	-	-	-	-	-	5	6	9
OKLAHOMA -----	2,719	-	-	-	-	-	-	-	6	9	28	58
WHITE-----MALE----	1,310	-	-	-	-	-	-	-	3	6	20	38
FEMALE--	1,169	-	-	-	-	-	-	-	1	1	3	10
ALL OTHER--MALE----	122	-	-	-	-	-	-	-	-	1	4	7
FEMALE--	118	-	-	-	-	-	-	-	2	1	1	3
BLACK---MALE----	62	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	67	-	-	-	-	-	-	-	1	1	-	1
OREGON -----	1,821	-	-	-	-	-	1	-	2	6	18	25
WHITE-----MALE----	965	-	-	-	-	-	1	-	2	5	12	13
FEMALE--	811	-	-	-	-	-	-	-	-	1	5	12
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12,176	2	1	-	-	1	1	6	18	41	116	216
WHITE-----MALE----	5,908	1	-	-	-	1	-	4	9	34	86	159
FEMALE--	5,534	-	1	-	-	-	-	2	7	3	20	38
ALL OTHER--MALE----	342	1	-	-	-	-	-	-	2	4	9	11
FEMALE--	392	-	-	-	-	-	1	-	-	-	1	8
BLACK---MALE----	332	1	-	-	-	-	-	-	2	4	9	11
FEMALE--	377	-	-	-	-	-	1	-	-	-	1	8
RHODE ISLAND -----	1,052	-	-	-	-	-	-	-	-	3	8	17
WHITE-----MALE----	536	-	-	-	-	-	-	-	-	2	8	15
FEMALE--	486	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,454	-	-	-	-	1	3	2	6	27	66	104
WHITE-----MALE----	1,422	-	-	-	-	-	2	1	2	13	32	51
FEMALE--	1,117	-	-	-	-	-	-	-	-	3	11	10
ALL OTHER--MALE----	452	-	-	-	-	1	1	1	1	8	10	31
FEMALE--	463	-	-	-	-	-	-	-	3	3	13	12
BLACK---MALE----	449	-	-	-	-	1	1	1	1	8	10	31
FEMALE--	458	-	-	-	-	-	-	-	3	3	13	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,573

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
OHIO -----	344	460	550	838	1,128	1,542	1,570	1,256	718	257	46	-
WHITE-----MALE----	237	309	352	487	605	779	674	451	185	57	9	-
FEMALE--	71	104	150	270	421	654	792	748	495	180	32	-
ALL OTHER--MALE----	26	30	26	47	48	55	42	18	9	6	1	-
FEMALE--	10	17	22	34	54	54	62	39	29	14	4	-
BLACK---MALE----	23	29	25	45	46	54	40	18	9	4	1	-
FEMALE--	10	17	22	32	53	54	60	39	28	14	4	-
OKLAHOMA -----	86	120	197	239	340	462	438	379	261	81	15	-
WHITE-----MALE----	57	70	106	137	181	245	201	139	79	23	5	-
FEMALE--	17	40	68	78	132	172	207	214	165	52	9	-
ALL OTHER--MALE----	9	6	17	13	12	21	14	10	6	2	-	-
FEMALE--	3	4	6	11	15	24	16	16	11	4	1	-
BLACK---MALE----	4	2	4	4	6	11	10	7	4	2	-	-
FEMALE--	2	2	4	5	10	14	8	10	5	3	1	-
OREGON -----	51	85	117	154	215	317	311	280	159	60	20	-
WHITE-----MALE----	40	64	79	106	125	178	164	111	43	17	5	-
FEMALE--	11	20	34	41	80	132	143	164	113	41	14	-
ALL OTHER--MALE----	-	1	4	5	6	6	3	1	1	-	1	-
FEMALE--	-	-	-	2	4	1	1	4	2	2	-	-
BLACK---MALE----	-	-	-	2	2	2	1	-	1	-	1	-
FEMALE--	-	-	-	1	1	-	1	2	1	-	-	-
PENNSYLVANIA -----	349	480	671	1,080	1,629	2,045	2,210	1,810	1,038	378	82	2
WHITE-----MALE----	253	315	426	690	906	1,023	968	670	272	80	10	1
FEMALE--	66	123	190	314	615	903	1,138	1,056	728	267	62	1
ALL OTHER--MALE----	18	28	28	43	57	52	43	27	9	9	1	-
FEMALE--	12	14	27	33	51	67	61	57	29	22	9	-
BLACK---MALE----	18	28	26	43	55	49	42	25	9	9	1	-
FEMALE--	11	14	26	31	50	64	60	53	29	20	9	-
RHODE ISLAND -----	14	47	60	77	121	169	220	171	104	31	10	-
WHITE-----MALE----	10	33	42	50	74	98	105	61	31	5	2	-
FEMALE--	4	11	13	23	44	65	109	108	72	26	8	-
ALL OTHER--MALE----	-	2	2	2	2	3	3	-	1	-	-	-
FEMALE--	-	1	3	2	1	3	3	2	-	-	-	-
BLACK---MALE----	-	2	1	2	2	3	2	-	1	-	-	-
FEMALE--	-	1	3	1	-	2	2	1	-	-	-	-
SOUTH CAROLINA -----	155	209	313	379	472	532	504	386	216	64	15	-
WHITE-----MALE----	81	108	163	183	215	223	176	113	50	8	1	-
FEMALE--	26	30	55	76	137	178	219	196	118	45	13	-
ALL OTHER--MALE----	30	43	55	69	55	67	46	25	8	1	-	-
FEMALE--	18	28	40	51	65	64	63	52	40	10	1	-
BLACK---MALE----	30	43	54	69	55	65	46	25	8	1	-	-
FEMALE--	18	28	39	51	61	64	63	52	40	10	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,574

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
SOUTH DAKOTA -----	729	-	-	-	-	-	-	-	2	2	13	16
WHITE-----MALE----	395	-	-	-	-	-	-	-	1	1	7	13
FEMALE--	298	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	5	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5,641	-	-	1	-	1	1	4	14	35	67	157
WHITE-----MALE----	2,703	-	-	-	-	1	1	4	8	28	43	110
FEMALE--	2,325	-	-	-	-	-	-	-	4	6	14	27
ALL OTHER--MALE----	278	-	-	1	-	-	-	-	2	-	4	11
FEMALE--	335	-	-	-	-	-	-	-	-	1	6	9
BLACK---MALE----	271	-	-	1	-	-	-	-	2	-	4	11
FEMALE--	330	-	-	-	-	-	-	-	-	1	6	8
TEXAS -----	14,537	-	1	1	3	1	5	15	37	86	182	344
WHITE-----MALE----	6,819	-	-	1	1	-	3	10	20	49	108	232
FEMALE--	6,011	-	1	-	2	-	1	1	8	14	32	49
ALL OTHER--MALE----	837	-	-	-	-	1	-	3	4	17	30	43
FEMALE--	870	-	-	-	-	-	1	1	5	6	12	20
BLACK---MALE----	783	-	-	-	-	1	-	3	4	15	29	40
FEMALE--	831	-	-	-	-	-	1	1	5	6	12	20
UTAH -----	768	-	1	-	-	-	1	-	2	5	13	9
WHITE-----MALE----	406	-	-	-	-	-	1	-	1	2	10	6
FEMALE--	347	-	1	-	-	-	-	-	1	3	1	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	341	-	-	-	-	-	-	-	1	2	7	6
WHITE-----MALE----	180	-	-	-	-	-	-	-	1	2	6	5
FEMALE--	160	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,242	-	-	-	-	-	1	11	7	26	66	111
WHITE-----MALE----	1,832	-	-	-	-	-	-	6	4	10	45	69
FEMALE--	1,603	-	-	-	-	-	-	1	-	7	3	11
ALL OTHER--MALE----	406	-	-	-	-	-	-	1	2	6	13	27
FEMALE--	401	-	-	-	-	-	1	3	1	3	5	4
BLACK---MALE----	388	-	-	-	-	-	-	1	2	5	11	27
FEMALE--	377	-	-	-	-	-	1	3	-	3	5	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,574
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
SOUTH DAKOTA -----	26	34	43	67	66	99	127	108	82	35	9	-
WHITE-----MALE----	22	20	29	45	37	62	69	46	31	10	2	-
FEMALE--	2	9	7	21	23	34	56	59	51	25	7	-
ALL OTHER--MALE----	2	5	4	-	5	1	1	1	-	-	-	-
FEMALE--	-	-	3	1	1	2	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TENNESSEE -----	221	349	411	617	681	833	936	703	434	141	35	-
WHITE-----MALE----	146	218	254	402	364	373	390	224	104	28	5	-
FEMALE--	42	88	112	151	234	376	459	419	283	87	23	-
ALL OTHER--MALE----	24	31	20	36	41	39	30	17	11	10	1	-
FEMALE--	9	12	25	28	42	45	57	43	36	16	6	-
BLACK---MALE----	24	30	20	35	39	36	30	17	11	10	1	-
FEMALE--	9	12	23	28	42	45	55	43	36	16	6	-
TEXAS -----	546	688	987	1,282	1,808	2,183	2,336	2,093	1,340	488	111	-
WHITE-----MALE----	377	439	596	740	973	1,085	1,042	695	340	89	19	-
FEMALE--	106	145	264	367	623	880	1,058	1,177	856	352	75	-
ALL OTHER--MALE----	47	61	73	95	113	109	99	74	57	8	3	-
FEMALE--	16	43	54	80	99	109	137	147	87	39	14	-
BLACK---MALE----	42	56	70	88	107	103	91	68	56	7	3	-
FEMALE--	13	42	52	76	91	104	130	143	83	38	14	-
UTAH -----	17	28	48	68	91	112	144	121	88	17	3	-
WHITE-----MALE----	12	20	38	48	50	60	72	48	31	6	1	-
FEMALE--	4	6	10	18	40	48	72	72	56	10	2	-
ALL OTHER--MALE----	1	2	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
VERMONT -----	14	11	21	31	43	58	55	52	25	11	4	-
WHITE-----MALE----	12	7	15	20	29	27	28	16	6	4	2	-
FEMALE--	1	4	6	11	14	31	27	36	19	7	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	170	254	302	403	602	643	651	584	280	113	18	-
WHITE-----MALE----	98	158	152	211	294	272	242	188	63	19	1	-
FEMALE--	30	46	75	107	187	250	303	318	178	75	12	-
ALL OTHER--MALE----	30	33	40	55	59	56	37	31	11	4	1	-
FEMALE--	12	17	35	30	62	65	69	47	28	15	4	-
BLACK---MALE----	30	31	38	54	56	52	36	29	11	4	1	-
FEMALE--	11	15	34	28	58	60	68	45	24	14	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,575

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
WASHINGTON -----	90	125	196	249	359	485	504	453	259	84	22	-
WHITE-----MALE----	62	84	129	163	198	274	236	198	89	21	3	-
FEMALE--	18	30	52	71	141	190	245	236	166	62	19	-
ALL OTHER--MALE----	6	7	10	12	13	11	12	11	3	1	-	-
FEMALE--	4	4	5	3	7	10	11	8	1	-	-	-
BLACK---MALE----	4	2	6	5	4	4	2	1	-	-	-	-
FEMALE--	2	1	-	1	2	2	2	2	-	-	-	-
WEST VIRGINIA -----	96	106	160	200	264	323	300	237	133	37	8	-
WHITE-----MALE----	77	79	110	136	155	180	138	95	34	9	3	-
FEMALE--	18	24	48	58	98	135	152	138	95	28	5	-
ALL OTHER--MALE----	1	2	1	3	6	3	3	1	1	-	-	-
FEMALE--	-	1	1	3	5	5	7	3	3	-	-	-
BLACK---MALE----	1	2	1	3	6	3	3	1	1	-	-	-
FEMALE--	-	1	1	3	5	5	7	3	3	-	-	-
WISCONSIN -----	169	199	277	370	568	716	739	711	366	153	22	-
WHITE-----MALE----	128	156	186	248	356	430	373	267	110	28	4	-
FEMALE--	34	35	84	109	200	274	362	434	248	125	17	-
ALL OTHER--MALE----	5	7	5	6	8	6	3	1	5	-	-	-
FEMALE--	2	1	2	7	4	6	1	9	3	-	1	-
BLACK---MALE----	3	2	2	2	4	6	2	-	5	-	-	-
FEMALE--	2	1	-	6	3	6	1	6	2	-	1	-
WYOMING -----	15	15	33	33	49	59	46	58	20	7	3	-
WHITE-----MALE----	10	12	20	24	29	33	20	25	4	1	-	-
FEMALE--	5	2	12	8	20	25	26	33	16	6	3	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,577

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
COLORADO -----	2	2	2	2	2	2	2	1	2	1	-	-
WHITE-----MALE----	2	2	1	2	-	-	-	1	1	1	-	-
FEMALE--	-	-	1	-	2	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	-	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	3	4	10	10	13	12	17	9	5	1	-
WHITE-----MALE----	2	-	3	5	7	8	10	7	1	1	1	-
FEMALE--	-	1	-	2	2	4	2	9	8	4	-	-
ALL OTHER--MALE----	-	2	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
GEORGIA -----	2	2	4	3	4	5	9	6	-	1	-	-
WHITE-----MALE----	1	-	3	1	2	2	3	3	-	-	-	-
FEMALE--	-	1	-	-	-	-	5	2	-	1	-	-
ALL OTHER--MALE----	1	1	1	2	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
BLACK---MALE----	1	1	1	2	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,579

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
KENTUCKY -----	-	-	1	3	-	3	5	5	3	-	-	-
WHITE-----MALE----	-	-	1	2	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	4	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	11	8	10	6	11	10	7	12	5	2	-	-
WHITE-----MALE----	6	3	5	3	5	3	1	2	2	-	-	-
FEMALE--	-	3	4	2	3	3	4	10	1	2	-	-
ALL OTHER--MALE----	3	2	-	1	3	2	2	-	1	-	-	-
FEMALE--	2	-	1	-	-	2	-	-	1	-	-	-
BLACK---MALE----	3	2	-	1	3	2	2	-	1	-	-	-
FEMALE--	2	-	1	-	-	2	-	-	1	-	-	-
MAINE -----	-	-	-	2	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	2	-	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	2	-	1	-	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	3	1	2	3	2	4	3	1	-	-
WHITE-----MALE----	1	-	1	-	-	2	2	-	1	-	-	-
FEMALE--	-	-	2	-	1	1	-	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,582

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
OHIO -----	-	3	1	1	2	9	3	8	6	-	1	-
WHITE-----MALE----	-	2	1	1	-	4	1	3	1	-	-	-
FEMALE--	-	-	-	-	1	4	2	5	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	52	56	74	77	91	125	124	127	123	35	10	-
WHITE-----MALE----	34	28	52	49	47	55	40	43	29	9	1	-
FEMALE--	12	19	13	20	31	59	75	80	86	24	8	-
ALL OTHER--MALE----	4	7	5	4	7	6	2	1	1	1	1	-
FEMALE--	2	2	4	4	6	5	7	3	7	1	-	-
BLACK---MALE----	1	2	4	2	5	4	1	-	1	1	1	-
FEMALE--	2	2	1	3	6	4	6	3	3	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	1	7	6	10	23	16	9	4	3	-
WHITE-----MALE----	1	1	1	4	4	5	11	1	4	-	-	-
FEMALE--	1	-	-	1	2	4	10	14	5	4	3	-
ALL OTHER--MALE----	-	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	13	20	13	11	27	14	17	11	7	2	-
WHITE-----MALE----	5	4	6	3	4	9	2	2	1	-	1	-
FEMALE--	-	1	5	1	3	9	7	7	8	4	-	-
ALL OTHER--MALE----	1	5	5	3	3	5	1	2	-	-	-	-
FEMALE--	-	3	4	6	1	4	4	6	2	3	1	-
BLACK---MALE----	1	5	5	3	3	5	1	2	-	-	-	-
FEMALE--	-	3	4	6	1	4	4	6	2	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,583

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	2	2	3	1	1	2	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	-	1	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
TEXAS -----	2	2	-	2	3	5	2	6	3	2	-	-
WHITE-----MALE----	2	2	-	1	2	4	1	2	2	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
UTAH -----	-	-	-	-	-	2	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	30	43	51	55	66	63	59	46	39	19	3	-
WHITE-----MALE----	16	24	27	29	24	21	22	17	5	2	-	-
FEMALE--	2	6	9	11	21	21	23	15	26	13	2	-
ALL OTHER--MALE----	9	9	12	10	13	9	7	4	2	-	-	-
FEMALE--	3	4	3	5	8	12	7	10	6	4	1	-
BLACK---MALE----	9	8	12	10	12	8	7	4	2	-	-	-
FEMALE--	3	4	3	5	8	12	6	10	6	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,585

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
UNITED STATES --	15	13	30	32	54	94	115	118	102	47	11	-
WHITE-----MALE----	8	3	10	16	31	43	46	36	22	11	2	-
FEMALE--	1	7	11	11	16	42	57	81	74	34	6	-
ALL OTHER--MALE----	5	1	6	2	4	6	3	1	2	-	3	-
FEMALE--	1	2	3	3	3	3	9	-	4	2	-	-
BLACK---MALE----	4	-	6	2	4	5	2	1	2	-	3	-
FEMALE--	1	2	3	2	1	2	8	-	4	2	-	-
ALABAMA -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	-	-	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	1	-	-	5	1	2	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	3	3	3	2	6	11	6	7	4	-	-
WHITE-----MALE----	-	1	-	1	1	1	4	2	-	2	-	-
FEMALE--	-	1	2	1	1	4	6	4	7	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,586

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
COLORADO -----	-	-	1	-	-	-	1	2	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	-	1	-	2	3	2	7	2	-	-	-
WHITE-----MALE----	1	-	-	-	2	2	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	4	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	1	3	6	7	10	8	10	6	2	-
WHITE-----MALE----	1	-	1	1	3	3	5	3	4	2	1	-
FEMALE--	-	-	-	2	3	4	3	5	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	-	-	1	3	3	3	3	2	-	1	1	-
WHITE-----MALE----	-	-	-	-	3	1	-	2	-	-	-	-
FEMALE--	-	-	1	3	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,592

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	3	-	1	2	2	3	1	1	-
WHITE-----MALE----	-	-	-	2	-	1	2	1	-	-	1	-
FEMALE--	-	1	-	1	-	-	-	1	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	4	2	3	2	3	7	7	8	10	4	2	-
WHITE-----MALE----	2	-	-	1	2	2	4	2	1	-	-	-
FEMALE--	-	2	2	1	1	5	3	6	7	4	2	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	2	-	-	-
UTAH -----	-	-	-	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	3	4	1	4	5	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,594

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
UNITED STATES --	252,733	6	1	3	7	19	30	102	331	985	1,952	3,404
WHITE-----MALE----	112,606	1	1	2	2	11	16	60	185	597	1,200	2,163
FEMALE--	115,420	-	-	-	1	3	7	20	74	175	325	516
ALL OTHER--MALE----	11,937	3	-	1	1	4	4	12	53	155	284	494
FEMALE--	12,770	2	-	-	3	1	3	10	19	58	143	231
BLACK---MALE----	9,768	3	-	1	1	4	4	11	48	126	250	421
FEMALE--	11,163	1	-	-	3	1	2	10	18	56	139	214
ALABAMA -----	2,951	-	-	-	-	1	-	1	8	23	37	59
WHITE-----MALE----	1,329	-	-	-	-	-	-	-	2	7	19	27
FEMALE--	1,094	-	-	-	-	1	-	-	3	4	5	11
ALL OTHER--MALE----	260	-	-	-	-	-	-	-	3	9	11	14
FEMALE--	268	-	-	-	-	-	-	1	-	3	2	7
BLACK---MALE----	256	-	-	-	-	-	-	-	3	9	10	13
FEMALE--	265	-	-	-	-	-	-	1	-	3	2	7
ALASKA -----	180	-	-	-	-	-	-	-	-	3	7	12
WHITE-----MALE----	114	-	-	-	-	-	-	-	-	3	4	10
FEMALE--	41	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3,666	-	-	-	1	-	-	-	3	5	25	40
WHITE-----MALE----	1,970	-	-	-	1	-	-	-	1	5	21	31
FEMALE--	1,569	-	-	-	-	-	-	-	1	-	3	5
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	73	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	33	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	1
ARKANSAS -----	1,867	-	-	-	-	-	-	-	1	3	12	22
WHITE-----MALE----	811	-	-	-	-	-	-	-	1	2	4	9
FEMALE--	835	-	-	-	-	-	-	-	-	1	1	7
ALL OTHER--MALE----	86	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	135	-	-	-	-	-	-	-	-	-	4	4
BLACK---MALE----	83	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	133	-	-	-	-	-	-	-	-	-	4	4
CALIFORNIA -----	29,015	1	-	-	-	-	1	10	21	108	214	372
WHITE-----MALE----	12,657	-	-	-	-	-	-	7	13	65	126	246
FEMALE--	13,065	-	-	-	-	-	1	1	3	21	36	52
ALL OTHER--MALE----	1,748	-	-	-	-	-	-	-	3	18	36	53
FEMALE--	1,545	1	-	-	-	-	-	2	2	4	16	21
BLACK---MALE----	847	-	-	-	-	-	-	-	2	13	23	31
FEMALE--	881	-	-	-	-	-	-	2	2	4	15	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,594
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
UNITED STATES --	5,279	7,296	10,998	17,527	27,713	37,439	44,961	44,740	32,355	14,069	3,504	12
WHITE-----MALE----	3,371	4,448	6,470	10,166	15,550	19,689	20,642	16,205	8,686	2,696	440	5
FEMALE--	937	1,523	2,720	4,961	8,990	14,111	20,874	25,491	21,548	10,403	2,739	2
ALL OTHER--MALE----	641	877	1,100	1,351	1,626	1,789	1,457	1,173	640	212	56	4
FEMALE--	330	448	708	1,049	1,547	1,850	1,988	1,871	1,481	758	269	1
BLACK---MALE----	548	741	929	1,158	1,340	1,425	1,161	906	486	157	44	4
FEMALE--	298	407	648	932	1,346	1,601	1,702	1,618	1,276	646	244	1
ALABAMA -----	75	108	180	266	340	490	485	474	258	118	28	-
WHITE-----MALE----	43	63	94	152	198	277	207	170	48	19	3	-
FEMALE--	7	18	44	58	90	140	215	230	170	83	15	-
ALL OTHER--MALE----	14	18	23	31	22	36	23	32	18	5	1	-
FEMALE--	11	9	19	25	30	37	40	42	22	11	9	-
BLACK---MALE----	14	18	23	30	22	35	23	32	18	5	1	-
FEMALE--	11	9	18	25	30	36	40	42	21	11	9	-
ALASKA -----	11	12	16	23	23	30	25	9	6	2	1	-
WHITE-----MALE----	7	9	13	15	19	13	15	4	1	1	-	-
FEMALE--	2	2	-	5	3	10	8	3	4	-	1	-
ALL OTHER--MALE----	2	-	2	3	1	6	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	2	2	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	88	111	171	280	447	571	695	618	411	162	38	-
WHITE-----MALE----	65	74	108	194	287	335	384	278	146	32	8	-
FEMALE--	16	31	52	78	138	221	291	320	258	126	29	-
ALL OTHER--MALE----	6	4	6	4	12	8	2	6	2	-	-	-
FEMALE--	1	2	5	4	10	7	18	14	5	4	1	-
BLACK---MALE----	3	2	3	3	8	5	2	3	1	-	-	-
FEMALE--	-	1	2	2	7	6	8	8	4	2	1	-
ARKANSAS -----	38	51	73	146	257	264	320	349	220	83	28	-
WHITE-----MALE----	26	34	37	90	154	126	147	116	47	15	3	-
FEMALE--	6	11	22	38	80	111	139	198	152	52	17	-
ALL OTHER--MALE----	3	6	7	9	9	9	11	13	9	5	-	-
FEMALE--	3	-	7	9	14	18	23	22	12	11	8	-
BLACK---MALE----	2	5	7	9	9	9	10	13	9	5	-	-
FEMALE--	3	-	7	9	14	17	23	21	12	11	8	-
CALIFORNIA -----	593	787	1,168	1,925	3,014	4,254	5,287	5,202	3,817	1,808	432	1
WHITE-----MALE----	374	479	655	1,067	1,596	2,195	2,406	1,919	1,088	365	56	-
FEMALE--	114	138	293	552	1,015	1,553	2,389	2,836	2,419	1,307	335	-
ALL OTHER--MALE----	79	126	144	179	220	289	232	213	118	34	3	1
FEMALE--	26	44	76	127	183	217	260	234	192	102	38	-
BLACK---MALE----	52	79	85	112	101	122	105	77	38	5	1	1
FEMALE--	19	32	54	82	110	119	137	107	100	57	26	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,595

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
COLORADO -----	2,035	-	-	-	-	-	-	-	7	7	20	45
WHITE-----MALE----	1,001	-	-	-	-	-	-	-	5	6	13	34
FEMALE--	938	-	-	-	-	-	-	-	2	1	2	7
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	47	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	2	1
CONNECTICUT -----	3,538	-	-	-	-	1	1	2	5	12	19	35
WHITE-----MALE----	1,577	-	-	-	-	1	-	2	3	7	14	25
FEMALE--	1,782	-	-	-	-	-	-	-	1	2	2	4
ALL OTHER--MALE----	87	-	-	-	-	-	1	-	1	1	3	4
FEMALE--	92	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	77	-	-	-	-	-	1	-	1	1	3	4
FEMALE--	91	-	-	-	-	-	-	-	-	2	-	2
DELAWARE -----	566	-	-	-	1	-	-	-	3	1	10	8
WHITE-----MALE----	246	-	-	-	1	-	-	-	-	-	3	5
FEMALE--	243	-	-	-	-	-	-	-	2	-	2	1
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	42	-	-	-	-	-	-	-	-	1	4	-
BLACK---MALE----	34	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	41	-	-	-	-	-	-	-	-	1	4	-
DISTRICT OF COLUMBIA ----	369	-	-	-	-	-	-	1	-	3	11	9
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	138	-	-	-	-	-	-	-	-	1	6	5
FEMALE--	130	-	-	-	-	-	-	1	-	-	4	1
BLACK---MALE----	135	-	-	-	-	-	-	-	-	1	6	5
FEMALE--	130	-	-	-	-	-	-	1	-	-	4	1
FLORIDA -----	22,495	1	-	1	2	1	4	14	21	54	119	226
WHITE-----MALE----	10,730	-	-	1	-	1	3	8	14	35	81	148
FEMALE--	10,132	-	-	-	1	-	-	3	5	6	20	34
ALL OTHER--MALE----	766	1	-	-	1	-	-	2	2	8	12	25
FEMALE--	867	-	-	-	-	-	1	1	-	5	6	19
BLACK---MALE----	734	1	-	-	1	-	-	2	2	7	12	24
FEMALE--	848	-	-	-	-	-	1	1	-	5	6	19
GEORGIA -----	4,377	1	-	-	-	-	2	4	12	31	75	113
WHITE-----MALE----	1,864	-	-	-	-	-	-	2	6	5	38	60
FEMALE--	1,629	-	-	-	-	-	1	1	3	7	12	14
ALL OTHER--MALE----	428	-	-	-	-	-	1	1	2	16	16	32
FEMALE--	456	1	-	-	-	-	-	-	1	3	9	7
BLACK---MALE----	414	-	-	-	-	-	1	1	2	15	16	30
FEMALE--	453	1	-	-	-	-	-	-	1	3	9	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,595

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
COLORADO -----	59	69	101	163	215	295	370	351	218	90	25	-
WHITE-----MALE----	40	46	65	107	135	167	164	132	77	8	2	-
FEMALE--	13	18	27	45	70	110	197	208	139	76	23	-
ALL OTHER--MALE----	5	3	4	8	5	10	3	4	-	1	-	-
FEMALE--	1	2	5	3	5	8	6	7	2	5	-	-
BLACK---MALE----	3	3	2	7	5	6	-	2	-	1	-	-
FEMALE--	-	1	5	3	4	6	4	3	1	4	-	-
CONNECTICUT -----	55	99	140	215	336	488	630	676	524	247	53	-
WHITE-----MALE----	38	66	95	130	206	257	290	248	139	47	9	-
FEMALE--	9	18	30	67	104	201	325	408	372	197	42	-
ALL OTHER--MALE----	4	10	9	10	13	14	6	6	5	-	-	-
FEMALE--	4	5	6	8	13	16	9	14	8	3	2	-
BLACK---MALE----	3	9	8	10	10	12	5	5	5	-	-	-
FEMALE--	4	5	6	8	12	16	9	14	8	3	2	-
DELAWARE -----	17	18	28	38	67	102	90	93	65	18	7	-
WHITE-----MALE----	10	11	14	19	41	56	34	31	16	3	2	-
FEMALE--	3	4	9	11	19	34	43	54	43	13	5	-
ALL OTHER--MALE----	3	1	4	5	4	4	6	2	1	1	-	-
FEMALE--	1	2	1	3	3	8	7	6	5	1	-	-
BLACK---MALE----	3	1	4	5	3	4	6	2	1	1	-	-
FEMALE--	1	2	1	3	3	8	7	5	5	1	-	-
DISTRICT OF COLUMBIA ----	11	25	17	35	48	50	55	42	37	17	7	1
WHITE-----MALE----	-	3	1	5	7	9	11	6	5	1	-	1
FEMALE--	-	-	-	2	1	2	8	11	13	7	2	-
ALL OTHER--MALE----	5	13	8	22	24	23	15	11	2	2	1	-
FEMALE--	6	9	8	6	16	16	21	14	17	7	4	-
BLACK---MALE----	5	12	8	21	24	22	15	11	2	2	1	-
FEMALE--	6	9	8	6	16	16	21	14	17	7	4	-
FLORIDA -----	343	520	807	1,465	2,359	3,259	4,159	4,343	3,179	1,305	309	4
WHITE-----MALE----	222	330	530	896	1,381	1,869	2,136	1,744	1,000	279	51	1
FEMALE--	55	109	165	381	763	1,170	1,804	2,377	2,033	962	242	2
ALL OTHER--MALE----	42	52	69	116	112	90	91	83	38	17	4	1
FEMALE--	24	29	43	72	103	130	128	139	108	47	12	-
BLACK---MALE----	39	52	64	116	105	88	86	79	35	16	4	1
FEMALE--	22	28	42	70	97	127	127	139	106	46	12	-
GEORGIA -----	141	222	261	388	525	675	691	650	395	154	37	-
WHITE-----MALE----	79	112	143	216	275	340	269	208	81	28	2	-
FEMALE--	29	35	54	82	128	223	331	335	250	100	24	-
ALL OTHER--MALE----	23	51	38	47	58	54	29	42	13	3	2	-
FEMALE--	10	24	26	43	64	58	62	65	51	23	9	-
BLACK---MALE----	23	50	37	46	55	53	28	39	13	3	2	-
FEMALE--	10	24	26	43	64	56	62	65	51	22	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,596

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
HAWAII -----	30	35	37	50	78	130	123	102	75	44	5	-
WHITE-----MALE----	8	8	6	8	12	26	22	22	7	-	-	-
FEMALE--	1	1	1	5	10	9	6	16	13	6	-	-
ALL OTHER--MALE----	15	20	24	25	32	54	57	34	22	12	3	-
FEMALE--	6	6	6	12	24	41	38	30	33	26	2	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO -----	12	16	29	56	70	100	118	139	78	37	6	-
WHITE-----MALE----	11	12	22	32	46	66	64	63	25	5	-	-
FEMALE--	-	3	7	24	24	34	53	76	52	32	6	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ILLINOIS -----	187	278	425	660	1,182	1,552	1,980	1,925	1,438	636	167	1
WHITE-----MALE----	126	150	224	359	638	797	902	662	375	110	21	1
FEMALE--	27	62	103	188	397	597	916	1,143	978	475	134	-
ALL OTHER--MALE----	26	44	57	65	60	80	69	34	27	11	3	-
FEMALE--	8	22	41	48	87	78	93	86	58	40	9	-
BLACK---MALE----	25	40	54	58	54	74	63	33	26	11	2	-
FEMALE--	8	22	40	45	80	75	88	81	55	35	8	-
INDIANA -----	152	219	317	444	678	884	985	994	732	340	76	-
WHITE-----MALE----	101	135	188	245	401	466	431	347	189	61	8	-
FEMALE--	33	56	85	149	225	366	493	593	500	255	64	-
ALL OTHER--MALE----	15	23	25	27	24	25	24	25	14	3	2	-
FEMALE--	3	5	19	23	28	27	37	29	29	21	2	-
BLACK---MALE----	13	22	25	27	23	25	22	24	14	3	2	-
FEMALE--	3	5	19	23	26	27	37	29	29	21	2	-
IOWA -----	40	62	88	166	313	409	606	694	565	261	81	-
WHITE-----MALE----	30	41	66	107	200	240	302	294	164	53	10	-
FEMALE--	8	19	22	56	108	163	298	397	400	208	70	-
ALL OTHER--MALE----	1	1	-	3	3	4	5	1	1	-	1	-
FEMALE--	1	1	-	-	2	2	1	2	-	-	-	-
BLACK---MALE----	1	-	-	3	3	3	3	1	1	-	-	-
FEMALE--	1	1	-	-	2	1	1	2	-	-	-	-
KANSAS -----	40	64	101	164	238	358	402	426	336	161	42	-
WHITE-----MALE----	26	45	68	108	157	203	218	164	101	36	1	-
FEMALE--	8	13	24	47	70	142	166	250	225	116	39	-
ALL OTHER--MALE----	5	5	5	7	6	6	8	7	4	2	1	-
FEMALE--	1	1	4	2	5	7	10	5	6	7	1	-
BLACK---MALE----	4	3	5	7	6	5	7	5	4	1	1	-
FEMALE--	1	1	4	2	4	3	9	5	3	6	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,597

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
KENTUCKY -----	3,038	-	-	-	-	1	1	4	11	15	20	51
WHITE-----MALE----	1,385	-	-	-	-	1	1	3	6	11	13	32
FEMALE--	1,496	-	-	-	-	-	-	1	3	2	6	13
ALL OTHER--MALE----	77	-	-	-	-	-	-	-	2	2	1	4
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	76	-	-	-	-	-	-	-	2	2	1	4
FEMALE--	78	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA -----	2,532	-	-	1	-	-	-	1	5	13	25	48
WHITE-----MALE----	981	-	-	-	-	-	-	1	2	4	12	25
FEMALE--	974	-	-	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	270	-	-	1	-	-	-	-	1	6	6	11
FEMALE--	307	-	-	-	-	-	-	-	2	1	6	9
BLACK---MALE----	268	-	-	1	-	-	-	-	1	6	6	11
FEMALE--	301	-	-	-	-	-	-	-	2	1	6	9
MAINE -----	1,241	-	-	-	-	-	-	-	-	1	6	15
WHITE-----MALE----	604	-	-	-	-	-	-	-	-	-	4	12
FEMALE--	633	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,124	-	-	-	-	-	-	-	2	5	7	27
WHITE-----MALE----	1,320	-	-	-	-	-	-	-	1	2	6	16
FEMALE--	1,306	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	235	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	263	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE----	230	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	255	-	-	-	-	-	-	-	-	1	1	4
MASSACHUSETTS -----	5,493	-	-	-	-	-	-	3	10	28	29	66
WHITE-----MALE----	2,562	-	-	-	-	-	-	2	6	22	23	46
FEMALE--	2,756	-	-	-	-	-	-	1	3	3	5	12
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	1	2	1	5
FEMALE--	86	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	66	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	77	-	-	-	-	-	-	-	-	1	-	3
MICHIGAN -----	9,308	-	-	-	-	-	1	6	14	42	54	118
WHITE-----MALE----	4,090	-	-	-	-	-	1	2	7	19	38	69
FEMALE--	4,445	-	-	-	-	-	-	3	5	12	10	28
ALL OTHER--MALE----	357	-	-	-	-	-	-	1	1	9	5	12
FEMALE--	416	-	-	-	-	-	-	-	1	2	1	9
BLACK---MALE----	317	-	-	-	-	-	-	1	1	7	5	9
FEMALE--	384	-	-	-	-	-	-	-	1	2	1	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,597
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
KENTUCKY -----	81	123	142	251	348	470	478	515	340	149	38	-
WHITE-----MALE----	54	88	84	153	193	260	199	168	81	32	6	-
FEMALE--	19	29	47	80	135	192	255	325	248	111	30	-
ALL OTHER--MALE----	4	5	8	9	11	7	12	9	3	-	-	-
FEMALE--	4	1	3	9	9	11	12	13	8	6	2	-
BLACK---MALE----	4	5	8	9	10	7	12	9	3	-	-	-
FEMALE--	4	1	3	9	8	10	12	13	8	6	2	-
LOUISIANA -----	68	90	164	209	319	407	406	385	276	85	30	-
WHITE-----MALE----	30	34	70	107	146	191	166	115	65	12	1	-
FEMALE--	9	24	39	45	98	136	161	218	163	55	20	-
ALL OTHER--MALE----	18	22	29	30	45	35	29	17	14	5	1	-
FEMALE--	11	10	26	27	30	45	50	35	34	13	8	-
BLACK---MALE----	18	22	28	30	45	35	28	17	14	5	1	-
FEMALE--	11	10	26	27	28	45	49	35	31	13	8	-
MAINE -----	17	27	53	100	127	187	225	222	170	69	22	-
WHITE-----MALE----	14	21	37	69	76	108	126	80	42	14	1	-
FEMALE--	3	6	15	31	50	77	99	142	128	55	21	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MARYLAND -----	58	88	139	216	417	528	563	516	345	167	46	-
WHITE-----MALE----	27	52	68	118	209	269	236	175	106	32	3	-
FEMALE--	5	13	35	53	124	181	260	288	195	114	34	-
ALL OTHER--MALE----	15	14	23	19	46	36	30	20	16	7	3	-
FEMALE--	11	9	13	26	38	42	37	33	28	14	6	-
BLACK---MALE----	15	14	22	19	45	35	29	20	16	6	3	-
FEMALE--	11	8	13	26	36	42	33	33	28	13	6	-
MASSACHUSETTS -----	101	136	212	318	586	771	1,025	1,041	757	326	84	-
WHITE-----MALE----	71	101	146	191	380	428	482	397	207	49	11	-
FEMALE--	24	26	53	109	186	322	519	626	529	269	69	-
ALL OTHER--MALE----	4	5	8	12	10	11	11	8	6	3	2	-
FEMALE--	2	4	5	6	10	10	13	10	15	5	2	-
BLACK---MALE----	2	4	7	8	10	9	8	5	2	3	2	-
FEMALE--	2	4	5	6	7	10	10	9	14	4	2	-
MICHIGAN -----	167	246	377	614	1,070	1,392	1,715	1,703	1,151	511	127	-
WHITE-----MALE----	111	165	218	355	594	726	754	627	300	89	15	-
FEMALE--	29	56	116	185	375	544	838	963	792	387	102	-
ALL OTHER--MALE----	17	17	28	36	61	62	50	39	14	4	1	-
FEMALE--	10	8	15	38	40	60	73	74	45	31	9	-
BLACK---MALE----	16	15	22	34	55	55	49	33	10	4	1	-
FEMALE--	9	8	15	37	36	55	67	66	42	28	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,598

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
MINNESOTA -----	113	107	126	219	378	450	627	611	417	189	52	-
WHITE-----MALE----	86	78	98	149	266	305	338	268	126	36	10	-
FEMALE--	17	24	19	63	102	136	283	336	290	151	42	-
ALL OTHER--MALE----	7	4	8	4	6	6	3	3	-	-	-	-
FEMALE--	3	1	1	3	4	3	3	4	1	2	-	-
BLACK---MALE----	2	2	4	2	1	5	1	1	-	-	-	-
FEMALE--	1	1	-	2	1	1	1	4	1	1	-	-
MISSISSIPPI -----	67	71	132	195	222	313	350	307	195	78	17	-
WHITE-----MALE----	32	31	73	97	101	151	133	105	35	11	1	-
FEMALE--	14	14	20	55	69	94	151	133	115	43	12	-
ALL OTHER--MALE----	14	14	20	22	25	33	23	26	16	6	1	-
FEMALE--	7	12	19	21	27	35	43	43	29	18	3	-
BLACK---MALE----	14	14	20	22	25	33	23	26	16	6	1	-
FEMALE--	7	12	18	20	27	35	43	42	29	18	3	-
MISSOURI -----	143	179	266	359	600	800	1,019	1,145	920	426	95	-
WHITE-----MALE----	88	112	168	210	349	439	464	405	235	74	11	-
FEMALE--	26	36	66	103	180	297	485	673	630	327	76	-
ALL OTHER--MALE----	15	24	18	23	35	25	36	24	16	6	1	-
FEMALE--	14	7	14	23	36	39	34	43	39	19	7	-
BLACK---MALE----	15	24	18	23	29	25	35	23	15	6	1	-
FEMALE--	13	6	12	22	36	38	34	42	36	19	7	-
MONTANA -----	15	30	33	47	65	105	99	107	67	34	8	-
WHITE-----MALE----	12	25	27	34	42	65	58	44	24	7	1	-
FEMALE--	1	3	6	11	17	37	40	62	41	27	7	-
ALL OTHER--MALE----	-	2	-	2	4	-	-	-	2	-	-	-
FEMALE--	2	-	-	-	2	3	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEBRASKA -----	20	31	60	97	169	200	256	300	216	116	39	-
WHITE-----MALE----	13	21	45	60	105	123	140	116	63	28	8	-
FEMALE--	4	5	10	33	61	72	111	180	148	86	30	-
ALL OTHER--MALE----	3	4	4	2	-	3	1	3	-	-	-	-
FEMALE--	-	1	1	2	3	2	4	1	5	2	1	-
BLACK---MALE----	1	3	3	1	-	2	-	2	-	-	-	-
FEMALE--	-	1	1	-	3	2	2	1	4	2	1	-
NEVADA -----	33	46	52	98	141	200	184	124	95	29	5	-
WHITE-----MALE----	26	33	34	55	94	113	94	48	20	5	-	-
FEMALE--	4	10	15	29	35	76	83	72	67	22	4	-
ALL OTHER--MALE----	3	1	2	8	8	9	2	3	3	1	-	-
FEMALE--	-	2	1	6	4	2	5	1	5	1	1	-
BLACK---MALE----	3	1	2	6	4	5	1	3	2	1	-	-
FEMALE--	-	2	1	4	3	1	3	1	4	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,600

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
OHIO -----	12,730	-	-	-	-	-	-	2	17	37	98	164
WHITE-----MALE----	5,534	-	-	-	-	-	-	1	13	25	58	100
FEMALE--	6,006	-	-	-	-	-	-	1	2	7	21	28
ALL OTHER--MALE----	568	-	-	-	-	-	-	-	1	2	11	25
FEMALE--	622	-	-	-	-	-	-	-	1	3	8	11
BLACK---MALE----	559	-	-	-	-	-	-	-	1	2	11	23
FEMALE--	613	-	-	-	-	-	-	-	1	3	8	11
OKLAHOMA -----	3,609	-	-	-	-	-	1	2	6	15	41	55
WHITE-----MALE----	1,663	-	-	-	-	-	1	1	3	7	23	33
FEMALE--	1,628	-	-	-	-	-	-	-	2	4	8	11
ALL OTHER--MALE----	158	-	-	-	-	-	-	1	1	2	8	9
FEMALE--	160	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	91	-	-	-	-	-	-	-	-	1	6	6
FEMALE--	89	-	-	-	-	-	-	-	-	1	2	1
OREGON -----	2,834	-	-	-	-	1	-	-	4	14	37	59
WHITE-----MALE----	1,554	-	-	-	-	1	-	-	3	9	30	51
FEMALE--	1,208	-	-	-	-	-	-	-	-	4	4	5
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	19	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	12,926	-	-	-	-	-	-	2	7	37	61	113
WHITE-----MALE----	5,893	-	-	-	-	-	-	1	3	22	43	82
FEMALE--	6,351	-	-	-	-	-	-	1	4	12	11	15
ALL OTHER--MALE----	309	-	-	-	-	-	-	-	-	2	6	10
FEMALE--	373	-	-	-	-	-	-	-	-	1	1	6
BLACK---MALE----	292	-	-	-	-	-	-	-	-	2	6	10
FEMALE--	362	-	-	-	-	-	-	-	-	1	1	6
RHODE ISLAND -----	1,159	1	-	-	-	-	-	1	-	1	4	10
WHITE-----MALE----	477	-	-	-	-	-	-	1	-	1	4	9
FEMALE--	652	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,615	-	-	-	-	1	-	3	7	13	35	61
WHITE-----MALE----	1,127	-	-	-	-	-	-	2	-	9	19	34
FEMALE--	950	-	-	-	-	-	-	-	2	1	6	8
ALL OTHER--MALE----	261	-	-	-	-	-	-	-	2	3	5	15
FEMALE--	277	-	-	-	-	1	-	1	3	-	5	4
BLACK---MALE----	260	-	-	-	-	-	-	-	2	3	5	15
FEMALE--	275	-	-	-	-	1	-	1	3	-	5	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT B PG 1,600

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
OHIO -----	250	403	610	977	1,514	2,030	2,279	2,155	1,484	552	157	1
WHITE-----MALE----	160	241	350	561	831	1,026	970	715	352	109	21	1
FEMALE--	45	93	152	298	536	803	1,155	1,294	1,035	414	122	-
ALL OTHER--MALE----	28	39	64	64	82	95	67	57	26	6	1	-
FEMALE--	17	30	44	54	65	106	87	89	71	23	13	-
BLACK---MALE----	28	39	62	62	82	92	67	57	26	6	1	-
FEMALE--	17	30	44	53	64	103	86	87	70	23	13	-
OKLAHOMA -----	85	136	180	234	408	506	603	624	478	199	36	-
WHITE-----MALE----	56	92	103	134	237	283	298	214	126	49	3	-
FEMALE--	17	27	52	72	138	183	267	355	329	139	24	-
ALL OTHER--MALE----	10	8	17	15	19	21	12	24	4	4	3	-
FEMALE--	2	9	8	13	14	19	26	31	19	7	6	-
BLACK---MALE----	5	5	9	9	9	11	5	17	3	2	3	-
FEMALE--	2	4	5	6	9	10	10	20	11	3	5	-
OREGON -----	82	97	147	209	324	417	509	469	301	130	34	-
WHITE-----MALE----	63	67	102	145	212	259	279	197	102	32	2	-
FEMALE--	13	24	38	61	103	148	219	265	196	96	32	-
ALL OTHER--MALE----	4	6	3	2	3	6	4	3	2	-	-	-
FEMALE--	2	-	4	1	6	4	7	4	1	2	-	-
BLACK---MALE----	3	4	1	-	-	3	2	1	1	-	-	-
FEMALE--	1	-	1	-	1	3	4	2	-	1	-	-
PENNSYLVANIA -----	187	261	503	795	1,465	1,959	2,575	2,363	1,734	690	174	-
WHITE-----MALE----	126	169	331	467	852	1,013	1,227	919	499	120	19	-
FEMALE--	39	64	126	271	509	832	1,247	1,365	1,169	543	143	-
ALL OTHER--MALE----	9	13	29	33	50	55	48	32	16	5	1	-
FEMALE--	13	15	17	24	54	59	53	47	50	22	11	-
BLACK---MALE----	9	12	27	31	47	55	42	29	16	5	1	-
FEMALE--	13	14	16	23	52	56	51	46	50	22	11	-
RHODE ISLAND -----	11	18	34	60	98	162	206	228	209	91	24	1
WHITE-----MALE----	9	12	16	39	63	83	94	83	43	19	-	1
FEMALE--	2	3	17	20	33	72	107	142	161	71	24	-
ALL OTHER--MALE----	-	3	-	1	-	4	2	-	1	-	-	-
FEMALE--	-	-	1	-	2	3	3	3	4	1	-	-
BLACK---MALE----	-	2	-	1	-	4	1	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	3	3	4	-	-	-
SOUTH CAROLINA -----	79	112	168	234	333	450	450	350	220	81	18	-
WHITE-----MALE----	46	62	81	123	175	206	181	119	53	17	-	-
FEMALE--	9	18	37	61	75	155	204	175	135	52	12	-
ALL OTHER--MALE----	16	20	32	25	36	41	29	26	10	1	-	-
FEMALE--	8	12	18	25	47	48	36	30	22	11	6	-
BLACK---MALE----	16	20	31	25	36	41	29	26	10	1	-	-
FEMALE--	8	12	18	24	47	48	35	30	22	11	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1998 PLT A PG 1,601

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
SOUTH DAKOTA -----	627	-	-	-	-	-	-	-	-	1	7	9
WHITE-----MALE----	320	-	-	-	-	-	-	-	-	-	4	9
FEMALE--	286	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,912	-	-	-	-	2	-	4	12	24	42	79
WHITE-----MALE----	2,155	-	-	-	-	1	-	2	7	17	27	53
FEMALE--	2,177	-	-	-	-	1	-	1	2	6	7	13
ALL OTHER--MALE----	287	-	-	-	-	-	-	1	2	1	5	10
FEMALE--	293	-	-	-	-	-	-	-	1	-	3	3
BLACK---MALE----	286	-	-	-	-	-	-	1	2	1	5	10
FEMALE--	290	-	-	-	-	-	-	-	1	-	3	3