

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
All codes	44,993	17,963	27,030	1,882	14,684	12,398	16,029	10,025	9,385	16,491	9,092
00	1,730	1,057	673	*	98	688	940	367	451	563	349
00.1	68	32	36	*	*7	17	43	18	12	25	13
00.13	*6	*	*	-	-	*	*	*	*	*	*
00.14	10	*	*5	*	*	*	*6	*	*	*	*
00.17	45	22	23	*	*	*9	31	10	*9	16	11
00.2	15	*8	*6	-	*	*7	*6	*	*	*6	*
00.24	10	*6	*	-	*	*	*	*	*	*	*
00.3	52	30	22	*	*	28	21	*9	*	20	20
00.34	14	*6	*8	-	*	*6	*8	*	*	11	*
00.39	31	22	10	*	*	19	10	*5	*	*6	18
00.4	676	422	254	*	28	261	386	157	181	207	131
00.40	306	186	120	*	11	113	182	74	80	96	57
00.41	69	43	26	*	*	26	40	16	16	24	13
00.42	14	10	*	-	*	*	10	*	*	*	*
00.44	*9	*	*5	-	*	*	*7	*	*	*	*
00.45	178	117	62	*	*6	76	96	39	49	54	36
00.46	66	41	26	*	*6	27	34	14	22	15	15
00.47	22	14	*8	-	*	10	10	*	*6	*7	*
00.48	*8	*6	*	-	*	*	*5	*	*	*	*
00.5	44	30	15	*	*	10	33	*7	11	18	*9
00.50	*5	*	*	-	*	*	*	*	*	*	*
00.51	35	25	10	*	*	*9	26	*5	*9	13	*8
00.6	657	431	227	*	38	276	343	130	179	224	125
00.61	19	10	*9	-	*	*6	11	*6	*	*8	*
00.63	15	*7	*7	-	*	*	10	*6	*	*	*
00.66	618	410	208	*	35	263	320	116	173	208	121
00.7	152	69	83	*	*9	57	86	26	45	41	40
00.70	16	*6	10	-	*	*6	*8	*	*6	*5	*
00.71	*5	*	*	-	*	*	*	*	*	*	*
00.72	*6	*	*	*	*	*	*	*	*	*	*
00.73	*6	*	*	-	*	*	*	*	*	*	*
00.74	60	27	33	-	*	18	39	15	20	13	13
00.75	43	22	21	-	*	18	23	*5	11	14	13
00.76	*5	*	*	-	*	*	*	*	*	*	*
00.77	11	*	*6	-	*	*5	*	*	*	*	*5
00.8	39	19	20	*	*	19	18	*9	13	12	*5
00.80	13	*5	*8	-	*	*	*8	*	*	*5	*
00.81	*6	*	*	-	-	*	*	*	*	*	*
00.85	*7	*5	*	-	*	*6	*	*	*	*	*
00.9	26	16	10	*	*8	14	*	*9	*	10	*
00.91	*6	*	*	*	*	*	*	*	*	*	*
00.93	18	12	*6	*	*	11	*	*5	*	*8	*
01-05	1,197	565	632	190	335	322	350	247	267	394	288
01	159	87	73	15	41	52	51	32	25	55	48
01.0	*8	*5	*	*	*	*	*	*	*	*	*
01.1	26	16	10	*	11	*7	*6	*7	*	*7	*8
01.13	*7	*	*	*	*	*	*	*	*	*	*
01.18	13	*8	*5	*	*7	*	*	*	*	*	*
01.2	21	12	*9	*	*9	*6	*	*	*	*9	*5
01.24	*8	*5	*	*	*	*	*	*	*	*	*
01.25	*6	*	*	*	*	*	*	*	*	*	*
01.3	43	28	15	*	*5	13	23	*7	*9	13	14
01.31	32	23	*9	*	*	*9	18	*	*7	10	12
01.39	11	*5	*5	*	*	*	*	*	*	*	*
01.5	59	23	35	*	14	23	17	12	*8	22	17
01.51	16	*	12	-	*	*8	*6	*	*	*7	*
01.59	41	18	23	*	12	14	11	*8	*6	14	13

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
02	129	66	63	28	40	27	34	28	21	46	34
02.0	27	15	11	*6	*9	*6	*5	*	*	13	*
02.06	12	*5	*7	*	*	*	*	*	*	*6	*
02.1	11	*5	*6	*	*	*	*	*	*	*5	*
02.12	10	*	*6	*	*	*	*	*	*	*	*
02.2	27	13	15	*	10	*7	*7	*6	*	10	*8
02.3	24	12	13	*7	*	*	*9	*5	*6	*6	*7
02.34	19	*8	11	*6	*	*	*7	*	*	*5	*6
02.4	26	14	12	10	*9	*	*	*6	*	*7	*9
02.42	21	11	*9	*8	*7	*	*	*	*	*6	*7
02.9	13	*7	*6	*	*	*	*	*	*	*	*
02.94	*8	*	*	*	*	*	*	*	*	*	*
03	813	364	448	145	229	207	232	167	194	265	186
03.0	208	113	95	*	16	77	114	41	50	73	45
03.02	*7	*	*	*	*	*	*	*	*	*	*
03.09	201	110	91	*	15	75	110	40	47	71	43
03.3	339	178	162	133	80	69	57	67	50	120	102
03.31	338	177	161	133	80	68	57	67	50	120	101
03.4	*9	*	*	*	*	*	*	*	*	*	*
03.5	30	17	13	*	10	10	*6	*7	*7	10	*5
03.53	13	*9	*	*	*7	*	*	*	*	*	*
03.59	14	*6	*8	*	*	*6	*	*	*	*6	*
03.9	218	49	169	*6	119	41	52	50	83	55	30
03.90	80	15	65	*	54	13	11	19	28	19	13
03.91	65	10	56	*	41	10	14	18	30	10	*8
03.92	49	20	29	*	*8	15	22	11	17	15	*6
03.93	*6	*	*	-	*	*	*	*	*	*	*
03.95	15	*	14	*	13	*	*	*	*7	*6	*
04	86	42	44	*	22	34	28	19	23	26	19
04.0	11	*8	*	*	*	*6	*	*	*	*	*
04.07	*7	*5	*	*	*	*	*	*	*	*	*
04.3	*6	*	*	*	*	*	*	*	*	*	*
04.4	18	*9	*9	*	*	*7	*6	*	*	*8	*
04.43	10	*	*5	*	*	*	*	*	*	*	*
04.49	*5	*	*	*	*	*	*	*	*	*	*
04.8	40	14	26	*	*	17	17	*7	17	*9	*7
04.81	37	13	24	*	*	15	17	*7	16	*8	*7
05	10	*6	*	*	*	*	*5	*	*	*	*
05.3	*8	*	*	-	*	*	*	*	*	*	*
05.31	*7	*	*	-	*	*	*	*	*	*	*
06-07	118	27	91	*	34	50	30	29	15	35	39
06	97	16	81	*	28	42	25	23	13	29	32
06.2	24	*	20	*	*6	11	*6	*	*	*6	10
06.3	*5	*	*	*	*	*	*	*	*	*	*
06.4	32	*	28	*	13	13	*5	*8	*	10	*9
06.8	17	*	14	-	*	*9	*	*	*	*5	*6
06.89	15	*	13	-	*	*8	*	*	*	*	*6
06.9	*7	*	*7	-	*	*	*	*	*	*	*
06.95	*6	*	*5	-	*	*	*	*	*	*	*
07	21	10	11	*	*6	*8	*5	*6	*	*6	*6
07.2	*7	*	*	*	*	*	*	*	*	*	*
07.22	*6	*	*	*	*	*	*	*	*	*	*
07.6	*8	*	*	*	*	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
08-16	79	41	37	*9	18	20	32	20	10	26	22
08	36	20	16	*5	10	*8	13	*7	*6	15	*8
08.8	23	14	*9	*	*8	*6	*8	*	*5	*9	*
08.81	21	13	*8	*	*7	*6	*7	*	*	*8	*
13	12	*	*8	*	*	*	*8	*	*	*	*9
13.4	*6	*	*	-	-	*	*	*	-	*	*5
13.41	*6	*	*	-	-	*	*	*	-	*	*5
13.7	*5	*	*	-	-	*	*	*	*	*	*
13.71	*5	*	*	-	-	*	*	*	*	*	*
14	12	*7	*6	*	*	*	*	*6	*	*	*
16	*8	*	*	*	*	*	*	*	*	*	*
18-20	41	28	14	21	10	*	*7	13	*	15	*9
18	18	15	*	*	*8	*	*	*	*	*9	*
18.4	*7	*7	*	*	*	*	*	*	*	*	*
20	22	12	10	16	*	*	*	*9	*	*7	*
20.0	16	10	*6	13	*	*	*	*7	*	*5	*
20.01	15	*9	*6	12	*	*	*	*6	*	*	*
21-29	257	155	102	55	90	61	52	59	41	93	65
21	62	36	25	*7	18	15	21	11	15	23	13
21.0	24	13	11	*	*	*8	14	*	*9	*8	*
21.01	11	*6	*	*	*	*	*6	*	*	*	*
21.03	*8	*	*	*	*	*	*	*	*	*	*
21.2	*5	*	*	*	*	*	*	*	*	*	*
21.8	19	11	*7	*6	*8	*	*	*	*	*7	*7
22	20	10	*9	*	*6	*7	*5	*6	*	*7	*
22.6	*8	*	*	*	*	*	*	*	*	*	*
23	31	21	10	*	17	*8	*	*6	*	16	*5
23.0	14	10	*	*	*8	*	*	*	*	*7	*
23.09	14	*9	*	*	*8	*	*	*	*	*7	*
23.1	12	*8	*	*	*7	*	*	*	*	*7	*
23.19	12	*8	*	*	*7	*	*	*	*	*7	*
24	*9	*	*5	*	*	*	*	*	*	*	*
25	*9	*8	*	*	*	*	*	*	*	*	*
26	17	*9	*7	*	*5	*5	*6	*	*	*	*8
26.3	10	*6	*	*	*	*	*	*	*	*	*5
27	54	34	20	19	20	*9	*7	12	*7	20	15
27.0	15	10	*	*	*9	*	*	*	*	*8	*
27.5	22	12	10	10	*6	*	*	*	*	*7	*8
27.51	10	*6	*	*	*	*	*	*	*	*	*
27.54	*8	*	*	*7	*	-	-	*	-	*	*5
27.6	10	*8	*	*6	*	*	*	*	*	*	*
28	37	22	16	19	13	*	*	10	*7	10	10
28.0	10	*6	*	*	*5	*	*	*	*	*	*
28.2	*8	*6	*	*	*	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
28.3	13	*7	*6	12	*	*	-	*	*	*5	*
29	19	11	*8	*	*5	*5	*6	*5	*	*5	*6
29.1	*8	*	*	*	*	*	*	*	*	*	*
29.11	*6	*	*	*	*	*	*	*	*	*	*
30-34	1,109	577	531	56	155	363	535	253	244	399	213
30	*5	*	*	*	*	*	*	*	*	*	*
31	175	93	82	16	34	61	64	46	36	59	34
31.1	97	54	43	*	20	36	38	23	21	37	15
31.2	15	*6	*8	*	*	*5	*6	*	*	*	*
31.29	14	*6	*8	*	*	*	*6	*	*	*	*
31.4	49	26	22	*9	*9	14	16	16	10	13	10
31.42	41	23	18	*9	*9	11	12	14	*9	11	*7
31.43	*6	*	*	*	*	*	*	*	*	*	*
32	75	36	39	*	*8	29	38	22	12	29	13
32.2	36	18	18	*	*6	14	16	11	*	13	*7
32.29	34	17	17	*	*6	13	15	11	*	12	*7
32.3	*6	*	*	*	*	*	*	*	*	*	*
32.4	29	15	15	*	*	10	18	*8	*6	11	*
33	323	175	147	17	42	117	147	76	67	118	61
33.2	309	167	142	16	40	110	142	73	64	115	57
33.21	*6	*	*	*	*	*	*	*	*	*	*
33.22	32	17	15	*	*	14	15	*9	*9	*9	*5
33.23	39	21	18	*8	*6	11	15	13	*	15	*7
33.24	136	70	66	*5	20	49	62	27	29	52	28
33.26	33	20	13	-	*	*9	21	*8	*9	11	*
33.27	46	25	21	*	*5	16	24	12	*9	18	*8
33.28	17	10	*8	*	*	*7	*	*	*	*8	*
34	531	271	260	21	71	154	284	107	128	191	104
34.0	166	93	72	13	35	49	69	39	32	58	36
34.01	*5	*	*	*	*	*	*	*	*	*	*
34.03	*7	*6	*	*	*	*	*	*	*	*	*
34.04	123	65	58	10	29	35	50	32	24	41	26
34.09	29	19	11	*	*	10	13	*	*7	11	*7
34.2	43	24	19	*	*5	13	24	11	*8	15	*9
34.21	17	*8	*9	*	*	*6	*8	*	*	*6	*
34.22	*8	*	*	-	*	*	*	*	*	*	*
34.24	11	*7	*	*	*	*	*8	*	*	*	*
34.5	29	22	*7	*	*	11	11	*	*6	11	*7
34.51	24	19	*5	*	*	*9	*9	*	*6	10	*5
34.6	*7	*	*	*	*	*	*	*	*	*	*
34.7	11	*8	*	*	*	*	*	*	*	*5	*
34.79	*5	*	*	*	*	*	*	*	*	*	*
34.8	*6	*	*	*	*	*	*	*	*	*	*
34.9	256	110	146	*	19	67	167	45	76	93	42
34.91	234	99	135	*	17	60	154	39	71	85	39
34.92	21	10	11	-	*	*6	13	*6	*	*8	*
35-39	6,242	3,503	2,739	172	688	2,231	3,152	1,218	1,363	2,407	1,254
35	156	90	66	28	14	36	78	43	25	44	44
35.1	23	14	*9	*	*	*6	14	*	*	*6	*7
35.12	18	12	*6	*	*	*	12	*	*	*5	*5
35.2	83	50	33	*	*6	21	54	20	15	25	23
35.21	37	22	15	*	*	*	30	10	*8	*7	13

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
35.22	28	18	10	*	*	11	15	*6	*	13	*
35.23	*7	*	*	*	*	*	*	*	*	*	*
35.24	*9	*5	*	*	*	*	*	*	*	*	*
35.3	11	*6	*	*	*	*	*6	*	*	*	*
35.33	*8	*	*	*	*	*	*	*	*	*	*
35.5	*9	*	*5	*	*	*	*	*	*	*	*
35.52	*7	*	*	*	*	*	*	*	*	*	*
35.6	*7	*	*	*6	*	*	*	*	-	*	*
35.7	12	*	*8	*7	*	*	*	*	*	*	*
35.71	10	*	*6	*5	*	*	*	*	*	*	*
35.9	*6	*	*	*	*	*	*	*	*	*	*
36	973	673	300	*	41	407	524	182	272	329	189
36.0	561	377	184	*	31	239	290	105	163	181	112
36.06	183	127	55	*	13	83	87	42	52	60	29
36.07	377	249	128	-	18	156	203	63	111	120	83
36.1	405	291	114	*	*9	165	231	76	108	146	76
36.11	39	27	12	-	*	13	25	*8	*9	14	*8
36.12	83	58	25	-	*	34	48	18	20	31	14
36.13	64	45	19	-	*	25	38	*9	23	20	11
36.14	29	24	*5	*	*	13	15	*	*	14	*8
36.15	180	130	50	-	*	76	101	34	50	64	32
37	1,764	1,052	713	13	133	652	966	345	410	665	343
37.0	10	*	*5	*	*	*	*6	*	*	*	*
37.1	17	11	*7	*	*	*6	*8	*	*	*9	*
37.12	17	10	*6	*	*	*6	*7	*	*	*8	*
37.2	1,172	712	460	*9	98	506	559	217	283	448	225
37.21	25	14	10	*	*	13	*9	*6	*	12	*
37.22	929	562	366	*	73	411	444	154	239	364	171
37.23	108	62	45	*7	*7	29	64	26	21	37	24
37.26	58	39	19	*	*8	25	24	16	*8	19	14
37.27	35	24	11	*	*5	17	13	*7	*6	10	11
37.3	80	54	27	*	*8	29	40	20	13	30	18
37.33	17	12	*5	*	*	*5	*9	*	*	*6	*6
37.34	58	38	20	*	*7	23	27	16	10	21	12
37.6	47	34	13	*	*	19	26	*8	10	20	*8
37.61	44	31	12	-	*	18	25	*8	10	18	*8
37.7	193	99	94	*	*6	37	149	41	42	67	43
37.71	22	11	11	*	*	*	20	*	*5	*8	*
37.72	110	56	54	*	*	17	89	23	23	40	23
37.75	*9	*	*	-	*	*	*6	*	*	*	*
37.76	10	*	*8	*	*	*	*8	*	*	*	*
37.77	*8	*5	*	-	*	*	*	*	*	*	*
37.78	13	*6	*7	*	*	*	11	*	*	*	*
37.79	14	*8	*6	*	*	*7	*6	*	*	*	*
37.8	160	78	82	*	*	21	134	34	35	56	34
37.81	10	*6	*	*	*	*	10	*	*	*	*
37.82	13	*7	*6	-	*	*	11	*	*	*	*
37.83	114	58	56	*	*	18	93	24	27	39	24
37.87	11	*	*8	*	*	*	10	*	*	*	*
37.89	*5	*	*	-	*	*	*	*	*	*	*
37.9	77	54	23	*	*6	30	41	17	19	29	11
37.94	66	47	19	*	*5	26	34	15	15	26	*9
38	1,943	911	1,032	100	324	622	897	357	387	814	385
38.0	31	15	15	*	*	10	16	*7	*7	11	*5
38.03	*5	*	*	*	*	*	*	*	*	*	*
38.08	16	*9	*7	*	*	*	*9	*	*	*6	*
38.1	124	72	53	-	*	33	89	26	29	50	20
38.12	91	53	38	-	*	24	66	16	23	37	16
38.16	*5	*	*	-	*	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
38.18	24	13	11	-	*	*6	17	*6	*	10	*
38.2	*7	*	*	-	*	*	*	*	*	*	*
38.21	*6	*	*	-	*	*	*	*	*	*	*
38.4	35	25	10	*	*	*9	22	*7	*9	10	*8
38.44	14	10	*	*	*	*	11	*	*	*5	*
38.45	15	11	*	*	*	*5	*7	*	*	*	*
38.6	*7	*	*	*	*	*	*	*	*	*	*
38.7	96	45	51	-	13	24	59	24	20	39	13
38.8	30	17	13	12	*8	*7	*	*6	*	11	11
38.85	12	*8	*	11	*	*	*	*	*	*	*
38.86	*6	*	*	*	*	*	*	*	*	*	*
38.9	1,609	729	881	86	291	534	699	283	316	684	327
38.91	94	46	47	16	13	29	36	20	19	29	26
38.92	11	*	*6	*9	*	*	*	*	*	*	*6
38.93	1,277	551	725	58	230	420	568	226	253	543	255
38.95	181	102	79	*	37	69	74	28	33	82	37
38.98	31	17	14	*	*	11	15	*6	*	23	*
38.99	11	*	*6	*	*	*	*	*	*	*	*
39	1,406	777	629	29	177	514	687	291	269	554	293
39.2	116	69	47	*	10	39	66	22	19	52	22
39.25	12	*6	*5	-	*	*6	*6	*	*	*5	*
39.27	35	21	14	*	*6	12	17	*7	*	14	*9
39.29	63	39	25	-	*	21	40	11	10	31	11
39.3	19	11	*8	*	*9	*	*5	*	*	*6	*
39.31	13	*8	*6	*	*6	*	*	*	*	*	*
39.4	60	33	26	*	*	24	30	12	*8	26	14
39.42	18	10	*8	-	*	*7	*9	*	*	*7	*6
39.49	37	21	15	*	*	15	19	*9	*6	14	*7
39.5	173	88	85	*	11	56	103	38	38	67	30
39.50	138	73	66	*	*6	43	89	31	31	55	22
39.51	*9	*	*7	-	*	*5	*	*	*	*	*
39.52	*8	*	*	-	*	*	*5	*	*	*	*
39.56	*6	*	*	*	*	*	*	*	*	*	*
39.6	221	150	71	18	13	76	113	46	55	65	54
39.61	198	135	63	16	12	69	102	42	50	61	45
39.62	*7	*	*	*	-	*	*	-	*	*	*7
39.63	*8	*6	*	*	*	*	*5	*	*	*	*
39.64	*6	*	*	*	*	*	*	*	*	*	*
39.7	61	38	23	*	*7	16	36	15	15	20	10
39.71	23	20	*	*	*	*	19	*6	*5	*9	*
39.72	14	*	10	*	*	*6	*	*	*	*	*
39.79	18	11	*7	*	*	*	*9	*	*	*5	*
39.9	751	386	364	*	121	295	332	149	129	315	157
39.90	52	29	23	*	*	17	34	11	10	20	11
39.95	679	349	331	*	115	271	291	135	116	285	142
39.98	12	*5	*7	*	*	*	*	*	*	*7	*
40-41	370	181	189	16	51	155	146	81	64	142	82
40	254	119	136	*	30	121	100	53	47	92	63
40.1	65	23	42	*	12	26	27	15	13	28	10
40.11	60	23	37	*	10	25	24	15	11	24	*9
40.19	*5	*	*5	-	*	*	*	*	*	*	*
40.2	72	24	48	*	*7	33	29	14	11	28	18
40.23	20	*	19	-	*	10	*8	*	*	10	*
40.24	*7	*	*	-	*	*	*	*	*	*	*
40.29	38	16	22	*	*	19	16	*8	*5	15	10
40.3	77	44	33	*	*5	43	28	18	15	24	20
40.4	14	*9	*5	*	*	*7	*	*	*	*5	*
40.41	12	*8	*	*	*	*5	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
40.5	24	17	*7	*	*	11	11	*	*6	*5	11
40.53	*6	*	*	*	*	*	*	*	*	*	*
40.59	13	*9	*	*	*	*	*7	*	*	*	*
41	115	62	53	12	22	35	46	29	17	50	20
41.0	*9	*5	*	*	*	*	*	*	*	*	*
41.04	*6	*	*	*	*	*	*	*	*	*	*
41.3	78	43	35	*8	11	21	38	17	13	34	15
41.31	78	43	35	*8	11	21	38	17	13	34	15
41.5	22	11	11	*	*7	*9	*5	*6	*	11	*
41.9	*5	*	*	*	*	*	*	*	*	*	*
42-54	5,474	2,385	3,089	221	1,243	1,743	2,267	1,115	1,213	1,931	1,216
42	106	63	43	*	15	42	46	22	21	38	25
42.2	25	15	11	*	*	*8	11	*8	*	11	*
42.23	24	14	10	*	*	*7	11	*8	*	10	*
42.3	36	28	*8	*	*6	22	*8	*5	*6	11	14
42.33	34	27	*7	*	*5	22	*7	*	*6	11	13
42.9	30	12	18	*	*	*6	22	*	*9	13	*
42.92	30	12	18	*	*	*6	22	*	*9	13	*
43	208	100	108	28	14	46	120	43	37	81	46
43.1	150	71	79	10	*9	33	99	32	29	61	28
43.11	125	58	66	*	*7	27	88	26	24	53	22
43.19	25	12	13	*7	*	*6	11	*6	*5	*8	*6
43.3	19	15	*	18	*	*	*	*	*	*6	10
43.4	18	*	13	*	*	*	11	*	*	*7	*
43.41	15	*	11	-	*	*	11	*	*	*6	*
43.7	*6	*	*	-	*	*	*	*	*	*	*
43.8	*7	*	*6	-	*	*	*	*	*	*	*
43.89	*7	*	*6	-	*	*	*	*	*	*	*
44	297	111	186	11	94	110	82	62	57	90	89
44.1	21	*9	12	*	*6	*7	*7	*	*	10	*6
44.13	15	*6	*9	*	*	*6	*	*	*	*7	*
44.2	*8	*	*	*	*	*	*	*	*	*	*
44.3	93	23	70	*	43	42	*7	24	17	24	28
44.32	*5	*	*	*	*	*	*	*	*	*	*
44.38	61	13	48	-	32	28	*	11	13	15	21
44.39	27	*6	21	*	10	12	*	12	*	*7	*6
44.4	81	45	36	*	11	19	50	12	21	21	26
44.42	*6	*	*	-	*	*	*	*	*	*	*
44.43	71	39	32	*	*9	16	46	10	18	18	25
44.6	51	20	31	*9	14	15	13	*9	*8	16	18
44.61	*7	*	*	*	*	*	*	*	*	*	*
44.66	*9	*	*6	*	*	*	*	*	*	*	*
44.67	23	*8	15	*	*6	*6	*6	*	*	*8	*7
44.69	*6	*	*	*	*	*	*	*	*	*	*
44.9	38	*9	29	*	18	20	*	14	*	12	*8
44.95	31	*8	23	-	15	15	*	11	*	11	*6
45	2,097	921	1,176	32	298	634	1,133	434	505	729	430
45.0	*9	*	*	*	*	*	*	*	*	*	*
45.1	1,011	439	571	14	153	296	547	212	237	350	211
45.13	395	184	211	*	60	113	217	85	108	130	73
45.14	*8	*	*	*	*	*	*	*	*	*	*
45.16	600	249	351	10	89	179	322	124	125	216	135
45.2	512	213	299	*7	74	145	287	112	124	178	98
45.23	255	109	146	*	29	77	147	54	61	91	49
45.24	39	18	20	*	*	*8	26	*8	*9	18	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
45.25	213	82	131	*	40	59	109	48	52	69	44
45.3	13	*6	*6	*	*	*	*6	*	*	*	*
45.33	*7	*	*	*	*	*	*	*	*	*	*
45.4	134	60	73	*	*7	36	91	25	40	44	25
45.42	109	47	62	*	*5	29	75	19	35	37	18
45.43	22	12	10	*	*	*6	14	*5	*	*6	*7
45.6	77	38	39	*	12	27	36	14	15	31	16
45.61	*5	*	*	*	*	*	*	*	*	*	*
45.62	72	36	36	*	11	25	34	14	15	29	14
45.7	258	117	141	*	33	94	129	49	66	90	53
45.72	13	*	10	*	*	*	*5	*	*	*	*
45.73	87	38	50	*	*6	28	53	17	22	31	17
45.74	13	*6	*7	-	*	*	*8	*	*	*6	*
45.75	32	12	20	*	*	14	14	*7	*8	*9	*8
45.76	87	46	41	*	14	37	36	17	22	30	19
45.79	23	11	13	*	*	*6	13	*	*6	*9	*
45.8	11	*	*6	*	*	*	*6	*	*	*5	*
45.9	71	37	35	*	14	25	30	14	16	21	20
45.91	21	*9	12	*	*5	*8	*6	*	*	*7	*8
45.93	26	13	13	*	*	10	12	*6	*7	*6	*6
45.94	17	10	*7	-	*	*5	10	*	*5	*6	*
46	220	109	111	*9	47	67	97	48	49	79	44
46.0	22	15	*7	*	*6	*6	10	*	*5	*8	*
46.01	13	*9	*	*	*	*	*6	*	*	*	*
46.03	*8	*6	*	*	*	*	*	*	*	*	*
46.1	47	24	24	*	*6	17	24	*9	*9	20	*9
46.10	27	12	14	*	*	*8	15	*6	*6	10	*
46.11	12	*7	*	*	*	*	*6	*	*	*6	*
46.13	*9	*	*	*	*	*6	*	*	*	*	*
46.2	14	*6	*8	*	*	*	*7	*	*	*6	*
46.20	*8	*	*	*	*	*	*	*	*	*	*
46.3	14	*8	*6	*	*	*	*7	*	*	*5	*
46.39	11	*7	*	*	*	*	*5	*	*	*	*
46.4	14	*6	*8	*	*	*	*8	*	*	*	*
46.41	*7	*	*	*	*	*	*	*	*	*	*
46.5	47	24	23	*	*9	16	18	13	*9	17	*8
46.51	18	*9	*9	*	*	*6	*6	*6	*	*	*
46.52	29	15	14	*	*5	10	11	*7	*6	12	*
46.7	43	19	25	*	15	12	15	*9	11	14	*9
46.73	22	*8	14	*	*8	*5	*9	*	*6	*7	*
46.75	*8	*	*	-	*	*	*	*	*	*	*
46.79	*7	*	*	*	*	*	*	*	*	*	*
46.8	14	*6	*8	*	*	*	*8	*	*	*	*
46.85	*8	*	*	-	*	*	*6	*	*	*	*
47	372	200	173	75	187	74	36	69	79	124	100
47.0	326	186	140	69	169	59	29	60	69	106	91
47.01	200	115	85	42	108	37	12	33	34	71	63
47.09	126	71	55	27	61	22	17	28	35	36	29
47.1	44	13	31	*	18	15	*6	*8	10	17	*8
47.11	*5	*	*	*	*	*	*	*	*	*	*
47.19	39	12	27	*	15	14	*6	*7	*8	16	*7
48	145	67	78	*6	30	40	69	33	29	56	27
48.2	60	26	34	*	11	16	30	16	10	23	11
48.23	22	*9	13	*	*	*9	*9	*	*	10	*
48.24	36	16	20	*	*7	*6	19	12	*6	11	*7
48.3	23	10	13	*	*	*6	16	*6	*5	*6	*6
48.36	20	*8	12	-	*	*	14	*	*	*6	*
48.5	*5	*	*	-	*	*	*	*	*	*	*
48.6	27	12	14	*	*	*7	16	*	*6	12	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
48.63	16	*8	*8	-	*	*5	*8	*	*	*6	*
48.69	*8	*	*	*	*	*	*5	*	*	*	*
48.7	*6	*	*	*	*	*	*	*	*	*	*
48.8	16	10	*6	*	*8	*	*	*	*	*7	*
48.81	15	*9	*6	*	*7	*	*	*	*	*6	*
49	39	20	19	*	10	14	14	10	*9	15	*5
49.0	*8	*5	*	*	*	*	*	*	*	*	*
49.01	*7	*	*	*	*	*	*	*	*	*	*
49.2	*7	*	*	*	*	*	*	*	*	*	*
49.4	12	*6	*6	-	*	*	*6	*	*	*	*
49.46	*7	*	*	-	*	*	*	*	*	*	*
49.7	*6	*	*	*	*	*	*	*	*	*	*
50	120	61	59	*	24	46	45	35	19	43	23
50.1	79	36	43	*	15	28	32	24	13	26	16
50.11	49	26	23	*	*7	17	23	13	*9	17	10
50.12	19	*7	11	*	*	*8	*6	*7	*	*5	*
50.19	11	*	*8	-	*5	*	*	*	*	*	*
50.2	14	*7	*7	*	*	*6	*	*	*	*5	*
50.22	*7	*	*	*	*	*	*	*	*	*	*
50.5	*6	*	*	*	*	*	*	*	*	*	*
50.59	*6	*	*	*	*	*	*	*	*	*	*
50.9	12	*8	*	-	*	*	*	*	*	*	*
50.91	10	*7	*	-	*	*	*	*	*	*	*
51	649	234	415	*6	196	199	247	116	134	238	161
51.0	*7	*	*	-	*	*	*	*	*	*	*
51.1	38	16	22	*	*8	15	15	11	*	15	*8
51.10	24	10	14	*	*	*9	10	*6	*	10	*
51.14	*9	*	*	*	*	*	*	*	*	*	*
51.2	403	142	261	*	137	128	134	66	87	156	94
51.22	75	39	36	*	12	27	34	13	18	29	16
51.23	326	102	224	*	125	101	99	53	69	127	78
51.3	*6	*	*	*	*	*	*	*	*	*	*
51.4	*5	*	*	-	*	*	*	*	*	*	*
51.8	175	57	118	*	46	47	81	31	35	57	52
51.84	*6	*	*	*	*	*	*	*	*	*	*
51.85	89	27	62	*	23	25	40	15	18	30	26
51.87	38	14	24	*	10	10	18	*8	*8	11	12
51.88	41	14	27	*	12	10	19	*6	*8	14	13
51.9	*8	*	*	*	*	*	*	*	*	*	*
51.98	*7	*	*	*	*	*	*	*	*	*	*
52	43	20	23	*	10	18	15	11	*7	16	*9
52.1	10	*	*5	*	*	*	*	*	*	*	*
52.11	*7	*	*	*	*	*	*	*	*	*	*
52.5	*5	*	*	*	*	*	*	*	*	*	*
52.7	*9	*	*	-	*	*	*5	*	*	*	*
52.9	12	*	*7	*	*	*	*	*	*	*	*
52.93	*9	*	*6	*	*	*	*	*	*	*	*
53	288	149	140	14	54	117	104	59	79	92	59
53.0	46	42	*	*6	*5	13	22	*9	11	16	*9
53.00	*8	*7	*	*	*	*	*	*	*	*	*
53.02	*6	*5	*	*	*	*	*	*	*	*	*
53.03	10	*9	*	-	*	*	*5	*	*	*	*
53.04	*9	*8	*	-	*	*	*6	*	*	*	*
53.05	10	*8	*	*	*	*	*6	*	*	*	*
53.1	*9	*8	*	*	*	*	*	*	*	*	*
53.2	*5	*	*	-	*	*	*	*	*	*	*
53.4	52	25	27	*	*9	23	20	10	17	17	*9

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
53.41	*9	*	*5	-	*	*	*	*	*	*	*
53.49	43	21	22	*	*7	19	16	*9	13	14	*7
53.5	49	19	30	*	10	20	17	13	11	16	10
53.51	30	11	19	*	*6	15	10	*6	*6	10	*8
53.59	19	*8	11	*	*	*6	*7	*7	*	*6	*
53.6	98	45	54	*	21	46	32	17	29	32	21
53.61	69	32	37	*	13	34	21	12	18	23	16
53.69	30	13	17	-	*8	12	10	*5	11	*9	*
53.7	13	*	11	*	*	*	*	*	*	*	*5
53.9	14	*6	*8	*	*5	*7	*	*	*6	*	*
54	889	329	559	31	262	338	258	174	188	329	198
54.0	16	*7	*9	*	*	*6	*	*	*	*8	*
54.1	54	27	27	*	21	15	15	*8	12	20	13
54.11	24	14	10	*	10	*7	*7	*	*	10	*
54.12	12	*5	*7	*	*	*	*	*	*	*	*
54.19	18	*8	10	*	*6	*	*5	*	*	*6	*
54.2	116	47	69	*	37	39	36	25	30	35	26
54.21	74	36	38	*	25	25	21	15	21	22	16
54.23	15	*	11	*	*	*5	*5	*	*	*6	*
54.24	10	*	*7	-	*	*	*	*	*	*	*
54.25	14	*	11	*	*5	*6	*	*5	*	*	*
54.3	13	*	*9	*	*	*5	*	*	*	*5	*
54.4	70	18	52	*	15	29	23	15	13	25	16
54.5	357	93	264	*6	120	128	103	64	78	142	73
54.51	84	20	63	*	24	35	22	17	18	29	19
54.59	273	73	201	*	96	93	81	47	60	113	54
54.6	18	*8	10	*	*6	*5	*	*	*7	*5	*
54.61	*6	*	*	*	*	*	*	*	*	*	*
54.62	*8	*	*5	*	*	*	*	*	*	*	*
54.7	*8	*	*	*	*	*	*	*	*	*	*
54.9	236	121	116	11	52	107	66	51	41	83	61
54.91	183	94	88	*	34	91	55	39	33	67	45
54.93	*7	*	*	*	*	*	*	*	*	*	*
54.95	15	*	11	*	*5	*	*	*	*	*5	*
54.98	26	16	10	*	*8	*7	*7	*5	*	*7	10
55-59	995	451	544	26	212	346	410	222	206	387	181
55	169	88	81	*7	37	72	52	44	33	63	29
55.0	44	22	22	*	*9	16	19	10	12	15	*7
55.03	32	17	15	*	*6	11	15	*7	*9	10	*6
55.2	24	13	11	*	*7	10	*	*8	*	10	*
55.23	22	12	10	*	*7	*9	*	*6	*	10	*
55.4	13	*7	*6	*	*	*8	*	*	*	*	*
55.5	46	25	21	*	*8	20	17	11	10	17	*8
55.51	44	24	21	*	*7	20	17	10	10	16	*8
55.6	20	*9	11	*	*7	10	*	*6	*	*8	*
55.69	19	*9	11	*	*7	10	*	*6	*	*8	*
55.8	*7	*	*	*	*	*	*	*	*	*	*
55.87	*6	*	*	*	*	*	*	*	*	*	*
55.9	10	*	*	-	*	*	*	*	*	*	*
55.93	*7	*	*	-	*	*	*	*	*	*	*
56	90	45	45	*8	23	32	28	18	19	38	15
56.0	41	21	20	*	16	14	11	*8	10	18	*5
56.3	17	10	*7	*	*	*5	*8	*6	*	*	*
56.31	16	*9	*7	*	*	*5	*8	*5	*	*	*
56.5	*8	*6	*	*	*	*	*	*	*	*	*
56.51	*8	*6	*	-	*	*	*	*	*	*	*
56.7	14	*5	*9	*7	*	*	*	*	*	*7	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
56.74	13	*	*8	*7	*	*	*	*	*	*6	*
57	419	215	204	*6	61	116	235	99	74	165	81
57.0	23	19	*	*	*	*5	17	*7	*	*7	*
57.1	23	15	*9	*	*6	*6	10	*	*5	10	*
57.17	*8	*6	*	*	*	*	*	*	*	*	*
57.18	11	*7	*	*	*	*	*7	*	*	*	*
57.3	126	56	70	*	24	45	55	34	30	44	19
57.32	118	51	66	*	24	42	49	32	28	41	17
57.33	*8	*	*	-	*	*	*5	*	*	*	*
57.4	44	33	11	*	*	10	33	13	*6	17	*7
57.49	44	33	11	*	*	10	33	13	*6	17	*7
57.6	*5	*	*	*	*	*	*	*	*	*	*
57.7	*9	*8	*	-	-	*5	*	*	*	*	*
57.71	*8	*7	*	-	-	*	*	*	*	*	*
57.8	20	*8	11	*	*	*8	*7	*	*5	*8	*
57.81	*8	*	*6	*	*	*	*	*	*	*	*
57.9	165	72	93	*	25	34	105	33	20	74	38
57.94	156	64	91	*	24	32	98	32	18	70	36
58	39	31	*7	*	*6	11	20	*7	11	14	*7
58.5	*5	*5	*	-	*	*	*	*	*	*	*
58.6	22	19	*	*	*	*6	12	*	*7	*8	*
59	278	71	206	*	84	115	76	53	68	108	49
59.0	*7	*	*6	-	*	*	*	*	*	*	*
59.02	*6	*	*	-	*	*	*	*	*	*	*
59.4	*6	-	*6	-	*	*	*	*	*	*	*
59.5	14	*	14	-	*	*7	*	*	*	*6	*
59.7	94	*	93	*	23	42	30	13	23	36	23
59.79	92	*	92	-	22	41	29	12	23	36	22
59.8	145	64	81	*	49	57	36	32	36	57	20
59.9	*8	*5	*	-	*	*	*	*	*	*	*
59.94	*6	*	*	-	*	*	*	*	*	*	*
60-64	230	230	-	21	17	90	102	51	48	72	59
60	165	165	-	-	*	76	88	38	33	50	45
60.1	*6	*6	-	-	*	*	*	*	*	*	*
60.11	*5	*5	-	-	*	*	*	*	*	*	*
60.2	69	69	-	-	*	18	50	14	11	25	18
60.21	10	10	-	-	*	*	*8	*	*	*	*
60.29	59	59	-	-	*	17	42	11	10	23	15
60.5	81	81	-	-	*	54	25	18	18	20	24
61	15	15	-	*	*	*7	*	*	*	*5	*
61.0	*9	*9	-	*	*	*	*	*	*	*	*
62	15	15	-	*	*6	*	*	*	*	*5	*
62.3	*6	*6	-	*	*	*	*	*	*	*	*
62.5	*5	*5	-	*	*	-	*	*	*	*	*
64	32	32	-	14	*5	*	*9	*6	*9	11	*6
64.0	21	21	-	13	*	*	*	*	*8	*7	*
64.9	*6	*6	-	-	*	*	*	*	*	*	*
65-71	1,785	-	1,785	11	1,024	553	197	266	390	768	362
65	437	-	437	*5	201	181	50	67	99	186	85
65.2	37	-	37	*	31	*	*	*8	*6	15	*9
65.25	*9	-	*9	*	*6	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
65.29	26	-	26	*	22	*	*	*6	*	11	*6
65.3	22	-	22	*	15	*	*	*	*	11	*
65.39	18	-	18	*	13	*	*	*	*	*9	*
65.4	80	-	80	*	51	21	*7	12	17	33	18
65.41	18	-	18	*	13	*	*	*	*	*9	*
65.49	62	-	62	*	39	16	*6	11	13	24	14
65.5	*8	-	*8	-	*	*	*	*	*	*	*
65.6	256	-	256	*	75	143	38	39	60	111	46
65.61	204	-	204	*	55	116	32	31	47	90	36
65.63	45	-	45	-	15	24	*6	*6	11	19	*9
65.8	17	-	17	*	12	*	*	*	*	*7	*
65.89	14	-	14	-	*9	*	*	*	*	*5	*
65.9	*8	-	*8	*	*8	*	*	*	*	*	*
65.91	*7	-	*7	*	*6	*	*	*	*	*	*
66	392	-	392	*	380	11	*	52	71	183	85
66.2	*9	-	*9	-	*9	*	-	*	*	*	*
66.29	*6	-	*6	-	*6	*	-	*	*	*	*
66.3	316	-	316	-	314	*	-	40	59	147	71
66.32	185	-	185	-	184	*	-	24	28	87	47
66.39	130	-	130	-	128	*	-	16	31	59	23
66.4	10	-	10	*	*6	*	*	*	*	*	*
66.5	10	-	10	-	*5	*	*	*	*	*6	*
66.51	*9	-	*9	-	*	*	*	*	*	*6	*
66.6	30	-	30	*	29	*	*	*6	*5	13	*6
66.62	22	-	22	-	22	-	-	*	*	11	*
66.9	*7	-	*7	*	*7	-	-	*	*	*	*
66.92	*6	-	*6	-	*6	-	-	*	*	*	*
67	15	-	15	*	11	*	*	*	*	*6	*
67.5	*6	-	*6	-	*6	-	-	*	*	*	*
67.59	*6	-	*6	-	*6	-	-	*	*	*	*
68	565	-	565	*	285	227	53	88	132	237	108
68.1	13	-	13	-	*5	*6	*	*	*	*8	*
68.12	*7	-	*7	-	*	*	*	*	*	*5	*
68.16	*5	-	*5	-	*	*	*	*	*	*	*
68.2	35	-	35	-	30	*	*	*9	*	15	*7
68.29	31	-	31	-	27	*	*	*8	*	13	*7
68.3	62	-	62	*	34	26	*	14	19	19	10
68.31	29	-	29	-	16	13	*	*	13	*5	*6
68.39	32	-	32	*	18	13	*	*9	*6	13	*
68.4	282	-	282	*	126	129	26	41	68	126	46
68.41	10	-	10	-	*	*	*	*	*	*6	*
68.49	271	-	271	*	121	125	25	40	66	120	45
68.5	168	-	168	*	90	59	20	19	40	67	43
68.51	61	-	61	*	38	20	*	*6	12	30	13
68.59	107	-	107	-	51	39	17	13	28	37	30
69	90	-	90	*	72	12	*	17	13	40	20
69.0	48	-	48	*	36	*9	*	10	*6	23	*9
69.02	26	-	26	-	26	*	-	*	*	11	*7
69.09	22	-	22	*	11	*8	*	*5	*	12	*
69.1	*7	-	*7	*	*5	*	*	*	*	*	*
69.19	*7	-	*7	*	*5	*	*	*	*	*	*
69.5	22	-	22	*	20	*	*	*	*	*9	*7
69.52	19	-	19	*	17	*	-	*	*	*7	*6
69.9	*8	-	*8	-	*8	*	-	*	*	*	*
69.96	*7	-	*7	-	*7	-	-	*	*	*	*
70	246	-	246	*	60	106	80	36	66	95	49
70.1	*6	-	*6	*	*	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
70.3	*9	-	*9	*	*6	*	*	*	*	*	*
70.5	129	-	129	-	23	58	48	18	34	48	29
70.50	67	-	67	-	11	31	25	*9	16	28	14
70.51	35	-	35	-	*	15	16	*5	11	*8	11
70.52	27	-	27	-	*7	13	*6	*	*7	13	*
70.7	54	-	54	*	12	24	17	*9	13	21	11
70.77	39	-	39	-	*7	17	15	*6	11	13	*8
70.79	*8	-	*8	*	*	*	*	*	*	*	*
70.9	38	-	38	-	13	17	*8	*	15	14	*5
70.92	38	-	38	-	13	17	*8	*	15	14	*5
71	40	-	40	*	15	13	10	*	*6	21	10
71.0	11	-	11	*	*	*	*	*	*	*	*
71.09	11	-	11	*	*	*	*	*	*	*	*
71.3	*9	-	*9	-	*5	*	*	*	*	*	*
71.7	13	-	13	*	*	*	*6	*	*	*9	*
71.79	10	-	10	*	*	*	*5	*	*	*8	*
72-75	7,003	-	7,003	12	6,977	14	*	1,143	1,589	2,528	1,742
72	320	-	320	*	319	*	-	34	68	131	87
72.0	23	-	23	-	23	-	-	*	*6	11	*
72.1	20	-	20	-	20	-	-	*	*5	10	*
72.2	*9	-	*9	-	*9	-	-	*	*	*8	*
72.29	*6	-	*6	-	*6	-	-	*	*	*	*
72.4	*5	-	*5	-	*5	*	-	*	*	*	*
72.7	256	-	256	*	255	*	-	29	52	98	76
72.71	85	-	85	*	85	*	-	12	18	31	24
72.79	170	-	170	*	170	*	-	17	34	68	52
73	3,140	-	3,140	*6	3,129	*	*	460	765	1,103	812
73.0	887	-	887	*	884	*	-	130	279	264	213
73.01	139	-	139	*	138	*	-	16	51	40	33
73.09	748	-	748	*	746	*	-	114	229	224	180
73.1	21	-	21	-	21	-	-	*	*6	*6	*6
73.4	670	-	670	*	666	*	*	103	171	229	168
73.5	1,224	-	1,224	*	1,220	*	-	167	228	480	348
73.51	*9	-	*9	-	*9	-	-	*	*	*	*
73.59	1,215	-	1,215	*	1,211	*	-	167	224	477	347
73.6	335	-	335	*	334	*	-	55	80	123	76
74	1,340	-	1,340	*	1,334	*	*	214	239	572	315
74.0	12	-	12	-	12	*	-	*	*	*6	*
74.1	1,311	-	1,311	*	1,305	*	*	211	233	555	312
74.9	11	-	11	-	11	-	-	*	*	*9	*
74.99	11	-	11	-	11	-	-	*	*	*9	*
75	2,203	-	2,203	*	2,194	*	-	435	517	722	529
75.1	11	-	11	-	11	-	-	*	*6	*	*
75.3	873	-	873	*	868	*	-	204	211	258	201
75.32	141	-	141	*	140	*	-	27	39	46	30
75.34	624	-	624	*	620	*	-	166	144	183	131
75.35	64	-	64	*	64	-	-	*6	21	21	16
75.37	43	-	43	-	42	*	-	*	*7	*8	24
75.4	32	-	32	-	32	*	-	*	14	*9	*7
75.5	*9	-	*9	-	*9	-	-	*	*	*	*
75.51	*6	-	*6	-	*6	-	-	*	*	*	*
75.6	1,252	-	1,252	*	1,248	*	-	219	278	439	315
75.61	27	-	27	-	27	-	-	*	*5	14	*
75.62	76	-	76	*	76	-	-	16	16	29	16
75.69	1,149	-	1,149	*	1,145	*	-	201	257	396	295

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
75.7	22	-	22	-	22	-	-	*7	*6	*8	*
76-84	4,228	2,010	2,218	144	918	1,519	1,648	739	977	1,613	899
76	81	55	26	*8	53	18	*	18	*9	38	17
76.6	15	*6	*9	*	12	*	*	*6	*	*7	*
76.7	39	32	*7	*	27	*7	*	*7	*5	17	*9
76.72	*5	*	*	-	*	*	-	*	*	*	*
76.76	19	17	*	*	14	*	*	*	*	*9	*
76.9	16	10	*6	*	*9	*	*	*	*	*9	*
76.92	*9	*5	*	*	*6	*	*	*	*	*	*
77	264	134	130	13	60	103	89	53	56	104	52
77.1	*7	*5	*	*	*	*	*	*	*	*	*
77.3	12	*6	*6	*	*	*	*	*	*	*	*
77.4	48	18	30	*	*	11	33	*8	10	20	10
77.45	*7	*	*	*	*	*	*	*	*	*	*
77.49	37	12	26	*	*	*9	27	*7	*7	15	*8
77.5	*9	*	*	*	*	*5	*	*	*	*	*
77.6	63	34	28	*	18	27	17	15	16	20	11
77.65	*8	*	*	*	*	*	*	*	*	*	*
77.67	12	*8	*	*	*6	*	*	*	*6	*	*
77.68	12	*8	*	*	*	*6	*	*	*	*	*
77.69	21	*9	11	*	*	*9	*6	*6	*	*7	*
77.7	80	39	41	*	19	38	20	13	15	35	17
77.79	73	35	38	*	17	35	19	12	13	33	15
77.8	35	22	13	*	*9	13	12	*8	*7	14	*6
77.81	*8	*6	*	*	*	*	*	*	*	*	*
77.88	10	*6	*	*	*	*	*5	*	*	*	*
77.89	*9	*6	*	*	*	*	*	*	*	*	*
78	232	120	112	24	65	68	76	45	45	93	49
78.0	23	13	10	*	*7	10	*6	*	*6	*7	*6
78.05	*6	*	*	*	*	*	*	*	*	*	*
78.07	*8	*6	*	*	*	*	*	*	*	*	*
78.1	32	18	13	*	13	10	*6	*8	*5	13	*
78.13	*6	*	*	*	*	*	*	*	*	*	*
78.17	19	12	*7	*	*9	*6	*	*5	*	*9	*
78.4	*9	*6	*	*5	17	*	*	*	*	*6	*
78.5	62	32	30	*6	17	10	29	13	13	24	12
78.55	39	16	23	*	*6	*	26	10	*6	15	*8
78.57	13	*9	*	*	*8	*	*	*	*	*5	*
78.6	99	46	53	*	25	36	33	16	19	40	25
78.65	22	*9	13	*	*	*6	12	*	*	*7	*7
78.67	23	13	11	*	*8	*9	*6	*	*6	*8	*6
78.69	39	16	23	*	11	17	11	*	*7	19	*8
79	740	357	384	48	226	177	289	136	182	272	149
79.0	62	31	31	10	19	15	18	14	14	22	12
79.01	*7	*	*6	*	*	*	*	*	*	*	*
79.02	15	*6	*9	*	*	*	*7	*	*	*	*
79.05	*6	*	*	*	*	*	*	*	*	*	*
79.06	25	15	10	*	12	*7	*	*5	*5	*8	*7
79.1	115	48	66	15	24	24	52	20	28	43	25
79.11	15	*7	*8	11	*	*	*	*	*	*	*6
79.12	10	*	*6	*	*	*	*	*	*	*	*
79.15	69	22	46	*	*9	11	47	12	18	24	14
79.16	13	*8	*5	*	*7	*	*	*	*	*7	*
79.2	*8	*	*	*	*	*	*	*	*	*	*
79.3	453	208	244	15	132	115	190	79	117	165	91
79.31	36	12	24	*	*6	12	15	*5	11	14	*7

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
79.32	55	30	25	*	22	15	14	11	11	25	*8
79.33	*5	*	*	*	*	*	*	*	*	*	*
79.34	*5	*	*	*	*	*	*	*	*	*	*
79.35	159	49	109	*	14	20	121	29	42	55	32
79.36	155	80	75	*	64	53	34	28	41	54	32
79.37	14	*9	*	*	*8	*	*	*	*	*6	*
79.39	20	17	*	*	11	*6	*	*	*5	*8	*
79.6	60	43	17	*	36	12	*8	11	11	24	14
79.62	11	*6	*	*	*	*	*	*	*	*5	*
79.66	31	22	*9	*	19	*6	*	*5	*6	10	10
79.7	32	15	17	*	*6	*8	18	*7	*8	11	*5
79.71	*6	*	*5	*	*	*	*	*	*	*	*
79.75	21	10	11	*	*	*5	13	*	*6	*7	*
79.8	*7	*	*	*	*	*	*	*	*	*	*
80	463	234	229	*6	138	203	116	70	99	181	113
80.0	13	*6	*6	-	*	*6	*6	*	*	*7	*
80.06	*5	*	*	-	*	*	*	*	*	*	*
80.1	31	20	12	*	11	*8	10	*	*7	14	*6
80.16	16	10	*6	*	*7	*	*5	*	*	*9	*
80.2	16	*8	*8	*	*6	*	*5	*	*6	*6	*
80.26	10	*6	*	*	*	*	*	*	*	*5	*
80.3	*7	*	*	*	*	*	*	*	*	*	*
80.4	10	*	*7	*	*	*	*	*	*	*	*
80.46	*6	*	*	-	*	*	*	*	*	*	*
80.5	310	158	152	*	92	151	67	43	62	123	83
80.51	307	157	150	*	91	150	66	42	61	121	82
80.6	*7	*	*	*	*	*	*	*	*	*	*
80.7	14	*6	*8	*	*	*	*	*	*	*5	*
80.76	11	*	*6	*	*	*	*	*	*	*	*
80.8	36	16	20	*	12	12	11	*7	11	11	*7
80.81	*5	*	*	-	*	*	*	*	*	*	*
80.86	13	*6	*7	*	*	*	*	*	*	*	*
80.9	20	11	*9	*	*7	*8	*	*	*	*9	*
80.99	18	*9	*9	*	*6	*8	*	*	*	*9	*
81	1,815	772	1,042	19	232	706	858	301	456	662	395
81.0	361	173	188	*6	91	176	88	53	80	143	85
81.02	127	63	64	-	33	74	21	18	27	56	27
81.03	19	10	10	*	*	*9	*8	*	*	*8	*
81.05	21	10	11	*	*7	*6	*	*6	*	*7	*
81.06	33	14	18	-	11	16	*6	*	11	12	*7
81.07	17	10	*7	-	*	*7	*6	*	*	*9	*
81.08	135	63	72	*	32	63	40	18	30	50	36
81.1	23	11	12	*	*	10	*7	*7	*	*7	*
81.11	10	*	*6	*	*	*	*	*	*	*	*
81.13	19	*6	13	*	*5	10	*	*	*	11	*
81.138	12	*	*8	-	*	*6	*	*	*	*6	*
81.4	17	11	*7	*	*9	*	*	*	*	*	*
81.47	*7	*	*	*	*	*	*	*	*	*	*
81.5	1,014	403	611	*	62	371	576	171	288	349	206
81.51	223	103	120	*	12	86	125	41	63	66	54
81.52	242	96	146	*	39	71	130	42	75	82	44
81.54	543	202	341	*	11	213	316	88	149	198	107
81.6	210	86	124	*	41	84	83	26	30	91	62
81.62	126	60	66	*	36	61	28	14	14	60	39
81.63	29	11	18	-	*	17	11	*	*5	10	11
81.65	11	*	*8	-	*	*	*9	*	*	*	*
81.66	39	10	29	-	*	*	35	*7	*7	17	*8
81.8	49	24	25	*	*	17	28	*8	13	17	11
81.80	19	11	*8	-	*	*	14	*	*	*6	*
81.81	17	*6	11	-	*	*6	11	*	*5	*5	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
81.83	*5	*	*	*	*	*	*	*	*	*	*
81.9	116	55	62	*	13	31	69	28	32	37	19
81.91	59	32	26	*	10	17	30	13	16	20	10
81.92	51	19	32	*	*	13	36	13	15	15	*8
82	22	12	10	*	11	*6	*	*6	*	*7	*6
82.0	*5	*	*	*	*	*	*	*	*	*	*
82.4	*8	*6	*	*	*7	*	*	*	*	*	*
83	263	138	125	22	66	91	83	54	53	107	48
83.0	29	12	18	*5	*9	*6	*9	*	*5	14	*5
83.09	23	*8	14	*5	*5	*	*7	*	*	12	*
83.1	24	11	13	*	10	*7	*	*7	*	*9	*
83.14	13	*7	*6	*	*7	*	*	*	*	*	*
83.2	25	17	*8	*	*	*	13	*	*6	14	*
83.21	25	17	*8	*	*	*	13	*	*6	14	*
83.3	44	24	21	*	*8	19	16	*9	*8	19	*8
83.32	*6	*	*	*	*	*	*	*	*	*	*
83.39	38	19	19	*	*6	16	15	*8	*7	15	*8
83.4	37	22	15	*	*9	13	14	*7	*9	12	*9
83.45	30	18	13	*	*7	10	12	*	*7	11	*8
83.6	38	21	17	*	11	16	11	*6	*7	16	*9
83.63	16	*9	*7	-	*	*8	*7	*	*	*7	*
83.64	13	*7	*5	*	*5	*	*	*	*	*	*
83.65	*7	*	*	*	*	*	*	*	*	*	*
83.7	*7	*	*	*	*	*	*	*	*	*	*
83.8	38	22	16	*5	*7	15	11	*9	*6	13	*9
83.82	10	*6	*	*	*	*5	*	*	*	*5	*
83.85	12	*7	*5	*	*	*	*	*	*	*	*
83.88	10	*5	*	-	*	*	*	*	*	*	*
83.9	16	*	11	*	*	*7	*	*	*	*6	*
83.98	*8	*	*6	*	*	*	*	*	*	*	*
84	348	188	160	*	67	148	131	55	74	149	70
84.0	15	11	*	*	*7	*	*	*	*	*7	*
84.01	13	10	*	*	*6	*	*	*	*	*5	*
84.1	130	77	54	*	15	52	62	30	21	59	20
84.11	50	34	15	*	*7	21	21	10	*7	21	11
84.12	14	*7	*	-	*	*7	*6	*	*	*7	*
84.15	32	19	12	*	*	13	16	*8	*6	13	*
84.17	31	15	17	-	*	*9	18	*8	*5	15	*
84.3	15	10	*5	*	*	*8	*	*	*	*9	*
84.5	173	82	91	*	38	77	58	16	44	69	44
84.51	105	51	54	*	27	52	25	10	28	41	26
84.52	36	17	19	*	*8	15	13	*	11	11	12
84.55	11	*	*7	*	*	*	*7	*	*	*9	*
84.56	*9	*	*	-	*	*	*	*	*	*	*
84.57	*6	*	*	-	*	*	*	*	*	*	*
85-86	1,558	738	820	145	468	510	435	302	269	735	251
85	197	*	194	*	54	90	52	43	29	88	37
85.0	*8	*	*7	*	*	*	*	*	*	*	*
85.1	*8	*	*8	-	*	*	*	*	*	*	*
85.2	20	*	20	-	*	*8	*8	*	*	*9	*
85.21	14	*	14	-	*	*6	*5	*	*	*7	*
85.23	*5	-	*5	-	*	*	*	*	*	*	*
85.3	13	*	13	-	*9	*	*	*5	*	*6	*
85.32	*9	*	*9	-	*7	*	*	*	*	*	*
85.4	74	*	73	-	13	34	26	13	11	33	16
85.41	23	*	23	-	*	*9	10	*	*	12	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
85.42	*9	-	*9	-	*	*6	*	*	*	*	*
85.43	36	*	35	-	*6	16	13	*6	*6	16	*8
85.5	*9	-	*9	-	*	*	*	*	*	*	*
85.54	*6	-	*6	-	*	*	*	*	*	*	*
85.6	*5	*	*5	-	*	*	*	*	*	*	*
85.7	*9	-	*9	-	*	*7	*	*	*	*6	*
85.8	20	*	20	-	*6	10	*	*	*	*9	*
85.85	*6	-	*6	-	*	*	*	*	*	*	*
85.89	*9	*	*9	-	*	*6	*	*	*	*	*
85.9	30	*	30	*	*9	15	*6	*8	*	10	*7
85.95	21	-	21	-	*7	12	*	*5	*	*7	*
86	1,361	735	626	145	413	420	383	260	240	647	214
86.0	439	228	211	48	134	153	105	90	85	191	73
86.01	14	*8	*6	*	*6	*	*	*	*5	*	*
86.04	253	140	113	30	87	87	48	50	50	115	38
86.05	60	31	28	*6	12	24	17	10	11	27	12
86.06	18	10	*8	*	*	*8	*	*	*	*5	*6
86.07	79	34	45	*9	17	26	27	19	14	35	11
86.09	12	*5	*7	*	*	*	*	*	*	*	*
86.1	30	15	14	*	*7	10	12	*9	*	13	*
86.11	30	15	14	*	*7	10	12	*9	*	13	*
86.2	429	239	190	36	105	135	153	91	79	203	56
86.22	278	154	123	16	76	96	89	50	45	146	37
86.23	*5	*	*	*	*	*	*	*	*	*	*
86.27	42	24	18	-	*	*9	30	16	14	*7	*
86.28	100	56	44	18	24	27	31	22	19	45	14
86.3	67	27	40	10	21	20	15	10	11	36	11
86.4	10	*	*5	*	*	*	*	*	*	*	*
86.5	161	101	60	*8	71	34	48	29	36	57	39
86.59	161	101	60	*8	71	34	48	29	36	57	39
86.6	121	75	46	28	35	37	21	11	12	88	10
86.62	*7	*	*	*	*	*	*	*	*	*	*
86.65	13	*9	*	*	*6	*	*	*	*	12	-
86.66	27	16	11	*7	*9	*8	*	*	*	26	*
86.67	*6	*	*	*	*	*	*	*	*	*	*
86.69	59	38	21	12	15	20	12	*9	*7	37	*7
86.7	39	20	19	*6	10	11	12	*	*	19	11
86.74	28	16	12	*	*7	*8	*9	*	*	13	*8
86.8	53	18	35	*	23	16	*9	11	*	32	*6
86.83	24	*	20	-	16	*7	*	*8	*	10	*
86.84	*8	*	*5	*	*	*	*	*	*	*5	*
86.89	19	11	*8	*	*	*6	*7	*	*	15	*
86.9	11	*6	*	*	*	*	*	*	*	*	*
87-99	12,577	6,017	6,560	774	2,347	3,729	5,727	3,900	2,233	4,383	2,061
87	714	332	382	43	162	205	305	284	95	219	117
87.0	249	123	126	15	46	66	121	152	15	54	28
87.02	*6	*	*	*	*	*	*	*	*	*5	*
87.03	241	117	124	13	44	65	119	150	15	49	27
87.2	*9	*	*6	*	*	*	*	*	*	*5	*
87.21	*6	*	*	*	*	*	*	*	*	*	*
87.3	*6	*	*	*	*	*	*	*	*	*	*
87.4	169	82	87	10	31	48	79	79	18	42	29
87.41	125	58	67	*	22	39	62	76	11	21	17
87.44	36	18	18	*7	*7	*7	15	*	*8	19	*7
87.49	*6	*	*	*	*	*	*	*	*	*	*
87.5	142	47	95	*	48	40	51	17	32	57	36
87.53	132	42	90	*	47	37	46	13	30	55	34
87.6	19	12	*8	*	*	*	11	*8	*	*6	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
87.61	*8	*5	*	*	*	*	*6	*	*	*	*
87.7	120	63	56	11	32	41	36	25	26	52	17
87.73	*9	*	*7	-	*	*	*	*	*	*	*
87.74	81	42	38	*	24	29	24	17	19	34	11
87.75	*8	*	*	*	*	*	*	*	*	*	*
87.76	11	*7	*	*7	*	*	*	*	*	*8	*
88	3,344	1,692	1,651	93	414	1,203	1,633	1,020	669	1,147	508
88.0	193	86	107	*9	50	57	77	121	12	33	27
88.01	192	86	106	*9	50	57	76	121	12	33	26
88.1	10	*	*6	*	*	*	*	*	*	*8	*
88.11	*7	*	*	-	*	*	*	-	-	*7	*
88.2	15	*9	*6	*	*	*6	*	*	*	11	*
88.3	85	37	49	*9	20	19	37	43	*6	28	*9
88.38	71	35	36	*6	19	18	29	41	*6	17	*8
88.39	*9	*	*9	*	*	*	*8	*	*	*9	*
88.4	493	247	246	*9	57	164	263	117	125	177	74
88.41	146	66	80	*	22	51	70	43	33	54	16
88.42	110	59	51	*	*7	34	66	17	35	42	16
88.43	22	*7	14	*	*6	*8	*7	*	*6	*5	*7
88.44	24	12	13	*	*	*9	11	11	*	*6	*5
88.45	27	13	14	*	*	*7	16	*	*8	11	*5
88.47	36	19	17	*	*	10	22	12	*8	13	*
88.48	101	57	45	*	*7	34	59	21	25	38	18
88.49	24	12	11	*	*	10	11	*6	*7	*8	*
88.5	1,368	787	581	*	117	595	652	253	353	517	246
88.51	25	12	13	*	*	*7	13	*6	*6	10	*
88.53	501	278	223	*	45	224	230	96	131	191	82
88.54	15	*8	*6	*	*	*5	*8	*	*6	*	*
88.55	*8	*	*	-	*	*	*	*	*	*	*
88.56	787	465	322	*	62	343	379	133	203	295	155
88.57	28	16	11	*	*	11	15	*9	*	14	*
88.6	26	13	14	*	*	*9	13	*	*7	10	*
88.66	*5	*	*	*	*	*	*	*	*	*	*
88.67	13	*6	*8	*	*	*	*7	*	*	*7	*
88.7	851	375	476	25	114	260	452	329	120	286	116
88.71	41	18	23	*	*	10	27	22	*	10	*5
88.72	606	280	326	16	65	193	333	214	88	219	86
88.73	12	*	*9	*	*	*	10	*	*6	*	*
88.74	*9	*6	*	*	*	*	*	*	*	*	*
88.75	26	10	16	*	*	*7	13	19	*	*	*
88.76	65	28	37	*	14	21	26	27	*7	20	12
88.77	60	23	37	*	*8	19	34	29	*9	18	*
88.78	14	-	14	-	14	*	-	*7	*	*	*
88.79	17	*7	10	*	*	*	*7	*9	*	*	*
88.9	301	134	166	35	45	89	131	149	45	76	31
88.91	176	77	100	26	27	47	77	85	26	46	18
88.93	49	23	27	*6	*8	16	20	25	*6	12	*6
88.94	14	*7	*7	*	*	*5	*5	*9	*	*	*
88.97	53	24	29	*	*6	21	24	26	11	13	*
89	503	248	255	45	86	145	226	219	67	130	87
89.1	81	44	37	25	20	17	19	44	*	20	13
89.14	44	24	20	10	*9	*9	16	22	*	11	*9
89.19	31	16	15	13	*9	*7	*	19	*	*9	*
89.2	11	*6	*5	*	*	*	*	*	*	*	*
89.3	18	*8	*9	*8	*	*	*	*6	*	*	*5
89.39	*6	*	*	*	*	*	*	*	*	*	*
89.4	161	80	81	*	20	56	86	57	32	46	27
89.41	18	*9	*9	-	*	10	*5	*6	*	*	*
89.44	85	35	50	-	13	34	37	32	16	20	16
89.45	31	18	13	-	*	*	25	10	*6	12	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
89.49	27	18	*9	*	*	*7	18	*9	*8	*9	*
89.5	141	64	77	*6	29	37	69	86	15	29	11
89.50	*6	*	*	*	*	*	*	*	*	*	*
89.52	50	23	27	*	14	12	19	18	*9	16	*7
89.54	74	33	41	*	12	20	40	62	*	*9	*
89.59	11	*5	*6	*	*	*	*7	*	*	*	*
89.6	86	44	42	*5	11	27	43	20	13	24	30
89.61	11	*	*6	*	*	*	*	*	*	*	*6
89.62	*5	*	*	*	*	*	*	*	*	*	*
89.64	18	*9	10	*	*	*6	*9	*	*	*6	*
89.65	30	15	15	*	*	10	14	*8	*	*6	15
89.68	20	11	*8	*	*	*6	12	*	*	*9	*
90	*6	*	*	*	*	*	*	*	*	*	*
91	*8	*	*	*	*	*	*	*	*	*6	*
92	177	83	94	*	26	70	76	83	17	52	25
92.0	64	26	38	*	*9	27	25	30	*	16	13
92.02	*9	*	*5	*	*	*	*	*6	*	*	*
92.04	*8	*	*5	*	*	*	*	*6	*	*	*
92.05	42	16	26	*	*5	19	18	17	*	13	*8
92.1	33	15	18	*	*	15	14	23	*	*6	*
92.14	11	*	*7	*	*	*6	*	*9	-	*	*
92.15	15	*6	*8	-	*	*6	*6	12	*	*	*
92.2	77	41	36	*	12	28	36	28	12	29	*9
92.24	11	*9	*	*	*	*	*6	*	*	*	*
92.27	*8	*	*	-	*	*	*	*	*	*	*
92.29	54	27	27	*	*9	18	26	19	*9	20	*6
93	1,330	608	722	120	186	307	717	443	173	483	230
93.0	34	13	21	*	*7	*7	19	19	*	*	10
93.01	26	11	16	*	*5	*	15	16	*	*	*7
93.08	*5	*	*	*	*	*	*	*	*	*	*
93.1	20	*7	13	*	*	*	13	13	*	*	*
93.12	10	*	*6	*	*	*	*7	*8	-	*	-
93.2	35	16	20	*	*	12	20	26	*	*5	*
93.22	26	10	16	*	*	*8	16	19	*	*	*
93.3	312	139	173	11	34	64	203	94	53	124	41
93.38	23	11	12	-	*	*	14	*	*	*6	14
93.39	286	127	159	11	29	58	188	90	53	116	27
93.4	14	*8	*6	*	*	*	*6	*	*	*	*
93.46	*6	*	*	*	*	*	*	*	*	*	*
93.5	121	70	51	26	29	26	41	31	22	50	19
93.53	12	*6	*6	*	*	*	*	*	*	*	*
93.54	35	18	17	*	*8	*7	16	*9	11	10	*5
93.57	30	19	11	13	*7	*5	*6	*8	*	17	*
93.59	32	19	13	*	*6	10	12	*7	*6	16	*
93.7	38	20	18	*	*6	*7	23	12	*7	11	*9
93.75	37	20	17	*	*6	*7	22	11	*7	11	*9
93.8	363	153	210	12	48	80	224	84	48	154	76
93.81	37	18	19	*	14	*9	13	*9	*	13	11
93.83	204	93	111	*8	24	43	128	65	36	77	26
93.89	118	41	76	*	*8	26	81	10	*8	61	39
93.9	390	181	208	67	51	103	169	161	36	128	64
93.90	184	86	98	10	19	56	99	53	25	74	33
93.94	94	43	51	33	16	19	27	68	*6	12	*7
93.96	93	42	52	22	12	19	41	34	*	35	22
93.99	13	*7	*6	*	*	*6	*	*	*	*8	*
94	708	429	279	32	381	256	38	330	142	198	38
94.1	10	*6	*	*	*6	*	*	10	-	*	-

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
94.19	*6	*	*	*	*	*	*	*6	-	-	-
94.2	167	84	83	13	88	53	13	115	15	35	*
94.22	*5	*	*	*	*	*	*	*	*	*	-
94.23	39	22	17	*7	24	*8	*	38	-	*	-
94.25	91	50	41	*6	51	30	*	65	10	16	*
94.27	31	10	22	-	10	14	*8	*8	*	17	*
94.3	69	36	33	*6	36	21	*5	22	22	25	-
94.38	16	*9	*7	*	10	*	*	16	-	-	-
94.39	52	26	25	*	26	17	*	*5	22	25	-
94.4	97	50	47	11	55	26	*5	33	26	38	-
94.42	*9	*	*	*	*	*	*	*	*	*	-
94.44	77	39	38	*7	42	23	*	21	22	34	-
94.45	*6	*	*	-	*	*	-	*6	-	-	-
94.6	363	250	113	*	194	152	15	148	79	99	36
94.62	185	137	49	*	76	97	12	71	56	35	24
94.63	23	16	*7	*	*9	12	*	*	*	18	*
94.64	*6	*	*	-	*5	*	-	*	*	*	*
94.65	64	38	26	*	47	17	*	34	12	12	*7
94.66	19	12	*7	*	15	*	*	-	*	16	*
94.68	46	33	13	-	28	18	*	34	*	*7	*
94.69	13	*6	*7	-	*9	*	*	*	*	10	*
95	*6	*	*	*	*	*	*	*	-	*	*
95.4	*5	*	*	*	*	*	*	*	-	*	*
96	1,617	782	834	131	324	423	738	396	313	566	342
96.0	617	311	306	41	93	175	308	142	122	217	136
96.04	511	259	252	35	75	144	257	113	103	184	112
96.05	12	*7	*	*	*	*	*6	*5	*	*	*
96.07	87	40	47	*	16	27	41	23	15	29	20
96.2	*9	*	*5	*	*	*	*	*	*	*	*
96.3	15	*	11	*	*	*	*7	*	*	*6	*
96.33	*6	*	*	*	*	*	*	*	*	*	*
96.38	*7	*	*5	*	*	*	*	*	*	*	*
96.4	99	*8	91	-	89	*	*8	10	24	33	32
96.48	*5	*	*	-	*	*	*	*	*	*	*
96.49	92	*	90	-	88	*	*	*9	23	31	29
96.5	32	19	13	*8	10	*6	*9	*	*7	19	*
96.56	10	*5	*	*	*	*	*	*	*	*	*
96.59	16	*9	*7	*	*8	*	*	*	*	12	*
96.6	137	64	73	16	15	29	77	70	21	33	14
96.7	703	372	332	65	110	205	324	163	132	254	154
96.70	12	*9	*	*	*	*6	*	*	*	*9	*
96.71	433	226	207	41	78	111	202	92	87	152	101
96.72	259	137	122	23	28	88	120	70	44	93	52
97	144	71	73	13	23	53	55	27	28	61	29
97.0	39	17	22	*	*	*8	23	*8	10	11	10
97.02	25	10	15	*	*	*	16	*	*7	*7	*7
97.05	10	*	*5	*	*	*	*5	*	*	*	*
97.2	17	12	*5	*	*	*7	*	*	*	*7	*
97.23	14	10	*	*	*	*7	*	*	*	*6	*
97.3	*6	*	*	*	*	*	*	*	*	*	*
97.4	16	10	*6	*	*	*7	*6	*	*	*	*
97.49	11	*5	*5	*	*	*	*	*	*	*	*
97.5	10	*	*6	*	*	*	*6	*	*	*	*
97.6	30	14	16	*	*7	13	10	*	*	20	*
97.62	15	*5	*9	*	*	*6	*	*	*	*8	*
97.64	12	*6	*5	-	*	*6	*	*	*	11	-
97.8	22	10	11	*	*	11	*	*	*	10	*
97.82	*7	*	*6	*	*	*	*	*	*	*	*
97.89	*7	*	*	*	*	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
 United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
98	28	16	12	*	*8	*7	*9	*8	*6	10	*
98.0	14	*7	*7	*	*	*	*6	*	*	*	*
98.02	*9	*6	*	*	*	*	*	*	*	*	*
98.5	*8	*5	*	-	*	*	*	*	*	*	*
98.51	*7	*	*	-	*	*	*	*	*	*	*
99	3,993	1,742	2,250	282	733	1,055	1,923	1,086	723	1,506	678
99.0	2,058	890	1,168	70	255	521	1,211	351	422	886	398
99.00	25	13	12	*	*	*8	13	*8	*7	*6	*
99.02	37	12	25	*	*	16	20	*6	*8	11	12
99.03	17	*	14	*	*	*	10	*	*	*8	*6
99.04	1,681	702	979	52	210	405	1,014	280	348	739	313
99.05	102	57	45	12	15	35	40	20	18	44	20
99.06	*5	*	*	*	*	*	*	*	*	*	*
99.07	182	94	87	*	19	50	110	33	37	72	39
99.1	391	152	239	39	136	93	122	148	71	112	60
99.10	42	27	15	*	*7	17	17	*9	12	13	*7
99.11	84	*	83	*	83	*	*	17	16	29	21
99.14	18	*8	10	*7	*5	*	*	*6	*	*7	*
99.15	146	65	81	25	21	40	61	44	34	45	23
99.17	20	10	10	*	*5	*6	*7	14	*	*	*
99.18	32	15	17	*	*7	*8	11	30	*	*	-
99.19	49	27	22	*	*8	18	22	27	*	13	*
99.2	1,001	446	556	102	238	308	354	476	129	305	91
99.20	28	16	11	*	*	11	16	*9	*6	*8	*
99.21	314	144	169	34	89	89	102	175	23	101	15
99.23	109	38	71	*7	17	32	54	47	27	25	*9
99.25	210	107	103	39	36	83	52	68	19	91	32
99.28	*9	*	*	*	*	*	*	*	*	*	*
99.29	325	134	191	22	93	88	123	174	51	74	26
99.3	13	*8	*5	*	*5	*	*	*5	*	*	*
99.38	*6	*	*	*	*	*	*	*	*	*	*
99.4	24	*	24	*	24	*	-	*	*	11	*9
99.47	17	*	17	-	17	-	-	*	*	*9	*6
99.48	*6	-	*6	*	*6	-	-	*	*	*	*
99.5	223	97	126	15	37	58	113	43	46	86	49
99.52	91	36	54	*	21	24	41	21	16	36	18
99.55	131	59	71	10	16	33	71	22	30	49	30
99.6	160	93	67	*	11	47	97	36	38	51	35
99.60	67	35	32	*	*5	17	42	12	15	25	14
99.61	29	18	12	*	*	11	16	10	*7	*6	*6
99.62	54	35	19	*	*	18	32	11	15	18	10
99.69	*7	*	*	*	*	*	*6	*	*	*	*
99.7	54	17	36	*	22	18	12	14	*6	23	10
99.71	11	*	*8	*	*	*6	*	*	*	*	*
99.74	*7	*	*	*	*	*	*	*	*	*	*
99.77	26	*6	20	*	14	*6	*6	*	*	12	*6
99.79	*8	*	*	*	*	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of procedures in thousands											
99.8	58	32	26	49	*	*	*5	*8	*6	18	25
99.83	48	28	21	46	*	*	*	*8	*	14	23
99.9	12	*8	*	*	*	*	*	*	*	*9	*
99.99	11	*7	*	*	*	*	*	*	*	*8	*

* Figure does not meet standards of reliability or precision.

- Quantity zero.

§ U.S. Department of Health and Human Services. Centers for Disease Control and Prevention, Centers for Medicare and Medicaid Services.

Official version *International Classification of Diseases, Ninth Revision, Clinical Modification, Sixth Edition*.

DHHS Pub No. (PHS) 06-1260. available at: <http://www.cdc.gov/nchs/icd/icd9cm.htm>

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates less than 5,000 are suppressed and an asterisk (*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent. Estimates between 5,000 and 9,000 are preceded by an asterisk (*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of *National Hospital Discharge Survey: 2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165*.

2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165.

http://www.cdc.gov/nchs/data/series/sr_13/sr13_165.pdf