

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
All codes	166,441	72,918	93,523	10,289	39,442	44,906	71,804	42,556	33,039	62,287	28,559
001-139	8,798	4,213	4,585	443	1,419	2,474	4,463	2,045	1,733	3,482	1,538
003	*32	*	*	*	*	*	*	*	*	*	*
003.0	*25	*	*	*	*	*	*	*	*	*	*
008	930	299	631	77	82	202	569	297	191	330	112
008.4	666	215	451	*	49	135	472	236	145	208	76
008.45	631	198	433	*	46	128	450	228	138	192	72
008.6	46	17	28	37	*	*	*	*	*	*20	*
008.61	42	*16	26	35	*	*	*	*	*	*18	*
008.8	213	64	148	29	28	65	90	49	38	98	27
009	64	*21	43	*	*21	*	*23	*	*19	*17	*
009.0	46	*	*29	*	*17	*	*	*	*	*	*
011	70	*52	*	*	*	*27	*	*	*	*30	*
011.9	62	*46	*	*	*	*25	*	*	*	*27	*
011.90	*40	*38	*	-	*	*20	*	*	-	*18	*
034	17	*	*8	*11	*	*	*	*	*	*	*
034.0	*14	*	*	*8	*	*	*	*	*	*	*
038	5,545	2,628	2,917	84	527	1,542	3,392	1,130	1,152	2,252	1,010
038.0	387	176	211	*	*	179	168	*65	*74	173	*76
038.1	967	526	441	*	117	317	507	159	159	472	177
038.10	*69	*	*52	*	*	*	*	*	*	*52	*
038.11	755	454	300	*	*	240	385	115	130	355	155
038.19	143	*	*88	*	*	*	94	*	*	*65	*
038.2	*63	*	*	*	*	*	*	*	*	*	*
038.4	909	407	502	*	114	204	576	190	221	299	199
038.40	*58	*	*	*	*	*	*	*	*	*	*
038.42	476	187	289	*	*	104	321	109	135	145	87
038.43	*85	*	*	*	*	*	*64	*	*	*	*
038.49	268	127	141	*	*	*63	146	*	*44	101	*76
038.8	105	*	*67	*	*	*	*77	*	*	*	*
038.9	3,066	1,438	1,628	*34	252	790	1,990	638	674	1,244	510
041	216	107	110	41	*53	*38	85	*45	*89	*26	56
041.1	58	*36	*22	*21	*	*	*	*	*	*	*31
041.11	52	*32	*19	*21	*	*	*	*	*	*	*27
041.4	*54	*	*	*	*	*	*	*	*	*	*
041.8	*16	*	*	*	*	*	*	*	*	*	*
042	645	473	172	*	342	273	*	247	*	320	*47
047	108	49	59	*20	54	*30	*	*	*15	34	*38
047.9	101	46	55	*17	53	*28	*	*	*14	30	*36
053	76	*	61	*	*	*	44	*	*24	*	*
053.1	*25	*	*	*	*	*	*	*	*	*	*
053.9	*30	*	*	*	*	*	*	*	*	*	*
054	*40	*	*24	*	*	*	*	*	*	*	*
070	142	88	55	*	49	83	*	*29	*18	59	36
070.5	55	*40	*	*	*	*42	*	*	*	*	*
070.54	51	*37	*	*	*	*40	*	*	*	*	*
070.7	55	*28	*27	-	*24	*28	*	*	*	*23	*
070.70	46	*25	*21	-	*19	*25	*	*	*	*20	*
075	*24	*12	*	*	*19	*	*	*	*	*	*
078	*22	*	*	*	*	*	*	*	*	*	*
079	136	55	81	68	28	*14	*25	31	33	49	22
079.9	124	52	72	59	27	*13	*25	29	30	43	21
079.99	124	52	72	59	27	*13	*25	29	30	43	21
112	223	98	124	*	*	*52	97	*41	*75	91	*
112.0	*77	*	*	*	*	*	*	*	*	*	*
112.2	*72	*	*64	-	*	*	*49	*	*	*	*
112.8	*44	*	*	*	*	*	*28	*	*	*	*
112.84	*40	*	*	*	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
117	*82	*	*	*	*	*	*	*	*	*	*
135	46	*	*20	*	*	*27	*	*	*	*	*
136	*55	*46	*	*	*	*	*	*	*	*	*
140-239	9,286	4,322	4,964	238	1,026	3,511	4,511	2,289	1,743	3,506	1,749
150	*83	*71	*	-	*	*	*	*	*	*	*
151	155	103	*52	-	*	*45	96	*	*	*50	*47
151.0	*54	*	*	-	*	*	*	*	*	*	*
152	*46	*	*	-	*	*	*	*	*	*	*
153	931	413	518	*	*45	280	604	183	256	353	138
153.0	*45	*	*	-	*	*	*	*	*	*	*
153.1	106	*	*56	-	*	*	*80	*	*	*47	*
153.2	107	*	*89	-	*	*77	*	*	*	*	*
153.3	208	113	*95	-	*	*56	139	*41	*37	107	*
153.4	141	*45	96	-	*	*	111	*	*41	*47	*
153.6	185	93	92	-	*	*41	137	*	*64	*60	*
153.9	76	*39	*37	-	*	*	*49	*	*	*	*
154	293	183	110	-	*	110	156	*56	74	133	*30
154.0	142	*95	*47	-	*	*	*66	*	*	*78	*
154.1	130	70	*60	-	*	*35	80	*	*45	*39	*
155	132	100	*	*	*	*49	*54	*	*	*69	*
155.0	77	*58	*	*	*	*38	*	*	*	*42	*
156	*77	*	*	-	*	*	*52	*	*	*	*
157	290	134	156	-	*	133	144	*80	*38	102	*71
157.0	125	*	*73	-	*	*50	*73	*	*	*	*
157.9	75	*36	*39	-	*	*	*41	*	*	*35	*
158	*39	*	*31	*	*	*	*	*	*	*	*
161	*44	*	*	-	-	*	*	*	*	*	*
162	1,096	565	532	*	*	326	735	324	195	399	179
162.2	68	*	*35	*	*	*	*54	*	*	*	*
162.3	414	214	200	-	*	99	287	128	*72	179	*
162.4	*38	*	*	-	*	*	*	*	*	*	*
162.5	158	85	73	-	*	*47	109	*58	*	*46	*
162.8	83	*48	*35	-	*	*48	*34	*37	*	*	*
162.9	325	152	172	-	*	104	217	67	58	114	85
171	*46	*	*28	*	*	*	*	*	*	*	*
174	180	-	180	-	21	84	76	33	41	77	29
174.4	*15	-	*15	-	*	*	*	*	*	*	*
174.8	63	-	63	-	*	28	30	*16	*	24	*
174.9	73	-	73	-	*	35	*26	*	*18	33	*11
180	60	-	60	-	*	*40	*	*	*	*28	*
180.9	40	-	40	-	*	*28	*	*	*	*	*
182	116	-	116	-	*	57	58	*32	*34	40	*
182.0	111	-	111	-	*	54	56	*30	*31	40	*
183	153	-	153	*	*	53	87	*	*	57	*16
183.0	151	-	151	*	*	52	86	*	*	56	*15
184	*24	-	*24	*	*	*	*	*	*	*	*
185	271	271	-	-	*	136	133	49	80	72	70
188	184	145	*39	-	*	46	138	*34	*49	49	*52
188.8	69	55	*	-	-	*	56	*26	*	*	*
188.9	*63	*57	*	-	*	*	*53	*	*	*	*
189	207	123	84	*	*	86	106	*46	54	56	50

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
189.0	185	112	73	*	*	81	88	*44	46	49	46
191	215	126	88	*	*39	79	*64	*83	*	69	*46
191.1	*47	*	*	*	*	*	*	*	*	*	*
191.9	*30	*	*	*	*	*	*	*	*	*	*
193	45	*	39	*	16	*19	*10	*	*	*18	*12
196	109	*55	54	-	*	*55	*39	*	*	*	*
197	863	374	489	*	80	368	411	187	155	306	215
197.0	116	58	58	*	*	50	51	*23	*	51	*22
197.2	204	*57	147	-	*	77	111	*48	*44	68	*
197.6	214	104	111	*	*	*74	113	*	*	73	*85
197.7	216	92	123	*	*	108	91	*46	*54	88	*
198	642	306	336	*	*56	241	340	185	127	241	89
198.3	249	160	89	*	*	99	132	*61	*39	112	*38
198.5	267	99	169	*	*	92	144	*90	*50	97	*30
198.8	60	*	*31	*	*	*	*32	*	*	*	*
198.89	55	*	*	*	*	*	*32	*	*	*	*
199	*55	*	*	-	*	*	*26	*	*	*	*
201	*38	*	*	*	*	*	*	*	*	*	*
202	346	232	114	*	*	126	149	83	*55	160	*47
202.8	287	185	102	*	*	114	114	*73	*51	118	*45
202.80	182	127	*55	-	*	*65	*65	*41	*	*92	*
203	182	*70	112	-	*	*69	105	*	*	105	*
203.0	176	*68	108	-	*	*64	105	*	*	101	*
203.00	174	*68	107	-	*	*62	105	*	*	99	*
204	229	137	92	67	*	*87	*48	*	*	114	*54
204.0	141	73	*68	67	*	*	*	*	*	*55	*45
204.00	107	*59	*	*37	*	*	*	*	*	*46	*
204.01	*34	*	*	*30	*	*	*	*	*	*	*
204.1	*87	*	*	-	*	*	*30	*	*	*	*
204.10	*87	*	*	-	*	*	*30	*	*	*	*
205	323	214	109	*	*	120	134	136	*35	121	*
205.0	298	199	*99	*	*	112	119	132	*	*	*
205.00	272	180	*92	*	*	107	119	115	*	*	*
211	233	114	118	*	*	89	128	*38	46	111	*38
211.3	181	90	91	*	*	63	111	*20	*40	88	*33
218	419	-	419	-	201	214	*	88	76	180	75
218.0	45	-	45	-	*20	24	*	*17	*	*14	*
218.1	137	-	137	-	65	71	*	41	*14	63	*19
218.2	44	-	44	-	24	*19	*	*	*	*21	*
218.9	192	-	192	-	91	99	*	21	50	82	40
220	97	-	97	*	31	40	*23	*18	31	33	*15
223	*27	*	*	*	*	*	*	*	*	*	*
225	194	*40	154	*	*	50	129	*55	*	79	*49
225.2	170	*	141	*	*	*37	124	*48	*	*71	*
226	*11	*	*9	*	*	*	*	*	*	*	*
227	60	*24	*36	*	*	*32	*	*	*	*	*
227.3	*43	*	*	*	*	*	*	*	*	*	*
228	*24	*	*	*	*	*	*	*	*	*	*
233	37	*	36	-	*14	*17	*	*	*	*16	*
233.0	19	-	19	-	*	*12	*	*	*	*	*
233.1	*14	-	*14	-	*11	*	*	*	*	*	*
235	*47	*	*	*	*	*	*	*	*	*	*
237	*36	*	*	*	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
238	80	*42	*39	*	*	*	*43	*	*	*	*
238.7	61	*31	*	*	*	*	*32	*	*	*	*
238.75	*43	*	*	*	*	*	*20	*	*	*	*
239	46	*	*21	*	*	*	*	*	*	*	*
240-279	7,587	3,288	4,299	441	1,173	2,286	3,686	2,059	1,467	2,816	1,244
241	31	*	27	*	*	16	*	*11	*	*12	*
241.0	*9	*	*8	*	*	*	*	*	*	*	*
241.1	21	*	18	*	*	*10	*	*	*	*	*
242	38	*	*28	*	*	*	*	*	*	*	*
242.0	*17	*	*	*	*	*	*	*	*	*	*
244	122	*21	101	*	*17	*27	78	*40	*29	*26	*26
244.9	118	*21	97	*	*16	*24	76	*39	*28	*26	*24
250	3,215	1,620	1,595	69	587	1,155	1,403	1,007	535	1,178	495
250.0	645	326	319	*15	83	227	320	194	134	211	106
250.00	373	178	195	*	42	131	199	119	74	118	62
250.01	22	*11	*	*11	*	*	*	*	*	*	*
250.02	239	131	108	*	33	90	116	64	53	85	37
250.1	497	232	264	26	242	124	105	135	108	176	78
250.10	*18	*	*	*	*	*	*	*	*	*	*
250.11	*18	*	*	*	*	*	-	*	*	*	*
250.12	178	70	108	*	41	54	*83	*72	*37	*38	*31
250.13	283	143	140	*22	184	59	*	51	70	123	40
250.2	81	*50	*30	*	*	*36	*	*	*	*24	*
250.22	*51	*35	*	-	*	*	*	*	*	*	*
250.3	*43	*	*	*	*	*	*	*	*	*	*
250.4	231	111	120	-	*	113	*77	*	*	115	*36
250.40	143	86	*57	-	*	*73	*67	*	*	96	*
250.42	*72	*	*	-	*	*	*	*	*	*	*
250.6	469	218	251	-	93	175	201	202	60	156	52
250.60	312	134	177	-	36	119	156	160	*32	93	*26
250.61	*30	*	*15	-	*14	*	*	*	*	*	*
250.62	106	58	48	-	*24	*38	*44	*36	*21	*34	*
250.7	419	226	193	-	*	192	213	109	*71	158	*80
250.70	272	143	129	-	*	94	175	*55	*53	113	*50
250.72	100	*70	*	-	*	*	*	*	*	*	*
250.8	789	422	367	*	88	261	438	257	117	321	95
250.80	510	290	221	*	*50	163	296	139	61	244	65
250.82	239	105	134	-	*	80	132	109	*41	*64	*
250.9	*27	*	*	*	*	*	*	*	*	*	*
250.92	*19	*	*	-	*	*	*	*	*	*	*
251	74	*47	*27	*	*	*	*23	*	*	*	*
251.2	*30	*	*	*	*	*	*	*	*	*	*
252	*29	*	*20	-	*	*12	*	*	*	*	*
252.0	*24	*	*17	-	*	*	*	*	*	*	*
253	127	52	75	*	*	*29	85	*33	*39	*37	*
253.6	103	*40	63	*	*	*	78	*	*38	*	*
255	51	*	*37	*	*	*	*	*	*	*	*
255.4	*36	*	*24	*	*	*	*	*	*	*	*
263	222	*84	139	*	*	*82	121	*	*32	157	*
263.9	203	*80	122	*	*	*	112	*	*	144	*
272	129	62	67	-	27	67	35	25	36	36	31
272.0	41	20	21	-	*	25	*12	*10	*	*	*9
272.4	78	40	38	-	*17	39	23	*13	*20	25	21
274	84	59	*25	-	*	*26	55	*27	*	*34	*
274.0	51	*36	*	-	*	*	*29	*	*	*20	*
274.9	*28	*	*	-	*	*	*25	*	*	*	*
275	82	*39	43	*	*	*32	*34	*	*25	*26	*
275.4	57	*24	*33	*	*	*	*27	*	*	*	*
275.42	*37	*	*21	*	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
276	2,767	1,053	1,714	267	246	539	1,714	627	607	1,006	527
276.0	111	*67	*45	*	*	*	71	*	*	*47	*
276.1	585	189	396	*27	*38	143	378	124	120	169	172
276.2	40	*22	*18	*	*	*	*21	*	*	*	*
276.5	1,588	585	1,002	212	118	254	1,003	372	382	585	248
276.50	73	*21	52	*	*	*	52	*	*	51	*
276.51	1,489	551	938	211	107	240	931	358	375	524	232
276.52	*26	*	*	-	*	*	*	*	*	*	*
276.6	47	*20	*27	-	*	*25	*	*	*	*33	*
276.7	179	94	85	*	*14	37	125	33	*31	72	43
276.8	186	61	125	*	36	55	87	44	33	81	*29
276.9	*20	*	*	*	*	*	*	*	*	*	*
277	123	70	*53	*	62	*	*	*	*	76	*
277.0	*78	*	*	*	*	*	*	*	*	*	*
277.02	*52	*	*	*	*	*	*	*	*	*	*
277.1	*25	*23	*	-	*24	*	*	*	*	*23	-
278	375	102	273	*	137	201	*35	138	67	104	66
278.0	352	94	259	*	132	191	*27	135	65	93	59
278.00	32	*17	*15	*	*19	*	*	*	*	*14	*
278.01	320	77	243	*	113	182	*	128	59	79	53
278.1	*8	*	*	-	*	*	*	*	*	*	*
280-289	2,667	1,142	1,524	189	684	612	1,182	1,044	410	858	355
280	349	93	256	*	54	60	228	89	77	123	60
280.0	197	49	148	*	*25	38	134	*38	54	80	*26
280.9	143	38	105	*	*29	*20	88	51	*23	35	*34
281	*30	*	*	-	*	*	*24	*	*	*	*
281.9	*17	*	*	-	*	*	*	*	*	*	*
282	449	226	223	62	345	*38	*	141	*29	248	*31
282.4	*39	*30	*	*	*	*	*	*	*	*	*
282.6	407	195	212	43	326	*36	*	124	*28	226	*
282.62	365	171	194	*33	298	*	*	110	*27	203	*
283	*32	*	*	*	*	*	*	*	*	*	*
284	156	71	85	*	*	54	66	*	*24	67	*29
284.1	100	*51	*48	*	*	*	*46	*	*	*58	*
284.8	*46	*	*	*	*	*	*	*	*	*	*
285	919	355	564	*	127	219	563	505	152	176	87
285.1	531	236	295	*	91	131	309	418	60	*	*29
285.2	72	*22	49	*	*	*24	41	*21	*19	*25	*
285.21	*14	*	*	-	*	*	*	*	*	*	*
285.22	*25	*	*	*	*	*	*	*	*	*	*
285.29	*33	*	*25	*	*	*	*	*	*	*	*
285.9	300	90	210	*	27	59	206	65	69	120	47
286	94	*45	*49	*	*	*	*43	*48	*	*	*
287	260	141	119	*29	47	102	81	111	*30	65	54
287.3	84	*24	60	*	*	*	*	*	*	*29	*
287.31	81	*23	58	*	*	*	*	*	*	*27	*
287.4	*33	*	*	-	*	*	*	*	*	*	*
287.5	132	88	*44	*	*	*53	*41	*63	*	*28	*24
288	316	155	161	58	33	92	132	89	69	105	53
288.0	255	120	135	43	*	78	113	82	*54	84	*34
288.00	174	82	92	*29	*	63	70	*45	*42	*64	*
288.03	58	*	*35	*	*	*	*	*	*	*	*
288.6	38	*21	*18	*	*	*	*	*	*	*16	*
288.60	37	*20	*17	*	*	*	*	*	*	*	*
289	63	35	*27	*15	*13	*	*	*	*	*22	*12
289.5	*27	*	*	*	*	*	*	*	*	*	*
290-319	17,049	8,968	8,081	1,969	7,818	5,296	1,965	6,520	2,514	6,766	1,249
290	186	*89	97	-	*	*	164	*53	*	105	*
290.4	132	*66	*67	-	*	*	115	*	*	*87	*
290.40	*48	*	*	-	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
291	783	581	202	*	282	418	81	268	167	239	109
291.0	162	137	*	-	49	102	*	*76	*36	*36	*
291.8	575	414	161	*	230	296	*47	187	122	180	86
291.81	557	399	158	*	218	290	*47	182	118	174	84
292	432	245	187	*	255	115	60	149	88	131	64
292.0	294	151	143	*	195	82	*	101	63	97	*33
292.8	120	80	39	*	47	*30	*42	*42	*23	*25	*
292.81	50	*33	*	*	*	*	*36	*	*	*	*
292.84	62	*42	*	*	*40	*	*	*	*	*	*
293	42	*28	*	*	*	*	*25	*	*	*	*
293.0	*34	*25	*	*	*	*	*21	*	*	*	*
294	270	122	149	*	*	*	242	85	47	82	*57
294.8	227	106	121	-	*	*	210	81	*39	71	*36
295	3,598	1,907	1,691	*	1,634	1,641	296	1,522	484	1,392	200
295.3	1,180	682	497	*	533	513	133	452	144	535	*49
295.30	421	223	198	*	185	187	*	138	*63	200	*
295.32	330	206	124	-	169	133	*	125	*	161	*
295.34	392	245	147	-	169	177	*	186	*	160	*
295.6	*91	*45	*	-	*	*	*	*	*	*	*
295.7	1,791	837	954	*	814	840	113	757	258	657	119
295.70	1,331	657	674	*	673	568	*67	450	206	569	106
295.74	421	155	266	*	122	258	*	299	*	*82	*
295.9	366	230	136	*	154	181	*	204	*26	114	*22
295.90	227	143	84	-	108	90	*	*89	*	96	*
296	6,560	2,861	3,699	713	3,294	1,919	633	1,998	1,159	3,018	384
296.2	996	419	577	113	448	288	147	202	208	536	*50
296.20	482	191	291	*69	242	117	*54	69	104	278	*31
296.22	*27	*	*	*	*	*	*	*	*	*	*
296.23	218	91	127	*	116	53	*	*45	68	102	*
296.24	241	105	136	*	66	101	*61	*	*	144	*
296.3	1,715	724	991	*43	773	614	285	451	348	768	149
296.30	419	192	227	*	195	152	*63	108	114	140	57
296.32	92	*33	59	*	42	*29	*	*	*51	*24	*
296.33	745	291	454	*	324	284	120	164	120	406	56
296.34	434	195	239	*	202	139	*77	157	*61	188	*
296.4	701	302	399	*	346	250	*62	241	100	312	*49
296.40	218	99	118	*	84	*79	*	*	*	129	*
296.43	*56	*	*	*	*	*	*	*	*	*	*
296.44	404	174	230	*	215	152	*	182	*	155	*
296.5	777	345	433	*	438	273	*	152	201	366	*58
296.50	374	151	224	*	201	141	*	*45	127	181	*
296.53	183	77	106	*	105	*61	*	*58	*41	*53	*
296.54	195	103	92	*	113	*68	*	*	*	129	*
296.6	601	256	345	83	316	173	*	144	98	347	*
296.60	230	80	149	*40	134	*50	*	*38	*41	145	*
296.63	130	*85	*45	*	*47	*	*	*	*	*46	*
296.64	220	*79	140	*	129	*51	*	*	*	150	*
296.7	150	*42	108	*	67	*	*	*	*	92	*
296.8	926	417	508	161	543	183	*	298	144	437	*47
296.80	710	314	396	144	410	127	*	232	108	354	*16
296.89	215	103	112	*	132	*55	*	*66	*36	83	*
296.9	647	336	312	235	342	64	*	448	43	144	*
296.90	639	331	308	233	337	*62	*	444	42	140	*
298	742	397	345	*	372	177	136	337	98	232	75
298.9	711	382	329	*	354	174	135	325	96	214	75
300	288	96	193	*	107	108	58	108	55	83	42
300.0	152	47	105	*	53	48	47	59	27	43	*23
300.00	112	31	80	*	40	26	*41	52	23	*24	*
300.01	25	*	*19	*	*	*16	*	*	*	*	*
300.1	*19	*	*	*	*	*	*	*	*	*	*
300.4	82	*34	48	*	36	*33	*	*29	*	*27	*
301	*44	*	*	*	*30	*	*	*	*	*	*
303	615	456	159	*	279	294	*40	166	114	251	84
303.0	122	88	33	*	42	69	*	47	33	*19	*22
303.00	47	30	*16	*	*16	*28	*	*	*14	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
303.01	68	53	*	-	*22	*38	*	*30	*	*	*
303.9	493	368	125	*	237	225	*30	120	80	232	*61
303.90	203	153	*50	*	99	93	*	*	*33	135	*
303.91	269	200	69	*	133	116	*	108	*45	94	*
304	496	322	174	*	345	139	*	184	*33	216	*64
304.0	206	125	81	*	153	44	*	68	*	109	*
304.00	86	*47	39	-	58	*22	*	*	*	60	*
304.01	120	78	*42	*	95	*	*	*56	*	*50	*
304.2	117	*76	*41	*	80	*36	-	*72	*	*43	*
304.20	*29	*	*	*	*	*	-	*	*	*	-
304.21	87	*58	*	-	*65	*	-	*69	*	*	*
304.7	*28	*	*	-	*	*	*	*	*	*	*
304.8	*45	*	*	-	*	*	-	*	*	*	-
305	325	195	130	*	183	117	*24	71	68	121	65
305.0	130	90	40	*	64	56	*	47	25	33	*25
305.00	92	61	*31	*	43	40	*	*22	21	*27	*22
305.01	*31	*28	*	-	*	*	*	*	*	*	*
305.1	71	41	30	-	39	27	*	*	25	28	*10
305.6	41	26	*15	-	*19	*22	*	*	*	*19	*
305.60	24	*16	*	-	*11	*12	*	*	*	*15	*
305.9	44	*	*31	-	*27	*	*	*	*	*30	*
305.90	*40	*	*29	-	*25	*	*	*	*	*	*
307	*57	*	*42	*	*	*	*	*	*	*	*
309	214	79	135	*	124	*37	*	86	*30	83	*15
309.0	48	*28	*20	*	38	*	*	*27	*	*	*
309.2	*17	*	*	*	*	*	*	*	*	*	*
309.28	*15	*	*	*	*	*	-	*	*	*	*
309.4	*28	*	*	*	*	*	*	*	*	*	*
309.8	105	*	*77	*	*53	*	*	*36	*	*	*
309.81	102	*	*76	*	*52	*	*	*	*	*	*
310	155	146	*	*	*	*	110	145	*	*	*
310.1	143	136	*	-	-	*	107	143	-	-	-
311	857	568	289	291	353	163	*50	352	65	418	*22
312	1,017	586	431	576	425	*	*	747	*	255	*
312.3	674	494	181	295	369	*	*	660	*	*	-
312.30	389	260	130	193	187	*	*	385	*	*	-
312.34	284	233	*	101	182	-	*	275	*	*	-
312.9	287	*41	*	249	*	*	*	*	*	*	*
313	*57	*	*	*	*	-	-	*	*	*	-
313.8	*57	*	*	*	*	-	-	*	*	*	-
313.81	*56	*	*	*	*	-	-	*	*	*	-
314	151	113	*	117	*	*	*	*	*	*	*
314.0	151	113	*	117	*	*	*	*	*	*	*
314.01	146	108	*	114	*	*	*	*	*	*	*
320-389	4,648	2,196	2,452	391	814	1,403	2,039	1,933	651	1,222	841
320	*56	*	*	*	*	*	*	*	*	*	*
323	*59	*	*	*	*	*	*	*	*	*	*
324	*87	*	*	*	*	*	*	*	*	*	*
327	34	*17	*17	*	*	*	*	*	*	*	*
327.2	33	*17	*17	*	*	*	*	*	*	*	*
327.23	32	*15	*	*	*	*	*	*	*	*	*
331	783	407	375	*	*63	131	565	215	140	291	137
331.0	529	242	288	-	*	*	459	118	88	204	119
331.3	55	*	*	*	*	*	*30	*	*	*	*
331.4	103	*81	*	*	*	*	*	*	*	*	*
331.8	*40	*	*	*	*	*	*37	*	*	*	*
331.82	*40	*	*	-	*	*	*37	*	*	*	*
332	164	76	*87	-	*	*	149	*47	*	*30	*73
332.0	161	74	*87	-	*	*	146	*46	*	*28	*73

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
333	82	*	68	*	*	*30	*41	*	*	*43	*
333.9	*37	*	*	-	*	*	*	*	*	*	*
336	*68	*	*	*	*	*	*	*	*	*	*
338	170	86	84	*	71	66	32	61	45	39	*26
338.1	56	*23	33	*	*23	*18	*14	*	*22	*	*
338.18	31	*	*20	*	*12	*	*	*	*11	*	*
338.2	71	*41	*30	*	*32	*31	*	*	*	*	*
338.29	67	*40	*27	*	*31	*	*	*	*	*	*
338.3	*36	*	*	-	*	*	*	*	*	*	*
340	101	*31	71	*	48	46	*	*32	*24	*32	*
342	793	357	437	*	*	263	450	754	*	*	*19
342.9	791	355	437	*	*	262	449	753	*	*	*19
342.90	787	354	433	*	*	260	447	753	*	*	*
343	*21	*	*	*15	*	*	*	*	*	*	*
344	193	124	*69	*	*	121	*	123	*	*40	*
344.0	105	104	*	-	*	*98	*	*	*	*	*
344.00	105	103	*	-	*	*98	*	*	*	*	*
344.1	*67	*	*	-	*	*	*	*	*	*	*
345	553	310	243	108	178	141	127	189	76	164	124
345.1	84	58	*26	*	*52	*22	*	*	*	*	*42
345.10	45	22	*23	*	*15	*20	*	*	*	*	*
345.3	80	55	*25	*30	*16	*	*	*	*	*19	*28
345.4	54	*	*38	*	*	*	*	*	*	*	*
345.40	*29	*	*	*	*	*	*	*	*	*	*
345.5	*28	*	*	*	*	*	*	*	*	*	*
345.50	*18	*	*	*	*	*	*	*	*	*	*
345.8	33	*23	*	*	*	*	*	*	*	*	*
345.80	*19	*	*	*	*	*	*	*	*	*	*
345.9	243	138	105	33	59	77	74	86	45	88	23
345.90	219	130	89	27	45	74	74	76	42	79	*22
345.91	*24	*	*	*	*	*	*	*	*	*	*
346	179	40	139	*	85	77	*	43	55	65	16
346.1	*25	*	*	*	*	*	-	*	*	*	*
346.10	*19	*	*	-	*	*	-	*	*	*	*
346.8	31	*	*18	*	*	*	*	*	*	*	*
346.80	*20	*	*	*	*	*	*	*	*	*	*
346.9	112	*15	96	*	56	46	*	*22	32	49	*9
346.90	74	*14	60	*	35	31	*	*20	*16	32	*
346.91	37	*	36	*	*22	*	*	*	*	*17	*
348	389	173	216	*41	60	134	153	*58	71	141	119
348.0	*48	*	*43	*29	*	*	*	*	*	*	*
348.2	*23	*	*20	*	*19	*	-	*	*	*	*
348.3	210	89	121	*	*	*67	135	*38	*46	80	*46
348.30	73	*39	*33	*	*	*	*30	*	*	*	*
348.31	82	*	*	-	*	*	*61	*	*	*	*
348.39	*55	*	*43	*	*	*	*44	*	*	*	*
349	86	*29	57	*	*20	*	*51	*	*21	*	*
349.0	*15	*	*	*	*	*	-	*	*	*	*
349.8	*63	*	*	*	*	*	*46	*	*	*	*
349.82	*56	*	*	*	*	*	*43	*	*	*	*
351	*16	*	*10	*	*	*	*	*	*	*	*
351.0	*15	*	*10	*	*	*	*	*	*	*	*
354	*46	*	*	-	*	*	*	*	*	*	*
355	*53	*	*36	*	*	*	*	*	*	*	*
356	*24	*	*	*	*	*	*	*	*	*	*
357	*63	*	*	*	*	*	*	*	*	*	*
357.0	*38	*	*	*	*	*	*	*	*	*	*
358	*60	*	*	*	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
358.0	*57	*	*	*	*	*	*	*	*	*	*
362	*13	*	*	*	*	*	*	*	*	*	*
366	*10	*	*	-	*	*	*7	*	-	*	*9
366.9	*8	*	*	-	*	*	*6	*	-	-	*8
368	*25	*	*	*	*	*	*	*	*	*	*
376	*28	*	*	*	*	*	*	*	*	*	*
376.0	*25	*	*	*	*	*	*	*	*	*	*
376.01	*25	*	*	*	*	*	*	*	*	*	*
380	*18	*	*	*	*	*	*	*	*	*	*
382	33	*16	*17	20	*	*	*	*	*	*11	*
382.9	28	*15	*13	18	*	*	*	*	*	*	*
383	*22	*	*	*	*	*	*	*	*	*	*
386	91	*20	71	*	*	26	57	29	26	*20	*16
386.1	50	*14	37	*	*	*15	29	*17	*	*13	*
386.11	30	*	*24	*	*	*	*15	*	*	*	*
386.3	32	*	27	-	*	*	*21	*	*	*	*
386.30	*25	*	*20	-	*	*	*16	*	*	*	*
390-459	26,584	13,285	13,299	192	1,896	7,361	17,136	6,508	5,525	10,231	4,321
396	114	*57	*57	*	*	*	91	*	*	*36	*
396.2	*45	*	*	*	-	*	*41	*	*	*	*
396.3	*34	*	*	*	*	*	*	*	*	*	*
398	228	69	159	-	*	*	190	*52	*47	86	*
398.9	228	69	159	-	*	*	190	*52	*47	86	*
398.91	227	69	158	-	*	*	189	*52	*47	85	*
401	923	371	551	*	119	362	434	248	215	283	177
401.0	79	36	43	-	*20	*22	*38	*	*17	30	*16
401.9	842	335	507	*	99	340	396	230	197	254	161
402	159	54	105	*	*	42	110	*37	*34	71	*
402.9	143	48	96	*	*	35	103	*35	*32	61	*
402.90	*26	*	*20	*	*	*	*	*	*	*	*
402.91	118	42	76	-	*	*30	83	*26	*29	49	*
403	647	295	353	*	163	216	261	165	75	301	106
403.0	82	*41	*42	-	*37	*26	*20	*	*	*41	*
403.00	40	*	*20	-	*	*	*	*	*	*	*
403.01	*43	*	*	-	*	*	*	*	*	*	*
403.9	562	253	309	*	126	189	240	142	67	259	94
403.90	88	*36	52	-	*	*24	54	*31	*	*34	*
403.91	474	217	257	*	116	165	186	111	55	226	82
404	225	101	124	-	*27	60	138	*33	50	108	*34
404.0	*29	*	*	-	*	*	*	*	*	*	*
404.9	195	77	118	-	*	52	127	*31	*44	93	*26
404.91	131	58	73	-	*	*39	84	*	*35	*53	*21
404.93	*28	*	*	-	*	*	*	*	*	*	*
410	2,959	1,702	1,256	*	116	831	2,011	719	631	1,082	527
410.0	75	*41	*	-	*	*36	*34	*	*	*	*
410.01	75	*41	*	-	*	*35	*34	*	*	*	*
410.1	265	167	99	-	*28	117	120	*46	53	130	*36
410.11	264	166	99	-	*28	117	120	*46	53	130	*35
410.2	53	*25	*28	-	*	*	*31	*	*	*	*
410.21	53	*25	*28	-	*	*	*31	*	*	*	*
410.3	*28	*	*	-	*	*	*	*	*	*	*
410.31	*27	*	*	-	*	*	*	*	*	*	*
410.4	310	211	98	-	*	133	165	76	69	102	62
410.41	306	208	98	-	*	130	165	75	67	102	62
410.5	*54	*	*	-	*	*	*	*	*	*	*
410.51	*50	*	*	-	*	*	*	*	*	*	*
410.7	1,870	1,011	858	*	53	455	1,361	477	393	685	315
410.71	1,845	1,002	843	*	53	448	1,344	470	392	670	313
410.8	*47	*27	*	-	*	*	*42	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
410.81	*46	*	*	-	*	*	*41	*	*	*	*
410.9	252	169	82	-	*	40	200	*65	59	74	*54
410.90	*14	*	*	-	*	*	*	*	*	*	*
410.91	209	131	78	-	*	33	165	*31	56	68	*53
411	246	112	134	-	*18	89	139	50	64	76	56
411.1	226	104	122	-	*14	87	124	44	55	75	53
411.8	*18	*	*	-	*	*	*	*	*	*	*
412	24	*11	*13	-	*	*11	*11	*	*	*13	*
413	102	62	40	-	*	49	40	*15	23	40	*25
413.9	97	61	36	-	*	46	38	*14	22	37	*24
414	2,824	1,821	1,003	*	85	1,059	1,680	644	597	1,113	471
414.0	2,755	1,781	974	-	78	1,039	1,637	623	583	1,085	463
414.00	305	205	100	-	*	92	205	100	69	105	31
414.01	2,363	1,518	845	-	69	916	1,378	511	487	946	418
414.02	67	49	*17	-	*	*21	44	*	*19	*24	*13
414.8	52	37	*15	-	*	*15	32	*15	*	*20	*
415	909	338	571	*	153	276	479	193	206	366	144
415.1	905	335	569	*	153	274	477	193	205	364	144
415.11	*48	*	*	-	*	*	*	*	*	*	*
415.19	857	308	549	*	148	244	465	188	199	334	136
416	121	*45	76	*	*	*	52	*	*20	*61	*
416.8	87	*33	*54	*	*	*	*37	*	*	*	*
420	49	*17	*	*	*	*	*	*	*	*	*
420.9	49	*17	*	*	*	*	*	*	*	*	*
420.90	*35	*	*	*	*	*	*	*	*	*	*
421	164	*97	*67	*	*	*60	*65	*68	*	*	*
421.0	164	*97	*67	*	*	*60	*65	*68	*	*	*
423	136	82	54	*	*	*52	62	*32	*26	*65	*
423.9	83	*44	*38	*	*	*33	*32	*	*25	*36	*
424	604	345	258	*	*31	126	436	137	111	218	137
424.0	210	108	102	*	*17	50	143	*46	37	61	67
424.1	355	217	138	*	*	75	268	75	73	140	67
425	224	137	87	*	*27	69	108	69	40	58	56
425.4	205	122	83	*	*25	60	104	65	38	52	50
426	176	88	88	*	*	33	132	34	42	57	43
426.0	91	36	55	*	*	*	75	*	*	*33	*24
426.1	53	29	*24	*	*	*	40	*	*	*17	*
426.13	26	*16	*	-	*	*	*16	*	*	*	*
427	2,992	1,497	1,496	*27	115	668	2,182	804	653	947	588
427.0	72	37	35	*	*	*22	43	*15	*12	35	*
427.1	210	151	59	*	*	45	158	55	46	78	*31
427.3	2,021	976	1,044	*	52	437	1,518	566	434	596	425
427.31	1,822	845	978	*	43	395	1,375	523	413	525	361
427.32	198	131	67	*	*	42	143	43	*21	71	63
427.4	*45	*33	*	-	*	*	*	*	*	*	*
427.41	*45	*33	*	-	*	*	*	*	*	*	*
427.5	50	*29	*21	*	*	*	*26	*	*25	*	*
427.6	22	*	*13	*	*	*	*15	*	*	*	*
427.69	*17	*	*	*	*	*	*	*	*	*	*
427.8	564	258	306	*	41	114	399	137	119	214	93
427.81	235	105	131	*	*	32	199	58	43	97	37
427.89	329	154	175	*	37	81	200	79	76	117	56
428	5,009	2,371	2,638	*	209	1,120	3,657	1,281	1,074	2,006	648
428.0	4,109	1,979	2,130	*	158	927	3,012	1,017	853	1,690	550
428.2	346	189	157	-	*42	75	228	103	98	108	*37
428.20	83	*47	*36	-	*	*	52	*	*	*33	*
428.21	60	*36	*	-	*	*	*43	*	*	*	*
428.22	48	*	*29	-	*	*	*30	*	*	*	*
428.23	155	87	68	-	*	*	104	*	*54	*48	*
428.3	435	134	301	*	*	77	353	133	85	165	52
428.30	196	48	148	-	*	58	136	74	*46	60	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
428.31	71	*	*52	-	*	*	66	*	*	*21	*
428.32	*29	*	*	-	*	*	*27	*	*	*	*
428.33	137	*61	76	*	*	*	123	*	*	*72	*
428.4	91	*	*46	-	*	*	*47	*	*	*	*
428.43	*37	*	*	-	*	*	*	*	*	*	*
429	62	*32	*30	*	*	*	*38	*	*	*34	*
430	285	*97	189	*	*	135	*84	*	*	166	*
431	442	231	211	*	*40	160	241	116	82	152	92
432	241	137	105	*	*	*48	151	*27	*42	112	*61
432.1	203	128	*75	*	*	*39	136	*	*37	*89	*58
432.9	*38	*	*	-	*	*	*	*	*	*	*
433	420	221	200	-	*	111	304	96	101	160	63
433.1	366	195	171	-	*	88	276	84	90	138	54
433.10	227	122	105	-	*	52	173	40	59	95	34
433.11	140	73	67	-	*	*35	103	*	*32	*43	*
434	1,900	814	1,086	*	102	484	1,306	422	432	828	218
434.0	*38	*	*	-	*	*	*	*	*	*	*
434.01	*35	*	*	-	*	*	*	*	*	*	*
434.1	285	123	162	-	*	*63	217	74	*57	101	*53
434.11	274	122	152	-	*	*60	208	64	*57	99	*53
434.9	1,576	673	903	*	91	409	1,069	340	367	708	160
434.90	*25	*	*	-	*	*	*	*	*	*	*
434.91	1,552	655	896	*	81	407	1,055	337	366	689	159
435	471	165	307	*	24	93	353	125	100	178	69
435.8	*18	*	*	-	*	*	*	*	*	*	*
435.9	442	156	286	*	23	88	330	118	95	166	63
437	235	49	186	*	*	57	72	30	*	150	*40
437.2	51	*	*31	-	*	*	*25	*	*	*	*
437.3	61	*	*46	-	*	*28	*	*	*	*	*
437.7	*11	*	*	-	*	*	*	*	*	*	*
438	401	236	165	*	*	108	285	160	*26	*42	173
438.2	223	108	115	-	*	*	174	*88	*	*	*
438.20	207	103	105	-	*	*	160	*78	*	*	*
438.8	119	*75	*44	*	*	*	105	*72	*	*	*
438.89	102	*66	*35	*	*	*	88	*70	*	*	*
440	731	357	374	-	*	184	530	180	117	338	96
440.1	21	*10	*11	-	*	*	*18	*	*	*14	*
440.2	680	331	349	-	*	169	496	171	105	318	86
440.20	*43	*	*	-	-	*	*37	*	*	*	*
440.21	115	50	65	-	*	43	66	*16	*35	43	*21
440.22	101	59	*42	-	*	*28	69	*	*	*53	*
440.23	94	*64	*30	-	*	*	*68	*	*	*55	*
440.24	312	131	182	-	*	*60	250	118	*41	131	*
440.3	*23	*	*	-	*	*	*	*	*	*	*
441	352	236	117	*	*	69	257	70	81	164	*39
441.0	*91	*68	*	*	*	*	*	*	*	*	*
441.01	*62	*	*	*	*	*	*	*	*	*	*
441.2	*38	*	*	-	*	*	*	*	*	*	*
441.4	163	115	*48	-	-	*22	142	*36	*32	80	*
442	*60	*38	*	-	*	*	*	*	*	*	*
442.3	*38	*	*	-	*	*	*	*	*	*	*
443	135	80	55	*	*	*32	94	*46	*44	*37	*
443.9	112	68	*44	-	*	*	83	*40	*	*31	*
444	202	65	138	*	*	*53	122	*61	*47	75	*
444.2	140	*38	102	-	*	*30	85	*	*	*42	*
444.22	122	*36	*87	-	*	*29	*69	*	*	*38	*
444.8	*38	*	*	*	*	*	*	*	*	*	*
446	130	*55	*76	*	*	*	*	*70	*	*	*
447	51	*29	*22	-	*	*	*23	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
447.1	*25	*	*	-	*	*	*15	*	*	*	*
451	62	*	*31	-	*	*	*28	*	*	*	*
451.0	*30	*	*	-	*	*	*	*	*	*	-
453	793	390	403	*	104	264	421	176	159	352	106
453.4	658	320	339	*	75	206	377	152	142	292	73
453.40	84	*30	54	-	*	*25	49	*	*15	*33	*
453.41	402	219	183	-	44	147	211	92	84	182	44
453.42	172	70	102	*	*	*34	117	*36	*43	77	*
453.8	113	61	52	*	*24	52	*38	*	*	*46	*
455	88	42	45	-	*15	*19	54	28	*19	*27	*
455.2	55	*27	*28	-	*	*	38	*18	*	*19	*
456	*39	*	*	-	*	*	*	*	*	*	*
458	357	176	181	*	*17	79	260	85	78	154	40
458.0	153	69	85	*	*	*24	123	*34	33	72	*
458.2	48	*21	*27	-	*	*17	32	*	*	*18	*
458.29	41	*20	*21	-	*	*	26	*	*	*17	*
458.9	137	75	62	*	*	*33	95	*37	32	55	*
459	150	58	93	*	*	*63	81	*25	*48	*61	*
459.0	*51	*	*	-	*	*	*	*	*	*	*
459.8	90	*29	*61	-	*	*	*41	*	*	*	*
459.81	84	*27	*57	-	*	*	*38	*	*	*	*
460-519	16,857	7,752	9,105	1,785	1,416	4,242	9,415	4,063	3,826	6,253	2,715
461	49	*	*27	*	*	*	*	*	*	*	*
462	20	*	*13	*	*	*	*	*	*	*	*
463	*13	*	*	*	*9	*	*	*	*	*	*
464	56	33	22	30	*	*	*	*	*17	*16	*10
464.4	24	17	*7	23	*	-	-	*	*	*	*7
465	71	36	35	42	*	*11	*	*14	*10	*19	28
465.9	69	34	35	41	*	*11	*	*14	*9	*19	27
466	606	313	293	402	28	60	116	127	92	236	151
466.0	205	81	124	*22	26	51	107	50	41	85	*28
466.1	401	233	168	380	*	*	*	76	51	150	123
466.11	256	141	114	251	*	*	*	43	27	99	86
466.19	145	91	54	130	*	*	*	33	*24	51	37
473	32	*15	*17	*	*	*	*	*	*	*21	*
473.9	*14	*	*	*	*	*	*	*	*	*	*
474	20	*8	*12	*15	*	*	-	*	*	*	*
474.1	*13	*	*	*12	*	-	-	*	*	*	*
474.10	*11	*	*	*11	*	-	-	*	*	*	*
475	36	21	*15	*	*20	*	*	*	*	*	*
478	126	94	*32	*33	*	*	*	*	*	*35	*
478.1	*15	*	*	*	*	*	*	*	*	*	*
478.19	*15	*	*	*	*	*	*	*	*	*	*
480	74	35	39	43	*	*	*	*	*14	*24	*26
480.1	*20	*	*	*	*	-	-	*	*	*	*
480.9	46	*19	*27	*20	*	*	*	*	*	*	*
481	136	66	70	*	*	*43	81	*	*38	*50	*
482	596	269	326	*	*37	149	382	133	151	227	84
482.1	142	*52	*90	*	*	*	82	*	*	*66	*
482.4	249	113	136	*	*	*	179	*	*66	102	*
482.41	232	110	122	*	*	*	162	*	*63	89	*
482.8	74	*38	*	*	*	*	*47	*	*32	*	*
482.83	*56	*	*	*	*	*	*34	*	*	*	*
482.9	69	*33	*37	*	*	*	*41	*26	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
483	*30	*	*	*	*	*	*	*	*	*	*
483.0	*25	*	*	*	*	*	*	*	*	*	*
485	62	*25	*37	*	*	*	*30	*	*	*25	*
486	4,386	1,987	2,399	349	347	883	2,807	965	1,249	1,549	622
487	95	31	64	*18	*	*	*57	*	*30	*27	*
487.0	45	*	*	*	*	*	*29	*	*26	*	*
487.1	46	*14	*32	*11	*	*	*	*	*	*14	*
490	68	*15	53	*	*	*23	36	*	*20	29	*
491	2,225	979	1,246	*	77	647	1,496	529	546	857	292
491.2	2,207	970	1,237	*	74	643	1,483	528	541	851	286
491.20	75	*26	49	-	*	*	55	*	*	46	*
491.21	1,779	794	985	*	59	533	1,181	426	463	651	240
491.22	353	150	203	-	*	94	247	90	75	154	*34
492	113	66	*47	*	*	*41	66	*41	*27	*	*
492.8	100	54	*46	-	*	*34	64	*36	*26	*	*
493	1,562	556	1,005	360	270	486	446	474	251	555	282
493.0	119	62	58	100	*	*	*	*20	*	*	80
493.00	*16	*	*	*	*	*	*	*	*	*	*
493.01	*19	*	*	*16	*	*	*	*	*	*	*
493.02	84	43	41	71	*	*	*	*	*	*	64
493.2	650	189	461	*	69	277	303	192	129	232	98
493.20	103	*45	58	-	*	*28	65	*23	*	*29	*36
493.22	531	141	389	*	56	241	234	165	110	195	61
493.9	779	302	477	256	187	194	141	259	112	307	101
493.90	183	71	112	51	29	45	58	58	24	75	26
493.91	135	64	72	88	*17	*24	*	50	*	59	*
493.92	461	167	294	117	141	125	77	151	75	174	60
494	*45	*	*33	*	*	*	*	*	*	*	*
494.1	*33	*	*	*	*	*	*	*	*	*	*
496	429	221	208	*	*	136	269	100	128	115	87
507	1,262	669	593	*39	87	228	907	326	265	532	139
507.0	1,259	668	591	*39	87	228	905	326	265	530	139
510	147	120	*	*	*	*55	*	*	*	*60	*
510.9	117	93	*	*	*	*43	*	*	*	*	*
511	484	208	276	*	*31	109	332	104	113	206	60
511.0	*17	*	*	-	*	*	*	*	*	*	*
511.8	*61	*	*	*	*	*	*	*	*	*	*
511.9	403	155	248	*	*	79	296	91	99	174	*40
512	176	99	77	*	46	*61	60	*31	60	*50	*35
512.1	*43	*	*31	*	*	*	*	*	*	*	*
512.8	105	60	*45	*	*41	*	*	*	*29	*33	*
513	*46	*	*	*	*	*	*	*	*	*	*
513.0	*45	*	*	*	*	*	*	*	*	*	*
514	*28	*	*18	*	*	*	*	*	*	*19	*
515	186	73	114	*	*	*	147	*45	40	64	*37
516	*41	*	*29	*	*	*	*	*	*	*	*
516.8	*30	*	*	*	*	*	*	*	*	*	*
518	3,486	1,633	1,853	282	243	1,083	1,878	854	620	1,336	675
518.0	81	60	*21	*	*	*	*51	*	*	*	*
518.5	154	121	*	*	*	*	*54	*	*	*	*
518.8	3,211	1,431	1,779	266	205	986	1,754	815	548	1,278	569
518.81	2,529	1,082	1,447	198	167	728	1,435	640	427	996	466
518.82	*33	*	*	*	*	*	*	*	*	*	*
518.83	77	*	*43	*	*	*36	*	*	*	*43	*
518.84	505	258	247	*	*	201	243	114	98	206	*88
518.89	67	*38	*29	*	*	*	*39	*	*	*28	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
519	83	*23	60	*17	*	*38	*20	*	*18	*35	*
519.0	*45	*	*	*	*	*	*	*	*	*	*
519.1	*24	*	*	*	*	*	*	*	*	*	*
520-579	15,292	7,022	8,270	875	3,003	4,891	6,522	3,551	3,180	5,530	3,031
522	*16	*	*	*	*	*	*	*	*	*	*
522.5	*14	*	*	*	*	*	*	*	*	*	*
524	*19	*	*10	*	*12	*	*	*	*	*	*
524.0	*11	*	*	*	*	*	-	*	*	*	*
527	*42	*	*31	*	*	*	*	*	*	*	*
527.2	*31	*	*	*	*	*	*	*	*	*	*
528	66	*47	*19	*	*27	*	*	*	*	*25	*
528.3	*27	*24	*	*	*	*	*	*	*	*	*
530	666	294	372	148	89	183	246	169	103	203	191
530.0	*21	*	*	-	*	*	*	*	*	*	*
530.1	85	30	54	*	*	29	44	*	*22	*27	*
530.10	*16	*	*	-	*	*	*	*	*	*	*
530.11	*28	*	*23	*	*	*	*	*	*	*	*
530.19	38	*22	*	*	*	*	*	*	*	*	*
530.2	64	52	*	-	*	*	*40	*	*	*	*26
530.20	*22	*	*	-	*	*	*	*	*	*	*
530.21	42	*35	*	-	*	*	*30	*	*	*	*
530.3	*31	*	*	*	*	*	*	*	*	*	*
530.5	*17	*	*	-	*	*	*	*	*	*	*
530.7	63	37	*26	*	*	*26	*24	*	*	*19	*19
530.8	361	128	233	146	45	81	88	91	44	114	112
530.81	319	103	216	143	42	73	60	76	38	97	107
531	319	135	184	*	46	87	184	60	80	125	54
531.0	*40	*	*	-	*	*	*29	*	*	*	*
531.00	*40	*	*	-	*	*	*29	*	*	*	*
531.4	180	83	97	*	*15	50	115	*29	50	73	*28
531.40	177	80	97	*	*15	46	115	*29	50	70	*27
531.9	40	*	*26	-	*	*	*	*	*	*	*
531.90	38	*	*24	-	*	*	*	*	*	*	*
532	282	144	138	*	*30	86	166	65	72	97	48
532.0	*32	*	*	-	*	*	*	*	*	*	*
532.00	*32	*	*	-	*	*	*	*	*	*	*
532.4	153	85	68	-	*	49	91	*41	*38	48	*26
532.40	149	81	68	-	*	49	87	*41	*34	48	*26
532.9	*28	*	*	*	*	*	*	*	*	*	*
532.90	*26	*	*	*	*	*	*	*	*	*	*
533	*41	*	*22	-	*	*	*27	*	*	*	*
534	*30	*	*20	-	*	*	*	*	*	*	*
535	407	152	255	*	74	128	196	92	97	153	66
535.0	60	*22	38	*	*	*18	*28	*18	*	*25	*
535.00	44	*15	29	*	*	*	*17	*15	*	*	*
535.1	35	*	*28	*	*	*	*	*	*	*	*
535.10	*26	*	*22	*	*	*	*	*	*	*	*
535.3	*21	*14	*	-	*	*	*	*	*	*	*
535.4	141	50	92	*	*22	39	80	*28	*31	50	*33
535.40	79	*16	63	*	*17	*22	*41	*	*21	*25	*
535.41	62	*33	*29	*	*	*	*39	*	*	*25	*
535.5	133	52	81	*	*24	48	59	*30	40	54	*
535.50	88	28	60	*	*21	28	36	*23	26	31	*
535.51	45	*	*21	*	*	*	*23	*	*	*	*
536	281	64	217	*31	50	63	137	64	39	142	36
536.2	57	*21	36	*	*16	*	*	*	*	*31	*
536.3	66	*	56	*	*	*	*	*	*	*40	*
536.4	139	*	114	*	*	*	*93	*	*	*	*
536.42	*51	*	*	*	*	*	*	*	*	*	*
536.8	*19	*	*12	*	*	*	*	*	*	*	*
537	146	70	76	*	*	*49	81	*35	*	*52	*37
537.0	*36	*	*	*	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
537.8	98	46	*52	*	*	*28	65	*26	*	*30	*
537.83	73	*40	*32	-	*	*	48	*	*	*	*
540	899	587	313	240	336	145	178	141	181	311	267
540.0	287	201	86	93	84	40	*70	*40	57	116	75
540.1	253	174	79	75	58	*44	*75	*33	*44	85	91
540.9	360	212	148	72	194	61	33	68	81	110	101
541	*18	*	*	*	*11	*	*	*	*	*	*
550	140	121	*	*10	*17	31	81	34	31	54	*20
550.1	77	67	*	*	*	*20	*40	*	*	40	*
550.10	62	58	*	*	*	*19	*28	*	*	*36	*
550.9	56	49	*	*	*	*	35	*14	*18	*14	*
550.90	38	32	*	*	*	*	*24	*	*	*	*
552	254	98	156	*	37	85	131	63	56	111	*24
552.1	*31	*	*	*	*	*	*	*	*	*	*
552.2	172	64	108	*	*26	66	80	*43	*39	76	*
552.20	*40	*	*23	-	*	*	*	*	*	*	*
552.21	104	43	61	*	*	45	*49	*26	*	47	*
552.29	*28	*	*24	*	*	*	*	*	*	*	*
553	354	148	206	*	82	127	121	71	88	103	92
553.1	*23	*	*	*	*	*	*	*	*	*	*
553.2	263	125	137	*	60	99	85	53	69	82	59
553.20	58	*24	*35	*	*	*	*	*	*	*13	*
553.21	175	78	97	*	*47	77	52	*25	48	64	38
553.29	*29	*	*	*	*	*	*	*	*	*	*
553.3	55	*	44	*	*	*	*28	*	*	*	*24
555	255	100	156	*	167	47	*30	52	58	113	*32
555.0	64	*	48	*	*41	*	*	*	*	*	*
555.1	*47	*	*	*	*	*	*	*	*	*	*
555.2	*53	*	*	*	*46	*	*	*	*	*	*
555.9	92	43	49	*	50	*23	*	*21	*22	38	*
556	183	93	89	*	82	50	*37	57	*	*54	*57
556.6	*61	*	*	*	*	*	*	*	*	*	*
556.9	67	*28	*39	*	*27	*	*	*	*	*	*30
557	372	90	282	*	*27	91	233	117	111	94	*51
557.0	163	*57	106	*	*	*	79	*	*48	*35	*
557.9	179	*27	153	-	*	*41	135	*60	*57	*44	*
558	523	194	329	72	92	142	217	123	94	240	65
558.9	491	179	313	68	92	128	204	114	88	228	61
560	1,878	835	1,043	67	199	586	1,027	391	522	606	360
560.0	*27	*	*	*	*	*	*	*	*	*	*
560.1	284	131	153	*	*27	71	176	50	53	127	*54
560.2	*62	*	*	*	*	*	*	*	*	*	*
560.3	114	34	81	*	*	*24	74	*23	*23	53	*
560.39	112	33	79	*	*	*24	72	*22	*23	52	*
560.8	878	420	459	*	100	293	469	177	275	264	162
560.81	692	323	369	*	81	218	383	138	206	224	125
560.89	186	97	89	*	*	*75	86	*39	*69	*40	*38
560.9	512	207	305	*	57	174	275	105	157	133	116
562	1,316	536	780	*	174	440	700	304	332	456	225
562.1	1,300	525	775	*	174	437	687	301	332	450	218
562.10	97	52	*45	*	*	*42	*45	*	*	*36	*
562.11	945	356	590	*	162	350	432	226	252	314	154
562.12	208	92	116	-	*	*28	179	43	43	86	*36
562.13	50	*25	*25	*	*	*	*31	*	*	*	*
564	210	64	146	*19	59	43	89	64	53	57	35
564.0	128	47	81	*15	*21	*23	70	48	34	24	22
564.00	81	*23	59	*13	*14	*15	40	*26	*24	*16	*15
564.09	46	*25	*22	*	*	*	*30	*	*	*	*
564.1	51	*	39	*	*28	*	*	*	*	*24	*
566	115	84	*31	*	34	61	*	*	*19	64	*
567	263	138	125	*	*60	96	99	*	*51	87	97

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
567.2	218	113	105	*	*52	*79	*81	*	*39	*73	*85
567.22	111	*55	*56	*	*	*	*	*	*	*	*
567.23	*32	*	*	-	*	*	*	*	*	*	*
568	79	*	66	*	*	43	*	*	*	*32	*18
568.0	50	*	43	*	*	*33	*	*	*	*27	*
568.8	*28	*	*	*	*	*	*	*	*	*	*
569	647	311	336	*	112	152	365	149	152	253	92
569.1	*33	*	*28	-	*	*	*	*	*	*	*
569.3	85	43	42	*	*	*19	61	*28	*13	*28	*17
569.4	*38	*	*	*	*	*	*	*	*	*	*
569.5	*41	*	*	-	*	*	*	*	*	*	*
569.6	94	*30	64	*	*	*	*52	*	*	*34	*
569.69	66	*	*47	*	*	*	*39	*	*	*	*
569.8	333	185	148	*	*62	84	173	*68	78	152	*36
569.81	*92	*	*	*	*	*	*	*	*	*	*
569.83	*94	*	*	-	*	*	*53	*	*	*	*
569.85	93	51	*42	-	*	*	70	*28	*	*	*
570	*41	*	*	*	*	*	*	*	*	*	*
571	699	462	237	*	125	437	134	177	83	232	208
571.1	82	*52	*	-	*	*51	*	*	*	*	*
571.2	321	255	66	-	*44	241	*36	*69	*42	121	90
571.5	213	112	101	*	*	122	71	*54	*	74	69
572	267	182	85	*	*	150	63	74	*47	80	66
572.2	181	108	73	*	*	123	43	*47	*41	67	*27
573	76	*50	*26	*	*	*	*38	*	*	*	*
573.3	*31	*	*	*	*	*	*	*	*	*	*
574	1,217	458	759	*	299	308	604	269	243	459	246
574.0	469	198	271	*	100	133	232	103	87	174	105
574.00	429	179	250	*	96	126	204	96	83	162	88
574.01	*40	*	*	-	*	*	*	*	*	*	*
574.1	317	91	227	*	97	81	139	71	73	127	45
574.10	310	90	220	*	95	79	135	71	71	125	42
574.2	96	34	62	*	*20	*19	55	*25	*22	40	*
574.20	94	33	61	*	*20	*19	54	*24	*22	40	*
574.5	93	*35	57	*	*	*21	61	*	*	*29	*
574.50	59	*	35	*	*	*	*43	*	*	*	*
574.51	*34	*	*23	-	*	*	*	*	*	*	*
574.6	55	*	*37	-	*	*	*	*	*	*	*
574.60	*45	*	*33	-	*	*	*	*	*	*	*
574.7	65	*	*41	*	*	*	*	*	*	*	*
574.70	*45	*	*30	*	*	*	*	*	*	*	*
574.8	*50	*	*	-	*	*	*	*	*	*	*
574.9	*33	*	*	-	*	*	*	*	*	*	*
575	312	118	195	*	73	95	109	79	63	114	56
575.0	122	68	53	-	26	43	53	*28	31	42	*21
575.1	108	*35	73	*	36	*25	48	*	*22	47	*27
575.10	*18	*	*	*	*	*	*	*	*	*	*
575.11	62	*	41	*	*	*	*31	*	*	*32	*
575.12	*28	*	*	-	*	*	*	*	*	*	*
575.8	73	*	66	*	*11	*	*	*	*	*23	*
576	142	67	75	*	*	48	73	*28	*25	55	*34
576.1	48	*	*27	*	*	*	*33	*	*	*	*
576.2	55	*32	*23	*	*	*	*25	*	*	*	*
576.8	38	*	*25	*	*	*	*	*	*	*	*
577	1,610	846	764	*	435	807	356	367	275	630	338
577.0	1,431	756	675	*	376	718	326	337	256	528	310
577.1	115	62	52	*	*49	*51	*	*	*	80	*
577.2	*41	*	*	*	*	*	*	*	*	*	*
578	903	369	534	*	87	159	653	315	171	317	101
578.0	71	39	*32	*	*17	*	37	*24	*	*23	*
578.1	151	47	104	*	*	35	107	37	*30	72	*
578.9	682	284	397	*	*63	108	509	253	129	222	78
579	118	*	*96	*	*	*	*	*	*	*54	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
579.3	*92	*	*75	*	*	*	*	*	*	*	*
580-629	8,562	3,032	5,529	209	1,467	2,183	4,703	1,937	1,882	3,282	1,461
581	*39	*	*	*	*	*	*	*	*	*	*
584	2,449	1,119	1,330	*	192	607	1,642	588	451	1,028	381
584.5	209	101	108	*	*	*81	108	*	*	*63	*66
584.9	2,227	1,009	1,218	*	171	519	1,530	550	404	963	309
585	557	265	292	*	54	206	293	207	117	132	100
585.6	250	108	143	*	*43	120	84	68	*	80	61
585.9	274	138	135	*	*	76	187	131	72	38	*32
586	*35	*	*	-	*	*	*	*	*	*	*
590	463	95	368	64	177	83	140	95	91	178	99
590.1	168	39	129	*18	70	*29	52	35	47	49	37
590.10	168	39	129	*18	70	*29	52	35	47	49	37
590.8	272	53	219	46	97	45	85	51	39	123	59
590.80	272	53	219	46	97	45	85	51	39	123	59
591	54	*28	*26	*	*25	*	*	*22	*	*	*
592	339	160	180	*	111	145	81	76	75	143	45
592.0	141	59	82	*	48	63	29	30	32	60	*19
592.1	197	100	96	*	63	81	52	46	42	83	26
593	153	77	76	*19	*	57	60	*24	*23	79	*28
593.4	*31	*	*18	*	*	*	*	*	*	*	*
593.8	*30	*	*	*	*	*	*	*	*	*	*
593.9	65	36	*29	*	*	*22	41	*	*14	*35	*
595	111	*40	71	*	*	*	71	*35	*	*37	*
595.0	*30	*	*	*	*	*	*	*	*	*	*
595.9	*40	*	*33	*	*	*	*	*	*	*	*
596	124	102	*	*	*	*	85	*33	*	*28	*
596.0	*23	*21	*	*	-	*	*	*	*	*	*
599	2,526	746	1,780	64	161	415	1,886	556	672	876	423
599.0	2,388	661	1,727	60	145	383	1,800	528	637	831	393
599.7	102	65	37	*	*14	*21	62	*21	*25	33	*23
600	151	151	-	-	*	33	118	36	26	58	32
600.0	137	137	-	-	*	28	110	34	*24	54	26
600.00	25	25	-	-	-	*	*22	*	*	*	*
600.01	112	112	-	-	*	25	87	*21	*23	48	21
601	*20	*20	-	-	*	*	*	*	*	*	*
604	*31	*31	-	*	*	*	*	*	*	*	*
604.9	*22	*22	-	*	*	*	*	*	*	*	*
607	*28	*28	-	*	*	*	*	*	*	*	*
608	66	66	-	*	*	*36	*	*	*	*30	*
608.4	*43	*43	-	*	*	*	*	*	*	*	*
611	61	*	56	*	23	*16	*	*	*	*29	*
611.0	*41	*	*36	*	*	*	*	*	*	*	*
611.1	*6	-	*6	-	*	*	*	*	*	*	*
614	137	-	137	*	88	*45	*	*34	*19	59	*24
614.2	*38	-	*38	-	*16	*	-	*	*	*	*
614.6	32	-	32	-	*23	*	*	*	*	*21	*
614.9	*22	-	*22	*	*19	*	*	*	*	*	*
616	59	-	59	*	*24	*24	*	*	*	*25	*
616.0	*9	-	*9	-	*	*	*	*	*	*	*
616.1	*18	-	*18	*	*	*	*	*	*	*	*
616.10	*18	-	*18	*	*	*	*	*	*	*	*
616.4	*29	-	*29	*	*	*	*	*	*	*	*
617	124	-	124	-	93	28	*	*15	25	61	23

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
617.0	72	-	72	-	53	*18	*	*	*	39	*12
617.1	*20	-	*20	-	*17	*	*	*	*	*	*
617.3	*20	-	*20	-	*16	*	-	*	*	*	*
618	266	-	266	-	35	127	104	34	76	101	55
618.0	87	-	87	-	*12	41	34	*	23	36	19
618.01	53	-	53	-	*	27	19	*	*11	23	*13
618.04	24	-	24	-	*	*11	*	*	*	*10	*
618.1	*14	-	*14	-	*	*	*	*	*	*	*
618.2	39	-	39	-	*	22	*	*	*12	*	*
618.3	31	-	31	-	*	*	*23	*	*	*	*
618.4	31	-	31	-	*	*19	*	*	*	*11	*
618.5	46	-	46	-	*	21	23	*	*11	22	*
618.8	*14	-	*14	-	*	*	*	*	*	*	*
618.89	*13	-	*13	-	*	*	*	*	*	*	*
619	*25	-	*25	*	*	*	*	*	*	*	*
620	173	-	173	*	126	36	*	31	28	76	38
620.1	33	-	33	*	*27	*	*	*	*	*	*
620.2	98	-	98	*	74	*20	*	*14	*16	43	25
621	41	-	41	*	*14	*17	*	*	*	*17	*
621.3	22	-	22	*	*	*12	*	*	*	*	*
621.33	*13	-	*13	*	*	*	*	*	*	*	*
622	24	-	24	-	*9	*	*	*	*	*16	*
622.1	*19	-	*19	-	*	*	*	*	*	*	*
625	125	-	125	*	81	34	*9	*16	30	53	26
625.3	30	-	30	-	26	*	-	*	*	*13	*8
625.6	39	-	39	-	*10	20	*	*	*15	*	*8
625.9	44	-	44	-	37	*	*	*	*	24	*
626	206	-	206	*	139	66	*	24	69	79	34
626.2	154	-	154	*	104	50	-	*17	54	56	27
626.8	43	-	43	*	31	*10	*	*	*11	20	*
627	*23	-	*23	-	*	*15	*	*	*	*	*
627.1	*17	-	*17	-	*	*	*	*	*	*	*
630-677	1,428	-	1,428	*40	1,380	*	-	254	247	639	288
632	26	-	26	*	25	*	-	*	*	*15	*
633	54	-	54	-	54	-	-	*10	*	29	*
633.1	47	-	47	-	47	-	-	*8	*	25	*
633.10	46	-	46	-	46	-	-	*	*	25	*
634	39	-	39	*	38	*	-	*7	*	*15	*10
634.9	18	-	18	*	17	*	-	*	*	*	*
634.91	*13	-	*13	-	*12	*	-	*	*	*	*
641	39	-	39	-	39	*	-	*	*	*	*
642	77	-	77	-	77	-	-	*	*	49	*13
642.3	19	-	19	-	19	-	-	*	*	*9	*
642.33	17	-	17	-	17	-	-	*	*	*9	*
642.4	27	-	27	-	27	-	-	*	*	*17	*
642.43	*22	-	*22	-	*22	-	-	*	*	*	*
643	79	-	79	-	79	-	-	*	*	46	*
643.0	40	-	40	-	40	-	-	*	*	*20	*
643.03	40	-	40	-	40	-	-	*	*	*20	*
643.1	28	-	28	-	28	-	-	*	*	*19	*
643.13	28	-	28	-	28	-	-	*	*	*19	*
643.2	*9	-	*9	-	*9	-	-	*	*	*	*
643.23	*9	-	*9	-	*9	-	-	*	*	*	*
644	297	-	297	*	296	*	-	46	80	128	43
644.0	284	-	284	*	283	*	-	*42	79	122	41
644.03	284	-	284	*	283	*	-	*42	79	122	41
644.1	13	-	13	*	13	-	-	*	*	*6	*
644.13	13	-	13	*	13	-	-	*	*	*6	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
646	147	-	147	*	144	-	-	*24	26	67	30
646.6	100	-	100	*	98	-	-	*16	*19	42	*22
646.63	94	-	94	*	92	-	-	*14	*18	41	*21
646.8	36	-	36	*	36	-	-	*	*	19	*
646.83	34	-	34	*	33	-	-	*	*	18	*
647	*17	-	*17	-	*17	-	-	*	*	*	*
648	280	-	280	*	252	*	-	75	34	125	47
648.0	*22	-	*22	-	*22	-	-	*	*	*	*
648.03	*22	-	*22	-	*22	-	-	*	*	*	*
648.2	*10	-	*10	*	*	-	-	*	*	*	*
648.4	81	-	81	*	54	-	-	*	*	*	*
648.43	64	-	64	*	*37	-	-	*	*	*	*
648.9	138	-	138	-	138	*	-	26	*17	69	25
648.93	136	-	136	-	136	*	-	26	*16	68	25
654	87	-	87	-	87	-	-	*	*	*	*
654.5	*46	-	*46	-	*46	-	-	*	*	*	*
654.53	*46	-	*46	-	*46	-	-	*	*	*	*
658	34	-	34	-	30	*	-	*	*	*19	*
659	30	-	30	*	28	*	-	*	*	*	*
659.7	*20	-	*20	-	*20	-	-	*	*	*	*
659.73	*20	-	*20	-	*20	-	-	*	*	*	*
666	*10	-	*10	-	*10	-	-	*	*	*	*
670	*20	-	*20	-	*20	-	-	*	*	*	*
670.0	*20	-	*20	-	*20	-	-	*	*	*	*
670.04	*20	-	*20	-	*20	-	-	*	*	*	*
674	82	-	82	*	79	*	-	*	*	*29	*
674.3	*45	-	*45	-	*45	-	-	*	*	*	*
674.34	*45	-	*45	-	*45	-	-	*	*	*	*
680-709	3,638	1,924	1,714	229	906	1,208	1,296	792	770	1,507	569
681	142	87	*55	*	*28	65	*45	*	*31	65	*30
681.0	75	39	*35	*	*23	*30	*	*	*17	*37	*
681.00	67	37	*	*	*20	*25	*	*	*	*36	*
681.1	67	*47	*	*	*	*	*25	*	*	*	*
681.10	66	*47	*	*	*	*	*25	*	*	*	*
682	2,334	1,168	1,166	131	579	828	796	553	506	919	356
682.0	149	75	74	22	53	49	*25	*25	*	78	*27
682.1	61	*45	*	*	*	*	*	*	*	*	*
682.2	255	110	146	*21	86	111	*37	58	*52	103	42
682.3	199	92	106	*	88	53	53	54	43	72	*30
682.4	96	48	47	*	*26	38	*25	*25	*17	*32	*21
682.5	104	*34	70	28	*26	*33	*	*25	*	46	*17
682.6	1,207	611	596	32	220	437	518	285	298	453	172
682.7	221	130	90	*	*47	80	89	60	*40	93	*
682.8	*30	*	*	*	*	*	*	*	*	*	*
686	*30	*	*	*	*	*	*	*	*	*	*
691	*11	*	*	*11	*	*	-	*	*	*	*8
692	*24	*	*	*	*	*	*	*	*	*	*
693	*22	*	*	*	*	*	*	*	*	*	*
693.0	*21	*	*	*	*	*	*	*	*	*	*
695	*55	*34	*	*	*	*	*	*	*	*	*
695.1	*45	*	*	*	*	*	*	*	*	*	*
701	*21	*	*	*	*	*	*	*	*	*18	*
701.4	*18	*	*	*	*	*	*	*	-	*17	*
707	798	461	337	*	198	211	386	180	174	340	104
707.0	534	323	210	*	169	*99	264	94	100	258	*82
707.03	293	194	99	*	*	*	147	*55	*	141	*
707.04	*93	*	*52	-	*	*	*	*	*	*62	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
707.05	*50	*	*	*	*	*	*	*	*	*	*
707.07	*63	*	*	-	*	*	*42	*	*	*	*
707.1	251	131	120	*	*28	105	116	85	72	73	*
707.15	97	*54	*43	*	*	*43	*37	*35	*32	*	*
707.19	*50	*	*	*	*	*	*	*	*	*	*
708	*14	*	*	*	*	*	*	*	*	*	*
709	62	38	24	*	*	*26	23	*	*	53	*
709.2	57	37	20	*	*	*25	22	*	*	52	*
710-739	7,719	3,186	4,532	120	990	2,757	3,852	1,775	1,728	2,531	1,685
710	151	*	133	*	80	*45	*	*	*39	53	*
710.0	108	*	94	*	64	*34	*	*	*32	*45	*
711	191	97	94	*	*42	*40	99	*53	*51	*62	*
711.0	183	94	89	*	*35	*	99	*53	*50	*57	*
711.06	89	*41	*48	*	*	*	*61	*	*	*	*
711.07	*31	*	*	*	*	*	*	*	*	*	*
714	106	*	90	*	*	*22	*70	*58	*	*24	*
714.0	88	*	78	-	*	*19	*62	*56	*	*	*
715	2,639	1,020	1,619	*	57	921	1,660	527	704	915	492
715.1	166	60	106	-	*	57	107	*34	*20	63	48
715.15	48	*21	*26	-	*	*	*33	*	*	*	*
715.16	115	37	78	-	*	42	74	*22	*	46	35
715.2	*19	*	*	-	*	*	*	*	*	*	*
715.3	1,680	663	1,017	*	*24	616	1,038	302	452	602	323
715.31	32	17	*15	-	*	*9	22	*	*	*	*
715.35	459	220	239	*	*	185	261	94	134	141	90
715.36	1,176	421	755	-	*	419	745	201	305	446	224
715.9	761	282	479	-	*29	234	498	180	225	245	112
715.90	*31	*	*27	-	*	*	*26	*	*	*	*
715.91	*22	*	*	-	*	*	*15	*	*	*	*
715.95	215	102	113	-	*	56	150	63	69	54	*29
715.96	457	168	289	-	*20	163	274	76	137	169	75
716	59	*27	32	*	*	*18	32	*16	*	*26	*
716.1	*16	*	*	-	*	*	*	*	*	*	*
716.9	37	*	*23	-	*	*	*23	*	*	*	*
717	*50	*	*	-	*	*	*	*	*	*	*
718	*21	*	*13	*	*	*	*	*	*	*	*
719	295	168	127	*	*15	82	190	176	31	45	42
719.0	*14	*	*	*	*	*	*	*	*	*	*
719.4	81	*18	63	*	*	*20	47	*	*23	33	*
719.41	*13	*	*	-	*	*	*	*	*	*	*
719.45	32	*	27	*	*	*	*24	*	*	*	*
719.46	*16	*	*	*	*	*	*	*	*	*	*
719.7	182	135	*	*	*	*	134	162	*	*	*
721	388	208	180	*	37	144	207	96	90	117	85
721.0	80	36	44	-	*	43	*29	*	*	36	*11
721.1	89	59	*29	-	*	41	*44	*	*	*29	*
721.3	169	75	94	*	*23	53	94	*39	46	*38	46
722	989	441	549	*	259	416	314	145	210	389	245
722.0	73	40	33	-	25	40	*	*13	*11	35	*14
722.1	369	189	181	*	119	137	113	70	73	151	74
722.10	362	184	178	*	115	136	111	69	72	150	71
722.4	28	*14	*14	-	*	17	*	*	*	*	*11
722.5	316	125	192	-	60	143	114	*31	69	114	102
722.52	313	123	190	-	59	142	112	*31	69	111	102
722.7	91	34	56	-	*	34	*41	*	*22	36	*
722.71	54	*20	34	-	*	*23	*24	*	*	*21	*
722.73	*22	*	*	-	*	*	*	*	*	*	*
722.8	37	*	*32	-	*	*	*	*	*	*25	*
722.83	*33	*	*28	-	*	*	*	*	*	*22	*
722.9	71	*	*41	*	*	*26	*	*	*	*20	*
722.93	*64	*	*38	*	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
723	98	24	75	*	*	59	27	*18	*16	28	*36
723.0	30	*13	*	-	*	*14	*	*	*	*	*
723.1	24	*	*19	*	*	*	*	*	*	*	*
723.4	*42	*	*37	-	*	*	*	*	*	*	*
724	634	243	391	*	61	171	401	146	118	191	179
724.0	309	123	186	-	*	84	213	72	66	114	57
724.02	273	120	154	-	*	72	190	58	59	104	52
724.2	117	54	63	*	*21	50	45	*	27	35	*40
724.4	78	*23	*55	-	*	*	*62	*	*	*22	*
724.5	96	*21	75	*	*	*	62	*	*	*	*61
726	128	63	65	*	*33	60	35	*	*22	*23	68
726.1	*23	*	*15	-	*	*	*15	*	*	*	*
726.10	*21	*	*	-	*	*	*14	*	*	*	*
727	47	*23	*24	*	*	*25	*	*	*	*	*
727.0	*25	*	*	*	*	*	*	*	*	*	*
728	322	148	174	*	52	143	124	99	*64	92	67
728.8	307	141	166	*	51	139	114	90	*63	87	66
728.86	102	*	*	*	*	*74	*	*	*	*	*
728.87	*47	*	*	*	*	*	*	*	*	*	*
728.88	138	82	56	*	*30	*27	80	*28	*	51	*37
729	227	84	143	*	*46	101	53	57	*25	72	*72
729.1	*75	*	*72	*	*	*	*	*	*	*	*
729.5	52	*16	36	*	*	*19	*24	*	*	*27	*
729.8	33	*20	*	*	*	*	*	*	*	*	*
729.89	*24	*	*	*	*	*	*	*	*	*	*
730	431	245	186	*	102	181	131	88	79	191	73
730.0	*84	*39	*	*	*	*	*	*	*	*	*
730.07	*40	*	*	*	*	*	*	*	*	*	*
730.1	95	*54	*	*	*47	*	*	*	*	*	*
730.2	251	152	99	*	*49	100	*90	*	*46	133	*36
730.27	145	93	*52	*	*	*63	*50	*	*	*78	*
733	655	247	408	*	59	214	374	128	189	204	134
733.0	*20	*	*16	*	*	*	*15	*	*	*	*
733.00	*18	*	*16	-	*	*	*15	*	*	*	*
733.1	405	139	266	*	*	122	265	78	141	109	76
733.13	282	66	217	-	*	*73	203	60	109	70	*44
733.14	*76	*	*34	*	*	*	*36	*	*	*	*
733.4	72	*30	43	*	*	*30	*27	*	*	*33	*
733.42	44	*22	*22	*	*	*20	*	*	*	*21	*
733.6	28	*	*21	*	*	*	*	*	*	*	*
733.8	109	59	50	*	*17	45	*45	*	*21	43	*27
733.82	98	55	43	*	*14	42	*40	*	*18	37	*
736	*24	*	*	*	*	*	*	*	*	*	*
737	94	*	70	*	*	*	*	*32	*	*	*
737.3	90	*	*67	*	*	*	*	*32	*	*	*
737.30	*60	*	*49	*	*	*	*	*	*	*	*
738	115	35	80	*	*21	56	36	*	*25	34	*16
738.4	101	*26	75	-	*	*51	34	*	*22	*30	*
740-759	1,140	449	691	598	104	341	97	340	307	282	210
742	39	*	*21	*21	*	*	*	*	*	*	*
745	172	83	89	119	*	*	*	61	*	*69	31
745.4	*44	*	*	*42	*	*	*	*	*	*	*19
745.5	63	*20	*43	*23	*	*	*	*29	*	*	*13
746	87	*62	*	*55	*	*	*	*	*	*	*22
747	352	*52	299	*79	*	253	*	*	254	*	*
747.8	268	*	253	*	*	253	*	*	250	*	*
747.81	258	*	248	*	*	253	*	*	250	*	*
748	*73	*	*	*70	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
749	19	*12	*	17	*	-	-	*	-	*	*
749.2	*14	*	*	*11	*	-	-	*	-	*	*
750	42	30	*	38	*	*	*	*	*	*18	*12
750.5	30	24	*	30	-	-	-	*	*	*12	*11
751	75	*	*49	*58	*	*	*	*	*	*	*
753	*33	*	*	*	*	*	*	*	*	*	*
754	*20	*	*	*14	*	*	*	*	*	*	*
756	136	55	81	*57	*	*30	*38	*60	*16	*38	*22
756.1	72	*	*53	*	*	*29	*	*	*	*	*
756.12	*33	*	*18	*	*	*	*	*	*	*	*
760-779	1,341	743	598	1,330	*	*	-	244	155	610	331
765	339	145	194	339	-	-	-	*	*	250	*
765.1	258	121	137	258	-	-	-	*	*	187	*
769	218	134	*84	215	*	-	-	*	*	*	*
770	208	121	87	208	-	-	-	*	*	76	*63
770.7	*48	*	*	*48	-	-	-	*	*	*	*
770.8	79	*59	*	79	-	-	-	*	*	*46	*
770.89	*51	*	*	*51	-	-	-	*	*	*	*
771	83	*45	*38	83	-	-	-	*	*	*26	*35
771.8	71	*40	*31	71	-	-	-	*	*	*	*
771.89	*24	*	*	*24	-	-	-	*	*	*	*
774	102	60	43	101	*	-	-	*19	*11	24	48
774.2	*17	*	*	*17	-	-	-	*	*	*	*
774.3	*21	*	*	*21	-	-	-	*	*	*	*
774.39	*21	*	*	*21	-	-	-	*	*	*	*
774.6	64	36	28	63	*	-	-	*14	*	21	21
775	*30	*	*	*30	*	-	-	*	*	*	*
778	*24	*14	*	*24	-	-	-	*	*	*	*
778.4	*21	*	*	*21	-	-	-	*	*	*	*
779	219	127	92	214	*	-	-	*	*	66	74
779.3	*53	*	*	*53	-	-	-	*	*	*	*
779.8	133	83	50	128	*	-	-	*	*	*51	*51
779.89	129	81	48	124	*	-	-	*	*	*51	*51
780-799	577	273	305	126	138	136	177	95	151	173	157
780	105	45	60	40	20	*19	*26	*16	*9	44	37
780.2	20	*9	*11	*	*	*	*	*	*	*	*
780.3	32	*17	*15	*15	*	*	*	*	*	*11	*13
780.39	26	*	*14	*	*	*	*	*	*	*	*
780.6	28	*11	*17	24	*	*	*	*	*	*12	*
784	*22	*	*	*	*	*	*	*	*	*	*
786	88	30	59	*	18	36	*30	19	*	44	*12
786.0	*27	*	*	*	*	*	*	*	*	*	*
786.5	58	17	40	*	*12	36	*10	*12	*	37	*
786.50	26	*9	*18	*	*	*17	*	*	*	*17	*
786.59	31	*8	23	*	*9	*18	*	*	*	*20	*
787	*30	*	*18	*	*	*	*	*	*	*	*
787.0	*19	*	*17	*	*	*	*	*	*	*	*
789	44	*18	26	*	15	*	*	*	*	*21	*
789.0	41	*17	24	*	*14	*	*	*	*	*20	*
789.00	*24	*	*15	*	*	*	*	*	*	*	*
799	258	146	112	*38	64	64	92	*48	117	*23	70
799.9	227	126	101	*37	58	57	75	*	108	*23	53

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
800-999	15,099	7,558	7,541	798	3,531	4,348	6,422	3,552	3,091	5,760	2,695
800	114	42	*73	*15	*37	*	*	*	*	*78	*
800.2	*73	*	*	*	*	*	*	*	*	*	*
801	353	282	72	*22	129	151	*51	117	*56	103	*77
801.0	51	*37	*	*	*	*	*	*	*	*28	*
801.01	*27	*	*	*	*	*	*	*	*	*	*
801.2	145	108	*	*	*50	*	*	*	*	*	*
802	159	137	*22	*	71	*42	*43	42	*20	67	*31
802.0	*12	*	*	*	*	*	*	*	*	*	*
802.2	38	34	*	*	25	*	*	*	*	*	*
802.3	*40	*39	*	*	*	*	*	*	*	*	*
802.4	*25	*22	*	-	*	*	*	*	*	*	*
802.6	*31	*	*	*	*	*	*	*	*	*	*
805	610	237	374	*	138	143	322	157	146	199	108
805.0	148	72	75	*	49	*	*66	*	*34	*57	*30
805.02	*58	*33	*	*	*	*	*	*	*	*	*
805.2	168	63	105	*	*35	*25	108	*57	50	*37	*
805.4	229	89	140	*	*32	*89	107	*63	43	93	*30
805.6	63	*	*53	-	*	*	*41	*	*	*	*
806	*77	*	*	-	*	*	*	*	*	*	*
807	164	90	75	*	*24	40	100	42	44	52	*27
807.0	134	66	68	*	*12	*31	90	*36	35	37	*25
807.01	*24	*	*	*	*	*	*	*	*	*	*
807.02	*15	*	*	-	*	*	*	*	*	*	*
807.03	*28	*	*	*	*	*	*	*	*	*	*
807.09	*27	*	*	*	*	*	*	*	*	*	*
808	350	145	205	*	62	58	227	78	105	113	54
808.0	117	76	*40	*	*35	*	*52	*	*	*53	*
808.2	195	54	141	*	*	*	155	*48	77	44	*26
810	*33	*	*	*	*	*	*	*	*	*	*
810.0	*30	*	*	*	*	*	*	*	*	*	*
812	260	86	174	19	*27	61	152	42	51	121	45
812.0	152	*32	120	*	*	*32	114	*28	*27	73	*
812.00	*50	*	*42	*	*	*	*39	*	*	*	*
812.01	49	*	*33	*	*	*	*40	*	*	*23	*
812.09	*37	*	*34	-	*	*	*24	*	*	*	*
812.2	42	*	*23	*	*	*	*21	*	*	*21	*
812.21	*33	*	*18	*	*	*	*	*	*	*	*
812.4	47	18	29	16	*	*	*	*	*	*19	*12
812.41	30	*	22	12	*	*	*	*	*	*15	*9
813	167	89	78	*12	47	46	61	44	38	67	*18
813.0	32	*18	*	*	*	*	*	*	*	*	*
813.2	*18	*	*	*	*	*	*	*	*	*	*
813.4	70	30	40	*	*17	*20	*28	*24	*17	23	*
813.41	*18	*	*	*	*	*	*	*	*	*	*
813.42	27	*12	*15	*	*	*11	*	*	*	*	*
813.44	*23	*	*	*	*	*	*	*	*	*	*
816	*14	*	*	*	*	*	*	*	*	*	*
820	1,804	583	1,221	*	*54	151	1,597	397	455	680	272
820.0	417	118	299	*	*	*28	376	99	121	127	70
820.02	*32	*	*	-	*	*	*	*	*	*	*
820.03	*49	*	*34	-	*	*	*41	*	*	*	*
820.09	324	91	233	*	*	*	303	82	105	87	51
820.2	957	307	649	*	*	69	863	221	258	339	139
820.20	*41	*	*	-	*	*	*34	*	*	*	*
820.21	838	270	568	-	*	62	766	195	233	300	110
820.22	78	*	61	*	*	*	63	*	*	*	*
820.8	427	157	270	*	*	*54	356	76	74	213	63
821	342	134	208	34	53	79	175	86	72	149	*35
821.0	198	91	106	27	*31	*42	97	*56	*	98	*18
821.00	*82	*	*53	*	*	*	*65	*	*	*	*
821.01	116	62	53	*27	*27	*31	*31	*31	*	50	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
821.2	120	*	93	*	*	*31	74	*	*37	*42	*
821.23	*58	*	*50	*	*	*	*40	*	*	*	*
822	49	*	*36	*	*	*	*20	*	*	*16	*
822.0	46	*	*34	*	*	*	*20	*	*	*15	*
823	352	195	157	*	149	111	80	86	59	132	75
823.0	160	81	78	*	44	68	*45	*36	*26	61	*37
823.00	110	59	51	*	37	44	*	*	*	46	*
823.02	*44	*	*	*	*	*	*	*	*	*	*
823.2	78	56	*22	*	*38	*30	*	*	*	*	*
823.22	61	*44	*	*	*33	*	*	*	*	*	*
823.3	*45	*23	*	*	*	*	*	*	*	*	*
823.32	*41	*	*	*	*	*	*	*	*	*	*
823.8	34	*	*22	*	*19	*	*	*	*	*	*
823.82	*19	*	*	*	*	*	*	*	*	*	*
824	376	192	184	*	102	153	112	85	98	125	68
824.0	*13	*	*	*	*	*	*	*	*	*	*
824.2	*31	*	*	*	*	*	*	*	*	*	*
824.4	115	55	59	*	*28	47	*40	*29	*23	36	*26
824.6	86	*25	61	*	*21	*30	*35	*23	*21	36	*
824.8	79	50	*29	*	*21	*37	*	*16	*30	*	*13
824.9	*30	*	*	*	*	*	*	*	*	*	*
825	77	54	*23	*	40	*28	*	*	*	*29	*
825.0	*20	*15	*	-	*	*	*	*	*	*	*
825.2	*32	*	*	*	*	*	*	*	*	*	*
825.25	*20	*	*	*	*	*	*	*	*	*	*
840	*13	*	*	-	*	*	*	*	*	*	*
844	*25	*17	*	*	*	*	*	*	*	*	*
847	*22	*	*	*	*	*	*	*	*	*	*
850	79	55	24	*8	35	*18	*18	*15	*13	33	17
850.0	*16	*	*	*	*	*	*	*	*	*	*
850.1	22	*14	*	*	*10	*	*	*	*	*	*
850.11	22	*14	*	*	*10	*	*	*	*	*	*
850.5	34	30	*	*	*21	*	*	*	*	*	*
851	215	149	66	*	103	*	*66	*	*	*68	110
851.8	93	*63	*30	*	*	*	*36	*	*	*56	*
852	477	252	225	*	102	101	263	159	91	134	93
852.0	140	81	59	*	*44	*48	*44	*	*	*63	*
852.01	*21	*	*	*	*	*	*	*	*	*	*
852.02	*37	*	*	-	*	*	*	*	*	*	*
852.2	325	161	164	*	*52	*52	218	114	66	71	75
852.20	108	*53	*	*	*	*	*85	*	*	*	*
852.21	120	*48	71	*	*	*	89	*	*	*	*32
852.22	*23	*	*	*	*	*	*	*	*	*	*
853	84	*51	*33	*	*43	*	*33	*	*	*	*
853.0	84	*51	*33	*	*43	*	*33	*	*	*	*
860	191	130	*61	*	84	*41	*64	*49	*30	*58	*55
860.0	86	*44	*43	*	*29	*	*	*	*	*	*
860.4	*64	*58	*	-	*	*	*	*	*	*	*
861	*36	*	*	*	*	*	*	*	*	*	*
861.2	*28	*	*	*	*	*	*	*	*	*	*
861.21	*28	*	*	*	*	*	*	*	*	*	*
863	86	66	*	*	*63	*	*	*	*	*32	*
864	118	*47	*71	*	*37	*	*	*	*	*32	*
864.0	*79	*	*	*	*	*	*	*	*	*	*
865	99	84	*	*	*51	*	*	*	*	*61	*
865.0	66	*54	*	*	*50	*	*	*	*	*	*
868	*17	*	*	*	*	*	*	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
873	46	23	22	*	*	*	*18	*	*	*17	*9
873.0	*12	*	*	*	*	*	*	*	*	*	*
873.4	*20	*	*	*	*	*	*	*	*	*	*
873.42	*12	*	*	*	*	*	*	*	*	*	*
879	*33	*28	*	*	*15	*	*	*	*	*17	*
881	*24	*	*	*	*	*	*	*	*	*	*
886	*13	*	*	*	*	*	*	*	*	*	*
891	79	38	*	*	*20	*	*	*	*	*50	*
891.1	*62	*27	*	*	*	*	*	*	*	*41	*
920	35	*	25	*	*	*	*20	*	*	*14	*
922	51	*22	*30	*	*	*	37	*	*18	*	*
922.1	*21	*	*	*	*	*	*17	*	*	*	*
924	72	*29	43	*	*	*	57	*	*26	*20	*
924.0	43	*	*32	*	*	*	*38	*	*	*	*
924.01	*37	*	*28	*	*	*	*35	*	*	*	*
933	*12	*	*	*	*	*	*	*	*	*	*
935	21	*11	*	*	*	*	*	*	*	*	*
935.1	*16	*9	*	*	*	*	*	*	*	*	*
941	129	56	*73	*82	*	*	*	*	*	108	*
941.2	43	*26	*17	*19	*	*	*	*	*	*28	*
941.29	*25	*	*	*	*	*	*	*	*	*21	-
942	100	*69	*31	*45	*	*	*	*	*	78	*
942.2	*33	*26	*	*	*	*	*	*	*	*28	*
943	84	46	*	*	*35	*	*	*	*	71	-
943.2	*13	*11	*	*	*	*	*	*	*	*	-
943.3	*40	*35	*	*	*	*	*	*	*	*30	-
944	*31	*28	*	*	*	*	-	*	*	*26	-
945	147	46	101	*	*21	*69	*	*	*	122	*
945.2	*22	*17	*	*	*	*	*	*	*	*15	-
945.3	119	*	*	*	*	*	*	*	*	103	*
958	*57	*38	*	*	*	*	*	*	*	*	*
959	117	77	40	*	*18	*63	32	*	*20	75	*11
959.0	78	*62	*16	*	*	*	*	*	*	*63	*
959.01	74	*61	*14	*	*	*	*	*	*	*60	*
962	*17	*	*	*	*	*	*	*	*	*	*
962.3	*17	*	*	*	*	*	*	*	*	*	*
963	*14	*	*	*	*10	*	*	*	*	*	*
963.0	*13	*	*	*	*10	*	*	*	*	*	*
965	186	82	104	*	91	55	*34	*28	38	77	42
965.0	95	52	43	*	36	*35	*24	*	*21	36	*
965.00	*21	*	*	*	*	*	*	*	*	*	*
965.09	53	*32	*21	*	*18	*	*	*	*15	*16	*
965.1	*12	*	*	*	*	*	*	*	*	*	*
965.4	58	*20	38	*	40	*	*	*	*12	30	*
966	31	*16	*	*	*16	*	*	*	*	*	*
966.3	*18	*	*	*	*	*	*	*	*	*	*
967	*22	*	*13	*	*	*	*	*	*	*	*
967.8	*14	*	*	-	*	*	*	*	*	*	*
969	223	101	122	*	119	67	*	36	45	76	66
969.0	60	26	34	*	38	*19	*	*	*15	*21	*
969.3	26	*	*17	*	*21	*	*	*	*	*	*
969.4	118	57	60	*	50	38	*	*17	20	37	*43

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
970	59	38	*	*	*27	*31	*	*21	*	*27	*
970.8	54	38	*	*	*27	*26	*	*21	*	*25	*
972	*18	*	*	*	*	*	*	*	*	*	*
977	31	*	*16	*	*	*	*	*	*	*	*
977.8	*18	*	*	*	*	*	*	*	*	*	*
989	*40	*	*	*	*	*	*	*	*	*	*
989.5	*8	*	*	*	*	*	*	*	*	*	*
995	203	93	110	*	66	60	53	*41	*36	46	80
995.1	30	*14	*16	*	*	*	*15	*	*	*	*
995.9	*95	*	*	*	*	*	*	*	*	*	*
996	3,079	1,607	1,472	168	523	1,119	1,269	758	607	1,203	511
996.0	93	53	40	*	*	*	67	*36	*	*30	*
996.01	27	*	*20	*	*	*	*24	*	*	*	*
996.04	42	*36	*	*	*	*	*25	*	*	*	*
996.1	66	*50	*	*	*	*	*	*	*	*17	*
996.2	108	74	34	*30	*29	*	*40	*40	*	*23	*30
996.4	376	154	223	*	35	130	208	72	95	157	53
996.41	*52	*	*32	-	*	*	*27	*	*	*	*
996.42	89	34	55	-	*	*26	60	*21	*20	36	*
996.43	*34	*	*25	-	*	*	*	*	*	*	*
996.44	*42	*	*	-	*	*	*	*	*	*	*
996.47	*27	*	*	-	*	*	*	*	*	*	*
996.49	98	46	52	*	*	41	*40	*	*	49	*
996.5	88	*30	58	*	*	*56	*	*	*	*45	*
996.59	45	*	*27	*	*	*	*	*	*	*	*
996.6	1,452	721	731	*77	252	567	556	282	277	616	277
996.61	110	*77	*	*	*	*	*45	*	*	*	*
996.62	708	334	374	*65	119	286	239	147	115	318	128
996.64	122	61	*61	-	*	*	88	*28	*	*	*
996.66	195	80	115	*	*	*67	118	*	74	*69	*
996.67	131	94	*	*	*35	*64	*	*	*	*	*60
996.68	*47	*	*	*	*	*	*	*	*	*	*
996.69	71	*	*44	*	*	*40	*	*	*	*43	*
996.7	610	322	287	*	74	247	285	173	114	201	122
996.72	86	61	*25	*	*	23	56	*32	*18	*23	*13
996.73	214	105	108	-	*	82	98	76	*32	58	49
996.74	132	69	*63	*	*	*56	67	*42	*	*47	*
996.76	*19	*	*	*	*	*	*	*	*	*	*
996.77	67	*23	*44	-	*	48	*	*	*	*38	*
996.78	46	*24	*23	*	*11	*21	*	*	*	*17	*18
996.8	267	192	75	*	91	76	*	110	*	105	*
996.81	88	*41	*46	*	*46	*	*	*	*	*53	*
997	825	387	438	*	174	318	323	195	201	248	181
997.0	71	*	*45	*	*	*	*	*	*	*	*
997.09	*34	*	*	*	*	*	*	*	*	*	*
997.1	79	*46	*33	*	*	*27	*46	*	*	*	*
997.2	52	*	*37	-	*	*	*	*	*	*	*
997.3	73	*37	*36	*	*	*	*38	*	*	*	*
997.4	334	134	200	*	95	123	114	78	82	99	75
997.5	40	*24	*	*	*	*18	*	*	*	*14	*
997.6	158	98	61	-	*	78	*60	*38	*	69	*
997.62	117	*69	*48	-	*	*65	*	*	*	*50	*
997.69	*40	*	*	-	*	*	*	*	*	*	*
998	1,662	720	942	*71	286	600	705	502	309	586	265
998.1	303	124	179	*	41	87	169	128	54	80	*41
998.11	133	87	47	*	*17	*41	70	34	*35	31	*33
998.12	150	*33	118	*	*17	39	95	92	*	34	*
998.2	70	*39	*31	-	*	*	*42	*	*	*	*
998.3	114	*59	*55	*	*	*69	*36	*	*	*41	*
998.32	98	*50	*48	*	*	*60	*32	*	*	*33	*
998.5	973	412	561	*62	202	350	359	271	164	397	140
998.51	*30	*	*	*	*	*	*	*	*	*	*
998.59	943	403	540	*62	194	341	346	266	160	381	136
998.6	*43	*	*	*	*	*	*	*	*	*	*
998.8	148	57	90	*	*24	*49	*73	*44	*23	*40	*
998.83	*92	*	*	-	*	*	*	*	*	*	*
998.89	55	*30	*25	*	*	*	*24	*	*	*17	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁵ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
999	*47	*	*	*	*	*	*	*	*	*25	*
V01-V86	18,169	3,564	14,605	317	11,665	1,849	4,338	3,555	3,660	6,836	4,119
V10	*26	*	*	-	*	*	*	*	*	*	*
V12	21	*9	*	*	*	*	*	*	*	*	*
V12.5	*16	*	*	*	*	*	*	*	*	*	*
V12.59	*12	*	*	*	*	*	*	*	*	*	*
V15	*19	*10	*	*	*	*	*	*	*	*	*
V15.8	*16	*	*	*	*	*	*	*	*	*	*
V27	10,821	-	10,821	*22	10,768	*31	-	1,836	2,209	4,279	2,497
V27.0	9,142	-	9,142	*	9,109	*21	-	1,534	1,889	3,637	2,082
V27.1	43	-	43	*	36	*	-	*	*	*26	*
V27.2	300	-	300	-	299	*	-	55	53	152	40
V27.9	1,314	-	1,314	*	1,301	*	-	240	257	458	359
V42	*24	*	*	*	*	*	*	*	*	*	*
V45	177	133	44	*	*18	*17	136	137	*	*13	*20
V45.7	*12	*	*12	*	*	*	*	*	*	*	*
V45.71	*10	-	*10	-	*	*	*	*	*	*	*
V45.8	152	127	*25	*	*	*	127	129	*	*	*
V45.89	100	78	*22	*	*	*	*79	*80	*	*	*
V50	*9	-	*9	-	*	*	*	*	*	*	*
V53	48	*14	*34	*	*	*	*38	*	*	*	*
V53.3	43	*12	*	*	*	*	*38	*	*	*	*
V53.31	*35	*	*	*	*	*	*	*	*	*	*
V54	562	280	282	*	90	105	364	219	129	*	136
V54.0	*61	*	*	*	*	*	*	*	*	*	*
V54.1	268	*94	174	*	*74	*	150	109	*	*	*
V54.19	*79	*	*	*	*	*	*	*51	-	*	*
V54.8	183	130	*53	*	*	*	137	*	*	*	*77
V54.81	85	*	*53	-	-	*	*70	*	*	*	*49
V55	247	150	97	*	*48	76	105	*54	*42	106	45
V55.2	67	*38	*29	*	*	*	*	*	*	*	*
V55.3	160	102	*58	*	*34	*52	71	*	*	74	*
V56	*26	*	*	*	*	*	*	*	*	*	*
V56.0	*24	*	*	*	*	*	*	*	*	*	*
V57	5,121	2,450	2,670	*	511	1,187	3,350	949	1,101	1,856	1,214
V57.1	748	446	302	*	*	261	430	234	*	278	233
V57.8	4,339	1,978	2,361	*	460	914	2,899	710	1,095	1,577	958
V57.89	4,320	1,959	2,361	*	460	903	2,891	692	1,095	1,577	958
V58	831	390	441	129	134	329	238	268	94	342	126
V58.0	*74	*	*	*	*	*	*	*	*	*	*
V58.1	602	306	297	124	113	225	140	186	*34	284	98
V58.11	589	295	294	124	112	217	136	185	*32	280	92
V58.4	*64	*	*	*	*	*	*	*	*	*	*
V58.6	*16	*	*	*	*	*	*	*	*	*	*
V58.8	*42	*	*26	*	*	*	*33	*	*27	*	*
V58.89	*39	*	*	*	*	*	*32	-	*27	*	-
V66	*41	*	*	*	*	*	*38	*	*	*	*
V66.7	*36	*	*	-	*	*	*35	*	*	*	*

Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex, age, and geographic region: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*[§] (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of days of care in thousands											
V70	30	*14	*16	*	*18	*	*	*	*	*	*
V70.7	*26	*	*	*	*	*	*	*	*	*	*
V71	*11	*	*	*	*	*	*	*	*	*	*

* Figure does not meet standards of reliability or precision.
 - Quantity zero.

§ U.S. Department of Health and Human Services. Centers for Disease Control and Prevention, Centers for Medicare and Medicaid Services. Official version *International Classification of Diseases, Ninth Revision, Clinical Modification, Sixth Edition*. DHHS Pub No. (PHS) 06-1260. available at: <http://www.cdc.gov/nchs/icd/icd9cm.htm>

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates of days of care that correspond to estimated discharges less than 5,000 are suppressed and an asterisk (*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent. Estimates of days of care that correspond to estimated discharges between 5,000 and 9,000 are preceded by an asterisk (*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of *National Hospital Discharge Survey: 2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165*. http://www.cdc.gov/nchs/data/series/sr_13/sr13_165.pdf