

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
All codes	191,028	79,562	111,466	6,620	45,450	53,594	85,364	44,636	43,662	69,394	33,336
001-139	4,658	2,123	2,536	363	888	1,379	2,029	1,065	965	1,834	794
003	*9	*	*	*	*	*	*	*	*	*	*
003.0	*7	*	*	*	*	*	*	*	*	*	*
008	437	184	253	51	43	104	239	110	110	137	80
008.4	291	123	168	*8	19	74	189	75	77	88	51
008.45	286	121	164	*8	18	73	187	74	74	86	51
008.6	20	12	*8	15	*	*	*	*	*6	*6	*
008.61	15	*8	*7	13	-	*	*	*	*	*	*
008.8	123	48	75	27	23	26	47	31	26	42	24
009	38	15	23	*	*7	14	13	*8	*5	17	*7
009.0	27	10	17	*	*	10	10	*5	*	13	*
009.1	*9	*	*6	*	*	*	*	*	*	*	*
011	13	*8	*5	-	*	*6	*	*5	*	*5	*
011.9	10	*6	*	-	*	*	*	*	*	*	*
011.90	*8	*5	*	-	*	*	*	*	*	*	*
031	*8	*	*	-	*	*	*	*	*	*	*
034	24	13	12	11	10	*	*	*	*8	*7	*8
034.0	24	12	12	11	10	*	*	*	*8	*7	*8
038	1,188	590	599	27	115	340	706	251	258	516	164
038.0	51	30	22	*	*	15	29	12	13	17	10
038.1	133	73	60	*	18	42	71	30	31	60	12
038.10	19	11	*8	*	*	*5	12	*7	*	*9	*
038.11	32	19	14	*	*	12	16	*5	11	14	*
038.12	53	27	26	*	*7	15	30	10	11	25	*6
038.19	29	17	12	*	*7	*9	12	*9	*6	12	*
038.2	20	*8	12	*	*	*9	*8	*	*5	*9	*5
038.3	*7	*	*	-	*	*	*	*	*	*	*
038.4	185	77	108	*	15	48	119	44	40	71	29
038.40	22	*9	12	*	*	*5	14	*7	*	*7	*
038.42	85	27	58	*	*8	21	55	20	17	31	17
038.43	18	12	*6	*	*	*	12	*	*	*5	*
038.49	55	26	29	*	*	15	35	11	15	25	*
038.8	21	*7	13	*	*	*8	*9	*	*6	*8	*
038.9	772	390	382	14	75	217	465	160	161	349	103
041	1,274	526	748	107	264	296	607	311	242	507	214
041.0	167	76	91	11	33	38	85	32	34	66	35
041.00	11	*5	*5	*	*	*	*	*	*	*	*
041.01	*9	*5	*	*	*	*	*	*	*	*	*
041.02	27	10	17	*	11	*6	*7	*	10	10	*
041.04	93	40	54	*	*7	19	63	20	17	39	17
041.09	24	15	10	*	*6	*6	11	*6	*	*8	*7
041.1	399	214	184	46	120	116	117	87	76	172	64
041.10	19	*6	13	*	*	*8	*7	*5	*	*	*5
041.11	104	58	46	14	34	31	25	21	23	45	15
041.12	242	134	107	25	77	69	71	52	42	112	36
041.19	35	17	18	*6	*6	*9	14	*9	*7	11	*8
041.3	102	34	68	*	*7	25	68	26	19	42	15
041.4	305	66	238	25	48	50	182	86	58	113	48
041.6	45	15	30	*	*	*8	33	*9	*7	21	*8
041.7	88	48	40	10	12	20	46	23	16	34	15
041.8	153	65	88	13	34	38	69	46	30	51	27
041.84	*7	*	*	-	*	*	*	*	*	*	*
041.85	63	28	35	*8	13	11	31	13	15	22	13
041.86	36	19	17	*	12	12	11	*7	*7	14	*8
041.89	45	15	31	*	*7	12	24	26	*5	10	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
041.9	*9	*	*6	*	*	*	*	*	*	*6	*
042	110	82	28	*	42	58	10	26	15	52	17
046	*7	*6	*	-	*	*	*	*	*	*	*
047	31	12	19	*9	14	*	*	*	*5	12	*8
047.8	*6	*	*	*	*	*	-	*	*	*	*
047.9	24	*9	16	*	12	*	*	*	*5	11	*5
053	76	29	47	*	*8	13	54	24	18	19	15
053.1	38	19	19	-	*	*	34	16	*9	*6	*7
053.19	33	17	16	-	*	*	30	14	*8	*	*6
053.9	28	*7	21	*	*6	*6	15	*5	*7	*8	*7
054	91	15	77	*6	65	12	*9	17	22	37	15
054.1	25	*	23	*	21	*	*	*	*6	13	*
054.10	22	*	21	-	19	*	*	*	*6	11	*
054.2	*6	*	*	*	*	*	*	*	*	*	*
054.9	50	*5	45	*	38	*7	*	10	12	20	*8
057	10	*7	*	*9	*	*	*	*	*	*	*
057.9	*8	*6	*	*7	*	*	*	*	*	*	*
070	429	266	163	*	95	289	44	101	65	164	99
070.3	57	28	29	-	15	32	10	11	*7	20	18
070.30	29	13	16	-	*9	14	*6	*5	*6	12	*6
070.32	28	15	13	-	*6	17	*	*6	*	*8	12
070.4	18	12	*6	-	*	14	*	*	*	10	*
070.44	16	12	*	-	*	14	*	*	*	10	*
070.5	145	93	52	*	28	103	15	38	16	45	46
070.51	*8	*	*7	-	*	*	*	*	*	*	*
070.54	137	92	45	*	25	98	14	37	15	40	44
070.7	196	127	69	-	45	137	15	46	38	84	27
070.70	184	119	66	-	45	127	13	45	36	78	26
070.71	12	*9	*	-	*	10	*	*	*	*6	*
070.9	*8	*	*5	*	*	*	*	*	*	*	*
075	*9	*	*	*	*7	*	-	*	*	*	*
078	22	*7	15	*	11	*	*	*	*6	10	*
078.1	11	*	10	*	10	*	*	*	*	*5	*
078.11	*9	*	*9	*	*9	*	-	*	*	*	*
078.5	*8	*	*	*	*	*	*	*	*	*	*
079	191	79	111	85	48	22	35	37	37	72	45
079.4	*8	*	*8	-	*8	*	-	*	*	*	*
079.8	*9	*	*5	*	*	*	*	*	*	*	*
079.89	*7	*	*	*	*	*	*	*	*	*	*
079.9	165	71	94	76	37	21	32	30	27	66	42
079.99	160	71	89	76	32	21	32	29	27	62	42
088	*8	*	*5	*	*	*	*	*6	*	*	*
088.8	*8	*	*5	*	*	*	*	*6	*	*	*
088.81	*7	*	*	*	*	*	*	*	*	*	*
094	*9	*6	*	-	*	*	*5	*	*	*	*
094.0	*6	*	*	-	*	*	*	*	*	*	*
097	*8	*	*6	-	*7	*	*	*	*	*	*
097.9	*5	*	*	-	*	*	*	*	*	*	*
099	*7	*	*7	-	*7	-	*	*	*	*	*
099.5	*6	*	*	-	*	-	*	*	-	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
110	56	26	30	*	14	16	23	18	12	15	11
110.1	24	10	14	*	*	*5	15	10	*8	*	*
110.3	*8	*	*5	-	*	*	*5	*	*	*	*
110.4	14	10	*	*	*6	*5	*	*6	*	*	*
110.5	*5	*	*	*	*	*	*	*	*	*	*
112	402	150	252	33	62	112	195	88	91	156	68
112.0	192	75	117	19	23	53	98	43	46	72	31
112.1	22	-	22	*	12	*7	*	*	*	10	*6
112.2	67	19	48	*	*7	17	42	18	13	25	10
112.3	28	11	17	11	*	*	*8	*	*9	*8	*6
112.4	16	*7	*9	-	*	*6	*8	*	*	*7	*
112.5	*9	*6	*	*	*	*	*	*	*	*	*
112.8	60	30	31	*	10	20	30	12	14	24	11
112.84	38	17	21	-	*5	11	22	*8	*8	16	*
112.89	22	12	10	*	*	*9	*7	*	*6	*7	*
112.9	*8	*	*5	*	*	*	*	*	*	*5	-
115	*7	*	*	-	*	*	*	*	*	*	-
115.9	*6	*	*	-	*	*	*	-	*	*	-
117	34	17	17	*	*	12	17	*6	*9	12	*7
117.3	10	*6	*	*	*	*	*	*	*	*	*
117.9	21	*8	13	*	*	*6	12	*	*5	*7	*
131	10	*	10	-	*9	*	*	*	*	*	*
131.0	*7	*	*7	-	*6	*	*	*	*	*	*
133	*5	*	*	*	*	*	*	*	*	*	-
133.0	*5	*	*	*	*	*	*	*	*	*	-
135	51	17	33	*	19	23	*9	14	11	21	*
136	11	*7	*	*	*6	*	*	*	*	*	*
136.3	*8	*6	*	-	*	*	*	*	*	*	*
138	12	*	*9	-	-	*	10	*	*	*5	*
140-239	4,925	2,185	2,739	92	604	1,847	2,382	1,177	1,122	1,786	840
141	17	14	*	-	*	*8	*5	*	*	*7	*6
141.0	*7	*6	*	-	*	*	*	*	*	*	*
142	*8	*7	*	-	-	*	*	*	*	*	*
142.0	*7	*6	*	-	-	*	*	*	*	*	*
146	*7	*	*	-	-	*	*	*	*	*	*
150	38	28	10	-	*	17	18	*9	*5	16	*6
150.5	*6	*	*	-	*	*	*	*	*	*	-
150.9	25	20	*	-	*	11	13	*6	*	11	*
151	38	24	14	-	*	15	21	13	*7	13	*
151.0	*8	*6	*	-	*	*	*	*	*	*	*
151.8	*8	*	*	-	*	*	*	*	*	*	*
151.9	15	*8	*7	-	*	*	12	*	*	*6	*
153	180	78	102	-	14	64	102	43	37	74	26
153.1	*8	*	*6	-	*	*5	*	*	*	*	*
153.2	*8	*	*5	-	*	*6	*	*	*	*	*
153.3	31	15	16	-	*	10	18	10	*8	*8	*
153.4	27	10	17	-	*	*6	19	*6	*5	12	*
153.6	17	*7	10	-	*	*	11	*	*	*6	*
153.8	13	*9	*	-	*	*	10	*8	*	*	-
153.9	66	27	39	-	*7	27	32	11	10	35	10

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
154	90	59	31	-	10	41	39	21	21	33	15
154.0	35	25	10	-	*	15	17	*9	*	13	*8
154.1	48	30	18	-	*6	21	21	*9	15	18	*5
155	63	39	25	*	*6	26	30	22	*9	19	14
155.0	40	28	13	*	*	19	19	15	*5	14	*6
155.1	16	*	12	-	*	*6	*8	*7	*	*5	*
155.2	*8	*7	*	-	*	*	*	*	*	*	*6
156	18	*	13	-	-	*7	10	*	*	*8	*
156.0	10	*	*8	-	-	*	*6	*	*	*6	*
157	89	45	45	-	*	31	55	32	21	26	10
157.0	34	17	17	-	*	10	21	13	*9	*8	*
157.8	15	*8	*8	-	*	*	10	*9	*	*	*
157.9	33	16	17	-	*	13	20	*7	*9	12	*6
158	13	*5	*8	*	*	*	*5	*	*	*6	*
158.0	*6	*	*	*	*	*	*	*	-	*	*
161	16	11	*	-	*	*	11	*	*	*7	*
161.9	*8	*	*	-	*	*	*6	*	*	*	*
162	434	238	197	*	*8	150	275	106	102	171	55
162.2	17	*7	10	-	*	*7	10	*	*	*8	*
162.3	95	54	41	-	*	31	62	27	24	33	11
162.4	*7	*	*	-	*	*	*	*	*	*	*
162.5	42	23	19	-	*	10	31	14	10	12	*6
162.8	36	20	16	-	*	13	23	17	*8	*8	*
162.9	236	130	106	*	*	86	145	40	53	109	34
170	16	*5	11	*	*6	*	*	*	*	*9	*
171	24	13	11	*	*6	*7	10	11	*5	*6	*
171.5	*6	*	*	*	*	*	*	*	*	*	*
172	11	*7	*	-	*	*6	*	*	*	*	*
173	15	*6	*9	-	*	*6	*9	*	*6	*	*
174	183	-	183	-	22	88	73	44	35	67	36
174.4	13	-	13	-	*	*7	*	*	*	*	*
174.8	39	-	39	-	*	20	16	21	*	*6	*8
174.9	118	-	118	-	13	56	49	17	28	49	23
179	11	-	11	-	*	*6	*	*	*	*	*
180	29	-	29	-	13	*9	*7	*	*7	14	*7
180.9	25	-	25	-	11	*7	*7	*	*6	12	*6
182	48	-	48	-	*	25	21	15	11	17	*5
182.0	47	-	47	-	*	24	21	15	11	17	*5
183	64	-	64	*	13	15	34	13	11	31	*9
183.0	58	-	58	*	11	13	32	13	10	28	*7
185	196	196	-	-	*	74	121	38	46	53	59
188	65	53	12	-	*	13	50	11	17	24	13
188.8	13	10	*	-	*	*	*9	*6	*	*	*
188.9	33	27	*6	-	*	*6	27	*	10	15	*6
189	93	56	37	*	*6	37	49	12	23	30	29
189.0	76	44	33	*	*5	33	36	*8	22	26	21

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
189.1	*6	*	*	-	*	*	*	*	*	*	*
189.2	*9	*8	*	-	*	*	*7	*	*	*	*
191	65	26	39	*6	10	34	16	*8	25	20	11
191.1	16	*6	*9	-	*	*8	*	*	*7	*	*
191.2	*9	*	*6	*	*	*	*	*	*	*	*
191.3	10	*	*7	-	*	*7	*	*	*	*	*
191.8	*7	*	*	*	*	*	*	*	*	*	*
191.9	16	*7	*9	*	*	*9	*	*	*7	*7	*
192	*7	*	*	*	*	*	*	*	*	*	*
192.1	*6	*	*	*	*	*	*	*	*	*	*
193	34	*9	25	-	12	13	*9	*8	*5	*9	12
194	10	10	*	*7	*	*	*	*7	*	*	*
194.0	*9	*9	*	*6	*	*	*	*7	*	*	*
195	16	13	*	*	*	*	*6	*	*5	*5	*
195.0	*8	*8	*	*	-	*	*	*	*	*	*
196	211	98	112	*	22	92	93	58	40	73	41
196.0	34	20	14	*	*6	11	17	11	*	11	*8
196.1	43	23	20	-	*	25	17	*9	10	19	*6
196.2	58	30	28	*	*7	22	29	16	14	17	12
196.3	39	10	29	*	*	14	19	13	*7	11	*8
196.6	12	*	*7	-	*	*7	*	*	*	*7	*
196.8	*6	*	*	-	*	*	*	*	*	*	*
196.9	13	*6	*7	-	*	*7	*	*	*	*	*
197	654	286	367	*9	57	262	327	171	148	231	104
197.0	189	83	105	*	12	77	98	50	42	71	25
197.1	11	*	*6	-	*	*	*7	*	*	*	*
197.2	17	*6	11	-	*	*7	10	*6	*	*7	*
197.4	14	*6	*8	-	*	*	*9	*	*	*	*
197.5	15	*	12	-	*	*7	*8	*	*	*6	*
197.6	95	30	65	*	11	39	44	22	16	38	20
197.7	276	134	143	*6	25	110	135	74	72	93	37
197.8	35	19	16	*	*6	14	15	*7	*7	12	*9
198	560	272	288	*9	42	226	283	147	133	209	72
198.0	11	*7	*	*	-	*	*7	*	*	*8	*
198.1	17	*6	11	-	*	*	11	*	*	*7	*
198.2	*8	*	*	-	*	*	*	*	*	*	*
198.3	139	64	75	*	11	57	71	43	31	52	13
198.4	*6	*	*	-	*	*	*	*	*	*	*
198.5	245	133	112	*6	17	95	127	59	64	93	29
198.6	13	-	13	-	*	*9	*	*	*	*	*
198.7	24	14	10	*	*	13	10	*	*6	10	*
198.8	97	41	56	*	11	36	49	28	21	31	17
198.82	11	*	*6	-	*	*	*6	*5	*	*	*
198.89	84	36	48	*	10	31	42	23	17	28	16
199	82	32	50	*	*8	29	44	18	26	28	11
199.0	15	*5	10	-	*	*	*9	*	*6	*	*
199.1	67	27	40	*	*6	24	36	15	20	24	*9
200	34	26	*8	*	*6	16	11	*	11	11	*8
200.2	12	11	*	-	*	*8	*	*	*	*	*7
200.20	*9	*8	*	-	*	*	*	*	*	*	*
200.4	*6	*	*	-	*	*	*	*	*	*	*
201	26	10	16	*	11	*7	*7	*	*6	10	*
201.9	23	*9	14	*	10	*5	*7	*	*5	*9	*
201.90	18	*6	12	*	*8	*	*5	*	*	*8	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
202	133	75	57	*	*9	40	83	42	38	36	17
202.0	*5	*	*	-	-	*	*	*	*	*	*
202.8	120	68	52	-	*8	36	76	38	33	32	17
202.80	91	52	39	-	*6	28	58	31	26	23	11
202.83	13	*6	*7	-	*	*	*8	*	*	*	*
203	104	52	52	-	*	37	66	19	24	46	14
203.0	103	52	51	-	*	36	66	19	24	46	14
203.00	98	48	49	-	*	33	63	18	22	44	14
204	114	74	40	19	*7	12	75	26	26	35	26
204.0	35	20	16	19	*7	*	*6	*	*6	13	13
204.00	18	13	*5	*6	*5	*	*	*	*	11	*
204.01	14	*5	*9	11	*	*	*	*	*	*	10
204.1	77	54	23	-	-	*9	68	24	19	22	12
204.10	72	51	22	-	-	*8	64	23	18	20	11
205	62	41	21	*	12	18	31	13	15	22	12
205.0	43	28	15	*	*9	14	20	*9	*9	14	11
205.00	34	21	13	*	*6	11	16	*8	*7	13	*5
205.01	*8	*6	*	*	*	*	*	*	*	*	*6
205.1	18	12	*6	-	*	*	11	*	*5	*8	*
205.10	17	11	*6	-	*	*	11	*	*5	*7	*
208	11	*6	*6	*	*	*	*7	*	*	*	*
208.9	*7	*	*	-	*	*	*5	*	*	*	*
208.90	*5	*	*	-	*	*	*	*	*	*	*
209	19	*6	14	*	*	*7	*9	*	*6	10	*
209.2	*8	*	*6	-	*	*	*	*	*	*	-
210	*5	*	*	*	*	*	*	*	*	*	*
211	187	81	106	*	18	50	117	42	38	84	23
211.1	28	11	18	-	*	*8	16	10	*	11	*
211.3	131	62	69	*	10	36	83	28	27	61	14
211.4	11	*	*7	-	*	*	*9	*	*	*7	*
211.8	*6	*	*6	-	*	*	*	*	*	*	*
212	*6	*	*	*	*	*	*	*	*	*	*
214	17	*9	*8	*	*	*7	*8	*7	*	*6	*
215	*7	*	*	*	*	*	*	*	*	*	*
216	*6	*	*5	*	*	*	*	*	*	*	*
218	349	-	349	*	166	170	12	69	71	135	74
218.0	25	-	25	-	10	15	*	*8	*	10	*
218.1	66	-	66	*	26	37	*	15	15	24	12
218.2	42	-	42	*	20	20	*	12	*8	15	*7
218.9	216	-	216	-	110	98	*8	34	44	85	53
220	41	-	41	*	16	17	*8	*6	*8	21	*
223	*5	*	*	*	*	*	*	*	*	*	*
225	43	13	30	*	*	17	22	16	10	*9	*9
225.2	32	*9	24	-	*	13	18	14	*7	*6	*5
226	*5	*	*	*	*	*	*	*	*	*	*
227	36	13	23	-	*9	13	14	10	*8	14	*
227.0	*8	*	*	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
227.1	10	*	*8	-	*	*	*7	*	*	*5	*
227.3	18	*7	11	-	*7	*7	*	*6	*	*6	*
228	25	*8	17	*	*7	*9	*5	*	*	10	*8
228.0	24	*8	16	*	*7	*9	*5	*	*	10	*8
228.04	11	*	*9	-	*	*6	*	*	*	*	*5
228.09	*6	*	*	*	*	*	*	*	*	*	*
233	24	*	24	-	*9	12	*	*7	*	*8	*6
233.0	11	-	11	-	*	*7	*	*	*	*	*
233.1	10	-	10	-	*	*	*	*	*	*	*
235	14	*	10	-	*	*	*9	*	*	*	*
235.2	*6	*	*	-	-	*	*	*	*	*	*
236	*7	*	*	-	*	*	*	*	*	*	*
237	14	*	*9	*	*6	*	*	*	*	*	*
237.7	*8	*	*6	*	*6	*	*	*	*	*	*
237.70	*5	*	*	*	*	*	*	*	*	*	*
238	125	55	71	*	13	25	84	24	34	46	22
238.4	17	*9	*7	*	*	*8	*7	*	*	*6	*6
238.7	106	44	62	*	12	16	76	22	30	37	16
238.71	30	13	17	*	10	*7	12	*	*9	14	*
238.75	52	24	28	*	*	*5	45	14	12	15	10
238.79	19	*	14	*	-	*	16	*	*7	*7	*
239	34	19	15	-	*	11	20	*9	*7	14	*
239.0	*8	*	*	-	*	*	*	*	*	*	*
239.6	*6	*	*	-	*	*	*	*	*	*	*
240-279	22,736	9,646	13,090	488	3,171	7,619	11,457	5,374	5,270	8,311	3,782
240	15	*	12	-	*	*6	*6	*	*	*6	*
240.9	15	*	12	-	*	*6	*6	*	*	*6	*
241	59	14	46	*	*6	26	27	18	10	20	12
241.0	25	*6	19	*	*	12	*9	*8	*	*	*8
241.1	28	*5	23	-	*	12	14	*6	*5	13	*
241.9	*6	*	*	-	*	*	*	*	-	*	-
242	84	16	68	*	30	25	29	27	16	29	13
242.0	24	*	22	-	10	*7	*6	*9	*	*8	*
242.00	23	*	21	-	10	*7	*6	*9	*	*8	*
242.9	52	12	40	*	17	14	20	16	10	18	*8
242.90	51	12	39	*	17	14	20	16	10	18	*8
244	1,801	361	1,440	*	250	500	1,046	434	459	608	300
244.0	50	*8	42	-	*8	19	23	15	10	11	14
244.1	11	*	*8	-	*	*	*6	*	*	*	*
244.8	17	*	14	*	*	*6	*8	*	*6	*	*
244.9	1,721	346	1,375	*	238	470	1,009	411	440	590	280
245	16	*	14	*	*6	*8	*	*	*	*	*6
245.2	14	*	12	*	*5	*8	*	*	*	*	*6
246	30	*9	21	-	*8	*7	15	*8	*6	*7	*8
246.8	*6	*	*	-	*	*	*	*	*	*	*
246.9	21	*7	13	-	*	*	13	*5	*	*7	*
249	54	23	31	*	12	21	20	15	15	17	*7
249.0	44	20	24	*	10	15	18	12	13	14	*5
249.00	39	19	20	*	10	12	16	10	11	13	*5
249.01	*5	*	*	-	*	*	*	*	*	*	-

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
250	5,744	2,666	3,077	32	688	2,117	2,906	1,398	1,261	2,172	912
250.0	4,239	1,941	2,298	14	422	1,510	2,292	978	948	1,687	626
250.00	3,781	1,734	2,047	*5	339	1,324	2,113	872	851	1,502	556
250.01	81	35	46	*8	30	23	21	14	18	34	15
250.02	359	164	195	*	47	159	154	89	75	143	52
250.03	18	*8	*9	*	*7	*	*	*	*	*8	*
250.1	195	93	102	17	111	48	18	30	49	74	42
250.11	*5	*	*	*	*	*	-	*	*	*	*
250.12	63	30	33	*	26	26	12	13	12	23	15
250.13	122	57	65	17	78	21	*6	17	36	48	21
250.2	31	14	17	*	*	17	10	*9	*	14	*
250.20	13	*	*8	*	*	*5	*6	*	*	*6	*
250.22	16	*8	*8	-	*	11	*	*6	*	*7	*
250.3	*9	*	*5	*	*	*7	*	*	*	*	*
250.30	*6	*	*	-	-	*	*	*	*	*	*
250.4	283	132	151	-	31	116	137	63	54	83	83
250.40	209	95	113	-	13	79	117	42	37	57	74
250.41	17	*9	*8	-	*6	*7	*	*6	*	*	*
250.42	46	21	25	-	*	25	16	11	10	19	*6
250.43	12	*7	*6	-	*8	*	*	*	*	*	*
250.5	101	46	55	-	15	55	31	30	28	26	17
250.50	68	28	41	-	*5	36	27	20	16	18	14
250.51	10	*7	*	-	*5	*	*	*5	*	*	*
250.52	18	*8	*9	-	*	13	*	*	*9	*	*
250.6	435	199	236	-	69	189	176	132	94	154	54
250.60	293	132	161	-	27	123	144	90	65	98	39
250.61	26	11	15	-	15	*9	*	*5	*	12	*
250.62	88	46	41	-	*8	51	28	33	18	28	*9
250.63	28	*9	19	-	19	*6	*	*	*6	16	*
250.7	80	49	31	-	*	33	44	28	12	22	18
250.70	60	35	24	-	*	22	36	17	10	17	16
250.72	17	12	*	-	*	*9	*7	*9	*	*	*
250.8	326	167	159	*	27	119	180	106	63	97	61
250.80	234	121	113	*	12	80	141	71	43	69	51
250.81	16	*8	*9	*	*6	*7	*	*7	*	*	*
250.82	67	35	32	-	*5	28	33	27	14	21	*5
250.83	10	*	*6	-	*	*	*	*	*	*	*
250.9	44	20	24	-	*6	23	15	20	*8	13	*
250.90	14	*6	*8	-	*	*8	*5	11	*	*	*
250.92	29	13	16	-	*	15	*9	*8	*8	10	*
251	46	23	23	10	10	*8	17	10	*9	14	13
251.1	*9	*	*	*	*	*	*	*	*	*	*
251.2	33	17	16	*9	*8	*	11	*8	*8	10	*8
252	38	*9	29	-	*	11	22	12	*7	14	*
252.0	33	*9	24	-	*	*8	20	11	*6	11	*
252.00	21	*	16	-	*	*	12	*8	*	*8	*
252.01	11	*	*7	-	*	*	*7	*	*	*	*
253	133	67	66	*	22	36	70	31	30	43	29
253.2	10	*6	*	*	*	*	*	*	*	*	*
253.5	16	*6	10	*	*9	*	*	*	*	*	*
253.6	94	48	45	*	*	26	62	20	21	30	22
255	112	45	67	*5	18	44	45	29	27	39	16
255.0	14	*	*9	*	*	*6	*	*	*	*6	*
255.4	74	30	44	*	10	27	34	19	19	23	12
255.41	72	28	44	*	10	27	33	18	19	23	12
255.8	*5	*	*	*	-	*	*	*	*	*	*
255.9	*7	*	*	*	*	*	*	*	*	*	*
256	29	-	29	*	26	*	*	*6	*6	*8	*9
256.4	27	-	27	*	25	*	-	*6	*	*7	*9

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
257	*7	*7	-	*	*	*	*	*	*	*	*
257.2	*6	*6	-	*	*	*	*	*	*	*	*
259	*7	*	*	*	*	*	*	*	*	*	*
260	56	26	30	-	*	15	37	16	15	17	*8
261	76	41	35	*	*8	21	47	15	15	37	10
262	65	29	36	-	*6	11	48	14	13	32	*6
263	619	284	335	*8	58	181	372	136	148	242	94
263.0	14	*7	*7	-	*	*6	*8	*	*	*6	*
263.1	*8	*	*	*	*	*	*	*	*	*	-
263.8	27	10	17	*	*	*7	17	*7	*6	10	*5
263.9	570	263	307	*8	53	165	343	120	139	223	87
265	*7	*	*	-	*	*	*	*	*	*	*
265.1	*6	*	*	-	*	*	*	*	*	*	*
266	90	39	51	*	14	19	57	33	20	26	12
266.2	89	38	50	*	14	18	56	32	20	26	11
268	75	27	48	*	16	25	34	37	16	13	*9
268.9	74	26	48	*	16	25	34	37	16	12	*9
269	*7	*	*	*	*	*	*	*	*	*	-
270	48	15	34	*8	18	11	11	*9	*7	21	12
270.3	*8	*	*8	*7	*	-	-	*	-	*6	*
270.4	25	*5	19	*	14	*	*7	*	*5	*8	*7
270.6	12	*7	*	*	*	*5	*	*	*	*6	*
271	26	11	14	*5	*	*7	10	10	*6	*6	*
271.0	*5	*	*	*	*	*	*	*	*	*	*
271.3	16	*7	*9	*	*	*5	*7	*	*	*5	*
272	4,728	2,307	2,421	*	326	1,769	2,630	1,267	1,143	1,566	752
272.0	1,144	540	604	*	91	426	623	429	211	328	175
272.1	60	39	21	-	17	27	16	*7	14	19	21
272.2	34	12	22	-	*	15	15	*6	*	10	14
272.4	3,474	1,708	1,767	*	210	1,294	1,970	824	907	1,203	540
272.9	*9	*	*	-	*	*	*	*	*5	*	*
273	90	46	43	*	*8	32	47	26	18	37	*8
273.1	12	*8	*	-	*	*	10	*	*	*	*
273.3	*8	*6	*	*	*	*	*5	*	*	*	*
273.4	*7	*	*	-	*	*	*	*	*	*	*
273.8	57	26	31	*	*8	20	27	14	14	25	*
274	319	220	99	-	18	113	188	88	70	106	55
274.0	61	44	17	-	*	24	34	14	14	23	11
274.9	255	174	81	-	14	88	152	74	55	82	43
275	398	169	229	17	80	137	165	72	120	146	61
275.0	24	*9	15	12	*	*6	*	*7	*	*5	*9
275.2	185	84	101	*	40	68	76	36	61	74	15
275.3	56	24	33	*	15	20	20	10	18	18	10
275.4	131	51	80	*	19	42	68	18	38	47	27
275.41	59	25	34	*	11	21	26	*7	22	17	13
275.42	58	22	36	*	*8	17	32	*8	15	27	*8
275.49	14	*	10	*	*	*	*9	*	*	*	*6
276	6,103	2,511	3,592	344	912	1,651	3,194	1,223	1,419	2,368	1,093

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
285	3,404	1,197	2,207	42	722	834	1,806	694	868	1,231	611
285.1	1,238	459	779	*	182	327	725	260	343	365	270
285.2	456	197	259	*6	47	128	275	94	113	178	71
285.21	160	80	81	*	17	47	95	27	48	58	27
285.22	80	35	45	*	*	27	47	20	18	33	*9
285.29	215	82	134	*	25	54	133	46	47	87	35
285.8	30	10	20	*	*7	*	18	*9	*7	10	*
285.9	1,675	526	1,149	31	482	374	787	330	405	675	265
286	240	123	117	*8	42	90	100	40	50	94	57
286.0	*7	*	*	*	*	*	*	*	*	*	*
286.3	23	*9	14	*	*7	10	*7	*	*7	*	*8
286.4	17	*	16	*	*5	*	*7	*	*5	*6	*
286.6	39	20	18	*	*9	*9	18	*6	*8	17	*8
286.7	34	20	14	*	*5	13	15	*5	*6	12	11
286.9	113	65	47	*	13	49	48	18	21	51	23
287	564	288	277	25	114	191	234	124	121	226	93
287.3	59	20	39	*5	21	12	21	12	12	22	13
287.31	54	19	35	*	21	10	18	11	11	19	12
287.4	77	40	37	*6	*8	33	31	21	16	24	16
287.5	422	227	195	12	84	145	181	89	93	176	63
288	561	261	299	37	141	158	224	121	134	228	78
288.0	122	65	58	12	13	44	52	38	24	39	21
288.00	91	48	43	*9	*9	34	39	30	18	30	12
288.03	25	13	13	*	*	*8	11	*6	*	*8	*6
288.3	10	*8	*	*	*	*	*	*	*	*	*
288.5	42	23	20	*	12	18	11	*8	*6	20	*8
288.50	41	22	19	*	11	18	10	*8	*6	19	*8
288.6	382	164	218	22	112	91	157	70	100	165	47
288.60	369	159	210	20	105	89	155	68	95	162	45
288.66	*7	*	*	*	*5	*	*	*	*	*	*
289	189	72	117	15	54	69	51	37	50	66	36
289.0	*7	*	*	-	*	*	*	*	*	*	*
289.2	*7	*	*	*	*	*	*	*	*	*	*
289.3	14	*6	*7	*8	*	*	*	*	*	*	*
289.5	10	*6	*	*	*	*	*	*	*	*	*
289.59	*8	*	*	-	*	*	*	*	*	*	*
289.8	144	50	94	*	44	59	40	32	40	45	27
289.81	116	36	80	*	40	46	30	25	33	40	18
289.84	*6	*	*	-	*	*	*	*	*	*	*
289.89	15	*7	*8	*	*	*6	*5	*	*	*	*8
290-319	13,098	6,336	6,762	366	4,992	4,489	3,251	3,223	3,360	4,376	2,140
290	174	63	110	-	*	11	162	47	33	56	36
290.0	77	20	58	-	-	*	75	24	14	20	19
290.1	*7	*	*	-	-	*	*7	*	*	*	*
290.2	13	*	11	-	-	-	13	*	*	*6	*
290.20	10	*	*8	-	-	-	10	*	*	*6	*
290.3	15	*8	*7	-	-	*	15	*6	*	*	*
290.4	60	31	29	-	*	*8	52	11	12	26	11
290.40	43	22	20	-	*	*7	35	*5	*8	21	*8
290.41	14	*7	*6	-	-	*	13	*	*	*	*
291	371	278	94	*	126	198	46	120	93	76	83
291.0	71	58	14	-	19	41	12	21	17	21	13
291.2	24	18	*6	-	*	11	10	*	*7	*6	*7
291.3	*7	*6	*	-	*	*	*	*	*	*	*
291.8	264	192	71	*	100	144	20	91	67	47	60
291.81	248	182	66	*	90	138	20	87	60	46	55
291.89	16	10	*6	-	10	*6	*	*	*7	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
292	233	127	106	*	104	70	58	62	66	65	39
292.0	103	61	43	*	64	32	*6	27	38	25	14
292.1	18	*8	10	*	*	*	12	*	*	*9	*
292.12	14	*6	*8	*	*	*	10	*	*	*6	*
292.8	107	56	50	-	35	33	39	30	26	29	21
292.81	58	26	32	-	*	17	36	11	15	18	14
292.84	41	28	13	-	27	14	*	19	10	*8	*
292.89	*6	*	*	-	*	*	*	*	*	*	*
292.9	*5	*	*	-	*	*	*	*	*	*	*
293	184	97	87	*	17	26	140	43	41	59	41
293.0	139	68	70	-	*7	17	115	33	31	40	34
293.8	21	13	*9	*	10	*6	*	*	*6	11	*
293.83	15	10	*	*	*7	*	*	*	*	*6	*
293.9	23	16	*7	-	*	*	20	*8	*	*7	*
294	1,014	357	657	*	*8	52	954	249	233	380	152
294.1	336	121	215	*	*	15	320	84	80	117	55
294.10	260	81	178	*	*	10	249	58	62	94	45
294.11	77	40	37	-	*	*	71	26	18	23	10
294.8	649	221	429	*	*	29	617	161	144	256	88
294.9	29	16	13	*	*	*8	17	*	*9	*7	*9
295	482	262	220	*	204	215	62	114	118	178	72
295.0	*6	*	*	-	*	*	*	*	*	*	*
295.3	132	80	52	-	50	63	19	21	39	52	19
295.30	72	41	31	-	23	37	12	11	23	30	*8
295.32	33	21	12	-	15	15	*	*6	*9	11	*7
295.34	24	16	*8	-	11	10	*	*	*6	10	*
295.6	19	14	*5	-	*5	11	*	*	*	*8	*
295.60	*9	*6	*	-	*	*	*	*	*	*	*
295.62	*6	*	*	-	*	*	*	*	*	*	*
295.7	207	99	108	*	102	88	17	55	50	68	33
295.70	159	79	80	*	78	71	10	38	42	54	25
295.72	10	*	*6	-	*	*	*	*	*	*	*
295.74	36	16	20	-	19	11	*6	14	*	11	*7
295.9	106	59	47	*	40	48	18	28	23	43	12
295.90	100	55	45	*	37	45	17	26	21	41	11
296	1,553	646	907	89	756	501	207	318	470	558	207
296.2	279	114	165	16	109	91	64	49	96	107	27
296.20	180	71	108	*9	72	60	39	29	64	65	21
296.22	11	*	*8	*	*	*	*	*	*	*	*
296.23	48	23	25	*	22	14	*8	*6	19	20	*
296.24	35	15	19	*	11	11	10	*7	*8	19	*
296.3	340	132	208	*8	160	126	47	64	113	105	58
296.30	87	28	59	*	35	36	13	13	35	19	20
296.32	41	12	29	*	18	15	*7	*8	13	12	*8
296.33	145	63	81	*	81	47	15	31	49	45	20
296.34	57	23	34	*	21	23	10	*9	13	27	*8
296.4	59	27	32	*	31	16	11	16	20	15	*9
296.40	27	13	14	*	12	*8	*6	*8	*7	*8	*
296.43	*8	*	*	*	*5	*	*	*	*	*	*
296.44	23	11	13	*	14	*6	*	*	*8	*6	*
296.5	158	61	98	*	81	55	19	23	49	50	36
296.50	110	42	68	*	54	37	16	13	34	36	27
296.53	20	*9	12	*	13	*6	*	*	*8	*6	*
296.54	20	*6	14	*	*8	10	*	*	*6	*7	*
296.6	74	33	41	*9	40	19	*7	*8	20	41	*
296.60	48	24	24	*7	26	11	*	*7	11	29	*
296.63	*8	*	*	*	*	*	-	*	*	*	-
296.64	16	*	11	*	*8	*6	*	*	*	*8	*
296.7	36	18	18	*	18	12	*	*7	12	12	*
296.8	433	165	268	15	222	150	46	89	111	175	58

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
296.80	378	144	234	15	190	131	42	73	93	160	52
296.89	55	21	34	*	31	19	*	17	18	14	*6
296.9	171	94	76	33	94	31	13	61	48	52	10
296.90	159	87	72	31	90	28	*9	58	44	48	*8
296.99	12	*8	*	*	*	*	*	*	*	*	*
297	28	12	16	*	*	*6	18	*6	*6	11	*5
297.1	19	*8	12	-	*	*	12	*	*	*7	*
297.9	*7	*	*	*	*	*	*5	*	*	*	*
298	196	112	84	*	65	47	79	49	60	54	33
298.9	184	104	80	*	57	44	78	41	59	52	31
299	40	31	10	18	21	*	*	12	*6	10	13
299.0	24	20	*	11	12	*	*	*	*	*7	10
299.00	23	19	*	11	11	*	*	*	*	*7	*9
299.8	12	*9	*	*5	*6	-	-	*6	*	*	*
299.80	11	*8	*	*5	*6	-	-	*6	*	*	*
300	1,443	429	1,014	26	469	522	426	359	339	507	238
300.0	894	282	612	17	271	319	287	232	221	299	143
300.00	747	234	513	13	201	275	258	203	180	258	106
300.01	85	22	63	*	39	28	16	14	23	28	19
300.02	56	25	31	*	28	14	11	12	16	13	15
300.09	*6	*	*5	-	*	*	*	*	*	*	*
300.1	25	*6	19	*	14	*6	*	*	*	10	*7
300.11	16	*6	10	*	*8	*	*	*	*	*6	*7
300.14	*5	*	*5	-	*	*	*	*	*	*	-
300.2	29	10	19	*	19	*7	*	*5	*6	*7	11
300.21	16	*6	11	*	12	*	*	*	*	*	*7
300.23	*5	*	*	-	*	*	*	*	*	*	*
300.29	*6	*	*	*	*	*	*	*	*	*	*
300.3	40	17	23	*	23	*8	*	12	12	*6	*9
300.4	432	105	327	*	130	175	126	102	92	179	60
300.9	20	*9	11	*	11	*6	*	*	*	*6	*7
301	248	103	145	*	163	65	19	70	73	53	52
301.5	*8	*	*6	-	*5	*	*	*	*	*	*
301.6	11	*	*8	-	*	*	*	*	*	*	*
301.7	33	24	*8	-	26	*6	*	*	14	*9	*
301.8	114	24	89	*	82	27	*	27	38	19	29
301.81	*8	*6	*	-	*6	*	*	*	*	*	*
301.83	91	14	77	*	69	20	*	19	31	14	27
301.89	12	*	*8	-	*6	*	*	*	*5	*	*
301.9	71	43	29	*	42	23	*6	33	13	16	*8
303	666	485	181	*	267	340	57	170	185	176	135
303.0	154	104	50	*	63	78	13	42	51	28	33
303.00	55	37	18	-	19	31	*5	*6	24	*9	16
303.01	93	64	29	*	43	43	*7	35	26	16	15
303.02	*5	*	*	-	*	*	*	*	-	*	*
303.9	512	381	131	*	204	263	45	128	134	149	102
303.90	222	165	57	-	84	112	26	40	61	68	54
303.91	228	174	53	*	100	116	12	75	53	70	31
303.92	12	*8	*	-	*	*8	*	*	*	*	*
303.93	50	34	17	-	16	27	*7	*9	19	*7	15
304	556	332	224	*	335	203	15	189	128	140	99
304.0	237	135	102	*	130	97	*8	81	50	53	53
304.00	80	38	42	*	51	26	*	18	20	24	18
304.01	145	90	55	*	71	68	*5	57	28	26	34
304.03	10	*	*5	-	*7	*	*	*5	*	*	*
304.1	39	19	20	*	21	15	*	19	*8	12	*
304.10	17	*6	11	-	*8	*7	*	*6	*	*7	*
304.11	20	12	*9	*	12	*7	*	12	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
304.2	95	64	31	-	53	41	*	37	16	32	*9
304.20	43	29	14	-	24	19	*	13	*8	16	*5
304.21	42	29	13	-	23	19	*	20	*5	14	*
304.23	*8	*	*	-	*	*	-	*	*	*	*
304.3	68	45	23	*	54	13	*	16	27	18	*8
304.30	29	18	11	*	21	*7	*	*6	11	*8	*
304.31	30	22	*8	*	24	*5	-	*7	12	*9	*
304.33	*7	*	*	-	*7	*	-	*	*	*	*
304.4	17	*9	*8	-	13	*	-	*	*	*	*7
304.40	*7	*	*	-	*5	*	-	-	*	*	*
304.43	*5	*	*	-	*	*	-	*	*	*	*
304.6	*6	*	*	*	*	*	*	*	*	*	*
304.7	37	25	12	-	26	11	*	17	*9	*5	*6
304.70	14	*8	*5	-	10	*	-	*6	*	*	*
304.71	16	11	*5	-	12	*	*	*9	*	*	*
304.73	*7	*5	*	-	*	*	*	*	*	*	*
304.8	23	14	*9	-	16	*6	*	*8	*5	*	*
304.80	15	10	*	-	11	*	*	*6	*	*	*
304.81	*6	*	*	-	*	*	*	*	*	*	*
304.9	34	18	15	*	17	14	*	*8	*7	10	10
304.90	19	12	*7	-	12	*7	*	*	*	*6	*6
304.91	13	*6	*7	*	*5	*6	*	*	*	*	*
305	3,645	2,083	1,562	17	1,665	1,509	454	748	948	1,394	555
305.0	504	357	147	*6	260	197	41	100	137	161	106
305.00	370	257	113	*	196	141	28	70	104	119	77
305.01	86	66	20	*	37	37	10	23	18	31	14
305.02	15	10	*	-	12	*	*	*	*	*	*6
305.03	33	24	*9	*	15	16	*	*5	11	*7	*9
305.1	2,428	1,308	1,120	*	923	1,103	397	481	611	979	357
305.2	231	139	92	*	180	46	*	49	78	80	24
305.20	163	96	67	*	123	35	*	26	60	57	19
305.21	42	26	16	*	36	*	*	16	10	14	*
305.22	11	*6	*	-	10	*	-	*	*	*	*
305.23	16	11	*	*	11	*	-	*	*5	*	*
305.3	*5	*	*	-	*5	*	-	*	*	*	-
305.4	25	13	13	*	19	*6	*	*	*6	13	*
305.40	20	10	10	*	17	*	*	*	*	11	*
305.5	78	45	32	*	49	24	*	22	22	24	10
305.50	47	25	22	*	26	18	*	*8	15	16	*9
305.51	19	13	*6	*	15	*	*	12	*	*	*
305.53	10	*7	*	-	*7	*	*	*	*	*	*
305.6	211	131	80	*	113	91	*6	62	52	82	15
305.60	158	94	63	-	85	68	*	41	42	62	12
305.61	30	21	*8	*	16	13	*	16	*	*9	*
305.62	*8	*6	*	-	*	*	*	*	*	*	*
305.63	16	*8	*7	-	*8	*7	*	*	*6	*6	*
305.7	37	21	16	-	30	*6	*	*	*	*9	19
305.70	28	16	12	-	22	*6	*	*	*	*6	16
305.9	122	63	59	*	82	35	*	21	36	43	22
305.90	96	47	50	*	69	25	*	15	29	36	17
305.91	*9	*6	*	-	*5	*	*	*	*	*	*
305.93	14	*7	*6	-	*8	*6	-	*	*	*	*
306	*8	*	*5	*	*	*	*	*	*	*	*
307	86	34	52	*6	36	22	23	20	20	28	18
307.1	*7	*	*7	-	*6	*	-	*	*	*	*
307.2	*7	*	*	*	*	*	*	*	*	*	*
307.4	*9	*	*	*	*	*	*	*5	*	*	*
307.5	14	*	13	*	*9	*	*	*	*5	*	*
307.50	*7	*	*7	*	*5	*	-	*	*	*	-
307.51	*5	*	*5	*	*	*	-	*	*	*	*
307.8	12	*	*8	*	*7	*	*	*	*	*	*
307.81	*9	*	*6	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
307.9	32	19	13	*	*6	*9	16	*	*8	10	10
308	20	*8	13	*	*7	10	*	*	*	11	*
308.3	*6	*	*5	*	*	*	*	*	*	*	*
308.9	11	*6	*5	*	*	*6	*	*	*	*7	*
309	300	105	194	21	168	89	21	65	85	73	77
309.0	31	13	18	*	13	10	*8	*9	*9	*6	*6
309.2	43	13	30	*	25	10	*	11	16	*8	*8
309.24	*7	*	*	*	*	*	*	*	*	*	*
309.28	36	10	26	*	22	*9	*	*7	15	*7	*8
309.3	*5	*	*	*	*	-	-	*	*	*	*
309.4	22	11	11	*	14	*	*	*	*8	*	*7
309.8	184	57	126	12	104	61	*6	36	48	51	48
309.81	180	55	125	12	103	60	*5	36	47	49	48
309.9	13	*7	*6	*	*7	*	*	*	*	*	*
310	132	63	69	*	20	30	82	98	*	15	16
310.1	101	50	51	-	12	21	69	90	*	*	*8
310.2	14	*6	*8	*	*7	*	*	*	*	*	*
310.9	16	*7	*9	-	*	*	11	*	*	*7	*
311	1,227	421	806	11	351	475	390	353	301	382	192
312	66	42	24	12	38	10	*6	19	19	18	*9
312.0	*5	*5	*	*	*	*	*	*	*	*	*
312.3	38	22	16	*5	25	*8	*	11	14	11	*
312.30	20	11	*9	*	14	*	*	*7	*6	*6	*
312.34	13	*9	*	*	*8	*	-	*	*5	*	*
312.8	*8	*7	*	*	*	*	*	*	*	*	*
312.9	14	*8	*6	*	*6	*	*	*	*	*	*
313	34	19	15	23	10	*	*	10	12	*8	*
313.8	33	19	14	22	10	*	*	10	11	*7	*
313.81	28	18	10	17	*9	*	*	*7	10	*7	*
313.89	*5	*	*	*	*	-	-	*	*	*	*
314	182	111	70	72	82	23	*	36	59	63	22
314.0	182	111	70	72	82	23	*	36	59	63	22
314.00	31	15	16	*6	15	*8	*	*5	*6	15	*
314.01	151	96	55	66	67	15	*	31	53	48	18
315	55	27	28	38	12	*	*	*9	14	11	21
315.3	*7	*5	*	*5	*	-	*	*	*	*	*
315.39	*5	*	*	*	*	-	*	*	*	*	*
315.8	22	11	11	19	*	*	*	*6	*	*5	*9
315.9	22	*9	13	12	*7	*	*	*	*7	*	10
317	45	26	19	*	26	15	*	19	13	12	*
318	31	21	10	*	*8	14	*7	*7	10	12	*
318.0	*8	*5	*	*	*	*	*	*	*	*	*
318.1	17	13	*	*	*	*8	*	*	*6	*7	*
318.2	*6	*	*	*	*	*	*	*	*	*	*
319	75	36	39	11	24	30	*9	25	20	20	*9
320-389	6,635	2,938	3,697	378	1,254	2,105	2,897	1,625	1,529	2,285	1,196
320	*7	*	*	*	*	*	*	*	*	*	*
322	11	*7	*	*	*	*	*	*	*	*5	*
322.9	*8	*	*	*	*	*	*	*	*	*	*
323	14	*5	*9	*	*5	*	*	*	*	*8	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
323.8	*8	*	*	*	*	*	*	*	*	*	*
323.82	*7	*	*	*	*	*	*	*	*	*	-
324	24	13	11	*	*6	*8	*9	*	*7	*6	*7
324.0	13	*8	*6	*	*	*	*	*	*	*	*6
324.1	*9	*	*	*	*	*	*	*	*	*	*
327	572	316	256	18	100	285	169	119	121	217	115
327.0	*5	*	*	-	*	-	*	*5	*	-	-
327.2	563	311	252	18	94	283	167	114	120	216	113
327.23	556	308	248	18	93	279	166	111	119	214	112
331	577	218	360	31	18	54	474	119	125	216	117
331.0	372	113	259	-	-	*9	363	79	85	146	62
331.3	*8	*	*	*	*	*	*	*	*	*	*
331.4	102	51	51	29	16	34	23	14	20	34	34
331.5	34	14	19	-	*	*	31	*	*7	13	10
331.8	51	30	21	*	*	*	46	16	10	18	*7
331.82	44	25	19	-	*	*	43	14	*9	17	*
331.83	*6	*	*	*	*	*	*	*	*	*	*
331.9	*7	*	*	-	*	*	*5	*	*	*	*
332	203	106	98	-	*	23	180	58	47	67	32
332.0	199	106	93	-	*	22	176	56	46	66	31
333	200	79	121	*	28	63	106	40	49	67	45
333.0	20	13	*7	-	*	*	14	*	*	*	*7
333.1	41	20	22	-	*	*9	29	*9	10	15	*7
333.2	*8	*	*	*	*	*	*	*	*	*	*
333.4	*7	*	*5	-	*	*5	*	*	*	*	*
333.8	*8	*	*	*	*	*	*	*	*	*	*
333.85	*7	*	*	-	*	*	*	*	*	*	*
333.9	113	36	77	*	16	40	56	18	29	38	28
333.90	20	*7	12	*	*7	*8	*	*7	*	10	*
333.94	88	28	60	-	*8	31	49	11	26	25	26
334	13	*6	*7	*	*	*	*6	*	*	*	*
334.3	*6	*	*	*	*	*	*	*	*	*	*
335	13	*9	*	*	*	*5	*6	*	*	*	*
335.2	12	*8	*	-	*	*5	*6	*	*	*	*
335.20	11	*7	*	-	*	*	*	*	*	*	*
336	37	14	23	*	*	15	13	*9	11	*9	*8
336.0	*9	*	*	*	*	*	*	*	*	*	*
336.3	*7	*	*	-	-	*6	*	*	*	*	*
336.9	14	*	*9	-	*	*6	*7	*5	*	*	*
337	52	20	31	*	12	19	20	*7	14	20	11
337.1	25	13	12	*	*	*8	14	*	*8	*7	*6
337.2	20	*	15	-	*9	10	*	*	*	10	*
337.20	*8	*	*8	-	*	*5	*	*	*	*5	*
337.22	*8	*	*	-	*	*	*	*	*	*	*
337.9	*5	*	*	*	*	*	*	*	*	*	*
338	601	251	350	*	173	261	163	114	141	208	139
338.1	104	39	65	*	30	37	33	35	21	26	22
338.11	*6	*	*	-	*	*	*	*	*	*	*
338.18	67	26	41	*	22	28	13	15	13	22	16
338.19	31	11	20	*	*6	*9	16	18	*5	*	*
338.2	351	153	198	*	109	149	93	55	87	113	95
338.21	10	*6	*	-	*8	*	*	*	*	*	*7
338.29	335	145	191	*	100	145	89	52	86	110	87
338.3	49	23	26	-	10	24	15	*9	10	23	*8
338.4	97	36	61	*	24	50	22	15	23	45	13

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
339	29	10	19	*	18	*8	*	12	*	*6	*6
339.2	13	*	*9	*	11	*	*	*7	*	*	*
339.20	*8	*	*5	*	*7	*	*	*	*	*	*
339.3	*7	*	*7	*	*	*	*	-	*	*	*
340	136	42	93	-	35	74	26	42	28	37	27
341	*8	*	*	-	*	*	*	*	*	*	*
342	283	132	150	*	22	93	166	102	56	79	46
342.0	*5	*	*	-	*	*	*	*	*	*	*
342.8	*7	*	*	*	*	*	*	*	*	*	*
342.9	268	126	142	*	19	88	160	100	50	76	42
342.90	237	113	124	*	17	76	144	89	46	69	33
342.91	11	*	*6	-	*	*6	*	*	*	*	*
342.92	20	*8	12	*	*	*7	12	*7	*	*	*8
343	76	39	37	27	24	16	*9	17	18	22	19
343.2	14	*7	*6	*6	*	*	*	*	*	*	*6
343.9	54	28	27	18	18	10	*8	12	15	16	11
344	221	143	78	*	63	92	62	57	44	72	48
344.0	77	54	23	*	29	35	10	18	16	23	20
344.00	62	42	20	*	22	29	*9	17	13	20	12
344.09	*6	*5	*	-	*	*	*	*	*	*	*
344.1	109	69	39	*	28	48	32	24	21	40	23
344.6	*9	*	*6	-	*	*	*	*	*	*	*
344.8	*8	*	*	*	*	*	*6	*	*	*	*
344.89	*8	*	*	*	*	*	*6	*	*	*	*
344.9	*9	*6	*	*	*	*	*7	*	*	*	*
345	708	344	364	80	201	241	185	167	175	263	104
345.0	*7	*	*	*	*	*	*	*	*	*	*
345.00	*6	*	*	*	*	*	*	*	*	*	*
345.1	31	15	16	*	12	*9	*6	*8	*7	11	*
345.10	26	13	13	*	*9	*9	*6	*6	*6	*9	*
345.11	*5	*	*	*	*	-	-	*	*	*	*
345.3	44	25	20	11	*7	12	14	*9	10	17	*8
345.4	19	*8	11	*	*7	*7	*	*	*7	*	*
345.40	16	*8	*8	*	*6	*5	*	*	*6	*	*
345.5	23	*7	16	*	*	*8	*7	*5	*8	*8	*
345.50	20	*7	14	*	*	*8	*7	*	*8	*7	*
345.7	*6	*	*	*	*	*	*	*	*	*	*
345.8	13	*6	*6	*	*6	*	*	*	*	*	*
345.80	11	*5	*6	*	*5	*	*	*	*	*	*
345.9	562	276	286	51	162	200	149	132	137	217	75
345.90	553	272	281	48	158	199	148	128	136	215	74
345.91	*9	*	*5	*	*	*	*	*	*	*	*
346	346	58	289	*6	165	144	31	68	81	126	70
346.0	*8	*	*7	*	*	*	*	*	*	*	*
346.00	*6	*	*5	*	*	*	*	*	*	*	*
346.8	18	*6	13	*	*6	*9	*	*	*6	*	*5
346.80	14	*5	*9	*	*	*8	*	*	*	*	*
346.9	303	48	255	*	145	127	29	58	73	115	58
346.90	287	47	240	*	132	125	27	57	67	109	53
346.91	*9	*	*9	-	*7	*	*	*	*	*	*
347	*5	*	*	-	*	*	*	*	*	*	*
347.0	*5	*	*	-	*	*	*	*	*	*	*
347.00	*5	*	*	-	*	*	*	*	*	*	*
348	610	289	321	28	94	152	335	123	151	253	83
348.0	*8	*	*	*	*6	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
348.1	81	42	39	*6	19	22	34	11	21	33	16
348.2	14	*	12	*	12	*	-	*	*	*	*
348.3	380	180	199	12	29	91	248	80	89	174	36
348.30	189	92	97	*	15	45	126	34	44	95	16
348.31	109	55	54	-	*	23	82	30	26	46	*7
348.39	81	33	48	*8	11	23	39	16	19	33	13
348.4	25	10	15	*	10	*5	*5	*	*7	*7	*6
348.5	60	30	30	*	12	23	25	12	24	19	*5
348.8	26	14	13	*	*	*9	*9	*6	*	10	*
348.9	16	*8	*8	*	*	*	14	*	*	*	10
349	130	46	84	*	28	30	69	33	45	41	11
349.0	25	*	23	*	20	*	*	*8	10	*6	*
349.2	*5	*	*	*	*	*	*	*	-	*	*
349.3	25	*7	18	*	*	*7	14	*	12	*8	*
349.31	23	*6	17	*	*	*6	13	*	11	*7	*
349.8	74	33	41	*	*	17	51	18	22	26	*7
349.82	70	31	39	-	*	17	49	18	22	26	*
350	23	*5	18	-	*	*	15	*	*5	*9	*5
350.1	23	*5	18	-	*	*	15	*	*5	*9	*5
351	28	15	13	*	*6	*9	12	*8	*	*9	*8
351.0	27	15	12	*	*6	*9	11	*8	*	*8	*8
353	11	*5	*6	*	*	*	*	*	*	*	*
353.0	*7	*	*	*	*	*	*	*	*	*	*
354	30	14	16	*	11	12	*7	10	*9	*8	*
354.0	15	*	11	*	*6	*6	*	*	*	*	*
354.3	*6	*	*	-	*	*	*	*	*	*	*
355	92	45	47	*	10	41	40	27	13	33	19
355.8	29	17	13	*	*	13	12	*7	*6	*9	*8
355.9	55	25	31	*	*6	24	25	19	*6	20	11
356	136	67	69	*	14	42	79	28	31	59	18
356.9	126	62	64	*	13	39	73	26	28	56	17
357	295	149	146	*	29	130	136	107	62	88	38
357.0	16	*9	*7	*	*	*	*8	*5	*	*5	*
357.2	249	124	125	-	21	114	114	92	53	76	28
357.6	*9	*	*	-	-	*	*	*	*	*	*
357.8	12	*5	*6	-	*	*	*7	*	*	*	*
357.81	10	*	*6	-	*	*	*7	*	*	*	*
358	32	16	15	-	*	11	17	12	*7	10	*
358.0	30	16	14	-	*	11	16	12	*6	*9	*
358.00	21	12	*9	-	*	*7	13	10	*	*8	*
358.01	*9	*	*	-	*	*	*	*	*	*	*
359	55	21	34	*9	10	17	19	13	15	13	14
359.1	13	*9	*	*	*	*	*	*	*	*	*
359.2	*8	*	*	*	*	*	*	*	*	*	*
359.21	*7	*	*	*	*	*	*	*	*	*	*
359.4	*9	*	*6	-	*	*	*	*	*5	*	*
359.8	17	*	12	*	*	*	*8	*	*6	*6	*
359.81	10	*	*7	*	*	*	*6	*	*5	*	*
359.89	*7	*	*	*	*	*	*	*	*	*	*
361	*8	*	*6	-	*	*6	*	*	*	*	*
362	150	58	92	*6	*7	44	92	44	43	40	23
362.0	61	27	35	-	*6	36	20	20	17	14	10
362.01	57	25	32	-	*5	34	18	20	15	14	*7

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
380	29	16	13	*	*6	*8	10	*	*6	12	*8
380.1	16	*8	*8	*	*	*6	*	*	*	*8	*
380.10	15	*8	*8	*	*	*6	*	*	*	*8	*
380.4	11	*8	*	*	*	*	*6	*	*	*	*
381	*8	*	*	*	*	*	*	*	*	*	*
382	90	51	38	75	*7	*	*	10	18	44	19
382.9	88	50	38	74	*7	*	*	10	18	42	19
383	13	*6	*6	*	*	*	*	*	*	*6	*
383.0	*5	*	*	*	*	*	*	*	*	*	*
383.00	*5	*	*	*	*	*	*	*	*	*	*
383.9	*6	*	*	*	*	*	*	*	*	*	*
385	*8	*	*5	*	*	*	*	*	*	*	*
386	66	22	45	-	10	15	41	22	15	18	11
386.0	14	*	11	-	*	*	*9	*	*	*	*
386.00	14	*	11	-	*	*	*9	*	*	*	*
386.1	39	14	25	-	*6	10	23	16	*7	*9	*7
386.11	26	*9	17	-	*	*6	16	11	*5	*7	*
386.12	10	*	*5	-	*	*	*	*	*	*	*
386.3	11	*	*7	-	*	*	*8	*	*	*	*
386.30	10	*	*7	-	*	*	*8	*	*	*	*
388	22	14	*8	*	10	*	*7	*	*7	*8	*
388.3	*9	*7	*	-	*	*	*	*	*	*	*
388.30	*9	*7	*	-	*	*	*	*	*	*	*
388.7	*8	*6	*	*	*	*	*	*	*	*	*
388.70	*8	*6	*	*	*	*	*	*	*	*	*
389	107	51	56	*5	16	22	64	36	27	25	18
389.1	17	14	*	*	*	*	10	*7	*	*	*5
389.10	*9	*8	*	*	-	*	*6	*	*	*	*
389.11	*5	*	*	*	*	*	*	*	*	*	*
389.9	81	32	49	*	11	17	52	26	22	22	11
390-459	35,234	17,446	17,788	140	2,239	10,059	22,795	8,804	8,120	13,049	5,261
394	*9	*	*7	-	*	*	*5	*	*	*	*
396	103	42	61	-	*	14	84	27	19	36	21
396.0	*7	*	*7	-	-	*	*7	*	*	*	*
396.2	30	12	19	-	*	*	27	*9	*8	*7	*6
396.3	46	24	23	-	*	*7	36	*9	*8	20	*8
396.8	14	*	10	-	*	*	11	*5	*	*	*
397	114	34	80	*	11	24	79	37	21	31	26
397.0	114	34	80	*	11	24	79	37	21	31	26
398	44	18	26	-	*	*8	35	16	*5	11	11
398.9	44	18	26	-	*	*8	35	16	*5	11	11
398.91	39	17	22	-	*	*5	34	14	*	10	10
401	9,316	4,076	5,240	16	787	3,320	5,193	2,253	2,078	3,586	1,399
401.0	113	48	65	-	11	48	54	18	17	67	10
401.1	165	82	83	-	19	65	81	110	13	33	*9
401.9	9,038	3,946	5,093	16	757	3,207	5,058	2,125	2,047	3,486	1,380
402	220	89	131	-	10	63	147	63	35	107	14
402.0	14	*9	*	-	*	*	*8	*	*	*7	*
402.01	*9	*5	*	-	*	*	*	*	*	*6	-
402.1	*9	*	*6	-	-	*	*6	*7	*	*	*
402.10	*7	*	*	-	-	*	*	*7	-	*	-

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
402.9	197	77	120	-	*8	56	133	52	34	99	13
402.90	131	53	77	-	*6	40	85	34	20	69	*8
402.91	67	24	43	-	*	16	48	18	14	30	*5
403	1,906	974	933	*	162	511	1,233	426	461	718	302
403.0	69	26	43	-	16	21	32	15	10	37	*7
403.00	39	16	24	-	*	11	23	*9	*7	20	*
403.01	30	11	19	-	12	10	*9	*6	*	16	*
403.1	17	*6	11	-	*	*	16	10	*	*	*
403.10	*9	*	*5	-	*	*	*8	*	*	*	*
403.11	*8	*	*6	-	*	*	*8	*6	*	*	*
403.9	1,820	941	878	*	145	489	1,186	400	449	678	293
403.90	1,138	595	543	*	43	227	868	239	279	442	178
403.91	682	346	336	*	102	261	318	162	169	236	115
404	148	76	73	-	10	32	106	40	25	58	25
404.0	13	*6	*7	-	*	*	*6	*	*	*7	*
404.01	*7	*	*	-	*	*	*	*	*	*	*
404.9	131	69	62	-	*7	27	97	34	23	51	24
404.90	17	*9	*8	-	*	*	13	*6	*	*6	*
404.91	80	42	38	-	*	13	65	21	15	32	13
404.92	14	*8	*6	-	*	*6	*7	*	*	*7	*
404.93	20	10	10	-	*	*	12	*6	*	*5	*
405	12	*	*7	*	*	*	*	*	*	*6	*
405.9	10	*	*6	*	*	*	*	*	*	*6	*
405.99	*6	*	*	*	*	*	*	*	*	*	*
410	841	479	362	-	45	255	542	201	205	323	112
410.0	13	*7	*6	-	*	*6	*6	*	*	*8	*
410.01	13	*7	*5	-	*	*6	*6	*	*	*8	*
410.1	55	36	19	-	*6	21	28	15	15	18	*7
410.11	51	33	18	-	*5	19	27	14	14	18	*
410.2	16	*9	*7	-	*	*6	10	*	*6	*6	*
410.21	15	*9	*6	-	*	*	10	*	*5	*6	*
410.3	10	*8	*	-	*	*	*	*	*	*	*
410.31	*9	*8	*	-	*	*	*	*	*	*	*
410.4	69	48	22	-	*	27	38	12	14	28	15
410.41	65	45	20	-	*	26	36	12	12	28	14
410.5	*8	*	*5	-	*	*	*5	*	*	*	*
410.51	*8	*	*5	-	*	*	*5	*	*	*	*
410.7	569	308	261	-	25	160	384	143	134	220	72
410.71	547	295	252	-	25	154	368	137	127	214	69
410.72	20	12	*8	-	*	*5	14	*5	*6	*6	*
410.8	*5	*	*	-	*	*	*	*	*	*	*
410.9	95	57	38	-	*5	27	63	21	30	32	12
410.90	*9	*	*	-	*	*	*6	*7	*	*	-
410.91	70	42	28	-	*	19	47	*6	27	25	11
410.92	16	10	*6	-	*	*7	*9	*9	*	*	*
411	361	224	137	*	13	149	198	96	92	130	44
411.1	342	212	130	*	12	144	186	89	87	125	42
411.8	16	*9	*7	-	*	*	11	*7	*	*	*
411.89	12	*8	*	-	*	*	*9	*7	*	*	*
412	622	370	252	*	26	199	396	156	145	235	86
413	216	119	97	-	*9	80	128	75	49	65	27
413.1	*6	*	*	-	*	*	*	*	*	*	*
413.9	210	118	92	-	*8	76	127	74	47	61	27
414	4,463	2,671	1,792	*	107	1,288	3,067	1,213	1,102	1,577	572
414.0	4,026	2,374	1,652	*	93	1,151	2,782	1,116	981	1,435	494
414.00	1,022	633	389	*	15	234	773	297	284	347	94
414.01	2,885	1,651	1,233	*	77	880	1,927	790	660	1,045	389

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
414.02	96	73	23	-	*	29	67	26	31	36	*
414.04	*9	*6	*	-	-	*	*6	*	*	*	*
414.05	13	10	*	-	-	*	*9	*	*	*	*6
414.1	27	14	13	*	*	12	12	*6	*6	*6	*9
414.10	14	*6	*8	*	*	*	*9	*	*	*	*
414.12	*9	*	*	-	-	*7	*	*	*	*	*
414.2	73	46	26	-	*	27	42	18	17	24	13
414.8	319	225	94	-	*8	94	217	68	91	106	53
414.9	18	11	*7	-	*	*	13	*	*6	*7	*
415	315	155	160	*	53	107	152	77	72	106	59
415.0	*7	*5	*	*	-	*	*	*	*	*	*
415.1	307	149	158	*	53	106	147	75	71	104	58
415.11	18	*7	11	-	*	*7	*8	*7	*	*	*
415.12	*6	*	*	-	*	*	*	*	*	*	*
415.19	283	139	144	*	47	97	139	68	66	96	53
416	386	149	237	12	23	92	259	81	72	162	71
416.0	10	*	*6	*	*	*	*6	*	*	*	*
416.8	332	122	210	11	20	79	222	68	63	135	65
416.9	44	22	21	*	*	10	31	*9	*8	22	*
420	19	12	*8	*	*5	*	*9	*	*7	*	*
420.9	17	10	*7	*	*	*	*8	*	*6	*	*
420.90	11	*7	*	*	*	*	*6	*	*	*	*
421	29	13	16	*	*5	11	13	*9	*5	13	*
421.0	28	12	16	*	*5	10	12	*8	*5	13	*
422	*6	*	*	*	*	*	*	*	*	*	*
423	123	51	73	*	19	46	55	32	29	35	28
423.2	*6	*	*	-	*	*	*	*	*	*	-
423.3	12	*	*8	-	*	*5	*5	*	*	*	*
423.8	13	*6	*7	*	*	*	*8	*	*	*	*
423.9	90	35	55	*	16	33	38	25	18	27	20
424	692	286	406	*	59	143	488	241	150	212	89
424.0	369	127	242	*	46	98	224	122	81	118	48
424.1	265	130	135	*	*7	33	225	99	55	76	36
424.2	20	12	*8	*	*	*	15	13	*	*	*
424.3	*5	*	*	*	*	*	*	*	*	*	*
424.9	33	13	20	-	*	*8	23	*7	10	12	*
424.90	32	13	19	-	*	*8	23	*7	10	12	*
425	837	494	343	*	87	278	468	196	193	313	135
425.1	13	*	*9	-	*	*7	*6	*	*	*	*
425.4	774	457	318	*	75	253	442	180	180	296	119
425.5	15	14	*	-	*	*8	*	*	*	*	*
425.8	20	10	*9	-	*	*	12	*	*	*9	*
425.9	10	*7	*	-	*	*	*	*	*	*	*
426	439	260	179	*8	30	85	316	110	104	136	88
426.0	91	57	34	*	*	13	74	21	17	27	25
426.1	101	64	37	*	*6	15	79	28	26	32	15
426.10	*7	*	*	-	*	*	*	*	*	*	*
426.11	44	29	16	*	*	*7	35	*8	12	17	*7
426.12	19	13	*7	-	-	*	17	*9	*	*	*
426.13	30	19	11	*	*	*	23	*8	*8	10	*
426.2	13	*7	*5	-	*	*	*8	*	*	*7	*
426.3	86	36	50	-	*	21	62	15	24	31	16
426.4	86	56	30	*	*	19	62	29	20	23	14
426.5	30	23	*7	*	*	*5	23	*9	*7	*6	*7
426.52	12	10	*	-	*	*	*7	*	*	*	*
426.53	11	*7	*	*	-	*	10	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
426.7	17	10	*6	*5	*8	*	*	*	*	*	*6
426.8	*8	*	*6	-	*	*	*	*	*	*	*
426.82	*7	*	*5	-	*	*	*	*	*	*	*
427	4,100	2,021	2,078	21	205	809	3,064	1,098	896	1,453	652
427.0	89	36	53	*	*6	23	59	21	22	30	15
427.1	278	177	101	*	18	83	175	71	67	101	40
427.2	12	*6	*6	-	*	*	*8	*	*	*6	*
427.3	2,643	1,313	1,330	*	52	435	2,155	750	576	923	393
427.31	2,324	1,134	1,190	-	42	356	1,925	678	508	802	337
427.32	319	180	140	*	10	79	229	72	68	122	57
427.4	47	26	21	-	*7	20	19	*6	12	24	*
427.41	46	26	20	-	*7	20	19	*6	11	24	*
427.5	88	47	41	*	*7	24	56	14	18	37	19
427.6	91	44	47	*	*9	19	61	20	21	33	17
427.61	25	10	15	*	*	*	20	*6	*	*8	*7
427.69	66	34	32	*	*9	14	41	14	17	24	11
427.8	803	353	449	16	96	190	500	202	168	283	150
427.81	176	75	101	*	*5	25	145	56	33	63	25
427.89	627	278	349	15	91	165	355	146	135	220	125
427.9	49	18	30	*	*5	12	31	12	11	15	12
428	4,634	2,158	2,476	26	167	1,039	3,401	1,130	1,095	1,770	639
428.0	2,818	1,306	1,512	23	105	652	2,038	663	651	1,112	391
428.1	13	*	*9	-	*	*	11	*	*	*6	*
428.2	790	439	351	*	36	192	560	202	182	316	90
428.20	104	59	44	*	*5	27	70	24	27	41	11
428.21	130	71	59	*	*8	34	87	38	32	45	15
428.22	222	128	93	*	*7	48	167	55	55	85	26
428.23	335	181	154	-	16	82	236	84	68	145	38
428.3	798	295	503	*	18	152	628	218	203	263	115
428.30	241	89	152	-	*9	45	187	55	73	78	35
428.31	110	38	72	*	*	17	92	40	22	43	*5
428.32	226	85	141	-	*	50	172	63	49	79	35
428.33	221	82	139	-	*	41	178	59	58	64	40
428.4	206	111	95	*	*7	40	159	43	55	70	38
428.40	21	10	11	*	*	*5	15	*	*9	*8	*
428.41	28	15	13	-	*	*8	20	*5	*	11	*7
428.42	53	26	27	-	*	*9	42	15	15	16	*8
428.43	103	60	43	-	*	17	82	20	27	35	21
428.9	*8	*	*5	*	*	*	*	*	*	*	*
429	181	79	102	*	13	41	123	45	35	74	26
429.2	33	17	16	-	*	*	28	11	*	16	*
429.3	82	32	50	*	*7	16	54	18	14	36	13
429.8	19	*6	13	-	*	*7	11	*5	*	*5	*
429.83	12	*	11	-	-	*5	*7	*	*	*	*
429.9	39	20	19	-	*	11	24	*6	10	14	*8
430	37	17	20	-	10	15	13	10	11	10	*6
431	100	53	48	*	*7	31	61	25	24	31	20
432	55	31	25	*	*	17	33	13	13	17	12
432.1	44	26	18	*	*	14	27	10	10	12	12
432.9	11	*	*6	-	*	*	*6	*	*	*	*
433	314	178	137	-	*	63	246	65	83	126	40
433.0	*5	*	*	-	*	*	*	*	*	*	*
433.1	253	142	111	-	*	51	198	52	68	100	32
433.10	229	126	103	-	*	47	180	46	61	93	29
433.11	24	16	*8	-	*	*	19	*6	*7	*7	*
433.3	50	32	18	-	*	10	39	13	10	22	*
433.30	43	27	17	-	*	*9	34	10	*9	20	*
433.31	*6	*5	*	-	-	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
434	488	216	273	*	24	124	338	101	115	202	71
434.0	*9	*	*	*	*	*	*7	*	*	*	*
434.01	*8	*	*	-	*	*	*7	*	*	*	*
434.1	72	28	44	*	*	20	49	21	13	22	15
434.11	68	27	42	*	*	19	46	18	13	21	15
434.9	408	183	225	*	21	103	282	79	100	178	52
434.90	15	*8	*6	*	*	*	*8	*	*	*9	*
434.91	393	175	218	*	19	99	274	76	98	168	51
435	243	104	139	-	12	80	150	61	59	92	31
435.2	*6	*	*	-	-	*	*	*	*	*	*
435.8	*8	*	*	-	*	*6	*	*	*	*	*
435.9	222	96	126	-	12	70	140	54	51	88	30
437	157	71	86	*	*9	44	104	43	38	60	17
437.0	51	24	27	-	*	*	46	*8	12	23	*8
437.1	21	10	11	-	*	*	18	*7	*	*9	*
437.2	17	*8	*9	*	*	*8	*6	*	*	*9	*
437.3	38	14	23	-	*	21	14	13	11	10	*
437.7	*7	*	*	-	*	*	*	*	*	*	*
437.9	17	*7	10	-	*	*	13	*	*5	*5	*
438	665	338	327	*	27	148	489	153	148	225	139
438.0	11	*5	*6	-	*	*	*6	*	*	*	*
438.1	84	45	39	-	*	16	65	16	22	31	15
438.10	*7	*6	*	-	*	*	*5	*	*	*	-
438.11	53	24	29	-	*	*9	43	14	13	16	10
438.12	*6	*	*	-	*	*	*	*	*	*	*
438.19	18	11	*7	-	*	*	14	*	*6	*8	*
438.2	362	180	182	*	11	82	269	90	81	117	75
438.20	332	163	168	*	11	75	245	85	76	110	61
438.21	12	*6	*6	-	*	*	10	*	*	*	*
438.22	19	11	*8	-	*	*	13	*	*	*	10
438.5	*8	*5	*	-	*	*	*5	*	*	*	*
438.7	*7	*	*	-	*	*	*7	*	*	*	*5
438.8	184	96	88	*	10	42	131	41	36	68	39
438.82	46	28	18	-	*	*8	38	10	*9	16	11
438.83	10	*5	*	-	*	*	*6	*	*	*	*
438.84	*7	*	*	-	*	*	*5	*	*	*	*
438.89	119	59	60	*	*8	29	81	29	23	46	21
440	337	189	148	-	*7	103	227	73	87	128	49
440.0	17	*8	*9	-	-	*	13	*	*	*	*7
440.1	32	10	22	-	*	*6	26	*	12	13	*
440.2	236	141	95	-	*	76	156	56	58	92	30
440.20	50	30	20	-	*	11	39	*7	13	23	*7
440.21	70	41	28	-	*	28	41	16	18	28	*7
440.22	22	13	10	-	*	*7	15	*8	*5	*8	*
440.23	26	17	*9	-	-	*8	17	*	*6	13	*
440.24	62	38	24	-	*	19	41	22	13	18	*9
440.29	*6	*	*	-	*	*	*	*	*	*	*
440.3	15	13	*	-	*	*8	*6	*	*5	*5	*
440.31	*9	*8	*	-	*	*	*	*	*	*	*
440.4	24	13	11	-	*	*6	16	*6	*6	*8	*
440.9	*9	*	*6	-	-	*	*8	*	*	*	*
441	218	142	76	-	*7	42	168	48	52	80	38
441.0	25	17	*8	-	*	11	12	*	*6	*8	*8
441.01	10	*7	*	-	*	*	*7	*	*	*	*
441.02	*9	*8	*	-	-	*5	*	*	*	*	*
441.2	36	20	16	-	*	*	29	12	*8	10	*7
441.3	*6	*	*	-	-	*	*6	*	*	*	*
441.4	141	95	46	-	*	24	114	30	35	54	23

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
442	42	27	15	-	*	15	24	*8	10	15	10
442.2	14	13	*	-	-	*	10	*	*	*	*
442.3	13	*8	*5	-	*	*	*8	*	*	*6	*
442.8	10	*	*7	-	*	*	*	*	*	*	*
443	430	216	214	*	14	111	301	116	124	148	42
443.0	18	*6	12	*	*7	*6	*5	*5	*6	*	*
443.2	*6	*	*	-	*	*	*	*	*	*	*
443.8	21	12	*9	*	*	*7	12	*9	*	*5	*
443.81	13	*8	*5	-	*	*	*8	*	*	*	*
443.89	*8	*	*	*	*	*	*	*5	*	*	*
443.9	384	194	190	*	*	97	281	100	113	134	36
444	89	53	36	*	*5	29	53	24	25	28	11
444.0	*8	*	*	-	*	*	*	*	*	*	*
444.2	45	27	18	*	*	15	28	13	12	14	*6
444.21	*7	*	*	*	*	*	*	*	*	*	*
444.22	38	24	15	-	*	13	24	11	10	13	*
444.8	28	17	11	*	*	*8	16	*9	*8	*8	*
444.81	16	10	*6	-	*	*6	10	*	*6	*5	*
444.89	12	*7	*	*	*	*	*6	*	*	*	*
445	*5	*	*	-	*	*	*	*	*	*	*
446	43	16	27	*	*6	10	22	*7	12	14	*9
446.2	*5	*	*	-	*	*	*	*	*	*	*
446.4	11	*	*7	-	*	*5	*	*	*	*	*
446.5	15	*	10	-	*	*	11	*	*	*7	*
447	52	22	30	*	*	16	30	19	*9	18	*6
447.1	18	*6	12	-	*	*	12	*7	*	*6	*
447.6	12	*	*9	*	*	*	*6	*	*	*7	*
447.9	*5	*	*	-	*	*	*	*	*	*	-
448	*8	*	*5	*	*	*	*	*	*	*	*
451	36	17	19	*	*9	14	11	*7	*7	13	*9
451.0	*7	*	*	-	*	*	*	*	*	*	*
451.8	21	10	11	*	*	*7	*7	*	*	*8	*5
451.82	*8	*5	*	-	*	*	*	*	*	*	*
451.89	*6	*	*	*	*	*	*	*	*	*	*
452	23	18	*	*	*	*9	*8	*9	*	*	*8
453	491	234	257	*	68	166	253	109	126	179	76
453.2	*9	*	*	*	*	*6	*	*	*	*	*
453.4	379	179	200	*	47	127	205	88	97	134	60
453.40	78	38	40	-	*7	25	46	12	24	37	*5
453.41	177	83	94	*	19	59	98	52	35	59	31
453.42	124	59	65	-	21	43	61	25	38	38	23
453.8	88	41	48	*	18	26	42	19	23	36	11
453.9	*9	*6	*	*	*	*	*	*	*	*	*
454	28	14	14	-	*6	*9	12	11	*7	*6	*
454.2	*7	*	*	-	*	*	*	*	*	*	-
454.9	11	*	*7	-	*	*	*	*	*	*	*
455	188	92	96	*	43	59	85	47	27	71	43
455.0	75	36	39	-	13	24	39	19	13	30	13
455.2	37	22	14	-	*8	14	15	*7	*	14	11
455.3	17	*8	*9	-	*	*	10	*	*	*6	*6
455.5	14	*9	*5	*	*	*	*6	*	*	*	*
455.6	27	*7	20	*	13	*7	*6	*8	*	*9	*7
455.8	14	*8	*6	-	*	*	*8	*	*	*6	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
456	105	75	30	*	14	60	31	25	23	39	19
456.1	11	*7	*	-	*	*7	*	*	*	*6	*
456.2	81	60	20	*	*8	48	25	23	15	26	17
456.20	28	22	*6	-	*	17	*8	*	*	11	*7
456.21	53	39	14	*	*6	31	17	18	11	15	*9
456.8	*8	*5	*	-	*	*	*	*	*	*	*
457	57	20	37	*	*9	20	28	18	16	13	10
457.1	47	16	31	-	*8	17	23	15	14	12	*7
458	717	349	368	*6	72	193	446	127	156	312	122
458.0	155	80	75	*	*9	29	117	31	35	61	28
458.2	95	45	49	*	*	34	55	21	20	34	19
458.21	*5	*	*	-	*	*	*	*	*	*	*
458.29	89	41	48	*	*	33	52	19	19	33	17
458.8	45	22	23	*	*8	13	25	15	*7	10	13
458.9	420	199	220	*5	50	117	248	60	93	205	61
459	162	90	72	*	13	65	84	56	38	44	23
459.0	13	*6	*8	-	*	*	*8	*8	*	*	*
459.2	20	*8	12	*	*	*6	*9	*8	*	*	*
459.8	119	70	49	*	*7	50	61	38	31	34	16
459.81	113	67	46	*	*7	49	56	37	30	31	14
459.89	*6	*	*	-	*	*	*	*	*	*	*
459.9	*5	*	*	-	*	*	*	*	*	*	*
460-519	13,094	6,066	7,028	1,054	1,651	3,599	6,789	2,992	2,882	4,955	2,264
461	63	28	35	*5	12	20	26	19	*9	25	11
461.0	13	*	*9	*	*	*6	*	*	*	*7	*
461.2	*8	*5	*	*	*	*	*	*	*	*	*
461.8	*8	*	*5	*	*	*	*	*	*	*	*
461.9	30	13	17	*	*6	10	11	*	*6	14	*6
462	56	25	31	11	21	12	11	13	*8	26	*9
463	15	*	10	*	10	*	*	*	*6	*6	*
464	32	18	14	23	*	*	*	*8	*	10	10
464.1	*9	*5	*	*7	*	*	*	*	*	*	*
464.10	*8	*	*	*7	*	*	*	*	*	*	*
464.4	15	10	*	15	-	-	-	*	*	*	*
465	181	83	98	64	44	38	35	39	37	56	48
465.9	180	82	98	64	44	36	35	38	37	56	48
466	282	139	143	147	25	36	74	51	49	120	62
466.0	133	51	82	*	24	33	71	25	28	61	19
466.1	149	88	61	143	*	*	*	26	22	59	43
466.11	85	52	34	84	-	-	*	17	14	29	26
466.19	64	36	27	59	*	*	*	*8	*8	30	17
470	10	*7	*	-	*	*	*	*	*	*	*
472	10	*	*6	*	*	*	*	*	*	*	*
472.0	*9	*	*6	*	*	*	*	*	*	*	*
473	148	65	82	17	33	60	38	30	28	65	24
473.0	26	16	*9	*	10	*7	*7	*7	*	11	*
473.2	10	*7	*	*	*	*	*	*	*	*7	*
473.8	*9	*	*	*	*	*	*	*	*	*	*
473.9	98	36	62	12	20	41	25	20	22	42	14
474	27	19	*8	19	*5	*	*	*	*	*9	10
474.0	*8	*5	*	*	*	-	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
474.00	*6	*	*	*	*	-	*	*	*	*	*
474.1	18	13	*5	14	*	*	*	*	*	*5	*8
474.10	*8	*6	*	*8	*	*	-	*	*	*	*
474.11	*8	*6	*	*6	*	*	*	*	*	*	*
475	19	*8	10	*	11	*	*	*	*	*6	*7
477	96	39	56	*5	18	38	34	18	27	38	12
477.9	91	37	54	*	17	37	32	15	27	38	11
478	91	50	40	22	17	32	19	15	14	30	32
478.0	*8	*6	*	*	*	*	*	*	*	*	*
478.1	29	15	14	*8	*	10	*7	*5	*5	*9	10
478.19	29	15	14	*8	*	10	*7	*5	*5	*9	10
478.2	*9	*	*	*	*	*	*	*	*	*5	*
478.3	20	13	*7	*8	*	*5	*5	*	*	*6	*8
478.30	10	*7	*	*6	-	*	*	*	*	*	*5
478.31	*9	*6	*	*	*	*	*	*	*	*	*
478.5	*8	*	*	*	*	*5	*	*	*	*	*
478.7	11	*6	*	*	*	*	*	*	*	*	*
478.75	*7	*5	*	*	*	*	-	*	*	*	*
480	48	19	28	25	*9	*	*9	*8	*6	15	19
480.1	10	*	*6	*8	-	-	*	*	*	*	*
480.9	30	14	16	14	*7	*	*6	*	*	10	13
481	61	30	31	*	*9	23	25	*7	14	23	17
482	263	150	113	15	34	79	135	67	57	93	46
482.0	17	*7	10	*	*	*6	11	*	*	*9	*
482.1	31	19	12	*	*	*8	18	*9	*6	11	*
482.2	14	*7	*7	*	*	*	*9	*	*	*8	*
482.3	16	*8	*8	*	*	*	*7	*	*5	*6	*
482.30	*7	*	*	*	*	*	*	*	*	*	-
482.4	88	49	39	*	12	27	48	18	18	36	16
482.41	17	10	*7	*	*	*7	*6	*	*	*6	*
482.42	64	38	26	*	*7	20	37	14	11	28	10
482.8	46	28	17	*	*7	13	24	13	11	14	*7
482.82	11	*7	*	-	*	*	*7	*	*	*	*
482.83	26	19	*8	*	*	*7	14	*	*7	*9	*6
482.9	51	31	20	11	*6	18	17	20	*9	*9	12
483	20	*	16	*6	*	*	*8	*9	*	*5	*
483.0	11	*	*8	*	*	*	*	*	*	*5	*
483.8	*9	*	*8	*	*	*	*6	*7	*	*	*
484	10	*6	*	*	*	*	*	*	*	*	*
484.6	*5	*	*	-	*	*	*	*	*	*	*
485	19	*7	12	*	*	*	13	*	*9	*6	*
486	2,076	975	1,101	150	202	495	1,229	448	514	792	321
487	132	61	72	45	31	32	24	18	31	39	44
487.0	43	15	28	10	10	11	11	*6	11	11	14
487.1	86	45	41	34	19	21	12	11	19	26	31
488	*7	*	*	*	*	*	*	*	*	*	*
490	92	33	59	*	18	24	49	15	21	47	10
491	1,275	570	704	*	32	357	884	293	300	527	156
491.2	1,253	564	689	*	29	348	875	289	293	518	154
491.20	60	29	31	-	*	14	42	*8	*8	27	18
491.21	1,022	460	562	*	23	282	716	245	251	412	115

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
491.22	170	75	96	*	*	52	116	36	34	80	21
491.9	15	*	10	*	*	*6	*6	*	*	*7	*
492	171	103	68	*	*9	60	102	40	43	57	30
492.0	15	*8	*7	*	*	*7	*	*	*	*	*
492.8	156	95	61	-	*	53	98	37	39	52	28
493	2,029	673	1,356	306	603	604	516	544	411	671	403
493.0	87	50	37	55	12	17	*	13	*8	17	49
493.00	54	31	24	29	*9	14	*	10	*6	11	28
493.01	*8	*	*	*6	*	*	-	*	*	*	*
493.02	25	16	*9	20	*	*	*	*	*	*	17
493.1	11	*	*8	*6	*	*	*	*	*	*	*6
493.12	*7	*	*	*	*	*	-	*	*	*	*
493.2	503	150	353	*	53	198	252	132	109	165	96
493.20	241	70	171	*	23	99	119	66	48	82	45
493.21	12	*	10	-	*	*	*	*	*	*	*6
493.22	250	77	172	*	27	94	128	65	59	80	46
493.9	1,423	467	956	244	533	385	261	395	293	486	250
493.90	1,080	326	754	114	438	311	217	303	226	349	201
493.91	72	35	37	48	12	*8	*	19	12	35	*6
493.92	271	106	165	83	83	66	40	72	54	101	43
494	48	16	32	*	*	10	33	17	*9	16	*6
494.0	36	11	25	*	*	*7	24	11	*5	13	*6
494.1	12	*	*7	*	*	*	*9	*5	*	*	*
495	*5	*	*	-	*	*	*	*	*	*	*
496	1,461	734	727	*	34	443	982	330	338	597	197
501	12	10	*	-	-	*	10	*	*	*6	-
507	485	286	199	*8	41	103	333	130	91	178	86
507.0	481	282	198	*7	41	103	329	127	91	177	86
508	12	*	10	*	*	*	*9	*	*	*	*
508.0	*9	*	*7	-	-	*	*6	*	*	*	*
510	49	30	19	*	10	20	15	10	12	12	15
510.0	*7	*	*	*	*	*	*	*	*	*	*
510.9	42	26	16	*	*9	16	14	*8	11	10	13
511	725	338	387	20	56	201	448	168	168	265	124
511.0	19	*9	10	*	*	10	*6	*	*8	*	*
511.8	89	41	48	*	12	29	47	28	17	34	10
511.81	57	23	33	*	*6	19	31	17	10	23	*7
511.89	32	17	15	*	*6	*9	16	11	*7	11	*
511.9	617	288	329	19	41	162	394	134	143	227	112
512	134	70	65	*	24	41	67	33	35	45	22
512.1	76	38	37	*	*7	22	46	20	19	22	15
512.8	56	30	26	*	16	19	19	11	16	22	*7
513	23	15	*8	*	*6	*7	*9	*	*5	*	11
513.0	23	15	*8	*	*6	*7	*9	*	*5	*	11
514	58	28	29	*	11	11	32	13	12	20	12
515	172	75	97	*	*5	44	122	35	30	75	33
516	26	16	10	*	*	*7	12	*9	*6	*7	*
516.3	*8	*5	*	-	*	*	*7	*	*	*	*
516.8	12	*7	*5	*	*	*5	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
517	22	*9	14	*	*8	*8	*	*	*	12	*
517.3	*8	*	*	*	*	*	*	*	*	*	-
517.8	13	*	*8	-	*	*7	*	*	*	*6	*
518	2,541	1,258	1,282	110	272	722	1,436	552	543	1,003	442
518.0	600	298	302	39	73	164	325	122	130	228	120
518.1	12	*7	*5	*	*	*	*	*	*	*6	*
518.3	20	*9	12	*	*	*	13	*	*5	10	*
518.4	29	16	13	*	*7	*8	13	*	*	11	11
518.5	207	134	72	*8	26	63	110	49	42	85	30
518.8	1,670	794	876	60	161	478	971	370	360	664	276
518.81	1,123	547	576	28	122	331	641	266	230	445	182
518.82	61	29	32	*9	*8	16	29	12	19	21	*9
518.83	128	57	71	*9	*8	28	83	24	30	54	21
518.84	205	95	111	*	11	57	137	34	53	91	28
518.89	153	66	86	13	12	46	82	35	28	53	37
519	76	41	35	11	13	27	25	17	19	28	12
519.0	14	10	*	*	*	*	*7	*	*	*	*
519.09	*9	*6	*	*	*	*	*	*	*	*	*
519.1	38	20	19	*	*5	18	11	*6	*9	17	*6
519.11	21	11	*9	*	*	*6	*8	*	*6	*7	*
519.19	18	*9	*9	*	*	12	*	*	*	10	*
519.8	14	*7	*7	*	*	*	*5	*6	*	*	*
520-579	12,248	5,337	6,911	479	2,563	4,149	5,056	2,775	2,690	4,623	2,159
521	30	11	18	*5	13	10	*	*9	*6	*9	*6
521.0	29	11	17	*5	13	*9	*	*9	*5	*8	*6
521.00	21	*8	14	*	12	*5	*	*7	*	*6	*
521.09	*6	*	*	*	*	*	*	*	*	*	*
522	41	21	21	*5	19	10	*7	10	*8	11	13
522.4	*9	*	*6	*	*	*5	*	*	*	*	*
522.5	31	18	13	*5	16	*	*5	*7	*6	10	*7
523	11	*	*7	*	*	*	*	*	*	*	*
524	35	11	23	*	27	*6	*	17	*	12	*
524.0	10	*	*7	*	*9	*	-	*5	*	*	*
524.6	*6	*	*6	-	*	*	*	*	*	*	*
525	14	*8	*6	*	*7	*	*	*	*	*6	*
525.9	*7	*	*	*	*	*	*	*	*	*	-
526	*9	*5	*	*	*	*	*	*	*	*	*
527	16	*7	*9	*	*	*	*9	*	*	*6	*
527.2	11	*	*8	*	*	*	*	*	*	*	*
528	48	24	24	*7	12	17	12	*9	*9	20	10
528.0	21	10	11	*	*	*9	*7	*6	*	*9	*
528.00	12	*6	*6	*	*	*8	*	*	*	*5	*
528.01	*7	*	*	*	*	*	*	*	*	*	*
528.3	*7	*	*	*	*	*	*	*	*	*	*
528.9	11	*5	*6	*	*	*	*	*	*	*	*
529	*6	*	*	*	*	*	*	*	*	*	-
530	2,862	1,154	1,708	115	457	994	1,295	697	622	1,087	456
530.0	16	*6	10	-	*	*6	*6	*	*	*6	*
530.1	175	86	89	*	41	52	80	36	34	73	32
530.10	68	36	32	*	16	22	30	17	*8	35	*8
530.11	42	18	24	*	11	12	18	*7	*9	16	10
530.12	*6	*	*	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
530.19	58	27	31	*	12	16	30	10	16	20	13
530.2	33	21	12	*	*	12	17	*6	*9	10	*8
530.20	22	12	*9	-	*	*7	11	*	*7	*7	*
530.21	11	*8	*	*	*	*	*6	*	*	*	*
530.3	55	22	32	*	*	17	33	20	12	14	*8
530.5	24	*8	16	*	*	*6	17	*8	*	*8	*
530.6	*7	*	*	-	*	*	*	*	*	*	*
530.7	34	20	14	*	14	*6	14	*6	*6	16	*7
530.8	2,518	987	1,531	112	391	891	1,123	617	552	958	391
530.81	2,447	948	1,499	112	387	862	1,087	606	535	934	371
530.82	15	10	*6	-	*	*6	*8	*	*	*6	*6
530.85	45	25	20	-	*	21	22	*6	12	13	14
530.89	*9	*	*6	*	*	*	*6	*	*	*	*
531	128	61	67	*	15	40	73	26	34	47	21
531.0	*8	*	*	-	-	*	*6	*	*	*	*
531.00	*8	*	*	-	-	*	*6	*	*	*	*
531.4	57	29	28	-	*	16	39	11	11	25	10
531.40	56	29	28	-	*	16	38	11	11	25	10
531.5	*6	*	*	*	*	*	*	*	*	*	*
531.50	*6	*	*	*	-	*	*	*	*	*	*
531.9	51	22	29	-	12	15	24	12	15	15	*8
531.90	48	20	28	-	11	15	22	11	15	14	*8
532	96	57	39	-	*8	34	54	23	24	31	17
532.0	*5	*	*	-	*	*	*	*	*	*	*
532.4	49	32	17	-	*	19	28	*9	12	19	10
532.40	48	31	17	-	*	19	27	*8	12	19	*9
532.5	10	*7	*	-	*	*	*	*	*	*	*
532.50	*9	*6	*	-	*	*	*	*	*	*	*
532.9	26	13	13	-	*	*7	16	*9	*7	*7	*
532.90	25	13	12	-	*	*7	16	*9	*6	*7	*
533	59	26	33	*	12	20	26	11	18	23	*6
533.9	51	23	27	*	12	18	21	10	16	20	*
533.90	51	23	27	*	12	18	21	10	16	20	*
534	14	*	*9	-	*	10	*	*5	*	*	*
534.4	*6	*	*	-	*	*	*	*	*	*	*
534.40	*6	*	*	-	*	*	*	*	*	*	*
534.9	*6	*	*	-	*	*	*	*	*	*	*
534.90	*5	*	*	-	*	*	*	*	*	*	*
535	466	201	265	*9	96	152	208	126	95	179	66
535.0	32	18	14	*	*6	10	13	13	*	12	*
535.00	27	16	11	*	*5	10	*9	11	*	10	*
535.1	44	14	30	*	*6	12	26	15	*	18	*6
535.10	37	11	27	*	*6	11	21	13	*	15	*5
535.11	*7	*	*	-	*	*	*6	*	*	*	*
535.3	17	12	*	-	*7	*9	*	*6	*	*	*
535.30	13	*9	*	-	*6	*6	*	*5	*	*	*
535.4	122	47	76	*	25	31	66	35	24	43	21
535.40	93	34	59	*	21	24	48	24	20	33	16
535.41	29	13	17	-	*	*7	18	10	*	10	*
535.5	211	90	122	*5	46	75	85	49	45	93	25
535.50	179	79	100	*	43	64	68	40	38	81	19
535.51	33	11	22	*	*	11	17	*8	*7	12	*6
535.6	39	21	18	*	*7	15	16	*9	12	11	*7
535.60	36	20	16	*	*7	14	14	*9	11	*9	*7
536	303	105	199	12	95	104	93	48	65	134	56
536.2	48	22	26	*6	25	13	*	*	*7	22	16
536.3	141	36	104	*	56	53	31	22	25	66	27
536.4	70	30	41	*	*6	18	42	17	15	33	*6
536.41	23	*7	16	*	*	*6	15	*6	*7	*9	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
536.42	33	15	18	*	*	*9	18	*7	*	17	*
536.49	15	*8	*7	*	*	*	*9	*	*	*7	*
536.8	41	16	24	*	*7	18	15	*6	18	11	*6
537	109	57	52	*	15	42	47	30	26	42	11
537.0	35	19	16	*	*	16	11	*8	*8	13	*7
537.3	*6	*	*	-	*	*	*	*	*	*	*
537.8	58	31	27	*	*7	20	31	20	13	21	*
537.83	21	*8	13	-	*	*	17	*9	*	*6	*
537.84	*7	*	*	-	*	*	*	*	*	*	*
537.89	25	16	*9	*	*5	13	*6	*	*6	13	*
537.9	*6	*	*	*	*	*	*	*	*	*	*
540	296	161	135	60	151	60	26	62	41	97	96
540.0	45	26	19	14	13	*9	*8	*8	*8	16	12
540.1	31	17	14	*6	13	*8	*	*6	*5	*7	12
540.9	221	119	102	39	124	42	15	48	28	73	72
541	12	*7	*5	*	*8	*	*	*	*	*6	*
542	11	*	*8	*	*	*	*	*	*	*	*6
543	11	*	*8	*	*	*	*	*	*	*	*
543.9	10	*	*7	*	*	*	*	*	*	*	*
550	72	61	11	*6	10	20	36	21	14	21	16
550.1	23	19	*	*	*	*	13	*	*	11	*
550.10	16	13	*	*	*	*	11	*	*	*9	*
550.9	48	41	*7	*5	*5	14	23	18	10	*9	11
550.90	35	31	*	*	*	11	17	12	*9	*6	*8
550.92	11	*8	*	*	*	*	*	*6	*	*	*
552	108	43	65	*	17	48	44	19	23	51	15
552.1	20	15	*	-	*	11	*5	*	*6	*7	*
552.2	70	22	48	*	11	30	29	11	12	39	*9
552.20	15	*	12	-	*	*8	*6	*	*	10	*
552.21	47	18	30	*	*7	21	19	*7	*8	25	*7
552.29	*8	*	*6	-	*	*	*	*	*	*	*
552.3	*6	*	*	-	*	*	*	*	*	*	*
552.8	*8	*	*	-	*	*	*	*	*	*	*
553	492	168	324	*9	88	163	233	99	112	200	82
553.1	63	28	35	*5	12	24	23	18	11	17	18
553.2	117	47	70	*	27	42	44	21	32	47	17
553.20	32	*9	23	*	*9	*9	11	*	*9	15	*5
553.21	77	36	42	*	17	31	29	15	22	30	10
553.29	*7	*	*	-	*	*	*	*	*	*	*
553.3	301	88	212	*	46	93	160	58	67	131	45
553.8	*6	*	*5	*	*	*	*	*	*	*	-
555	173	69	104	*	74	63	31	33	48	65	27
555.0	21	10	11	*	11	*6	*	*	*7	*6	*
555.1	16	*6	10	*	*6	*6	*	*5	*	*	*
555.2	*6	*	*	*	*	*	*	*	*	*	*
555.9	130	50	80	*	53	50	23	23	35	53	19
556	112	54	58	*	34	32	43	37	20	33	22
556.6	11	*6	*5	*	*	*	*	*	*	*	*
556.8	*8	*	*	-	*	*	*	*	*	*	*
556.9	86	41	45	*	24	27	33	29	15	26	17
557	135	49	86	*	10	32	91	32	32	46	25
557.0	45	16	28	*	*	10	30	11	*6	15	12
557.1	15	*6	10	*	*	*	11	*	*	*	*
557.9	75	27	48	*	*	20	49	17	22	27	*9

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
558	343	130	213	54	76	83	129	73	71	138	61
558.1	*5	*	*	-	*	*	*	*	*	*	*
558.9	334	127	206	52	75	81	126	70	68	137	60
560	871	402	469	31	144	270	426	167	207	355	142
560.0	14	10	*	*	*	*	*	*	*	*	*
560.1	390	190	200	19	73	116	182	60	101	169	60
560.2	14	*8	*6	*	*	*	10	*	*	*9	*
560.3	65	26	39	*	*7	*9	47	19	14	26	*5
560.39	61	23	38	*	*7	*9	43	18	13	24	*5
560.8	178	68	110	*	29	59	88	42	42	65	29
560.81	93	34	59	*	12	25	54	21	21	35	16
560.89	85	34	50	*	17	33	35	21	21	30	13
560.9	210	100	110	*	32	80	95	41	45	81	43
562	620	238	382	-	65	180	375	147	139	227	107
562.0	12	*5	*7	-	*	*	*8	*	*	*	*
562.00	*7	*	*	-	*	*	*	*	*	*	*
562.1	608	233	375	-	63	178	367	145	136	224	103
562.10	262	99	164	-	14	75	173	67	58	93	44
562.11	269	101	167	-	46	92	130	63	61	101	43
562.12	63	27	36	-	*	10	51	12	14	26	10
562.13	14	*6	*8	-	*	*	13	*	*	*	*6
564	785	277	507	65	175	241	303	182	184	286	133
564.0	572	237	335	61	106	158	246	136	129	211	96
564.00	499	209	290	53	95	136	216	113	115	189	82
564.09	73	29	44	*9	12	22	31	23	13	22	14
564.1	168	19	149	*	53	66	47	41	44	61	21
564.8	32	16	16	*	13	10	*7	*	*8	*7	13
564.81	25	13	12	*	11	*9	*	*	*7	*	11
564.89	*8	*	*	*	*	*	*	*	*	*	*
565	23	16	*7	*	10	*6	*	*8	*	*8	*
565.0	*9	*	*	*	*	*	*	*	*	*	*
565.1	15	12	*	*	*8	*	*	*	*	*	*
566	34	26	*8	*	16	*8	*8	*7	*7	16	*
567	157	77	80	*	29	72	54	41	47	46	23
567.2	101	48	53	*	18	48	33	20	32	31	17
567.21	*7	*	*	*	*	*	*	*	*	*	*
567.22	63	33	29	*	13	30	19	*8	23	22	10
567.23	17	*	12	*	*	11	*	*7	*	*	*
567.29	14	*7	*7	*	*	*6	*6	*	*	*	*
567.3	16	11	*5	-	*	*7	*7	*9	*	*	*
567.31	13	*9	*	-	*	*6	*5	*8	*	*	*
567.8	16	*8	*7	-	*	*7	*	*	*6	*	*
567.89	11	*6	*5	-	*	*5	*	*	*	*	*
567.9	23	10	14	*	*	10	10	*8	*5	*9	*
568	220	71	149	*	68	82	67	46	51	87	36
568.0	185	59	126	*	52	74	56	39	42	72	32
568.8	35	11	23	*	16	*7	11	*7	*9	14	*
568.81	19	*	14	*	10	*	*	*	*7	*6	*
568.89	15	*6	*9	*	*	*	*6	*	*	*8	*
569	377	184	193	*	54	125	193	92	89	145	50
569.0	19	11	*7	-	*	*	13	*	*	10	*
569.1	*9	*	*8	*	*	*5	*	*	*	*	*
569.3	76	38	38	*	12	19	45	23	20	28	*6
569.4	38	23	15	*	*	18	14	*7	*8	17	*6
569.41	16	10	*7	*	*	11	*	*	*	*5	*
569.49	18	11	*7	*	*	*6	*8	*	*	10	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
569.5	30	15	15	*	*	13	12	*6	*7	10	*7
569.6	47	28	19	*	*7	20	19	18	11	13	*
569.62	*9	*6	*	*	*	*6	*	*	*	*	*
569.69	34	20	14	*	*	13	16	14	*7	*8	*
569.8	148	64	85	*	21	43	83	32	37	62	18
569.81	37	20	18	*	*6	15	16	*7	*8	17	*
569.82	21	*9	12	-	*6	*8	*7	*	*7	*	*5
569.83	38	13	25	*	*	11	22	*8	*8	17	*5
569.84	10	*6	*	-	*	*	*7	*	*	*	*
569.85	23	*8	15	-	*	*	20	*8	*	10	*
569.89	19	*9	11	*	*	*	11	*	*	13	*
569.9	*6	*	*	-	*	*	*	*	*	*	*
570	65	37	28	*	10	25	31	18	18	17	12
571	510	309	201	*	99	288	122	115	99	193	103
571.0	11	*7	*	-	*5	*	*	*	*	*	*
571.1	57	40	17	-	25	30	*	16	14	14	14
571.2	147	113	34	-	23	100	24	25	31	56	35
571.3	16	12	*	-	*8	*7	*	*	*7	*	*
571.4	13	*	10	*	*	*6	*	*	*	*5	*
571.42	10	*	*9	*	*	*	*	*	*	*	*
571.5	164	88	76	*	*9	97	58	46	23	72	24
571.6	*9	*	*	-	*	*	*	*	*	*	*
571.8	91	42	49	*	25	38	27	21	17	33	20
572	308	195	112	*	28	190	88	68	62	113	65
572.0	19	11	*8	*	*	10	*8	*6	*	*6	*
572.2	118	71	47	*	13	74	30	25	20	46	26
572.3	116	79	37	*	*8	69	38	27	24	36	28
572.4	18	13	*	-	*	11	*6	*	*6	*6	*
572.8	38	21	16	*	*6	26	*6	*5	*8	18	*6
573	91	43	48	*9	19	35	27	13	21	28	28
573.3	25	13	12	*	*9	*8	*5	*	*	*8	*9
573.8	44	16	28	*6	*6	16	16	*6	11	10	18
573.9	14	10	*	*	*	*8	*	*	*	*7	*
574	617	224	392	*7	193	184	233	131	116	247	122
574.0	154	58	96	*	49	45	57	35	27	68	24
574.00	145	54	91	*	47	43	52	32	26	64	23
574.01	*9	*	*	-	*	*	*5	*	*	*	*
574.1	171	65	106	*	55	52	62	38	33	64	36
574.10	163	63	99	*	54	49	58	35	32	61	34
574.11	*8	*	*7	-	*	*	*	*	*	*	*
574.2	145	50	95	*	45	47	51	27	32	59	27
574.20	141	48	93	*	44	46	49	27	31	58	26
574.3	12	*	*9	-	*	*	*8	*	*	*	*
574.30	*8	*	*6	-	*	*	*	*	*	*	*
574.4	11	*	*9	-	*6	*	*	*5	*	*	*
574.40	10	*	*9	-	*5	*	*	*5	*	*	-
574.5	46	15	31	-	13	*9	24	*8	*7	20	10
574.50	28	*8	20	-	10	*5	13	*	*	12	*8
574.51	18	*7	11	-	*	*	11	*	*	*8	*
574.6	23	11	12	-	*5	*7	10	*	*	11	*
574.60	17	*9	*8	-	*	*6	*7	*	*	*8	*
574.61	*6	*	*	-	*	*	*	*	*	*	*
574.7	23	10	13	*	*9	*9	*5	*	*	*7	*8
574.70	17	*8	*9	*	*7	*7	*	*	*	*	*7
574.71	*6	*	*	-	*	*	*	*	*	*	*
574.8	16	*7	10	-	*	*5	*6	*	*	*8	*5
574.80	12	*	*8	-	*	*	*	*	*	*	*
574.9	17	*	12	*	*	*5	*7	*	*	*5	*
574.90	12	*	*8	*	*	*	*	*	*	*	*
574.91	*5	*	*	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
575	157	62	94	*	55	49	51	30	33	64	31
575.0	47	22	25	*	11	17	20	10	12	15	11
575.1	55	19	36	*	19	20	15	11	10	27	*6
575.10	12	*	*8	*	*	*	*	*	*	*	*
575.11	34	10	24	-	14	13	*7	*6	*	19	*
575.12	*9	*	*	-	*	*	*	*	*	*	*
575.3	*8	*	*6	-	*	*	*	*	*	*	*
575.6	*8	*	*	-	*6	*	*	*	*	*	*
575.8	28	*9	19	*	13	*7	*8	*	*6	11	*6
575.9	*5	*	*	-	*	*	*	*	*	*	*
576	163	65	98	*	39	45	74	43	40	55	25
576.1	49	24	25	*	*9	11	29	17	*9	14	*9
576.2	53	21	32	*	*6	17	30	13	12	18	*9
576.8	55	17	38	*	22	15	14	12	18	19	*5
577	630	330	300	10	223	229	168	120	144	233	133
577.0	414	215	200	*	158	146	106	82	93	158	81
577.1	139	75	64	*	46	61	30	25	32	53	29
577.2	41	19	22	-	*8	16	16	*7	11	12	11
577.8	24	12	11	*	*9	*	*7	*	*5	*8	*7
577.9	12	*8	*	-	*	*	*8	*	*	*	*6
578	526	249	277	10	52	140	324	118	123	197	88
578.0	73	37	36	*	13	23	33	20	19	23	11
578.1	153	72	81	*6	19	41	87	32	37	48	35
578.9	301	140	161	*	20	76	204	65	67	127	42
579	76	22	54	17	16	16	28	20	12	22	23
579.0	29	*7	22	*	11	*	13	*9	*	*	10
579.3	31	*9	23	15	*	*7	*5	*	*5	13	*9
579.8	*6	*	*	*	*	*	*	*	*	*	*
579.9	*9	*	*7	*	*	*	*6	*	*	*	*
580-629	11,866	4,855	7,011	162	1,988	3,074	6,642	2,722	2,662	4,538	1,945
580	13	11	*	*	*	*5	*	*	*6	*	*
580.8	*9	*8	*	*	*	*	*	*	*	*	*
580.89	*8	*7	*	*	*	*	*	*	*	*	*
581	31	14	18	*5	*7	*9	10	*9	*5	13	*
581.1	*5	*	*	*	*	*	*	*	*	*	*
581.8	12	*	*7	-	*	*	*7	*	*	*	*
581.81	11	*	*7	-	*	*	*6	*	*	*	*
581.9	13	*5	*8	*	*	*	*	*	*	*6	*
582	21	*8	12	*	10	*	*5	*	*	*7	*6
582.1	*9	*	*6	*	*5	*	*	*	*	*	*
582.8	*7	*	*	*	*	*	*	*	*	*	*
582.81	*6	*	*	*	*	*	*	*	*	*	*
583	93	47	46	*6	18	33	36	24	23	21	25
583.8	79	38	41	*	12	29	32	22	19	18	21
583.81	73	35	38	*	11	26	31	21	18	16	17
583.89	*6	*	*	*	*	*	*	*	*	*	*
583.9	11	*6	*	*	*	*	*	*	*	*	*
584	2,451	1,252	1,199	*8	144	636	1,662	574	538	964	376
584.5	166	95	71	*	11	57	96	42	33	61	29
584.8	*6	*	*	*	*	*	*	*	*	*	*
584.9	2,278	1,152	1,126	*6	133	577	1,562	527	504	902	346
585	2,216	1,123	1,093	*	202	583	1,428	550	495	820	352
585.1	*7	*	*5	-	*	*	*	*	*	*5	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
585.2	43	20	23	-	*	*9	31	*7	*8	12	17
585.3	317	156	161	*	15	63	238	71	62	132	52
585.4	301	140	162	*	10	63	227	93	62	114	32
585.5	59	33	26	-	10	11	39	12	17	22	*8
585.6	776	385	392	*	127	295	353	184	184	273	136
585.9	711	387	325	*	34	140	535	182	161	262	106
586	25	12	13	-	*6	*	15	*7	*7	*7	*
588	150	66	84	*	30	51	65	26	49	53	22
588.0	15	11	*	*	*	*8	*	*	*8	*	-
588.8	132	53	78	*	26	41	61	23	41	48	20
588.81	124	51	73	*	25	39	60	22	41	43	18
588.89	*8	*	*6	*	*	*	*	*	*	*5	*
590	247	56	191	15	97	67	68	57	52	91	48
590.0	*8	*	*6	*	*	*	*	*	*	*	*
590.00	*8	*	*6	*	*	*	*	*	*	*	*
590.1	92	21	71	*	37	22	30	20	19	31	23
590.10	92	21	71	*	37	22	30	20	19	31	22
590.8	142	33	109	11	56	40	35	31	32	54	24
590.80	142	32	109	11	56	40	35	31	32	54	24
591	284	130	154	12	62	86	125	67	57	124	35
592	302	149	153	*	105	96	99	69	70	124	40
592.0	156	73	83	*	57	49	49	34	34	62	26
592.1	145	75	69	*	48	47	49	33	36	62	14
593	407	218	188	18	49	108	232	76	90	159	82
593.2	29	15	14	-	*	*6	19	*7	*6	10	*6
593.3	14	*7	*7	*	*	*6	*6	*	*	*5	*
593.4	35	17	18	*	*	12	18	*6	11	11	*6
593.5	*8	*6	*	*	*	*	*	*	*	*	*
593.7	16	*9	*7	13	*	*	*	*	*5	*	*6
593.70	13	*7	*6	11	*	*	*	*	*	*	*
593.8	27	10	17	*	*6	*9	10	*6	*7	*8	*6
593.81	*7	*	*	-	*	*	*	*	*	*	*
593.89	20	*6	14	*	*5	*6	*7	*	*	*7	*
593.9	277	155	123	*	29	72	174	52	54	118	53
594	13	12	*	*	*	*	*7	*	*	*6	*
594.1	12	12	*	*	*	*	*7	*	*	*5	*
595	81	26	55	*	13	23	44	22	17	31	11
595.0	28	*7	20	-	*	*8	16	*	*	14	*
595.1	*9	*	*9	-	*	*	*	*	*	*	*
595.8	10	*8	*	-	-	*	*7	*	*	*	*
595.82	*8	*7	*	-	-	*	*7	*	*	*	*
595.9	30	*9	21	*	*5	*8	15	*9	*7	10	*
596	216	114	103	*8	37	64	109	60	51	68	37
596.0	36	32	*	-	*	*7	26	*8	*8	14	*6
596.1	13	*7	*6	-	*	*	*9	*6	*	*	*
596.3	*5	*	*	*	-	*	*	*	*	*	-
596.4	*6	*	*	-	*	*	*	*	*	*	*
596.5	115	48	68	*5	27	39	45	34	28	29	24
596.51	21	*	17	-	*	*8	11	*	*7	*6	*
596.54	89	44	45	*	24	30	30	30	20	22	17
596.59	*6	*	*	*	*	*	*	*	*	*	*
596.7	*7	*	*	-	-	*	*	*	*	*	*
596.8	24	11	13	*	*5	*8	10	*	*7	11	*
596.9	*5	*	*	-	*	*	*	*	*	*	*
598	19	17	*	-	*	*7	*9	*	*6	*6	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
598.9	17	15	*	-	*	*6	*8	*	*6	*6	*
599	2,941	925	2,016	51	313	544	2,032	665	636	1,193	447
599.0	2,682	757	1,925	43	277	480	1,882	606	569	1,109	397
599.6	30	22	*8	*	*	*8	18	*7	11	10	*
599.60	17	11	*7	*	*	*	10	*	*7	*6	*
599.69	12	11	*	-	*	*	*8	*	*	*	-
599.7	205	134	71	*8	30	48	119	47	53	65	41
599.70	110	71	39	*6	17	27	60	23	27	38	22
599.71	76	52	24	*	*8	12	53	20	19	20	17
599.72	20	12	*8	*	*5	*9	*5	*	*6	*8	*
599.8	17	*6	11	*	*	*	*9	*	*	*7	*
599.84	10	*	*5	*	*	*	*8	*	*	*	*
600	560	560	-	-	*	113	442	188	128	156	88
600.0	532	532	-	-	*	109	418	184	121	149	79
600.00	411	411	-	-	*	85	323	148	92	117	55
600.01	121	121	-	-	*	24	95	36	29	32	24
600.9	23	23	-	-	-	*	20	*	*7	*	*8
600.90	11	11	-	-	-	*	*9	*	*	*	*
600.91	13	13	-	-	-	*	11	*	*	*	*
601	24	24	-	-	*	11	12	*5	*8	*9	*
601.0	*6	*6	-	-	*	*	*	*	*	*	*
601.1	*6	*6	-	-	-	*	*	*	*	*	*
601.9	10	10	-	-	*	*	*	*	*	*	*
603	*7	*7	-	*	*	*	*	*	*	*	*
603.9	*6	*6	-	*	*	*	*	*	*	*	*
604	12	12	-	*	*	*	*	*	*	*6	*
604.9	10	10	-	*	*	*	*	*	*	*5	*
604.90	*8	*8	-	*	*	*	*	*	*	*	*
605	*6	*6	-	*	*	*	*	*	*	*	*
607	24	24	-	*	*	*8	10	*	*6	11	*
607.8	18	18	-	*	*	*7	*9	*	*	*8	*
607.84	14	14	-	-	*	*5	*8	*	*	*7	*
608	29	29	-	*	*9	*9	*9	*5	*8	13	*
608.4	14	14	-	*	*	*5	*	*	*	*6	*
608.8	11	11	-	*	*	*	*5	*	*	*5	*
610	11	-	11	-	*	*	*	*5	*	*	*
610.1	*6	-	*6	-	*	*	*	*	*	*	*
611	75	*7	68	*	29	29	16	14	10	28	22
611.0	36	*	35	*	15	14	*6	*6	*6	14	*9
611.1	17	*6	11	*	*5	*8	*	*	*	*6	*5
611.7	11	*	11	-	*	*	*	*	*	*	*
611.72	*9	*	*8	-	*	*	*	*	*	*	*
611.8	*8	-	*8	-	*	*	*	*	*	*	*
614	165	-	165	*	115	43	*6	35	38	70	21
614.1	17	-	17	-	*9	*8	*	*	*	*7	*
614.2	*7	-	*7	-	*7	*	*	*	*	*	*
614.4	*7	-	*7	*	*	*	*	*	*	*	*
614.6	113	-	113	*	81	28	*	27	24	49	13
614.9	14	-	14	-	13	*	*	*	*	*8	*
615	21	-	21	-	17	*	*	*	*	*8	*6
615.9	16	-	16	-	13	*	*	*	*	*6	*5
616	45	-	45	*	27	13	*	11	*9	18	*7

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
616.0	17	-	17	-	*9	*8	*	*6	*	*6	*
616.1	17	-	17	*	14	*	*	*	*	*7	*
616.10	17	-	17	*	14	*	*	*	*	*7	*
616.4	*9	-	*9	*	*	*	*	*	*	*5	*
617	158	-	158	-	96	59	*	27	43	55	33
617.0	81	-	81	-	46	33	*	13	21	28	18
617.1	22	-	22	-	11	11	*	*	*6	*6	*8
617.2	*5	-	*5	-	*	*	-	*	*	*	*
617.3	22	-	22	-	15	*7	*	*	*	12	*
617.9	22	-	22	-	16	*6	*	*7	*8	*	*
618	220	-	220	-	34	94	92	32	61	86	42
618.0	85	-	85	-	10	37	38	10	24	39	13
618.00	*7	-	*7	-	*	*	*	*	*	*	*
618.01	44	-	44	-	*5	19	20	*	12	22	*7
618.04	30	-	30	-	*	14	12	*	10	13	*
618.1	21	-	21	-	*6	10	*6	*	*6	*6	*8
618.2	16	-	16	-	*7	*6	*	*	*	*	*
618.3	*9	-	*9	-	-	*	*6	*	*	*	*
618.4	30	-	30	-	*6	11	13	*8	*9	10	*
618.5	29	-	29	-	*	13	16	*	*9	15	*
618.6	19	-	19	-	*	*9	*6	*	*6	*7	*
618.8	11	-	11	-	*	*	*	*	*	*	*
618.89	10	-	10	-	*	*	*	*	*	*	*
619	13	-	13	-	*	*7	*	*	*	*7	*
619.1	*9	-	*9	-	*	*5	*	*	*	*6	*
620	233	-	233	*	156	64	*8	40	49	82	63
620.0	26	-	26	-	16	10	-	*7	*	10	*8
620.1	26	-	26	-	20	*6	-	*	*6	*8	*7
620.2	135	-	135	*	88	39	*	21	28	50	36
620.5	14	-	14	*	11	*	-	*	*5	*	*5
620.8	26	-	26	*	19	*6	*	*6	*6	*8	*6
621	55	-	55	-	14	36	*5	12	11	21	12
621.0	18	-	18	-	*	12	*	*	*	*8	*
621.2	12	-	12	-	*	*8	*	*	*	*	*6
621.3	12	-	12	-	*	*8	*	*	*	*	*
621.33	*6	-	*6	-	*	*	*	*	*	*	*
621.8	*5	-	*5	-	*	*	*	*	*	*	*
622	30	-	30	-	15	14	*	*5	*7	11	*7
622.1	21	-	21	-	13	*9	*	*	*	10	*
622.10	11	-	11	-	*7	*	*	*	*	*	*
622.12	*6	-	*6	-	*	*	*	*	*	*	*
623	28	-	28	-	13	*8	*7	*6	*8	10	*
623.8	20	-	20	-	*9	*7	*	*	*5	*7	*
624	*6	-	*6	-	*	*	*	*	*	*	*
625	290	-	290	*	155	92	38	43	70	113	63
625.0	22	-	22	*	16	*6	-	*	*	10	*
625.3	69	-	69	*	51	14	-	10	18	29	12
625.6	101	-	101	*	19	46	35	17	27	39	18
625.8	11	-	11	*	*7	*	*	*	*	*	*
625.9	81	-	81	*	56	23	*	*9	18	30	24
626	286	-	286	*	176	107	*	48	68	115	55
626.2	211	-	211	*	131	79	-	37	55	86	33
626.4	10	-	10	-	*8	*	-	*	*	*	*
626.8	45	-	45	*	25	19	*	*8	*8	15	15
626.9	11	-	11	*	*	*6	-	*	*	*7	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
627	40	-	40	*	*	23	14	*8	*9	15	*7
627.1	21	-	21	-	*	15	*6	*	*6	*9	*
627.3	*5	-	*5	-	-	*	*5	*	*	*	*
630-679	11,074	-	11,074	12	11,007	54	-	2,116	2,795	3,760	2,402
632	17	-	17	-	17	*	-	*	*6	*6	*
633	19	-	19	-	18	*	-	*	*6	*6	*
633.1	16	-	16	-	16	-	-	*	*	*6	*
633.10	15	-	15	-	15	-	-	*	*	*6	*
634	15	-	15	-	15	-	-	*	*	*	*
634.9	*9	-	*9	-	*9	-	-	*	*	*	*
639	11	-	11	-	10	*	-	*	*	*	*
640	*8	-	*8	-	*8	-	-	*	*	*	*
641	89	-	89	-	89	*	-	17	20	28	24
641.0	10	-	10	-	10	*	-	*	*	*	*
641.01	*9	-	*9	-	*9	*	-	*	*	*	*
641.1	13	-	13	-	13	-	-	*	*	*	*
641.11	*9	-	*9	-	*9	-	-	*	*	*	*
641.2	50	-	50	-	50	-	-	10	11	14	14
641.21	44	-	44	-	44	-	-	*9	*9	13	12
641.23	*6	-	*6	-	*6	-	-	*	*	*	*
641.8	*6	-	*6	-	*6	-	-	*	*	*	*
641.81	*5	-	*5	-	*5	-	-	*	*	*	*
641.9	11	-	11	-	11	-	-	*	*	*	*
641.93	*6	-	*6	-	*6	-	-	*	*	*	*
642	437	-	437	*	434	*	-	75	115	174	73
642.0	73	-	73	-	73	*	-	10	21	34	*9
642.01	58	-	58	-	57	*	-	*9	18	23	*8
642.03	15	-	15	-	15	-	-	*	*	11	*
642.3	146	-	146	-	146	*	-	21	43	51	32
642.31	133	-	133	-	133	-	-	17	38	47	32
642.33	*8	-	*8	-	*8	*	-	*	*	*	*
642.4	105	-	105	*	103	*	-	22	27	37	18
642.41	88	-	88	-	87	*	-	16	23	33	16
642.43	10	-	10	-	10	*	-	*	*	*	*
642.5	49	-	49	-	49	-	-	12	*8	20	*9
642.51	44	-	44	-	44	-	-	*9	*7	20	*7
642.6	*8	-	*8	-	*8	-	-	*	*	*	*
642.7	20	-	20	-	20	-	-	*	*7	11	*
642.71	15	-	15	-	15	-	-	*	*6	*8	*
642.9	29	-	29	-	29	-	-	*	*	15	*
642.91	20	-	20	-	20	-	-	*	*	12	*
643	51	-	51	-	51	*	-	*6	13	24	*8
643.0	16	-	16	-	16	-	-	*	*	*9	*
643.03	16	-	16	-	16	-	-	*	*	*8	*
643.1	15	-	15	-	15	*	-	*	*	*7	*
643.13	15	-	15	-	15	*	-	*	*	*7	*
643.2	13	-	13	-	13	-	-	*	*	*7	*
643.23	11	-	11	-	11	-	-	-	*	*6	*
643.9	*6	-	*6	-	*6	-	-	*	*	*	-
644	403	-	403	*	400	*	-	73	101	137	93
644.0	94	-	94	*	94	*	-	13	27	33	22
644.03	94	-	94	*	94	*	-	13	27	33	22
644.1	*9	-	*9	-	*9	-	-	*	*	*	*
644.13	*9	-	*9	-	*9	-	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
644.2	299	-	299	*	297	*	-	59	72	101	68
644.21	299	-	299	*	297	*	-	59	72	101	68
645	367	-	367	-	367	*	-	107	86	108	67
645.1	364	-	364	-	363	*	-	105	86	108	66
645.11	362	-	362	-	361	*	-	103	86	108	65
646	216	-	216	*	214	*	-	30	45	92	49
646.1	10	-	10	-	10	-	-	*	*	*	*
646.11	*9	-	*9	-	*9	-	-	*	*	*	*
646.2	11	-	11	-	11	-	-	*	*	*	*
646.21	*7	-	*7	-	*7	-	-	*	*	*	*
646.3	13	-	13	-	11	*	-	*	*	*5	*
646.31	10	-	10	-	*9	*	-	*	*	*	*
646.6	88	-	88	*	87	*	-	14	20	34	20
646.61	29	-	29	-	29	*	-	*	*8	12	*6
646.62	*6	-	*6	-	*6	-	-	*	*	*	*
646.63	45	-	45	*	45	-	-	*8	*9	17	11
646.64	*7	-	*7	-	*7	-	-	*	*	*	*
646.8	89	-	89	-	89	-	-	*9	16	46	17
646.81	41	-	41	-	41	-	-	*	*9	21	*9
646.82	13	-	13	-	13	-	-	*	*	*9	*
646.83	30	-	30	-	30	-	-	*6	*	15	*5
647	141	-	141	*	139	*	-	21	31	62	28
647.2	*7	-	*7	-	*7	-	-	*	*	*	*
647.21	*6	-	*6	-	*6	-	-	*	*	*	*
647.6	98	-	98	*	96	-	-	15	21	44	17
647.61	83	-	83	*	82	-	-	11	18	37	17
647.63	14	-	14	*	14	-	-	*	*	*6	*
647.8	27	-	27	-	26	*	-	*	*7	10	*7
647.81	14	-	14	-	14	-	-	*	*5	*	*
647.83	*7	-	*7	-	*6	*	-	*	*	*	*
648	2,208	-	2,208	*	2,200	*5	-	449	600	701	458
648.0	62	-	62	-	62	*	-	*9	14	27	12
648.01	39	-	39	-	39	*	-	*7	*8	15	*9
648.03	22	-	22	-	22	-	-	*	*5	13	*
648.1	106	-	106	-	105	*	-	31	30	28	18
648.11	97	-	97	-	95	*	-	29	27	24	17
648.13	*8	-	*8	-	*8	-	-	*	*	*	*
648.2	489	-	489	*	487	*	-	71	135	164	119
648.21	288	-	288	*	287	*	-	39	56	101	92
648.22	158	-	158	-	158	-	-	22	69	44	24
648.23	33	-	33	*	33	-	-	*9	*7	14	*
648.24	*9	-	*9	-	*9	-	-	*	*	*	*
648.3	15	-	15	-	15	*	-	*6	*	*	*
648.31	10	-	10	-	10	*	-	*	*	*	*
648.4	177	-	177	*	176	*	-	42	52	53	31
648.41	128	-	128	-	128	*	-	31	37	40	20
648.43	36	-	36	*	35	-	-	*7	10	10	*8
648.44	*9	-	*9	-	*9	-	-	*	*	*	*
648.6	45	-	45	-	45	-	-	12	*8	16	*9
648.61	31	-	31	-	31	-	-	*9	*	11	*7
648.63	*9	-	*9	-	*9	-	-	*	*	*	*
648.7	14	-	14	-	14	-	-	*	*	*	*
648.71	*9	-	*9	-	*9	-	-	*	*	*	*
648.8	249	-	249	-	248	*	-	45	58	80	65
648.81	225	-	225	-	225	*	-	39	55	72	59
648.83	23	-	23	-	23	*	-	*6	*	*8	*6
648.9	1,050	-	1,050	*	1,047	*	-	229	297	326	197
648.91	887	-	887	*	885	*	-	184	255	273	175
648.92	25	-	25	-	25	-	-	*5	*9	*6	*
648.93	129	-	129	*	128	*	-	37	31	44	17
648.94	*7	-	*7	-	*7	-	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
649	402	-	402	*	400	*	-	67	130	135	70
649.0	218	-	218	-	218	-	-	29	79	75	36
649.01	181	-	181	-	181	-	-	22	69	61	29
649.03	34	-	34	-	34	-	-	*7	*8	13	*6
649.1	110	-	110	-	110	*	-	18	25	45	22
649.11	101	-	101	-	101	*	-	16	22	41	22
649.13	*7	-	*7	-	*7	-	-	*	*	*	*
649.2	*5	-	*5	-	*5	-	-	*	*	*	*
649.3	*7	-	*7	-	*7	-	-	*	*	*	*
649.31	*6	-	*6	-	*6	-	-	*	*	*	*
649.4	27	-	27	-	27	-	-	*6	*9	*8	*
649.41	20	-	20	-	20	-	-	*5	*5	*6	*
649.43	*7	-	*7	-	*7	-	-	*	*	*	*
649.7	28	-	28	*	26	*	-	*9	12	*	*
649.71	10	-	10	-	*8	*	-	*	*	*	*
649.73	18	-	18	*	18	-	-	*5	*8	*	*
650	240	-	240	-	240	-	-	24	42	135	39
651	91	-	91	-	89	*	-	23	25	26	17
651.0	81	-	81	-	80	*	-	22	21	22	17
651.01	56	-	56	-	55	*	-	16	14	16	10
651.03	26	-	26	-	25	*	-	*6	*6	*7	*7
652	293	-	293	-	289	*	-	60	67	102	63
652.1	*5	-	*5	-	*5	-	-	-	*	*	*
652.11	*5	-	*5	-	*5	-	-	-	*	*	*
652.2	114	-	114	-	111	*	-	22	29	39	23
652.21	105	-	105	-	103	*	-	20	27	36	22
652.23	*9	-	*9	-	*8	*	-	*	*	*	*
652.3	28	-	28	-	28	-	-	*7	*	10	*8
652.31	28	-	28	-	28	-	-	*7	*	10	*8
652.5	54	-	54	-	54	*	-	10	15	21	*9
652.51	54	-	54	-	54	*	-	10	15	21	*9
652.6	24	-	24	-	24	*	-	*8	*	*8	*
652.61	20	-	20	-	19	*	-	*7	*	*5	*
652.8	58	-	58	-	58	-	-	12	12	18	16
652.81	57	-	57	-	57	-	-	12	12	18	16
653	81	-	81	-	81	-	-	10	16	34	20
653.4	70	-	70	-	70	-	-	*9	14	29	18
653.41	70	-	70	-	70	-	-	*9	14	29	18
654	786	-	786	-	780	*5	-	151	186	294	155
654.0	18	-	18	-	18	-	-	*6	*	*	*
654.01	14	-	14	-	14	-	-	*	*	*	*
654.1	38	-	38	-	38	*	-	*9	*8	10	10
654.11	36	-	36	-	36	*	-	*8	*8	*9	10
654.2	637	-	637	-	633	*	-	113	148	247	129
654.21	613	-	613	-	609	*	-	104	143	241	125
654.23	24	-	24	-	24	*	-	*8	*6	*6	*
654.4	34	-	34	-	34	-	-	11	*8	11	*
654.41	30	-	30	-	30	-	-	*9	*7	10	*
654.5	27	-	27	-	27	-	-	*6	*8	*8	*5
654.51	15	-	15	-	15	-	-	*	*5	*	*
654.53	13	-	13	-	13	-	-	*	*	*	*
654.6	17	-	17	-	17	-	-	*	*	*8	*
654.61	15	-	15	-	15	-	-	*	*	*8	*
654.9	*8	-	*8	-	*7	*	-	*	*	*	*
654.91	*8	-	*8	-	*7	*	-	*	*	*	*
655	62	-	62	-	62	*	-	*5	19	21	17
655.7	32	-	32	-	32	*	-	*	12	*9	*8
655.71	29	-	29	-	29	*	-	*	11	*8	*8

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
655.8	22	-	22	-	22	-	-	*	*	10	*
655.81	18	-	18	-	18	-	-	*	*	*9	*
656	368	-	368	*	368	*	-	57	83	134	94
656.1	73	-	73	*	73	*	-	10	16	28	19
656.11	68	-	68	*	68	*	-	10	16	26	17
656.3	11	-	11	-	11	-	-	-	*	*5	*
656.31	11	-	11	-	11	-	-	-	*	*5	*
656.4	23	-	23	-	23	-	-	*	*	*9	*6
656.41	20	-	20	-	20	-	-	*	*	*8	*
656.5	92	-	92	*	91	-	-	16	23	33	19
656.51	88	-	88	*	88	-	-	15	23	31	19
656.6	87	-	87	-	87	*	-	13	24	32	19
656.61	87	-	87	-	87	*	-	13	24	32	19
656.7	*9	-	*9	-	*9	-	-	*	*	*	*
656.71	*9	-	*9	-	*9	-	-	*	*	*	*
656.8	72	-	72	-	72	-	-	12	10	25	24
656.81	71	-	71	-	71	-	-	12	10	25	23
657	30	-	30	-	30	*	-	10	*7	*9	*
657.0	30	-	30	-	30	*	-	10	*7	*9	*
657.01	27	-	27	-	27	-	-	*9	*6	*9	*
658	364	-	364	*	360	*	-	83	88	108	84
658.0	103	-	103	-	102	*	-	26	25	33	19
658.01	96	-	96	-	96	*	-	25	24	31	16
658.03	*6	-	*6	-	*6	-	-	*	*	*	*
658.1	144	-	144	-	143	*	-	28	38	37	41
658.11	137	-	137	-	136	*	-	26	37	34	41
658.13	*6	-	*6	-	*6	-	-	*	*	*	-
658.2	50	-	50	-	48	*	-	11	15	14	10
658.21	48	-	48	-	47	*	-	10	15	13	10
658.4	65	-	65	*	65	*	-	17	10	24	14
658.41	58	-	58	*	58	*	-	14	10	24	11
658.43	*5	-	*5	-	*5	-	-	*	*	*	*
659	1,111	-	1,111	*	1,096	12	-	257	245	345	264
659.0	*5	-	*5	-	*5	-	-	*	*	*	*
659.1	37	-	37	-	37	-	-	*6	*8	17	*6
659.11	33	-	33	-	33	-	-	*	*8	16	*
659.2	36	-	36	-	36	-	-	*6	*7	11	11
659.21	35	-	35	-	35	-	-	*6	*7	11	11
659.4	16	-	16	-	16	-	-	*	*	*7	*5
659.41	16	-	16	-	16	-	-	*	*	*6	*5
659.5	75	-	75	-	73	*	-	25	18	20	11
659.51	70	-	70	-	69	*	-	23	17	20	10
659.6	353	-	353	-	343	10	-	94	83	95	80
659.61	328	-	328	-	321	*7	-	85	77	90	76
659.63	25	-	25	-	22	*	-	*9	*6	*	*
659.7	507	-	507	*	506	*	-	109	110	162	126
659.71	500	-	500	*	498	*	-	108	108	159	124
659.73	*7	-	*7	-	*7	-	-	*	*	*	*
659.8	56	-	56	*	53	-	-	*7	10	21	18
659.81	51	-	51	*	49	-	-	*	10	21	17
659.9	26	-	26	-	26	-	-	*6	*	11	*5
659.91	24	-	24	-	24	-	-	*	*	11	*5
660	178	-	178	*	177	*	-	29	42	51	57
660.0	33	-	33	-	33	*	-	*9	11	*8	*5
660.01	33	-	33	-	33	*	-	*9	11	*8	*5
660.1	26	-	26	-	26	-	-	*5	*	*7	10
660.11	26	-	26	-	26	-	-	*5	*	*7	10
660.3	34	-	34	*	34	-	-	*6	*8	12	*9
660.31	34	-	34	*	34	-	-	*6	*8	12	*9
660.4	66	-	66	-	66	-	-	*6	14	18	27

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
660.41	66	-	66	-	66	-	-	*6	14	18	27
660.7	*9	-	*9	-	*8	*	-	*	*	*	*
660.71	*9	-	*9	-	*8	*	-	*	*	*	*
661	343	-	343	-	341	*	-	60	81	123	79
661.0	85	-	85	-	84	*	-	16	29	30	10
661.01	84	-	84	-	83	*	-	16	28	30	10
661.1	94	-	94	-	94	*	-	17	17	41	19
661.11	94	-	94	-	94	*	-	17	17	41	19
661.2	78	-	78	-	78	*	-	12	19	29	19
661.21	78	-	78	-	78	*	-	12	19	29	19
661.3	79	-	79	-	79	-	-	14	16	21	28
661.31	79	-	79	-	79	-	-	14	16	21	28
662	14	-	14	-	14	-	-	*	*7	*5	*
662.2	*9	-	*9	-	*9	-	-	*	*	*	*
662.21	*9	-	*9	-	*9	-	-	*	*	*	*
663	798	-	798	*	796	*	-	152	210	256	180
663.0	14	-	14	-	14	-	-	*5	*	*	*
663.01	14	-	14	-	14	-	-	*5	*	*	*
663.1	143	-	143	-	143	-	-	19	45	35	43
663.11	143	-	143	-	143	-	-	19	45	35	43
663.2	38	-	38	-	38	*	-	*6	*8	10	14
663.21	38	-	38	-	38	*	-	*6	*8	10	14
663.3	569	-	569	*	567	*	-	117	149	192	111
663.31	568	-	568	*	567	*	-	117	149	192	111
663.4	11	-	11	-	11	-	-	*	*	*	*
663.41	11	-	11	-	11	-	-	*	*	*	*
663.8	23	-	23	-	23	-	-	*	*	11	*7
663.81	23	-	23	-	23	-	-	*	*	10	*7
664	1,455	-	1,455	*	1,451	*	-	249	374	485	347
664.0	614	-	614	*	614	*	-	119	151	184	161
664.01	614	-	614	*	613	*	-	119	151	184	161
664.1	621	-	621	-	620	*	-	103	164	203	151
664.11	620	-	620	-	619	*	-	103	164	202	151
664.2	59	-	59	-	59	-	-	13	17	19	*9
664.21	59	-	59	-	59	-	-	13	17	19	*9
664.3	12	-	12	*	11	-	-	*	*	*8	*
664.31	12	-	12	*	11	-	-	*	*	*8	*
664.4	24	-	24	-	24	-	-	*	*	12	11
664.41	24	-	24	-	24	-	-	*	*	12	11
664.8	106	-	106	-	106	-	-	11	37	43	14
664.81	106	-	106	-	106	-	-	11	37	43	14
664.9	15	-	15	-	14	*	-	-	*	14	-
664.91	15	-	15	-	14	*	-	-	*	14	-
665	70	-	70	-	68	*	-	10	28	20	12
665.3	*7	-	*7	-	*7	*	-	*	*	*	*
665.31	*7	-	*7	-	*7	*	-	*	*	*	*
665.4	35	-	35	-	35	-	-	*5	16	10	*
665.41	35	-	35	-	35	-	-	*5	16	10	*
665.5	17	-	17	-	15	*	-	*	*5	*6	*
665.51	17	-	17	-	15	*	-	*	*5	*6	*
666	116	-	116	*	111	*	-	20	37	29	29
666.0	11	-	11	-	*9	*	-	*	*	*	*
666.02	10	-	10	-	*8	*	-	*	*	*	*
666.1	87	-	87	*	87	*	-	17	30	21	20
666.12	87	-	87	*	86	*	-	17	30	21	20
666.2	*9	-	*9	-	*9	*	-	*	*	*	*
666.22	*6	-	*6	-	*6	-	-	*	*	*	*
666.3	*9	-	*9	-	*7	*	-	*	*	*	*
666.32	*9	-	*9	-	*7	*	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
684	10	*	*5	*6	*	*	*	*	*	*	*
685	*8	*	*	*	*5	*	-	*	*	*	*
686	15	*6	*9	*	*	*6	*	*	*	*	*
686.9	*7	*	*	*	*	*	*	*	*	*	*
690	*7	*5	*	*	*	*	*	*	*	*	*
690.1	*5	*	*	*	*	*	*	*	*	*	*
691	46	25	21	41	*	*	*	*	*7	14	21
691.0	37	19	18	35	*	-	*	*	*6	12	16
691.8	*9	*6	*	*6	*	*	*	*	*	*	*
692	84	48	36	35	20	17	12	21	15	25	23
692.9	74	44	30	34	16	14	10	20	12	22	20
693	53	23	30	*	14	21	13	10	13	15	16
693.0	53	23	30	*	14	21	13	10	13	14	16
694	11	*	*8	*	*	*	*6	*	*	*	*
694.5	*6	*	*	-	-	-	*6	*	*	*	-
695	33	13	21	*	*8	11	11	*8	11	11	*
695.1	*5	*	*	*	*	*	*	*	*	*	*
695.3	10	*5	*	-	*	*5	*	*	*	*	*
695.4	*6	*	*	-	*	*	*	*	*	*	*
695.9	*6	*	*	*	*	*	*	*	*	*	*
696	79	42	37	*	17	35	27	29	12	20	17
696.0	13	*9	*	-	*	*8	*	*	*	*6	*
696.1	64	34	31	*	14	27	22	25	10	14	15
698	51	16	35	*	24	13	11	10	13	16	12
698.8	*7	*	*6	*	*	*	*	*	*	*	*
698.9	40	15	25	*	17	11	10	*7	11	14	*8
701	44	13	31	*	21	11	*8	11	*5	16	13
701.0	*5	*	*	-	*	*	*	*	*	*	*
701.1	*5	*	*	*	*	*	*	*	*	*	*
701.2	*6	*	*	*	*	*	*	*	*	*	*
701.4	*7	*	*6	*	*	*	*	*	*	*	*
701.8	*8	*	*8	-	*	*	*	*	*	*	*
701.9	12	*	*9	*	*6	*	*	*	*	*5	*
702	*6	*	*	-	*	*	*	*	*	*	*
703	*8	*	*	*	*	*	*	*	*	*	*
703.0	*7	*	*	*	*	*	*	*	*	*	*
704	21	11	10	*	12	*	*	*5	*	*8	*
704.0	*6	*	*	*	*	*	*	*	*	*	*
704.8	13	10	*	*	*9	*	*	*	*	*	*
705	*9	*	*7	*	*5	*	*	*	*	*	*
705.8	*8	*	*6	-	*5	*	-	*	*	*	*
705.83	*8	*	*6	-	*5	*	-	*	*	*	*
706	28	14	14	*	19	*	*	*8	*5	10	*5
706.1	18	*9	*9	*	15	*	-	*7	*	*	*
706.2	*8	*	*	*	*	*	*	*	*	*	-
707	1,111	578	534	*	103	320	684	317	219	426	149
707.0	371	195	176	*	34	96	239	98	70	157	47
707.00	*9	*6	*	-	*	*	*	*	*	*7	-

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
707.03	183	92	91	*	17	41	124	49	33	77	24
707.04	24	14	10	-	*	*6	14	*	*	10	*6
707.05	47	27	20	-	*6	16	25	10	14	17	*7
707.06	14	*9	*5	-	*	*6	*8	*	*	*5	*
707.07	60	29	30	-	*	13	45	21	*6	28	*
707.09	30	15	15	*	*	10	16	*8	*9	11	*
707.1	388	217	171	*	38	141	208	116	92	124	56
707.10	57	29	28	-	*7	20	31	18	13	20	*6
707.11	*9	*5	*	-	*5	*	*	*	*	*	*
707.12	18	11	*8	-	*	*	13	*	*6	*5	*
707.13	33	19	14	-	*	11	21	*9	*9	*8	*7
707.14	72	37	35	-	*7	28	37	30	15	19	*7
707.15	129	80	49	*	14	51	63	38	30	44	16
707.19	70	37	33	-	*	26	40	14	17	25	14
707.2	333	156	177	*	27	77	227	98	54	137	44
707.20	21	15	*7	*	*	*6	12	*	*	10	*5
707.21	18	*6	12	*	*	*	15	*9	*	*	*
707.22	54	32	22	*	*	11	40	17	*8	23	*6
707.23	130	45	85	-	11	28	92	38	21	56	16
707.24	98	52	46	*	10	28	60	29	18	40	11
707.25	11	*7	*	*	*	*	*9	*	*	*	*
707.8	17	*8	*9	*	*	*	*9	*	*	*8	*
708	21	*9	12	*	*6	10	*	*	*6	*	*6
708.0	15	*7	*8	*	*	*8	*	*	*	*	*
709	46	20	26	*5	21	10	11	10	*8	16	13
709.0	10	*	*5	*	*6	*	*	*	*	*	*
709.2	11	*	*7	*	*5	*	*	*	*	*	*
709.8	11	*5	*6	*	*	*	*	*	*	*	*
709.9	13	*6	*8	*	*	*	*	*	*	*	*
710-739	7,629	2,794	4,835	98	1,024	2,671	3,836	1,848	1,832	2,592	1,358
710	189	25	164	*7	56	64	62	38	34	76	40
710.0	125	17	107	*7	46	42	30	24	18	53	29
710.1	17	*	14	*	*	*7	*8	*	*	*7	*
710.2	29	*	28	-	*	10	15	*6	*8	*9	*6
710.4	*7	*	*5	-	*	*	*	*	*	*	*
711	59	39	20	*5	14	17	23	*9	14	24	12
711.0	53	37	16	*	12	16	20	*9	13	20	12
711.01	*6	*	*	*	*	*	*	*	*	*	*
711.05	*6	*6	*	*	*	*	*	*	*	*	*
711.06	26	17	*9	*	*	*9	12	*6	*7	*9	*
712	*8	*	*	-	-	*	*7	*	*	*	*
712.3	*5	*	*	-	-	*	*	*	*	*	*
713	*9	*5	*	-	*	*	*	*	*	*	*
713.5	*7	*	*	-	*	*	*	*	*	*	-
714	292	56	237	*	22	113	156	65	76	95	57
714.0	279	51	228	*	19	108	152	61	72	92	55
715	1,889	710	1,179	*	67	688	1,135	465	463	647	315
715.0	14	*	11	-	*	*	10	*5	*	*	*
715.09	11	*	*9	-	*	*	*8	*5	*	*	*
715.1	124	54	71	-	*	48	73	17	14	45	48
715.11	11	*7	*	-	-	*	*8	*	*	*	*9
715.15	36	19	17	-	*	15	19	*7	*	14	10
715.16	75	27	48	-	*	30	44	*9	10	27	29
715.2	*9	*6	*	-	*	*	*	*	*	*	*
715.26	*5	*	*	-	*	*	*	*	*	*	*
715.3	747	297	450	-	17	326	404	220	192	219	116

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
715.30	*5	*	*	-	*	*	*	*	*	*	*
715.31	29	15	15	-	*	11	18	*6	*6	*9	*8
715.35	225	109	116	-	*9	102	115	75	60	63	28
715.36	466	165	301	-	*6	201	259	133	121	142	70
715.37	13	*	*9	-	*	*6	*6	*	*	*	*
715.8	54	19	35	-	*	*6	47	*7	21	*5	21
715.89	54	19	35	-	*	*6	47	*7	21	*5	21
715.9	942	331	611	*	42	301	599	211	231	373	126
715.90	605	200	405	-	29	160	415	139	167	238	60
715.91	29	14	15	-	*	*9	18	*	*6	*8	11
715.94	*6	*	*	-	*	*	*	*	*	*	*
715.95	80	38	42	-	*	35	41	14	18	30	18
715.96	179	65	114	*	*7	81	91	24	32	92	31
715.97	*8	*	*7	-	*	*	*	*	*	*	*
715.98	34	10	24	-	*	10	24	29	*	*	*
716	285	98	188	*	26	90	169	44	78	116	48
716.1	12	*6	*6	-	*	*5	*	*	*	*6	*
716.8	*7	*	*6	*	*	*	*	*	*	*	*
716.9	263	89	174	*	22	83	158	39	73	105	46
716.90	198	65	133	*	19	63	115	31	57	90	20
716.91	*8	*5	*	-	*	*	*	*	*	*	*
716.94	*5	*	*	-	*	*	*5	*	*	*	*
716.95	*6	*	*	*	*	*	*	*	*	*	*
716.96	21	*7	14	-	*	*9	10	*	*8	*7	*
716.99	17	*5	11	-	*	*	12	*	*	*	13
717	22	10	12	-	*5	*9	*7	*8	*	*5	*
717.7	*8	*	*5	-	*	*	*	*	*	*	*
718	57	25	32	*	10	19	25	13	*9	16	18
718.3	13	*	10	*	*	*	*5	*	*	*	*
718.4	21	*9	12	*	*	*6	*9	*	*	*6	*8
718.46	*8	*	*	*	*	*	*	*	*	*	*
718.5	*9	*6	*	-	*	*	*	*	*	*	*
718.56	*6	*	*	-	*	*	*	*	*	*	*
719	259	115	144	*7	48	81	122	82	55	84	37
719.0	19	10	*9	*	*	*7	*8	*5	*5	*	*
719.06	15	*9	*6	*	*	*6	*8	*	*	*	*
719.1	*7	*	*	*	*	*	*5	*	*	*	*
719.4	178	73	105	*	37	59	78	43	40	66	30
719.40	*8	*	*	-	*	*	*	*	*	*	*
719.41	55	19	36	*	12	21	21	14	11	21	*9
719.45	44	17	27	*	*	11	29	10	*9	17	*9
719.46	45	21	24	*	11	17	17	12	12	16	*6
719.47	*8	*	*	*	*	*	*	*	*	*	*
719.49	11	*	*7	*	*	*	*	*	*	*	*
719.5	12	*7	*5	*	*	*5	*5	*8	*	*	*
719.51	*6	*	*	-	-	*	*	*6	*	-	-
719.7	34	15	20	*	*	*5	24	18	*7	*6	*
720	11	*6	*5	*	*	*	*	*	*	*	*
720.0	*7	*	*	-	*	*	*	*	*	*	*
721	301	121	180	*	39	117	144	51	93	99	58
721.0	78	28	50	-	10	40	28	15	20	26	18
721.1	40	22	18	-	*6	18	16	*6	15	12	*7
721.2	*8	*	*5	-	-	*	*7	*	*	*	*
721.3	127	52	75	*	18	42	67	20	42	38	28
721.4	*8	*	*	*	*	*	*	*	*	*	*
721.9	36	12	24	-	*	11	21	*8	11	14	*
721.90	36	12	24	-	*	11	21	*8	11	14	*
722	695	315	380	*8	169	312	206	147	165	247	136

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
722.0	92	40	52	-	29	54	*8	22	15	33	21
722.1	200	98	102	-	69	81	50	48	52	62	38
722.10	196	95	101	-	68	79	49	47	51	60	37
722.2	*5	*	*	-	*	*	*	*	*	*	*
722.4	72	28	45	-	14	40	19	10	13	25	25
722.5	208	94	113	*	40	87	80	33	53	83	38
722.51	*6	*	*	-	*	*	*	*	*	*	*
722.52	201	92	109	*	38	85	78	32	52	79	38
722.6	28	11	17	-	*	12	13	*6	*7	12	*
722.7	37	21	16	*	*6	15	15	13	11	*9	*
722.71	23	14	*8	-	*	12	*8	*9	*5	*6	*
722.73	*9	*	*5	*	*	*	*	*	*	*	*
722.8	17	*6	11	-	*	*5	*9	*7	*	*5	*
722.83	12	*	*7	-	*	*	*5	*	*	*	*
722.9	36	15	21	*7	*	13	11	*6	*9	15	*6
722.91	*6	*	*	*	*	*5	*	*	*	*	*
722.92	*9	*	*	*5	*	*	*	*	*	*8	*
722.93	19	*7	11	*	*	*7	*7	*	*	*6	*
723	124	56	68	*	28	53	40	29	30	37	28
723.0	37	18	19	*	*	16	18	10	12	*9	*6
723.1	60	28	32	*	20	26	14	12	11	19	18
723.4	17	*6	11	-	*	*9	*	*6	*	*	*
723.8	*6	*	*	-	*	*	*	*	*	*	*
724	790	346	444	*6	185	256	343	186	206	270	128
724.0	217	95	122	-	12	55	150	69	59	62	27
724.00	38	11	27	-	*	*	34	20	10	*6	*
724.02	175	82	94	-	12	50	113	47	49	56	24
724.2	221	101	120	*	65	83	70	44	58	79	40
724.3	22	*6	16	-	*	*8	*9	*6	*5	*7	*
724.4	60	26	33	-	*9	17	34	16	17	20	*6
724.5	246	111	135	*	83	84	75	44	61	96	44
724.8	12	*	*9	*	*6	*	*	*	*	*	*5
725	40	*8	32	-	*	*	36	*8	12	10	10
726	87	48	39	*	13	29	44	25	20	24	17
726.1	27	10	16	-	*	*7	18	*9	*5	*5	*7
726.10	18	*8	11	-	*	*6	11	*	*	*	*6
726.19	*6	*	*	-	-	*	*6	*	*	*	*
726.2	*7	*5	*	-	*	*	*	*	*	*	*
726.3	13	12	*	-	*	*	*	*	*	*5	*
726.33	12	11	*	-	*	*	*	*	*	*	*
726.5	14	*	*9	-	*	*	*9	*	*	*	*
726.6	11	*8	*	*	*	*5	*	*	*	*	*
726.65	*8	*6	*	*	*	*	*	*	*	*	*
726.7	*7	*	*	-	*	*	*	*	*	*	*
726.9	*6	*	*	-	*	*	*	*	*	*	*
726.91	*6	*	*	-	*	*	*	*	*	*	*
727	83	44	39	*	12	40	28	22	16	27	18
727.0	36	20	16	*	*7	17	*9	12	*6	*8	*9
727.00	11	*	*7	*	*	*6	*	*6	*	*	*
727.05	10	*7	*	-	*	*	*	*	*	*	*
727.09	10	*7	*	*	*	*	*	*	*	*	*
727.4	15	*9	*6	-	*	*6	*7	*	*	*	*6
727.40	12	*8	*	-	*	*	*7	*	*	*	*6
727.5	*8	*	*	-	*	*	*	*	*	*	*
727.51	*8	*	*	-	*	*	*	*	*	*	*
727.6	*8	*	*5	-	*	*	*	*	*	*	*
727.61	*6	*	*	-	*	*	*	*	*	*	*
727.8	11	*5	*6	*	*	*6	*	*	*	*7	*
727.81	*6	*	*	*	*	*	*	-	*	*	*
727.89	*5	*	*	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
728	271	129	142	11	49	78	132	69	48	100	54
728.0	*6	*	*	*	*	*	*	*	*	*	*
728.2	*6	*	*	*	*	*	*	*	*	*	*
728.3	15	*	12	*	*	*	11	-	*	15	*
728.7	*6	*	*	-	*	*	*	*	*	*	*
728.71	*6	*	*	-	*	*	*	*	*	*	*
728.8	228	113	115	*	42	69	113	66	40	78	43
728.85	24	13	11	*	*7	*6	*8	*	*	11	*5
728.86	10	*	*5	-	*	*7	*	*	*	*	*
728.87	27	11	16	*	*	*9	15	*8	*	12	*
728.88	158	79	78	*	28	44	85	52	25	50	31
729	513	141	372	*9	117	215	172	112	126	169	106
729.1	240	23	217	*	58	116	64	56	58	79	47
729.2	*8	*	*5	-	*	*	*	*	*	*	*
729.5	96	41	56	*	25	42	28	20	24	32	20
729.8	143	63	79	*	27	45	69	30	36	45	32
729.81	29	15	14	*	*6	10	13	*9	*6	10	*
729.89	109	47	62	*	20	34	55	21	30	33	27
729.9	12	*6	*6	*	*	*	*	*	*	*6	*
729.92	10	*	*6	-	*	*	*	*	*	*	*
730	239	142	96	*	31	119	85	76	48	88	26
730.0	37	28	*9	*	*5	17	13	12	*9	*9	*6
730.07	19	16	*	-	*	10	*7	*7	*	*5	*
730.08	*6	*	*	*	*	*	*	*	*	*	*
730.1	52	33	19	*	*7	27	18	16	11	20	*6
730.15	11	*5	*5	*	*	*7	*	*	*	*8	*
730.17	30	22	*8	*	*	15	12	12	*7	*9	*
730.18	*7	*	*	-	*	*	*	*	*	*	*
730.2	147	80	67	*	18	74	53	47	28	58	14
730.25	10	*6	*	*	*	*	*	*	*	*	*
730.26	*6	*	*	*	*	*	*	*	*	*	*
730.27	92	48	44	*	*8	48	36	32	19	35	*7
730.28	27	17	10	*	*	14	*8	10	*	12	*
731	53	33	20	*	*5	27	21	19	12	18	*
731.0	*9	*	*5	-	-	*	*8	*	*	*	*
731.8	41	27	14	-	*	25	12	14	10	14	*
732	*8	*7	*	*5	*	*	*	*	*	*	*
733	1,029	205	824	*5	63	221	739	286	237	324	182
733.0	620	70	550	-	*8	111	501	186	146	192	96
733.00	596	65	531	-	*8	106	482	176	141	188	90
733.01	*6	-	*6	-	-	*	*6	*	*	*	*
733.09	17	*	13	-	*	*	13	*7	*	*	*
733.1	152	48	104	*	*	26	122	38	37	50	27
733.11	*7	*	*	-	-	*	*6	*	*	*	*
733.13	112	34	78	-	*	19	92	27	28	35	21
733.14	11	*	10	*	*	*	*8	*	*	*	*
733.15	*6	*	*	*	-	*	*	*	*	*	*
733.19	*8	*	*6	-	-	*	*7	*	*	*	*
733.2	*5	*	*	*	*	*	*	*	*	*	*
733.4	74	37	37	*	20	29	25	17	18	25	14
733.41	*5	*	*	-	*	*	*	*	*	*	*
733.42	50	28	22	*	13	23	15	13	11	20	*5
733.49	12	*6	*6	-	*	*	*6	*	*	*	*
733.6	32	10	22	*	13	11	*7	10	*	11	*7
733.8	36	15	21	*	11	12	13	*6	*8	14	*8
733.81	*7	*	*	*	*	*	*	*	*	*	*
733.82	29	12	17	*	*8	11	10	*5	*7	11	*6
733.9	109	21	88	*	*9	28	70	28	24	29	27
733.90	91	17	74	*	*	25	62	25	21	23	22

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
733.99	11	*	*8	*	*	*	*	*	*	*	*
735	*7	*	*5	-	*	*	*	*	*	*	*
736	85	38	48	*	11	33	39	28	17	30	11
736.4	13	*5	*8	*	*	*	*9	*	*	*8	*
736.42	*9	*	*6	*	-	*	*6	*	*	*7	*
736.6	10	*	*	-	*	*	*6	*	*	*	*
736.7	43	22	22	*	*9	19	15	16	10	13	*
736.79	35	19	16	*	*6	15	14	14	*9	*8	*
736.8	13	*	10	*	*	*	*5	*8	*	*	*
736.89	10	*	*8	*	*	*	*	*7	*	*	*
737	119	32	88	12	28	31	49	26	31	42	20
737.1	16	*6	11	*	*	*5	10	*	*	*6	*
737.10	13	*5	*8	*	*	*	*8	*	*	*	*
737.3	98	24	73	11	25	24	37	22	26	34	15
737.30	87	21	66	*9	23	21	33	19	23	32	13
737.39	*8	*	*6	*	*	*	*	*	*	*	*
738	88	32	55	*	10	41	36	17	25	27	18
738.1	*7	*	*	*	*	*	*	*	*	*	*
738.19	*6	*	*	*	*	*	*	*	*	*	*
738.4	77	27	50	*	*	38	34	15	23	24	15
739	15	*	12	-	*9	*	*	12	*	*	-
739.3	*6	-	*6	-	*5	-	*	*5	-	*	-
740-759	806	426	380	352	152	155	148	151	158	293	204
741	26	15	11	*7	14	*	*	*	*5	11	*9
741.0	16	*9	*7	*5	*9	*	*	*	*	*6	*5
741.00	13	*7	*6	*	*8	*	*	*	*	*	*
741.9	11	*6	*	*	*5	*	*	*	*	*	*
741.90	10	*6	*	*	*	*	*	*	*	*	*
742	38	20	18	24	*8	*	*	*8	*9	13	*9
742.2	11	*	*6	*7	*	*	*	*	*	*	*
742.3	11	*6	*	*8	*	*	*	*	*	*	*
743	*5	*	*	*	*	*	*	*	*	*	*
745	114	51	63	60	11	19	24	18	23	46	28
745.1	*5	*	*	*	*	-	-	*	*	*	*
745.4	19	*9	10	15	*	*	*	*	*	*8	*7
745.5	82	32	50	35	*7	17	24	14	17	32	19
746	57	35	22	28	12	11	*6	14	*9	25	*9
746.4	19	15	*	*	*	*8	*	*8	*	*7	*
746.8	20	12	*8	12	*	*	*	*	*	*8	*
746.89	*7	*	*	*	*	*	*	*	*	*	*
747	64	33	32	41	*5	*7	10	10	13	26	16
747.0	25	13	13	25	*	*	-	*	*	13	*7
747.1	*5	*	*	*	*	*	*	*	*	*	*
747.10	*5	*	*	*	*	*	*	*	*	*	*
747.3	*6	*	*	*	*	*	-	*	*	*	*
747.8	17	*6	12	*5	*	*5	*5	*	*6	*	*5
747.81	12	*	*9	*	*	*	*5	*	*	*	*
748	15	12	*	11	*	*	*	*	*	*	*5
748.3	*8	*6	*	*7	*	*	*	*	*	*	*
749	*9	*	*	*9	*	-	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
750	34	24	11	18	*	*	10	*7	*7	11	*9
750.3	12	*8	*	*	*	*	*7	*	*	*5	*
750.5	15	10	*	15	-	-	-	*	*	*	*5
751	47	20	28	13	*9	14	12	*6	*8	22	12
751.0	*9	*	*	*	*	*	*	*	*	*	*
751.4	*6	*	*	*	*	*	*	*	*	*	*
751.5	14	*	10	*	*	*	*7	*	*	*6	*
751.6	*8	*	*5	*	*	*	*	*	*	*	*
751.69	*6	*	*	*	-	*	*	-	*	*	*
752	24	*8	16	*7	11	*6	*	*8	*	*6	*6
752.3	*5	-	*5	*	*	*	-	*	*	*	*
753	125	68	57	27	23	26	49	32	27	42	25
753.0	19	*9	10	*	*8	*	*5	*7	*5	*5	*
753.1	76	41	35	*7	11	20	38	19	14	28	14
753.10	36	21	14	*	*	*8	24	*7	*7	18	*
753.12	23	*9	13	*	*6	*8	*8	*6	*	*6	*6
753.19	*7	*	*	*	*	*	*5	*	*	*	*
753.2	15	10	*6	12	*	*	*	*	*	*6	*
753.29	10	*7	*	*8	*	*	*	*	*	*	*
753.3	*8	*	*	*	*	*	*	*	*	*	*
754	30	18	12	17	*7	*	*	*	*	11	13
754.2	11	*6	*6	*7	*	*	*	-	*	*8	*
754.8	*9	*7	*	*	*	*	*	*	*	*	*5
755	23	*8	15	*9	*6	*7	*	*5	*	*5	11
755.6	18	*	14	*5	*	*7	*	*	*	*	*8
755.63	12	*	10	*	*	*6	*	*	*	*	*8
756	82	42	40	20	13	28	20	12	22	28	20
756.0	*9	*	*	*7	*	-	-	*	*	*	*
756.1	49	26	23	*	*	23	19	*7	13	18	11
756.12	37	19	18	*	*	16	17	*	11	13	*8
756.8	11	*5	*5	*	*	*5	*	*	*	*	*5
756.83	*7	*	*	*	*	*	*	*	*	*	*
757	10	*	*5	*	*	*	*	*	*	*	*
757.3	*5	*	*	*	*	*	*	*	*	*	*
758	51	34	18	30	*9	12	*	15	*9	14	13
758.0	30	21	*9	12	*7	11	*	*6	*7	*9	*7
758.2	*6	*6	*	*6	-	-	-	*5	-	*	-
758.3	*5	*	*	*	*	-	-	*	*	*	*
759	45	25	20	21	14	*5	*	*7	10	16	13
759.8	32	20	12	17	12	*	*	*	*8	11	*8
759.82	*8	*	*	*	*7	*	*	*	*	*	*
759.89	21	13	*7	14	*	*	*	*	*	*7	*6
760-779	547	326	221	545	*	*	*	51	96	227	174
765	93	61	33	93	*	-	*	*	16	41	32
765.1	43	28	15	43	-	-	*	*	*9	20	13
765.18	13	*8	*	13	-	-	-	*	*	*6	*
765.19	15	11	*	15	-	-	-	-	*	*6	*5
765.2	46	30	16	46	*	-	*	*	*7	19	17
765.26	*6	*	*	*6	-	-	-	*	-	*	*
765.27	12	*9	*	12	-	-	-	*	*	*7	*
765.28	16	10	*6	16	*	-	-	*	*	*6	*5
767	*9	*6	*	*9	-	-	-	-	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
769	22	13	10	22	-	-	-	*	*6	12	*
770	109	61	48	107	*	-	*	*7	15	49	37
770.0	*5	*	*	*5	-	-	-	-	*	*	-
770.2	11	*6	*	10	-	-	*	*	*	*7	*
770.6	15	*8	*7	15	*	-	-	*	*	*7	*
770.7	20	*8	13	20	-	-	*	*	*	*	11
770.8	52	32	19	52	-	-	-	*	*7	25	17
770.81	16	*8	*9	16	-	-	-	*	*	*6	*5
770.82	*5	*	*	*5	-	-	-	*	*	*	*
770.84	*6	*	*	*6	-	-	-	-	*	*	*
770.89	17	12	*	17	-	-	-	*	*	11	*
771	37	23	14	37	-	-	-	*	*8	14	10
771.8	30	20	11	30	-	-	-	*	*6	12	*9
771.81	21	12	*9	21	-	-	-	*	*5	*9	*5
771.82	*7	*6	*	*7	-	-	-	*	*	*	*
772	13	*8	*5	13	-	-	-	*	*	*5	*
772.1	*7	*	*	*7	-	-	-	*	*	*	*
773	*7	*5	*	*7	-	-	-	*	*	*	*
774	83	48	35	83	-	-	-	10	17	34	22
774.2	29	16	13	29	-	-	-	*	*6	12	*9
774.6	52	32	20	52	-	-	-	*8	10	22	12
775	35	23	12	35	-	-	-	*	*	13	14
775.5	21	14	*7	21	-	-	-	*	*	*5	11
776	20	12	*8	20	*	-	-	*	*	*9	*6
776.6	11	*	*6	11	-	-	-	*	*	*6	*
777	*9	*6	*	*9	-	-	-	*	*	*	*
778	19	13	*6	19	-	-	-	*	*	*6	*8
778.4	10	*7	*	10	-	-	-	*	*	*	*
779	75	39	36	75	-	-	-	12	12	29	23
779.3	31	17	14	31	-	-	-	*6	*5	*9	12
779.8	36	20	16	36	-	-	-	*5	*	17	*9
779.89	29	17	12	29	-	-	-	*	*	13	*8
780-799	11,323	5,111	6,212	721	2,094	3,373	5,135	2,681	2,555	3,973	2,115
780	2,529	1,162	1,367	157	452	711	1,209	613	604	879	433
780.0	169	82	87	*7	42	45	76	28	42	61	38
780.01	54	28	27	*	13	13	27	*8	11	16	19
780.02	*6	*	*	*	*	*	*	*	-	*	*
780.03	19	*6	14	*	*	*7	*8	*	*7	*8	*
780.09	90	44	46	*	24	23	41	16	23	37	14
780.1	22	11	11	*	*	*7	10	*	*	*8	*5
780.2	505	224	282	*	58	121	322	138	106	173	88
780.3	345	171	174	41	90	123	91	96	79	102	68
780.31	11	*6	*6	11	*	-	-	*	*	*	*
780.39	329	163	166	26	89	123	91	91	76	100	62
780.4	167	57	110	*	19	49	99	51	42	52	22
780.5	388	199	189	10	99	156	123	86	92	148	61
780.50	*8	*	*	*	*	*	*	*	*	*	*
780.52	163	73	90	*	64	55	40	44	29	73	17
780.57	211	118	93	*6	33	95	77	39	58	73	41
780.6	350	174	176	74	69	84	124	88	87	130	45
780.60	227	115	112	52	47	50	78	54	62	82	29
780.61	66	36	30	14	10	20	22	21	12	23	*9
780.62	47	18	29	*7	10	12	18	10	10	21	*6

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
780.65	*8	*	*	*	*	*	*	*	*	*	*
780.7	321	119	202	10	34	66	211	73	89	99	59
780.79	313	118	195	10	33	64	206	73	88	94	58
780.8	*8	*	*	*	*	*	*	*	*	*	*
780.9	254	121	133	*9	35	58	152	47	61	101	45
780.93	20	10	10	*	*	*8	*9	*	*8	*8	*
780.96	13	*5	*8	-	*	*8	*	*6	*	*	*
780.97	205	96	109	*5	27	38	135	34	48	84	39
780.99	*9	*7	*	*	*	*	*	*	*	*	*
781	445	203	243	13	41	120	272	193	73	106	73
781.0	52	28	24	*	12	17	22	14	12	15	11
781.2	259	106	153	*	17	62	180	146	34	45	35
781.3	63	37	26	10	*	19	30	11	12	25	15
781.8	11	*	*8	-	*	*	*8	*	*5	*	*
781.9	56	27	29	*	*6	20	30	22	*9	18	*7
781.94	49	23	26	*	*	17	28	21	*7	15	*7
781.99	*7	*	*	*	*	*	*	*	*	*	*
782	366	155	211	23	81	109	153	92	87	118	69
782.0	100	41	59	*	34	38	28	24	26	29	21
782.1	55	23	32	12	15	12	15	16	11	20	*7
782.3	128	47	81	*	15	35	78	38	33	35	22
782.4	63	36	27	*	13	22	23	*7	12	30	14
782.5	*6	*	*	*	*	*	*	*	*	*	*
782.7	10	*5	*	*	*	*	*	*	*	*	*
783	369	161	208	70	51	64	183	55	76	166	72
783.0	81	28	53	*	15	16	46	*8	17	49	*7
783.2	84	39	46	*	20	24	35	15	22	35	12
783.21	80	36	44	*	18	23	34	14	21	33	12
783.3	19	13	*7	16	*	*	*	*6	*	*5	*6
783.4	50	26	24	44	*	*	*	*	*9	22	15
783.40	17	*9	*9	13	*	*	*	*	*	*7	*7
783.41	31	17	14	30	*	-	*	*	*6	14	*9
783.5	10	*	*7	*	*	*5	*	*	*	*	*
783.7	118	51	67	*	*6	18	93	23	22	48	25
784	560	241	319	32	114	178	236	137	123	187	113
784.0	226	76	150	13	88	70	55	42	51	88	46
784.2	12	*8	*	*	*	*	*	*	*	*	*
784.3	134	62	72	*	*8	43	82	39	28	44	24
784.4	*9	*	*6	*	*	*	*	*	*	*	*
784.49	*9	*	*6	*	*	*	*	*	*	*	*
784.5	115	63	52	*	*7	44	62	37	26	30	23
784.6	*8	*	*6	-	*	*	*6	*	*	*	*
784.69	*7	*	*5	-	*	*	*5	*	*	*	*
784.7	49	24	24	*8	*5	10	26	12	11	14	12
784.9	*6	*	*	*	*	*	*	*	*	*	*
785	822	404	418	53	149	262	359	210	172	303	137
785.0	213	100	113	19	79	53	63	36	49	88	39
785.1	61	18	42	*	13	31	16	17	13	18	13
785.2	45	20	25	13	10	10	12	*8	12	17	*8
785.4	88	49	38	*	*	35	49	33	16	28	11
785.5	341	182	159	12	27	112	190	100	68	124	50
785.50	30	16	14	*	*	12	14	*6	*5	15	*
785.51	58	34	24	*	*7	17	33	17	10	20	11
785.52	220	115	105	*6	15	74	125	69	46	78	28
785.59	33	17	16	*	*	10	18	*9	*6	11	*7
785.6	62	32	30	*8	17	16	21	15	13	19	16
785.9	13	*	*9	*	-	*	*8	*	*	*8	*
786	1,624	739	886	55	252	653	665	371	330	601	322
786.0	250	111	139	35	34	75	106	47	53	93	57

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
786.01	*6	*	*	*	*	*	*	*	*	*	*
786.03	13	*	*9	*9	*	*	*	*	*	*	*5
786.05	95	41	54	*	11	37	46	16	17	44	19
786.06	13	*8	*5	*5	*	*	*	*	*	*	*
786.07	*8	*5	*	*	*	*	*	*	*	*	*
786.09	112	50	62	17	19	26	50	23	24	38	27
786.1	*9	*	*6	*	*	*	*	*	*	*	*
786.2	61	23	39	*6	14	14	27	17	18	14	12
786.3	106	61	45	*	11	35	55	27	20	39	19
786.5	1,127	496	630	*	185	512	425	263	220	430	215
786.50	445	199	245	*	68	199	174	103	81	176	85
786.51	26	14	13	-	*6	12	*8	*	*	12	*7
786.52	43	21	23	*	10	18	15	*5	13	17	*8
786.59	612	263	350	*	101	282	228	152	122	224	114
786.6	52	30	22	*	*	*8	39	12	11	16	13
786.8	11	11	*	-	*	*7	*	*	*	*	*
787	1,224	483	741	108	236	326	553	305	277	411	230
787.0	496	171	325	66	146	134	151	92	130	171	104
787.01	292	100	192	17	90	85	100	51	75	114	52
787.02	134	38	96	*9	44	41	40	26	38	38	32
787.03	70	33	38	40	12	*7	11	15	17	19	20
787.1	14	*	*9	*	*	*	*6	*	*	*	*
787.2	357	169	188	*6	23	88	241	136	55	108	59
787.20	227	107	120	*	17	57	149	46	45	84	52
787.21	51	18	33	*	*	12	35	49	*	*	-
787.22	39	26	13	*	*	*9	30	19	*	12	*
787.23	14	*7	*7	*	*	*5	*8	10	*	*	*
787.29	26	12	14	*	*	*	18	12	*	*8	*
787.3	13	*6	*6	*	*	*	*	*	*	*	*
787.6	22	*8	15	*	*	*6	11	*	*	*6	*8
787.9	320	124	196	31	58	92	138	70	82	116	53
787.91	316	121	196	31	58	89	137	69	81	114	52
788	580	307	273	11	74	132	363	133	154	190	103
788.0	*6	*	*	-	*	*	*	*	*	*	-
788.1	15	*5	10	*	*5	*	*	*	*	*6	*
788.2	295	204	91	*	35	62	194	70	78	90	57
788.20	258	177	82	*	32	53	171	61	66	83	48
788.21	12	10	*	*	*	*	*8	*	*6	*	*
788.29	24	18	*6	-	*	*7	15	*8	*6	*6	*5
788.3	168	47	120	*5	15	33	115	42	42	62	21
788.30	125	36	89	*	10	24	88	34	29	46	16
788.31	17	*	13	-	*	*	15	*	*	*8	*
788.33	10	*	10	-	*	*	*	*	*6	*	*
788.39	*9	*	*6	*	*	*	*7	*	*	*	*
788.4	38	18	19	*	*7	14	16	*7	*9	11	10
788.41	27	12	16	*	*5	*8	13	*	*8	*7	*8
788.43	*7	*5	*	-	*	*	*	*	*	*	*
788.5	14	*8	*6	*	*	*	*9	*	*8	*	*
788.6	19	11	*8	*	*	*	10	*	*6	*7	*
788.63	*5	*	*	*	*	*	*	*	*	*	*
788.64	*9	*6	*	-	*	*	*	*	*	*	*
788.9	23	10	13	*	*	*7	13	*	*7	*8	*
788.99	21	10	12	*	*	*6	13	*	*7	*8	*
789	830	360	470	27	242	288	274	192	187	293	157
789.0	458	164	294	22	184	125	127	111	111	156	80
789.00	171	65	106	13	63	45	50	43	35	68	24
789.01	40	12	28	*	17	13	10	*	11	13	12
789.02	11	*	*6	*	*	*	*	*	*	*	*
789.03	41	11	30	*	26	*6	*8	11	11	11	*9
789.04	31	*8	23	-	12	12	*7	*6	*8	10	*7
789.05	*6	*	*	*	*	*	*	*	*	*	*
789.06	72	27	46	*	29	19	24	17	18	25	13

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
799.89	*8	*6	*	*	*	*	*	*	*	*	*
799.9	59	27	32	*5	21	20	12	*	*7	34	16
800-999	7,764	3,964	3,800	335	2,107	2,212	3,109	1,706	1,703	2,697	1,658
800	18	14	*	*8	*	*	*	*	*5	*	*8
800.2	*9	*6	*	*	*	*	*	*	*	*	*
801	65	47	18	*6	30	12	17	*8	16	19	22
801.0	22	16	*6	*	10	*	*5	*	*9	*6	*5
801.01	12	*9	*	*	*	*	*	*	*6	*	*
801.06	*7	*5	*	*	*	*	*	*	*	*	*
801.1	*7	*	*	-	*	*	*	*	*	*	*
801.2	28	19	*9	*	11	*5	*8	*	*6	*8	11
801.21	*8	*6	*	*	*	*	*	*	*	*	*
801.26	*9	*6	*	*	*6	*	*	*	*	*	*
802	142	96	46	*8	63	36	34	30	32	48	31
802.0	25	14	11	*	*9	*8	*7	*7	*7	*7	*
802.1	*6	*	*	*	*	-	*	*	*	-	*
802.2	31	22	*8	*	18	10	*	*6	*	17	*
802.25	*5	*	*	*	*	*	-	*	-	*	*
802.26	*6	*	*	*	*	*	*	*	-	*	*
802.3	*6	*6	*	*	*	*	-	*	*	*	*
802.4	28	19	10	*	11	*9	*8	*6	*8	10	*5
802.6	23	14	*9	*	11	*	*7	*	*7	*5	*7
802.8	20	15	*5	*	*7	*	*6	*	*7	*6	*
805	254	138	115	*	67	58	128	43	60	97	55
805.0	70	49	21	*	28	17	25	16	14	27	13
805.01	*9	*6	*	*	*	*	*6	*	*	*	*
805.02	16	10	*6	-	*	*	*7	*	*	*	*
805.05	*7	*	*	-	*	*	*	*	*	*	*
805.06	12	10	*	-	*8	*	*	*	*	*5	*
805.07	15	12	*	-	10	*	*	*	*	*6	*
805.2	61	35	26	*	12	13	35	*	16	24	17
805.4	98	44	54	*	22	21	55	17	21	40	20
805.6	22	*8	13	-	*5	*6	11	*	*7	*6	*
806	13	*9	*	*	*	*	*8	*	*	*	*
806.0	*9	*6	*	*	*	*	*8	*	*	*	*
807	185	105	79	*	49	56	77	36	35	58	55
807.0	172	97	76	*	46	51	74	35	34	55	49
807.00	*9	*	*	-	*	*	*6	*	*	*	*
807.01	34	20	14	*	13	*7	13	*8	*8	10	*8
807.02	36	18	18	*	*7	*8	22	*6	*6	10	14
807.03	25	12	13	-	*6	*8	11	*8	*	*7	*7
807.04	18	*7	11	-	*	*6	*7	*	*6	*	*
807.05	10	*8	*	*	*	*	*	*	*	*	*
807.06	*7	*5	*	*	*	*	*	*	*	*	*
807.09	24	14	10	*	*7	10	*7	*	*	11	*6
807.2	11	*7	*	-	*	*	*	*	*	*	*6
808	136	60	76	*	30	26	76	30	27	49	30
808.0	33	18	15	*	12	10	10	*6	*6	*9	11
808.2	74	26	48	*	*8	*9	55	15	16	27	17
808.4	19	14	*	*	*8	*	*6	*6	*	*8	*
808.41	16	13	*	*	*7	*	*	*5	*	*6	*
808.8	*9	*	*8	*	*	*	*	*	*	*	-
810	38	21	17	*	20	12	*5	11	*6	*7	14
810.0	38	21	17	*	20	12	*5	11	*6	*7	14
810.00	17	14	*	*	*8	*6	*	*7	*	*	*
810.02	13	*	*9	-	*9	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
810.03	*7	*	*	-	*	*	*	*	*	*	*
811	20	14	*6	*	10	*5	*	*	*6	*9	*
811.0	18	14	*	*	*9	*5	*	*	*6	*8	*
811.00	10	*8	*	-	*5	*	*	*	*	*5	*
812	112	35	77	10	17	22	64	24	24	40	24
812.0	65	15	50	*	*	14	48	13	12	26	14
812.00	15	*	12	*	*	*	11	*	*	*6	*
812.01	20	*	17	*	*	*	16	*	*	10	*
812.03	*9	*	*7	-	*	*	*6	*	*	*	*
812.09	18	*5	13	-	*	*	12	*5	*	*7	*
812.2	21	*9	13	*	*5	*	12	*6	*7	*9	*
812.20	*7	*	*6	-	*	*	*6	*	*	*	-
812.21	14	*7	*7	*	*	*	*6	*	*	*6	*8
812.4	18	*8	11	*9	*	*	*	*	*	*	*8
812.41	10	*	*7	*7	*	*	*	*	*	*	*
813	98	47	51	*9	21	34	34	18	18	36	25
813.0	19	*9	10	*	*	*6	*9	*	*	*9	*
813.01	*8	*	*	-	*	*	*	*	*	*	*
813.05	*7	*	*	*	*	*	*	*	*	*	*
813.2	11	*8	*	*	*	*	*	*	*	*5	*
813.23	*6	*	*	*	*	*	*	*	*	*	*
813.4	55	23	31	*	*9	22	21	11	11	18	15
813.41	*9	*	*	*	*	*	*	*	*	*	*
813.42	26	10	17	*	*	13	11	*	*	12	*6
813.44	15	*5	*9	*	*	*	*8	*	*	*	*
814	*7	*5	*	*	*	*	*	*	*	*	*
814.0	*7	*5	*	*	*	*	*	*	*	*	*
814.01	*5	*	*	*	*	*	-	*	*	*	*
815	13	*6	*6	*	*5	*	*	*	*	*	*
815.0	12	*6	*6	*	*	*	*	*	*	*	*
816	26	17	*9	*	13	*8	*	*	*5	11	*6
816.0	15	10	*5	*	*7	*	*	*	*	*8	*
816.01	*9	*6	*	-	*5	*	*	*	*	*	*
816.1	10	*7	*	*	*5	*	*	*	*	*	*
816.11	*6	*	*	-	*	*	*	*	*	*	*
820	316	91	225	*	*8	34	273	54	75	134	53
820.0	74	22	52	*	*	*6	65	12	17	29	15
820.03	*8	*	*5	*	*	*	*6	*	*	*	*
820.09	63	18	45	-	*	*	56	*9	15	25	14
820.2	158	44	114	*	*	17	137	28	38	66	25
820.20	15	*5	*9	-	*	*	10	*	*	*5	*
820.21	124	32	92	-	*	*8	115	25	29	52	18
820.22	19	*6	13	*	*	*6	12	*	*5	*8	*
820.8	83	25	58	*	*	11	71	13	20	38	12
821	83	45	38	10	26	18	29	16	18	33	15
821.0	45	29	16	*8	17	*8	11	10	*8	16	10
821.00	10	*7	*	*	*	*	*	*	*	*8	*
821.01	35	22	13	*	16	*7	*8	10	*8	*8	10
821.1	*5	*	*	-	*	*	-	*	*	*	*
821.2	30	10	21	*	*	*7	18	*6	*8	15	*
821.20	*5	*	*	*	*	*	*	*	*	*	*
821.21	*7	*	*	-	*	*	*	*	*	*	*
821.23	14	*	11	*	*	*	*9	*	*	*7	*
822	17	*7	10	-	*	*	*9	*	*5	*7	*
822.0	15	*6	10	-	*	*	*9	*	*	*7	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
823	105	61	44	*6	47	31	22	20	24	37	24
823.0	49	21	28	*	14	19	13	12	12	14	11
823.00	36	14	23	*	11	14	*8	*7	*9	11	*9
823.01	*6	*	*	-	*	*	*	*	*	*	*
823.02	*6	*	*	*	*	*	*	*	*	*	*
823.1	*6	*	*	*	*	*	*	*	*	*	*
823.2	28	19	*9	*	15	10	*	*6	*	*9	*8
823.20	11	*5	*6	*	*	*5	*	*	*	*	*
823.22	14	12	*	*	*9	*	*	*	*	*	*
823.3	10	*7	*	*	*7	*	*	*	*	*5	*
823.32	*7	*	*	*	*5	*	*	*	*	*	*
823.8	11	*7	*	*	*5	*	*	*	*	*	*
823.82	*7	*	*	-	*	*	*	*	*	*	*
824	122	56	66	*	43	38	38	27	24	43	28
824.0	11	*6	*	*	*	*	*	*	*	*	*
824.2	*8	*	*	-	*	*	*	*	*	*	*
824.4	30	*8	22	*	10	*9	11	*9	*	11	*6
824.6	26	*8	19	*	*6	*9	10	*7	*6	*9	*5
824.8	34	20	14	*	13	12	*8	*5	*8	14	*8
825	45	23	22	*	21	14	10	*9	12	13	11
825.0	12	*8	*	-	*	*6	*	*	*5	*	*
825.2	28	13	15	*	15	*7	*6	*5	*6	*8	*9
825.21	*6	*	*	*	*	*	*	*	*	*	*
825.25	14	*6	*8	*	*7	*	*	*	*	*	*
826	11	*9	*	*	*	*	*	*	*	*	*
826.0	*7	*	*	*	*	*	*	*	*	*	*
831	*8	*	*	*	*	*	*	*	*	*	*
831.0	*8	*	*	*	*	*	*	*	*	*	*
831.00	*5	*	*	*	*	*	*	*	*	*	*
835	11	*8	*	*	*6	*	*	*	*	*	*
835.0	11	*8	*	*	*6	*	*	*	*	*	*
835.00	*5	*	*	*	*	*	*	*	*	*	*
835.01	*5	*	*	-	*	*	*	*	*	*	*
836	13	*7	*6	-	*	*5	*5	*	*	*6	*
836.0	*5	*	*	-	*	*	*	*	*	*	*
838	*6	*	*	-	*	*	*	-	*	*	*
838.0	*6	*	*	-	-	*	*	-	*	*	*
839	12	*	*9	-	*8	*	*	*6	*	*	*
839.0	*8	*	*6	-	*7	*	*	*6	*	*	*
840	26	15	11	*	*	*9	14	*5	*7	*8	*5
840.4	17	*9	*7	-	*	*6	*9	*	*	*5	*
842	*5	*	*	-	*	*	*	*	*	*	*
843	10	*	*6	-	*	*	*5	*	*	*	*
843.9	*5	*	*	-	*	*	*	-	*	*	*
844	18	*9	*8	*	*	*	*6	*6	*	*6	*
844.9	*6	*	*	-	*	*	*5	*	*	*	*
845	19	*9	10	*	*8	*	*6	*	*	*5	*5
845.0	19	*9	10	*	*8	*	*6	*	*	*	*5
845.00	*9	*	*	*	*	*	*	*	*	*	*
847	21	10	11	*	*8	*7	*5	*5	*6	*7	*
847.0	14	*6	*7	*	*6	*	*	*5	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
848	*8	*	*5	*	*	*	*	*	*	*	*
850	74	37	38	*	36	22	12	24	10	19	21
850.0	10	*7	*	*	*	*	*	*	*	*	*
850.1	21	10	11	*	11	*6	*	*5	*	*	*8
850.11	21	10	11	*	11	*6	*	*5	*	*	*8
850.5	28	13	15	*	14	11	*	*9	*	11	*
850.9	15	*7	*8	*	*9	*	*	*8	*	*	*6
851	33	19	14	*	*8	*9	14	*	*8	10	10
851.8	24	16	*9	*	*8	*6	*9	*	*7	*7	*7
851.81	*9	*7	*	*	*	*	*	*	*	*	*
851.86	*7	*	*	*	*	*	*	*	*	*	*
852	123	57	66	*6	21	26	70	20	33	35	35
852.0	43	19	24	*	11	*9	21	*8	11	11	14
852.00	10	*6	*	-	*	*	*5	*	*	*	*
852.01	17	*8	*9	*	*	*	11	*5	*	*6	*
852.06	12	*	*8	-	*7	*	*	*	*	*	*
852.2	75	34	41	*	*9	16	47	10	22	22	21
852.20	21	11	*9	*	*	*5	14	*	*6	*7	*5
852.21	34	12	22	*	*	*5	25	*	11	*9	10
852.26	15	*7	*8	*	*6	*	*	*	*5	*	*
852.4	*5	*	*	*	*	*	*	*	*	*	*
853	23	14	*9	*	*	*	15	*5	*	*6	*8
853.0	23	14	*9	*	*	*	15	*5	*	*6	*8
853.00	*5	*	*	-	*	*	*	*	*	*	*
853.01	11	*7	*	*	*	*	*8	*	*	*	*
854	*6	*	*	*	*	*	*	*	*	*	*
854.0	*6	*	*	*	*	*	*	*	*	*	*
860	76	49	27	*	33	21	21	16	13	30	17
860.0	42	26	16	*	18	12	11	*7	*9	17	*9
860.2	12	*7	*5	-	*	*	*7	*	*	*5	*
860.4	16	11	*	-	*6	*6	*	*	*	*6	*6
861	57	39	17	*	27	18	11	14	10	17	16
861.2	52	34	17	*	23	18	10	13	*8	15	15
861.21	50	34	17	*	22	18	10	13	*8	15	15
862	16	*9	*7	-	*6	*7	*	*	*	*9	*
862.2	*9	*	*	-	*	*	*	*	*	*	*
862.29	*8	*	*	-	*	*	*	*	*	*	*
863	23	17	*6	*	17	*	*	*	*6	*6	10
864	26	18	*9	*	16	*	*	*	*6	13	*
864.0	16	10	*6	*	*8	*	*	*	*	*7	*
864.05	*7	*	*	*	*	*	*	*	*	*	*
864.1	11	*8	*	*	*8	*	*	*	*	*6	*
865	35	27	*8	*	18	*7	*5	*7	*7	15	*6
865.0	30	23	*6	*	15	*6	*5	*6	*5	12	*6
865.00	11	*9	*	*	*	*	*	*	*	*8	*
865.04	*7	*6	*	*	*6	*	*	*	*	*	*
866	14	11	*	*	*8	*	*	*	*	*	*
866.0	12	*9	*	*	*6	*	*	*	*	*	*
867	39	33	*6	*	*5	*6	26	10	*8	12	*9
867.0	35	31	*	*	*	*5	25	10	*7	10	*7

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
868	29	23	*6	*	19	*6	*	*	*	13	10
868.0	20	14	*6	*	10	*6	*	*	*	*9	*5
868.03	10	*8	*	*	*	*	*	*	*	*5	*
868.04	*6	*	*	-	*	*	*	*	*	*	*
868.1	*9	*9	*	-	*9	*	-	*	*	*	*
870	*9	*6	*	*	*	*	*	*	*	*	*
871	*7	*	*	*	*	*	*6	*	*	*	*
872	10	*9	*	*	*7	*	*	*	*	*	*
872.0	*5	*	*	-	*	*	*	*	*	*	*
873	174	95	79	12	66	32	64	36	36	52	50
873.0	62	29	33	*	20	10	30	15	*9	18	19
873.2	*9	*	*	*	*	*	*	*	*	*	*
873.20	*8	*	*	*	*	*	*	*	*	*	*
873.4	73	42	31	*6	28	13	26	11	20	21	20
873.40	*6	*	*	-	*	*	*	*	*	*	*
873.42	37	22	15	*	14	*6	15	*	12	12	*9
873.43	14	*7	*7	*	*	*	*6	*	*	*	*5
873.44	*7	*	*	*	*	*	*	*	*	*	*
873.6	15	*8	*7	*	*8	*	*	*	*	*	*6
873.63	*6	*	*	*	*	*	*	*	*	*	*
873.8	*6	*	*	-	*	*	*	*	*	*	-
874	*8	*7	*	*	*7	*	*	*	*	*	*
874.8	*7	*6	*	-	*7	*	*	*	*	*	*
875	*7	*7	*	*	*5	*	*	*	*	*	*
875.0	*7	*6	*	*	*	*	*	*	*	*	*
878	*6	*	*	*	*	*	-	*	*	*	*
879	20	12	*8	*	11	*	*	*5	*	11	*
879.2	*6	*	*	*	*5	*	*	*	*	*	*
879.8	*5	*	*	-	*	*	*	*	*	*	-
880	12	*9	*	*	*9	*	*	*	*	*	*
880.0	10	*9	*	*	*7	*	*	*	*	*	*
880.03	*5	*	*	*	*	*	*	*	*	*	*
881	51	28	23	*	32	*9	*8	14	11	16	11
881.0	37	22	15	*	22	*6	*7	*6	*8	13	*9
881.00	13	*8	*5	*	*9	*	*	*	*5	*5	*
881.01	11	*7	*	*	*	*	*	*	*	*	*
881.02	12	*7	*5	*	*9	*	*	*	*	*	*
881.1	*7	*	*	*	*	*	*	*	*	*	*
881.10	*6	*	*	*	*	*	*	*	*	*	*
881.2	*7	*	*	-	*5	*	*	*	*	*	*
882	19	12	*7	*	10	*	*	*5	*	*	*7
882.0	*8	*	*	*	*	*	*	*	*	*	*
882.1	*8	*	*	*	*	*	*	*	*	*	*
883	15	10	*5	*	*9	*	*	*	*	*	*
883.0	*6	*	*	*	*	*	*	*	*	*	*
883.1	*5	*	*	-	*	*	*	*	*	*	*
884	*8	*6	*	*	*	-	*	*	*	*	*
886	*6	*6	*	*	*	*	*	*	*	*	*
890	15	11	*	*	12	*	*	*5	*	*6	*
890.0	10	*9	*	*	*8	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
923	46	19	27	*	14	*7	25	*9	13	*9	15
923.0	18	*8	*9	*	*5	*	11	*	*5	*	*7
923.00	14	*7	*7	*	*5	*	*8	*	*	*	*6
923.1	14	*	10	*	*	*	*9	*	*	*	*
923.11	10	*	*7	*	*	*	*6	*	*	*	*
923.2	10	*6	*	*	*6	*	*	*	*	*	*
923.20	*8	*5	*	*	*5	*	*	*	*	*	*
924	99	31	68	*	19	23	55	32	19	27	21
924.0	36	*8	28	*	*6	*7	22	16	*6	12	*
924.00	12	*	*7	*	*	*	*6	*	*	*5	*
924.01	24	*	21	*	*	*5	15	11	*	*7	*
924.1	32	10	22	-	*	*7	20	*8	*6	*9	*9
924.10	*9	*	*7	-	*	*	*7	*	*	*	*
924.11	23	*9	15	-	*	*6	13	*6	*5	*	*7
924.8	20	*9	11	*	*6	*	*9	*6	*	*	*8
927	*6	*5	*	*	*	*	-	*	*	*	*
927.3	*5	*	*	*	*	*	-	*	*	*	*
933	10	*6	*	*	*	*	*	*	*	*	*
933.1	*9	*	*	*	*	*	*	*	*	*	*
934	20	10	10	*	*	*6	*9	*	*7	*9	*
934.1	*8	*5	*	*	*	*	*	*	*	*	*
934.8	*8	*	*	*	*	*	*	*	*	*	*
935	23	11	12	*6	*	*	11	10	*	*5	*
935.1	17	*8	*9	*	*	*	10	10	*	*	*
935.2	*5	*	*	*	*	*	*	*	*	*	*
941	12	*9	*	*7	*	*	*	*	*	*	*
941.2	*9	*7	*	*6	*	*	*	*	*	*	*
942	13	*7	*6	*	*	*	*6	*	*	*	-
942.2	*9	*5	*	*	*	*	*5	*	*	*	-
943	*9	*7	*	*	*	*	*	*	*	*	*
943.2	*5	*5	*	*	*	*	*	*	*	*	*
944	*5	*	*	*	*	*	*	*	*	*	*
945	15	*9	*6	*	*7	*	*	*	*5	*	*
945.2	*8	*	*	*	*	*	*	*	*	*	-
945.3	*6	*	*	*	*	*	*	*	*	*	*
948	18	12	*6	*6	*7	*	*	*	*5	*	*
948.0	14	*9	*	*	*	*	*	*	*	*	*
948.00	14	*9	*	*	*	*	*	*	*	*	*
952	*9	*6	*	*	*	*	*5	*	*	*	*
952.0	*7	*	*	*	*	*	*	*	*	*	*
955	*6	*	*	*	*	*	*	*	*	*	*
958	33	24	*9	*	16	*7	*9	*	*7	10	12
958.4	12	*8	*	*	*5	*	*	*	*	*	*6
958.7	12	*8	*	*	*7	*	*	*	*	*6	*
959	83	42	41	*9	30	14	31	28	15	19	20
959.0	43	21	21	*	11	*8	18	*9	*9	*9	16
959.01	38	18	20	*	*9	*8	17	*8	*8	*8	14
959.1	10	*	*5	*	*5	*	*	*	*	*	*
959.8	*6	*	*	-	*	-	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
992	10	*8	*	*	*	*	*	*	*	*5	*
994	*9	*8	*	*	*	*	*	*	*	*	*
995	856	420	436	30	102	246	478	187	178	361	130
995.0	12	*	10	*	*	*	*5	*	*	*	*
995.1	25	10	16	*	*7	10	*8	*5	*7	*9	*
995.2	11	*	*7	*	*	*	*6	*	*	*7	*
995.29	*8	*	*	*	*	*	*	*	*	*5	*
995.3	10	*	*6	*	*	*6	*	*	*	*	*
995.8	*6	*	*5	-	*	*	*	*	*	*	*
995.9	782	393	389	23	84	221	455	170	161	335	116
995.90	*9	*	*	*	*	*	*	*	*	*	*
995.91	517	252	265	16	63	143	296	100	114	227	76
995.92	245	130	115	*6	16	71	153	68	39	101	38
995.93	*6	*	*	-	*	*	*	*	*	*	*
996	928	468	460	26	125	346	431	224	219	344	141
996.0	43	21	22	*	*	*8	31	11	*9	19	*
996.01	22	*9	12	*	*	*	20	*6	*	*9	*
996.04	15	*8	*7	-	*	*	*8	*	*	*5	*
996.1	27	14	13	*	*	*9	13	*6	*6	11	*
996.2	27	12	15	11	*	*8	*	*	*	17	*
996.3	27	16	12	*	*	*7	16	*9	*	*9	*6
996.39	21	11	10	*	*	*7	12	*7	*	*6	*
996.4	154	61	94	*	10	60	84	33	39	55	28
996.41	29	13	17	-	*	11	18	*9	*5	*9	*6
996.42	28	*7	22	-	*	*9	18	*	*9	11	*
996.43	17	*8	*9	-	*	*6	*9	*	*	*6	*
996.44	*8	*	*7	-	*	*	*6	*	*	*	*
996.46	*7	*	*5	-	*	*	*	*	*	*	*
996.47	16	*8	*9	-	*	*8	*8	*	*	*6	*
996.49	41	18	23	*	*6	18	17	*8	12	15	*7
996.5	33	14	20	*	*5	14	11	*7	12	11	*
996.59	22	*9	12	*	*	*9	*8	*	*8	*6	*
996.6	261	137	124	*	39	96	123	63	59	99	40
996.61	12	*8	*	-	*	*	*6	*	*	*6	*
996.62	61	31	31	*	10	23	27	12	11	30	*8
996.63	*7	*6	*	*	*	*	*	*	*	*	*
996.64	69	39	30	-	*9	12	48	20	19	21	*9
996.65	10	*8	*	-	*	*	*	*	*	*	*
996.66	51	26	25	-	*	24	26	17	11	16	*7
996.67	21	11	10	*	*7	*8	*	*	*6	*8	*
996.69	25	*8	17	*	*6	13	*5	*	*	10	*7
996.7	273	144	129	*	32	103	135	72	70	87	44
996.72	75	46	30	-	*7	24	44	24	23	22	*6
996.73	51	27	23	-	*6	19	25	15	12	12	12
996.74	59	33	26	*	*6	24	28	17	14	21	*7
996.76	17	*9	*8	*	*	*	12	*	*	*9	*
996.77	19	*	15	-	*	*7	11	*	*6	*7	*
996.78	29	13	16	*	*5	14	*9	*7	*	*8	10
996.79	15	*9	*6	*	*	*7	*	*	*6	*	*
996.8	82	50	32	*	25	42	14	22	15	37	*8
996.81	54	33	21	*	14	28	11	11	14	21	*7
996.82	*8	*7	*	*	*	*	*	*	*	*	*
996.83	*8	*	*	-	*	*	*	*	-	*6	*
996.84	*6	*	*	-	*	*	*	*	*	*	-
997	528	277	251	21	71	183	253	139	110	179	100
997.0	27	16	11	*	*	13	*8	*7	*7	*6	*6
997.02	12	*6	*5	*	*	*7	*	*	*	*	*
997.09	13	*9	*	*	*	*6	*	*5	*	*	*
997.1	112	58	54	*	*	32	71	39	17	30	25
997.2	22	11	12	-	*	*8	12	*6	*6	*9	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
997.3	83	42	40	*	*8	25	45	20	16	34	12
997.31	11	*8	*	*	*	*	*7	*	*	*	*
997.39	71	35	37	*	*7	22	39	17	14	31	10
997.4	192	89	103	*8	42	72	71	36	48	76	32
997.5	44	32	11	*	*	14	25	14	*6	10	13
997.6	38	23	14	-	*	14	19	12	*7	*9	*9
997.62	24	16	*7	-	*	*9	13	*9	*	*6	*5
997.69	13	*6	*7	-	*	*	*6	*	*	*	*
997.9	*7	*	*	*	*	*	*	*	*	*	*
998	764	337	427	13	160	289	301	176	172	275	140
998.0	10	*7	*	-	*	*	*7	*	*	*	*
998.1	262	118	143	*6	49	93	113	57	60	93	53
998.11	133	66	67	*	19	50	60	24	30	48	30
998.12	111	48	62	*	25	35	50	28	26	38	18
998.13	17	*	14	*	*	*8	*	*	*	*6	*
998.2	79	26	54	*	20	23	35	17	16	31	16
998.3	71	35	36	*	*9	34	26	15	13	29	13
998.30	11	*9	*	*	*	*5	*	*	*	*7	*
998.31	18	*9	*9	*	*	*8	*7	*	*	*8	*
998.32	40	17	23	*	*5	20	14	*9	*8	14	10
998.5	251	107	144	*	55	103	89	62	59	87	42
998.51	13	*5	*8	-	*	*	*6	*	*	*	*
998.59	237	102	136	*	52	99	83	58	57	84	39
998.6	30	11	19	*	13	11	*6	*9	*6	12	*
998.8	56	29	27	*	11	21	23	11	16	17	11
998.83	27	16	11	*	*	11	12	*	11	*8	*
998.89	25	11	14	*	*8	*9	*8	*6	*	*9	*7
999	105	56	50	14	23	31	37	27	23	37	18
999.2	13	*	*9	*	*	*	*7	*	*	*6	*
999.3	74	42	33	11	18	23	24	21	16	26	12
999.31	65	36	29	11	14	20	21	19	14	25	*8
999.39	*9	*6	*	*	*	*	*	*	*	*	*
999.8	*6	*	*	*	*	*	*	*	*	*	*
999.9	*7	*	*	*	*	*	*	*	*	*	*
V01-V89	18,154	6,056	12,097	655	7,696	4,222	5,581	4,231	3,789	6,710	3,423
V01	12	*5	*6	*	*	*	*	*	*	*7	*
V01.7	*5	*	*	*	*	*	*	-	*	*	*
V02	612	27	585	*	570	16	23	137	151	200	124
V02.5	590	18	572	*	558	*7	21	127	145	197	121
V02.51	532	-	532	*	529	*	-	112	139	190	91
V02.52	23	-	23	-	23	-	-	*	-	-	22
V02.54	31	14	17	*	*7	*	17	10	*	*8	*8
V02.6	18	*8	*9	*	*8	*8	*	*9	*	*	*
V02.61	*5	*	*	-	*	*	-	*	-	*	*
V02.62	12	*7	*6	*	*	*6	*	*7	*	*	*
V03	97	46	51	*	14	22	60	*6	16	30	45
V03.8	92	43	49	*	11	21	58	*6	14	28	44
V03.82	91	42	48	*	11	20	58	*6	14	28	43
V04	123	49	74	*8	44	34	37	11	28	48	36
V04.8	120	48	72	*7	43	33	37	10	27	46	36
V04.81	120	48	72	*7	43	33	37	10	27	46	36
V05	27	14	14	20	*	*	*	*	*6	14	*6
V05.3	19	11	*7	18	*	-	-	*	*	*9	*
V05.9	*7	*	*6	*	*	*	*	-	-	*	*
V06	100	33	66	*5	56	15	23	19	17	35	29
V06.1	34	*	31	*	31	-	-	15	*	11	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V06.4	*7	-	*7	-	*7	-	-	*	*	*	*
V06.5	16	11	*5	*	*5	*	*7	*	*	*	10
V06.6	42	20	23	*	13	12	16	*	*8	17	16
V07	150	53	97	13	66	38	32	75	13	35	26
V07.0	23	11	13	11	*	*	*	*	*	13	*6
V07.2	43	*	41	*	41	-	-	*6	10	*8	18
V07.4	*5	-	*5	-	*	*	*	-	*	*	*
V07.8	50	22	29	*	12	16	22	41	-	*9	*
V07.9	25	17	*8	-	*6	14	*	25	-	-	-
V08	45	23	21	-	18	24	*	13	*8	19	*
V09	14	*	*9	*	*	*	*9	*	*	*	*
V09.8	*9	*	*7	*	*	*	*6	*	*	*	*
V09.80	*7	*	*6	*	*	*	*5	*	*	*	-
V10	954	432	521	*	70	287	594	285	194	359	117
V10.0	186	99	87	*	*7	59	119	53	35	76	22
V10.02	10	*7	*	*	*	*6	*	*	*	*8	*
V10.03	*5	*	*	-	*	*	*	*	*	*	*
V10.04	*6	*	*	-	*	*	*	*	*	*	*
V10.05	120	58	62	-	*	29	87	37	24	41	18
V10.06	28	17	11	-	*	14	13	*6	*6	13	*
V10.09	10	*	*5	-	*	*	*5	*	*	*	*
V10.1	53	22	31	-	*	15	37	20	14	16	*
V10.11	53	22	31	-	*	15	37	20	14	16	*
V10.2	19	14	*5	*	*	10	*8	10	*	*5	*
V10.21	17	14	*	-	*	*8	*8	10	*	*	*
V10.3	219	*	215	-	13	70	136	58	47	91	23
V10.4	236	155	81	*	18	60	157	68	47	92	29
V10.41	26	-	26	-	*8	11	*7	*9	*8	*6	*
V10.42	21	-	21	-	*	*7	13	*	*6	*7	*
V10.43	23	-	23	*	*	11	10	*6	*	*7	*6
V10.44	11	-	11	-	*	*	*5	*	*	*	*
V10.46	145	145	-	-	-	24	121	44	24	65	13
V10.47	*8	*8	-	-	*6	*	*	*	*	*	*
V10.5	87	60	26	*	*	25	60	26	20	33	*7
V10.51	54	40	13	-	*	12	41	19	15	16	*
V10.52	29	18	11	*	*	12	16	*	*	15	*
V10.7	17	*8	10	-	*	*6	*8	*	*	*6	*
V10.79	15	*6	*8	-	*	*	*8	*	*	*	*
V10.8	127	65	62	*	21	40	65	43	23	34	27
V10.82	37	21	15	-	*6	11	20	12	*	12	*8
V10.83	50	27	23	-	*	18	29	18	*8	13	10
V10.85	11	*5	*5	*	*	*	*	*	*	*	*
V10.87	15	*	12	-	*	*5	*5	*6	*	*	*
V10.89	10	*7	*	*	*	*	*7	*	*	*	*
V11	19	11	*8	-	*5	11	*	*8	*	*	*
V11.3	12	*8	*	-	*	*9	*	*5	*	*	*
V12	990	433	556	22	137	298	533	241	222	348	179
V12.0	104	54	49	*7	30	43	25	26	17	32	28
V12.01	16	*8	*8	-	*	*8	*7	*	*	*	*5
V12.02	*6	*	*	-	*	*	*	*	*	*	*
V12.04	34	19	15	*5	11	*8	*9	*6	*6	12	10
V12.09	47	23	24	*	16	23	*6	15	*5	15	12
V12.2	*7	*	*6	-	*	*	*	*5	*	*	*
V12.4	15	*	12	*	*6	*	*5	*	*	*	*6
V12.41	*9	*	*7	-	*	*	*	*	*	*	*
V12.5	713	304	409	*5	75	198	435	181	169	257	105
V12.51	279	115	164	*	51	91	136	67	74	95	42
V12.53	*6	*	*	-	*	*	*	*	*	*	-
V12.54	361	156	205	*	19	88	253	98	77	137	49

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V12.59	61	28	32	*	*	15	39	12	15	22	11
V12.6	43	16	27	*8	10	10	15	*7	*	19	12
V12.61	34	13	21	*7	*6	*7	13	*	*	14	11
V12.69	*8	*	*5	*	*	*	*	*	*	*	*
V12.7	105	53	52	*	15	43	47	18	26	33	27
V12.71	56	27	29	-	*6	23	26	*9	13	20	14
V12.72	30	18	13	-	*	13	15	*	*9	*8	*9
V12.79	18	*8	10	*	*6	*6	*5	*	*	*5	*
V13	137	51	87	11	50	45	31	28	27	38	44
V13.0	112	43	68	*7	38	40	26	22	24	30	36
V13.01	68	35	33	*	22	29	16	17	19	19	13
V13.02	42	*8	35	*6	16	11	10	*	*	10	23
V13.2	*9	*	*9	-	*8	*	*	*	*	*	*6
V13.29	*7	*	*7	-	*7	*	*	*	-	*	*6
V14	403	119	284	26	139	125	113	108	60	149	86
V14.0	194	66	128	*8	64	62	60	61	28	66	38
V14.1	26	*	22	*5	*9	*	*7	*7	*	10	*5
V14.2	63	11	53	*	23	22	17	17	*7	23	17
V14.3	15	*7	*9	*	*9	*	*	*	*	*	*6
V14.5	35	*7	28	*	14	10	10	*8	*	18	*6
V14.6	28	*9	19	*	*8	12	*6	*	*7	13	*
V14.8	37	14	23	*	13	11	10	*9	*6	14	*8
V15	1,434	746	688	83	408	475	468	342	275	578	239
V15.0	75	34	41	26	24	16	*9	20	14	25	16
V15.01	*7	*	*	*6	*	*	*	*	*	*	*
V15.02	*6	*	*	*5	*	*	*	*	*	*	*
V15.04	*8	*	*	*	*	*	*	*	*	*	*
V15.05	*9	*	*	*	*	*	*	*	*	*	*
V15.07	17	*	12	*	10	*	*	*	*	*5	*
V15.08	*8	*	*5	*	*	*	*	*	*	*	*
V15.09	14	*8	*6	*	*	*	*	*	*	*	*
V15.1	28	22	*6	15	*	*	*6	*	*	*8	12
V15.2	15	*8	*7	*	*	*6	*7	*	*	11	*
V15.29	15	*8	*7	*	*	*6	*7	*	*	11	*
V15.3	47	20	27	*	*8	20	18	16	12	14	*
V15.4	80	32	48	19	49	*7	*5	*9	12	57	*
V15.41	59	22	37	15	37	*5	*	*8	10	39	*
V15.42	21	10	11	*	12	*	*	*	*	18	*
V15.5	53	34	19	*	24	15	11	*5	13	12	23
V15.51	21	15	*7	*	*6	11	*	*	*	*7	*8
V15.59	32	20	12	*	18	*	*8	*	10	*5	15
V15.8	1,135	596	540	19	295	409	412	286	220	451	178
V15.81	376	202	174	18	181	125	52	99	76	150	51
V15.82	703	366	337	*	110	276	316	171	134	280	118
V15.88	46	19	27	*	*	*7	36	14	*9	18	*5
V16	135	47	89	19	45	48	23	27	23	53	33
V16.0	38	18	20	*	12	14	*8	*6	*	20	*6
V16.1	15	*6	*9	*	*7	*5	*	*6	*	*	*
V16.3	34	*	32	*	14	12	*7	*8	*5	13	*9
V16.4	20	*8	12	*	*6	*9	*	*	*	*8	*5
V16.41	*6	-	*6	*	*	*6	*	*	*	*	*
V16.42	*8	*8	-	*	*	*	*	*	*	*5	*
V16.49	*6	*	*5	*	*	*	*	*	*	*	*
V16.8	*8	*5	*	*	*	*	*	*	*	*	*
V16.9	13	*5	*7	*6	*	*	*	*	*	*	*6
V17	317	166	151	81	83	107	47	63	59	116	79
V17.0	26	*9	17	*5	13	*7	*	11	*7	*6	*
V17.1	12	*	*7	*	*	*	*	*	*	*	*
V17.2	*7	*	*	*5	*	*	*	*	*	*	*
V17.3	131	75	56	*	31	68	29	33	29	54	16

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V17.4	89	44	46	24	27	26	13	15	13	36	26
V17.49	89	43	46	24	26	25	13	15	12	35	26
V17.5	47	29	18	41	*5	*	*	*	*5	13	27
V18	120	58	62	39	48	25	*8	15	19	44	41
V18.0	101	50	51	32	38	24	*8	13	15	40	33
V18.1	*6	*	*	*	*	*	*	*	*	*	*
V18.19	*6	*	*	*	*	*	*	*	*	*	*
V18.5	*6	*	*	*	*	-	-	*	*	*	*
V18.59	*6	*	*	*	*	-	-	*	*	*	*
V19	12	*8	*	*	*	*	*	*	*	*	*5
V19.8	*8	*5	*	*	*	*	*	*	*	*	*
V21	20	13	*8	19	*	-	-	*	*	*	18
V21.3	20	13	*8	19	*	-	-	*	*	*	18
V21.30	10	*7	*	*9	*	-	-	*	*	*	*8
V22	14	-	14	-	14	-	-	*	*	10	*
V22.1	*8	-	*8	-	*8	-	-	*	-	*7	-
V23	161	-	161	*	160	*	-	26	27	57	51
V23.2	19	-	19	-	19	*	-	*	*	*5	11
V23.4	26	-	26	-	26	*	-	*	*	*	15
V23.41	14	-	14	-	14	*	-	*	*	*	*9
V23.49	13	-	13	-	13	-	-	*	*	*	*6
V23.5	*6	-	*6	-	*6	-	-	*	*	*	*
V23.7	89	-	89	*	88	*	-	14	17	40	17
V23.8	11	-	11	*	11	*	-	*	*	*	*7
V25	251	*	250	-	249	*	-	32	46	114	59
V25.2	245	*	244	-	243	*	-	32	43	112	58
V26	17	*	17	-	10	*6	*	*6	*	*7	*
V26.5	15	*	15	-	*9	*6	*	*5	*	*6	*
V26.51	15	-	15	-	*9	*6	*	*5	*	*6	*
V27	4,005	-	4,005	*	3,990	11	-	675	945	1,522	863
V27.0	3,461	-	3,461	*	3,453	*6	-	598	777	1,362	724
V27.1	20	-	20	-	20	-	-	*	*	*9	*
V27.2	55	-	55	-	54	*	-	15	14	16	10
V27.9	464	-	464	-	459	*	-	59	148	132	124
V29	21	14	*7	21	-	-	-	*	*	12	*
V29.0	19	12	*7	19	-	-	-	*	*	11	*
V42	208	130	78	*9	39	97	63	56	52	70	30
V42.0	97	58	39	*	24	46	25	27	27	30	13
V42.1	14	12	*	*	*	*	*8	*5	*	*	*
V42.2	21	14	*8	-	*	*	17	*8	*	*5	*7
V42.6	*6	*	*	-	*	*	*	*	*	*	*
V42.7	34	23	10	*	*	23	*5	10	*7	12	*
V42.8	34	20	14	*	*7	17	*6	*	12	14	*
V42.81	*7	*	*	*	*	*	*	*	*	*	*
V42.82	14	*8	*6	*	*	*8	*	*	*	*7	*
V42.83	10	*8	*	*	*	*7	*	*	*7	*	*
V43	556	209	347	*	21	180	354	165	126	174	90
V43.3	98	54	44	*	*5	28	64	35	21	31	11
V43.6	448	149	299	*	15	148	284	128	104	138	77
V43.61	*8	*	*	-	*	*	*6	*	*	*	*
V43.64	177	59	118	-	*9	46	122	53	36	55	33
V43.65	260	86	174	*	*6	100	153	70	65	82	43
V44	237	120	116	43	30	76	88	82	35	82	37

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V44.0	56	36	20	15	*6	22	13	21	*9	22	*
V44.1	91	43	49	27	*8	22	34	31	10	32	19
V44.2	27	*9	18	*	*7	13	*7	*8	*7	*8	*
V44.3	42	20	22	*	*5	16	20	12	*8	17	*6
V44.6	13	*9	*	-	*	*	10	*8	*	*	*
V45	2,103	1,110	993	38	210	644	1,210	707	362	746	288
V45.0	326	176	150	*	12	65	248	101	49	142	34
V45.01	221	101	120	-	*7	26	188	77	27	96	22
V45.02	98	70	28	*	*	37	57	23	18	46	11
V45.09	*5	*	*	-	*	*	*	*	*	-	*
V45.1	97	55	43	*	21	37	39	35	20	31	11
V45.11	92	53	40	*	20	34	38	34	20	28	10
V45.2	40	17	23	18	*9	*5	*8	*7	*5	14	14
V45.3	15	*	11	*	*	*	*6	*	*	*8	*
V45.4	81	35	46	*	11	48	22	19	18	22	23
V45.6	19	*7	12	*	*	*	17	*7	*	*5	*
V45.61	17	*6	11	-	*	*	16	*6	*	*	*
V45.7	217	61	156	*7	42	81	86	38	53	89	36
V45.71	49	-	49	-	*	20	24	10	10	27	*
V45.72	34	17	17	*	*6	13	14	*6	10	14	*
V45.73	32	13	19	*	*6	13	13	*5	*9	14	*
V45.76	10	*	*6	-	*	*	*6	*	*	*	*
V45.77	26	*	21	-	*7	*9	10	*	*	11	*7
V45.79	61	18	43	*5	18	20	17	12	16	17	16
V45.8	1,307	754	553	12	111	401	783	498	211	435	163
V45.81	513	341	172	*	13	125	374	146	93	209	64
V45.82	437	283	154	-	20	146	271	144	76	163	54
V45.85	12	*5	*7	*	*7	*	*	*	*	*	*
V45.86	98	19	78	*	33	57	*7	35	18	30	15
V45.89	243	105	138	*9	37	70	126	170	17	29	26
V46	201	83	119	20	11	53	118	46	39	82	35
V46.1	43	19	25	14	*	*8	17	13	*7	17	*6
V46.11	43	19	25	14	*	*8	17	13	*7	17	*6
V46.2	147	60	87	*	*5	38	98	29	31	59	27
V46.3	10	*	*7	*	*	*6	*	*	*	*5	*
V49	110	70	40	*	11	55	42	43	20	36	11
V49.6	*7	*5	*	*	*	*	*	*	*	*	-
V49.7	87	59	28	*	*5	45	36	36	17	24	10
V49.70	*5	*	*	-	*	*	*	*	*	*	*
V49.72	*8	*	*	*	*	*5	*	*	*	*	*
V49.75	40	26	14	-	*	19	19	18	*8	10	*5
V49.76	28	20	*8	*	*	12	12	11	*5	*9	*
V49.8	16	*6	10	*	*	*7	*	*	*	*8	*
V49.83	*7	*	*	*	*	*	*	*	*	*	*
V49.84	*5	*	*	-	*	*	*	*	*	*	-
V50	16	*	11	*	*	*7	*	*	*	*6	*
V50.4	11	-	11	-	*	*6	*	*	*	*	*
V50.41	*8	-	*8	-	*	*	*	*	*	*	*
V52	*7	*	*	*6	*	-	*	*	-	*6	*
V52.8	*7	*	*	*6	*	-	-	*	-	*6	-
V53	24	14	10	*	*	*5	15	*6	10	*7	*
V53.3	19	11	*8	*	-	*	14	*	*9	*	*
V53.31	11	*	*7	*	-	*	10	*	*5	*	*
V53.32	*7	*6	*	-	-	*	*	*	*	*	*
V54	165	73	91	*	28	45	91	41	31	41	52
V54.0	13	*6	*7	*	*	*	*5	-	*	*	*6
V54.01	*8	*	*	*	*	*	*	-	*	*	*5
V54.1	102	47	54	*	22	28	51	28	16	22	36

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V54.13	18	*6	13	-	*	*	15	*	*	*	*6
V54.15	*7	*	*	*	*	*	*	*	*	*	*
V54.16	*9	*	*6	-	*	*6	*	*	*	*	*
V54.17	23	16	*7	*	*6	*5	12	10	*	*	*7
V54.19	33	16	17	*	*9	*8	16	*7	*6	*9	11
V54.8	47	19	28	*	*	11	33	13	11	13	*9
V54.81	33	11	22	-	*	*8	24	*9	*7	*8	*8
V54.89	14	*8	*6	*	*	*	*8	*	*	*	*
V55	73	41	33	*6	12	31	24	18	13	36	*7
V55.1	12	*6	*6	*	*	*	*6	*	*	*7	*
V55.2	25	14	11	*	*	11	*8	*8	*5	11	*
V55.3	27	17	10	*	*7	12	*7	*	*	15	*
V56	78	36	42	-	18	37	22	*	*	45	27
V56.0	75	33	42	-	16	37	22	*	*	45	24
V57	401	185	216	*	29	100	270	75	94	138	94
V57.1	30	19	12	*	*	11	18	14	*	*6	*7
V57.2	*8	*6	*	*	*	*	*	*	*	-	*
V57.21	*8	*6	*	*	*	*	*	*	*	-	*
V57.8	362	160	203	*	28	85	248	57	89	132	84
V57.89	360	158	202	*	28	84	247	55	89	132	84
V58	1,586	744	842	55	269	522	740	320	336	656	273
V58.0	20	12	*8	*	*	*7	*8	*8	*	*7	*
V58.1	149	80	69	29	29	56	35	36	34	50	30
V58.11	146	78	67	29	28	54	35	34	33	48	30
V58.3	*6	*	*	*	*	*	*	*	*	*	*
V58.4	*8	*	*	*	*	*	*	*	*	*	*
V58.6	1,364	623	741	23	230	440	670	271	287	585	221
V58.61	307	161	146	*	29	78	200	79	59	113	56
V58.62	10	*	*6	*	*	*	*6	*	*5	*	*
V58.63	48	27	21	-	*	14	32	*9	*9	25	*
V58.64	10	*	*7	-	*	*	*	*	*	*	*
V58.65	71	26	45	*	16	25	26	16	15	27	14
V58.66	295	152	143	*	18	94	182	61	64	130	40
V58.67	379	156	223	*8	119	130	123	75	82	156	66
V58.69	244	95	149	10	41	95	98	29	51	130	34
V58.7	22	*9	13	*	*	*9	11	*	*	*	12
V58.72	*5	*	*	*	*	*	*	-	*	*	*
V58.78	*7	*	*	*	*	*	*	-	*	*	*
V58.8	17	10	*7	*	*	*	11	*	*9	*	*
V58.89	11	*5	*6	*	*	*	*8	-	*9	*	*
V59	11	*6	*	-	*7	*	*	*	*	*6	*
V59.4	*9	*	*	-	*6	*	*	*	*	*	*
V60	91	61	30	*	55	30	*5	25	16	34	16
V60.0	56	40	16	*	31	23	*	14	10	22	10
V60.2	23	16	*7	*	19	*	*	*8	*	*5	*5
V60.3	*5	*	*	-	*	*	*	*	*	*	*
V61	54	18	36	*9	36	*9	*	17	20	*8	*9
V61.0	16	*7	*9	*	*9	*	-	*	*8	*	*
V61.03	*9	*	*6	*	*	*	-	*	*	*	*
V61.1	15	*6	*9	-	13	*	*	*	*	*	*
V61.10	15	*6	*9	-	13	*	*	*	*	*	*
V61.2	*7	*	*5	*	*	*	-	*	*	*	*
V61.5	*6	-	*6	-	*6	-	-	*	*	*	*
V62	556	279	278	37	320	174	26	96	157	231	73
V62.0	40	29	12	-	27	11	*	12	17	*	*8
V62.2	*8	*6	*	-	*6	*	-	*	*	*	*
V62.29	*8	*6	*	-	*6	*	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V62.4	13	*8	*	*	*9	*	*	*	*	*9	*
V62.5	*6	*5	*	*	*	*	-	*	*	*	*
V62.8	476	228	248	34	267	152	23	69	136	212	58
V62.84	457	216	241	32	255	148	22	64	130	208	54
V62.89	12	*8	*	*	*8	*	*	*	*	*	*
V63	*6	*	*	*	*	*	*	*	*	*	-
V64	173	59	113	*	61	64	45	41	28	62	42
V64.0	42	10	32	*	16	20	*6	10	*	*9	21
V64.06	37	*9	28	-	14	17	*5	*8	*	*8	18
V64.1	25	12	13	*	*	12	10	*5	*	12	*
V64.2	14	*6	*8	-	*8	*	*	*9	*	*	*
V64.3	12	*	*8	*	*	*	*5	*	*	*	*
V64.4	79	27	52	*	31	26	21	14	16	36	13
V64.41	77	26	51	*	31	25	20	14	16	36	12
V65	65	29	35	*6	34	20	*5	30	*	12	20
V65.2	*8	*	*	*	*7	*	*	*	*	*	*
V65.3	28	12	16	*6	10	*7	*	*8	*	*7	12
V65.4	29	13	16	*	17	11	*	21	*	*	*6
V65.49	25	12	13	*	14	11	*	19	*	*	*6
V66	143	56	87	-	*9	28	106	33	40	45	26
V66.7	141	56	85	-	*9	28	104	31	40	44	26
V67	*7	*	*6	-	*	*	*	*5	*	*	*
V70	37	21	16	*	23	*6	*7	20	*	*8	*
V70.0	*6	*	*	-	*6	-	-	*6	-	-	-
V70.7	22	10	12	*	11	*	*6	*	*	*8	*
V72	48	24	25	*6	*7	17	18	34	*7	*6	*
V72.8	34	19	15	*	*6	14	13	25	*7	*	*
V72.83	30	15	14	*	*6	11	12	24	*	*	*
V85	867	298	568	*	228	361	276	184	199	323	160
V85.0	146	57	89	-	20	38	88	24	27	65	31
V85.1	18	10	*8	-	*	*9	*	*	*	*8	*
V85.2	18	*9	*9	-	*8	*	*5	*6	*	*8	*
V85.23	*5	*	*	-	*	*	*	*	*	*	*
V85.25	*6	*	*	-	*	*	*	*	*	*	*
V85.3	101	39	63	-	29	49	23	17	15	35	35
V85.31	12	*8	*	-	*	*7	*	*	*	*5	*
V85.32	*6	*	*	-	*	*	*	*	*	*	*
V85.33	*9	*	*	-	*	*	*	*	*	*	*
V85.34	12	*5	*7	-	*	*7	*	*	*	*	*
V85.35	*8	*	*5	-	*	*	*	*	*	*	*
V85.36	14	*	12	-	*6	*	*	*	*	*6	*
V85.37	15	*7	*8	-	*	*9	*	*5	*	*	*5
V85.38	*6	*	*	-	*	*	*	*	*	*	*
V85.39	14	*	11	-	*	*8	*	*	*	*	*5
V85.4	579	182	397	-	163	261	155	133	152	208	86
V86	11	*	11	-	*	*6	*	*	*	*	*
V86.0	*7	-	*7	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V87	29	11	19	*	*5	15	*6	*7	*9	10	*
V87.4	28	10	18	*	*5	15	*6	*7	*8	10	*
V87.41	27	10	18	*	*5	15	*6	*7	*8	10	*
V88	64	-	64	-	12	28	24	18	12	22	11
V88.0	64	-	64	-	12	28	24	18	12	22	11
V88.01	64	-	64	-	11	28	24	18	12	22	11

* Figure does not meet standards of reliability or precision. Estimates preceded by the asterisk should be used with caution.

- Quantity zero.

SOURCE: CDC/NCHS National Hospital Discharge Survey, 2009.

More information about survey methodology can be found at:

ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NHDS/NHDS_2009_Documentation.pdf