

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
All codes	51,430	21,165	30,265	1,771	15,036	15,404	19,219	11,104	11,777	18,176	10,374
00	2,311	1,396	915	10	137	933	1,231	482	583	821	424
00.1	147	80	66	*	11	43	88	46	32	35	33
00.14	19	*8	10	*	*	*	13	*9	*8	*	-
00.17	117	63	54	*	*8	34	72	35	21	30	32
00.2	50	33	17	-	*	28	19	23	*6	17	*
00.22	*6	*5	*	-	-	*	*	-	*	*	*
00.24	27	20	*7	-	*	18	*8	10	*	11	*
00.29	12	*	*8	-	*	*6	*	11	-	*	-
00.3	65	30	35	*	*5	29	29	*	13	29	20
00.33	10	*8	*	-	*	*6	*	*	*	*	*6
00.34	20	*7	12	-	*	*7	11	*	*	11	*
00.39	31	12	19	*	*	12	15	*	*6	17	*7
00.4	1,094	707	387	*	55	426	611	192	284	420	198
00.40	502	314	188	*	27	197	278	90	127	197	89
00.41	107	72	35	*	*	34	70	18	29	35	24
00.42	27	18	*9	*	*	*9	16	*6	*7	11	*
00.43	*5	*	*	-	*	*	*	*	*	*	*
00.44	19	11	*8	-	*	*8	10	*	*	10	*
00.45	285	187	98	*	18	117	150	45	82	107	51
00.46	103	73	31	-	*	45	56	21	24	37	21
00.47	30	21	*9	*	*	10	19	*	*6	15	*5
00.48	15	*9	*6	-	*	*6	*9	*	*	*7	*
00.5	50	37	13	-	*	15	34	11	12	16	11
00.51	34	27	*7	-	*	*7	25	*9	*8	11	*7
00.59	*6	*	*	-	-	*5	*	*	*	*	*
00.6	528	350	178	*	27	227	275	107	155	188	78
00.61	14	*8	*6	-	*	*	10	*	*	*8	*
00.63	11	*6	*	-	*	*	*8	*	*	*6	*
00.66	500	334	166	*	23	220	257	103	146	174	76
00.7	206	95	111	-	*9	85	112	67	36	65	37
00.70	24	12	12	-	*	*9	15	*5	*7	*8	*
00.71	*9	*	*6	-	*	*	*6	*	*	*	*
00.72	*7	*	*	-	*	*	*6	*	*	*	*
00.73	*8	*	*	-	*	*	*	*	*	*	*
00.74	83	35	48	-	*	31	50	31	14	20	19
00.75	42	20	22	-	*	16	23	14	*9	16	*
00.76	*9	*5	*	-	*	*6	*	*6	*	*	*
00.77	23	12	11	-	*	16	*5	*7	*	10	*
00.8	79	25	54	-	*	34	41	24	17	29	10
00.80	21	*7	14	-	*	*8	13	*	*7	*8	*
00.81	23	*	19	-	*	*9	13	*7	*	*8	*
00.82	16	*	13	-	*	*8	*8	*6	*	*7	*
00.84	11	*5	*6	-	*	*	*7	*	*	*	*
00.9	92	38	54	*	20	48	22	*9	28	22	32
00.91	*7	*	*	*	*	*	*	*	*	*	*
00.92	*6	*	*	*	*	*	*	*	*	*	-
00.93	16	11	*	-	*	11	*	*	*	*7	*
00.94	63	20	43	*	15	29	18	*	21	12	29
01-05	1,243	594	649	167	324	386	367	222	328	397	297
01	157	101	56	15	43	48	52	13	41	61	42
01.0	11	*7	*	*	*	*	*	*	*	*5	*
01.02	*5	*	*	*	*	*	*	*	*	*	*
01.09	*6	*	*	*	*	*	*	*	*	*	*
01.1	14	*8	*6	*	*	*	*	*	*	*7	*
01.10	*6	*	*	*	*	*	*	*	*	*	*
01.2	26	16	11	*	10	10	*	*	*9	11	*
01.24	13	*7	*6	*	*5	*	*	*	*	*8	*
01.25	*7	*5	*	*	*	*	-	*	*	*	*
01.3	47	36	11	*	*7	11	27	*	*9	17	16
01.31	37	29	*8	*	*5	*6	24	*	*7	15	12
01.39	10	*7	*	*	*	*5	*	*	*	*	*
01.5	57	32	25	*	18	20	14	*6	17	20	15
01.51	*6	*	*	*	*	*	*	*	*	*	*
01.59	49	29	21	*	15	19	12	*	14	18	13

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
02	153	80	73	34	41	45	33	22	48	40	42
02.0	33	16	18	10	*7	13	*	*	11	*6	15
02.02	10	*	*6	*	*	*6	*	*	*	*	*7
02.06	13	*6	*6	*	*	*6	*	*	*6	*	*
02.1	17	*8	*9	*	*7	*7	*	*	*7	*	*
02.12	16	*8	*8	*	*7	*6	*	*	*7	*	*
02.2	34	20	15	*	11	12	*6	*6	10	10	*9
02.3	24	12	12	*6	*7	*	10	*	10	*7	*5
02.34	21	11	11	*6	*5	*	*9	*	*8	*6	*5
02.4	20	11	*9	10	*6	*	*	*	*6	*7	*6
02.42	16	*9	*8	*9	*5	*	*	*	*	*6	*
02.9	24	13	11	*	*	11	*9	10	*	*6	*
02.93	*8	*	*6	-	*	*	*5	*	*	*	*
02.94	13	*8	*	*	*	*6	*	*8	*	*	*
03	765	337	428	116	219	224	206	129	181	265	190
03.0	179	99	81	*	23	71	84	38	54	53	34
03.09	176	97	79	*	22	70	84	38	53	53	33
03.3	304	151	153	102	84	78	40	41	54	119	90
03.31	303	151	152	102	84	77	40	41	54	119	90
03.4	16	*	12	*	*	*6	*6	*	*	*	*5
03.5	59	27	32	*5	17	17	20	10	18	22	10
03.53	24	15	*9	*	*8	*6	*9	*	12	*	*5
03.59	35	12	23	*5	*9	10	11	*7	*6	17	*
03.9	200	54	146	*	92	50	54	38	49	65	48
03.90	66	22	45	*	32	20	14	10	13	24	19
03.91	62	11	52	-	34	13	15	15	16	22	*9
03.92	49	18	31	*	11	14	19	*9	15	11	14
03.95	13	*	13	-	12	*	*	*	*	*	*
04	160	70	90	*	20	66	72	57	57	26	19
04.0	*8	*	*	*	*	*	*	*	*	*	*
04.3	*7	*6	*	*	*	*	*	*	*	*	*
04.4	18	*8	10	*	*	11	*	*	*7	*	*
04.43	*9	*	*	-	*	*5	*	*	*	*	*
04.6	*5	*	*	*	*	*	*	*	*	*	*
04.8	109	43	66	-	*6	47	56	46	40	15	*8
04.81	100	37	63	-	*6	43	51	46	37	*9	*8
04.89	*9	*5	*	-	*	*	*	-	*	*5	*
05	*8	*6	*	-	*	*	*	*	*	*	*
05.3	*7	*5	*	-	*	*	*	*	*	*	*
05.31	*6	*	*	-	*	*	*	*	*	*	*
06-07	117	49	67	*	30	46	40	26	35	35	21
06	90	34	55	*	23	34	32	22	26	28	13
06.0	*5	*	*	-	*	*	*	*	*	*	*
06.2	18	*5	13	-	*6	*	*7	*6	*	*	*
06.4	31	10	21	*	*9	15	*7	10	*7	12	*
06.6	*7	*	*	-	*	*	*	-	*5	*	-
06.8	14	*6	*8	-	*	*	*7	*	*	*	*
06.89	10	*	*6	-	*	*	*6	*	*	*	*
07	27	15	12	*	*7	12	*7	*	*9	*7	*8
07.2	*8	*5	*	*	*	*	*	*	*	*	*
07.22	*6	*	*	*	*	*	*	*	*	*	*
07.6	12	*7	*	-	*	*6	*	*	*	*	*
07.62	*7	*	*	-	*	*	*	*	*	*	*
08-16	81	48	33	*	23	22	32	25	10	31	15
08	47	26	21	*	17	14	15	14	*5	16	12
08.5	*7	*	*	*	*	*	*	*	*	*	*
08.8	29	16	13	*	10	*8	10	*7	*	11	*6
08.81	22	13	*8	*	*5	*7	*9	*7	*	*6	*
13	*9	*6	*	-	*	*	*7	*8	*	*	-
14	11	*6	*5	*	*	*	*5	*	*	*7	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
16	*8	*6	*	*	*	*	*	*	*	*	*
17	228	108	120	*	40	114	73	33	50	80	65
17.1	*8	*8	*	-	-	*	*7	*	*	*	*
17.3	89	40	49	*	12	44	32	17	24	33	16
17.32	*5	*	*	*	*	*	*	*	*	*	*
17.33	41	17	24	-	*	17	20	*6	13	13	*9
17.35	*7	*	*	-	*	*	*	*	*	*	*
17.36	30	12	17	-	*5	16	*8	*8	*5	13	*
17.4	129	59	71	*	28	68	34	15	23	44	47
17.41	*6	*	*	*	*	*	*	*	*	*	*
17.42	117	54	63	-	26	63	28	14	18	39	46
18-20	43	21	22	17	*9	12	*	*7	*6	16	14
18	17	*8	*9	*	*6	*7	*	*	*	*	*9
20	25	13	12	14	*	*6	*	*6	*	10	*6
20.0	19	11	*8	13	*	*	*	*	*	*8	*
20.01	18	11	*7	13	*	*	*	*	*	*8	*
21-29	281	178	104	61	69	81	70	45	49	93	95
21	67	40	27	*8	13	22	24	11	14	16	25
21.0	25	12	13	*	*	*6	17	*	*7	*7	*6
21.01	*8	*	*	*	*	*	*5	*	*	*	*
21.03	12	*6	*7	*	*	*	*9	*	*	*	*
21.2	*6	*	*	*	*	*	*	*	*	*	*
21.21	*5	*	*	*	*	*	*	*	*	*	*
21.6	*7	*5	*	*	*	*	*	*	*	*	*
21.69	*6	*	*	*	*	*	*	*	*	*	*
21.7	*8	*8	*	-	*	*	*	*	*	*	*
21.72	*6	*6	*	-	*	*	*	*	*	*	*
21.8	15	*9	*5	*	*	*	*	*	*	*	*8
22	30	23	*7	*9	*	*5	12	*	*	18	*8
22.1	*7	*6	*	*	*	*	*	*	*	*5	*
22.19	*6	*6	*	*	*	*	*	*	*	*	*
22.6	*7	*6	*	*	*	*	*	*	*	*	*
22.63	*6	*5	*	*	*	*	*	*	*	*	*
23	32	19	13	*5	14	*8	*	*	*	16	*8
23.0	11	*6	*6	*	*	*	*	*	*	*6	*
23.09	10	*	*6	*	*	*	*	*	*	*6	*
23.1	17	10	*7	*	10	*	*	*	*	*9	*
23.19	17	10	*7	*	10	*	*	*	*	*9	*
24	*5	*	*	*	*	*	*	*	*	*	*
25	18	16	*	*	*	*	*6	*	*	*6	*7
25.2	*9	*8	*	-	*	*	*5	-	*	*	*
26	11	*8	*	*	*	*5	*	*	*	*	*
26.3	*7	*	*	*	*	*	*	*	*	*	*
27	47	23	24	10	14	13	10	*7	*9	14	17
27.0	13	*6	*7	*	*6	*	*	*	*5	*	*
27.5	17	*8	*9	*5	*	*	*	*	*	*	*8
27.51	*7	*	*	*	*	*	*	*	*	*	*
27.6	*7	*	*	*	*	*	*	*	*	*	*
28	45	29	15	22	12	10	*	*8	*6	11	20
28.0	17	11	*5	*7	*9	*	*	*	*	*	*6
28.2	*8	*	*	*	*	*6	-	*	*	*	*
28.3	14	*9	*	14	*	-	-	*	*	*	*6
29	27	16	11	*	*	12	*9	*9	*6	*6	*7
29.1	11	*9	*	-	*	*	*6	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
29.11	*8	*6	*	-	*	*	*	*	*	*	*
29.3	*7	*	*	-	*	*	*	*	*	*	*
29.33	*6	*	*	-	*	*	*	*	*	*	*
29.4	*7	*	*	*	*	*	*	*	*	*	*
30-34	1,356	696	660	62	174	456	664	258	313	492	294
30	*7	*	*	*	*	*	*	*	*	*	*
31	177	104	73	15	30	63	69	34	52	59	32
31.1	98	57	41	*	17	36	43	12	31	35	20
31.4	56	33	22	11	10	18	18	16	15	16	10
31.42	43	28	16	11	*9	10	13	10	12	12	*9
31.43	10	*	*6	-	*	*7	*	*6	*	*	*
31.7	*7	*	*	*	*	*	*	-	*	*	*
31.74	*5	*	*	*	*	*	*	-	*	*	*
31.9	*7	*	*	*	*	*	*	*	*	*	*
31.99	*6	*	*	*	*	*	*	*	*	*	*
32	97	53	44	*	*8	41	46	24	21	28	24
32.2	55	28	26	*	*7	25	22	13	11	15	17
32.20	39	21	18	*	*	19	15	10	*9	*8	13
32.29	13	*5	*8	*	*	*	*6	*	*	*6	*
32.3	*8	*6	*	*	*	*	*5	*	*	*	*
32.39	*6	*5	*	-	-	*	*	*	*	*	*
32.4	31	17	14	*	*	12	17	*8	*8	10	*6
32.41	12	*7	*	*	*	*	*7	*	*	*	*
32.49	19	10	10	*	*	*9	10	*	*	*6	*
33	422	208	214	17	48	145	212	78	100	167	76
33.1	*7	*	*	*	*	*	*	*	*	*	*
33.2	404	199	205	16	44	138	206	77	93	161	73
33.20	*6	*	*	-	*	*	*	*	*	*	*
33.21	*8	*	*	*	*	*	*	*	*	*	*
33.22	52	34	19	*	*	19	27	*9	13	18	13
33.23	57	31	25	*8	*6	14	30	21	*8	16	11
33.24	207	91	115	*	29	74	99	31	51	88	36
33.26	45	26	20	-	*	14	30	*8	13	19	*5
33.27	23	*9	14	-	*	*8	13	*	*5	13	*
33.28	*5	*	*	*	*	*	*	-	-	*	*
34	654	327	327	26	86	204	337	119	139	236	159
34.0	258	133	125	14	48	93	103	44	54	90	70
34.01	10	*	*6	*	*	*	*6	*	*	*	*
34.03	12	10	*	*	*	*6	*	*	*	*	*
34.04	172	84	87	10	33	60	69	31	40	60	41
34.06	15	*9	*6	*	*	*	*7	*	*	*7	*
34.09	48	25	23	*	10	19	17	*	*6	16	23
34.2	41	22	19	*	*5	12	23	*6	*9	14	11
34.20	*7	*	*	-	*	*	*	*	*	*	*
34.21	*7	*	*	-	*	*	*	*	*	*	*
34.22	17	*9	*7	-	*	*	12	*	*	*	*6
34.5	31	19	12	*	*6	13	10	*7	*	11	*9
34.51	13	*8	*	-	*	*6	*	*	*	*5	*
34.52	15	*8	*7	*	*	*6	*5	*	*	*	*6
34.6	11	*	*7	-	*	*5	*	*	*	*	*
34.7	14	10	*	*	*	*	*7	*	*	*8	*
34.79	12	*8	*	*	*	*	*6	*	*	*6	*
34.8	*8	*5	*	*	*	*	*	*	*	*	*
34.9	283	129	154	*7	17	72	186	56	64	104	59
34.91	252	115	137	*	14	62	171	50	57	96	48
34.92	29	13	16	*	*	*9	15	*6	*7	*8	*9
35-39	6,885	3,938	2,947	176	653	2,470	3,586	1,318	1,659	2,673	1,234
35	142	88	54	19	*8	40	75	26	30	45	40
35.1	18	13	*5	*	*	*7	*9	*	*	*6	*5
35.12	14	10	*	*	*	*6	*7	*	*	*	*
35.2	87	51	36	*	*	25	56	15	19	23	30
35.21	40	27	13	-	*	*9	30	*8	11	*7	14

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
35.22	25	15	11	-	*	*8	15	*	*5	*9	*7
35.23	10	*	*6	-	-	*	*7	*	*	*	*6
35.24	*9	*	*5	-	*	*	*	*	*	*	*
35.3	*8	*5	*	*	*	*	*	*	*	*	*
35.33	*8	*5	*	-	*	*	*	*	*	*	*
35.5	*6	*	*	*	*	*	*	*	*	*	-
35.6	*5	*	*	*	*	*	*	*	*	*	*
35.7	*7	*6	*	*	*	*	*	*	*	*	*
35.71	*6	*	*	*	*	*	*	*	*	*	*
35.9	*7	*5	*	*	-	*	*	*	*	*	*
36	854	609	245	*	29	359	465	174	236	299	146
36.0	455	308	146	*	21	202	233	92	144	150	69
36.06	112	77	36	-	*	47	61	15	42	38	18
36.07	342	231	110	*	17	153	171	77	103	111	51
36.1	395	296	99	*	*9	156	229	81	91	146	77
36.11	49	32	17	*	*	22	25	12	*7	14	16
36.12	77	57	21	-	*	31	44	17	19	25	16
36.13	60	49	10	-	*	22	36	*8	18	28	*6
36.14	19	16	*	-	*	*6	13	*	*	*9	*
36.15	180	133	47	-	*	69	107	37	42	67	33
36.16	*8	*8	*	-	-	*	*	*	*	*	*
37	1,728	1,063	665	12	91	656	969	397	410	656	265
37.0	*6	*	*	*	*	*	*	*	*	*	*
37.1	17	*9	*9	*	*	*7	*7	*7	*	*5	*
37.12	15	*6	*9	*	*	*5	*7	*	*	*5	*
37.2	1,134	713	421	*8	70	505	551	236	295	443	161
37.21	21	13	*8	*	*	*9	10	*6	*	*7	*
37.22	902	569	332	*	55	412	434	163	252	352	135
37.23	106	55	51	*5	*7	35	59	31	27	38	10
37.26	53	40	12	*	*	23	26	20	*	21	*8
37.27	35	26	*9	*	*	18	15	12	*	16	*
37.3	81	57	24	*	*	35	43	21	11	32	16
37.33	15	11	*	-	-	*6	10	*	*	*5	*6
37.34	49	34	15	*	*	23	23	16	*7	23	*
37.36	14	*9	*	-	-	*	*9	*	*	*	*5
37.6	56	40	16	-	*	27	28	11	15	20	11
37.61	50	36	14	-	*	24	25	10	13	17	10
37.7	207	113	95	*	*	36	167	57	43	70	37
37.71	22	*9	13	-	-	*	22	*9	*6	*5	*
37.72	115	61	54	-	*	16	98	32	23	39	21
37.74	*7	*	*	*	-	*	*	*	*	*	*
37.75	*7	*5	*	-	*	*	*5	*	*	*	*
37.76	*5	*	*	*	-	*	*	*	*	*	*
37.77	*8	*6	*	-	*	*	*	*	*	*	*
37.78	24	12	12	*	*	*7	17	*5	*5	*9	*
37.79	14	10	*	-	*	*	10	*	*	*6	*
37.8	159	81	77	*	*	20	135	46	31	53	29
37.81	*9	*	*6	-	-	*	*9	*	*	*	*
37.82	15	*8	*7	-	*	*	13	*7	*	*	*
37.83	119	64	55	-	*	16	102	32	23	39	25
37.87	12	*	*8	*	*	*	*9	*	*	*	*
37.9	62	44	18	-	*7	23	32	15	10	29	*8
37.94	52	36	15	-	*6	19	27	11	10	25	*5
37.98	*6	*5	*	-	-	*	*	*	*	*	*
38	2,516	1,246	1,271	118	339	829	1,231	428	562	1,049	477
38.0	35	19	16	-	*5	14	16	*8	*9	10	*8
38.03	*6	*	*	-	*	*	*	*	*	*	*
38.08	19	11	*8	-	*	*8	*8	*	*5	*7	*
38.1	141	80	62	-	*	42	97	19	38	62	22
38.12	100	55	45	-	*	29	71	11	27	46	15
38.18	35	21	14	-	*	10	23	*6	10	13	*6
38.2	*9	*	*6	-	-	*	*7	*	*	*	*
38.21	*8	*	*	-	-	*	*6	*	*	*	*
38.4	31	27	*	*	*	*8	20	*6	*6	10	*9
38.44	12	11	*	-	-	*	11	*	*	*	*
38.45	14	13	*	*	*	*	*8	*	*	*	*
38.6	13	*9	*	*	*	*	*8	*	*	*8	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
38.7	120	64	56	*	13	34	72	33	22	41	24
38.8	23	14	*9	*	*6	*7	*6	*5	*	10	*5
38.85	*6	*	*	*	*	*	*	*	*	*	*
38.86	*8	*	*5	-	*	*	*	*	*	*	*
38.9	2,141	1,028	1,114	111	309	718	1,003	352	480	904	404
38.91	166	96	71	21	22	49	75	30	40	57	38
38.92	13	*9	*	12	-	-	*	*	*	*6	*
38.93	1,714	796	918	76	256	583	799	284	386	723	321
38.95	204	110	94	*	24	75	104	35	41	90	37
38.98	30	13	17	*	*	*8	18	*	*8	22	*
38.99	10	*	*7	*	*	*	*6	*	*	*6	*
39	1,645	932	713	25	187	586	846	294	421	624	306
39.1	22	*	21	-	20	*	*	*	19	*	*
39.2	116	67	48	*	*8	40	67	22	27	50	17
39.25	*9	*6	*	-	*	*	*6	*	*	*	*
39.26	*6	*	*5	-	*	*	*	-	*	*	*
39.27	37	19	18	-	*	10	23	*7	*8	15	*7
39.29	59	39	20	-	*	23	33	11	14	27	*7
39.3	28	16	12	*	*8	*8	11	*	11	10	*
39.31	18	10	*8	*	*7	*	*6	*	*5	*8	*
39.32	*8	*	*	-	*	*	*	*	*6	*	*
39.4	54	31	24	*	*5	22	26	12	14	19	10
39.42	11	*5	*6	-	*	*5	*	*	*	*5	*
39.49	39	23	16	*	*	15	19	*8	10	13	*8
39.5	207	114	92	*	19	63	121	39	62	71	34
39.50	176	98	79	*	14	54	106	34	52	60	30
39.51	*7	*	*6	-	*	*	*	*	*	*	*
39.52	*6	*	*	-	*	*	*	*	*	*	*
39.59	*7	*6	*	*	*	*	*	*	*	*	*
39.6	308	215	93	14	12	119	163	35	63	108	102
39.61	236	168	67	11	*7	84	134	33	51	90	61
39.62	14	*8	*6	*	*	*8	*5	*	*	*	13
39.63	37	24	13	*	*	18	15	*	*9	10	17
39.64	19	13	*6	*	*	*9	*8	*	*	*6	11
39.7	96	59	37	*	16	25	55	13	36	34	13
39.71	32	21	10	-	*	*	26	*	10	15	*
39.72	11	*6	*	-	*	*6	*	*	*	*6	*
39.73	*8	*6	*	-	*	*	*	*	*	*	*
39.79	38	21	17	*	*8	*8	20	*8	18	*9	*
39.9	811	427	384	*	98	307	403	169	188	328	126
39.90	73	43	30	*	*	19	51	13	23	26	12
39.95	716	374	342	*	88	281	346	153	159	297	106
39.98	14	*	*9	*	*	*	*	*	*	*	*
40-41	418	194	225	15	54	174	176	85	90	140	104
40	292	125	167	*	30	134	125	56	70	91	76
40.1	84	32	52	*	10	26	46	15	24	27	18
40.11	80	31	49	*	*9	24	44	14	24	26	16
40.2	90	27	63	-	*7	47	35	20	22	32	16
40.23	32	*	32	-	*	17	11	*9	*6	14	*
40.24	*6	*	*	-	*	*	*	*	*	*	*
40.29	48	20	28	-	*	25	21	*9	14	14	10
40.3	72	35	37	*	*8	38	26	14	14	22	23
40.4	24	18	*6	*	*	12	*8	*	*5	*7	*7
40.41	21	17	*	*	*	12	*7	*	*	*7	*6
40.5	19	13	*7	*	*	*9	*7	*	*	*	11
40.59	14	*9	*	*	*	*6	*5	*	*	*	*8
41	126	69	58	11	24	40	51	29	20	49	28
41.0	*8	*6	*	-	*	*	*	*5	*	*	*
41.3	84	47	38	11	16	22	36	16	15	36	18
41.31	84	46	38	11	16	21	36	16	15	36	17
41.5	27	14	13	*	*	12	11	*6	*	*9	*9
41.9	*6	*	*	*	*	*	*	*	*	*	*
42-54	5,928	2,616	3,312	221	1,229	2,033	2,445	1,180	1,260	2,277	1,211
42	114	62	52	*	14	41	58	26	24	36	29

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
42.2	25	12	13	*	*	10	12	*8	*8	*7	*
42.23	23	12	11	*	*	10	10	*6	*7	*6	*
42.3	33	20	13	-	*	15	14	*6	*6	12	10
42.33	33	20	13	-	*	15	14	*5	*6	11	10
42.4	*7	*6	*	-	*	*	*	*	*	*	*
42.8	*8	*7	*	*	*	*	*	*	*	*	*
42.9	35	11	25	*	*	10	22	*7	*8	12	*8
42.92	35	11	25	*	*	10	22	*7	*8	12	*8
43	264	137	127	30	32	69	133	53	49	102	60
43.1	180	95	85	15	14	40	112	36	41	68	36
43.11	146	72	74	*	10	29	104	30	34	52	30
43.19	34	24	11	12	*	11	*8	*5	*8	16	*6
43.3	15	13	*	15	*	*	*	*	*	*6	*5
43.4	18	*9	*9	-	*	*5	11	*	*	*9	11
43.41	15	*7	*8	-	*	*	11	*	*	*7	*
43.7	10	*	*6	-	*	*	*	*5	*	*	*
43.8	29	10	19	-	11	15	*	*	*	12	13
43.89	29	10	19	-	11	15	*	*	*	12	13
44	303	126	177	16	89	110	89	77	62	109	55
44.1	12	*7	*	*	*	*	*	*	*	*	*
44.13	*7	*	*	*	*	*	*	*	*	*	*
44.2	*8	*	*	*	*	*	*	*	*	*	*
44.3	78	23	55	*	37	32	10	22	14	26	16
44.38	63	16	47	-	33	28	*	17	13	20	13
44.39	13	*5	*8	-	*	*	*7	*	*	*6	*
44.4	86	54	31	-	*7	22	56	18	24	26	17
44.42	*9	*7	*	-	*	*	*	*	*	*	*
44.43	69	43	26	-	*	18	47	17	18	21	13
44.5	*7	*	*7	-	*5	*	*	*	*	*	*
44.6	52	24	28	14	13	17	*8	12	*9	20	11
44.66	*6	*	*	*	*	*	*	*	*	*	*
44.67	30	14	15	*9	*7	*9	*	*8	*5	*9	*8
44.9	58	13	45	-	23	31	*	16	*6	29	*7
44.95	44	10	34	-	19	21	*	13	*5	21	*
44.97	*8	*	*5	-	*	*6	*	*	*	*	*
45	2,133	957	1,176	28	293	689	1,123	440	502	817	374
45.1	1,113	495	618	14	166	367	566	214	269	430	199
45.13	450	200	250	*	59	146	240	91	109	160	90
45.14	12	*	*7	*	*5	*	*	*	*	*7	*
45.16	640	285	355	*8	99	213	320	120	155	260	106
45.2	501	214	287	*7	62	152	279	116	117	177	91
45.23	218	102	116	*	18	66	132	51	52	78	36
45.24	55	20	35	-	*5	14	36	12	13	16	14
45.25	222	88	134	*7	38	71	107	51	49	82	41
45.3	13	*5	*8	*	*	*	*7	*	*	*8	*
45.33	*9	*	*	*	*	*	*	*	*	*5	*
45.4	161	80	81	*	12	50	98	36	39	62	24
45.42	132	67	65	-	*9	44	78	30	30	51	20
45.43	26	12	14	-	*	*6	19	*6	*7	10	*
45.6	88	39	50	*	13	28	44	20	20	37	11
45.62	84	37	48	*	11	27	43	20	17	36	11
45.7	158	72	87	*	21	53	83	29	37	67	25
45.72	10	*	*6	*	*	*	*	*	*	*	*
45.73	55	23	33	*	*	13	36	12	15	23	*6
45.74	*8	*	*	*	*	*	*6	*	*	*	*
45.75	21	12	*9	*	*	*7	12	*	*	13	*
45.76	49	22	27	*	10	19	18	*9	12	17	11
45.79	15	*6	*8	-	*	*7	*7	*	*	*6	*
45.8	12	*9	*	*	*	*6	*	*	*	*	*
45.82	*9	*8	*	-	*	*	*	*	*	*	*
45.9	82	42	40	*	14	27	40	18	16	30	19
45.91	19	*7	12	*	*	*8	*9	*5	*	*	*6
45.93	28	13	15	*	*	*8	17	*7	*6	13	*
45.94	22	11	11	*	*7	*7	*8	*	*	10	*6
45.95	*8	*8	*	-	*	*	*	*	*	*	*
46	284	155	129	17	51	103	113	47	59	118	60

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
46.0	22	12	10	*	*	*9	10	*6	*	10	*
46.01	13	*7	*6	*	*	*5	*6	*	*	*5	*
46.03	*9	*	*	*	*	*	*	*	*	*	*
46.1	42	23	19	*	*5	19	17	*6	11	21	*
46.10	34	19	16	*	*	15	14	*	10	18	*
46.11	*6	*	*	-	*	*	*	*	*	*	*
46.2	31	16	15	*	*7	12	11	*6	*6	12	*6
46.20	16	*7	*9	*	*	*6	*5	*	*	*7	*
46.23	*7	*	*	*	*	*	*	*	*	*	*
46.3	24	16	*8	*	*	10	12	*5	*7	*	*8
46.32	*5	*	*	-	*	*	*	*	*	*	*
46.39	19	14	*	*	*	*8	10	*	*	*	*6
46.4	24	17	*7	*	*	*8	14	*	*	*9	*8
46.41	*8	*5	*	*	*	*	*	*	*	*	*
46.42	12	*8	*	*	*	*	10	*	*	*	*6
46.5	63	37	27	*5	16	21	21	*8	10	28	17
46.51	29	16	13	*	*7	13	*7	*6	*5	*9	*9
46.52	32	18	14	*	*9	*8	12	*	*	18	*6
46.7	45	17	27	*	13	15	17	*7	*9	24	*
46.73	19	*7	13	*	*6	*6	*7	*	*	12	*
46.74	*6	*	*	-	*	*	*	*	*	*	*
46.75	*8	*	*	-	*	*	*	*	*	*	*
46.79	*9	*	*7	*	*	*	*	*	*	*	*
46.8	26	15	11	*7	*	*5	10	*5	*5	*7	*8
46.81	*6	*	*	*	*	*	*	*	*	*	*
46.85	12	*7	*5	-	*	*	*8	*	*	*	*
46.9	*7	*	*6	*	*	*	*	*	*	*	*
47	349	184	165	64	168	76	40	62	56	127	104
47.0	305	164	142	55	156	62	31	54	48	112	92
47.01	233	124	109	39	130	45	19	33	32	89	79
47.09	72	40	33	17	26	17	12	21	16	23	13
47.1	42	19	23	*8	11	13	*9	*8	*7	15	12
47.19	37	16	21	*6	10	11	*9	*8	*5	13	11
48	184	91	93	*7	37	68	73	37	56	60	31
48.1	11	*6	*6	-	*	*	*6	*	11	-	-
48.2	55	25	30	*	14	17	20	11	15	15	14
48.23	25	11	14	*	*9	*8	*7	*6	*	*8	*6
48.24	27	13	15	*	*	*9	11	*	10	*7	*5
48.3	31	17	14	-	*	12	18	*7	10	*8	*6
48.36	29	16	13	-	*	12	17	*6	10	*7	*6
48.5	14	*8	*5	-	*	*7	*	*	*	*7	*
48.52	10	*6	*	-	*	*5	*	*	*	*6	*
48.6	40	17	22	-	*	16	20	13	*8	15	*
48.62	*7	*	*	-	-	*	*6	*5	*	*	*
48.63	19	*6	12	-	*	*9	12	*	*	*8	*
48.69	14	*8	*6	-	*	*5	*5	*	*	*6	*
48.7	*6	*	*	-	*	*	*	*	*	*	*
48.8	*2	10	11	*	12	*9	*	*	*6	11	*
48.81	21	10	11	*	12	*8	*	*	*6	10	*
49	48	26	22	*	19	17	10	*7	*9	13	18
49.0	12	*6	*6	*	*5	*	*	*	*	*	*
49.01	10	*5	*5	*	*	*	*	*	*	*	*
49.3	*5	*	*	-	*	*	*	*	*	*	*
49.39	*5	*	*	-	*	*	*	*	-	*	*
49.4	15	*9	*6	-	*	*7	*	*	*	*5	*6
49.46	*9	*5	*	-	*	*	*	*	*	*	*
49.7	*6	*	*	*	*	*	*	*	*	*	*
50	134	71	62	*	17	56	56	22	22	68	21
50.1	95	49	46	*	10	35	45	17	14	48	16
50.11	52	29	23	*	*6	22	22	11	*9	26	*7
50.12	17	*9	*8	*	*	*	11	*	*	10	*
50.14	20	*8	12	-	*	*6	13	*	*	10	*
50.2	17	10	*8	-	*	*8	*5	*	*	*7	*
50.22	*7	*	*	-	*	*	*	*	*	*	*
50.5	*6	*	*	*	*	*5	*	*	*	*	-
50.59	*6	*	*	*	*	*5	*	*	*	*	-

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
50.9	*6	*	*	-	*	*	*	*	*	*	*
51	788	282	506	*6	215	265	302	139	142	334	173
51.0	16	*9	*7	-	*	*	10	*	*	*	*
51.01	12	*7	*5	-	*	*	*8	*	*	*	*
51.1	56	22	34	-	11	25	21	12	*8	26	10
51.10	38	14	24	-	*8	18	12	*8	*5	20	*5
51.11	*7	*	*	-	*	*	*	*	*	*	*
51.14	*9	*	*6	-	*	*	*5	*	*	*	*
51.2	429	138	291	*	141	142	143	69	80	182	98
51.22	76	35	40	*	14	26	34	13	14	35	14
51.23	352	102	249	*	126	115	108	56	66	147	83
51.3	15	*7	*7	*	*	*	*8	*	*	*6	*7
51.36	*8	*5	*	-	*	*	*7	*	*	*	*5
51.4	*6	*	*	-	*	*	*	*	*	*	*
51.5	*7	*	*	-	*	*	*5	*	*	*	*
51.51	*6	*	*	-	*	*	*5	*	*	*	*
51.8	243	92	152	*	57	81	104	49	45	102	47
51.84	10	*5	*	-	*	*	*	*	*	*	*
51.85	113	41	73	*	28	39	46	22	23	47	21
51.87	51	25	26	*	10	22	20	*6	*9	25	11
51.88	69	20	48	*	19	17	33	19	12	26	12
51.9	15	*8	*7	*	*	*6	*8	*	*	*8	*
51.98	14	*8	*6	-	*	*6	*7	*	*	*7	*
52	50	18	32	*	*8	25	16	11	*6	19	15
52.1	11	*	*6	-	*	*7	*	*	*	*	*
52.11	*9	*	*5	-	*	*5	*	*	*	*	*
52.5	15	*6	*9	*	*	*8	*	*	*	*	*6
52.52	13	*5	*8	*	*	*7	*	*	*	*	*6
52.7	*7	*	*	-	*	*	*	*	*	*	*
52.9	13	*	*9	*	*	*6	*	*	*	*6	*
52.93	*9	*	*5	*	*	*	*	*	*	*	*
53	286	126	160	15	48	121	103	60	54	120	52
53.0	34	29	*5	*6	*	13	14	*8	*	13	10
53.00	*8	*7	*	*	*	*	*	*	*	*	*
53.02	*7	*7	*	*	-	*	*	*	*	*	*
53.04	*5	*	*	-	*	*	*	*	*	*	*
53.05	*8	*7	*	-	*	*	*	*	*	*	*
53.2	*7	*	*	-	*	*	*5	*	*	*	*
53.4	54	26	28	*	14	18	18	16	10	19	10
53.41	*6	*	*	-	*	*	*	*	*	*	*
53.43	11	*7	*	*	*	*	*	*	*	*	*
53.49	36	15	20	*	11	*9	12	10	*7	13	*5
53.5	35	*9	27	*	*7	12	16	*	*9	15	*6
53.51	24	*	19	*	*	*8	11	*	*6	11	*5
53.59	11	*	*8	*	*	*	*	*	*	*	*
53.6	102	40	62	*	12	52	38	19	27	40	16
53.61	44	16	28	*	*	23	16	*8	10	18	*8
53.62	23	10	13	-	*	14	*6	*5	*7	*8	*
53.63	10	*	*6	-	*	*7	*	*	*	*6	*
53.69	25	11	14	*	*	*7	14	*5	*7	*9	*
53.7	33	*8	25	*	*8	19	*	*8	*	21	*
53.71	27	*6	21	*	*8	17	*	*8	*	17	*
53.9	12	*	*9	*	*	*	*	*	*	*6	*
54	991	381	610	29	238	393	330	199	219	356	218
54.0	22	11	11	-	*	*8	10	*	*	*9	*
54.1	58	25	34	*	11	20	24	10	17	16	15
54.11	22	*9	12	*	*	*8	*9	*5	*9	*	*
54.12	21	10	11	*	*	*6	10	*	*5	*7	*7
54.19	16	*5	11	*	*	*6	*	*	*	*5	*5
54.2	123	46	77	*	28	49	41	26	27	45	24
54.21	66	32	35	*	20	24	18	11	16	25	15
54.23	26	*8	18	*	*	12	11	*	*7	*9	*6
54.24	13	*	*9	-	*	*	*8	*	*	*5	*
54.25	16	*	14	*	*	*9	*	*5	*	*6	*
54.3	14	*	10	*	*	*	*	*	*	*7	*
54.4	75	20	55	*	20	32	18	15	18	21	21

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
54.5	356	94	262	*	117	109	126	77	66	131	82
54.51	108	30	78	*	30	35	42	27	22	30	29
54.59	248	64	184	*	86	74	85	49	44	102	53
54.6	17	11	*6	*	*	*5	*7	*	*	10	*
54.63	*6	*5	*	*	*	*	*	*	*	*	*
54.7	*9	*	*5	*	*	*	*	*	*	*	*
54.9	317	167	150	11	51	161	94	61	80	112	64
54.91	254	137	117	*	35	138	78	53	64	86	52
54.93	*6	*	*	-	*	*	*	*	*	*	*
54.95	23	14	*8	*7	*7	*5	*	*	*	11	*6
54.98	21	*7	14	*	*7	*9	*5	*	*7	*9	*
55-59	1,221	559	663	27	268	417	509	236	281	408	296
55	244	125	118	*7	48	103	86	39	60	87	56
55.0	67	34	32	*	12	30	24	*9	16	28	13
55.03	50	24	25	*	*9	20	21	*8	11	21	10
55.04	10	*	*	-	*	*8	*	*	*	*	*
55.2	40	18	22	*	11	15	13	10	11	15	*
55.23	37	17	20	*	11	13	12	10	10	13	*
55.3	11	*6	*	-	*	*	*9	*	*	*	*
55.34	*5	*	*	-	*	*	*	*	*	*	*
55.4	15	*9	*5	*	*	*9	*	*	*	*5	*
55.5	61	31	30	*	11	24	24	*7	12	19	23
55.51	56	27	29	*	10	21	22	*5	11	19	21
55.6	23	11	11	*	*	16	*	*	*8	*7	*
55.69	23	11	11	*	*	16	*	*	*8	*7	*
55.8	*6	*	*	*	*	*	*	*	*	*	*
55.87	*5	*	*	*	*	*	*	*	*	*	*
55.9	20	11	*9	*	*	*5	10	*	*7	*7	*
55.93	15	10	*5	*	*	*	*9	*	*	*7	*
56	110	53	58	*9	34	37	30	17	26	45	23
56.0	62	31	30	*	25	21	15	11	14	23	14
56.3	18	*9	*9	-	*	*8	*6	*	*	*9	*
56.31	17	*9	*8	-	*	*8	*	*	*	*8	*
56.5	10	*6	*	-	*	*	*5	*	*	*	*6
56.51	10	*5	*	-	*	*	*5	*	*	*	*5
56.7	15	*	11	*8	*	*	*	*	*5	*7	*
56.74	13	*	*9	*8	*	*	*	*	*	*5	*
57	517	251	265	*8	93	135	281	105	117	140	154
57.0	35	30	*	*	*	*9	22	*9	*8	15	*
57.1	19	12	*7	*	*6	*	*9	*	*	10	*
57.17	10	*7	*	*	*	*	*5	*	*	*6	*
57.3	174	62	112	*	46	62	65	47	42	59	27
57.32	164	57	107	*	43	59	61	44	40	54	26
57.33	10	*5	*	-	*	*	*	*	*	*	*
57.4	35	23	12	-	*	*5	26	11	*8	14	*
57.49	35	23	12	-	*	*5	26	11	*8	14	*
57.7	*9	*7	*	-	*	*	*8	*	*	*	*
57.71	*8	*6	*	-	*	*	*6	*	*	*	*
57.8	16	*	12	*	*9	*	*	*	*	*5	*
57.81	*8	*	*7	-	*5	*	*	*	*	*	*
57.9	220	109	111	*	23	49	145	32	48	31	109
57.94	206	100	106	*	21	45	137	29	46	27	105
57.95	10	*5	*	-	*	*	*	*	*	*	*
58	46	33	13	*	*	21	19	10	*9	23	*
58.2	*5	*	*	-	*	*	*	*	*	*	-
58.5	*6	*6	*	-	*	*	*	*	*	*	-
58.6	24	16	*8	-	*	11	10	*	*	13	*
59	305	96	209	*	88	122	93	64	68	114	59
59.0	14	*	*9	-	*	*5	*	*	*	*	*8
59.02	11	*	*8	-	*	*	*	*	*	*	*6
59.4	*8	*	*8	-	*	*	*6	*	*	*	*
59.5	13	*	12	-	*	*8	*	*	*	*7	*
59.7	63	*	63	-	14	30	19	11	18	18	16
59.79	62	*	62	-	14	30	19	11	18	17	16

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
59.8	192	83	108	*	61	71	57	45	41	79	26
59.9	11	*6	*	-	*	*	*6	*	*	*	*5
59.94	*5	*	*	-	*	*	*	*	*	*	*
60-64	218	218	-	30	*8	85	95	35	44	85	55
60	148	148	-	-	*	63	84	25	34	47	42
60.1	*7	*7	-	-	-	*	*7	*	*	*	*
60.11	*7	*7	-	-	-	*	*7	*	*	*	*
60.2	65	65	-	-	-	15	50	16	14	26	10
60.21	*8	*8	-	-	-	*	*5	*	*	*	-
60.29	58	58	-	-	-	13	45	14	12	23	10
60.5	63	63	-	-	*	42	21	*7	15	13	29
60.6	*6	*6	-	-	*	*	*	*	*	*	*
60.69	*5	*5	-	-	*	*	*	*	*	*	*
61	17	17	-	*	*5	*9	*	*	*	*7	*
61.0	*8	*8	-	*	*	*6	*	*	*	*	*
62	*6	*6	-	*	*	*	*	*	*	*	*
63	*9	*9	-	*	*	*	*	*	*	*	*
64	39	39	-	27	*	*6	*5	*5	*	23	*6
64.0	27	27	-	26	*	*	*	*	*	17	*
64.9	*9	*9	-	*	*	*	*	*	*	*	*
65-71	1,609	-	1,609	10	837	547	216	307	346	612	343
65	380	-	380	*	157	172	50	70	76	148	86
65.2	32	-	32	*	29	*	*	*6	*	12	*8
65.25	11	-	11	*	*9	*	*	*	*	*	*
65.29	20	-	20	-	19	*	*	*	*	*8	*
65.3	20	-	20	-	12	*7	*	*6	*	*8	*
65.31	*5	-	*5	-	*	*	*	*	*	*	*
65.39	15	-	15	-	*9	*	*	*6	*	*6	*
65.4	69	-	69	*	49	15	*	10	13	25	21
65.41	12	-	12	-	*7	*5	*	*	*	*6	*
65.49	57	-	57	*	43	10	*	*9	*9	19	20
65.6	231	-	231	-	48	140	44	41	51	91	49
65.61	152	-	152	-	36	92	24	31	35	60	26
65.63	74	-	74	-	10	46	19	*8	14	29	22
65.8	12	-	12	-	*8	*	*	*	*	*	*
65.89	*9	-	*9	-	*7	*	*	*	*	*	*
65.9	*5	-	*5	*	*	*	-	*	*	*	*
66	314	-	314	*	305	*	*	56	63	139	56
66.3	258	-	258	-	258	*	-	40	53	118	46
66.32	166	-	166	-	166	-	-	30	32	71	33
66.39	91	-	91	-	91	*	-	*9	21	48	13
66.4	10	-	10	*	*7	*	*	*	*	*	*
66.5	*9	-	*9	-	*7	*	*	*	*	*	*
66.51	*9	-	*9	-	*6	*	*	*	*	*	*
66.6	25	-	25	*	22	*	*	*7	*	11	*
66.61	10	-	10	*	*6	*	*	*	*	*	*
66.62	13	-	13	-	13	-	-	*	*	*7	*
67	16	-	16	-	13	*	*	*	*	*5	*
67.5	*8	-	*8	-	*8	-	-	*	*	*	*
67.59	*8	-	*8	-	*8	-	-	*	*	*	*
68	537	-	537	-	250	233	54	106	115	201	115
68.1	*9	-	*9	-	*5	*	*	*	*	*	*
68.16	*5	-	*5	-	*	*	*	*	*	*	*
68.2	29	-	29	-	24	*	*	*8	*	10	*5
68.29	26	-	26	-	23	*	*	*7	*	*9	*5
68.3	56	-	56	-	26	29	*	15	23	10	*8
68.31	35	-	35	-	16	19	*	*9	18	*	*5
68.39	21	-	21	-	10	10	*	*6	*5	*8	*
68.4	263	-	263	-	111	126	27	58	54	115	36

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
68.41	39	-	39	-	12	18	*9	12	*6	16	*
68.49	224	-	224	-	99	108	18	46	48	99	32
68.5	165	-	165	-	78	67	19	21	26	60	57
68.51	71	-	71	-	34	33	*	*8	*9	36	17
68.59	94	-	94	-	44	34	15	12	17	24	40
68.6	10	-	10	-	*6	*	*	*	*	*	*6
68.61	*7	-	*7	-	*	*	*	*	*	*	*
69	74	-	74	*	59	11	*	22	13	25	14
69.0	36	-	36	-	27	*6	*	*9	*6	13	*8
69.02	19	-	19	-	19	-	-	*	*	*8	*6
69.09	16	-	16	-	*7	*6	*	*5	*	*6	*
69.1	*6	-	*6	-	*	*	-	*	*	*	*
69.19	*6	-	*6	-	*	*	-	*	*	*	*
69.5	12	-	12	-	11	*	-	*	*	*	*
69.52	*9	-	*9	-	*9	*	-	*	*	*	*
69.9	14	-	14	*	14	*	-	*6	*	*5	*
69.96	12	-	12	-	12	-	-	*	*	*	*
70	240	-	240	*	35	108	94	39	70	71	60
70.2	*6	-	*6	*	*	*	*	*	*	*	*
70.3	*8	-	*8	-	*5	*	*	*	*	*	*
70.33	*5	-	*5	-	*	*	*	*	*	*	*
70.5	96	-	96	-	11	50	34	15	29	30	21
70.50	38	-	38	-	*5	18	14	*9	*9	10	*9
70.51	24	-	24	-	*	15	*7	*	*9	*7	*6
70.52	16	-	16	-	*	*8	*	*	*	*9	*
70.53	*7	-	*7	-	*	*	*	*	*	*	*
70.54	*6	-	*6	-	-	*	*	*	*	*	*
70.55	*5	-	*5	-	*	*	*	*	*	*	*
70.7	61	-	61	*	*7	24	27	10	19	17	16
70.77	24	-	24	-	*	*8	12	*6	*9	*	*5
70.78	22	-	22	-	*	10	11	*	*8	*5	*8
70.79	*8	-	*8	*	*	*	*	*	*	*	*
70.8	*6	-	*6	-	*	-	*	*	*	*	*
70.9	53	-	53	-	*6	24	23	*8	19	15	11
70.92	22	-	22	-	*	12	*6	*	*8	10	*
70.93	*7	-	*7	-	*	*	*	*	*	*	*
70.95	23	-	23	-	*	*9	13	*6	*7	*	*7
71	47	-	47	*	19	15	11	*9	*7	23	*8
71.0	*9	-	*9	*	*5	*	*	*	*	*5	*
71.09	*9	-	*9	*	*5	*	*	*	*	*5	*
71.2	*5	-	*5	-	*	*	-	*	*	*	-
71.3	14	-	14	*	*8	*	*	*	*	*8	*
71.7	11	-	11	*	*	*	*	*	*	*	*
71.79	*7	-	*7	*	*	*	*	*	*	*	*
72-75	7,424	-	7,424	13	7,407	*	-	1,243	2,021	2,575	1,585
72	252	-	252	*	251	-	-	25	57	77	93
72.0	17	-	17	-	17	-	-	*	*9	*6	*
72.1	12	-	12	*	11	-	-	*	*	*9	*
72.7	211	-	211	*	211	-	-	23	42	58	88
72.71	41	-	41	*	41	-	-	*7	*8	18	*8
72.79	171	-	171	-	171	-	-	16	34	40	80
73	3,327	-	3,327	*9	3,317	*	-	480	968	1,156	723
73.0	1,047	-	1,047	*	1,044	*	-	154	325	321	246
73.01	167	-	167	*	167	-	-	16	48	35	68
73.09	880	-	880	*	877	*	-	138	277	287	178
73.1	36	-	36	-	36	*	-	11	13	*6	*6
73.4	762	-	762	*	761	*	-	99	241	239	184
73.5	1,202	-	1,202	*	1,198	*	-	172	321	465	244
73.51	*7	-	*7	-	*7	-	-	*	*	*	*
73.59	1,195	-	1,195	*	1,191	*	-	172	320	462	242
73.6	267	-	267	*	266	-	-	43	62	122	40
73.9	*8	-	*8	-	*8	-	-	-	*	*	*
73.91	*7	-	*7	-	*7	-	-	-	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
74	1,327	-	1,327	*	1,325	*	-	218	286	546	277
74.0	15	-	15	-	14	*	-	*	*	*8	*
74.1	1,299	-	1,299	*	1,298	*	-	207	282	536	275
74.9	*9	-	*9	-	*9	-	-	*8	*	*	-
74.99	*9	-	*9	-	*9	-	-	*8	*	*	-
75	2,518	-	2,518	*	2,514	*	-	520	710	796	492
75.1	*9	-	*9	-	*9	-	-	*	*	*	*
75.3	1,139	-	1,139	*	1,138	*	-	312	328	316	183
75.32	182	-	182	-	182	*	-	50	35	56	41
75.34	847	-	847	*	846	*	-	240	262	234	111
75.35	86	-	86	-	86	*	-	17	26	19	23
75.37	24	-	24	-	24	-	-	*5	*	*6	*8
75.4	35	-	35	-	35	-	-	*	12	*7	13
75.5	10	-	10	-	10	-	-	*	*	*	*
75.51	*7	-	*7	-	*7	-	-	*	*	*	*
75.6	1,282	-	1,282	*	1,279	*	-	197	356	440	289
75.62	77	-	77	-	77	*	-	10	20	26	21
75.69	1,200	-	1,200	*	1,198	*	-	186	336	411	268
75.7	35	-	35	-	35	-	-	*	*7	24	*
75.9	*5	-	*5	*	*5	-	-	*	*	*	-
76-84	5,276	2,432	2,844	152	899	2,148	2,076	952	1,362	1,844	1,117
76	56	37	18	*	36	10	*6	*8	12	21	14
76.6	12	*5	*7	*	10	*	*	*	*	*	*
76.7	30	23	*7	*	19	*7	*	*	*7	10	10
76.76	11	*7	*	-	10	*	*	*	*	*6	*
76.79	*5	*	*	*	*	*	*	*	*	*	*
76.9	*8	*5	*	*	*	*	*	*	*	*	*
77	398	200	198	11	71	172	144	63	121	138	76
77.1	*7	*	*	*	*	*	*	*	*	*	*
77.3	15	*7	*8	*	*	*7	*	*	*6	*5	*
77.39	*5	*	*	*	*	*	*	*	*	*	*
77.4	44	23	21	*	*5	*9	29	*8	13	16	*7
77.45	*8	*	*6	-	*	*	*6	*	*	*	*
77.49	28	15	13	*	*	*5	19	*	*8	10	*5
77.6	82	55	27	*	15	36	28	14	21	30	17
77.61	13	*6	*7	*	*	*	*9	*	*	*6	*
77.65	*8	*6	*	*	*	*	*	*	*	*	*
77.67	*8	*6	*	-	*	*	*	*	*	*	*
77.68	23	19	*	-	*	15	*7	*	*6	10	*
77.69	22	12	*9	*	*	10	*7	*	*9	*5	*
77.7	207	90	117	*5	39	95	67	27	69	71	39
77.70	17	*8	*9	*	*	*6	*7	*	*	*	*6
77.79	180	76	104	*	34	84	57	24	63	61	31
77.8	31	16	14	*	*	17	11	*5	*7	11	*7
77.81	*8	*	*	-	*	*	*	*	*	*	*
77.88	*5	*	*	-	*	*	*	*	*	*	*
77.89	10	*	*7	*	*	*	*	*	*	*	*
78	289	137	153	26	65	111	87	60	73	100	56
78.0	28	15	13	*	*9	11	*7	*8	*7	10	*
78.05	*7	*	*	*	*	*	*	*	*	*	*
78.07	*8	*6	*	*	*	*	*	*	*	*	*
78.1	36	20	15	*	11	13	*8	10	11	*8	*6
78.17	21	11	10	*	*5	*8	*5	*8	*6	*	*
78.4	16	*9	*7	*9	*	*	*	*	*	12	*
78.41	*8	*	*	*8	*	-	*	-	-	*8	-
78.5	67	27	39	*6	12	20	28	12	14	22	18
78.55	36	12	24	*	*	*7	22	*7	*7	12	10
78.57	12	*7	*5	*	*	*	*	*	*	*	*
78.59	12	*	*8	*	*	*7	*	*	*	*	*
78.6	133	60	73	*	28	59	41	26	37	43	27
78.62	*6	*	*	-	*	*	*	*	*	*	*
78.65	34	15	19	*	*	12	17	*7	*9	11	*7
78.67	26	14	12	-	*8	13	*	*7	*8	*7	*5
78.68	*6	*	*	*	*	*	*	*	*	*	*
78.69	53	23	30	*	12	27	13	10	17	18	*8

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
79	729	304	425	63	176	181	309	125	193	253	158
79.0	64	26	38	10	15	16	23	20	16	20	*7
79.01	10	*5	*	*	*	*	*6	*	*	*	*
79.02	16	*9	*7	*	*	*	*6	*5	*	*	*
79.05	*6	*	*	*	*	*	*	*	*	*	*
79.06	25	*	20	*	*	*9	10	*7	*7	10	*
79.1	133	52	81	15	23	27	68	24	24	44	41
79.11	13	*7	*6	10	-	*	*	*	*	*	*9
79.12	*9	*5	*	*	*	*	*	*	*	*	*
79.15	84	28	56	*	*6	17	59	16	17	33	19
79.16	18	*9	*9	*	10	*6	*	*	*	*	*8
79.2	*6	*	*	*	*	*	*	*	*	*	*
79.3	438	176	262	26	102	114	196	66	122	160	90
79.31	51	22	29	*7	12	12	21	*7	*9	20	14
79.32	53	21	32	*7	13	12	21	*	13	20	15
79.35	144	47	97	*7	*9	20	108	22	46	53	24
79.36	145	56	90	*	46	58	37	23	40	49	33
79.37	15	*8	*7	*	*9	*	*	*5	*	*6	*
79.39	23	16	*6	*	10	*8	*	*	*8	*8	*
79.6	52	32	20	*6	27	13	*6	12	15	16	*9
79.62	*8	*6	*	*	*	*	*	*	*	*	*
79.66	22	11	11	*	11	*6	*	*5	*8	*6	*
79.67	*7	*	*	*	*	*	*	*	*	*	*
79.7	26	*9	17	*	*	*7	15	*	*9	10	*
79.75	17	*	13	*	*	*	10	*	*7	*6	*
79.8	*7	*	*	*	*	*	*	*	*	*	*
80	544	266	278	*9	125	251	159	102	135	188	118
80.0	13	*5	*8	-	*	*	*8	*	*	*	*
80.06	*8	*	*	-	-	*	*6	*	*	*	*
80.1	41	22	19	*	*8	10	19	13	*6	18	*
80.11	*7	*	*	*	*	*	*	*	*	*	*
80.15	*7	*	*	*	*	*	*	*	*	*	*
80.16	16	*6	*9	*	*	*	*9	*	*	10	*
80.2	19	14	*5	*	*7	*7	*	*	*	12	*
80.21	*6	*5	*	-	*	*	*	*	*	*	*
80.26	12	*9	*	*	*	*6	*	*	*	*8	*
80.3	*6	*	*	*	*	*	*	*	*	*	*
80.4	14	*7	*7	*	*	*6	*7	*5	*	*	*
80.46	*9	*	*	*	*	*	*	*	*	*	*
80.5	342	164	178	*	85	178	76	47	94	114	87
80.51	336	161	175	*	84	174	75	47	93	111	87
80.6	11	*6	*	-	*	*	*	*	*	*	*
80.7	35	14	20	-	*5	11	18	14	*	12	*
80.76	28	*9	19	-	*	10	16	13	*	*8	*
80.8	42	22	20	*	*9	17	15	11	11	14	*6
80.81	11	*5	*6	-	*	*6	*	*	*	*6	*
80.85	*8	*	*	-	*	*	*	*	*	*	*
80.86	16	*7	10	*	*	*6	*7	*5	*	*5	*
80.9	20	*9	12	*	*	11	*7	*	*8	*	*5
80.99	18	*7	11	*	*	*9	*6	*	*8	*	*5
81	2,376	1,011	1,364	20	251	1,029	1,076	453	632	801	490
81.0	473	220	253	*7	93	237	135	68	142	152	111
81.02	139	70	69	-	28	87	24	20	32	53	34
81.03	20	12	*8	-	*	*9	*8	*7	*	*	*
81.05	36	11	25	*	14	*9	*9	*8	12	*9	*8
81.06	52	26	26	-	13	29	10	*6	23	12	10
81.07	54	21	33	*	*8	25	21	*5	21	19	*9
81.08	161	75	86	*	27	75	59	19	48	53	42
81.1	21	10	11	-	*6	*7	*7	*	*	12	*
81.12	*6	*	*	-	*	*	*	*	*	*5	*
81.3	27	11	16	-	*	14	*9	*	10	10	*
81.37	*5	*	*	-	*	*	*	*	*	*	*
81.38	12	*	*7	-	*	*6	*	*	*	*	*
81.4	27	18	*9	*	18	*7	*	*	12	*	*7
81.45	*5	*	*	-	*	*	-	-	*	*	*
81.47	13	*9	*	-	*8	*	*	*	*	*	*5
81.5	1,394	566	829	*7	81	595	711	299	383	466	246

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
81.51	328	151	177	-	15	144	168	87	77	112	52
81.52	337	138	199	*	52	127	154	59	121	99	58
81.54	719	273	445	*	14	317	385	151	183	249	134
81.55	*5	*	*	-	-	*	*	-	*	*	*
81.6	198	85	112	*	28	86	82	20	32	90	55
81.62	124	61	63	*	17	68	38	*7	15	61	41
81.63	28	12	16	-	*7	12	*9	*5	*	13	*
81.65	16	*6	11	-	*	*	14	*	*7	*	*
81.66	25	*6	19	-	*	*	21	*5	*6	11	*
81.8	89	37	51	-	*6	31	51	13	11	31	33
81.80	52	25	27	-	*	17	33	*6	*6	16	24
81.81	24	*7	17	-	*	*8	14	*	*	12	*6
81.83	*6	*	*	-	-	*	*	*	*	*	*
81.9	145	64	81	*	13	50	77	43	37	34	32
81.91	75	36	39	*	11	23	36	21	21	21	11
81.92	59	24	35	-	*	20	37	18	15	*9	17
81.97	*8	*	*6	-	-	*5	*	*	-	*	*
82	20	15	*5	*	*9	*6	*	*	*	12	*
82.0	*9	*7	*	-	*	*	*	*	*	*6	*
82.01	*5	*	*	-	*	*	*	*	*	*	*
83	326	180	146	15	75	125	111	59	72	119	76
83.0	38	23	15	*	11	12	12	*6	10	17	*
83.09	29	16	13	*	*8	*8	10	*	*8	12	*
83.1	29	13	15	*	*7	10	*7	*	*5	*7	11
83.13	*7	*	*6	*	*	*	*	*	*	*	*
83.14	15	10	*	*	*5	*	*	*	*	*	*7
83.2	11	*5	*6	*	*	*	*	*	*	*6	*
83.21	11	*5	*6	*	*	*	*	*	*	*6	*
83.3	57	30	27	*	*9	29	19	12	13	21	11
83.32	*8	*	*	*	*	*	*	*	*	*	*
83.39	49	26	23	*	*8	25	15	11	11	18	10
83.4	57	35	22	*	12	24	20	*8	14	21	14
83.45	51	31	21	*	12	20	18	*6	12	19	14
83.5	12	*8	*	-	*	*	*6	*	*	*	*
83.6	41	22	19	*	14	15	11	*7	10	14	10
83.63	16	*8	*8	-	*	*7	*8	*	*	*5	*6
83.64	11	*8	*	-	*6	*	*	*	*	*	*
83.65	12	*5	*6	*	*7	*	*	*	*5	*5	*
83.7	10	*	*8	*	*	*	*	*	*	*	*
83.8	50	32	18	*	11	18	18	13	11	16	11
83.82	14	10	*	-	*	*	*6	*	*	*6	*
83.85	10	*	*6	*	*	*	*	*	*	*	*
83.88	17	13	*	-	*	10	*6	*	*	*	*6
83.9	21	10	11	*	*	*6	10	*	*	*8	*
83.94	*9	*5	*	-	-	*	*7	*	*	*	*
83.95	*6	*	*	*	*	*	*	*	*	*	*
84	538	281	257	*	91	262	180	78	120	212	128
84.0	11	*9	*	*	*	*	*	*	*	*6	*
84.01	10	*7	*	*	*	*	*	*	*	*5	*
84.1	138	89	49	*	13	59	65	34	27	53	25
84.11	58	43	15	*	*8	29	20	14	*9	23	12
84.12	15	10	*5	-	*	*6	*7	*	*	*5	*
84.15	34	19	15	-	*	14	17	*9	*8	13	*
84.17	30	16	14	-	-	10	20	*7	*6	11	*5
84.3	12	10	*	-	*	*6	*	*	*	*7	*
84.5	358	159	199	*	64	187	103	39	85	143	90
84.51	206	96	110	*	41	113	51	20	50	76	61
84.52	107	48	59	*	22	54	29	14	28	42	23
84.55	19	*6	13	-	*	*8	10	*	*	18	-
84.56	13	*	*8	-	-	*5	*7	*	*	*	*
84.57	12	*	*8	-	*	*7	*	*	*	*	*
84.6	*8	*6	*	*	*	*	*	*	*	*	*6
84.8	*5	*	*	-	-	*	*	*	*	*	*
85-86	1,484	637	847	72	394	532	486	309	333	539	303
85	263	*	259	*	73	132	58	60	66	84	54

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
87.69	*9	*	*	-	-	*	*8	*	*	*	*
87.7	156	74	82	*8	35	58	55	32	35	66	24
87.73	*6	*	*	-	*	*	*	*	*	*	*
87.74	111	47	64	*	29	43	38	27	26	43	15
87.75	15	*9	*6	*	*	*6	*7	*	*5	*	*
87.76	*7	*	*	*5	*	*	*	*	*	*	*
87.77	*8	*6	*	*	*	*	*	*	*	*5	*
88	4,127	2,258	1,869	102	461	1,569	1,995	1,090	935	1,301	801
88.0	186	79	107	*8	46	68	64	92	16	*5	73
88.01	185	79	107	*8	46	68	63	91	16	*5	73
88.1	*8	*	*	*	*	*	*	*	*	*	*
88.19	*5	*	*	*	*	*	*	*	*	*	*
88.2	46	32	14	-	17	18	11	37	*	*	*
88.22	*5	*	*	-	*	*	-	*	*	-	-
88.23	*7	*7	-	-	*	-	*	*7	-	-	-
88.26	*7	*	*	-	*	*	*	*6	-	*	*
88.27	*9	*6	*	-	*	*	*	*	-	*	*
88.28	15	*7	*8	-	*	*9	*	13	*	*	*
88.3	98	48	50	*	25	34	34	50	12	*8	28
88.38	90	45	45	*	22	31	33	46	12	*	28
88.39	*5	*	*	-	*	*	*	*	*	*	*
88.4	671	366	305	*8	55	245	363	131	181	270	88
88.41	179	83	96	*	23	65	88	48	39	68	24
88.42	155	90	65	*	*8	53	92	20	45	74	16
88.43	26	15	11	*	*	11	11	*9	*6	*	*6
88.44	18	13	*5	*	*	*7	10	*	*	*8	*6
88.45	31	16	15	-	*	10	19	*	11	13	*
88.47	61	34	27	-	*	17	41	13	19	23	*6
88.48	163	95	68	*	10	66	87	26	46	68	24
88.49	39	20	19	-	*6	17	15	*9	13	12	*
88.5	1,720	1,065	655	*	115	760	842	316	455	696	252
88.51	42	19	22	*	*5	14	22	*8	11	14	*8
88.53	672	415	257	*	46	309	317	113	175	300	85
88.54	32	18	14	*	*	13	15	*7	13	*9	*
88.55	14	*9	*5	-	*	10	*	*	*	*	*
88.56	930	584	345	*	57	401	470	176	242	360	152
88.57	21	12	*9	-	*	*9	10	*	*8	*6	*
88.6	59	31	28	*	13	22	21	10	11	23	15
88.61	*7	*	*	*	*	*	*	*	*	*	*
88.63	10	*6	*	*	*	*	*5	*	*	*	*
88.66	16	*8	*8	*	*	*7	*	*	*	*6	*6
88.67	21	12	10	*	*6	*6	*9	*	*	11	*
88.7	1,005	475	530	38	134	314	518	291	218	219	276
88.71	37	16	21	*	*	*8	27	*6	13	*	15
88.72	727	366	361	19	70	245	392	189	167	192	179
88.73	11	*	*8	-	*	*	*7	*	*	*	*
88.74	34	13	21	*	*	11	17	10	11	*6	*7
88.75	16	*6	10	*	*	*	*7	*5	*	*	*9
88.76	84	38	46	13	22	23	26	42	*	*	36
88.77	53	24	29	-	*	17	32	14	14	*	23
88.78	17	-	17	-	17	-	-	*	*	*8	*
88.79	28	*9	19	*	10	*6	12	19	*	*	*
88.9	335	158	177	35	54	106	140	158	38	76	63
88.91	198	96	102	23	29	56	90	82	21	50	45
88.93	57	21	35	*6	10	20	20	34	*	11	*9
88.94	10	*6	*	*	*	*	*	*	*	*	*
88.97	57	27	31	*	13	23	20	36	*8	11	*
89	712	360	352	32	112	248	320	354	114	102	142
89.1	144	70	75	21	30	45	48	57	31	24	32
89.14	82	41	41	*7	11	25	39	32	15	*9	26
89.15	*8	*	*	*	*	*	*	*	*	*	*
89.19	53	25	29	13	17	16	*7	24	12	14	*
89.2	14	*9	*6	*	*	*5	*8	*	10	*	*
89.29	*8	*	*	-	*	*	*	*	*8	*	-
89.3	16	11	*6	*5	*	*	*5	*	*	*6	*
89.39	*9	*6	*	*	*	*	*	*	*	*	*
89.4	161	92	69	*	13	58	91	75	24	30	33
89.41	15	*8	*8	-	*	*9	*	*8	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
94	440	263	178	*	190	185	63	192	100	114	35
94.1	16	10	*7	*	*9	*5	*	16	*	*	-
94.11	14	*8	*5	-	*8	*5	*	14	-	-	-
94.2	89	31	58	*	26	33	30	54	*5	29	*
94.25	38	22	16	*	20	13	*6	23	-	15	*
94.27	47	*7	40	-	*	20	23	26	*5	14	*
94.3	24	14	11	*	13	*8	*	*	-	18	*
94.39	20	11	*9	*	10	*6	*	*	-	17	*
94.4	27	13	14	*	13	*8	*	12	-	13	*
94.44	25	12	13	*	12	*8	*	11	-	13	*
94.6	284	196	88	*	129	130	24	105	94	54	30
94.62	202	141	62	-	83	98	21	73	76	29	24
94.63	*6	*	*	-	*	*	-	-	*	*	*
94.65	49	35	15	*	31	18	*	22	*7	18	*
94.68	17	11	*6	-	*8	*8	*	*9	*	*	*
95	*9	*	*6	*7	*	-	*	*	*	*	*
95.4	*7	*	*	*6	*	-	*	*	-	*	*
96	2,140	1,078	1,062	165	327	649	999	475	432	795	439
96.0	815	422	393	40	115	259	401	176	171	308	161
96.04	675	357	319	39	89	222	325	148	144	262	121
96.05	17	*9	*9	*	*	*	11	*	*7	*	*
96.07	112	53	58	*	22	30	58	23	18	39	33
96.08	*5	*	*	-	*	*	*	*	*	*	*
96.09	*5	*	*	-	*	*	*	*	*	*	*
96.2	15	*7	*8	*	*	*	*	*	*	*5	*6
96.27	*5	*	*	*	*	*	*	*	*	*	*
96.3	15	*5	10	*	*	*	*6	*	*	*	*6
96.33	*6	*	*	*	*	*	*	*	*	*	*
96.4	78	15	63	*	59	*	14	12	23	28	15
96.48	12	*9	*	-	*	*	*9	*	*	*8	*
96.49	64	*	60	-	59	*	*	10	22	19	13
96.5	45	21	24	*	*6	13	22	10	*7	17	11
96.56	25	11	14	*	*	*9	14	*	*	12	*
96.59	15	*7	*8	*	*	*	*6	*	*	*	*6
96.6	206	105	101	25	16	49	116	83	24	54	44
96.7	966	503	463	90	122	318	436	190	203	378	195
96.71	626	313	312	58	86	201	280	124	131	245	125
96.72	337	188	149	32	36	116	153	66	72	130	70
97	174	70	104	14	25	59	76	30	36	62	46
97.0	45	21	24	*	*	10	31	*8	*8	19	10
97.02	31	13	18	*	*	*6	22	*6	*7	12	*5
97.05	11	*7	*	*	*	*	*7	*	*	*	*
97.2	24	*8	16	*	*	*7	10	*	*7	*7	*7
97.23	20	*6	14	*	*	*5	*9	*	*6	*6	*6
97.4	22	12	10	*	*	*6	*8	*6	*	*6	*6
97.41	11	*5	*6	*	*	*	*	*	*	*	*
97.49	*8	*	*	*	*	*	*	*	*	*	*
97.5	17	*	13	*	*	*6	*9	*	*	*7	*
97.55	11	*	*9	-	*	*	*7	*	*	*6	*
97.6	32	11	21	-	*6	18	*8	*	*9	10	11
97.62	24	*7	17	-	*5	13	*6	*	*7	*9	*6
97.8	20	*8	13	*	*6	*8	*6	*	*	11	*
97.82	10	*	*6	*	*	*	*	*	*	*6	*
97.89	*7	*	*	*	*	*	*	*	*	*	*
98	29	19	10	*	*	10	10	*5	*6	13	*5
98.0	15	*9	*6	*	*	*	*5	*	*	*	*
98.02	*8	*	*	*	*	*	*	*	*	*	*
98.5	*7	*	*	-	*	*	*	*	*	*	*
98.51	*7	*	*	-	*	*	*	*	*	*	*
99	5,318	2,333	2,986	301	982	1,482	2,553	1,319	1,010	2,073	916
99.0	2,767	1,227	1,540	62	323	761	1,622	471	556	1,248	492
99.00	43	21	22	*	*	17	21	13	*	15	*9
99.02	23	11	12	*	*	*8	13	*	*5	11	*
99.03	13	*	*9	*	*	*	*5	*7	*	*	*
99.04	2,186	907	1,279	42	267	570	1,307	359	453	1,019	355

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
99.05	177	98	78	*7	19	57	94	27	34	75	41
99.06	16	10	*6	*	*	*6	*	*	*	*8	*
99.07	305	172	133	*8	24	97	176	58	53	114	80
99.1	657	274	382	72	175	172	238	253	108	188	107
99.10	92	48	44	*	20	30	41	17	24	28	22
99.11	83	-	83	*	83	-	-	21	20	29	13
99.14	26	14	12	*8	*	10	*6	*8	*	*8	*6
99.15	254	117	137	58	28	63	104	43	48	109	54
99.17	43	19	25	*	*9	19	16	39	*	*	-
99.18	58	25	33	*	18	16	19	53	*	-	*
99.19	100	52	48	*	14	34	52	72	*8	14	*7
99.2	953	442	511	73	229	295	356	434	188	198	134
99.20	73	53	20	-	*6	33	35	*7	25	19	22
99.21	199	89	110	10	52	54	83	124	25	32	18
99.23	122	45	77	*	15	43	62	44	36	25	18
99.25	220	125	94	46	47	64	63	64	35	77	43
99.28	*6	*	*	*	*	*	*	*	*	*	*
99.29	328	126	203	14	106	97	111	191	63	41	33
99.3	106	14	92	*	93	*5	*7	25	*	54	25
99.36	*8	*6	*	-	*	*	*	*	*	*	*
99.38	*9	*6	*	-	*	*	*	*	*	*5	*
99.39	88	*	87	*	86	*	*	20	*	43	24
99.4	16	*	14	-	16	*	*	*	*	*6	*7
99.48	14	*	12	-	14	-	-	*	*	*5	*6
99.5	426	191	234	40	83	131	172	57	64	235	70
99.52	172	68	104	*	42	58	67	19	31	105	18
99.55	251	121	129	34	40	72	104	37	34	128	51
99.6	210	116	94	*	14	76	117	50	53	68	38
99.60	85	42	43	*	*9	29	45	19	22	30	14
99.61	40	24	16	*	*	16	21	10	11	14	*6
99.62	74	44	29	*	*	29	43	20	18	24	12
99.69	*8	*	*5	*	*	*	*	*	*	*	*
99.7	100	22	77	*	42	31	26	15	26	45	14
99.71	15	*7	*8	*	*	*	*5	*	*	*	*
99.77	52	*7	45	-	25	17	*9	10	12	25	*
99.79	28	*6	22	-	12	*7	10	*	*9	13	*5
99.8	57	31	26	52	*	*	*	10	*	24	19
99.83	52	28	24	52	*	-	-	*8	*	21	18
99.9	27	13	14	-	*5	*9	13	*	*8	*6	10
99.99	24	10	14	-	*5	*8	10	*	*8	*5	*9

* Figure does not meet standards of reliability or precision. Estimates preceded by the asterisk should be used with caution.

- Quantity zero.

NOTE: Users should be aware that some estimates of all-listed procedures in 2010 may exhibit marked increases if compared with prior years, due to the expansion of procedure codes collected from 4 to 8.

SOURCE: CDC/NCHS National Hospital Discharge Survey, 2010.

More information about survey methodology can be found at:

ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NHDS/NHDS_2010_Documentation.pdf.