

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
041.84	12	*	*8	*	*	*	*8	*	*	*	*
041.85	94	41	53	*8	14	18	54	27	17	33	18
041.86	37	15	22	*	*7	15	15	*8	*5	17	*6
041.89	61	20	41	*	*9	17	32	31	*6	19	*5
041.9	17	*5	12	*	*	*6	*5	*	*	*	*9
042	118	82	36	-	55	58	*	20	21	63	14
047	41	23	18	16	16	*6	*	*	*6	17	13
047.8	*7	*	*	*5	*	*	-	*	*	*	*
047.9	34	20	14	10	15	*6	*	*	*	14	12
053	78	26	52	-	*7	17	54	19	16	25	18
053.1	29	11	18	-	*	*7	22	*6	*6	*5	12
053.19	27	10	17	-	*	*6	20	*5	*5	*	12
053.9	42	13	29	-	*6	*8	28	12	*7	17	*6
054	116	19	97	*	82	21	10	21	19	54	22
054.1	40	*6	34	-	35	*	*	*7	*	18	10
054.10	35	*5	30	-	31	*	*	*7	*	17	*8
054.9	66	*8	58	*	44	16	*	12	14	30	10
057	*6	*	*	*	*	*	-	*	-	*	*
070	493	303	190	*	96	347	49	105	66	207	116
070.3	61	42	19	-	15	36	10	15	11	20	15
070.30	34	23	11	-	*9	21	*	*9	*8	12	*
070.32	27	19	*8	-	*6	15	*6	*6	*	*7	11
070.4	11	*9	*	-	*	*9	*	*	*	*	*
070.44	11	*8	*	-	*	*9	*	*	*	*	*
070.5	162	99	63	*	24	122	15	31	15	61	54
070.54	157	96	62	*	23	119	15	29	15	60	54
070.7	251	149	102	-	53	177	22	55	37	118	42
070.70	238	141	97	-	53	166	19	51	35	113	39
070.71	13	*8	*6	-	*	10	*	*	*	*	*
075	*9	*	*	*	*	*	-	*	*	*	*
078	27	10	17	*	17	*7	*	*	*6	11	*6
078.1	13	*	11	*	11	*	*	*	*	*6	*
078.11	11	*	10	-	10	*	-	*	*	*	*
078.5	11	*6	*5	*	*	*	*	*	*	*	*
079	162	64	98	86	34	17	24	34	25	56	46
079.3	*9	*7	*	*7	*	*	*	*6	*	*	-
079.4	*9	-	*9	-	*9	*	*	*	*	*	*
079.6	*6	*	*	*	-	*	*	*	*	*	*
079.8	*6	*	*	*	*	*	*	*	*	*	*
079.89	*5	*	*	*	*	*	*	*	*	*	*
079.9	128	49	79	68	24	14	21	21	19	46	43
079.98	*5	*	*	-	*	*	-	*	*	*	*
079.99	122	48	74	68	20	14	21	20	19	42	41
088	11	*	*6	*	*	*5	*	*6	*	*	*
088.8	11	*	*6	*	*	*5	*	*6	*	*	*
088.81	*9	*	*5	*	*	*5	*	*	*	*	*
094	12	*	*8	-	*	*6	*5	*	*	*7	*
094.0	11	*	*7	-	*	*5	*	*	*	*6	*
097	*8	*	*5	-	*	*	*	*	*	*	-
097.9	*6	*	*	-	*	*	*	*	*	*	-
099	13	*	10	-	11	*	-	*	*	*6	*
099.5	10	*	10	-	10	-	-	*	*	*5	*
110	113	74	39	*	18	22	71	27	29	49	*8
110.1	54	34	19	-	*	*8	42	10	14	27	*
110.3	*9	*7	*	-	*	*	*5	*	*	*	*
110.4	28	22	*6	*	*8	*7	13	11	*8	*9	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
110.5	14	*8	*7	*	*	*	*7	*	*	*6	*
111	10	*	*8	-	*	*	*	*	*	*	*
112	490	177	313	32	74	126	258	96	112	194	89
112.0	197	84	113	16	28	51	103	45	47	79	26
112.1	34	-	34	*	18	11	*	*7	*8	10	*8
112.2	98	29	70	*	*5	20	69	23	13	42	20
112.3	50	18	32	11	*	10	27	*	15	16	14
112.4	13	*	10	*	*	*	*8	*	*	*8	*
112.5	13	*6	*7	*	*	*	*6	*	*	*	*
112.8	70	34	36	*	10	22	37	13	18	27	13
112.84	42	24	18	-	*	13	25	10	*8	18	*5
112.89	28	10	18	*	*5	10	12	*	*9	*9	*7
112.9	14	*	11	*	*	*5	*	*	*	*6	*
115	*7	*	*	*	*	*	*	-	*	*	*
115.9	*6	*	*	*	*	*	*	-	*	*	*
117	44	24	20	*	*	16	23	*6	16	15	*7
117.3	12	*9	*	*	*	*6	*	*	*	*	*
117.9	29	13	17	*	*	*9	18	*6	12	*9	*
131	15	*	14	-	12	*	*	*	*	*8	*
131.0	*9	*	*9	-	*8	*	*	*	*	*6	-
131.01	*5	-	*5	-	*	*	-	*	*	*	-
131.9	*5	*	*5	-	*	*	*	*	*	*	*
132	*5	*	*	*	*	*	*	*	*	*	*
133	*6	*	*	*	*	*	*	*	*	*	*
133.0	*6	*	*	*	*	*	*	*	*	*	*
135	63	18	45	-	16	30	17	17	13	24	*8
136	21	11	*9	*	*8	*	*8	*	*	*8	*6
136.3	10	*8	*	-	*6	*	*	*	*	*	*
136.9	*6	*	*	*	*	*	*	*	*	*	*
138	18	*8	11	-	*	*	13	*	*6	*8	*
139	*5	*	*	*	*	*	*	*	*	*	*
139.8	*5	*	*	*	*	*	*	*	*	*	*
140-239	5,134	2,380	2,754	116	696	1,749	2,571	1,158	1,105	1,901	970
141	19	14	*6	-	*	*6	11	*	*	12	*
141.0	*7	*5	*	-	*	*	*	*	*	*	*
141.9	*8	*	*	-	*	*	*	*	*	*6	-
146	16	15	*	*	*	*9	*6	*	*5	*5	*
146.0	*8	*7	*	*	-	*7	*	*	*	*	*
150	25	22	*	-	*	10	14	*5	*5	*9	*6
150.9	20	17	*	-	*	*9	11	*	*	*8	*5
151	43	27	15	-	*6	16	21	*7	10	16	*9
151.0	18	14	*	-	*	*6	11	*	*	*	*6
151.8	*7	*	*	-	*	*	*	*	*	*	*
151.9	12	*6	*6	-	*	*	*7	*	*	*	*
152	*6	*	*	-	*	*	*	*	*	*	*
153	169	85	85	-	*7	55	108	34	36	75	25
153.0	*6	*	*	-	*	*	*6	*	*	*	*
153.1	*9	*	*5	-	*	*	*	*	*	*	*
153.2	*7	*	*	-	-	*	*	*	*	*	*
153.3	17	*9	*8	-	*	*6	10	*	*	*5	*
153.4	26	*9	17	-	-	*7	19	*5	*8	*8	*
153.6	20	*8	12	-	*	*8	12	*	*6	*6	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
153.9	73	40	32	-	*	22	47	12	12	41	*8
154	69	40	29	-	*5	34	30	17	16	30	*6
154.0	20	11	*9	-	*	*9	10	*8	*	*8	*
154.1	43	26	17	-	*	22	19	*7	11	21	*
155	51	35	16	*	*	28	19	12	*9	17	13
155.0	38	28	10	*	*	23	13	*9	*8	13	*9
155.1	10	*5	*	-	*	*	*	*	*	*	*
156	19	*8	11	*	*	*	17	*7	*	*	*
156.0	*8	*5	*	-	-	*	*8	*	*	*	*
156.1	*7	*	*6	*	*	*	*6	*	*	*	*
157	81	48	33	-	*	26	52	15	12	40	13
157.0	26	15	11	-	*	10	15	*	*	14	*6
157.9	41	24	16	-	*	11	28	*9	*5	21	*6
158	11	*	*8	*	*	*8	*	*	*	*	*
158.0	*6	*	*	*	*	*	*	*	*	*	*
161	22	15	*6	-	*	*5	16	*7	*6	*8	*
161.9	13	*8	*	-	*	*	*9	*	*	*	-
162	407	219	188	-	*8	125	275	82	97	171	57
162.2	12	*	*7	-	*	*6	*	*	*	*5	*
162.3	83	43	40	-	*	30	53	18	22	32	11
162.4	*7	*	*	-	-	*	*5	*	*	*	*
162.5	48	22	26	-	*	11	36	11	*8	19	10
162.8	19	11	*8	-	*	*8	11	*8	*	*5	*
162.9	239	135	103	-	*6	67	165	40	59	107	33
170	16	*5	10	*6	*6	*	*	*6	*	*8	*
170.7	*6	*	*	*	*	*	*	*	*	*	-
171	36	22	14	12	*	10	12	*8	*7	11	10
171.0	*7	*6	*	*6	-	*	*	-	*	*	*
171.3	*6	*	*	-	*	*	*	*	*	*	*
171.9	*8	*5	*	*	*	*	*	*	*	*	*
172	22	14	*8	-	*8	*	10	*	*	10	*6
172.9	*9	*9	*	-	*	*	*	*	*	*5	*
173	18	13	*5	-	*	*5	12	*6	*	*5	*
173.5	*5	*	*	-	*	*	*	*	*	*	*
174	201	-	201	-	32	85	84	49	49	64	39
174.2	*6	-	*6	-	*	*	*	*	*	*	*
174.4	12	-	12	-	*	*8	*	*	*	*	*
174.8	33	-	33	-	*6	12	15	15	*7	*7	*
174.9	134	-	134	-	20	55	59	25	34	46	28
179	17	-	17	*	*	*5	11	*6	*	*	*
180	30	-	30	-	*9	14	*7	10	*5	12	*
180.9	25	-	25	-	*8	11	*6	*8	*	11	*
182	52	-	52	-	*	22	27	16	12	16	*8
182.0	52	-	52	-	*	22	27	16	12	16	*8
183	73	-	73	*	19	22	30	15	19	30	*9
183.0	69	-	69	*	18	21	29	15	16	29	*9
184	*7	-	*7	*	*	*	*5	*	*	*	*
184.4	*6	-	*6	-	*	*	*	*	*	*	-
185	219	219	-	-	*	72	146	48	51	68	51
188	59	44	15	-	*	12	47	15	14	20	11
188.8	10	*6	*	-	*	*	*8	*5	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
188.9	37	29	*8	-	*	*6	30	*7	*9	12	10	
189	78	50	28	*	*7	24	47	16	15	27	20	
189.0	64	41	23	*	*6	20	37	14	13	24	13	
189.1	*7	*	*	-	-	*	*5	*	*	*	*	
189.2	*6	*	*	-	*	*	*	*	*	*	*	
191	55	34	22	*	13	18	20	*9	14	24	*9	
191.1	10	*7	*	*	*	*	*	*	*	*	*	
191.2	10	*6	*	*	*	*	*7	*	*	*6	*	
191.3	*8	*	*5	-	*8	*	*	*	*	*	*	
191.9	15	10	*	*	*	*	*6	*	*	*9	*	
192	*6	*	*	*	*	*	*	-	*	*	*	
193	26	*7	19	-	*8	12	*6	*	*7	10	*5	
194	12	10	*	*6	*	*	*	*6	*	*	*	
194.0	*7	*6	*	*6	*	*	*	*6	*	*	*	
195	28	23	*5	13	*	*8	*7	13	*	*8	*	
195.0	*6	*	*	-	-	*	*	*	*	*	-	
195.1	*7	*7	*	*7	-	*	-	*7	-	*	-	
195.8	*8	*7	*	*5	*	*	*	*6	*	*	*	
196	205	91	113	*7	24	76	98	42	45	68	50	
196.0	25	16	*9	-	*	11	*9	*	*8	*8	*5	
196.1	36	13	23	-	*	11	23	*	*8	14	10	
196.2	67	35	32	*	*	31	31	15	13	21	18	
196.3	37	*7	30	*	*6	15	12	10	*8	12	*6	
196.6	*8	*	*5	-	*	*	*	*	*	*	*	
196.9	24	13	11	-	*	*6	16	*	*	*9	10	
197	589	259	330	*6	58	213	311	133	127	218	111	
197.0	169	72	97	*	20	59	88	44	35	56	33	
197.1	13	*6	*7	*	*	*	*8	*	*	*8	*	
197.2	13	*	*8	-	*	*	*7	*	*	*	*	
197.4	10	*6	*	*	*	*	*	*	*	*	*	
197.5	18	*6	12	-	*	11	*5	*	*5	*6	*	
197.6	87	29	58	-	14	33	40	24	17	28	18	
197.7	249	125	124	*	19	82	145	53	55	100	42	
197.8	27	*8	19	*	*	15	10	*	*6	13	*6	
198	557	297	260	10	44	192	311	132	127	191	106	
198.0	10	*8	*	*	*	*	*	*	*	*	*	
198.1	11	*6	*	*	*	*	*7	*	*	*	*	
198.2	*9	*5	*	-	*	*	*	*	*	*	*	
198.3	138	75	63	*	12	56	70	31	29	53	25	
198.4	*6	*	*	*	*	*	*	*	*	*	*	
198.5	247	129	118	*8	12	77	149	66	54	76	50	
198.6	*6	-	*6	-	*	*	*	*	*	*	*	
198.7	33	19	14	-	*	*8	25	*9	*8	10	*6	
198.8	98	51	47	*	10	37	49	21	26	32	18	
198.82	14	*	*9	*	*	*6	*	*	*	*6	*	
198.89	81	46	35	*	*6	31	43	18	23	25	15	
199	88	48	40	-	10	22	57	15	16	43	14	
199.0	*8	*	*	-	*	*	*5	*	*	*	*	
199.1	80	42	38	-	*8	21	51	14	15	38	13	
200	32	20	12	*	*7	10	14	10	*6	13	*	
200.2	*7	*	*	*	*	*	*	*	*	*	*	
200.4	*7	*7	*	-	*	*	*	*	*	*	*	
201	27	18	*9	*	12	*	10	*	*9	12	*	
201.9	24	17	*7	*	10	*	*9	*	*8	11	*	
201.90	19	13	*5	*	*7	*	*8	*	*8	*8	*	
202	181	101	79	*7	17	54	102	46	42	64	29	
202.0	11	*5	*5	-	*	*5	*	*	*6	*	-	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
202.00	*7	*	*	-	*	*	*	*	*	*	-
202.8	151	83	67	*	14	45	91	34	32	58	26
202.80	115	63	52	*	*8	33	74	30	24	43	18
202.81	11	*7	*	-	*	*	*	*	*	*	*5
202.83	11	*7	*	-	*	*5	*5	*	*	*6	*
202.88	*7	*	*	-	*	*	*	*	*	*	*
202.9	*8	*8	*	*7	*	*	*	*7	*	*	*
202.94	*7	*7	*	*7	-	*	-	*7	*	-	-
203	108	54	54	-	*	41	67	31	21	41	15
203.0	106	54	52	-	*	40	65	31	21	40	14
203.00	98	49	49	-	*	40	57	27	19	39	14
204	106	70	36	18	11	18	58	24	20	37	26
204.0	35	23	12	18	11	*	*	*	*6	14	10
204.00	25	18	*8	13	*6	*	*	*	*	*9	*8
204.01	*6	*	*	*	*	*	-	*	*	*	*
204.1	69	46	23	-	*	14	55	18	13	22	16
204.10	63	41	22	-	-	11	52	17	13	20	13
204.11	*6	*5	*	-	*	*	*	*	*	*	*
205	65	34	30	*	17	15	31	15	14	28	*8
205.0	43	20	23	*	13	11	18	*9	10	20	*
205.00	32	16	16	*	*8	*8	15	*8	*7	13	*
205.01	*6	*	*	-	*	*	*	*	*	*	*
205.1	21	14	*7	-	*	*	13	*7	*	*8	*
205.10	18	13	*	-	*	*	11	*	*	*7	*
208	*9	*6	*	-	*	*	*	*	*	*7	*
208.9	*6	*	*	-	*	*	*	*	*	*5	-
208.90	*6	*	*	-	*	*	*	*	*	*5	-
209	50	27	23	*	*	25	24	15	10	11	15
209.2	11	*5	*6	-	*	*7	*	*	*	*	*
209.29	*6	*	*	-	-	*6	*	*	*	*	*
209.7	24	15	*8	-	*	13	10	10	*	*	*6
209.71	*8	*6	*	-	*	*	*	*	*	*	*
209.72	*9	*6	*	-	*	*	*	*	*	*	*
209.79	*6	*	*	-	-	*	*	*	*	*	*
211	225	107	119	*	20	79	126	45	51	88	41
211.1	25	*9	17	-	*	*6	18	*6	*	11	*
211.3	168	84	84	-	13	62	93	31	39	67	32
211.4	21	11	10	-	*	*7	11	*	*5	*8	*
211.6	*6	*	*	-	*	*	*	*	-	*	*
212	*9	*6	*	*	*	*	*	*	*	*	*
213	*9	*	*7	-	*5	*	*	*	*	*	*
214	19	*8	11	*	*	*7	11	*6	*	*	*6
214.3	*8	*	*6	-	*	*	*7	*	*	*	*
214.8	*6	*	*	*	*	*	*	*	*	*	*
215	*7	*	*	-	*	*	*	*	*	*	*
216	10	*	*6	*	*	*	*	*	*	*	*
217	*7	-	*7	-	*	*	*	*	*	*	*
218	372	-	372	-	196	161	15	87	71	136	79
218.0	26	-	26	-	11	13	*	*8	*	*9	*7
218.1	64	-	64	-	30	32	*	19	10	24	11
218.2	44	-	44	-	23	19	*	12	*7	13	12
218.9	238	-	238	-	132	97	*9	47	52	90	49
220	41	-	41	*	19	14	*8	10	*8	17	*7
221	*6	-	*6	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
223	*9	*5	*	-	*	*	*7	*	*	*	*
223.0	*6	*	*	-	*	*	*	*	*	*	*
225	48	17	31	*	*7	11	30	13	11	11	13
225.2	34	13	21	-	*6	*7	21	10	*7	*8	*9
225.4	*6	*	*5	-	*	*	*	*	*	*	*
226	*7	*	*	-	*	*	*	*	*	*	*
227	51	22	28	-	12	22	17	*9	14	15	13
227.0	20	*9	11	-	*	*9	*7	*6	*	*7	*
227.1	*8	*	*6	-	*	*	*5	*	*	*	*
227.3	22	11	11	-	*7	10	*5	*	*8	*7	*7
228	31	12	19	*6	*6	10	*9	*6	*6	12	*7
228.0	31	12	19	*6	*6	*9	*9	*6	*6	11	*7
228.04	13	*	*9	-	*	*6	*	*	*	*6	*
228.09	10	*	*6	*	*	*	*5	*	*	*	*
233	30	*	29	-	*7	13	10	*9	*7	*7	*6
233.0	20	-	20	-	*	10	*8	*7	*	*	*
233.1	*7	-	*7	-	*5	*	*	*	*	*	*
235	12	*5	*7	-	*	*	*7	*	*	*	*5
235.2	*5	*	*	-	*	*	*	*	*	*	*
236	*5	*	*	-	*	*	*	*	*	*	-
237	11	*6	*	*	*	*	*	*	*	*	*
237.7	*6	*	*	*	*	*	*	*	*	*	*
238	213	107	107	*	23	49	139	39	44	92	38
238.4	36	23	13	-	*7	14	14	*6	*8	15	*7
238.7	169	79	90	*	14	31	122	31	33	75	30
238.71	61	23	39	*	12	21	27	12	11	27	11
238.75	83	45	38	*	*	*5	76	12	18	40	13
238.79	18	*7	12	*	*	*	16	*6	*	*6	*
239	36	16	19	*	*5	13	17	*8	*9	15	*
239.0	*8	*	*6	*	*	*	*	*	*	*	*
239.6	*7	*	*	-	*	*	*	*	*	*	*
240-279	32,141	13,889	18,252	478	3,786	10,357	17,520	6,582	7,509	12,441	5,609
240	23	*	20	-	*5	*7	11	*	*7	*6	*9
240.9	23	*	19	-	*5	*7	11	*	*7	*6	*9
241	75	17	58	-	12	25	39	22	17	19	17
241.0	40	11	29	-	*5	14	20	12	*9	*8	10
241.1	31	*6	25	-	*	*8	18	*7	*8	11	*6
242	116	21	95	*	25	38	52	33	24	39	20
242.0	31	*	28	*	10	10	11	15	*	*8	*
242.00	29	*	26	*	10	*8	11	12	*	*8	*
242.9	76	15	61	*	14	26	36	17	16	28	15
242.90	74	14	60	*	13	25	36	17	15	28	15
244	2,806	651	2,154	11	313	704	1,778	562	645	1,045	554
244.0	63	*7	56	-	*8	21	34	12	20	14	17
244.1	*8	*	*7	-	*	*	*	*	*	*	*
244.8	22	*9	13	-	*	*9	10	*	11	*	*
244.9	2,706	633	2,073	11	301	669	1,725	544	611	1,020	531
245	28	*	25	*	15	*9	*	*7	10	*7	*
245.2	24	*	22	*	15	*6	*	*6	*7	*7	*
246	35	*	31	*	*6	*9	20	*	*8	18	*
246.9	26	*	23	*	*	*6	16	*	*7	13	*
249	63	29	33	*	11	20	31	15	10	34	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
249.0	49	22	27	*	*8	18	23	10	*7	28	*
249.00	45	20	26	*	*7	17	22	*9	*7	27	*
249.8	*5	*	*	-	*	*	*	*	*	*	*
250	7,210	3,465	3,745	23	728	2,561	3,898	1,613	1,627	2,840	1,130
250.0	5,264	2,440	2,824	13	436	1,802	3,013	1,145	1,209	2,137	772
250.00	4,760	2,218	2,542	*	345	1,594	2,817	1,035	1,108	1,896	720
250.01	70	27	43	*6	29	17	18	10	14	36	10
250.02	412	187	226	*	52	183	176	95	83	194	40
250.03	21	*8	13	*	10	*9	*	*	*	11	*
250.1	175	75	100	10	99	49	17	21	47	82	26
250.10	*6	*	*	-	*	*	*	*	*	*	*
250.12	48	24	24	*	13	24	10	*7	14	19	*8
250.13	118	46	72	*9	81	22	*6	11	30	61	16
250.2	33	14	18	-	*8	13	11	*6	*	17	*6
250.20	10	*6	*	-	*	*	*	*	*	*	*
250.22	19	*8	10	-	*	*8	*7	*	*	*9	*
250.4	392	210	182	-	36	148	208	88	74	130	100
250.40	290	148	142	-	12	101	176	60	56	92	82
250.41	28	14	14	-	12	14	*	*	*	14	*5
250.42	62	41	21	-	*6	27	29	21	11	19	11
250.43	12	*8	*	-	*5	*7	*	*	*	*	*
250.5	179	87	92	-	22	70	87	50	39	56	34
250.50	131	59	72	-	*5	52	74	39	26	39	27
250.51	15	*7	*9	-	*8	*5	*	*	*	*	*
250.52	26	18	*8	-	*5	*9	11	*8	*8	*8	*
250.53	*7	*	*	-	*	*	*	*	*	*	*
250.6	599	315	284	-	72	257	269	166	128	208	96
250.60	423	220	204	-	24	175	224	115	94	146	68
250.61	37	22	15	-	16	19	*	10	*6	13	*8
250.62	111	59	52	-	17	52	42	36	22	37	16
250.63	28	14	13	-	15	12	*	*5	*7	13	*
250.7	114	73	41	-	*	45	64	26	26	35	28
250.70	89	57	32	-	*	33	52	17	22	25	26
250.71	*5	*	*	-	-	*	*	*	*	*	*
250.72	20	14	*6	-	*	*8	11	*7	*	*9	*
250.8	401	228	173	*	38	155	207	102	89	150	60
250.80	283	161	123	-	17	99	167	55	68	111	49
250.81	29	21	*8	-	10	16	*	11	*5	*8	*
250.82	77	42	35	-	*	37	36	33	11	26	*6
250.83	11	*	*6	*	*7	*	*	*	*	*	*
250.9	50	20	30	*	11	20	19	*8	10	23	*9
250.90	*7	*	*6	-	*	*	*	*	*	*	*
250.92	38	17	21	-	*6	16	16	*	*8	19	*7
251	55	20	34	*7	10	15	23	*7	11	29	*8
251.2	47	17	31	*5	*8	13	22	*6	*9	26	*7
252	75	17	58	*	10	26	39	16	15	24	20
252.0	58	15	43	-	*6	22	30	15	12	19	12
252.00	39	*8	31	-	*	15	19	11	*7	12	*8
252.01	17	*5	11	-	*	*6	10	*	*	*6	*
252.1	12	*	10	*	*	*	*6	*	*	*	*
253	171	80	91	11	18	46	95	36	42	58	35
253.2	17	*9	*8	*	*	*9	*	*	*6	*	*
253.5	15	*5	*9	*	*	*	*	*	*	*7	*
253.6	123	54	69	*	*5	28	89	28	29	41	24
253.8	*5	*	*	*	*	*	*	*	*	*	*
255	160	54	106	*	26	63	67	30	44	56	29
255.0	12	*	*8	*	*	*6	*	*5	*	*	*
255.1	*9	*	*	*	*	*	*	*	*	*	*
255.4	103	33	70	*	15	39	47	16	31	35	22
255.41	100	32	67	*	15	36	47	15	31	35	19
255.8	10	*	*6	*	*	*	*5	*	*	*5	*
255.9	21	*6	15	*	*5	*8	*7	*	*5	10	*
256	40	-	40	*	34	*5	*	*9	*8	13	10
256.4	38	-	38	*	33	*	-	*9	*8	11	10

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
257	22	22	-	*	*	*7	12	*	*	10	*7
257.2	21	21	-	*	*	*6	12	*	*	*9	*7
259	*9	*5	*	*	*	*	*	*	*	*	*
260	28	11	16	-	*	*6	20	*	*7	17	*
261	77	32	45	*	*	23	49	11	19	34	14
262	129	55	74	*	*8	35	86	31	28	60	10
263	727	316	411	15	52	167	494	129	171	288	141
263.0	65	30	35	*	*	15	46	17	*9	27	13
263.1	43	18	25	*	*	*9	30	15	*5	14	*8
263.8	12	*	*9	*	*	*	*6	*	*	*	*
263.9	607	265	342	14	43	139	411	94	155	242	116
265	10	*7	*	*	*	*	*	*	*	*	*
265.1	10	*7	*	*	*	*	*	*	*	*	*
266	163	55	108	*	13	28	121	52	45	48	18
266.2	160	54	106	*	13	27	120	52	43	47	18
268	254	98	157	*	26	79	146	133	52	43	26
268.9	252	97	155	*	26	78	146	132	52	43	26
269	14	*5	*9	*	*	*	*7	*	*5	*5	*
269.9	*6	*	*	*	*	*	*	*	*	*	*
270	54	28	26	12	20	15	*7	*7	14	13	19
270.4	32	15	17	*9	16	*	*	*	*9	*6	16
270.6	18	12	*6	*	*	10	*	*5	*	*6	*
271	32	18	14	*8	*6	*8	10	*8	*6	10	*9
271.3	28	15	13	*6	*	*7	*9	*7	*	*7	*9
272	7,118	3,521	3,597	*6	375	2,407	4,329	1,579	1,729	2,568	1,242
272.0	1,394	623	771	*	76	488	827	387	299	451	256
272.1	76	43	33	*	20	35	18	10	18	30	18
272.2	50	30	20	*	*6	24	20	11	11	19	10
272.4	5,579	2,812	2,767	*	271	1,853	3,453	1,168	1,393	2,064	954
272.9	13	10	*	-	*	*	10	*	*7	*	*
273	193	87	105	*9	24	51	108	33	42	85	33
273.1	25	12	13	-	-	*	20	*7	*7	*9	*
273.3	*6	*	*	-	*	*	*5	*	*	*	*
273.8	154	69	85	*8	23	44	79	23	33	71	27
274	553	374	180	-	26	151	375	123	127	203	100
274.0	106	67	39	-	*7	30	69	21	25	39	20
274.00	57	37	21	-	*	14	38	10	16	25	*7
274.01	43	26	17	-	*	14	27	10	*8	12	12
274.9	443	304	139	-	20	121	303	102	101	162	78
275	856	349	507	11	139	297	409	141	214	369	133
275.0	23	11	12	*	*8	*5	*9	*8	*	*7	*
275.2	382	149	233	*	50	141	188	53	115	162	51
275.3	167	82	86	*	34	55	73	26	29	84	29
275.4	281	106	175	*	46	94	138	53	66	114	49
275.41	140	52	87	*	34	50	54	26	34	60	20
275.42	124	46	77	*	10	41	71	22	29	49	24
275.49	16	*7	*9	-	*	*	12	*	*	*5	*5
276	8,227	3,507	4,720	308	1,120	2,335	4,463	1,392	1,913	3,404	1,518
276.0	315	156	160	10	20	68	218	63	84	115	54
276.1	1,690	762	928	40	162	529	960	280	422	611	377
276.2	746	350	396	39	100	230	378	137	179	292	139
276.3	130	58	72	*6	18	34	72	14	41	53	22
276.4	54	18	36	*	*5	17	31	*8	16	19	11

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
276.5	2,181	914	1,266	171	318	467	1,225	365	462	955	399
276.50	142	58	83	*	19	38	84	14	13	97	19
276.51	1,963	817	1,146	169	292	405	1,097	337	433	827	366
276.52	76	39	37	*	*6	24	44	14	16	31	14
276.6	135	71	64	*	14	42	76	20	28	58	29
276.7	686	339	347	*9	64	204	410	131	162	289	103
276.8	2,203	799	1,403	28	409	720	1,046	344	498	985	375
276.9	87	39	48	*	11	25	47	29	23	27	*8
277	131	65	66	12	34	47	38	20	41	43	27
277.0	27	15	13	*6	16	*	-	*	10	11	*
277.00	*6	*	*	*	*	*	-	*	*	*	-
277.02	17	*8	*9	*	*9	*	-	*	*7	*5	*
277.1	*5	*	*	-	*	*	*	*	*	*	*
277.3	13	*7	*6	-	*	*5	*8	*	*	*5	*
277.39	*9	*	*5	-	*	*	*6	*	*	*	*
277.4	13	*8	*	*	*6	*	*	*	*	*	*5
277.7	55	25	29	*	*8	29	17	*6	20	15	14
277.8	15	*7	*8	*	*	*	*	*	*6	*6	*
277.89	*6	*	*	*	*	*	*	*	*	*	-
278	2,631	939	1,691	21	700	1,142	768	548	604	1,028	451
278.0	2,555	906	1,650	20	692	1,101	742	529	583	1,006	438
278.00	1,350	478	873	16	369	554	411	252	327	520	252
278.01	1,161	407	754	*	312	529	319	271	241	475	174
278.02	44	21	22	*	11	18	11	*7	14	11	12
278.1	12	*	11	-	*	*5	*	*8	*	*	*
278.8	61	32	29	-	*	34	23	11	20	22	*9
279	49	25	24	*9	*8	19	12	11	14	15	*9
279.0	26	15	12	*	*	10	11	*	*7	*9	*5
279.00	16	11	*	*	*	*	*8	*	*	*6	*
279.03	*5	*	*	*	*	*	*	*	*	*	*
279.5	*5	*	*	*	*	*	*	*	*	*	*
280-289	8,934	3,687	5,247	208	1,692	2,533	4,501	1,646	2,082	3,654	1,552
280	902	298	604	12	191	226	473	185	228	342	146
280.0	321	116	206	*	60	80	180	70	87	115	49
280.8	*9	*	*7	*	*	*	*	*	*	*	*
280.9	568	178	390	11	126	142	289	111	140	224	92
281	157	56	101	*	12	47	98	33	43	54	27
281.0	35	*6	29	-	*	*7	27	*9	13	10	*
281.1	23	*6	16	-	*	*7	14	*6	*5	*9	*
281.2	*8	*	*	-	*	*	*	*	*	*	*
281.9	90	39	51	*	*8	30	52	15	22	32	20
282	191	60	131	20	131	30	*9	45	36	72	38
282.4	43	12	31	*	24	12	*5	10	*	*7	22
282.49	38	*9	29	*	20	12	*5	*8	*	*	22
282.5	31	*	27	*	21	*7	*	11	*6	11	*
282.6	106	40	67	15	82	10	*	22	21	52	12
282.60	16	*6	10	*	10	*	*	*	*	*8	*
282.62	83	30	53	10	66	*6	-	18	17	40	*8
283	40	22	18	*	10	*6	20	*9	*9	18	*
283.0	17	*6	11	*	*	*	*8	*	*	*7	*
283.1	*7	*6	*	*	*	*	*	-	*	*	*
283.9	16	10	*6	*	*	*	10	*6	*	*7	*
284	312	154	158	*7	40	124	141	57	79	125	51
284.1	235	120	115	*	29	95	106	47	55	98	36
284.8	65	31	34	*	*7	24	31	*7	21	22	15
284.89	64	30	34	*	*7	24	31	*6	21	22	15
284.9	*9	*	*5	*	*	*	*	*	*	*	*
285	4,981	1,938	3,042	56	858	1,297	2,769	920	1,195	2,005	860
285.1	1,398	550	848	*8	185	384	821	298	392	455	253
285.2	883	408	474	*	85	259	535	151	185	389	157

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
285.21	382	183	199	*	42	123	217	62	75	186	60
285.22	112	62	50	*	*9	37	65	18	21	42	31
285.29	388	163	225	*	34	99	253	71	90	161	66
285.3	51	24	26	*	11	15	24	*	15	20	12
285.8	45	14	31	*	13	11	21	12	*8	21	*
285.9	2,604	942	1,663	44	564	628	1,369	455	595	1,120	435
286	264	138	127	13	43	102	106	50	65	98	51
286.0	*9	*5	*	*	*	*	*	*	*	*	*
286.3	27	*8	19	*	*6	10	12	*9	*5	*7	*6
286.4	24	11	13	*	*7	*8	*6	*8	*6	*7	*
286.6	41	21	19	*	*9	17	13	*	13	13	10
286.7	51	28	23	*	*	24	22	11	*5	21	13
286.9	107	60	48	*7	13	40	47	13	33	43	18
287	890	475	414	26	145	288	431	158	186	365	181
287.0	*5	*	*	*	*	*	*	*	*	*	*
287.1	*6	*	*	*	*6	*	*	*	*	*	*
287.3	60	25	35	*6	16	18	21	14	14	20	12
287.31	54	23	31	*	14	16	20	14	11	19	10
287.4	135	84	51	*	19	56	56	30	29	42	34
287.5	680	360	320	15	107	211	348	112	142	298	128
288	953	426	526	60	201	321	370	151	184	482	135
288.0	162	86	76	24	25	53	59	44	30	67	21
288.00	106	54	52	20	16	29	42	27	21	43	15
288.03	44	22	22	*	*7	22	11	14	*8	17	*
288.04	*7	*6	*	*	*	*	*	*	*	*5	*
288.3	16	10	*5	*	*6	*	*9	*	*	*6	*
288.5	69	28	41	*	13	26	28	*8	16	31	14
288.50	65	28	37	*	12	25	26	*8	15	28	14
288.6	698	299	398	32	160	236	270	97	131	374	95
288.60	677	287	390	29	155	231	262	93	127	364	92
288.66	10	*5	*5	*	*	*	*	*	*	*	*
289	246	121	125	*8	62	93	83	37	58	92	59
289.0	19	15	*	-	*	*8	*8	*	*	*5	*6
289.2	*8	*	*5	*	*5	*	*	*	*	*	*
289.3	*9	*6	*	*	*	*	*	*	*	*	*
289.4	10	*5	*	-	*	*7	*	*	*	*	*
289.5	16	11	*	-	*	*7	*6	*	*	*6	*
289.50	*5	*	*	-	*	*	*	*	*	*	*
289.59	*9	*6	*	-	*	*	*	*	*	*5	*
289.8	172	74	99	*	46	63	62	26	43	62	41
289.81	100	34	66	*	38	31	30	19	31	36	14
289.82	*6	*	*	-	*	*	*	*	*	*	*
289.83	*8	*6	*	-	-	*	*6	*	*	*	*
289.84	13	*8	*5	-	*	*	*8	*	*	*7	*
289.89	45	24	21	-	*5	25	16	*	*7	12	24
289.9	10	*6	*	-	*	*	*	*	*	*6	*
290-319	17,752	8,324	9,428	458	5,737	6,193	5,364	3,800	4,727	6,522	2,703
290	206	93	113	-	*	16	190	45	49	79	33
290.0	75	27	49	-	-	*	74	20	19	23	14
290.1	*5	*	*	-	-	*	*	*	*	*	*
290.2	*7	*	*	-	-	*	*7	*	*	*	*
290.20	*5	*	*	-	-	*	*	*	*	*	*
290.3	12	*7	*5	-	-	*	11	*	*	*	*
290.4	105	51	53	-	*	*9	95	20	24	46	15
290.40	78	38	41	-	*	*	74	13	20	33	13
290.41	19	10	*9	-	-	*	16	*	*	11	*
291	387	287	100	*	112	215	60	116	109	90	71
291.0	85	66	19	-	17	53	15	32	15	26	12
291.2	26	19	*7	-	*	13	13	*	10	*7	*6
291.3	*6	*	*	-	*	*	*	*	*	*	*
291.8	263	194	70	*	93	143	28	75	80	55	53
291.81	247	184	63	-	83	137	28	74	70	53	50
291.89	16	*9	*6	-	10	*6	*	*	10	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
297	38	20	18	*	*6	*8	23	*9	*8	14	*7
297.1	26	13	13	-	*6	*7	13	*6	*6	10	*
297.9	*9	*6	*	*	*	*	*8	*	*	*	*
298	241	117	123	11	60	56	114	42	73	91	35
298.9	235	116	120	11	58	54	112	40	71	91	34
299	37	28	*9	18	16	*	*	12	10	11	*
299.0	21	14	*7	11	*8	*	*	*8	*5	*6	*
299.00	20	13	*7	11	*7	*	*	*7	*5	*	*
299.8	11	*9	*	*	*6	*	*	*	*	*	*
299.80	10	*8	*	*	*5	*	*	*	*	*	*
299.9	*5	*	*	*	*	*	-	*	*	*	*
299.90	*5	*	*	*	*	*	-	*	*	*	*
300	2,321	670	1,652	29	630	857	805	460	575	915	372
300.0	1,380	411	969	21	377	495	488	267	362	536	214
300.00	1,161	344	817	17	287	419	437	232	284	468	177
300.01	118	33	85	*	55	43	18	20	40	32	25
300.02	80	26	54	*	28	25	27	10	28	35	*7
300.09	21	*8	13	-	*7	*8	*6	*	10	*	*
300.1	29	*9	20	*	18	*7	*	*	*7	13	*7
300.11	18	*7	11	*	11	*	*	*	*	*7	*
300.14	*6	*	*5	-	*	*	*	-	*	*	*
300.2	36	11	25	*	13	15	*8	*	12	11	11
300.21	17	*5	11	*	10	*6	*	*	*7	*	*7
300.29	12	*	*9	-	*	*	*6	*	*	*6	*
300.3	33	14	18	*	17	12	*	10	10	*7	*6
300.4	806	209	597	*	187	316	299	171	174	332	129
300.8	*6	*	*	*	*	*	*	*	*	*	*
300.82	*5	*	*	*	*	*	*	*	*	*	-
300.9	29	12	16	*	15	*9	*	*5	*7	12	*
301	290	116	174	*	174	89	23	64	105	84	37
301.3	*6	*	*	*	*	*	*	-	*	*	*
301.5	12	*	*8	*	*	*	*	*	*	*8	*
301.50	*9	*	*7	-	*	*	*	*	*	*8	*
301.6	13	*6	*7	-	*8	*	*	*	*	*	*
301.7	37	32	*5	-	28	*9	*	*6	17	10	*
301.8	116	27	90	*	75	33	*8	21	54	28	13
301.81	*5	*	*	-	*	*	*	*	*	*	*
301.82	*5	*	*	-	*5	-	-	*	*	*	*
301.83	96	16	80	*	61	28	*6	15	47	25	*9
301.89	*9	*	*	-	*	*	*	*	*6	*	*
301.9	98	42	56	*	58	34	*6	32	25	27	14
302	10	*	*	-	*5	*	*	*	*	*	*
303	842	588	254	*	269	462	111	196	240	233	173
303.0	157	106	51	-	58	86	13	30	67	32	29
303.00	67	44	22	-	25	36	*6	*8	26	17	16
303.01	85	60	26	-	30	48	*7	22	38	14	12
303.02	*5	*	*	-	*	*	*	*	*	*	*
303.9	685	482	203	*	211	375	98	166	173	201	144
303.90	347	249	98	*	104	195	48	79	80	113	75
303.91	232	164	68	-	79	123	29	72	61	59	40
303.92	16	*9	*7	-	*9	*6	*	*	*	*	*8
303.93	90	60	30	-	19	51	20	14	29	26	21
304	565	343	223	*	340	204	20	160	153	168	85
304.0	232	133	99	*	132	92	*7	72	54	66	40
304.00	107	58	49	*	70	32	*	30	23	35	19
304.01	112	70	41	*	53	55	*	39	27	28	18
304.03	12	*	*8	-	*7	*	*	*	*	*	*
304.1	41	25	15	-	23	14	*	14	10	11	*5
304.10	28	18	10	-	17	*9	*	10	*7	*7	*
304.11	11	*6	*	-	*	*	*	*	*	*	*
304.2	74	55	19	-	39	34	*	27	17	27	*
304.20	45	34	11	-	23	22	*	20	10	15	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
304.21	19	14	*5	-	10	*9	*	*6	*	*8	*
304.23	*6	*	*	-	*	*	-	*	*	*	*
304.3	76	51	26	*	59	17	*	21	25	16	15
304.30	47	31	16	-	38	*9	*	16	12	*8	11
304.31	20	14	*7	-	16	*	-	*	*9	*5	*
304.33	*6	*	*	-	*	*	-	*	*	*	*
304.4	19	12	*7	-	13	*6	*	*	*	*7	*8
304.40	11	*7	*	-	*7	*	*	-	*	*5	*
304.6	10	*	*6	-	*6	*	*	*	*	*	*
304.60	*7	*	*	-	*	*	*	-	*	*	*
304.7	41	22	19	-	29	12	*	16	12	12	*
304.70	19	11	*8	-	13	*6	*	*8	*6	*	*
304.71	17	*9	*7	-	13	*	*	*5	*	*6	*
304.8	32	21	11	-	22	*9	*	*7	18	*6	*
304.80	22	15	*7	-	16	*6	*	*	11	*	*
304.9	40	20	20	*	17	18	*5	*	10	19	*9
304.90	24	10	14	-	10	*9	*	*	*6	13	*
304.91	13	*8	*	*	*	*7	*	*	*	*6	*
305	5,098	2,869	2,230	22	2,035	2,233	809	850	1,398	2,079	772
305.0	601	415	186	*	258	251	89	112	174	205	110
305.00	413	282	132	*	194	160	58	73	122	142	77
305.01	111	83	28	*	33	63	16	26	27	39	19
305.02	21	15	*7	-	17	*	*	*5	*5	*7	*
305.03	54	36	19	-	15	26	14	*9	19	16	11
305.1	3,524	1,884	1,640	*6	1,144	1,669	705	569	940	1,502	513
305.2	349	215	134	*7	268	73	*	53	123	124	49
305.20	279	169	109	*6	218	55	*	41	99	99	39
305.21	45	31	13	*	34	10	*	*8	13	16	*7
305.22	12	*8	*	*	*8	*	-	*	*	*	*
305.23	13	*7	*7	*	*9	*	*	*	*6	*	*
305.3	*9	*7	*	*	*6	*	*	*	*	*	*
305.30	*8	*7	*	*	*6	*	-	*	*	*	*
305.4	32	18	14	*	20	11	*	*7	*9	15	*
305.40	26	14	11	*	16	*9	*	*	*7	14	*
305.5	106	53	53	*	70	34	*	22	30	39	15
305.50	73	36	37	*	50	22	*	14	24	28	*7
305.51	17	11	*6	-	10	*6	*	*	*	*9	*
305.53	14	*	10	*	*9	*5	*	*5	*	*	*
305.6	238	142	96	*	124	109	*5	57	60	100	21
305.60	193	113	81	*	100	89	*	45	50	80	20
305.61	17	11	*7	-	*9	*7	*	*7	*	*7	*
305.62	*8	*6	*	-	*6	*	-	*	*	*	*
305.63	20	12	*8	-	*9	11	*	*	*6	11	*
305.7	58	40	18	*	40	17	-	*	*8	23	26
305.70	44	31	13	*	31	12	-	*	*6	18	20
305.71	*7	*	*	-	*6	*	-	-	*	*	*
305.73	*5	*	*	-	*	*	-	*	*	*	*
305.9	182	94	88	*	105	68	*6	26	52	69	35
305.90	150	78	72	*	88	55	*6	21	44	56	29
305.91	*7	*	*	-	*6	*	*	*	*	*	*
305.93	23	11	12	-	12	11	*	*	*7	*8	*
306	*9	*	*7	*	*	*	*	*	*	*	*
307	124	49	75	11	42	22	48	40	31	36	17
307.2	11	*7	*	*	*6	*	*	*	*	*	*
307.23	*7	*5	*	*	*	*	*	*	*	*	-
307.5	18	*	15	*	14	*	*	*	*6	*5	*
307.50	11	*	10	*	*8	*	-	*	*	*	*
307.8	19	*	15	*	*6	*	*8	*6	*	*	*
307.81	10	*	*7	-	*	*	*	*	*	*	*
307.89	*8	*	*7	*	*	*	*5	*5	*	*	*
307.9	64	30	34	*	11	12	38	25	15	16	*7
308	32	12	20	*	13	*7	10	*8	*	10	10
308.0	*8	*	*5	*	*	*	*	*	*	*	*
308.9	20	*7	12	*	*7	*	*7	*6	*	*5	*7
309	491	208	283	28	203	147	112	189	122	99	81

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
309.0	106	48	58	*	22	32	49	63	18	13	11
309.2	94	36	58	*	27	23	40	58	17	*8	11
309.24	27	*8	19	*	*	*	16	17	*	*	*6
309.28	65	27	38	*	22	19	24	40	16	*6	*
309.4	21	10	11	*	15	*	*	*	*9	*6	*
309.8	232	96	136	17	124	74	16	49	69	63	49
309.81	224	92	132	17	120	71	15	48	65	61	49
309.89	*7	*	*	-	*	*	*	*	*	*	*
309.9	34	17	17	*	14	14	*6	15	*8	*6	*5
310	199	104	95	*	14	51	133	166	*9	14	10
310.1	170	88	82	-	10	41	118	161	*	*	*
310.2	11	*6	*5	*	*	*	*	*	*	*	*
310.9	13	*7	*6	-	*	*	*9	*	*	*8	*
311	1,936	649	1,287	12	446	685	793	442	477	679	337
312	72	51	21	22	29	12	*9	19	17	23	13
312.3	48	37	12	11	26	*8	*	14	11	15	*9
312.30	26	19	*7	*	14	*	*	*8	*	10	*5
312.34	17	15	*	*6	*9	*	*	*6	*6	*	*
312.9	20	11	*8	*7	*	*	*5	*	*5	*7	*
313	42	24	19	29	13	-	-	10	17	13	*
313.8	41	23	18	28	12	-	-	*9	16	13	*
313.81	38	22	17	26	12	-	-	*8	16	12	*
314	220	125	94	75	110	32	*	42	82	81	15
314.0	220	125	94	75	110	32	*	42	82	81	15
314.00	52	27	24	*	26	19	*	*9	17	21	*
314.01	168	98	70	71	83	13	*	33	65	59	11
315	71	45	26	50	15	*6	*	10	19	18	24
315.3	13	10	*	12	*	-	-	*	*	*	*5
315.39	*8	*7	*	*7	*	-	-	*	*	*	*
315.8	24	13	11	19	*	*	-	*	*	*8	*8
315.9	23	13	10	12	*6	*	*	*	10	*	*9
317	44	20	24	*	20	16	*	14	14	12	*
318	51	29	22	15	*9	18	*9	*8	12	15	15
318.0	12	*7	*6	*	*	*6	*	*	*	*6	*
318.1	29	20	*9	*9	*5	*8	*6	*	*7	*8	10
318.2	10	*	*7	*	*	*	*	*	*	*	*
319	95	48	47	11	25	38	21	21	23	41	10
320-389	10,044	4,560	5,484	426	1,533	3,244	4,841	2,082	2,271	3,752	1,939
320	15	*8	*7	*	*	*6	*	*	*	*7	*
322	11	*7	*	*	*	*	*	*	*	*	*
322.9	*7	*6	*	*	*	*	*	*	*	*	*
323	10	*	*	*	*	*	*	*	*	*	*
323.8	*6	*	*	-	*	*	*	*	*	*	*
324	22	14	*7	*	*6	12	*	*6	*7	*6	*
324.1	14	*8	*7	-	*	*7	*	*	*	*	*
327	1,072	588	484	21	115	507	429	202	262	386	222
327.2	1,067	585	482	21	114	505	427	200	260	385	222
327.23	1,060	583	477	20	112	502	425	199	259	382	220
331	758	325	433	22	22	58	656	169	162	300	127
331.0	506	172	334	*	-	15	491	112	105	214	75
331.3	10	*5	*	*	*	*	*	*	*	*	*
331.4	94	59	35	20	19	27	28	22	18	29	24
331.5	37	19	18	-	-	*	35	*7	12	12	*6
331.8	83	54	29	*	*	*	78	19	18	31	14

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
331.82	72	48	24	-	-	*	71	17	15	30	10
331.83	11	*6	*5	*	*	*	*7	*	*	*	*
331.9	23	11	11	*	*	*6	16	*	*5	*9	*6
332	261	137	124	-	*	25	235	65	49	104	43
332.0	256	135	121	-	*	22	233	65	46	103	42
333	295	100	195	*	26	85	181	42	84	115	54
333.0	10	*6	*	-	-	*	*7	*	*	*	*
333.1	64	25	39	*	*	13	49	11	15	24	14
333.2	12	*	*8	*	*	*	*7	*	*	*5	*
333.8	10	*	*7	*	*	*	*6	*	*	*	*
333.85	*6	*	*	*	*	*	*	*	*	*	*
333.9	189	58	130	*	17	60	112	21	57	76	35
333.90	*9	*	*6	*	*	*	*5	*	*	*	*
333.94	170	52	119	*	12	54	104	17	53	69	31
334	14	*6	*8	*	*	*	*5	*	*6	*	*
334.3	*8	*	*	*	*	*	*	*	*	*	*
335	11	*6	*6	*	*	*	*	*	*	*	*
335.2	10	*	*5	*	*	*	*	*	*	*	*
335.20	*7	*	*	-	*	*	*	*	*	*	*
336	31	20	11	*	*7	*7	17	*7	10	11	*
336.3	*9	*6	*	-	*	*	*6	*	*	*	*
336.9	12	*7	*	*	*	*	*7	*	*	*	*
337	55	27	29	*	11	24	20	14	15	18	*9
337.1	21	10	11	-	*	*9	*9	*	*7	*	*7
337.2	21	*8	13	*	*6	10	*5	*5	*	10	*
337.20	10	*	*7	-	*	*6	*	*	*	*	*
337.22	*8	*	*	*	*	*	*	*	*	*	*
337.9	10	*5	*	*	*	*	*	*	*	*	*
338	1,181	469	711	*8	270	540	363	174	252	437	317
338.1	164	62	102	*7	37	69	51	48	28	35	53
338.11	18	*8	10	*	*	*	*8	*	*	*5	*7
338.18	88	33	55	*6	19	38	25	15	18	24	31
338.19	57	21	36	*	13	26	17	30	*7	*5	14
338.2	724	299	425	*	161	318	244	88	169	265	201
338.21	*9	*	*5	-	*	*5	*	*	*	*	*
338.29	710	292	418	*	157	312	240	87	163	263	197
338.3	75	31	44	*	21	31	23	15	11	34	16
338.4	217	77	140	-	50	122	45	22	45	102	48
339	19	*8	11	*	*7	*9	*	*5	*	*6	*
339.3	*7	*	*	-	*	*	*	*	*	*	*
340	123	27	96	*	27	69	27	33	33	36	21
341	12	*	*8	*	*	*9	*	*	*	*	*
341.9	*8	*	*5	*	*	*6	-	*	*	*	*
342	341	161	180	*	17	95	225	135	64	97	44
342.0	17	*7	10	-	*	*	14	*	*	*	*5
342.00	15	*6	*9	-	*	*	13	*	*	*	*
342.1	*6	*	*	*	*	*	*	*	*	*	*
342.10	*5	*	*	*	*	*	*	*	*	*	-
342.8	12	*8	*	*	*	*	*8	*	*	*	*
342.80	11	*7	*	*	*	*	*7	*	*	*	*
342.9	306	144	161	*	14	89	200	124	58	88	36
342.90	286	137	149	*	13	84	187	122	55	81	28
342.91	11	*	*8	-	*	*	*8	*	*	*	*6
342.92	*8	*	*	-	*	*	*6	*	*	*	*
343	111	61	50	40	34	33	*	21	21	40	29
343.0	*6	*	*	*	*	*	*	*	*	*	*
343.2	27	15	12	15	*6	*6	*	*5	*	*	14
343.9	75	42	34	23	27	23	*	14	16	31	14

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
344	224	142	82	*7	56	99	62	50	53	85	36
344.0	76	55	21	*	18	38	16	20	18	30	*8
344.00	69	49	20	*	17	33	15	19	15	28	*7
344.1	102	61	41	*	27	42	32	20	27	40	15
344.6	12	*7	*5	-	*6	*	*	*	*	*	*
344.61	*8	*6	*	-	*	*	*	*	*	*	*
344.8	12	*8	*	*	*	*7	*	*	*	*	*5
344.89	12	*7	*	*	*	*7	*	*	*	*	*5
344.9	*9	*	*6	*	*	*	*	*	*	*	*
345	960	451	508	74	239	355	292	195	220	378	167
345.0	*6	*	*	*	*	*	*	*	*	*	*
345.00	*5	*	*	*	*	*	*	*	*	*	*
345.1	46	22	25	*	18	14	10	13	16	14	*
345.10	42	21	22	*	16	13	10	13	13	13	*
345.3	39	19	20	*6	*6	10	18	*	*8	21	*7
345.4	23	10	13	*	*9	*5	*5	*6	*8	*8	*
345.40	19	*8	11	*	*7	*	*	*5	*7	*7	*
345.5	27	14	13	*	*6	*8	10	*7	*6	*8	*6
345.50	25	13	11	*	*5	*8	10	*6	*5	*8	*5
345.8	14	*7	*6	*	*	*	*	*5	*	*	*
345.80	11	*5	*6	*	*	*	*	*	*	*	*
345.9	799	374	425	51	195	309	244	155	175	322	148
345.90	785	369	415	47	189	304	244	150	170	318	145
345.91	15	*	10	*	*6	*	*	*	*	*	*
346	445	79	366	*	201	189	51	80	111	179	75
346.0	*9	*	*6	-	*	*5	*	*	*	*	-
346.00	*9	*	*6	-	*	*5	*	*	*	*	-
346.1	*6	*	*	-	*	*	-	*	*	*	*
346.7	*6	*	*	*	*6	*	*	*	*	*	*
346.70	*5	*	*	-	*	*	*	*	*	*	*
346.8	24	*7	18	*	11	*8	*	*7	*6	*8	*
346.80	22	*6	16	*	10	*6	*	*7	*5	*6	*
346.9	394	66	328	*	180	167	43	70	98	159	67
346.90	377	64	313	*	169	162	43	67	93	154	64
346.91	*7	*	*6	-	*	*	*	*	*	*	*
346.92	*7	*	*6	-	*6	*	*	*	*	*	*
347	14	*5	*9	-	*5	*7	*	*	*	*7	*
347.0	14	*	*9	-	*5	*6	*	*	*	*7	*
347.00	11	*	*7	-	*	*	*	*	*	*	*
348	797	400	397	31	108	214	443	156	195	333	113
348.0	21	10	11	*5	*8	*	*5	*	*5	*8	*5
348.1	92	49	43	*	15	33	41	16	17	38	21
348.2	16	*	14	*	11	*	-	*	*5	*5	*
348.3	492	240	252	10	28	117	336	108	117	221	46
348.30	245	124	121	*6	14	54	171	52	63	114	17
348.31	163	72	91	-	*6	39	119	46	35	68	14
348.39	84	44	40	*	*9	24	47	10	19	40	15
348.4	32	14	19	*	11	10	*9	*	10	*7	11
348.5	85	54	31	*	20	32	31	13	28	28	15
348.8	50	27	23	*8	12	11	18	*8	*9	22	10
348.89	46	27	19	*5	11	11	18	*6	*9	21	10
348.9	*9	*	*	-	*	*	*	*	*	*	*
349	170	65	105	*	38	44	87	25	42	86	17
349.0	25	*	22	*	22	*	*	*	*7	*8	*6
349.2	*6	*	*	*	*	*	*	*	*	*	*
349.3	25	*8	17	-	*6	*9	11	*5	*	12	*
349.31	22	*8	14	-	*5	*8	*8	*	*	10	*
349.8	113	52	61	*	*9	29	74	15	29	62	*6
349.82	104	47	57	-	*7	26	71	14	27	57	*6
349.89	*7	*	*	*	*	*	*	*	*	*	*
350	29	*9	20	*	*	13	13	*8	*5	*8	*8
350.1	27	*8	20	*	*	12	12	*8	*5	*8	*6

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
351	44	16	29	*	*9	12	22	10	*9	10	15	
351.0	40	13	27	*	*9	12	18	*9	*8	10	13	
353	23	12	11	*	*	*9	*9	*7	*	*7	*6	
353.0	10	*5	*	*	*	*	*	*	*	*	*	
354	52	17	35	*	12	18	21	10	16	16	10	
354.0	29	*8	21	-	*7	12	11	*6	11	*7	*6	
354.2	*6	*	*	-	*	*	*	*	*	*	*	
354.9	11	*	*8	-	*	*	*7	*	*	*	*	
355	171	79	93	*	26	58	87	35	26	76	35	
355.8	50	25	25	*	*	13	32	*9	*8	23	11	
355.9	112	50	62	-	18	43	51	23	16	51	23	
356	290	136	154	*	17	85	188	41	69	141	40	
356.1	*6	*	*	-	*	*	*	*	*	*	*	
356.4	*6	*	*	-	-	*	*	-	*	*	*	
356.8	*8	*	*	*	*	*	*6	*	*	*	*	
356.9	270	124	146	*	14	81	175	35	63	133	38	
357	513	277	236	*7	43	218	245	145	106	170	92	
357.0	19	10	*9	*	*	*7	*7	10	*	*5	*	
357.2	455	246	210	-	36	195	224	130	98	153	74	
357.5	*8	*5	*	-	*	*	*	*	*	*	*	
357.6	*9	*6	*	*	*	*	*	*	*	*	*5	
357.8	14	*6	*7	*	*	*8	*	*	*	*	*	
357.81	11	*6	*5	*	*	*7	*	*	*	*	*	
358	30	18	12	*	*	*7	18	*	12	11	*	
358.0	27	16	11	*	*	*6	17	*	11	*9	*	
358.00	24	15	*9	-	*	*	17	*	10	*8	*	
359	66	26	39	*8	*8	17	32	12	17	23	13	
359.1	14	*8	*6	*	*	*	*	*	*	*	*	
359.2	*8	*	*7	*	*	*	-	-	*	*	*	
359.21	*8	*	*7	*	*	*	-	-	*	*	*	
359.4	*9	*	*	-	*	*	*	*	*	*	*	
359.8	19	*8	11	-	*	*	15	*	*	11	*	
359.81	11	*6	*6	-	*	*	*9	-	*	*7	*	
359.89	*8	*	*5	-	*	*	*6	*	*	*	-	
359.9	*6	*	*	*	*	*	*	*	*	*	-	
360	*7	*	*5	*	*	*	*5	*	*	*	*	
362	340	145	196	12	24	68	236	87	76	105	73	
362.0	150	73	77	-	20	54	76	42	32	43	32	
362.01	139	67	72	-	18	49	72	42	30	43	24	
362.02	*7	*	*	-	*	*	*	*	*	*	*	
362.1	*7	*	*	-	*	*	*	*	*	*	*	
362.10	*6	*	*	-	*	*	*	*	*	*	*	
362.2	11	*8	*	11	*	*	-	*	*	*5	*	
362.3	12	*8	*	-	*	*5	*7	*	*	*	*	
362.34	*7	*	*	-	*	*	*	*	*	*	*	
362.5	147	45	103	-	-	*	143	36	30	48	34	
362.50	147	45	103	-	-	*	143	36	30	48	34	
362.8	*7	*	*	*	*	*	*	*	*	*	*	
364	*6	*	*	*	*	*	*	*	*	*	*	
365	336	132	203	*	*6	58	272	87	79	109	60	
365.1	*9	*	*	-	-	*	*7	*	*	*	*	
365.9	323	126	197	-	*	56	262	82	76	108	57	
366	45	24	21	-	*	10	33	10	10	13	12	
366.1	*6	*	*	-	-	*	*	*	*	*	*	
366.9	35	18	18	-	*	*7	26	*6	*8	13	*9	
368	143	74	69	*	29	49	60	28	30	51	34	
368.1	26	16	10	*	*8	*	12	*	*6	12	*5	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
382	92	47	45	73	10	*6	*	*9	15	43	26
382.9	88	44	45	71	*8	*6	*	*9	15	40	24
383	21	*9	12	*	*	*	10	*	*	11	*
383.0	*5	*	*	*	*	*	*	*	*	*	*
383.1	*6	*	*	*	*	*	*	*	*	*	*
383.9	10	*5	*5	*	*	*	*5	*	*	*6	*
386	96	32	64	-	*9	23	64	22	30	33	11
386.0	20	*9	11	-	*	*5	13	*	*7	*5	*
386.00	20	*9	11	-	*	*	13	*	*6	*5	*
386.1	57	16	41	-	*	14	39	11	17	23	*7
386.11	44	11	33	-	*	*7	33	*7	12	19	*7
386.12	*8	*	*6	-	*	*	*	*	*	*	-
386.3	13	*	*9	-	*	*	*8	*	*	*	*
386.30	11	*	*7	-	*	*	*8	*	*	*	*
388	44	23	21	*	*9	14	20	14	10	13	*6
388.3	20	14	*5	*	*	*7	10	*8	*	*6	*
388.30	19	14	*5	*	*	*7	10	*8	*	*6	*
388.7	15	*	10	*	*5	*	*6	*	*	*	*
388.70	14	*	10	*	*5	*	*6	*	*	*	*
389	235	118	117	16	22	34	164	42	58	75	61
389.0	*6	*	*	*	*	*	*	*	*	*	*
389.1	20	*8	12	*	*	*	17	*7	*	*6	*
389.10	14	*7	*7	*	*	*	12	*	*	*	*
389.7	10	*6	*	*	*	*	*6	*	*	*	*
389.8	*6	*6	*	*	*	*	*	*	*	*	*
389.9	191	94	97	13	17	27	133	32	50	61	48
390-459	44,986	22,346	22,640	151	2,498	12,430	29,907	9,794	10,730	17,517	6,945
394	18	*	14	-	*	*	14	*	*5	*	*5
394.0	*7	*	*6	-	*	*	*7	*	*	*	*
396	151	61	90	*	*	19	128	36	35	53	26
396.0	*8	*	*5	-	*	*	*7	*	*	*	*
396.2	49	20	29	-	*	*	45	18	*8	13	10
396.3	72	31	41	*	*	11	59	13	20	27	12
396.8	13	*	*9	-	*	*	11	*	*	*	*
396.9	*7	*	*	-	*	*	*5	*	*	*	*
397	242	90	152	*	10	46	185	50	42	97	52
397.0	240	88	152	*	10	46	183	50	40	97	52
398	21	*	16	-	*	*	15	*6	*7	*	*
398.9	21	*	16	-	*	*	15	*6	*7	*	*
398.90	10	*	*7	-	*	*	*6	*	*	*	*
398.91	11	*	10	-	*	*	*9	*	*	*	*
401	11,047	4,855	6,193	19	868	3,887	6,273	2,391	2,559	4,348	1,749
401.0	148	52	96	*	15	60	73	26	16	92	13
401.1	161	65	96	*	19	52	90	70	43	36	12
401.9	10,739	4,738	6,001	19	834	3,775	6,111	2,295	2,500	4,220	1,724
402	273	109	164	-	15	80	179	73	49	116	35
402.0	14	*6	*8	-	*	*6	*5	*	*	*7	*
402.00	*9	*5	*	-	*	*	*	*	*	*	*
402.01	*5	*	*	-	*	*	*	*	*	*	*
402.1	11	*	*9	-	-	*	*7	*7	*	*	-
402.10	*8	*	*7	-	-	*	*5	*6	*	*	-
402.9	249	101	148	-	12	70	166	63	44	107	34
402.90	162	65	97	-	*6	48	108	39	27	70	26
402.91	87	36	51	-	*6	22	59	25	17	37	*8
403	2,687	1,387	1,300	*	165	669	1,850	541	628	1,107	410
403.0	91	37	53	-	16	32	42	12	12	61	*6
403.00	59	21	37	-	*9	19	31	*6	*9	39	*
403.01	32	16	16	-	*7	14	11	*5	*	21	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
403.1	36	19	17	-	*	*7	27	10	*8	*9	10
403.10	31	17	14	-	*	*6	24	*7	*8	*7	*9
403.9	2,560	1,331	1,229	*	147	630	1,781	519	608	1,038	395
403.90	1,885	978	907	*	67	357	1,460	377	446	768	295
403.91	675	353	322	*	80	273	321	143	163	270	100
404	173	82	91	*	*9	41	122	40	34	80	19
404.0	17	*8	*9	*	*	*6	*8	*	*	13	*
404.01	11	*	*6	*	*	*	*5	*	*	*9	*
404.9	151	72	78	*	*6	35	109	39	31	64	17
404.90	27	15	11	-	-	*	23	*6	*5	11	*
404.91	83	38	45	*	*	17	64	23	19	35	*6
404.92	*9	*	*	-	*	*	*5	*	*	*	*
404.93	32	14	18	-	*	12	17	*6	*	15	*6
405	16	*7	10	*	*	*6	*5	*	*	*5	*
405.9	15	*7	*8	*	*	*5	*5	*	*	*	*
405.91	*6	*	*	*	-	*	*	*	*	*	*
405.99	*8	*	*	*	*	*	*	*	*	*	*
410	833	468	365	*	35	265	533	205	207	312	109
410.0	13	*8	*6	-	*	*7	*5	*	*	*	*
410.01	12	*7	*	-	*	*6	*	*	*	*	*
410.1	62	36	27	-	*	27	31	16	17	16	14
410.11	56	31	25	-	*	26	27	13	15	15	14
410.2	15	*9	*5	-	*	*7	*7	*	*6	*6	*
410.21	12	*9	*	-	*	*6	*5	*	*	*5	*
410.3	12	*7	*	-	*	*5	*6	*	*5	*	*
410.31	12	*7	*	-	*	*5	*6	*	*5	*	*
410.4	61	38	23	*	*5	26	30	16	17	26	*
410.40	*9	*	*	*	*	*	*	*	*6	*	-
410.41	49	31	17	-	*	21	23	13	10	23	*
410.5	10	*8	*	-	-	*	*6	*	*	*	*
410.51	10	*8	*	-	-	*	*6	*	*	*	*
410.7	568	316	252	*	18	167	383	143	126	230	69
410.71	530	296	234	*	17	158	354	135	114	218	63
410.72	36	20	16	-	*	*7	28	*8	12	10	*6
410.8	*7	*	*	-	*	*	*	*	*	*	*
410.81	*7	*	*	-	*	*	*	*	*	*	*
410.9	80	37	43	-	*	17	59	22	28	20	11
410.90	*5	*	*	-	*	*	*	*	*	*	-
410.91	52	23	29	-	*	12	38	*8	22	15	*7
410.92	23	12	11	-	*	*	19	11	*	*	*
411	329	198	130	*	18	132	179	89	92	114	34
411.0	*8	*6	*	-	*	*	*5	*	*	*	*
411.1	303	181	122	*	17	121	164	79	87	107	31
411.8	18	12	*6	-	*	*8	*9	*8	*	*	*
411.89	15	10	*	-	*	*6	*8	*8	*	*	*
412	1,071	633	439	*	39	335	697	209	272	396	194
413	221	136	85	-	*7	70	144	49	58	82	32
413.1	*8	*	*	-	*	*	*	*	*	*	*
413.9	212	131	81	-	*7	65	140	46	56	79	31
414	5,847	3,463	2,384	*	121	1,573	4,153	1,284	1,491	2,246	826
414.0	5,190	3,043	2,147	*	106	1,408	3,676	1,149	1,301	2,008	733
414.00	1,452	928	524	-	12	312	1,127	344	376	550	182
414.01	3,636	2,044	1,592	*	92	1,067	2,476	787	889	1,424	537
414.02	81	58	23	-	*	21	60	15	29	27	10
414.04	*8	*6	*	-	-	*	*	*	*	*	*
414.05	11	*6	*5	-	-	*	*8	*	*	*	*
414.1	31	14	17	-	*	*9	20	*7	*7	*9	*8
414.10	18	*7	11	-	*	*	13	*6	*5	*	*
414.12	*9	*5	*	-	*	*	*	*	*	*	*5
414.2	89	60	29	-	*	32	54	16	25	30	18
414.8	499	322	177	-	*7	119	372	107	139	186	67
414.9	39	24	15	-	*	*6	31	*	19	14	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
415	327	170	158	*	47	101	179	65	66	128	68
415.0	11	*6	*5	-	*	*	10	*	*	*9	*
415.1	316	164	152	*	47	100	169	65	65	119	68
415.11	16	*7	*9	*	*	*7	*8	*7	*	*	*
415.12	*6	*	*	*	*	*	*	*	*	*	*
415.19	295	154	141	-	43	91	161	58	61	115	61
416	764	286	478	16	44	161	544	162	141	302	160
416.0	15	*6	*9	*	*	*	*9	*	*	*	*
416.2	30	14	16	-	*	*8	18	*8	*	11	*8
416.8	642	229	413	15	34	127	466	141	121	241	138
416.9	77	38	39	-	*	24	50	*9	12	45	10
420	19	10	*9	*	*7	*	*9	*8	*5	*	*
420.9	19	10	*8	*	*7	*	*8	*8	*5	*	*
420.90	12	*6	*6	*	*5	*	*5	*	*	*	*
420.91	*6	*	*	-	*	*	*	*	*	*	*
421	36	24	13	-	*9	13	13	11	10	11	*
421.0	34	23	11	-	*8	13	13	10	*9	10	*
423	127	63	64	*	21	38	65	29	28	50	20
423.3	11	*7	*	-	*	*	*7	*6	*	*	*
423.8	*6	*	*	-	*	*	*	*	*	*	*
423.9	101	47	54	*	18	32	50	21	23	43	15
424	1,037	409	629	*6	53	240	739	263	225	358	192
424.0	562	199	364	*	43	166	349	126	120	208	109
424.1	402	186	217	*	*5	54	342	112	95	123	73
424.2	30	*5	25	*	*	11	16	17	*	*7	*5
424.3	13	*	*8	*	*	*	*9	*	*	*6	*
424.9	30	15	15	-	*	*7	22	*5	*6	14	*
424.90	29	15	14	-	*	*6	22	*5	*6	14	*
425	823	493	329	*	72	285	463	184	199	335	105
425.1	*8	*	*	-	*	*	*	*	*	*	*
425.4	752	453	299	*	58	251	440	167	184	309	92
425.5	17	13	*	-	*	*9	*5	*	*	*5	*
425.8	33	16	17	-	*7	16	11	*7	*7	13	*6
425.9	*7	*	*	-	*	*	*	*	*	*	*
426	599	344	255	*7	27	113	453	122	142	210	126
426.0	81	44	36	*	*	13	64	19	18	31	12
426.1	145	92	53	*	*6	23	114	30	38	50	26
426.10	15	*7	*9	-	*	*	13	*5	*	*6	*
426.11	90	58	32	*	*	15	70	17	22	34	17
426.12	*9	*6	*	-	*	*	*8	*	*	*	*
426.13	32	21	11	*	*	*5	23	*6	11	*9	*6
426.2	22	12	11	-	*	*	17	*	*	*8	*9
426.3	152	73	79	-	*	31	116	29	35	49	38
426.4	133	82	51	*	*6	27	98	26	32	48	27
426.5	35	24	12	-	*	*6	28	*7	10	12	*6
426.52	11	*7	*	-	*	*	*9	*	*	*	*
426.53	14	*9	*	-	*	*	11	*	*	*	*
426.7	11	*7	*	*	*	*	*	*	*	*5	*
426.8	*9	*	*5	*	*	*	*	*	*	*	*
426.9	*8	*5	*	*	*	*	*7	*	*	*	*
427	5,390	2,774	2,616	34	222	1,062	4,071	1,262	1,245	1,984	899
427.0	93	41	52	*	*9	22	62	21	18	32	21
427.1	294	191	103	*	18	82	193	82	64	111	37
427.2	10	*8	*	-	*	*	*8	*	*	*6	*
427.3	3,589	1,847	1,743	*	56	606	2,926	873	829	1,296	591
427.31	3,243	1,644	1,599	*	46	523	2,673	784	743	1,182	535
427.32	346	203	143	*	10	83	253	89	86	114	57
427.4	49	31	19	*	*6	17	26	13	*9	18	*9
427.41	49	30	19	*	*6	17	26	13	*9	18	*9
427.5	123	66	57	*	12	39	69	20	25	49	30
427.6	118	64	54	*	*7	25	83	18	30	44	25
427.61	32	16	16	*	*	*	28	*	*9	*8	10

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
427.69	85	47	37	*	*5	23	55	14	21	36	15
427.8	1,069	508	561	24	113	250	682	230	249	414	175
427.81	205	104	101	*	*	20	182	51	45	76	34
427.89	864	404	460	23	112	229	499	179	205	338	142
427.9	45	20	25	*	*	19	23	*	18	14	10
428	5,554	2,624	2,931	14	198	1,231	4,111	1,225	1,337	2,321	671
428.0	3,490	1,610	1,879	12	129	788	2,560	706	823	1,518	443
428.1	23	12	11	-	*	*5	16	*	*	16	*
428.2	886	518	369	*	43	216	626	218	225	361	82
428.20	95	60	35	*	*6	23	66	16	27	41	12
428.21	144	77	66	-	13	37	94	33	33	64	14
428.22	264	154	110	*	10	53	202	66	78	100	20
428.23	383	226	157	-	15	104	264	103	87	156	36
428.3	929	349	580	*	16	178	734	244	235	333	117
428.30	218	79	139	-	*7	49	162	49	62	83	23
428.31	129	46	83	-	*	27	98	35	30	53	11
428.32	291	121	170	-	*	52	236	81	75	92	43
428.33	291	103	188	*	*	51	238	79	68	105	40
428.4	211	125	86	-	*7	41	163	50	51	85	24
428.40	24	16	*8	-	*	*	19	*	*8	10	*
428.41	42	27	15	-	*	*9	30	*9	*8	25	*
428.42	37	20	18	-	*	*7	29	10	10	13	*
428.43	108	63	45	-	*	20	85	29	25	37	16
428.9	15	*9	*6	*	*	*	11	*	*	*8	*
429	354	152	201	*7	28	99	220	57	65	174	58
429.2	34	17	17	-	-	*7	27	15	*5	14	-
429.3	164	63	100	*7	14	49	94	25	26	90	23
429.4	*6	*	*	-	*	*	*	*	*	*	*
429.8	46	15	31	*	*	11	30	*7	12	15	11
429.83	28	*5	23	-	*	*7	20	*	*8	*6	10
429.89	17	10	*7	*	*	*	10	*	*	*8	*
429.9	94	46	49	-	*8	26	61	*8	19	47	21
430	38	16	21	*	*	19	13	14	*9	*9	*6
431	97	49	47	*	*8	39	48	27	21	25	24
432	51	27	24	*	*	12	34	13	14	16	*7
432.1	36	20	16	*	*	*6	26	*8	10	12	*6
432.9	11	*	*7	-	*	*5	*	*	*	*	*
433	485	227	258	*	*	102	380	82	155	193	54
433.1	400	190	210	*	*	85	312	76	121	158	46
433.10	354	173	181	*	*	76	277	56	112	146	41
433.11	46	17	29	-	*	10	35	20	*9	12	*
433.2	*7	*	*	-	*	*	*	*	*	*	*
433.20	*6	*	*	-	*	*	*	*	*	*	*
433.3	72	31	40	-	*	12	59	*	31	28	*8
433.30	65	28	37	-	*	10	55	*	28	26	*8
433.31	*6	*	*	-	*	*	*	*	*	*	*
434	598	297	301	*	26	158	413	138	126	245	89
434.0	10	*6	*	*	*	*	*8	*	*	*6	*
434.01	*9	*	*	*	*	*	*8	*	*	*5	*
434.1	99	51	48	-	*6	20	73	22	21	32	24
434.11	96	49	47	-	*6	20	71	22	20	30	24
434.9	488	240	248	*	20	136	332	114	103	206	65
434.90	12	*6	*5	*	*	*	*8	*	*	*7	*
434.91	477	234	243	*	19	133	324	114	101	199	63
435	221	96	125	*	*9	66	145	54	59	77	32
435.2	*6	*	*	*	-	*	*	*	*	*	*
435.3	*7	*5	*	-	-	*	*6	*	*	*	*
435.8	10	*	*5	-	*	*	*7	*	*5	*	-
435.9	192	80	112	-	*9	62	122	49	45	71	26
436	*9	*	*5	*	*	*	*8	*6	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
437	209	91	118	*	12	40	157	41	50	78	40
437.0	93	45	48	-	-	11	82	15	19	40	19
437.1	19	*8	11	-	*	*	17	*	*	*9	*
437.2	18	*7	11	*	*	*	10	*	*	*8	*
437.3	33	14	18	-	*	12	15	*8	*7	*9	*8
437.7	10	*	*5	-	-	*	*6	*	*	*	*
437.9	28	10	18	-	-	*	24	*	10	10	*
438	795	387	408	*	25	202	567	162	205	263	165
438.0	17	*9	*8	-	*	*5	11	*	*6	*	*5
438.1	142	67	75	-	*	35	105	32	38	37	35
438.10	*7	*	*	-	*	*	*	*	*	*	*
438.11	95	41	55	-	*	22	71	25	22	27	21
438.12	10	*6	*	-	-	*	*9	*	*	*	*
438.13	22	11	11	-	*	*5	16	*	*8	*	*7
438.19	*7	*6	*	-	-	*	*	*	*	*	*
438.2	361	176	184	*	10	94	257	86	86	122	66
438.20	330	159	171	*	10	84	237	81	81	114	53
438.21	18	10	*8	-	*	*8	10	*	*	*	*8
438.22	13	*7	*6	-	*	*	10	*	*	*	*5
438.5	*6	*	*	-	*	*	*	*	*	*	*
438.7	16	*6	10	-	*	*5	11	*	*	*	*
438.8	231	110	120	*	*9	59	163	35	67	80	49
438.82	46	23	23	-	*	12	34	*7	16	11	12
438.83	17	*9	*8	-	*	*	13	*	*5	*5	*5
438.84	11	*6	*	-	*	*	*9	*	*	*	*
438.89	153	70	84	*	*7	41	104	26	40	59	29
438.9	15	10	*	*	*	*	11	*	*	*9	*
440	493	280	213	-	10	134	350	76	155	192	70
440.0	47	24	24	-	-	14	34	*	10	11	24
440.1	56	25	31	-	*	*8	47	*9	20	22	*5
440.2	311	189	121	-	*9	92	210	52	101	124	34
440.20	88	52	36	-	*	25	59	*	40	28	17
440.21	76	53	22	-	*	17	57	14	24	32	*6
440.22	28	14	14	-	*	10	18	*6	*5	16	*
440.23	39	27	12	-	*	10	28	*9	11	17	*
440.24	70	40	30	-	*	26	43	19	16	29	*7
440.29	10	*	*7	-	*	*	*6	*	*5	*	*
440.3	10	*	*5	-	*	*	*7	*	*	*5	*
440.30	*7	*	*	-	*	*	*6	*	*	*	*
440.4	34	21	14	-	*	10	24	*5	12	14	*
440.8	15	*8	*7	-	*	*	11	*	*	*6	*
440.9	20	*9	12	-	*	*	16	*	*5	10	*
441	281	193	88	-	*	43	234	55	76	102	47
441.0	22	14	*8	-	*	*6	15	*	*6	*7	*
441.01	10	*7	*	-	*	*	*6	*	*	*	*
441.02	*8	*	*	-	*	*	*7	*	*	*	*
441.2	45	29	16	-	*	13	31	*8	10	18	10
441.3	*6	*5	*	-	-	*	*5	*	*	*	*
441.4	194	137	57	-	*	20	173	40	55	69	30
441.9	*7	*	*	-	-	*	*	*	*	*	*
442	55	31	23	-	*	12	39	11	17	18	*9
442.2	18	13	*6	-	-	*	16	*6	*5	*	*
442.3	19	10	*9	-	*	*	14	*	*	*7	*
442.8	11	*6	*	-	*	*	*	*	*	*	*
443	862	461	400	*	26	232	603	180	221	349	112
443.0	37	*8	29	*	*8	19	10	*9	11	10	*7
443.2	15	*7	*8	*	*	*6	*	*	*	*	*
443.8	52	31	21	-	*	16	35	11	16	15	11
443.81	40	26	14	-	*	14	26	*7	14	11	*9
443.89	12	*5	*7	-	*	*	*9	*	*	*	*
443.9	756	414	341	-	11	191	554	157	191	318	90
444	90	50	40	*	*	36	50	20	27	32	10
444.0	*9	*	*	-	-	*	*	*	*	*	*
444.2	59	32	27	*	*	23	32	15	17	19	*7

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
444.21	*7	*	*	-	*	*	*	*	*	*	*
444.22	51	27	24	*	*	21	28	11	16	17	*7
444.8	20	12	*8	-	*	*8	12	*	*5	*9	*
444.81	13	*8	*5	-	*	*6	*7	*	*	*6	*
444.89	*7	*	*	-	*	*	*5	*	*	*	*
446	53	18	35	*	11	12	26	13	12	16	12
446.2	*9	*	*6	-	*	*	*	*	*	*	*
446.4	11	*	*8	-	*	*	*	*	*	*	*
446.5	20	*6	14	-	-	*	18	*6	*7	*	*
447	67	25	41	*	*6	21	40	*9	17	30	11
447.1	18	*9	*9	-	*	*6	12	*	*7	*8	*
447.4	*7	*	*6	-	*	*	*	-	*	*	*
447.6	18	*7	11	*	*	*6	*9	*	*	*7	*
447.8	*5	*	*	*	*	*	*	*	*	*	*
447.9	11	*	*7	-	*	*	*8	*	*	*6	*
448	*6	*	*	-	*	*	*	*	*	*	*
451	50	26	24	*	*9	13	27	15	13	17	*5
451.0	*7	*	*	-	*	*	*	*	*	*	-
451.1	*9	*	*8	-	*	*	*7	*	*	*	*
451.19	*5	*	*	-	*	*	*	*	*	*	*
451.8	26	14	13	*	*7	*8	11	*8	*5	*8	*
451.82	14	*8	*6	-	*5	*	*	*	*	*	*
451.84	*8	*	*	*	*	*	*	*	*	*	*
452	24	17	*7	*	*	15	*6	*6	*	*9	*7
453	616	297	319	*5	96	178	337	139	145	235	96
453.2	*6	*	*	*	*	*	*	*	*	*	*
453.4	359	182	177	*	46	106	207	89	79	134	57
453.40	72	31	41	*	*9	21	43	12	15	39	*6
453.41	172	90	82	*	22	51	97	51	39	49	34
453.42	116	61	54	-	15	34	67	27	25	46	18
453.5	72	36	37	-	*6	18	49	17	21	23	12
453.50	34	14	20	-	*	*7	24	10	11	10	*
453.51	24	14	10	-	*	*6	16	*	*7	*9	*
453.52	14	*8	*6	-	*	*	*9	*	*	*	*
453.6	25	*8	16	*	*	*5	15	*	*7	*7	*6
453.7	22	13	10	*	*	*8	10	*	*7	11	*
453.8	118	47	71	*	33	32	49	22	28	52	17
453.81	19	*9	10	*	*	*6	*8	*	*6	*7	*
453.82	19	*7	12	*	*5	*8	*6	*	*	*8	*
453.83	18	*9	*9	-	*	*	11	*	*	10	*
453.84	12	*	*8	-	*5	*	*6	*	*	*	*
453.85	19	*6	13	*	*7	*5	*6	*	*5	*8	*
453.86	20	*6	14	*	*5	*	*8	*	*	11	*
453.89	*7	*	*	-	*	*	*	*	*	*	*
453.9	*9	*5	*	-	*	*	*	*	*	*	*
454	35	12	23	-	*	12	20	10	10	11	*
454.0	*5	*	*	-	*	*	*	*	*	*	-
454.1	*5	*	*	-	*	*	*	*	*	*	-
454.9	21	*7	13	-	*	*6	13	*6	*	*7	*
455	266	105	161	*	50	86	129	52	54	112	48
455.0	115	48	67	-	15	40	60	20	25	52	17
455.2	35	20	15	-	*8	12	14	*6	*	12	12
455.3	33	*9	24	-	*5	11	17	*	*7	17	*
455.5	11	*	*6	-	*	*5	*5	*	*	*	*
455.6	47	12	34	*	16	*9	21	10	10	18	*9
455.8	16	*	12	-	*	*	10	*	*	*7	*
456	128	82	46	*	15	73	40	26	32	40	30
456.0	10	*	*6	-	*	*	*5	*	*	*	*
456.1	15	*9	*6	-	*	*8	*6	*	*6	*	*
456.2	86	58	28	-	*9	55	22	19	18	24	25
456.20	25	17	*9	-	*	16	*6	*	*	*7	10

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
456.21	61	41	20	-	*6	39	16	15	13	17	15
456.8	15	*9	*6	*	*	*7	*6	*	*5	*6	*
457	73	30	43	*	11	27	33	16	21	27	*8
457.1	60	25	35	-	11	23	26	13	17	23	*6
457.8	*6	*	*	*	-	*	*	*	*	*	*
458	1,123	528	595	10	104	342	667	195	273	460	195
458.0	215	114	100	*	14	51	149	47	52	82	33
458.1	*6	*	*	-	*	*	*	*	*	*	*
458.2	156	64	92	*	17	52	86	37	29	56	34
458.21	*7	*	*	-	*	*	*	*	*	*	*
458.29	149	61	88	*	17	49	83	34	27	53	34
458.8	53	26	27	*	*7	13	32	11	10	12	20
458.9	693	320	373	*7	65	226	395	99	178	307	109
459	286	145	141	*	25	73	187	67	62	106	51
459.0	14	*6	*8	-	*	*	*6	*	*	*	*
459.2	21	*7	14	*	*	*7	*9	*	*	12	*
459.3	*5	*	*	-	-	*	*	*	*	*	*
459.8	233	120	112	*	16	59	158	56	53	82	42
459.81	214	113	102	*	13	53	147	53	49	74	38
459.89	18	*8	11	-	*	*6	10	*	*	*7	*
459.9	*8	*	*	*	*	*	*6	*	*	*	*
460-519	14,826	6,833	7,993	1,122	1,639	4,191	7,874	2,897	3,389	5,876	2,663
461	53	22	31	*6	13	14	20	*8	10	22	14
461.0	10	*	*5	*	*	*	*6	*	*	*	*
461.9	34	13	21	*	10	*9	11	*	*7	15	*8
462	57	17	40	*8	24	14	11	*8	17	19	14
463	16	*8	*8	*	12	*	*	*	*	*	*
464	53	33	20	34	*6	*7	*6	*7	*8	16	23
464.0	10	*	*7	-	*	*	*	*	*	*	*
464.00	10	*	*7	-	*	*	*	*	*	*	*
464.1	17	14	*	14	*	*	*	*	*	*5	*9
464.10	17	14	*	14	*	*	*	*	*	*5	*9
464.3	*6	*	*	*	*	*	*	*	*	*	*
464.30	*6	*	*	*	*	*	*	*	*	*	*
464.4	18	10	*8	17	*	-	*	*	*	*	*8
465	157	66	92	57	34	29	37	33	33	57	34
465.9	156	65	91	57	34	29	37	33	33	56	34
466	332	157	175	176	26	53	77	52	52	126	101
466.0	154	57	98	*7	23	52	72	30	30	72	22
466.1	178	100	77	169	*	*	*5	22	22	54	79
466.11	97	56	42	96	-	*	*	13	11	30	44
466.19	80	45	35	73	*	*	*	*9	12	24	35
470	14	*7	*7	*	*6	*5	*	*	*	*	*6
471	*6	*	*	*	*	*	*	*	*	*	*
472	27	12	15	*	*	*8	17	*	*7	*6	*9
472.0	26	11	15	*	*	*8	17	*	*7	*6	*8
473	229	106	123	25	44	65	95	39	50	97	43
473.0	29	12	16	*5	*6	*8	10	*	*	16	*
473.1	*8	*7	*	*	*	*	*5	*	*	*6	-
473.2	17	12	*5	*	*	*5	*7	*	*	12	*
473.3	*6	*	*	*	*	*	*	*	*	*	*
473.8	16	*9	*7	*	*	*	*5	*	*	*6	*5
473.9	154	63	91	10	33	46	65	30	39	52	32
474	24	11	13	18	*	*	-	*	*	*6	12
474.0	*7	*	*	*	*	*	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
474.1	17	*8	*9	14	*	*	-	*	*	*	10
474.10	11	*5	*5	11	-	-	-	*	*	*	*5
474.11	*6	*	*	*	*	*	-	*	*	*	*
475	10	*6	*	*	*7	*	*	*	*	*	*
477	168	72	96	17	30	48	73	20	61	60	27
477.0	*5	*	*	-	*	*	*	*	*	*	*
477.9	160	68	92	15	28	47	70	18	59	56	27
478	113	52	61	25	27	31	30	22	22	37	31
478.0	*6	*	*	-	*	*	*	*	*	*	*
478.1	42	19	23	*9	12	10	10	*6	*9	15	12
478.19	42	19	23	*9	12	10	10	*6	*9	15	12
478.2	19	13	*7	*7	*	*	*	*	*6	*6	*6
478.3	13	*	*9	*	*	*	*8	*	*	*6	*
478.30	*6	*	*	*	*	*	*	*	*	*	*
478.31	*6	*	*	*	-	*	*	*	*	*	*
478.5	*7	*	*	-	*	*	*	*	*	*	*
478.6	*8	*	*	*	*	*	*	*	*	*	*
478.7	14	*5	*9	*6	*	*	*	*5	*	*	*
478.75	*8	*	*6	*	*	*	*	*	*	*	*
480	41	21	20	27	*	*7	*6	*9	*9	*8	16
480.1	10	*	*6	*8	-	*	*	*	*	*	*
480.9	24	12	12	15	*	*	*	*	*	*	12
481	43	24	18	*6	*5	13	18	*8	10	13	12
482	271	149	122	15	37	73	147	53	60	111	48
482.0	19	15	*	*	*	*7	10	*	*6	*7	*
482.1	42	24	18	*	*	11	25	*6	*9	19	*8
482.2	12	*9	*	*	*	*	*5	*	*	*	*
482.3	16	*7	*9	*	*	*7	*	*	*	*6	*
482.30	10	*	*7	*	*	*5	*	*	*	*	*
482.4	93	48	45	*	17	24	49	19	19	41	14
482.41	23	12	12	*	*6	*8	10	*	*6	*6	*8
482.42	64	32	32	*	10	15	37	15	11	32	*5
482.8	47	22	25	*	*7	11	29	*9	13	18	*7
482.82	*7	*	*	-	*	*	*	*	*	*	*
482.83	32	15	17	*	*	*7	21	*5	10	11	*5
482.9	42	24	18	*6	*	10	24	13	*8	15	*6
483	14	*7	*8	*	*	*	*7	*	*	*	*
483.0	10	*	*5	*	*	*	*	*	*	*	*
484	15	10	*	*	*	*7	*	*	*	*5	*8
484.6	*8	*7	*	*	*	*	*	*	*	*	*
485	20	*6	14	*	*	*	10	*	*	*9	*6
486	2,230	1,059	1,172	171	179	547	1,334	455	501	933	341
487	17	*6	11	10	*	*	*	*	*	*8	*
487.0	*5	*	*	*	*	*	*	*	*	*	*
487.1	*8	*	*6	*	*	*	*	*	*	*	*
490	98	40	58	*	16	30	49	14	24	44	16
491	1,370	642	728	*	32	423	914	257	314	631	169
491.2	1,339	630	709	-	26	415	898	252	301	620	165
491.20	85	43	41	-	*	26	57	*9	14	37	25
491.21	1,074	512	562	-	18	330	726	208	249	495	122
491.22	180	74	106	-	*6	59	115	36	38	88	18
491.8	*5	*	*	*	*	*	*	*	*	*	-
491.9	23	*8	15	-	*	*6	13	*	10	*9	*
492	186	100	86	-	*9	67	111	32	63	63	28
492.0	23	14	*9	-	*	11	*9	*	*	10	*
492.8	162	86	77	-	*5	56	101	28	58	53	23

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
493	2,385	797	1,588	317	636	775	656	528	517	857	483
493.0	102	49	53	61	18	11	12	*9	*9	33	51
493.00	59	26	33	30	13	*6	*9	*	*7	22	26
493.01	13	*7	*5	12	*	*	*	*	*	*6	*5
493.02	31	16	15	19	*	*	*	*	*	*6	20
493.1	11	*	*7	*9	*	*	*	*	*	*	*8
493.12	*9	*	*5	*8	*	*	*	*	*	*	*8
493.2	563	192	371	*	41	234	288	121	137	213	92
493.20	322	117	205	*	22	134	165	68	75	123	56
493.21	*6	*	*5	-	*	*	*	*	*	*	-
493.22	235	75	161	*	18	99	119	52	59	88	36
493.8	*5	*	*	*	*	*	*	*	*	*	*
493.81	*5	*	*	*	*	*	*	*	*	*	*
493.9	1,703	550	1,153	246	572	529	356	395	368	608	331
493.90	1,407	434	974	116	501	471	319	324	319	467	298
493.91	76	36	39	52	16	*7	*	18	*8	44	*6
493.92	220	80	140	78	55	50	37	54	40	97	28
494	67	21	46	*	*	14	48	15	11	27	15
494.0	49	17	32	*	*	11	34	11	*9	20	10
494.1	18	*	14	*	*	*	14	*	*	*8	*5
496	2,024	1,027	997	*	38	581	1,403	379	511	850	284
501	15	14	*	-	-	*	15	*	*	10	*
507	506	288	218	*7	41	109	350	118	119	163	106
507.0	503	285	218	*7	41	109	347	118	119	161	105
508	13	*	*8	-	*	*6	*7	*	*5	*	*
508.0	*8	*	*	-	-	*	*	*	*	*	*
508.1	*5	*	*	-	*	*	*	*	*	*	*
510	39	20	18	*	*6	13	14	*	*6	17	11
510.9	35	19	16	*	*6	11	14	*	*6	16	10
511	735	349	386	19	64	190	463	149	171	271	144
511.0	23	11	12	-	*	*9	11	*	*	10	*
511.8	108	43	65	*	*8	37	63	25	25	40	19
511.81	69	25	44	-	*	23	43	18	16	24	11
511.89	39	18	21	*	*	14	20	*7	*9	16	*8
511.9	601	293	308	18	53	142	388	119	141	221	120
512	144	74	70	*	22	52	65	26	36	51	30
512.0	*6	*	*	*	*	*	*	*	*	*	*
512.1	76	37	39	*	*	32	38	14	17	26	20
512.8	61	33	28	*	16	17	26	12	17	22	10
513	14	*8	*7	*	*	*6	*	*	*	*7	*
513.0	14	*7	*7	*	*	*6	*	*	*	*7	*
514	71	30	41	*	11	23	34	15	13	30	13
515	198	89	109	*	*5	43	149	40	38	84	37
516	24	10	15	*	*	*6	16	*	*	12	*7
516.3	12	*	*8	-	*	*	*9	*	*	*	*
516.8	12	*5	*7	-	*	*	*6	*	*	*6	*
517	24	*5	19	*	10	*8	*	*	*	15	*
517.3	*8	*	*6	*	*6	*	-	*	*	*7	*
517.8	12	*	*9	*	*	*	*	*	*	*6	*
518	2,856	1,390	1,466	124	250	867	1,614	541	648	1,149	517
518.0	692	343	350	36	69	227	360	109	159	251	174
518.1	10	*	*	*	*7	*	*	*	*	*	*
518.3	32	16	16	*	*	12	17	*	10	11	*7
518.4	30	14	17	*	*	*7	17	*	*7	15	*
518.5	196	106	90	*9	30	62	96	33	43	84	36

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
518.8	1,894	906	989	74	139	558	1,123	386	430	786	293
518.81	1,136	558	578	29	94	341	673	252	252	460	172
518.82	63	28	35	17	*9	13	25	14	10	22	16
518.83	152	69	83	15	*7	36	93	29	34	63	26
518.84	291	133	158	*	*8	80	200	41	72	146	32
518.89	252	118	135	10	21	88	133	50	62	94	47
519	125	57	68	22	13	35	56	20	32	41	32
519.0	20	*9	11	*	*	*6	10	*	*7	10	*
519.02	*6	*	*	*	*	*	*	*	*	*	*
519.09	13	*7	*6	*	*	*	*	*	*5	*7	*
519.1	57	23	34	*9	*6	13	28	11	16	18	12
519.11	29	12	17	*	*5	*5	15	*7	11	*7	*
519.19	28	11	17	*7	*	*7	13	*	*	11	*9
519.4	10	*	*5	*	*	*	*5	*	*	*	*
519.8	28	13	15	*7	*	*9	*8	*5	*7	*7	*9
520-579	15,814	6,706	9,108	467	2,803	5,405	7,139	3,129	3,556	6,215	2,914
521	30	19	11	*6	11	*9	*	*5	*7	12	*5
521.0	28	18	10	*6	11	*8	*	*5	*6	12	*5
521.00	25	17	*8	*6	*8	*8	*	*	*	11	*5
522	33	17	16	*	16	*8	*7	*	*7	17	*
522.4	*5	*	*	*	*	*	*	*	*	*	*
522.5	28	13	15	*	15	*6	*5	*	*	15	*
523	19	12	*7	*	*	*8	*5	*	*5	*8	*
523.1	*7	*	*	*	*	*	*	*	*	*	*
523.10	*6	*	*	*	*	*	*	*	*	*	*
524	32	12	20	*8	12	*8	*	10	*	12	*7
524.0	*9	*	*	*	*5	*	-	*	*	*	*
524.6	18	*6	12	*	*	*7	*	*	*	*	*6
524.60	*9	*	*7	*	*	*5	*	*	*	*	*
525	23	10	14	*	*9	*8	*	*	*	*9	*7
525.9	14	*	*9	-	*6	*5	*	*	*	*6	*
526	11	*	*6	-	*	*5	*	*	*	*	*
527	30	11	18	*	*	10	14	*6	*7	13	*
527.2	19	*6	12	*	*	*6	11	*	*	*8	*
528	58	31	27	*9	11	21	17	15	10	22	11
528.0	29	21	*8	*7	*	11	*8	*9	*	11	*5
528.00	14	12	*	*6	*	*	*	*	*	*6	*
528.01	*8	*5	*	*	*	*	*	*	*	*	*
528.09	*7	*	*	*	*	*	*	*	*	*	*
528.3	*9	*	*	*	*	*	*	*	*	*	*
528.5	*5	*	*	*	*	*	*	*	*	*	*
528.9	*9	*	*5	*	*	*	*	*	*	*	*
529	*8	*5	*	*	*	*	*	*	*	*	*
530	4,413	1,758	2,655	128	587	1,476	2,222	855	988	1,834	737
530.0	16	*9	*7	-	*	*	*9	*	*	*5	*5
530.1	265	130	135	*	50	96	115	50	56	105	54
530.10	108	54	54	*	22	45	38	23	17	49	19
530.11	67	31	37	*	10	22	35	13	12	29	13
530.12	*5	*	*	-	*	*	*	*	*	*	*
530.19	83	40	42	*	17	27	38	13	25	23	22
530.2	46	26	20	*	*	17	25	*7	12	16	12
530.20	31	18	13	*	*	10	16	*	*9	12	*6
530.21	15	*8	*7	-	*	*6	*8	*	*	*	*5
530.3	78	36	42	*	10	17	49	14	20	26	17
530.4	*6	*	*	-	*	*	*	*	*	*	*
530.5	34	*9	25	*	*	14	16	*7	*6	14	*8
530.6	12	*6	*6	-	*	*	10	*	*	*	*
530.7	33	23	10	*	*8	12	12	*	*8	13	*9

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
530.8	3,919	1,514	2,405	121	505	1,316	1,977	764	880	1,647	629
530.81	3,819	1,468	2,351	120	496	1,279	1,924	742	854	1,608	615
530.82	12	*5	*7	-	*	*	*8	*	*	*	*
530.85	71	34	37	*	*	28	38	15	19	27	10
530.89	13	*5	*8	*	*	*	*6	*	*	*7	*
531	143	60	82	*	18	42	82	24	33	56	30
531.0	*7	*	*	-	*	*	*6	*	*	*	*
531.00	*7	*	*	-	*	*	*6	*	*	*	*
531.4	61	27	34	-	*8	17	37	10	*9	27	15
531.40	61	27	34	-	*8	17	37	10	*9	27	15
531.5	*6	*	*	-	*	*	*	*	*	*	*
531.50	*6	*	*	-	*	*	*	*	*	*	*
531.9	60	22	38	*	*8	20	32	10	18	20	12
531.90	59	21	38	*	*8	19	31	10	18	19	12
532	102	59	43	*	10	32	60	21	26	38	17
532.4	47	27	19	*	*	12	31	*9	*9	17	11
532.40	45	26	19	*	*	12	30	*9	*9	17	10
532.5	*7	*6	*	-	*	*	*	*	*	*	*
532.50	*7	*6	*	-	*	*	*	*	*	*	*
532.9	37	17	20	-	*	12	21	*6	12	15	*
532.90	36	17	20	-	*	11	21	*6	12	15	*
533	97	44	53	-	*8	28	61	21	27	38	11
533.4	*8	*	*6	-	*	*	*	*	*	*	*
533.40	*8	*	*6	-	*	*	*	*	*	*	*
533.9	85	39	46	-	*8	24	54	20	23	34	*9
533.90	85	39	46	-	*8	24	54	20	22	34	*9
534	16	*	13	-	*	*7	*	*	*	*	*
534.9	*9	*	*7	-	*	*	*	*	*	*	*
534.90	*9	*	*7	-	*	*	*	*	*	*	*
535	659	279	379	*8	142	240	270	155	138	258	107
535.0	47	20	27	*	12	18	15	15	*7	19	*7
535.00	42	17	25	*	12	16	12	12	*6	18	*6
535.1	50	18	32	*	12	16	23	14	*7	21	*8
535.10	45	16	29	*	12	13	20	12	*6	20	*7
535.11	*5	*	*	-	-	*	*	*	*	*	*
535.3	24	15	*9	-	*8	11	*	*8	*5	*	*7
535.30	21	13	*8	-	*8	10	*	*7	*	*	*6
535.4	169	70	99	*	34	59	75	44	41	55	30
535.40	139	53	86	*	29	54	56	38	33	45	23
535.41	30	17	13	*	*	*5	20	*6	*8	*9	*6
535.5	289	115	173	*	59	107	118	59	58	129	43
535.50	263	101	162	*	57	96	106	51	53	118	41
535.51	25	14	12	-	*	11	13	*9	*	10	*
535.6	78	39	38	*	15	28	35	15	20	29	13
535.60	67	33	35	*	14	26	27	13	15	28	12
535.61	11	*7	*	-	*	*	*8	*	*	*	*
536	378	128	249	14	115	133	116	44	93	162	78
536.2	54	20	34	*	23	18	*8	*	11	19	20
536.3	188	64	124	*	69	77	40	25	39	95	29
536.4	49	16	33	*	*5	13	27	*8	14	19	*8
536.41	18	*	13	*	*	*6	11	*	*6	*7	*
536.42	20	*7	13	*	*	*	12	*	*6	*7	*
536.49	10	*	*6	*	*	*	*	*	*	*5	*
536.8	81	27	54	*	16	24	36	*	30	26	21
536.9	*6	*	*	-	*	*	*	*	*	*	*
537	139	76	64	*	13	49	74	31	35	49	24
537.0	21	10	11	*	*	*8	*9	*	*6	*7	*
537.3	*6	*5	*	*	*	*	*	*	*	*	*
537.4	*8	*	*6	*	*	*	*	*	*	*	*
537.8	89	50	39	*	*5	30	53	20	24	33	13
537.82	13	*7	*6	-	*	*	11	*	*	*7	*
537.83	24	14	10	-	-	*	20	*6	*8	*7	*
537.89	49	28	20	-	*5	24	20	11	11	18	*9

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
537.9	12	*7	*5	*	*	*6	*	*	*	*	*
540	283	156	126	53	146	58	26	54	47	99	84
540.0	61	39	23	13	23	15	10	10	13	19	19
540.1	35	22	14	*6	13	12	*	*5	*7	14	*9
540.9	186	96	90	33	109	30	13	39	26	66	55
541	13	*7	*6	*	*7	*	*	*	*	*5	*
543	*9	*	*5	*	*	*	*	*	*	*	*
543.9	*8	*	*5	*	*	*	*	*	*	*	*
550	81	70	11	*8	*7	26	40	17	13	29	22
550.1	24	20	*	*	*	*8	14	*6	*	*8	*7
550.10	19	15	*	*	*	*7	11	*	*	*7	*6
550.9	57	50	*7	*8	*6	17	26	10	10	21	16
550.90	49	43	*6	*6	*6	16	22	10	*7	18	14
552	108	42	66	*	15	41	49	26	22	43	17
552.1	15	*8	*7	*	*	*	*5	*7	*	*	*
552.2	68	26	42	*	*8	30	30	13	17	27	11
552.20	17	*5	12	-	*	*8	*7	*	*5	*7	*
552.21	40	14	26	*	*	19	17	*9	*7	16	*8
552.29	11	*7	*	-	*	*	*6	*	*	*	*
552.3	10	*	*6	*	*	*	*6	*	*	*	*
552.8	*9	*	*7	*	*	*	*	*	*	*	*
553	720	259	461	*8	92	229	391	134	158	303	124
553.1	74	34	40	*7	17	24	27	15	19	27	14
553.2	118	42	76	*	18	50	49	24	33	44	17
553.20	44	17	27	*	*6	12	26	12	10	16	*7
553.21	66	23	43	*	11	36	19	10	20	26	10
553.29	*8	*	*5	-	*	*	*	*	*	*	*
553.3	509	176	333	*	53	148	307	92	103	223	91
553.8	*7	*	*5	-	*	*	*	*	*	*	*
553.9	*8	*	*6	-	*	*	*	*	*	*	-
555	187	70	117	*	80	60	44	33	56	71	26
555.0	24	*9	15	*	10	10	*	*	*	11	*
555.1	21	*8	12	-	*9	*6	*6	*	*	*7	*
555.2	11	*	*8	*	*7	*	*	*	*	*5	*
555.9	131	49	82	*	55	42	33	23	44	48	16
556	107	57	50	*	31	39	34	39	25	28	15
556.2	*6	*	*	*	*	*	*	*	*	*	*
556.6	10	*5	*	-	*	*	*	*5	*	*	*
556.8	*7	*	*	*	*	*	*	*	*	*	*
556.9	77	41	36	*	18	30	27	28	19	20	10
557	145	46	99	*	14	38	94	37	32	39	36
557.0	45	20	25	*	*8	*9	28	16	10	11	*9
557.1	19	*	14	*	*	*	13	*	*	*	10
557.9	81	21	60	*	*	24	53	20	19	25	17
558	363	139	224	40	90	97	137	63	74	162	64
558.1	*8	*	*6	-	*	*	*6	*	*	*	*
558.9	352	137	215	38	88	96	130	59	72	156	64
560	971	460	511	27	136	311	497	194	227	384	165
560.0	13	*7	*6	*	*	*	*	*	*	*6	*
560.1	436	229	207	16	61	154	205	62	104	187	82
560.2	15	*9	*7	*	*	*	*7	*	*	*6	*
560.3	79	33	46	*	*	15	60	23	11	35	10
560.39	75	31	44	*	*	14	58	22	10	34	*8
560.8	194	81	114	*	31	57	104	40	47	71	37
560.81	117	48	68	*	14	36	66	22	21	51	23
560.89	77	32	45	*	17	21	38	18	26	19	14
560.9	233	102	131	*	35	77	118	64	60	78	30
562	814	326	488	-	56	245	513	171	189	315	140

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
562.0	18	*6	11	-	*	*6	*9	*	*	*	*7
562.00	14	*5	*8	-	*	*	*7	*	*	*	*5
562.1	796	320	477	-	54	238	504	168	184	311	133
562.10	430	167	262	-	19	113	298	85	97	168	80
562.11	279	112	167	-	33	113	133	60	66	114	39
562.12	72	35	37	-	*	*9	63	18	17	25	12
562.13	16	*	12	-	*	*	10	*	*	*	*
564	1,446	495	951	78	241	428	700	305	357	545	238
564.0	1,089	409	680	69	161	286	573	234	264	421	170
564.00	989	372	617	65	145	253	526	210	229	391	158
564.09	96	38	58	*	15	33	43	19	34	30	12
564.1	280	44	236	*	67	115	95	54	69	103	54
564.2	*8	*	*	-	*	*5	*	*	*	*	*
564.7	11	*6	*	*	*	*	*6	*	*	*	*
564.8	48	27	20	*	*8	16	21	*8	19	13	*8
564.81	28	17	11	*	*6	12	*8	*	15	*	*6
564.89	20	10	10	*	*	*	12	*	*	10	*
565	20	10	10	*	*9	*6	*	*	*7	*6	*
565.0	*8	*	*	*	*	*	*	*	*	*	*
565.1	12	*7	*5	*	*5	*	*	*	*	*	*
566	46	20	25	*	21	15	*8	*8	11	19	*8
567	150	71	79	*	28	66	52	30	35	57	28
567.2	99	44	55	*	20	46	32	23	22	35	18
567.21	*9	*	*6	*	*	*5	*	*	*	*	*
567.22	59	27	32	*	14	24	19	15	13	24	*6
567.23	15	*7	*8	-	*	10	*	*	*	*	*
567.29	16	*7	*9	-	*	*6	*7	*	*	*	*6
567.3	14	*8	*6	-	*	*	*8	*	*	*	*5
567.31	11	*6	*	-	*	*	*6	*	*	*	*
567.8	10	*	*7	-	*	*	*	*	*	*	*
567.89	*5	*	*	-	*	*	*	*	*	*	*
567.9	25	15	11	*	*	12	*8	*	*6	14	*
568	243	78	165	*	69	77	92	51	41	83	68
568.0	185	62	123	*	52	58	73	35	32	63	55
568.8	57	16	42	*	17	18	19	16	10	20	13
568.81	34	*6	28	-	14	10	10	12	*5	10	*8
568.89	23	10	13	*	*	*8	*9	*	*	10	*
569	396	194	202	*	59	137	195	84	86	150	76
569.0	15	10	*6	*	*	*6	*9	*	*6	*	*
569.1	12	*	10	-	*	*	*6	*	*	*	*
569.3	74	36	39	*	13	24	36	17	19	29	*9
569.4	43	23	20	*	*8	14	21	*7	10	17	*8
569.41	13	*7	*6	-	*	*	*7	*	*6	*	*
569.42	*9	*6	*	*	*	*	*	*	*	*6	*
569.49	21	10	10	*	*	*7	10	*	*	*8	*
569.5	35	21	14	-	*6	16	12	*8	*6	15	*6
569.6	45	25	20	*	*	18	21	*7	*9	16	12
569.62	10	*6	*	-	*	*5	*	*	*	*5	-
569.69	31	16	15	*	*	11	16	*	*7	*9	11
569.8	151	69	82	*	19	49	81	34	31	56	31
569.81	35	15	20	*	*	16	16	*	*7	13	11
569.82	25	12	12	-	*6	*7	12	*9	*	*5	*6
569.83	38	17	22	*	*7	15	16	*8	*9	13	*8
569.84	12	*5	*7	-	*	*	10	*	*	*7	*
569.85	24	11	13	-	*	*	20	*7	*6	*8	*
569.89	14	*7	*7	*	*	*	*6	*	*	*7	*
569.9	12	*	*8	-	*	*	*7	*	*	*7	*
570	85	37	47	*	16	33	35	15	19	28	22
571	727	422	305	*	123	418	185	139	153	264	171
571.0	26	16	10	-	*5	15	*6	*6	*	*	11
571.1	76	50	26	-	29	41	*6	14	18	18	26
571.2	222	154	69	-	28	154	41	39	49	77	57

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
571.3	28	22	*5	-	*7	17	*	*5	*9	*8	*6
571.4	16	*7	10	*	*	*7	*6	*	*	*6	*
571.42	12	*	*8	*	*	*5	*	*	*	*	*
571.5	205	110	95	*	14	109	82	44	33	90	38
571.6	12	*	10	-	*	*	*6	*	*	*	*
571.8	136	58	78	*	35	68	33	23	32	54	26
572	300	183	116	*	23	174	98	59	57	116	67
572.0	14	10	*	*	*	*	10	*	*	*5	*
572.2	112	69	43	*	*7	68	37	20	24	45	23
572.3	109	64	45	*	12	64	31	25	21	39	24
572.4	23	14	*8	-	*	12	*9	*6	*	*6	*6
572.8	41	26	15	*	*	27	10	*	*	20	12
573	121	53	68	*7	23	42	48	18	30	48	25
573.0	*9	*6	*	-	*	*	*	*	*	*5	*
573.3	39	15	24	*	13	12	13	*5	13	14	*6
573.8	49	23	26	*5	*	18	22	*6	11	18	15
573.9	23	*9	14	*	*	*9	*9	*	*	11	*
574	675	238	437	*	180	204	288	130	140	250	154
574.0	171	60	110	*	53	55	62	37	36	61	37
574.00	163	57	105	*	52	51	59	36	34	58	35
574.01	*8	*	*	-	*	*	*	*	*	*	*
574.1	163	55	108	*	54	45	65	32	27	64	40
574.10	157	53	103	*	50	43	63	30	26	63	38
574.11	*6	*	*	-	*	*	*	*	*	*	*
574.2	204	81	123	*	38	65	99	32	48	76	48
574.20	198	80	118	*	37	62	97	32	48	71	48
574.21	*5	*	*	*	*	*	*	*	*	*	*
574.3	12	*	*7	-	*	*	*6	*	*	*	*
574.30	*6	*	*	-	*	*	*	*	*	*	*
574.31	*6	*	*	-	*	*	*	*	*	*	*
574.4	10	*	*8	-	*	*	*6	*	*	*	*
574.40	*7	*	*	-	*	*	*	*	*	*	*
574.5	53	16	37	*	11	16	25	15	12	15	10
574.50	33	10	22	*	*7	11	15	*6	*8	11	*7
574.51	20	*6	14	-	*	*6	10	*8	*	*	*
574.6	18	*7	11	-	*7	*	*7	*	*	*8	*
574.60	11	*	*7	-	*	*	*5	*	*	*6	*
574.61	*7	*	*	-	*	*	*	*	*	*	*
574.7	25	*6	19	-	*7	*8	10	*	*	*9	*9
574.70	15	*	11	-	*	*5	*6	*	*	*7	*
574.71	*9	*	*8	-	*	*	*	*	*	*	*
574.8	10	*	*9	-	*	*	*	*	*	*	*
574.9	11	*5	*6	-	*	*	*	*	*	*7	*
574.90	*7	*	*	-	*	*	*	*	*	*	*
575	193	73	119	*	62	69	60	27	42	89	36
575.0	60	26	34	-	13	21	26	10	11	31	*8
575.1	67	24	43	-	25	25	18	*9	18	31	*9
575.10	26	*9	17	-	*9	*9	*8	*	*8	13	*
575.11	32	12	20	-	13	11	*8	*6	*9	13	*
575.12	*9	*	*6	-	*	*	*	*	*	*6	*
575.3	14	*6	*7	-	*	*6	*	*	*	*	*
575.8	40	11	29	*	16	13	*9	*	*6	20	11
576	197	79	117	*	35	66	92	34	34	77	52
576.1	62	30	32	*	*7	25	29	11	*8	24	19
576.2	52	25	28	*	*8	17	27	*8	10	21	13
576.8	79	24	55	*	19	22	35	16	14	31	18
577	643	307	336	11	189	268	175	121	155	241	126
577.0	413	197	216	*5	136	161	110	73	97	155	87
577.1	140	67	73	*	31	73	33	27	34	55	23
577.2	39	21	18	*	*8	18	12	*9	*9	13	*8
577.8	33	14	19	*	10	13	*9	*8	10	*8	*6
577.9	19	*8	11	-	*	*	13	*	*	*9	*
578	517	260	256	*	67	142	303	114	128	200	75

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
578.0	88	51	37	*	22	29	36	23	19	33	13
578.1	128	56	72	*	21	38	66	29	34	45	21
578.9	301	153	148	*	24	76	200	62	75	123	41
579	61	17	44	*7	10	18	26	*8	17	22	13
579.0	26	*	23	*	*	*6	15	*	*6	*9	*9
579.3	22	*8	14	*5	*	*7	*6	*	*9	*9	*
579.8	*5	*	*	*	*	*	*	*	*	*	*
579.9	*7	*	*6	-	*	*	*	*	*	*	*
580-629	14,801	6,625	8,176	195	2,232	3,771	8,604	3,056	3,278	5,952	2,515
580	10	*	*6	*	*	*	*5	*	*	*	*
580.8	*6	*	*	*	*	*	*	*	*	*	*
580.89	*6	*	*	-	*	*	*	*	*	*	*
581	33	16	17	*	*8	13	10	*7	*6	16	*
581.8	*8	*	*	-	*	*	*	*	*	*	*
581.81	*7	*	*	-	*	*	*	*	*	*	*
581.9	19	*8	11	*	*	*8	*6	*	*	10	*
582	11	*7	*	*	*	*	*	*	*	*	*
583	193	104	88	*	39	70	83	40	43	72	38
583.8	167	94	74	*	31	60	75	36	37	61	33
583.81	160	90	70	*	28	58	74	36	34	57	33
583.89	*7	*	*	-	*	*	*	*	*	*	*
583.9	20	*9	11	*	*8	*7	*	*	*5	*6	*
584	2,763	1,450	1,313	10	209	738	1,806	564	614	1,188	397
584.5	182	97	85	*	15	57	110	42	46	66	28
584.9	2,577	1,351	1,226	*9	195	680	1,693	521	568	1,119	369
585	3,204	1,660	1,544	*6	197	791	2,210	680	710	1,314	501
585.1	16	*8	*7	-	*	*6	*9	*	*	*9	*
585.2	102	56	46	-	*6	28	68	19	15	44	23
585.3	672	346	327	*	19	107	544	165	144	254	111
585.4	300	148	152	-	10	50	240	64	82	112	41
585.5	44	24	21	-	*6	*9	29	*7	*9	21	*7
585.6	800	413	387	*	100	324	374	176	181	327	116
585.9	1,269	665	604	*	54	266	947	246	276	547	200
586	22	12	*9	*	*	*	17	*	*7	*7	*
587	*8	*	*	*	*	*	*	*	*	*	*
588	194	91	104	*	32	68	94	37	57	72	29
588.0	29	13	16	-	*8	*8	13	*	11	12	*5
588.8	161	74	87	*	24	58	79	35	45	57	24
588.81	152	70	82	-	21	56	75	35	43	51	23
588.89	*9	*	*	*	*	*	*	*	*	*6	*
590	269	67	202	20	105	66	79	45	64	99	62
590.1	102	21	82	*6	44	26	27	18	22	37	26
590.10	102	21	82	*6	44	26	27	18	22	37	26
590.8	160	43	117	13	59	38	49	27	40	58	35
590.80	160	43	117	13	59	38	49	27	40	58	35
591	350	152	198	12	82	107	150	78	70	133	69
592	370	177	193	*	125	133	108	73	88	150	60
592.0	205	94	111	*	68	69	66	36	52	82	35
592.1	162	82	81	*	56	64	42	36	36	67	24
593	649	328	321	46	58	155	390	119	135	228	168
593.2	42	22	20	-	*	15	23	*6	*7	15	14
593.3	17	*8	*9	-	*	*7	*6	*	*	*6	*
593.4	43	18	25	*	*9	12	20	*5	12	16	*9
593.5	*8	*	*	*	*	*	*	*	*	*	*
593.7	35	26	*9	33	*	*	*	*9	*6	10	10

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
593.70	27	20	*8	26	*	*	*	*9	*6	*9	*
593.72	*6	*6	*	*6	-	*	-	-	-	*	*6
593.8	32	11	21	*	*8	11	10	*	11	*7	10
593.81	13	*5	*7	*	*	*6	*5	*	*	*	*
593.89	19	*6	14	*	*7	*6	*	*	*6	*	*7
593.9	471	239	233	*8	30	107	326	90	92	171	118
594	26	23	*	*	*	*6	14	*7	*	10	*
594.1	24	21	*	*	*	*	14	*6	*	10	*
595	104	38	67	*	*9	29	63	16	24	49	15
595.0	35	15	20	*	*	*8	25	*	*	25	*
595.1	*9	*	*7	*	*	*	*	*	*	*	*
595.2	10	*	*8	*	*	*6	*	*	*	*	*
595.8	*9	*	*6	*	*	*	*6	*	*	*	*
595.82	*6	*	*	-	-	*	*6	*	*	*	*
595.9	41	17	24	*	*	*9	28	*9	12	13	*8
596	319	170	149	*9	39	95	176	74	75	114	56
596.0	48	46	*	*	*	14	33	*9	*8	26	*6
596.1	*7	*	*	-	*	*	*	*	*	*	*
596.3	*8	*	*	*	*	*	*	*	*	*	*
596.4	*5	*	*	-	*	*	*	*	*	*	*
596.5	196	85	112	*	29	56	106	52	54	60	31
596.51	44	*6	38	-	*	11	33	*8	13	15	*9
596.54	142	76	67	*	28	41	69	43	39	41	19
596.59	*9	*	*7	-	*	*	*	*	*	*	*
596.8	42	19	23	*	*7	18	15	*6	*7	17	11
598	33	28	*5	*	*	15	15	*	*8	19	*
598.8	*6	*6	*	-	*	*	*	*	*	*	*
598.9	25	20	*	*	*	12	*9	*	*6	15	*
599	3,301	1,090	2,212	48	353	652	2,247	692	765	1,336	508
599.0	2,964	871	2,093	42	295	567	2,060	622	690	1,186	466
599.6	48	38	10	*	*7	12	29	*8	*8	25	*7
599.60	28	20	*8	*	*	*6	18	*	*	15	*5
599.69	20	18	*	-	*	*6	11	*	*	11	*
599.7	272	176	96	*5	48	68	151	58	63	118	33
599.70	158	98	60	*	31	41	83	32	34	75	18
599.71	84	62	22	*	*9	15	58	18	21	33	12
599.72	29	15	14	*	*8	11	*9	*8	*8	11	*
599.8	12	*	10	*	*	*	*	*	*	*5	*
599.81	*5	-	*5	-	*	*	*	*	*	*	*
600	982	982	-	-	*8	151	822	243	208	348	183
600.0	937	937	-	-	*8	144	785	236	203	332	166
600.00	749	749	-	-	*	114	630	188	163	261	136
600.01	188	188	-	-	*	30	155	48	39	71	30
600.2	*9	*9	-	-	-	*	*7	-	*	*	*7
600.20	*5	*5	-	-	-	*	*	-	*	-	*5
600.9	34	34	-	-	*	*6	28	*7	*	13	10
600.90	22	22	-	-	*	*	17	*6	*	*6	*9
600.91	12	12	-	-	-	*	11	*	*	*7	*
601	33	33	-	-	*	12	16	*9	*	17	*
601.0	*6	*6	-	-	*	*	*	*	*	*	*
601.1	*8	*8	-	-	*	*	*5	*	*	*	*
601.9	17	17	-	-	*	*8	*7	*	*	*8	*
603	20	20	-	*6	*	*7	*	*5	*	*9	*
603.9	16	16	-	*	*	*5	*	*	*	*6	*
604	32	32	-	*	*	13	13	*6	*	19	*
604.9	28	28	-	*	*	11	11	*6	*	16	*
604.90	19	19	-	*	*	*8	*9	*	*	11	*
604.99	*9	*9	-	*	*	*	*	*	*	*5	*
605	15	15	-	*6	*	*	*6	*	*	*	*5

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
607	53	53	-	*	*	24	24	10	15	19	10
607.8	45	45	-	*	*	21	21	*9	12	15	*9
607.84	34	34	-	-	*	17	15	*5	11	11	*6
608	58	58	-	*	15	26	14	*8	15	24	12
608.4	23	23	-	*	*6	*9	*7	*	*6	10	*5
608.8	30	30	-	*	*7	15	*6	*	*7	13	*6
608.83	*5	*5	-	-	*	*	*	*	*	*	*
608.86	17	17	-	*	*	*9	*	*	*	*8	*
608.89	*5	*5	-	*	*	*	*	*	*	*	*
610	13	-	13	-	*	*7	*	*	*	*7	*
610.1	*9	-	*9	-	*	*5	*	*	*	*	*
611	64	*	60	*	26	25	11	15	11	24	13
611.0	25	*	25	*	12	11	*	*	*	12	*6
611.1	*9	*	*7	-	*6	*	*	*	*	*	*
611.7	21	*	20	-	*6	*8	*7	*7	*	*7	*
611.72	18	*	18	-	*	*7	*7	*6	*	*6	*
611.8	*7	-	*7	*	*	*	*	*	*	*	*
614	193	-	193	*	131	51	10	46	36	77	33
614.1	11	-	11	-	*7	*	*	*	*	*7	*
614.2	16	-	16	-	11	*	*	*	*	*6	*
614.3	10	-	10	-	*	*5	*	*	*	*	*
614.4	10	-	10	*	*	*	*	*	*	*	*
614.6	120	-	120	-	83	32	*5	29	24	47	20
614.9	23	-	23	*	20	*	*	*	*	10	*
615	23	-	23	-	20	*	*	*6	*5	*6	*6
615.9	20	-	20	-	20	*	*	*	*5	*6	*6
616	62	-	62	*	31	17	10	21	14	23	*
616.0	17	-	17	-	*6	*6	*	10	*	*	*
616.1	26	-	26	*	17	*6	*	*5	*9	*9	*
616.10	26	-	26	*	17	*6	*	*	*9	*9	*
616.4	11	-	11	*	*	*	*	*	*	*7	-
617	166	-	166	-	122	43	*	27	31	51	57
617.0	68	-	68	-	45	21	*	13	*8	23	24
617.1	28	-	28	-	23	*5	-	*	*	*9	10
617.2	*7	-	*7	-	*	*	-	*	*	*	*
617.3	26	-	26	-	18	*8	-	*	*	*9	*9
617.5	*5	-	*5	-	*	*	-	*	*	*	*
617.8	10	-	10	-	*9	*	-	*	*	*	*
617.9	22	-	22	-	19	*	*	*	10	*6	*
618	199	-	199	-	26	95	78	32	51	68	48
618.0	64	-	64	-	*6	34	24	10	11	29	13
618.01	31	-	31	-	*	15	14	*6	*6	14	*5
618.04	24	-	24	-	*	14	*9	*	*	12	*5
618.1	*9	-	*9	-	*	*	*	*	*	*5	*
618.2	15	-	15	-	*6	*6	*	*	*	*6	*
618.3	10	-	10	-	*	*	*5	*	*	*	*
618.4	44	-	44	-	*5	23	15	*9	16	*8	10
618.5	22	-	22	-	*	*9	12	*	*9	*6	*6
618.6	20	-	20	-	*	*8	10	*	*7	*9	*
618.8	13	-	13	-	*	*6	*6	*	*	*	*7
618.89	12	-	12	-	*	*6	*5	*	*	*	*7
619	17	-	17	-	*	*8	*6	*	*	*	*6
619.1	13	-	13	-	*	*6	*6	*	*	*	*6
620	222	-	222	*	135	61	22	44	31	96	51
620.0	22	-	22	-	17	*5	-	*	*	*8	10
620.1	21	-	21	*	15	*5	-	*	*	10	*6
620.2	127	-	127	*	79	32	14	23	16	63	25
620.5	10	-	10	*	*	*5	*	*	*	*	*
620.8	33	-	33	*	18	10	*	10	*8	*9	*7
620.9	*6	-	*6	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
621	61	-	61	-	19	30	12	18	*9	24	*9
621.0	16	-	16	-	*	10	*	*6	*	*7	*
621.2	11	-	11	-	*5	*5	*	*	*	*5	*
621.3	22	-	22	-	*	12	*6	*6	*	*7	*
621.30	*7	-	*7	-	*	*	*	*	*	*	*
621.33	*9	-	*9	-	*	*7	*	*	*	*	*
621.8	*6	-	*6	-	*	*	*	*	*	*	-
622	19	-	19	-	*8	*9	*	*	*	11	*
622.1	*9	-	*9	-	*	*6	*	*	*	*	*
623	36	-	36	*	16	10	*9	10	*7	14	*
623.5	*6	-	*6	-	*	*	*	*	*	*	*
623.8	26	-	26	-	11	*7	*7	*8	*	*9	*
625	309	-	309	*	160	105	43	43	77	122	68
625.0	29	-	29	-	20	*8	*	*	*6	13	10
625.3	67	-	67	*	49	17	*	*8	16	30	12
625.6	120	-	120	-	27	57	36	18	35	43	24
625.8	11	-	11	-	*8	*	*	*	*	*	*
625.9	74	-	74	*	50	19	*	14	15	31	14
626	300	-	300	*	202	96	-	48	55	141	56
626.2	206	-	206	*	138	66	-	32	42	96	36
626.4	13	-	13	*	*8	*	-	*	*	*7	*
626.6	*7	-	*7	-	*6	*	-	*	*	*	*
626.8	63	-	63	*	42	20	-	12	*7	30	13
626.9	*5	-	*5	-	*	*	-	*	*	*	*
627	42	-	42	-	*	22	16	*	13	18	*6
627.0	*6	-	*6	-	*	*	-	*	*	*	*
627.1	20	-	20	-	-	10	*9	*	*6	*7	*
627.9	*5	-	*5	-	-	*	*	*	*	*	*
630-679	11,493	-	11,493	17	11,463	13	-	1,973	2,928	4,062	2,530
632	11	-	11	-	11	-	-	*	*	*	*
633	22	-	22	-	22	-	-	*5	*5	*9	*
633.1	16	-	16	-	16	-	-	*	*	*8	*
633.10	16	-	16	-	16	-	-	*	*	*8	*
634	14	-	14	-	14	*	-	*	*	*	*5
635	*6	-	*6	-	*6	-	-	*	*	*	*
641	88	-	88	-	88	*	-	15	20	32	21
641.0	11	-	11	-	11	*	-	*	*	*	*
641.01	*9	-	*9	-	*9	*	-	*	*	*	*
641.1	17	-	17	-	17	*	-	*	*	*6	*
641.11	*7	-	*7	-	*7	*	-	*	*	*	*
641.13	10	-	10	-	10	-	-	*	*	*	*
641.2	47	-	47	-	47	-	-	*8	11	17	12
641.21	40	-	40	-	40	-	-	*7	*9	14	*9
641.23	*7	-	*7	-	*7	-	-	*	*	*	*
641.9	10	-	10	-	10	-	-	*	*	*	*
641.91	*6	-	*6	-	*6	-	-	*	*	*	*
642	421	-	421	*	420	*	-	64	95	195	67
642.0	69	-	69	-	69	-	-	13	15	34	*8
642.01	55	-	55	-	55	-	-	10	12	27	*6
642.03	12	-	12	-	12	-	-	*	*	*6	*
642.3	147	-	147	-	147	-	-	21	33	64	29
642.31	127	-	127	-	127	-	-	17	28	55	28
642.33	15	-	15	-	15	-	-	*	*	*8	*
642.4	89	-	89	*	88	*	-	13	20	42	14
642.41	75	-	75	*	74	*	-	11	15	35	13
642.43	*8	-	*8	-	*8	-	-	-	*	*	-
642.5	55	-	55	-	55	-	-	*6	15	26	*8

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
642.51	53	-	53	-	53	-	-	*6	14	26	*8
642.7	32	-	32	-	32	*	-	*6	*8	15	*
642.71	25	-	25	-	25	*	-	*	*6	11	*
642.9	22	-	22	-	22	-	-	*	*	11	*
642.91	15	-	15	-	15	-	-	*	*	*7	*
643	39	-	39	-	39	-	-	*5	*6	22	*6
643.0	19	-	19	-	19	-	-	*	*	11	*
643.03	19	-	19	-	19	-	-	*	*	11	*
643.1	11	-	11	-	11	-	-	*	*	*6	*
643.13	11	-	11	-	11	-	-	*	*	*6	*
643.2	*7	-	*7	-	*7	-	-	*	*	*	*
644	385	-	385	*	384	*	-	66	93	147	79
644.0	73	-	73	*	73	-	-	13	22	28	11
644.03	73	-	73	*	73	-	-	13	22	28	11
644.2	308	-	308	*	308	*	-	53	70	118	67
644.20	*5	-	*5	-	*5	-	-	*5	-	-	-
644.21	303	-	303	*	302	*	-	48	70	118	67
645	377	-	377	-	377	*	-	95	85	111	86
645.1	366	-	366	-	366	*	-	92	85	103	86
645.11	363	-	363	-	363	*	-	92	85	103	84
645.2	11	-	11	-	11	-	-	*	*	*8	-
645.21	11	-	11	-	11	-	-	*	*	*8	-
646	237	-	237	*	235	*	-	30	56	90	61
646.1	*8	-	*8	-	*8	-	-	*	*	*	*
646.11	*5	-	*5	-	*5	-	-	*	*	*	*
646.2	16	-	16	-	16	-	-	*	*	*7	*
646.21	10	-	10	-	10	-	-	*	*	*	*
646.23	*6	-	*6	-	*6	-	-	*	*	*	*
646.3	13	-	13	-	13	-	-	*	*	*	*6
646.31	11	-	11	-	11	-	-	*	*	*	*6
646.6	101	-	101	*	101	-	-	13	27	39	22
646.61	33	-	33	*	32	-	-	*	11	10	*8
646.62	*8	-	*8	-	*8	-	-	*	*	*	*
646.63	51	-	51	-	51	-	-	*8	12	22	*8
646.64	10	-	10	-	10	-	-	*	*	*	*
646.8	92	-	92	-	90	*	-	12	15	37	27
646.81	57	-	57	-	57	-	-	10	10	24	13
646.82	*7	-	*7	-	*7	-	-	*	*	*	*
646.83	26	-	26	-	24	*	-	*	*	10	12
647	147	-	147	-	147	*	-	19	31	68	29
647.6	108	-	108	-	108	*	-	17	21	47	24
647.61	101	-	101	-	101	*	-	17	20	42	22
647.63	*7	-	*7	-	*7	-	-	*	*	*	*
647.8	23	-	23	-	23	-	-	*	*7	12	*
647.81	17	-	17	-	17	-	-	*	*5	10	*
647.83	*6	-	*6	-	*6	-	-	*	*	*	*
648	2,310	-	2,310	*	2,306	*	-	420	631	768	491
648.0	66	-	66	-	66	-	-	*7	13	36	11
648.01	42	-	42	-	42	-	-	*	*9	22	*8
648.03	23	-	23	-	23	-	-	*	*	13	*
648.1	131	-	131	-	131	*	-	32	34	32	34
648.11	119	-	119	-	119	*	-	27	32	28	32
648.13	10	-	10	-	10	-	-	*5	*	*	*
648.2	467	-	467	*	466	*	-	78	137	165	88
648.21	246	-	246	*	245	*	-	47	53	98	48
648.22	179	-	179	*	178	*	-	21	74	47	36
648.23	32	-	32	-	32	-	-	*8	*8	15	*
648.24	10	-	10	-	10	-	-	*	*	*	*
648.3	15	-	15	-	15	-	-	*	*	*	*5
648.31	*7	-	*7	-	*7	-	-	*	*	*	*
648.33	*7	-	*7	-	*7	-	-	*	*	*	*
648.4	235	-	235	*	235	*	-	45	64	77	50
648.41	176	-	176	-	175	*	-	32	50	55	39
648.42	*7	-	*7	-	*7	-	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
648.43	43	-	43	-	43	-	-	10	10	15	*8
648.44	10	-	10	*	10	-	-	*	*	*	*
648.6	36	-	36	-	36	*	-	*8	*7	15	*6
648.61	26	-	26	-	26	-	-	*6	*	11	*
648.64	*5	-	*5	-	*5	-	-	*	*	*	*
648.7	15	-	15	-	15	-	-	*	*	*	*
648.71	11	-	11	-	11	-	-	*	*	*	*
648.8	278	-	278	-	278	*	-	48	55	98	77
648.81	256	-	256	-	256	*	-	45	52	86	73
648.83	20	-	20	-	20	-	-	*	*	12	*
648.9	1,063	-	1,063	*	1,061	*	-	198	313	336	216
648.91	933	-	933	*	931	*	-	169	272	290	201
648.92	22	-	22	-	22	-	-	*	10	*	*
648.93	99	-	99	-	98	*	-	20	28	39	12
648.94	*9	-	*9	-	*9	-	-	*	*	*	*
649	512	-	512	*	511	*	-	82	148	194	88
649.0	251	-	251	*	251	-	-	36	92	88	34
649.01	226	-	226	*	226	-	-	31	81	82	32
649.03	21	-	21	-	21	-	-	*5	10	*	*
649.1	160	-	160	-	160	*	-	28	35	69	28
649.11	147	-	147	-	147	*	-	26	33	59	28
649.13	11	-	11	-	11	-	-	*	*	*9	*
649.2	*7	-	*7	-	*7	-	-	*	*	*	*
649.21	*5	-	*5	-	*5	-	-	*	*	*	*
649.3	57	-	57	-	57	*	-	*6	12	23	16
649.31	48	-	48	-	48	*	-	*	10	21	14
649.33	*8	-	*8	-	*8	-	-	*	*	*	*
649.4	15	-	15	*	14	-	-	*	*	*6	*
649.41	13	-	13	*	12	-	-	*	*	*	*
649.7	17	-	17	-	16	*	-	*6	*	*	*
649.71	*8	-	*8	-	*8	*	-	*	*	*	*
649.73	*8	-	*8	-	*8	-	-	*	*	*	*
650	222	-	222	-	222	-	-	27	46	115	33
651	89	-	89	-	88	*	-	16	25	31	16
651.0	82	-	82	-	82	*	-	14	24	30	14
651.01	66	-	66	-	65	*	-	11	18	23	14
651.03	16	-	16	-	16	-	-	*	*6	*7	*
652	306	-	306	-	305	*	-	39	80	109	79
652.2	128	-	128	-	128	*	-	16	29	50	34
652.21	122	-	122	-	122	*	-	15	27	49	32
652.23	*6	-	*6	-	*6	*	-	*	*	*	*
652.3	24	-	24	-	24	-	-	*	*8	10	*
652.31	24	-	24	-	24	-	-	*	*8	*9	*
652.5	61	-	61	-	61	-	-	*7	17	21	15
652.51	61	-	61	-	61	-	-	*7	17	21	15
652.6	29	-	29	-	29	*	-	*	*8	11	*
652.61	29	-	29	-	28	*	-	*	*8	11	*
652.8	50	-	50	-	50	*	-	*8	11	13	18
652.81	49	-	49	-	49	*	-	*8	11	12	18
653	67	-	67	-	67	-	-	10	17	25	16
653.4	54	-	54	-	54	-	-	*9	14	20	11
653.41	54	-	54	-	54	-	-	*9	14	20	11
654	807	-	807	*	805	*	-	149	173	311	173
654.0	14	-	14	-	14	-	-	*	*	*	*
654.01	13	-	13	-	13	-	-	*	*	*	*
654.1	50	-	50	-	50	*	-	15	*5	15	16
654.11	44	-	44	-	44	*	-	13	*5	14	12
654.13	*6	-	*6	-	*6	-	-	*	*	*	*
654.2	644	-	644	*	642	*	-	102	141	260	140
654.21	625	-	625	*	624	*	-	99	139	251	136
654.23	19	-	19	-	19	*	-	*	*	*9	*
654.4	46	-	46	-	46	*	-	15	11	14	*5
654.41	40	-	40	-	40	*	-	13	10	12	*
654.5	29	-	29	-	29	-	-	10	*6	*8	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
654.51	15	-	15	-	15	-	-	*	*	*	*
654.53	14	-	14	-	14	-	-	*	*	*	*
654.6	14	-	14	-	14	-	-	*	*	*8	*
654.61	11	-	11	-	11	-	-	*	*	*6	*
654.9	*6	-	*6	-	*6	*	-	*	*	*	*
654.91	*5	-	*5	-	*5	*	-	*	*	*	*
655	73	-	73	*	73	-	-	12	16	30	16
655.0	*6	-	*6	-	*6	-	-	*	*	*	*
655.7	31	-	31	-	31	-	-	*	*7	11	*9
655.71	25	-	25	-	25	-	-	*	*6	*8	*9
655.73	*6	-	*6	-	*6	-	-	*	*	*	*
655.8	30	-	30	*	30	-	-	*7	*7	12	*
655.81	24	-	24	*	24	-	-	*6	*6	*8	*
655.83	*6	-	*6	-	*6	-	-	*	*	*	*
656	391	-	391	*	391	*	-	61	98	133	99
656.1	80	-	80	-	80	*	-	13	20	28	19
656.11	75	-	75	-	75	*	-	12	18	26	19
656.3	13	-	13	-	13	-	-	*	*	*9	*
656.31	12	-	12	-	12	-	-	*	*	*8	*
656.4	15	-	15	-	15	-	-	*	*	*7	*
656.41	14	-	14	-	14	-	-	*	*	*7	*
656.5	99	-	99	*	99	-	-	18	23	37	20
656.51	92	-	92	*	92	-	-	14	22	36	20
656.53	*7	-	*7	-	*7	-	-	*	*	*	*
656.6	95	-	95	-	95	-	-	15	21	28	31
656.61	93	-	93	-	93	-	-	15	21	28	30
656.7	14	-	14	-	14	-	-	*	*	*	*7
656.71	13	-	13	-	13	-	-	*	*	*	*7
656.8	71	-	71	-	71	-	-	12	22	21	16
656.81	70	-	70	-	70	-	-	12	22	21	16
657	26	-	26	-	26	*	-	*	10	*8	*
657.0	26	-	26	-	26	*	-	*	10	*8	*
657.01	23	-	23	-	23	*	-	*	*9	*6	*
658	386	-	386	*	385	*	-	79	91	125	91
658.0	130	-	130	*	129	*	-	33	24	42	31
658.01	116	-	116	*	116	*	-	23	23	41	30
658.03	*9	-	*9	-	*9	-	-	*6	*	*	*
658.1	140	-	140	*	140	*	-	25	33	50	32
658.11	136	-	136	*	136	*	-	25	33	49	30
658.2	47	-	47	-	47	*	-	*7	14	16	11
658.21	47	-	47	-	47	*	-	*7	14	16	11
658.4	65	-	65	*	65	*	-	12	20	18	16
658.41	63	-	63	*	63	*	-	10	20	17	16
659	1,181	-	1,181	*5	1,173	*	-	254	260	387	280
659.1	64	-	64	-	64	-	-	18	*9	23	14
659.11	51	-	51	-	51	-	-	13	*9	19	11
659.13	*8	-	*8	-	*8	-	-	*	*	*	*
659.2	39	-	39	-	39	*	-	*8	*9	10	11
659.21	39	-	39	-	39	*	-	*8	*9	10	11
659.4	22	-	22	-	21	*	-	*5	*	10	*
659.41	20	-	20	-	20	-	-	*5	*	*9	*
659.5	81	-	81	-	81	*	-	21	20	19	21
659.51	78	-	78	-	78	*	-	20	20	17	21
659.6	374	-	374	-	372	*	-	88	77	113	95
659.61	347	-	347	-	345	*	-	78	72	105	93
659.63	28	-	28	-	27	*	-	11	*6	*9	*
659.7	516	-	516	*	515	-	-	90	122	182	122
659.71	502	-	502	*	501	-	-	85	119	177	121
659.73	14	-	14	-	14	-	-	*5	*	*	*
659.8	56	-	56	*	52	-	-	12	12	21	11
659.81	51	-	51	*	47	-	-	*8	11	21	11
659.83	*5	-	*5	-	*5	-	-	*	*	*	-
659.9	23	-	23	-	23	-	-	*9	*	*6	*
659.91	21	-	21	-	21	-	-	*7	*	*6	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
660	165	-	165	-	165	*	-	24	52	44	45
660.0	29	-	29	-	29	*	-	*	17	*	*8
660.01	29	-	29	-	29	*	-	*	17	*	*8
660.1	18	-	18	-	18	-	-	*	*	*7	*
660.11	18	-	18	-	18	-	-	*	*	*7	*
660.3	34	-	34	-	34	-	-	*7	*6	*9	12
660.31	34	-	34	-	34	-	-	*7	*6	*9	12
660.4	60	-	60	-	60	-	-	*9	16	21	14
660.41	60	-	60	-	60	-	-	*9	16	21	14
660.7	13	-	13	-	13	-	-	*	*	*	*6
660.71	13	-	13	-	13	-	-	*	*	*	*6
661	379	-	379	-	379	*	-	58	90	156	75
661.0	82	-	82	-	82	-	-	*8	23	34	17
661.01	81	-	81	-	81	-	-	*8	22	34	17
661.1	114	-	114	-	114	*	-	22	21	49	22
661.11	114	-	114	-	114	*	-	22	21	49	22
661.2	95	-	95	-	95	-	-	15	18	45	17
661.21	94	-	94	-	94	-	-	14	18	45	17
661.3	77	-	77	-	77	-	-	10	26	25	17
661.31	77	-	77	-	77	-	-	10	26	25	17
661.9	*9	-	*9	-	*9	-	-	*	*	*	*
661.91	*8	-	*8	-	*8	-	-	*	*	*	*
662	28	-	28	*	28	*	-	*6	11	*	*7
662.0	*6	-	*6	-	*6	-	-	*	*	*	*
662.01	*6	-	*6	-	*6	-	-	*	*	*	*
662.1	*7	-	*7	-	*7	*	-	*	*	*	*
662.11	*5	-	*5	-	*5	-	-	*	*	-	*
662.2	15	-	15	*	15	-	-	*	*6	*	*
662.21	15	-	15	*	15	-	-	*	*6	*	*
663	850	-	850	*	848	*	-	117	244	272	216
663.0	*9	-	*9	-	*9	-	-	*	*	*	*
663.01	*9	-	*9	-	*9	-	-	*	*	*	*
663.1	164	-	164	-	164	-	-	14	58	43	48
663.11	164	-	164	-	164	-	-	14	58	43	48
663.2	38	-	38	-	38	-	-	*	*9	15	10
663.21	38	-	38	-	38	-	-	*	*9	15	10
663.3	597	-	597	*	595	*	-	90	163	201	142
663.31	597	-	597	*	595	*	-	90	163	201	142
663.4	*9	-	*9	-	*9	-	-	*	*	*	*
663.41	*9	-	*9	-	*9	-	-	*	*	*	*
663.8	31	-	31	-	31	-	-	*5	*7	*6	12
663.81	29	-	29	-	29	-	-	*5	*6	*5	12
664	1,450	-	1,450	*	1,446	*	-	211	414	497	330
664.0	571	-	571	*	568	*	-	91	154	197	130
664.01	569	-	569	*	566	*	-	90	154	196	130
664.1	636	-	636	*	635	*	-	96	192	200	150
664.11	634	-	634	*	633	*	-	96	190	199	149
664.2	70	-	70	-	70	-	-	*8	16	25	21
664.21	70	-	70	-	70	-	-	*8	16	25	21
664.3	21	-	21	*	21	-	-	*	*5	10	*
664.31	21	-	21	*	21	-	-	*	*5	10	*
664.4	32	-	32	-	32	-	-	*	*	18	10
664.41	32	-	32	-	32	-	-	*	*	18	10
664.8	111	-	111	*	111	-	-	11	43	42	16
664.81	111	-	111	*	111	-	-	11	43	42	16
664.9	*5	-	*5	-	*5	-	-	*	*	*	*
664.91	*5	-	*5	-	*5	-	-	*	*	*	*
665	62	-	62	-	62	-	-	11	15	19	17
665.3	*7	-	*7	-	*7	-	-	*	*	*	*
665.31	*7	-	*7	-	*7	-	-	*	*	*	*
665.4	34	-	34	-	34	-	-	*	*9	15	*8
665.41	34	-	34	-	34	-	-	*	*9	15	*8
665.5	*9	-	*9	-	*9	-	-	*	*	*	*
665.51	*9	-	*9	-	*9	-	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
666	122	-	122	*	121	-	-	26	36	34	26
666.0	*7	-	*7	-	*7	-	-	*	*	*	*
666.02	*6	-	*6	-	*6	-	-	*	*	*	*
666.1	91	-	91	*	91	-	-	20	28	24	19
666.12	90	-	90	*	90	-	-	20	28	24	18
666.2	14	-	14	-	14	-	-	*	*	*	*
666.22	*8	-	*8	-	*8	-	-	*	*	*	*
666.24	*6	-	*6	-	*6	-	-	*	*	*	*
666.3	10	-	10	-	10	-	-	*	*	*	*
666.32	*7	-	*7	-	*7	-	-	*	*	*	*
667	22	-	22	-	22	-	-	*	*6	*	*9
667.0	12	-	12	-	12	-	-	*	*	*	*
667.02	11	-	11	-	11	-	-	*	*	*	*
667.1	10	-	10	-	10	-	-	*	*	*	*6
667.12	*9	-	*9	-	*9	-	-	*	*	*	*6
668	16	-	16	-	16	-	-	*	*6	*	*5
668.8	15	-	15	-	15	-	-	*	*5	*	*5
668.81	*8	-	*8	-	*8	-	-	*	*	*	*
668.82	*7	-	*7	-	*7	-	-	*	*	*	*
669	118	-	118	*	117	*	-	20	27	54	16
669.5	11	-	11	-	11	-	-	*	*	*	*
669.51	11	-	11	-	11	-	-	*	*	*	*
669.7	33	-	33	-	33	-	-	*8	*	22	*
669.71	31	-	31	-	31	-	-	*6	*	22	*
669.8	64	-	64	*	63	*	-	*8	19	24	13
669.81	48	-	48	*	48	*	-	*6	14	19	10
669.82	14	-	14	-	14	-	-	*	*5	*	*
670	24	-	24	-	24	-	-	*	*6	*7	*7
670.1	21	-	21	-	21	-	-	*	*	*6	*6
670.12	14	-	14	-	14	-	-	*	*	*	*
670.14	*7	-	*7	-	*7	-	-	*	*	*	*
671	29	-	29	-	29	-	-	*5	*8	12	*
671.0	*5	-	*5	-	*5	-	-	*	*	*	*
671.01	*5	-	*5	-	*5	-	-	*	*	*	*
671.8	15	-	15	-	15	-	-	*	*	*	*
671.81	*8	-	*8	-	*8	-	-	*	*	*	*
671.82	*7	-	*7	-	*7	-	-	*	*	*	*
672	12	-	12	*	12	-	-	*	*	*	*
672.0	12	-	12	*	12	-	-	*	*	*	*
672.02	11	-	11	*	11	-	-	*	*	*	*
674	67	-	67	-	67	*	-	11	16	24	17
674.3	25	-	25	-	25	-	-	*	*6	*8	*8
674.32	16	-	16	-	16	-	-	*	*	*	*6
674.34	*9	-	*9	-	*9	-	-	*	*	*	*
674.8	31	-	31	-	31	-	-	*	*7	13	*8
674.82	24	-	24	-	24	-	-	*	*6	*8	*6
674.84	*7	-	*7	-	*7	-	-	*	*	*	*
676	*8	-	*8	-	*8	-	-	*	*	*	*
680-709	3,791	1,859	1,932	206	641	1,125	1,819	880	866	1,421	624
680	15	*	12	*	*5	*5	*	*	*	*6	*
681	86	49	37	*	19	35	27	18	18	30	21
681.0	36	20	16	*	14	12	*8	*	*8	13	11
681.00	31	18	13	*	13	10	*5	*	*7	10	11
681.1	50	30	20	*	*5	23	19	14	*9	16	10
681.10	46	27	18	*	*5	22	17	14	*7	16	*9
682	1,316	674	642	61	283	448	524	304	308	496	209
682.0	75	31	44	*9	28	21	17	22	16	25	12
682.1	22	10	12	*	*6	*6	*6	*	*5	*9	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
704.00	11	*	*7	*	*	*	*	*	*	*6	*
704.8	14	*9	*5	*	11	*	*	*	*	*6	*
705	25	*6	18	*	14	*7	*	*7	*6	*5	*6
705.8	22	*5	16	*	14	*7	*	*5	*6	*	*
705.83	21	*5	16	*	13	*7	*	*5	*6	*	*
706	30	18	12	*	12	*	*9	*	11	12	*
706.1	15	*8	*7	*	10	*	*	*	*5	*	*
706.2	*9	*6	*	*	*	*	*	*	*	*6	*
706.8	*5	*	*	-	*	*	*	*	*	*	-
707	1,564	776	787	*6	129	403	1,026	389	342	635	198
707.0	594	272	322	*	43	137	412	137	125	264	68
707.00	17	*9	*8	-	*	*	*7	*	*9	*7	*
707.03	286	125	161	*	17	68	200	71	57	125	33
707.04	33	20	13	-	*	10	18	*5	*8	18	*
707.05	89	36	53	-	*5	20	64	19	18	43	*9
707.06	13	*7	*6	-	*	*	*9	*	*	*5	*
707.07	86	42	44	-	*	14	69	24	16	37	*9
707.09	62	29	33	*	*7	17	36	13	12	26	11
707.1	446	270	177	*	41	143	261	126	107	153	60
707.10	74	41	32	-	*	20	50	21	17	28	*8
707.11	*5	*	*	-	*	*	*	*	*	*	*
707.12	25	15	11	-	*	*8	15	*5	*7	*8	*5
707.13	33	15	18	-	*	*6	24	*7	*8	12	*6
707.14	68	40	28	*	*	23	41	26	14	20	*8
707.15	170	117	54	*	19	70	81	45	45	59	22
707.19	71	40	31	-	*8	15	49	21	15	24	10
707.2	483	215	268	*	35	111	334	119	103	198	63
707.20	61	31	31	*	*6	18	35	*	14	30	14
707.21	52	20	32	-	*	*8	42	*8	13	25	*6
707.22	124	57	67	*	*8	25	91	28	24	58	14
707.23	112	46	66	*	*	25	82	41	25	34	11
707.24	108	54	54	-	13	34	61	26	23	44	16
707.25	26	*8	18	-	*	*	22	11	*	*8	*
707.8	36	19	17	*	*9	10	16	*	*6	18	*8
708	26	*7	19	*	10	*8	*6	*	*8	*8	*
708.0	14	*	11	*	*6	*5	*	*	*6	*	*
708.9	*7	*	*5	*	*	*	*	*	*	*	*
709	66	29	37	*5	23	20	18	14	17	20	15
709.0	*9	*6	*	*	*	*	*	*	*	*	*
709.2	16	*	13	*	10	*	*	*6	*	*	*
709.8	19	*8	11	*	*	*6	*9	*	*5	*7	*
709.9	18	11	*7	*	*6	*	*7	*	*7	*	*6
710-739	10,821	3,848	6,973	97	1,222	3,551	5,951	2,237	2,627	3,921	2,037
710	248	37	211	*	69	113	65	44	49	105	51
710.0	165	25	139	*	55	77	32	27	28	73	36
710.1	26	*	23	-	*	11	13	*	*8	*9	*5
710.2	31	*	27	-	*6	13	12	*8	*9	10	*
710.4	10	*	*7	-	*	*	*	*	*	*5	*
710.9	11	*	*9	-	*	*	*	*	*	*	*
711	72	33	39	*	12	24	32	15	17	31	*9
711.0	65	29	36	*	11	21	29	13	17	28	*7
711.01	12	*	*8	*	*	*	*6	*	*	*7	*
711.05	11	*	*7	*	*	*	*	*	*	*	*
711.06	33	14	19	*	*6	10	15	*7	*8	15	*
712	13	*6	*7	-	-	*	11	*	*	*	*
712.3	10	*	*5	-	-	*	*9	*	*	*	*
713	25	15	10	*	*	18	*	11	*	*9	*
713.5	22	13	*9	-	*	16	*	10	*	*8	*
714	434	107	326	*	33	147	251	87	98	161	88

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
714.0	410	99	310	*	26	143	240	81	91	154	84
714.3	*7	*	*	*	*	*	*	*	*	*	*
714.30	*7	*	*	*	*	*	*	*	*	*	*
714.8	*9	*	*6	-	*	*	*7	*	*	*	*
714.81	*7	*	*6	-	-	*	*7	*	*	*	*
715	2,739	976	1,764	*	90	842	1,803	598	655	1,014	473
715.0	35	*9	27	-	*	*6	26	15	*9	*8	*
715.00	24	*5	19	-	*	*	17	12	*	*6	*
715.09	11	*	*8	-	*	*	*8	*	*6	*	*
715.1	125	46	79	-	*	60	63	14	24	42	45
715.11	*9	*5	*	-	*	*	*8	-	*	*	*7
715.15	33	15	18	-	*	20	13	*	*7	11	12
715.16	75	22	53	-	*	35	39	11	16	24	25
715.2	*5	*	*	-	*	*	*	*	*	*	*
715.3	894	352	542	*	33	354	506	287	216	251	141
715.30	*8	*	*7	-	*	*	*5	*5	*	*	*
715.31	50	23	27	-	*	15	32	14	*7	17	12
715.34	*9	*	*6	-	*	*	*5	*	*	*	*
715.35	246	109	137	-	13	100	133	87	61	64	35
715.36	568	210	358	*	15	227	324	176	141	163	88
715.37	*8	*	*	*	*	*	*	*	*	*	*
715.8	94	23	71	-	*	20	73	12	25	17	39
715.89	92	23	69	-	*	20	72	12	25	16	39
715.9	1,586	544	1,043	*	50	401	1,132	269	380	695	242
715.90	1,168	395	772	*	38	257	872	193	305	508	161
715.91	31	14	17	-	*	10	20	*6	*	16	*5
715.94	*6	*	*5	-	-	*	*	*	*	*	*
715.95	93	38	55	-	*	35	56	12	17	47	18
715.96	239	84	155	*	*7	87	144	32	49	113	46
715.97	*8	*	*7	-	*	*	*5	*	*	*	*5
715.98	40	*9	31	-	*	*8	30	26	*	*6	*6
716	412	147	265	*	32	135	244	51	126	171	64
716.1	15	*8	*6	-	*	*8	*	*6	*	*	*
716.15	*6	*	*	-	*	*	*	*	*	*	-
716.17	*6	*	*	-	*	*	-	*	*	*	-
716.5	*9	*	*6	*	*	*	*	*	*	*	*
716.9	383	136	247	*	28	123	232	42	116	163	62
716.90	307	107	200	-	19	97	191	34	95	145	33
716.91	*8	*	*6	-	*	*	*	*	*	*	*
716.95	*8	*	*	-	*	*	*	*	*	*	*
716.96	23	*9	14	-	*	*9	11	*	10	*8	*
716.99	25	*7	18	*	*	*	20	*	*	*	20
717	35	14	21	-	10	13	12	*	*8	*7	16
717.3	*6	*	*	-	*	*	*	-	*	*	*
717.7	*8	*	*6	-	*	*	*	*	*	*	*
717.8	*8	*	*	-	*5	*	*	*	*	*	*
717.83	*5	*	*	-	*	*	*	*	*	*	*
718	68	29	39	*6	12	19	32	10	15	28	15
718.3	*9	*	*8	*	*	*	*	*	*	*5	*
718.4	41	19	23	*	*	*9	25	*6	*8	17	*9
718.46	13	*	*9	*	*	*	*9	*	*	*	*
719	423	160	263	*8	74	111	229	104	100	153	66
719.0	38	19	18	*	*8	*9	19	11	*7	13	*6
719.06	31	15	16	*	*7	*8	16	10	*6	12	*
719.1	17	*6	11	-	*	*	15	*8	*	*	*
719.16	14	*	*9	-	*	*	12	*8	*	*	*
719.4	299	109	190	*5	60	83	151	56	81	115	47
719.40	13	*	*9	*	*	*	*	*	*	*	*5
719.41	96	40	57	*	21	31	44	17	30	38	12
719.42	*6	*	*	-	*	*	*	*	*	*	*
719.43	*6	*	*	-	*	*	*	*	*	*	*
719.45	73	24	49	*	*7	15	50	*7	18	36	13
719.46	69	27	42	*	13	22	33	14	17	27	10
719.47	23	*6	16	*	*7	*	10	*8	*	*5	*5
719.49	11	*	*9	-	*	*	*5	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
719.5	15	*9	*6	-	*	*8	*5	12	*	*	*
719.51	*5	*	*	-	-	*	*	*5	-	-	-
719.7	45	13	32	*	*	*7	34	17	*7	16	*5
720	16	10	*6	-	*	*8	*5	*	*	*	*
720.0	*9	*7	*	-	*	*6	*	*	*	*	*
721	436	192	244	-	39	149	248	85	122	130	100
721.0	103	45	58	-	*6	44	52	21	31	34	17
721.1	49	29	20	-	*	24	21	11	10	15	14
721.2	12	*	*7	-	*	*	*9	*	*	*6	*
721.3	190	82	108	-	21	57	112	33	57	49	51
721.4	17	*9	*9	-	*	*	11	*	*	*7	*
721.41	*8	*	*	-	*	*	*	*	*	*	-
721.42	10	*	*	-	*	*	*8	*	*	*	*
721.8	*5	*	*	-	*	*	*	*	*	*	*
721.9	56	19	38	-	*	13	39	16	15	16	*9
721.90	56	18	38	-	*	13	39	16	15	16	*9
722	789	347	441	*	175	350	259	130	207	287	164
722.0	65	32	33	-	20	38	*7	12	15	26	12
722.1	194	88	106	*	66	83	45	40	52	66	37
722.10	186	86	100	*	64	79	42	39	50	63	34
722.11	*8	*	*6	*	*	*	*	*	*	*	*
722.2	11	*5	*5	-	*	*	*	*	*	*	*
722.4	73	30	44	-	*6	40	27	*9	16	30	18
722.5	248	104	143	*	42	99	107	31	71	88	57
722.51	*8	*	*5	-	*	*	*	-	*	*	*
722.52	240	102	138	*	41	94	105	31	69	85	55
722.6	78	28	50	*	12	34	32	*	18	39	16
722.7	48	28	21	-	11	24	14	15	11	13	10
722.71	38	23	15	-	*9	20	10	12	*8	11	*8
722.73	*8	*	*	-	*	*	*	*	*	*	*
722.8	18	*6	12	-	*	10	*6	*	*8	*5	*
722.83	13	*5	*8	-	*	*6	*	*	*7	*	*
722.9	53	26	27	*	13	18	19	11	13	18	11
722.91	*6	*	*	-	*	*	*	*	*	*	*
722.92	10	*	*7	*	*	*	*	*	*	*6	*
722.93	33	18	15	-	*8	12	13	*6	*8	10	*9
723	176	67	109	*	37	79	59	36	44	64	32
723.0	50	21	29	-	*	20	26	10	15	16	*8
723.1	98	37	62	-	29	45	24	16	23	39	20
723.4	17	*5	12	-	*	*8	*7	*8	*	*	*
723.5	*6	*	*	*	*	*	*	*	*	*	*
724	1,218	507	712	*	216	436	565	250	308	430	230
724.0	292	116	176	-	10	77	205	89	73	86	44
724.00	72	29	44	-	*	13	58	29	21	19	*
724.02	215	86	129	-	*9	61	145	58	52	66	39
724.1	*6	*	*	-	*	*	*	*	*	*	-
724.2	354	153	200	*	82	130	141	72	96	108	78
724.3	46	12	34	-	10	13	23	*6	*9	14	17
724.4	54	22	33	*	11	20	24	15	11	20	*9
724.5	443	193	249	*	96	186	160	64	110	194	75
724.6	*6	*	*	*	*	*	*	*	*	*	*
724.8	15	*6	*9	-	*	*7	*	*	*	*	*
725	52	13	38	-	*	*6	46	*8	17	14	12
726	149	81	68	*	18	56	74	36	31	44	39
726.0	14	*8	*5	-	*	*	*7	*	*	*	*
726.1	53	24	29	-	*	19	29	10	*8	15	20
726.10	47	21	26	-	*	16	26	10	*7	13	17
726.2	11	*6	*5	-	*	*7	*	*	*	*	*
726.3	19	15	*	*	*	*6	*9	*8	*	*	*
726.33	17	13	*	*	*	*6	*8	*7	*	*	*
726.5	17	*7	10	-	*	*	11	*5	*	*6	*
726.6	12	10	*	*	*	*6	*	*	*	*	*
726.65	10	*9	*	*	*	*5	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
726.7	13	*7	*6	*	*	*5	*7	*	*	*	*
726.71	*6	*	*	*	*	*	*	*	*	*	*
726.9	10	*	*5	*	*	*5	*	*	*	*	*
726.91	*8	*	*	-	-	*5	*	*	*	*	*
727	84	39	45	*	13	29	38	20	17	26	21
727.0	35	18	17	*	*8	12	12	*8	*7	12	*8
727.00	14	*8	*6	*	*	*	*7	*	*	*	*
727.05	*9	*	*	*	*	*	*	*	*	*	*
727.09	10	*5	*	*	*	*	*	*	*	*	*
727.4	12	*6	*6	-	*	*	*8	*	*	*	*
727.40	10	*	*6	-	*	*	*6	*	*	*	*
727.5	10	*	*6	*	*	*	*	*	*	*	*
727.51	10	*	*6	*	*	*	*	*	*	*	*
727.6	11	*	*6	-	*	*6	*	*	*	*	*
727.61	*6	*	*	-	-	*	*	*	*	*	*
727.8	*9	*	*6	*	*	*	*	*	*	*	*
728	404	210	195	11	72	124	198	98	76	158	74
728.0	*7	*	*	*	*	*	*	*	*	*	*
728.2	15	*9	*7	-	*	*	*9	*	*	*9	*
728.3	31	15	16	*	*	*6	23	-	*	25	*
728.7	*7	*	*6	-	*	*	*	*	*	*	*
728.71	*6	*	*	-	*	*	*	*	*	*	*
728.8	330	176	154	*8	64	101	157	87	62	115	65
728.84	*8	*	*6	-	*	*5	*	*	*	*	*
728.85	47	25	22	*	12	22	12	19	*8	15	*5
728.86	14	11	*	-	*	*5	*	*	*	*7	*
728.87	51	22	29	*	*6	11	33	*7	10	17	17
728.88	201	112	90	*	39	54	104	53	40	72	36
728.89	*7	*	*	*	*	*	*	*	*	*	*
729	750	210	540	11	137	296	307	124	202	285	139
729.1	352	40	312	*	68	170	111	62	101	125	65
729.2	19	*9	10	*	*	*9	*8	*	*	*8	*
729.3	*8	*	*5	-	*	*	*	*	*	*	*
729.5	129	51	78	*	32	42	51	28	30	51	20
729.7	11	*7	*	*	*	*5	*	*	*	*	*
729.8	209	91	118	*	25	60	122	25	57	81	46
729.81	41	19	22	*	*7	10	23	*	*9	18	*9
729.82	16	*	12	-	*	*	*9	*	*5	*	*
729.89	152	69	83	*	16	45	89	18	42	58	34
729.9	16	*5	11	*	*	*6	*8	*	*	10	*
729.92	12	*	*8	*	*	*	*8	*	*	*7	*
730	246	159	87	*	32	106	104	59	52	106	29
730.0	44	23	21	*	*6	21	17	17	*9	12	*
730.07	28	17	11	-	*	14	10	14	*6	*7	*
730.08	*6	*	*	-	*	*	*	*	*	*	*
730.1	50	35	15	*	*8	24	18	16	12	20	*
730.15	*9	*7	*	*	*	*5	*	*	*	*5	-
730.16	*6	*	*	-	*	*	*	*	*	*	*
730.17	23	18	*5	-	*	16	*6	13	*	*	*
730.18	10	*7	*	-	*	*	*6	*	*	*5	-
730.2	151	101	50	*	19	60	69	26	30	73	23
730.20	*7	*	*	-	*	*	*	*	*	*	*
730.25	13	*6	*6	*	*	*	*6	*	*	*6	*
730.26	10	*5	*	*	*	*	*7	*	*	*8	*
730.27	79	56	23	*	*9	36	34	14	19	34	12
730.28	34	23	11	*	*6	12	16	*6	*5	16	*7
731	71	49	22	-	*8	31	32	25	15	28	*
731.0	*6	*	*	-	-	*	*5	*	*	*	*
731.8	61	45	17	-	*7	30	25	22	11	25	*
732	*7	*	*	*	*	*	*	*	*	*	*
733	1,513	289	1,224	*	60	333	1,115	347	345	509	312
733.0	995	140	856	*	12	168	815	224	227	350	195
733.00	968	133	834	*	11	162	794	217	216	348	187

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
733.01	*6	*	*6	-	-	*	*6	*	*	*	*
733.09	22	*6	16	-	*	*6	15	*5	*9	*	*6
733.1	156	44	112	*	*	30	120	36	33	46	41
733.13	113	32	80	-	*	17	92	29	23	33	28
733.14	20	*	15	*	*	*	15	*	*	*	*7
733.15	*5	*	*	-	-	*	*	*	*	*	*
733.19	*8	*	*7	*	*	*	*	*	*	*	*
733.2	*7	*	*6	*	*	*	*	*5	*	*	*
733.29	*6	*	*6	-	*	*	*	*	*	*	*
733.4	60	31	29	*	15	25	19	15	14	25	*5
733.41	*5	*	*	-	*	*	*	*	*	*	*
733.42	39	23	17	*	*8	18	13	12	*8	16	*
733.49	10	*	*6	-	*	*	*	*	*	*	*
733.6	33	*7	27	*	*8	19	*6	*	*7	16	*6
733.8	47	22	25	*	*6	19	22	*9	*9	22	*6
733.81	10	*5	*5	*	*	*	*	*	*	*	*
733.82	37	17	20	*	*	14	18	*6	*7	18	*6
733.9	212	44	168	*	13	69	128	54	55	47	56
733.90	183	35	148	*	*8	56	117	47	46	44	47
733.99	17	*9	*8	*	*	*7	*6	*	*6	*	*
735	13	*7	*6	-	*	*5	*7	*	*5	*	*
735.4	*8	*	*	-	*	*	*5	*	*	*	*
736	120	48	72	*	14	39	65	26	25	42	27
736.4	18	*6	12	-	*	*8	10	*	*	*9	*
736.41	*6	*	*	-	*	*	*	*	*	*	*
736.42	12	*	*8	-	*	*	*6	*	*	*8	*
736.6	15	*7	*8	-	*	*	11	*	*	*	*8
736.7	69	28	41	*	11	21	36	15	16	26	11
736.79	61	26	35	*	11	18	32	15	15	21	*9
736.8	11	*	*7	*	*	*	*6	*	*	*	*
736.81	*6	*	*	*	*	*	*	*	*	*	*
736.89	*6	*	*	*	*	*	*	*	*	*	*
737	184	49	135	21	37	32	94	29	51	64	39
737.1	33	*8	25	*	*	*7	23	*	13	12	*6
737.10	29	*6	22	*	*	*6	20	*	11	11	*
737.3	137	35	103	19	32	22	64	25	37	49	26
737.30	118	29	90	17	29	17	55	22	29	43	25
737.39	15	*	10	*	*	*	*7	*	*7	*	*
737.4	11	*	*6	*	*	*	*7	*	*	*	*7
737.43	*5	*	*	*	*	*	*	-	*	*	*
738	94	39	56	*	13	36	43	16	29	28	21
738.4	84	32	52	*	11	33	40	15	26	25	18
739	26	*	22	-	13	*7	*6	11	-	16	-
739.3	*9	*	*9	-	*7	*	*	*7	-	*	-
740-759	979	513	466	424	168	184	203	169	190	390	230
741	34	11	23	*7	21	*6	*	*	*7	21	*
741.0	16	*8	*9	*	*8	*	*	*	*	*9	*
741.00	13	*6	*7	*	*6	*	*	*	*	*9	*
741.9	18	*	15	*	12	*	*	*	*	12	*
741.90	18	*	14	*	12	*	*	*	*	12	*
742	52	23	28	36	*8	*7	*	*7	10	20	14
742.1	*8	*	*6	*6	*	-	*	*	*	*	*
742.2	*9	*6	*	*7	*	*	-	*	*	*	*
742.3	15	*8	*7	*9	*	*	-	*	*	*	*6
742.4	*7	*	*	*	*	*	*	*	*	*	*
742.5	*9	*	*5	*7	*	-	*	*	*	*7	*
742.59	*9	*	*5	*7	*9	-	*	*	*	*6	*
745	150	82	67	84	10	20	34	25	22	62	41
745.2	*6	*	*	*	*	*	-	*	*	*	*
745.4	21	*9	12	17	*	*	*	*	*	10	*6
745.5	114	66	49	57	*6	18	33	23	16	43	33

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
746	65	35	30	28	13	11	12	14	13	25	13
746.4	15	10	*5	*	*	*6	*	*	*	*	*
746.8	32	17	15	13	*7	*	*8	*8	*7	13	*
746.85	10	*	*5	*	*	*	*	*5	*	*	*
746.89	16	*9	*7	*9	*	*	*	*	*	*8	*
746.9	*5	*	*	*	*	*	*	*	*	*	*
747	88	45	44	61	*9	*9	*9	11	17	42	18
747.0	32	16	16	30	*	*	*	*	*	17	*7
747.3	13	*8	*6	12	*	*	-	*	*	*7	*
747.6	11	*	*6	*	*	*	*	*	*	*	*
747.8	18	10	*9	10	*	*	*	*	*6	*8	*
747.81	*9	*	*	*	*	*	*	*	*	*	*
747.83	*8	*	*	*8	-	-	-	*	*	*	*
748	16	*9	*7	11	*	*	*	*	*	*8	*
748.3	*8	*	*	*7	*	-	*	*	*	*	*
749	13	*8	*5	13	*	-	-	*	*	*	*
749.0	*6	*	*	*6	*	-	-	*	*	*	*
749.00	*5	*	*	*5	*	-	-	*	*	*	*
749.2	*7	*5	*	*7	*	-	-	*	*	*	*
750	40	25	15	17	*	*	16	*6	*	13	17
750.3	14	*7	*7	*	*	*	10	*	*	*	*6
750.4	*5	*	*	-	-	*	*	*	*	*	*
750.5	14	12	*	13	*	-	-	*	*	*6	*
751	54	28	26	20	11	12	11	*9	13	20	11
751.0	*8	*5	*	*	*	*	*	*	*	*	*
751.3	*7	*6	*	*6	*	*	*	*	*	*	*
751.4	*9	*6	*	*	*	*	*	*	*	*	*
751.5	12	*5	*7	*	*	*	*	*	*	*6	*
751.6	12	*	*9	*	*	*	*	*	*	*	*
752	29	17	12	16	*9	*	*	*7	*	10	*8
752.3	*5	-	*5	-	*	*	-	*	*	*	-
752.5	*8	*8	-	*8	-	-	*	*	*	*	*
752.51	*8	*8	-	*7	-	-	*	*	*	*	*
752.6	*9	*9	-	*6	*	*	*	*	*	*	*
752.61	*7	*7	-	*	*	*	*	*	*	*	*
753	154	82	72	21	22	51	60	37	33	54	30
753.0	29	17	12	*	*5	*9	11	*9	*6	*9	*
753.1	91	46	45	*	12	32	46	18	21	35	18
753.10	43	26	17	-	*	11	28	*6	11	17	*9
753.12	27	11	16	*	*6	13	*8	*7	*7	10	*
753.13	*6	*	*	-	*	*	*	*	*	*	*
753.19	*9	*5	*	*	-	*	*6	*	*	*	*
753.2	12	*9	*	*9	*	*	*	*	*	*5	*
753.29	*8	*7	*	*7	-	*	*	*	*	*	*
753.3	12	*5	*6	*	*	*6	*	*	*	*	*
753.8	*5	*	*	*	*	*	*	*	*	*	*
754	24	15	*9	16	*	*	*	*	*6	14	*
754.0	*6	*	*	*5	*	*	-	*	*	*	*
754.2	*8	*	*	*6	*	*	*	*	*	*7	*
755	26	12	14	*6	*7	*6	*7	*9	*7	*6	*5
755.6	12	*7	*6	*	*	*6	*	*	*6	*	*
755.63	*8	*	*5	*	*	*6	*	*	*	*	*
756	105	50	55	23	17	31	34	14	29	40	22
756.0	13	*7	*6	12	*	-	-	*	*	*7	*
756.1	62	27	36	*	*8	22	30	*8	20	19	15
756.11	*5	*	*	-	*	*	*	*	*	*	*
756.12	47	22	25	*	*	18	24	*	14	15	14
756.19	*6	*	*	*	*	*	*	*	*	*	*
756.4	*6	*	*	*	*	*	*	-	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
756.5	*8	*	*	*	*	*	*	*	*	*	*
756.51	*5	*	*	*	*	*	*	*	*	*	*
756.8	*9	*	*	*	*	*6	*	*	*	*	*
756.83	*8	*	*	-	*	*6	*	*	*	*	*
758	60	29	32	33	15	11	*	11	11	26	13
758.0	40	18	22	18	11	*9	*	*6	*7	18	*8
758.2	*5	*	*	*	-	*	-	*	*	*	*
758.3	*5	*	*	*	*	-	-	*	*	*	*
759	59	35	24	24	19	*6	10	*9	10	19	21
759.6	*5	*	*	-	*	*	*	*	*	*	*
759.8	41	28	13	18	13	*	*6	*5	*7	14	15
759.82	*8	*	*	*	*	*	*	*	*	*	*
759.89	27	17	*9	17	*7	*	*	*	*6	*6	11
760-779	670	383	288	663	*	*	*	51	111	334	174
760	*9	*6	*	*8	*	-	-	*	*	*	*
760.7	*8	*6	*	*7	*	-	-	*	*	*	*
764	*5	*	*	*5	-	-	*	*	*	*	*
765	123	65	58	122	-	-	*	*	19	61	41
765.1	51	27	25	51	-	-	*	*	*9	26	15
765.18	11	*6	*	11	-	-	-	*	*	*	*
765.19	18	10	*8	18	-	-	*	*	*5	*7	*6
765.2	67	36	31	67	-	-	*	*	10	32	25
765.24	*6	*	*	*6	-	-	-	-	*	*	*
765.25	*8	*	*	*8	-	-	-	*	-	*	*
765.26	*6	*	*	*6	-	-	-	*	*	*	*
765.27	14	*7	*7	14	-	-	-	*	*	*7	*
765.28	23	13	10	22	-	-	*	*	*	*9	*9
767	*6	*	*	*6	-	-	-	*	-	*	*
769	24	14	*9	23	*	-	-	*	*6	15	*
770	135	71	63	131	*	*	*	19	21	61	35
770.0	*6	*	*	*6	-	-	-	*	*	*	-
770.1	*8	*	*	*8	-	-	-	*	*	*	*
770.12	*6	*	*	*6	-	-	-	*	-	*	*
770.2	11	*7	*	11	-	-	-	*	*	*5	*
770.6	14	*9	*	14	-	-	-	*	*	*6	*6
770.7	22	16	*7	20	*	*	*	*	*	*7	11
770.8	71	32	39	71	*	-	*	12	11	36	13
770.81	20	*9	11	20	*	-	*	*	*	13	*
770.88	*8	*	*	*7	*	-	-	*	*	*	*
770.89	31	16	15	31	-	-	-	*	*	18	*6
771	42	27	15	42	*	-	*	*	*5	26	10
771.7	*6	*	*	*6	-	-	-	*	-	*	*
771.8	31	18	13	31	*	-	*	*	*	18	*7
771.81	23	12	11	22	*	-	*	*	*	13	*6
771.82	*5	*	*	*5	-	-	-	*	*	*	*
772	13	*8	*5	13	*	-	-	*	*	*9	*
772.1	*9	*6	*	*9	*	-	-	*	*	*6	*
773	13	*9	*	13	*	-	-	*	*	*6	*
773.2	*6	*	*	*6	*	-	-	-	*	*	*
774	88	53	35	88	-	-	*	*8	14	39	27
774.2	33	17	17	33	-	-	*	*	*6	17	*9
774.3	*6	*	*	*6	-	-	-	*	*	*	*
774.39	*6	*	*	*6	-	-	-	*	*	*	*
774.6	49	32	17	49	-	-	-	*7	*7	21	15
775	36	25	12	36	-	-	-	*	*5	16	12
775.0	*6	*	*	*6	-	-	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
782.9	*6	*	*	-	*	*	*	*6	-	-	-
783	645	286	359	95	65	118	366	96	119	306	124
783.0	129	58	71	*5	15	26	83	16	24	74	15
783.2	175	83	92	*8	29	48	90	23	45	88	20
783.21	166	80	86	*7	27	46	86	21	42	83	19
783.22	10	*	*6	*	*	*	*	*	*	*	*
783.3	26	14	12	19	*	*	*	*6	*	*8	*7
783.4	73	42	31	59	*8	*	*	*8	12	26	27
783.40	36	21	15	26	*6	*	*	*	*6	*9	20
783.41	33	20	13	31	-	-	*	*6	*5	16	*6
783.5	14	*8	*6	*	*	*8	*	*	*	*5	*
783.6	*6	*	*	*	*	*	*	*	*	*	*
783.7	220	78	143	*	*8	28	184	39	32	100	49
784	929	382	547	37	189	274	430	228	218	327	156
784.0	368	117	251	18	124	125	101	60	95	139	73
784.1	*6	*	*	*	*	*	*	*	*	*	*
784.2	32	12	20	*	*9	10	12	*6	*8	11	*7
784.3	204	89	115	*	10	50	142	59	42	68	35
784.4	14	*6	*8	*	*	*5	*8	*	*	*7	*
784.42	13	*6	*7	*	*	*5	*6	*	*	*6	*
784.5	187	97	91	*	22	52	109	56	44	68	19
784.51	111	60	51	*	15	28	67	47	25	26	13
784.59	76	37	40	*	*7	24	42	*9	20	42	*6
784.6	30	21	*9	*	*5	*5	18	17	*5	*	*
784.61	*7	*6	*	*	*	*	*	*	*	*	*
784.69	22	15	*8	*	*	*	16	14	*	*	*
784.7	70	31	40	*6	13	19	32	21	14	24	11
784.9	16	*5	10	*	*	*	*8	*	*	*7	*
784.91	11	*	*9	-	*	*	*7	*	*	*	*
785	1,090	501	589	66	198	323	503	215	245	443	186
785.0	322	140	183	37	107	87	92	48	75	137	62
785.1	69	27	41	*	20	27	21	18	15	26	10
785.2	63	29	34	14	14	10	25	10	15	28	10
785.4	91	50	40	*	*6	30	54	24	18	31	18
785.5	421	192	229	*8	31	128	255	100	93	174	54
785.50	25	11	13	*	*	*5	16	*	*9	10	*
785.51	70	38	32	*	*	16	51	12	13	34	11
785.52	285	126	159	*	26	91	166	77	62	115	31
785.59	42	16	26	*	*	17	21	11	*8	16	*7
785.6	106	55	51	*6	19	38	43	13	24	41	28
785.9	17	*7	*9	-	*	*	13	*	*6	*	*
786	1,919	879	1,040	77	294	733	816	412	378	752	377
786.0	343	158	185	54	47	88	154	71	67	141	64
786.03	23	12	11	13	*	*	*8	*	*	*9	*7
786.05	108	51	57	*	17	33	55	21	21	48	17
786.06	18	*7	11	*9	*	*	*	*	*	10	*
786.07	12	*8	*	*6	*	*	*	*	*	*	*
786.09	167	74	93	26	24	41	77	37	34	67	28
786.1	15	*7	*8	*7	*	*	*	*	*	*	*6
786.2	79	27	52	*8	11	25	36	17	19	29	14
786.3	122	68	53	*	19	24	76	27	25	50	19
786.5	1,254	560	694	*	209	567	474	269	246	485	253
786.50	500	216	284	*	79	225	193	98	94	194	115
786.51	33	19	14	-	*	18	10	*	*7	*8	13
786.52	54	20	35	*	10	17	26	11	11	21	11
786.59	667	305	361	*	114	306	244	157	134	263	113
786.6	77	38	39	*	*	18	56	15	15	32	14
786.8	19	16	*	-	*	*7	*8	*	*	*8	*5
786.9	10	*	*6	*	*	*	*7	*5	*	*	*
787	1,994	815	1,180	118	324	570	983	437	442	703	413
787.0	743	251	492	63	193	254	233	117	191	266	169
787.01	440	138	302	17	121	161	141	62	105	185	88
787.02	210	64	146	*8	55	72	74	39	64	58	48
787.03	93	49	44	37	17	21	17	16	21	22	33
787.1	16	*	12	*	*7	*	*	*	*	*7	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
787.2	647	319	327	10	34	135	468	208	117	201	120
787.20	471	229	242	*8	25	95	343	94	96	175	106
787.21	61	25	35	*	*	12	44	56	*	*	*
787.22	71	38	32	*	*	16	53	41	11	14	*
787.23	15	10	*	*	*	*6	*8	10	*	*	*
787.29	29	17	13	*	*	*6	19	*8	*7	*7	*8
787.3	33	14	19	*5	*	10	13	*	*	16	*9
787.6	35	18	17	*	*5	*6	22	*8	*6	16	*6
787.9	520	208	311	37	80	159	244	98	118	196	108
787.91	512	206	306	36	80	157	239	98	115	193	107
787.99	*7	*	*	*	*	*	*	-	*	*	*
788	951	490	461	20	91	205	634	197	232	313	209
788.0	*5	*	*	-	*	*	*	*	*	*	*
788.1	29	12	17	*	*7	10	11	*6	*5	14	*
788.2	460	307	153	*5	45	105	305	110	105	147	97
788.20	398	266	132	*5	39	90	264	96	91	127	85
788.21	19	13	*7	-	*	*	14	*	*	*7	*
788.29	42	28	15	*	*	11	27	11	10	14	*8
788.3	311	94	217	*8	20	50	233	52	79	107	73
788.30	257	76	180	*5	16	37	198	41	61	94	60
788.31	20	*6	14	*	*	*	15	*	*7	*	*
788.33	10	*	*9	-	*	*	*6	*	*	*	*
788.39	15	*	11	*	*	*	*7	*	*	*5	*
788.4	55	30	24	*	*6	17	30	11	14	17	13
788.41	37	16	21	*	*	13	20	*7	11	12	*8
788.42	*6	*	*	*	*	*	*	*	*	*	-
788.43	11	*9	*	-	*	*	*8	*	*	*	*
788.5	18	*9	10	*	*8	*6	10	*	10	*	*
788.6	30	19	10	-	*5	*8	16	*6	*8	*6	*9
788.63	14	*7	*6	-	*	*	*8	*	*5	*	*
788.64	*7	*	*	-	*	*	*	*	*	*	*
788.9	40	17	23	*	*	*7	29	*8	10	15	*7
788.99	39	16	22	*	*	*7	29	*8	10	14	*7
789	1,001	429	572	31	251	400	319	193	233	363	212
789.0	566	189	377	21	202	185	157	109	135	204	118
789.00	247	93	153	11	83	71	82	48	50	96	53
789.01	45	11	34	*	19	15	10	*5	13	17	*9
789.02	16	*	14	*	*	*8	*	*	*	*8	*
789.03	31	*8	22	*	17	*8	*	*9	*7	*9	*6
789.04	29	11	18	*	11	10	*7	*6	*9	12	*
789.06	93	28	65	*	27	37	28	16	25	31	21
789.07	21	*9	12	*	*5	*8	*6	*5	*6	*	*5
789.09	83	25	57	*	35	27	17	20	21	25	16
789.1	15	*	10	*	*6	*	*	*	*	*	*
789.2	39	25	14	*	*6	18	12	*	*7	13	17
789.3	21	*	16	-	*6	*5	*9	*	*	*6	*6
789.30	*9	*	*7	-	*	*	*	*	*	*	*
789.39	*7	*	*6	*	*	*	*	*	*	*	*
789.5	355	203	152	*	30	187	134	71	83	135	66
789.51	28	11	17	-	*	11	17	*7	*8	*8	*6
789.59	327	192	135	*	29	176	117	64	75	127	60
790	1,208	587	622	37	183	378	610	215	309	425	258
790.0	17	*8	*9	*	*	*	11	*7	*	*	*
790.01	16	*7	*9	-	*	*	10	*6	*	*	*
790.1	*5	*	*	*	*	*	*	-	*	*	*
790.2	365	168	197	13	62	138	152	58	93	123	91
790.21	*8	*	*	-	*	*	*	*	*	*	*
790.22	10	*	*7	-	*	*	*	*5	*	*	*
790.29	347	161	186	13	57	131	146	52	88	117	89
790.4	57	21	36	*	15	22	19	*5	19	19	14
790.5	123	53	70	*	18	43	59	16	41	36	30
790.6	145	70	75	*	35	44	64	21	23	62	38
790.7	209	103	106	14	35	61	98	46	46	80	37
790.9	285	160	125	*	15	63	205	62	81	98	44
790.92	229	119	110	*	11	51	167	56	59	85	29
790.93	22	22	-	-	-	*	20	*	*7	*5	*6
790.99	24	14	10	*	*	*6	15	*	12	*5	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
791	78	25	53	*	18	20	36	10	21	27	20
791.0	32	17	15	*	*9	10	11	*	*7	12	*9
791.6	*6	*	*6	*	*	*	*	*	*	*6	-
791.9	36	*6	30	*	*5	*8	22	*	13	*8	11
792	99	25	75	*	53	10	35	16	37	27	20
792.1	48	24	24	*	*	*9	34	*7	13	17	10
792.3	49	-	49	-	49	-	-	*8	23	*8	*9
793	63	26	37	*	12	24	24	21	12	17	13
793.1	36	15	21	*	*8	12	16	14	*8	*7	*6
794	250	122	127	*7	43	99	100	41	48	119	43
794.0	10	*	*9	*	*	*	*	*	*	*	*
794.09	*6	*	*	-	*	*	*	*	*	*	*
794.3	148	71	77	-	19	62	67	23	25	73	26
794.30	*5	*	*	-	*	*	*	-	*	*	*
794.31	111	47	65	-	14	48	49	15	16	61	18
794.39	32	20	12	-	*5	13	14	*8	*8	10	*6
794.4	*7	*5	*	*	*	*	*	*	*	*	*
794.5	10	*	*6	*	*	*	*	*	*	*	*
794.8	66	37	29	*	17	24	24	11	16	33	*7
795	74	21	53	*	39	15	19	22	12	21	19
795.0	19	-	19	-	18	*	*	*	*	10	*
795.03	*5	-	*5	-	*5	-	-	*	*	*	-
795.5	32	12	21	*	16	*9	*7	13	*	*	14
795.7	11	*	*6	*	*	*	*	*	*	*	*
795.79	11	*	*6	*	*	*	*	*	*	*	*
795.8	*8	*	*	-	*	*	*	*	*	*	*
796	105	44	61	*	45	32	25	16	26	40	22
796.0	13	*7	*5	*	*	*7	*	*	*	*8	*
796.2	58	22	37	*	33	18	*7	*8	15	19	16
796.3	21	*9	12	*	*5	*	11	*	*8	*8	*5
796.4	*5	*	*	-	*	*	*	*	*	*	-
797	12	*	*9	-	-	-	12	*	*8	*	*
799	1,231	565	667	166	94	297	674	170	272	508	282
799.0	776	348	428	150	62	187	376	97	165	283	231
799.02	776	348	428	150	62	187	376	97	165	283	231
799.1	13	*7	*5	*	*	*	*9	*	*	*6	*
799.2	*6	*	*	*	*	*	*	*	*	*	*
799.3	237	101	136	*	*	41	190	33	56	124	25
799.4	140	77	63	*	11	42	84	31	28	63	17
799.8	16	*8	*8	*7	*	*	*	*	*	*7	*
799.82	*7	*	*	*7	-	-	-	*	*	*	*
799.89	*9	*	*	*	*	*	*	*	*	*	*
799.9	44	21	24	*	10	19	11	*	15	22	*
800-999	8,531	4,333	4,198	371	1,997	2,513	3,650	1,801	1,985	2,996	1,749
800	14	*8	*5	*6	*	*	*	*	*	*	*
801	72	49	24	*7	28	26	11	11	14	19	29
801.0	27	14	13	*	*9	*8	*5	*	*5	*9	*8
801.01	14	*7	*7	*	*	*	*	*	*	*6	*
801.1	*5	*	*	*	*	*	*	*	*	*	*
801.2	29	23	*6	*	15	*8	*	*6	*5	*6	13
801.20	*8	*7	*	*	*6	*	*	*	*	*	*
801.26	*9	*6	*	*	*	*	*	*	*	*	*
802	132	87	45	*	53	48	26	19	29	37	47
802.0	27	16	11	-	*9	10	*9	*	*8	*6	*9
802.2	23	18	*	*	16	*	*	*	*	10	*6
802.26	*6	*	*	-	*	*	-	*	*	*	*
802.4	23	15	*8	-	*8	*9	*7	*	*	*	11
802.6	26	14	12	*	*7	12	*6	*	*	*8	11

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
814.0	*7	*	*	*	*	*	*	*	*	*	*
815	22	15	*7	*	*9	*5	*8	*6	*	*5	*6
815.0	20	14	*6	*	*7	*5	*7	*6	*	*	*
815.00	*8	*6	*	-	*	*	*	*	*	*	*
816	13	*8	*	*	*5	*	*	*	*6	*	*
816.0	*7	*	*	*	*	*	*	*	*	*	*
816.01	*5	*	*	*	*	*	*	*	*	*	*
816.1	*5	*	*	*	*	*	*	*	*	*	*
819	*9	*6	*	-	*	*	*	*9	-	*	-
819.0	*9	*6	*	-	*	*	*	*9	-	*	-
820	336	107	230	*	*9	44	279	70	82	134	50
820.0	83	32	51	*	*	10	68	14	19	34	16
820.03	*6	*	*5	*	-	*	*	*	*	*	*
820.09	68	26	42	*	*	*9	57	13	16	27	12
820.2	178	52	126	*	*	22	150	37	48	68	25
820.20	15	*8	*7	-	*	*	11	*	*	*8	*
820.21	138	41	98	*	*	17	120	27	38	53	20
820.22	24	*	20	*	*	*	18	*7	*7	*7	*
820.8	73	20	52	-	*	11	61	17	15	32	*9
821	73	31	42	*9	15	18	32	19	16	23	15
821.0	38	19	19	*8	*9	*6	17	*9	*8	12	*9
821.00	*8	*	*	*	*	*	*	*	*	*	*
821.01	30	15	15	*7	*7	*	12	*8	*7	*8	*8
821.2	28	*8	20	*	*	12	13	*9	*7	*9	*
821.20	*7	*	*7	*	*	*	*	*	*	*	-
821.23	*9	*	*8	-	*	*	*5	*	*	*	*
821.29	*7	*	*	*	*	*	*	*	*	*	*
822	23	*6	18	*	*	*9	12	*	*6	*7	*7
822.0	23	*5	17	-	*	*9	12	*	*6	*7	*7
823	120	59	61	*8	42	41	28	27	24	42	28
823.0	64	28	36	-	16	29	19	14	12	24	14
823.00	39	17	22	-	10	16	13	*8	*9	14	*8
823.01	10	*	*6	-	*	*6	*	*	*	*	*
823.02	15	*7	*7	-	*	*8	*	*6	*	*5	*
823.2	26	13	13	*	15	*	*	*8	*	*7	*6
823.20	12	*7	*5	*	*8	*	*	*5	*	*	*
823.22	13	*6	*7	*	*7	*	*	*	*	*	*
823.3	*9	*7	*	*	*5	*	*	*	*	*	*
823.32	*6	*	*	*	*	*	*	*	*	*	*
823.8	14	*7	*7	*	*	*	*	*	*	*6	*
823.82	*9	*	*	*	*	*	*	*	*	*	*
824	127	43	84	*	33	49	42	24	35	43	25
824.0	10	*	*6	-	*	*6	*	*	*	*	*
824.2	11	*	*7	-	*	*	*	*	*	*	*
824.4	33	*6	26	*	*9	10	13	*7	*8	13	*
824.5	*6	*	*	-	*	*	*	*	*	*	*
824.6	25	*6	18	*	*	14	*7	*7	10	*5	*
824.8	33	17	16	*	*8	12	11	*5	*8	12	*8
824.9	*6	*	*	*	*	*	*	*	*	*	*
825	45	22	23	*	21	11	11	10	12	16	*7
825.0	11	*6	*	*	*	*	*	*	*	*6	*
825.2	25	11	15	*	12	*6	*7	*	*7	*9	*
825.25	14	*	*9	*	*5	*	*	*	*	*	*
825.3	*8	*5	*	*	*5	*	*	*	*	*	*
826	*9	*6	*	*	*	*	*	*	*	*	*
826.0	*6	*	*	-	*	*	*	*	*	*	*
828	11	*5	*6	-	*	*	*6	*8	-	*	*
828.0	11	*5	*6	-	*	*	*6	*8	-	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
860.2	*6	*	*	-	*	*	*	*	*	*	*
860.4	16	12	*	*	*7	*6	*	*	*	*	*5
861	74	52	22	*	38	19	14	15	13	20	26
861.0	*5	*	*	-	*	*	*	*	*	*	*
861.01	*5	*	*	-	*	*	*	*	*	*	*
861.2	65	46	19	*	35	16	12	13	11	17	23
861.21	61	44	17	*	32	14	12	13	11	16	21
862	12	*8	*	*	*6	*	*	*	*	*6	*
862.2	*6	*	*	*	*	*	*	*	*	*	*
863	15	12	*	*	10	*	*	*	*	10	*
864	22	12	10	*	12	*	*	*6	*	*9	*
864.0	16	*9	*8	*	*7	*	*	*6	*	*6	*
864.01	*6	*	*	*	*	*	*	*5	*	*	*
864.05	*6	*	*	*	*	*	*	*	*	*	*
864.1	*6	*	*	-	*5	*	*	*	*	*	*
865	22	15	*6	*	13	*5	*	*	*6	*7	*
865.0	20	15	*6	*	12	*5	*	*	*	*7	*
865.00	*9	*6	*	*	*6	*	*	*	*	*	*
866	13	*6	*7	*	*5	*	*	*	*	*	*
866.0	11	*	*7	*	*	*	*	*	*	*	*
866.01	*6	*	*	*	*	*	*	*	*	*	*
867	45	37	*8	*	*6	10	29	11	13	15	*6
867.0	40	35	*5	*	*	*7	28	*9	12	13	*5
868	21	16	*	*	11	*5	*	*	*	*9	*
868.0	16	12	*	*	*7	*5	*	*	*	*	*
868.03	*5	*	*	*	*	*	*	*	*	*	*
868.04	*5	*	*	*	*	*	*	*	*	*	*
870	17	11	*5	*	*8	*	*	*	*	*5	*6
870.0	*5	*	*	*	*	*	*	*	*	*	*
870.8	*7	*5	*	*	*	*	*	*	*	*	*
871	*5	*	*	*	*	*	*	*	*	*	*
872	*9	*6	*	*	*	*	*	*	*	*	*
873	216	128	87	17	60	52	86	49	50	66	51
873.0	76	46	30	*	20	17	37	21	16	22	17
873.2	*8	*6	*	*	*	*	*	*	*	*	*
873.20	*8	*5	*	*	*	*	*	*	*	*	*
873.4	87	48	39	*7	24	24	32	13	27	29	17
873.40	*7	*	*	*	*	*	*	*	*	*	*
873.42	52	28	24	*	10	12	26	12	17	16	*8
873.43	14	*7	*7	*	*6	*	*	*	*	*6	*
873.44	*6	*	*	*	*	*	*	-	*	*	*
873.5	11	10	*	*	*8	*	*	*	*	*	*
873.6	20	13	*8	*5	*6	*	*6	*	*	*6	*7
873.63	10	*	*6	*	*	*	*	*	*	*	*
873.64	*7	*7	*	*	*	*	*	*	*	*	*
873.8	*5	*	*	*	*	*	*	*	*	*	*
874	*6	*	*	-	*	*	*	*	*	*	*
875	*6	*	*	*	*	*	*	*	*	*	*
876	*5	*	*	-	*	*	*	*	*	*	*
877	*5	*	*	-	*	*	*	*	*	*	*
878	*7	*	*	*	*	*	*	*	*	*	*
879	16	11	*	*	*6	*	*6	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
879.2	*5	*	*	*	*	*	*	*	*	*	*
880	10	*	*5	-	*8	*	*	*	*	*	*
880.0	*7	*	*	-	*6	*	*	*	*	*	*
881	70	39	31	*	31	14	23	19	14	22	15
881.0	53	28	26	*	24	10	17	13	12	17	11
881.00	22	10	12	*	10	*	*9	*	*6	*7	*
881.01	14	*7	*7	*	*	*	*7	*	*	*	*
881.02	17	11	*7	*	11	*	*	*	*	*7	*
881.1	11	*7	*	*	*	*	*	*	*	*	*
881.10	*6	*	*	*	*	*	*	*	*	*	*
881.2	*6	*	*	-	*	*	*	*	*	*	*
881.20	*5	*	*	-	*	*	*	*	*	*	*
882	23	16	*8	*	*	*9	*8	*	10	*6	*
882.0	14	*9	*	*	*	*	*7	*	*5	*	*
882.1	*8	*6	*	*	*	*	*	*	*	*	*
883	25	17	*9	*	15	*6	*	*	*	*6	10
883.0	10	*7	*	*	*6	*	*	*	*	*	*
883.1	*7	*	*	*	*	*	*	*	*	*	*
883.2	*8	*6	*	-	*5	*	*	*	*	*	*
884	10	*6	*	*	*	*	*	*	*	*5	*
884.0	*8	*5	*	*	*	*	*	*	*	*	*
890	11	*7	*	*	*6	*	*	*	*	*	*
890.0	*8	*	*	*	*	*	*	*	*	*	*
891	36	16	20	*	13	12	11	10	*6	10	10
891.0	20	*8	12	*	*8	*7	*	*8	*	*	*
891.1	15	*7	*8	*	*	*	*5	*	*	*5	*5
892	11	*7	*	*	*7	*	*	*	*	*6	*
892.1	*6	*	*	*	*	*	*	-	*	*	*
893	*6	*	*	*	*	*	*	*	*	*	*
903	12	*9	*	*	10	*	*	*	*	*5	*
904	*7	*	*	-	*	*	*	*	*	*	*
905	49	27	22	*	10	15	21	*9	*	26	*9
905.0	*8	*7	*	*	*	*	*	*	*	*	*
905.2	10	*5	*	*	*	*	*5	*	*	*7	*
905.3	*8	*	*	-	*	*	*7	*	*	*7	*
905.4	14	*6	*7	*	*	*5	*	*	*	*7	*
906	16	10	*6	*	*	*5	*6	*	*	*5	*7
907	79	63	16	*	29	34	14	*9	16	30	24
907.0	39	31	*9	*	14	17	*7	*7	*	10	18
907.2	37	30	*7	-	14	16	*7	*	11	19	*5
908	20	13	*7	*	*9	*8	*	*	*	*7	*6
908.9	16	*9	*7	*	*8	*6	*	*	*	*	*6
909	36	18	17	*	*8	11	16	*7	*8	10	10
909.2	18	11	*7	-	*	*6	11	*	*5	*	*5
909.3	12	*	*8	*	*6	*	*	*	*	*	*
910	49	28	21	10	14	*9	15	*6	17	13	13
910.0	45	26	19	10	14	*7	15	*	16	11	13
911	27	17	10	*	13	*	*6	*	*9	*	*9
911.0	22	14	*8	*	12	*	*	*	*6	*	*8
912	14	12	*	*	*7	*	*	*	*	*	*8
912.0	12	10	*	*	*6	*	*	*	*	*	*7

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
943.2	*5	*	*	*	*	*	*	*	*	*	-
944	*7	*5	*	*	*	*	*	*	*	*	*
944.2	*6	*	*	*	*	*	*	*	*	*	*
945	15	11	*	*	*	*	*	*	*	*	*
945.2	*8	*6	*	*	*	*	*	*	*	*	*
948	17	13	*	*	*	*5	*	*6	*	*7	*
948.0	13	10	*	*	*	*	*	*	*	*	*
948.00	13	10	*	*	*	*	*	*	*	*	*
952	13	*8	*5	-	*	*	*6	*6	*	*	*
952.0	*6	*	*	-	*	*	*	*	*	*	*
952.9	*5	*	*	-	*	*	*	*	*	*	*
955	18	15	*	*	10	*	*	*6	*	*	*5
955.2	*9	*8	*	*	*	*	*	*	*	*	*
956	*7	*6	*	-	*	*	*	*	*	*	*
958	40	25	14	*	16	13	*8	10	*7	15	*8
958.4	*8	*6	*	*	*5	*	*	*	*	*	*
958.7	17	12	*5	*	*	*9	*	*6	*	*	*5
958.9	*7	*	*	*	*	*	*	*	*	*	*
959	92	42	50	*6	27	20	38	19	22	29	21
959.0	53	25	28	*	15	*8	27	11	14	15	13
959.01	46	23	24	*	12	*8	24	*8	13	13	13
959.09	*6	*	*	-	*	*	*	*	*	*	*
959.1	15	*8	*7	*	*	*6	*	*	*	*	*7
959.11	*7	*	*	*	*	*	*	*	*	*	*
959.7	*7	*	*	*	*	*	*	*	*	*	*
959.9	*6	*	*	*	*	*	*	*	*	*	*
962	12	*7	*	*	*	*	*6	*	*	*7	*
962.3	10	*6	*	-	*	*	*6	*	*	*6	*
963	14	*6	*8	*	11	*	*	*	*	*5	*
963.0	14	*6	*8	*	10	*	*	*	*	*5	*
965	137	60	76	*	74	46	13	26	41	43	26
965.0	74	41	34	*	34	34	*5	16	21	23	15
965.00	17	*9	*8	*	*7	*9	*	*	*	10	*
965.01	*7	*	*	-	*6	*	-	*	*	*	*
965.02	20	12	*8	-	*9	11	*	*8	*	*	*
965.09	31	16	15	*	13	13	*	*	10	*9	*8
965.1	*9	*	*7	*	*7	*	*	*	*	*	*
965.4	36	13	24	*	24	*8	*	*8	10	13	*5
965.6	*9	*	*8	*	*7	*	*	*	*	*	*
965.61	*9	*	*8	*	*7	*	-	*	*	*	*
965.8	*7	*	*	-	*	*	*	*	*	*	*
966	22	11	11	*	12	*8	*	*	*5	10	*6
966.1	*6	*	*	-	*	*	-	*	*	*	*
966.3	16	*8	*8	*	10	*	*	*	*	*7	*
967	23	*9	14	*	*9	11	*	*	*6	*9	*6
967.8	13	*	*8	*	*7	*	*	*	*	*	*
967.9	*8	*	*	-	*	*6	*	*	*	*	*
968	11	*6	*	-	*	*8	*	*	*	*	*
968.0	*7	*	*	-	*	*5	*	*	*	*	*
969	152	69	83	*	90	52	*8	20	39	65	29
969.0	31	13	18	*	22	*7	*	*	10	11	*6
969.05	*6	*	*	-	*	*	*	*	*	*	*
969.09	21	*8	13	*	15	*	*	*	*7	*8	*
969.3	16	*7	*9	*	13	*	*	*	*5	*6	*
969.4	83	38	45	*	43	34	*6	12	19	36	17

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
969.6	*6	*5	*	-	*	*	-	*	*	*	*
969.7	*7	*	*	*	*	*	*	*	*	*	*
970	20	13	*7	*	*9	*7	*	*	*	10	*
970.8	15	10	*5	-	*9	*6	*	*	*	*7	*
971	*6	*	*	*	*	*	*	*	*	*	*
972	17	*9	*8	*	*	*5	*5	*	*7	*6	*
972.6	*7	*	*	*	*	*	*	*	*	*	*
975	*9	*	*5	*	*7	*	*	*	*	*	*
975.2	*6	*	*	*	*	*	*	-	*	*	*
977	24	*9	15	*	12	*8	*	*7	*	12	*
977.8	*7	*	*	*	*	*	*	*	*	*	*
977.9	17	*6	11	*	*8	*6	*	*5	*	10	*
980	26	16	10	*	12	12	*	*	*5	*8	*9
980.0	21	15	*6	*	*9	11	*	*	*	*7	*6
987	13	*8	*	*5	*	*	*	*	*	*6	*
987.8	*8	*6	*	*5	*	*	*	*	*	*	*
989	14	*7	*8	*	*7	*	*	*	*	*7	*
989.5	*8	*	*	*	*	*	*	*	*	*	*
990	*6	*	*	-	*	*	*	*	*	*	*
991	22	*7	15	*	*	*7	11	*5	*	10	*
991.6	21	*6	14	*	*	*6	11	*5	*	10	*
992	15	13	*	-	*	*	*7	*	*	*7	*
992.5	12	11	*	-	*	*	*5	*	*	*6	*
994	*9	*5	*	*	*	*	*	*	*	*	*
995	1,181	565	616	24	117	350	689	236	265	485	196
995.0	10	*	*7	*	*	*	*	*	*	*	*
995.1	27	13	14	*	*	14	*7	*7	*	10	*6
995.2	18	*8	10	*	*	*	*9	*	*	11	*
995.20	*6	*	*	-	*	*	*	*	-	*	*
995.29	*7	*	*	*	*	*	*	*	*	*	*
995.3	*8	*	*5	*	*	*	*	*	*	*	*
995.5	*8	*	*	*5	*	-	-	*	*	*	*
995.9	1,101	530	572	15	97	322	667	221	250	450	180
995.90	23	10	13	*	*	*9	13	*8	*	*6	*6
995.91	662	327	335	10	58	196	399	116	168	267	111
995.92	401	187	214	*	35	113	248	93	73	172	63
995.93	14	*5	*9	*	*	*	*7	*	*5	*6	*
996	945	471	474	22	128	331	464	232	223	335	155
996.0	33	22	11	-	*	10	22	*7	*8	12	*6
996.01	16	*9	*6	-	*	*	12	*	*	*6	*
996.04	*9	*6	*	-	*	*	*6	*	*	*	*
996.1	33	18	16	*	*	11	14	10	*5	15	*
996.2	21	*	16	*6	*6	*	*5	*	*	*9	*6
996.3	30	17	13	-	*5	*8	16	*	*5	13	*7
996.31	10	*9	*	-	*	*	*6	*	*	*	*
996.39	18	*8	10	-	*	*	10	*	*	*9	*
996.4	169	64	106	*	13	58	96	45	46	52	27
996.41	32	*8	24	-	*	14	17	15	*5	*6	*
996.42	32	*8	24	*	*	*7	23	*	11	11	*6
996.44	11	*	*8	-	*	*	10	*	*	*	*
996.45	*7	*	*	-	-	*	*5	*	*	*	*
996.46	*7	*	*	-	*	*	*	*	*	*	*
996.47	28	*9	19	-	*	12	14	*8	*9	*8	*
996.49	43	25	18	*	*9	18	15	*6	12	15	10
996.5	33	13	21	*	*7	13	13	*8	*8	12	*6
996.59	26	12	14	*	*	11	10	*6	*	10	*6

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V15.03	*5	*	*	*	*	*	*	*	*	*	*
V15.04	22	*7	15	*	*8	*6	*6	*	*	10	*7
V15.05	16	*8	*7	*	*6	*	*	*	*	*6	*7
V15.07	43	*9	35	*	20	12	*9	11	*6	19	*7
V15.08	49	15	33	*	*8	17	24	13	*6	23	*6
V15.09	17	*	13	*	*	*	*6	*	*5	*7	*
V15.1	40	23	17	16	*6	*6	12	*	*	20	13
V15.2	20	10	10	*	*	*7	*8	*	*	15	*
V15.29	20	10	10	*	*	*7	*8	*	*	15	*
V15.3	149	79	70	*6	21	47	75	38	31	43	38
V15.4	177	71	106	33	121	23	*	12	56	99	11
V15.41	132	50	82	24	90	17	*	*9	43	70	*9
V15.42	44	21	23	*8	30	*	*	*	12	29	*
V15.5	99	59	40	*5	33	35	26	11	29	26	32
V15.51	28	*9	19	*	*9	*7	12	*	*8	10	*7
V15.52	45	32	13	*	17	18	*7	*7	14	12	12
V15.59	26	18	*8	*	*7	10	*7	*	*8	*	13
V15.8	2,439	1,295	1,144	18	414	859	1,149	433	503	1,004	499
V15.81	676	362	314	13	247	282	133	105	158	319	94
V15.82	1,591	863	728	*	155	543	893	301	305	622	363
V15.84	*8	*8	*	-	-	*	*	*	*	*	*
V15.88	148	56	91	*	*6	27	115	22	37	51	38
V15.89	*9	*	*7	*	*	*	*	*	*	*	*
V16	195	56	139	15	44	80	56	29	32	75	59
V16.0	57	21	36	*	12	19	23	*9	10	22	16
V16.1	27	*8	19	*	*	12	11	*	*	10	*8
V16.3	46	*	43	*	16	21	*8	*8	*8	14	16
V16.4	14	*	10	*	*	*8	*	*	*	*	*6
V16.49	*6	*	*6	*	*	*	*	*	*	*	*
V16.5	*5	*	*	-	*	*	*	*	*	*	*
V16.8	*9	*	*	*	*	*	*	*	*	*	*
V16.9	30	11	20	*	*6	13	*6	*	*	16	*8
V17	612	296	316	118	144	214	135	91	115	256	151
V17.0	54	25	28	13	31	*9	*	*9	27	13	*5
V17.1	41	17	25	*	*7	16	16	10	*7	16	*9
V17.2	18	*7	11	11	*	*	*	*	*	*6	*8
V17.3	240	131	109	*5	41	118	76	39	49	100	52
V17.4	176	73	102	29	50	63	34	25	24	84	43
V17.49	174	72	102	29	49	63	34	25	24	82	43
V17.5	68	38	31	58	*7	*	*	*5	*	32	28
V17.6	*6	*	*	*	*	*	*	*	*	*	*
V17.7	*8	*	*	*	*	*	*	*	*	*	*
V18	220	86	134	63	75	59	23	26	19	109	66
V18.0	181	74	107	51	60	52	18	21	15	94	52
V18.1	*6	*	*	*	*	*	*	*	*	*	*
V18.19	*6	*	*	*	*	*	*	*	*	*	*
V18.3	11	*	*9	*5	*5	*	*	*	*	*	*8
V18.5	*6	*	*6	*	*	*	*	*	*	*	*
V18.6	11	*	*6	*	*	*	*	*	*	*7	*
V18.69	10	*	*6	*	*	*	*	*	*	*6	*
V19	16	*8	*8	*7	*	*	*	*	*	*	*7
V19.8	11	*	*7	*	*	*	*	*	*	*	*
V21	21	10	11	21	*	-	-	*	-	*	18
V21.3	21	10	11	20	*	-	-	-	-	*	18
V21.30	15	*6	*9	15	-	-	-	-	-	*	13
V22	12	-	12	-	12	-	-	*	*	*9	*
V22.1	*6	-	*6	-	*6	-	-	*	*	*6	*
V23	180	-	180	*	178	*	-	31	36	64	49
V23.2	20	-	20	-	20	-	-	*	*	*5	12
V23.4	40	-	40	-	40	-	-	*5	*8	13	14
V23.41	28	-	28	-	28	-	-	*	*5	*8	11
V23.49	12	-	12	-	12	-	-	*	*	*	*
V23.5	12	-	12	-	12	-	-	*	*5	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V23.7	75	-	75	*	74	-	-	*9	17	36	13
V23.8	23	-	23	-	23	*	-	10	*	*	*6
V23.85	14	-	14	-	13	*	-	*6	*	*	*
V23.89	*6	-	*6	-	*6	-	-	*	*	*	*
V25	267	-	267	-	266	*	-	39	56	124	49
V25.0	*5	-	*5	-	*5	-	-	-	*	*	*
V25.2	256	-	256	-	255	*	-	36	50	122	47
V26	31	*	29	-	15	11	*	*7	*9	13	*
V26.5	27	*	25	-	11	11	*	*	*9	12	*
V26.51	25	-	25	-	11	*9	*	*	*8	11	*
V27	3,951	-	3,951	*7	3,941	*	-	603	956	1,535	857
V27.0	3,653	-	3,653	*7	3,645	*	-	539	898	1,428	788
V27.1	15	-	15	-	15	-	-	*	*	*7	*
V27.2	67	-	67	-	67	*	-	12	17	26	12
V27.9	212	-	212	*	211	*	-	50	35	74	54
V29	37	18	19	37	-	-	-	*	*6	24	*5
V29.0	36	18	18	36	-	-	-	*	*6	23	*
V30	*7	*	*	*7	-	-	-	*	*	*	*
V30.1	*7	*	*	*7	-	-	-	*	*	*	*
V42	244	155	89	12	36	109	87	61	48	96	39
V42.0	98	57	41	*	16	53	26	19	27	39	13
V42.1	16	11	*	-	*	*9	*	*6	*	*5	*
V42.2	44	31	13	-	*4	*9	33	16	*	*9	16
V42.5	*6	*	*	*	*	*	*	*	*	*	*
V42.7	38	24	15	*	*	24	*9	11	*7	16	*
V42.8	40	27	13	*5	11	13	10	*8	*7	22	*
V42.81	12	*7	*5	*	*	*	*	*	*	*	*
V42.82	15	14	*	*	*	*5	*	*	*	10	*
V42.83	*9	*	*	*	*	*	*	*	*	*5	*
V43	1,161	442	719	*	37	297	825	320	255	368	217
V43.1	12	*	*9	-	-	*	11	*5	*	*	*
V43.3	210	113	97	-	10	53	146	55	41	78	35
V43.6	926	318	608	*	25	237	661	256	210	281	179
V43.61	22	12	10	-	*	*	17	*	*	*	10
V43.64	376	136	239	*	13	86	276	103	87	112	74
V43.65	520	168	353	*	11	142	366	148	117	162	94
V44	459	256	203	76	47	129	206	125	83	178	73
V44.0	90	57	33	23	*8	25	34	23	16	36	15
V44.1	206	109	97	48	15	38	104	58	32	80	35
V44.2	46	28	18	*	*9	23	13	20	*9	10	*7
V44.3	84	43	41	*	*7	33	41	19	17	40	*8
V44.4	*6	*	*	*	*	*	*	*	*	*	*
V44.6	23	15	*8	*	*	*6	12	*	*7	*8	*
V45	4,389	2,354	2,035	59	376	1,227	2,728	988	927	1,686	788
V45.0	782	452	331	*	23	127	632	174	157	329	123
V45.01	537	292	245	-	12	55	471	121	97	221	98
V45.02	228	148	79	-	11	65	151	52	49	104	23
V45.09	17	11	*6	*	*	*6	10	*	11	*	*
V45.1	190	99	91	*	35	72	82	43	44	78	26
V45.11	177	93	84	*	28	68	80	42	42	68	25
V45.12	13	*7	*7	-	*7	*	*	*	*	*9	*
V45.2	72	40	32	26	19	11	15	12	13	24	22
V45.3	29	11	18	-	*	10	14	*	*7	10	*9
V45.4	161	71	90	*	21	69	71	25	38	59	40
V45.6	39	14	24	*	*	*5	31	*9	10	13	*7
V45.61	36	13	22	-	-	*5	31	*9	10	12	*
V45.7	538	173	365	*6	97	184	251	84	119	181	154
V45.71	97	*	96	-	10	31	56	16	15	35	31
V45.72	101	52	48	*	17	36	46	23	22	29	28
V45.73	81	46	34	*	16	25	38	15	12	34	19
V45.75	13	*6	*7	-	*	*	*8	*	*	*5	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V45.76	20	10	10	-	*	*7	13	*	*	*9	*6
V45.77	54	11	43	-	10	25	20	*	11	18	23
V45.79	168	43	125	*	42	57	67	22	52	50	44
V45.8	2,575	1,494	1,081	22	174	748	1,632	636	540	992	406
V45.81	1,039	684	355	-	*8	223	808	207	218	460	154
V45.82	980	608	372	-	28	322	630	207	214	385	174
V45.85	21	13	*8	*	*9	*6	*5	*	*5	*7	*7
V45.86	180	31	149	-	67	94	19	49	43	57	31
V45.88	10	*5	*	-	*	*	*5	*	*	*	*
V45.89	340	149	191	20	58	97	165	168	56	77	38
V46	448	192	256	30	24	123	272	69	98	161	120
V46.1	69	42	27	23	10	12	22	14	14	23	19
V46.11	67	40	27	23	10	12	21	14	13	22	18
V46.2	345	137	208	*	*9	98	233	49	79	125	92
V46.3	33	13	20	*	*	12	16	*7	*	12	10
V49	258	151	107	*8	19	89	141	46	52	121	38
V49.6	13	10	*	*	*	*	*6	*	*	*7	*
V49.62	*8	*6	*	*	*	*	*	*	*	*5	*
V49.7	193	125	67	*	16	71	104	35	44	88	26
V49.71	14	*9	*6	-	*	*6	*8	*	*	*7	*
V49.72	29	19	10	-	*	12	16	*6	*	15	*
V49.73	*7	*	*	*	*	*	*	*	*	*	*
V49.75	83	55	29	*	*9	32	42	19	19	37	*9
V49.76	54	36	18	*	*	13	36	10	13	24	*7
V49.8	50	15	36	*6	*	14	29	*8	*	27	11
V49.81	*7	-	*7	-	-	*	*	*	*	*	*
V49.83	10	*	*	*	*	*7	*	*	*	*6	*
V49.84	23	*6	17	-	*	*	19	*	*	14	*
V49.85	*6	*	*5	*	-	-	*	-	*	*	*
V49.89	*6	*	*	*	-	-	*	*	-	*	-
V50	21	10	11	10	*	*6	*	*	*	11	*
V50.2	*9	*9	-	*9	-	-	-	-	-	*8	*
V50.4	11	*	10	*	*	*6	*	*	*	*	*
V50.41	*7	-	*7	-	*	*	*	*	*	*	*
V52	*7	*	*	*6	*	*	-	*	*	*7	-
V52.8	*7	*	*	*6	*	-	-	*	*	*7	-
V53	29	18	12	*	*	*5	21	*8	*7	*9	*6
V53.3	25	15	10	*	*	*	18	*8	*6	*6	*5
V53.31	14	*7	*7	*	*	*	12	*5	*	*	*
V53.32	11	*8	*	-	*	*	*6	*	*	*	*
V54	192	91	102	*	32	53	104	47	35	62	48
V54.0	19	*6	12	*	*	*9	*7	*	*	*	*8
V54.01	12	*	*7	*	*	*8	*	*	*	*	*7
V54.09	*6	*	*	*	*	*	*	*	*	*	*
V54.1	114	60	53	*	24	30	59	30	20	36	28
V54.11	*5	*	*	-	*	*	*	*	*	*	*
V54.12	*6	*	*	-	*	*	*	*	*	*	*
V54.13	20	11	10	-	*	*	14	*	*5	*	*7
V54.16	*8	*	*	-	*	*	*	*	*	*5	*
V54.17	21	11	11	-	*	*	12	*7	*	*5	*
V54.19	48	25	23	*	12	14	21	14	*7	15	11
V54.8	56	21	35	*	*6	14	34	14	12	19	11
V54.81	33	13	20	-	*	10	21	*9	*8	*8	*8
V54.89	23	*8	15	*	*	*	13	*	*	11	*
V55	96	59	37	*9	20	33	34	13	15	43	25
V55.0	11	*8	*	*	*	*	*	*	*	*6	*
V55.1	28	19	*9	*	*	11	13	*	*	11	*9
V55.2	23	12	11	*	*5	10	*6	*5	*	*5	*9
V55.3	29	16	13	*	10	*8	*8	*	*	17	*
V56	238	119	119	*	31	96	110	36	19	139	45
V56.0	236	119	117	*	30	95	110	36	19	137	45

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V64	272	113	159	*6	79	92	95	42	48	115	67
V64.0	84	36	48	*	28	29	23	10	11	33	31
V64.06	76	31	46	*	27	28	21	*9	10	29	28
V64.1	41	18	24	*	*	15	22	*8	*7	17	10
V64.2	23	10	12	*	*8	*	*9	*6	*	11	*
V64.3	15	*	11	*	*5	*	*5	*	*	*8	*
V64.4	109	45	64	*	33	39	36	17	25	46	21
V64.41	104	41	63	*	32	37	33	16	24	45	20
V65	130	65	66	*6	53	52	20	59	13	32	27
V65.2	27	14	14	*	17	10	*	*	*6	12	*8
V65.3	31	10	21	*	*9	11	*6	*	*	10	12
V65.4	71	40	31	*	27	31	13	52	*	10	*7
V65.42	*5	*	*	-	*	*	-	-	*	*	*
V65.49	62	36	26	*	20	29	13	48	*	*6	*6
V66	304	122	182	*	11	51	240	42	74	103	85
V66.7	302	121	181	*	11	50	239	41	73	103	85
V67	13	*9	*	*	*	*7	*	10	*	*	*
V69	*7	*	*6	-	*	*	*	*	*	*	*
V69.4	*6	*	*	-	*	*	*	*	*	*	*
V70	44	30	14	*7	11	15	10	16	*	19	*
V70.7	38	26	13	*7	*9	13	10	12	*	19	*
V71	*7	*	*	*	*	*	*	*	*	*	*
V72	48	22	25	10	12	10	16	23	11	12	*
V72.1	*9	*	*	*8	*	-	*	*	-	*8	*
V72.19	*9	*	*	*8	*	-	*	*	-	*8	*
V72.8	29	18	12	*	*	*9	16	16	10	*	*
V72.83	23	14	*9	*	*	*7	12	16	*	*	*
V74	10	*	*8	-	*	*	*	*	*	*7	*
V74.8	*6	*	*	-	*	*	*	-	-	*6	-
V83	*7	*	*6	*	*6	*	*	*	*	*	*
V83.8	*6	*	*6	*	*6	*	*	*	*	*	*
V85	1,274	453	820	*	295	522	455	314	310	426	224
V85.0	165	61	104	-	18	38	109	34	36	65	30
V85.1	67	29	38	-	*8	22	37	15	16	24	13
V85.2	48	23	25	-	*9	15	24	*9	14	18	*8
V85.21	10	*	*6	-	*	*	*	*	*	*	*
V85.22	*8	*	*	-	*	*	*	*	*	*	*
V85.23	10	*	*5	-	*	*	*6	*	*	*	*
V85.24	12	*7	*	-	*	*	*7	*	*	*5	*
V85.25	*9	*	*	-	*	*	*	*	*	*	*
V85.3	270	104	166	*	63	121	86	57	61	90	62
V85.30	25	13	12	-	*	11	11	*6	*7	*7	*6
V85.31	24	*9	15	-	*8	*6	10	*	*7	10	*
V85.32	21	*7	14	-	*7	*7	*6	*6	*	*7	*
V85.33	32	13	19	-	*7	15	11	*5	*7	11	*9
V85.34	26	11	15	-	*5	14	*7	*	*6	*6	*9
V85.35	29	15	14	-	*7	14	*9	*9	*6	10	*
V85.36	24	*7	17	*	*5	12	*7	*6	*	10	*
V85.37	28	11	17	-	*5	13	*9	*	*7	11	*7
V85.38	28	*9	19	-	*8	12	*8	*7	*6	*7	*7
V85.39	33	10	24	-	*8	17	*9	*7	*6	12	*8
V85.4	720	235	485	*	195	326	199	199	182	230	109
V86	23	-	23	-	*7	11	*5	*5	*7	*	*6
V86.0	16	-	16	-	*	*8	*	*	*6	*	*
V86.1	*6	-	*6	-	*	*	*	*	*	*	*
V87	93	37	56	*	23	35	32	24	18	27	23
V87.4	91	36	56	*	23	35	31	24	18	26	23
V87.41	90	34	55	*	23	34	31	24	18	26	22

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V88	168	-	168	-	19	65	84	38	35	49	46
V88.0	168	-	168	-	19	65	84	38	35	49	46
V88.01	168	-	168	-	19	65	84	38	35	48	46

* Figure does not meet standards of reliability or precision. Estimates preceded by the asterisk should be used with caution.
 - Quantity zero.

NOTE: Users should be aware that some estimates of all-listed diagnoses in 2010 may exhibit marked increases if compared with prior years, due to the expansion of diagnoses codes collected from 7 to 15.

SOURCE: CDC/NCHS National Hospital Discharge Survey, 2010.

More information about survey methodology can be found at:
ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NHDS/NHDS_2010_Documentation.pdf.