

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
All codes	35,079	14,200	20,879	1,974	10,031	9,483	13,591	7,458	7,973	13,150	6,497
001-139	1,356	622	734	110	195	361	690	268	248	561	280
003	*9	*	*5	*	*	*	*	*	*	*6	-
003.0	*8	*	*	*	*	*	*	*	*	*6	-
005	*8	*	*6	-	*	*	*	*	*	*	*
005.9	*7	*	*	-	*	*	*	*	*	*	*
008	181	67	113	20	31	37	92	37	27	75	42
008.4	93	32	61	*	15	18	58	21	15	42	14
008.45	89	29	60	*	13	18	58	20	15	40	14
008.6	*6	*	*	*	*	*	*	*	*	*	*
008.8	80	32	49	16	16	18	30	13	11	31	25
009	27	*8	20	*	*8	*6	13	*6	*	14	*
009.0	17	*	13	*	*6	*	*6	*	*	10	*
009.1	*7	*	*	-	*	*	*	*	*	*	*
034	*8	*	*	*	*	-	-	*	*	*	*
034.0	*8	*	*	*	*	-	-	*	*	*	*
038	808	385	423	*7	65	212	524	162	164	342	140
038.0	41	23	17	*	*7	11	21	*8	*8	13	12
038.1	58	28	30	-	*8	19	31	*9	10	28	11
038.10	*7	*	*	-	*	*	*	*	*	*	*
038.11	21	13	*8	-	*	10	*9	*	*	10	*
038.12	22	*9	13	-	*	*	13	*	*	11	*
038.19	*9	*	*6	-	*	*	*6	*	*	*	*
038.2	16	11	*	*	*	*6	*7	*	*	*7	*
038.3	*6	*	*	-	*	*	*	*	*	*	*
038.4	132	63	69	*	*9	31	91	27	25	61	19
038.40	11	*7	*	-	*	*	*8	*	*	*6	*
038.42	72	28	44	*	*7	18	46	10	14	35	12
038.43	14	11	*	-	*	*	10	*	*	*6	*
038.49	33	16	17	*	*	*6	25	*9	*7	12	*
038.8	16	*8	*8	*	*	*	11	*7	*	*	*
038.9	539	248	291	*	38	139	358	110	112	228	89
041	24	13	12	*9	*	*5	*7	*	*	*	17
041.1	*8	*	*	*5	*	*	*	*	*	*	*6
041.11	*6	*	*	*	-	*	*	*	*	-	*
041.8	*6	*	*	-	*	*	*	*	*	*	*
042	42	30	13	-	25	17	*	*	*9	26	*
047	39	23	16	15	16	*5	*	*	*6	15	13
047.8	*6	*	*	*	*	-	-	*	*	*	*
047.9	32	20	12	10	15	*5	*	*	*	13	12
053	12	*	10	-	*	*	*7	*	*	*6	*
053.9	*7	*	*6	-	*	*	*	*	*	*	*
070	41	27	14	*	*6	31	*	*9	*	14	14
070.4	*6	*	*	-	*	*5	*	*	*	*	*
070.44	*6	*	*	-	*	*5	*	*	*	*	*
070.5	10	*7	*	-	*	*9	-	*	*	*	*
070.54	*9	*7	*	-	-	*9	-	*	-	*	*
070.7	18	11	*8	-	*	14	*	*	*	*6	*5
070.70	11	*6	*	-	*	*7	*	*	*	*	*
070.71	*8	*	*	-	*	*6	*	*	*	*	*
079	58	23	36	35	*9	*6	*8	11	10	21	16
079.9	55	21	35	32	*9	*6	*8	11	*9	19	16
079.99	55	21	35	32	*9	*6	*8	11	*9	19	16
112	28	*6	22	*8	*	*5	13	*7	*	*9	*9
112.0	*7	*	*5	*5	*	*	-	*	*	*	*
112.2	*9	*	*8	*	*	*	*6	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
Number of first-listed diagnoses in thousands												
112.8	*6	*	*	-	*	*	*	*	*	*	*	*
135	*9	*	*7	-	*	*	*	*	*	*	*	*
140-239	1,599	711	888	32	251	643	673	340	340	566	353	
141	*8	*7	*	-	*	*	*6	*	*	*	*	
146	*8	*7	*	-	-	*5	*	*	*	*	*	
150	*8	*8	*	-	-	*	*	*	*	*	*	
150.9	*5	*	*	-	-	*	*	*	*	*	*	
151	24	16	*8	-	*	11	11	*	*	11	*	
151.0	10	*8	*	-	*	*	*6	*	*	*	*	
153	93	45	48	-	*	30	59	18	22	36	17	
153.0	*6	*	*	-	*	*	*5	*	*	*	*	
153.1	*7	*	*	-	*	*	*	*	*	*	*	
153.2	*5	*	*	-	-	*	*	*	*	*	*	
153.3	13	*8	*5	-	*	*6	*7	*	*	*	*	
153.4	22	*8	14	-	-	*7	16	*5	*7	*6	*	
153.6	16	*7	*9	-	*	*	10	*	*5	*	*	
153.9	16	*8	*8	-	*	*	11	*	*	10	*	
154	39	24	15	-	*	21	15	10	*7	18	*	
154.0	12	*6	*6	-	*	*5	*6	*	*	*	*	
154.1	23	16	*7	-	*	13	*8	*	*5	12	*	
155	24	18	*6	*	*	14	*8	*8	*	10	*	
155.0	19	14	*	*	*	12	*5	*5	*	*8	*	
156	10	*	*6	*	-	*	*8	*	*	*	*	
156.0	*5	*	*	-	-	*	*	*	*	*	*	
157	39	24	14	-	*	16	22	*7	*5	19	*7	
157.0	19	12	*7	-	*	*8	11	*	*	10	*5	
157.9	12	*8	*	-	*	*5	*7	*	*	*7	*	
158	*8	*	*5	-	*	*6	*	*	*	*	*	
161	*9	*7	*	-	*	*	*7	*	*	*	*	
162	146	80	65	-	*	46	98	31	32	58	25	
162.2	*5	*	*	-	*	*	*	*	*	*	*	
162.3	47	25	22	-	-	18	29	11	11	18	*7	
162.5	26	13	13	-	*	*9	17	*7	*	*9	*6	
162.8	*8	*5	*	-	*	*	*5	*	*	*	*	
162.9	56	34	21	-	*	13	42	11	*9	26	10	
171	14	*9	*	*7	*	*	*	*	*	*	*	
171.0	*5	*	*	*	-	*	*	-	*	*	*	
174	81	-	81	-	14	38	29	17	20	30	13	
174.4	*8	-	*8	-	*	*	*	*	*	*	*	
174.8	19	-	19	-	*	*9	*8	*	*5	*7	*	
174.9	36	-	36	-	*9	16	12	*6	*8	15	*6	
180	*9	-	*9	-	*	*	*	*	*	*	*	
180.9	*6	-	*6	-	*	*	*	*	*	*	*	
182	39	-	39	-	*	19	19	12	*9	13	*6	
182.0	39	-	39	-	*	19	19	12	*9	13	*6	
183	27	-	27	*	*	11	11	*8	*8	*7	*	
183.0	26	-	26	*	*	10	10	*8	*7	*6	*	
185	84	84	-	-	*	49	35	*9	19	24	33	
188	29	21	*8	-	*	*7	22	*6	*6	11	*5	

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
188.8	*7	*	*	-	*	*	*5	*	*	*	*
188.9	13	10	*	-	*	*	10	*	*	*	*
189	53	33	20	*	*	18	31	10	*9	19	16
189.0	43	27	16	*	*	15	23	*8	*8	16	10
189.1	*6	*	*	-	-	*	*	*	*	*	*
191	39	24	15	*	10	12	13	*7	*8	17	*6
191.1	*9	*7	*	*	*	*	*	*	*	*	*
191.2	*9	*	*	*	*	*	*6	*	*	*5	*
191.3	*7	*	*5	-	*	*	*	*	*	*	*
191.9	*5	*	*	*	*	*	*	*	*	*	*
192	*5	*	*	*	*	-	*	-	*	*	*
193	21	*5	16	-	*7	10	*	*	*6	*7	*
196	15	*9	*5	-	*5	*6	*	*	*	*5	*
196.0	*5	*	*	-	*	*	*	*	*	*	*
197	92	37	56	*	*9	35	48	28	18	27	19
197.0	29	15	14	*	*	10	17	13	*5	*6	*
197.6	17	*6	11	-	*	*8	*6	*	*	*	*
197.7	31	10	21	-	*	10	19	*9	*	10	*8
198	91	52	39	*	*8	35	45	17	23	38	13
198.3	40	23	17	*	*5	18	17	*7	*8	17	*7
198.5	29	16	14	*	*	*8	18	*7	*7	11	*5
198.8	14	*8	*6	*	*	*7	*6	*	*5	*6	*
198.89	13	*7	*6	*	*	*6	*5	*	*	*6	*
199	*5	*	*	-	*	*	*	-	*	*	*
200	*8	*	*	-	*	*	*	*	*	*	*
201	*6	*	*	-	*	*	*	*	*	*	*
202	38	24	14	*	*7	19	12	*8	*8	14	*7
202.8	34	21	13	*	*6	17	10	*8	*5	13	*7
202.80	18	11	*8	*	*	10	*7	*7	*	*7	*
202.83	*5	*	*	-	*	*	*	*	*	*	*
203	24	11	12	-	*	10	13	*7	*5	*8	*
203.0	22	11	11	-	*	10	12	*7	*5	*8	*
203.00	21	10	11	-	*	10	11	*7	*	*8	*
204	19	*9	*9	*9	*	*	*	*	*	*	*8
204.0	13	*7	*6	*9	*	*	*	*	*	*	*7
204.00	10	*6	*	*7	*	*	*	*	*	*	*5
205	15	*9	*7	*	*	*	*6	*	*	*6	*
205.0	13	*7	*6	*	*	*	*6	*	*	*5	*
205.00	*9	*6	*	*	*	*	*5	*	*	*	*
209	16	*8	*8	-	*	*9	*6	*	*	*	*7
211	42	24	18	*	*	16	22	*8	10	14	10
211.3	32	20	13	-	*	13	18	*6	*9	10	*7
214	*5	*	*	-	*	*	*	*	*	*	*
218	188	-	188	-	88	98	*	43	38	67	40
218.0	16	-	16	-	*8	*8	*	*5	*	*	*5
218.1	38	-	38	-	16	22	*	13	*6	14	*6
218.2	11	-	11	-	*6	*	*	*	*	*	*
218.9	123	-	123	-	58	63	*	23	30	44	26
220	22	-	22	*	10	*7	*	*	*5	*8	*
225	22	11	10	*	*6	*6	*9	*8	*	*	*6



Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over				
Number of first-listed diagnoses in thousands											
251.2	*6	*	*	*	*	*	*	*	*	*	*
252	11	*	*8	-	*	*	*6	*	*	*	*
252.0	10	*	*8	-	*	*	*6	*	*	*	*
252.01	*5	*	*	-	*	*	*	*	*	*	*
253	38	18	20	*	*	10	24	10	10	14	*
253.6	33	15	18	-	*	*9	23	*7	10	12	*
255	12	*	*8	*	*	*	*	*	*	*	*
255.4	*9	*	*6	*	*	*	*	*	*	*	*
255.41	*9	*	*6	-	*	*	*	*	*	*	*
261	*7	*	*6	*	*	*	*	*	*	*	*
263	17	*9	*8	*	*	*	11	*	*5	*	*
263.9	15	*8	*7	*	*	*	10	*	*	*	*
270	*5	*	*	*	*	*	*	*	-	*	*
272	71	32	39	-	*8	40	24	25	*6	20	21
272.0	16	*	13	-	*	*8	*7	*7	*	*	*6
272.4	54	28	26	-	*6	31	17	18	*	16	15
273	*5	*	*	*	*	*	*	*	*	*	*
274	19	*9	10	-	*	*6	12	*7	*5	*6	*
274.0	15	*7	*8	-	*	*5	*9	*6	*	*	*
274.01	12	*6	*7	-	*	*	*7	*6	*	*	*
275	26	10	16	*	*	*8	15	*7	*8	*7	*
275.4	20	*8	12	*	*	*6	13	*6	*5	*5	*
275.42	15	*6	*8	*	*	*	10	*	*	*	*
276	642	274	367	69	74	177	321	121	147	212	161
276.0	19	*9	10	*	*	*5	10	*	*6	*6	*
276.1	161	59	102	*	14	56	85	25	35	49	52
276.2	26	12	14	*6	*5	*6	*8	*	*	*6	15
276.5	288	121	168	52	34	53	149	60	70	103	56
276.50	12	*	*8	*	*	*	*8	*	*	*7	*
276.51	273	115	158	51	33	51	138	58	67	95	53
276.6	19	10	*8	*	*	*7	*9	*	*	*9	*
276.7	64	37	27	*	*9	21	34	19	12	19	14
276.8	61	24	38	*	*9	26	25	*8	16	20	17
277	18	10	*7	*	*9	*	*	*	*8	*5	*
277.0	12	*7	*5	*	*8	*	-	*	*6	*	-
277.02	10	*6	*	*	*6	*	-	*	*6	*	-
278	171	48	124	*	82	74	13	46	24	62	40
278.0	166	47	119	*	81	71	12	42	23	61	39
278.00	14	*6	*8	*	*8	*	*	*	*	*6	*6
278.01	152	41	111	-	72	67	12	42	21	55	33
278.1	*5	*	*	-	*	*	*	*	*	*	*
280-289	531	230	301	51	138	116	225	120	110	221	80
280	87	26	61	*	16	26	43	26	18	36	*7
280.0	37	12	25	-	*7	10	21	*9	11	14	*
280.9	47	14	33	*	*7	16	22	15	*7	21	*
281	*8	*	*	-	*	*	*	*	*	*	*
281.9	*5	*	*	-	-	*	*	-	*	*	*
282	89	34	55	12	71	*6	*	20	14	42	13
282.4	*7	*	*5	*	*7	*	*	*	*	*	*
282.6	80	31	49	11	63	*6	-	18	13	40	10
282.62	73	27	45	*9	59	*5	-	17	13	35	*8
283	15	*8	*7	*	*	*	*7	*	*	*6	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
283.0	*6	*	*	*	*	*	*	*	*	*	*
283.9	*7	*	*	-	*	*	*	*	*	*	-
284	31	16	15	*	*	*9	17	*	10	11	*6
284.1	19	11	*8	*	*	*	11	*	*6	*5	*
284.8	11	*5	*6	*	*	*	*6	*	*	*5	*
284.89	11	*5	*6	*	*	*	*6	*	*	*5	*
285	163	71	91	*	20	33	109	32	39	68	23
285.1	60	25	35	*	*5	13	41	12	14	20	14
285.2	34	17	17	-	*	*9	21	*7	*9	14	*
285.21	15	*7	*8	-	*	*6	*6	*	*	*6	*
285.22	*8	*	*	-	*	*	*6	*	*	*	-
285.29	11	*5	*5	-	*	*	*9	*	*	*	*
285.9	61	25	36	*	*9	*9	42	12	14	31	*
286	*8	*	*	*	*	*	*	*	*	*	*
287	44	17	27	*8	*8	14	13	10	*6	16	11
287.3	21	*8	13	*	*	*	*8	*5	*	*7	*5
287.31	19	*8	11	*	*	*	*7	*	*	*6	*
287.5	16	*7	10	*	*	*8	*	*5	*	*5	*
288	72	41	30	18	11	16	27	19	12	30	11
288.0	58	37	21	14	*7	13	24	16	11	22	*9
288.00	42	28	15	11	*	*7	19	12	*8	16	*6
288.03	15	10	*6	*	*	*6	*	*	*	*6	*
288.6	12	*	*7	*	*	*	*	*	*	*7	*
288.60	11	*	*7	*	*	*	*	*	*	*7	*
289	14	*8	*6	*	*	*	*	*	*	*	*
290-319	2,099	1,080	1,020	150	1,024	660	265	480	642	734	243
290	17	*8	10	-	-	*	16	*	*	*8	*
290.4	10	*	*6	-	-	*	10	*	*	*6	*
291	158	113	45	-	60	88	11	55	52	30	21
291.0	28	18	10	-	*7	18	*	*9	*	*8	*6
291.8	122	89	33	-	52	66	*	42	45	20	14
291.81	114	84	29	-	45	63	*	42	38	19	14
291.89	*9	*	*	-	*6	*	-	*	*7	*	-
292	89	53	36	*	51	26	13	21	28	30	10
292.0	56	35	21	-	35	18	*	16	19	17	*
292.1	*5	*	*	*	*	*	*	*	*	*	*
292.8	25	13	12	*	11	*6	*8	*	*7	*8	*5
292.81	*9	*	*6	-	*	*	*7	*	*	*	*
292.84	12	*8	*	*	10	*	*	*	*	*	*
293	*6	*	*	*	*	*	*	*	*	*	*
294	64	27	37	*	*	*6	56	22	15	21	*6
294.8	61	25	36	*	*	*	54	20	14	20	*6
295	266	143	123	*	131	111	22	55	77	112	21
295.3	96	57	39	*	42	43	11	24	27	38	*7
295.30	39	26	13	-	22	16	*	*8	11	17	*
295.32	25	15	10	*	11	12	*	*	*8	*9	*
295.34	28	15	13	-	*8	14	*6	10	*5	12	*
295.6	*6	*5	*	-	*	*	*	*	*	*	-
295.7	133	62	71	*	71	53	*8	24	40	59	10
295.70	109	51	58	*	58	45	*	18	33	50	*9
295.72	*5	*	*	-	*	*	*	*	*	*	*
295.74	17	*8	10	-	*8	*6	*	*	*	*8	*
295.9	23	14	10	*	13	*9	*	*	*7	12	*
295.90	19	12	*7	*	10	*8	*	*	*6	11	*
296	856	373	483	83	460	244	69	133	288	356	79
296.2	158	67	91	20	85	36	17	17	49	76	16

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over				
Number of first-listed diagnoses in thousands											
296.20	75	34	41	*7	43	19	*5	*8	23	35	*8
296.22	*9	*	*6	*	*	*	*	*	*5	*	*
296.23	48	19	29	*8	28	*9	*	*	15	25	*
296.24	25	10	16	*	*9	*6	*8	*	*	13	*
296.3	236	95	142	*5	110	93	28	41	95	77	23
296.30	48	19	29	*	22	20	*	*6	25	*9	*7
296.32	31	10	21	*	17	*9	*	*	15	11	*
296.33	108	45	63	*	55	40	10	16	43	36	13
296.34	48	20	28	*	15	23	10	15	11	21	*
296.4	47	20	28	*	24	16	*6	*7	19	14	*7
296.40	21	*8	12	*	*8	*8	*	*	*8	*7	*
296.44	21	*9	12	*	12	*7	*	*	*7	*6	*
296.5	83	32	51	*	47	29	*6	13	35	29	*6
296.50	44	19	26	*	29	12	*	*	19	18	*
296.53	24	*8	16	*	10	11	*	*7	11	*	*
296.54	11	*	*8	*	*	*	*	*	*	*	*
296.6	69	28	41	*9	40	16	*	*5	16	43	*
296.60	41	19	23	*8	24	*8	*	*	*8	29	*
296.63	*8	*	*5	*	*5	*	-	*	*	*	*
296.64	18	*6	12	*	11	*	*	*	*	10	*
296.7	14	*6	*9	*	10	*	*	*	*	*	*
296.8	136	61	76	17	82	33	*	19	38	63	15
296.80	106	50	57	16	61	26	*	14	30	54	*8
296.89	30	11	19	*	21	*7	*	*	*9	*9	*7
296.9	111	65	46	28	61	18	*	29	31	48	*
296.90	107	64	44	28	61	16	*	28	29	48	*
298	75	41	34	*7	33	19	16	18	25	25	*7
298.9	71	41	30	*7	31	17	16	17	23	25	*6
299	*8	*8	*	*	*	-	-	*	*	*	*
300	81	31	50	*	38	22	16	17	20	23	20
300.0	44	15	29	*	19	11	11	11	*8	15	10
300.00	35	12	23	*	16	*7	*9	*8	*5	14	*8
300.01	*7	*	*	-	*	*	*	*	*	*	*
300.1	*9	*	*6	*	*	*	*	*	*	*	*
300.11	*7	*	*	*	*	*	*	*	*	*	*
300.4	22	*9	13	*	12	*8	*	*	*6	*	*7
301	*7	*	*	*	*	*	*	*	*	*	*
303	87	67	20	-	43	38	*6	28	27	23	*8
303.0	37	27	10	-	18	15	*	*6	16	10	*
303.00	14	11	*	-	*6	*	*	*	*6	*	*
303.01	23	15	*7	-	11	10	*	*	10	*6	*
303.9	50	40	*9	-	25	23	*	23	10	13	*
303.90	27	21	*6	-	15	11	*	14	*	*7	*
303.91	22	18	*	-	*9	12	*	*8	*6	*6	*
304	48	37	11	-	24	24	*	19	*8	16	*6
304.0	18	13	*5	-	11	*6	*	*7	*	*6	*
304.00	10	*8	*	-	*8	*	-	*6	*	*	*
304.01	*8	*	*	-	*	*	*	*	*	*	*
304.2	12	10	*	-	*	*8	-	*8	*	*	*
304.20	*9	*8	*	-	*	*8	-	*8	*	*	-
304.7	*6	*	*	-	*	*	-	*	*	*	*
304.9	*6	*5	*	-	*	*5	-	*	*	*	*
304.91	*5	*	*	-	*	*	-	*	*	*	*
305	84	48	36	*	45	31	*6	20	18	26	20
305.0	34	24	10	*	17	13	*	*6	*9	10	10
305.00	23	16	*7	*	12	*8	*	*	*6	*8	*
305.01	10	*8	*	-	*	*	*	*	*	*	*
305.1	20	*8	12	-	*8	10	*	*	*7	*7	*
305.5	*8	*	*7	-	*7	*	-	*	*	*	*
305.6	*9	*	*	-	*	*	-	*	*	*	*
305.60	*8	*	*	-	*	*	-	*	*	*	*
305.9	*6	*6	*	-	*	*	-	*	*	*	*
305.90	*6	*5	*	-	*	*	-	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over				
Number of first-listed diagnoses in thousands											
307	18	*8	11	*	*8	*	*6	*7	*	*	*7
307.9	*8	*5	*	-	*	*	*6	*6	*	*	*
309	64	29	36	*8	41	13	*	*9	28	12	15
309.0	13	*6	*7	*	*8	*	*	*	*6	*	*
309.2	14	*6	*8	*	10	*	*	*	*6	*	*
309.28	11	*6	*6	*	*8	*	*	*	*6	*	*
309.4	11	*	*6	*	*7	*	*	*	*6	*	*
309.8	23	10	13	*	14	*	*	*	*8	*	*7
309.81	21	*9	12	*	13	*	*	*	*6	*	*7
310	*7	*	*	*	*	*	*	*	*	*	*
311	101	50	51	*	60	24	12	40	23	30	*8
312	20	13	*7	11	*7	*	*	*8	*	*6	*
312.3	14	*9	*5	*6	*6	*	*	*7	*	*	-
312.30	*8	*	*	*	*	*	*	*	*	*	-
312.34	*7	*6	*	*	*	*	*	*	*	*	-
313	*7	*	*	*	*	-	-	*5	*	*	-
313.8	*7	*	*	*	*	-	-	*	*	*	-
313.81	*5	*	*	*	*	-	-	*	*	*	-
314	17	14	*	13	*	*	-	*5	10	*	*
314.0	17	14	*	13	*	*	-	*5	10	*	*
314.01	16	13	*	13	*	*	-	*	10	*	*
320-389	1,010	447	563	92	231	310	377	266	225	333	185
320	*6	*	*	*	*	*	*	*	*	*	*
324	*7	*	*	*	*	*5	*	*	*	*	*
324.1	*5	*	*	-	*	*	*	*	*	*	*
327	16	*9	*7	*	*	*7	*	*	*	*	*
327.2	16	*9	*6	*	*	*7	*	*	*	*	*
327.23	16	*9	*6	*	*	*7	*	*	*	*	*
331	111	59	52	*6	*	*6	94	29	22	44	16
331.0	60	26	34	-	-	*	58	14	*9	27	*9
331.4	16	12	*	*6	*	*	*5	*	*	*5	*
331.5	16	*8	*9	-	-	*	16	*	*	*6	*
331.8	12	*9	*	-	-	*	12	*	*	*	*
331.82	12	*9	*	-	-	*	12	*	*	*	*
332	24	12	12	-	*	*	18	*9	*	*7	*
332.0	22	11	10	-	*	*	17	*8	*	*7	*
333	17	*6	11	*	*	*	*8	*	*6	*5	*
333.9	*5	*	*	-	*	*	*	*	*	*	*
337	*5	*	*	*	*	*	*	*	*	*	*
338	93	33	60	*	24	41	28	24	18	24	28
338.1	42	18	24	*	11	16	15	16	10	*5	11
338.11	*6	*	*	-	*	*	*	*	*	*	*
338.18	18	*7	11	*	*6	*7	*	*	*	*	*7
338.19	18	*8	11	-	*	*7	*6	12	*	*	*
338.2	19	*	16	-	*6	*8	*5	*	*	*	*8
338.29	18	*	15	-	*5	*7	*5	*	*	*	*8
338.3	26	10	16	*	*	13	*8	*	*	12	*6
338.4	*7	*	*	-	*	*	*	*	*	*	*
340	28	*5	23	*	10	17	*	*9	*7	*7	*
341	*6	*	*	-	*	*	*	*	*	*	*
342	24	15	10	*	*	11	12	19	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
342.9	24	14	10	*	*	11	12	19	*	*	*
342.90	23	14	10	*	*	11	11	19	*	*	*
343	11	*8	*	*9	*	*	-	*	*	*	*7
343.2	*8	*	*	*7	-	*	-	-	*	*	*6
344	23	18	*	*	*5	13	*	*9	*	*	*9
344.1	10	*8	*	-	*	*5	*	*6	*	*	*
344.8	*5	*	*	*	*	*	*	*	*	*	*
344.89	*5	*	*	*	*	*	*	*	*	*	*
345	220	100	120	26	65	71	58	61	54	77	28
345.1	30	13	17	*	12	*8	*7	*8	12	*7	*
345.10	26	12	14	*	*9	*7	*7	*8	*9	*7	*
345.3	21	10	10	*	*	*	*8	*	*	12	*
345.4	14	*5	*9	*	*7	*	*	*	*6	*	*
345.40	10	*	*8	*	*	*	*	*	*	*	*
345.5	13	*7	*5	*	*	*	*5	*6	*	*	*
345.50	11	*7	*	*	*	*	*5	*5	*	*	*
345.8	*7	*	*	*	*	*	*	*	*	*	-
345.80	*5	*	*	*	*	*	*	*	*	*	-
345.9	132	60	73	11	37	51	33	37	27	46	22
345.90	120	56	64	*8	32	47	33	33	25	43	19
345.91	12	*	*8	*	*5	*	-	*	*	*	*
346	69	15	54	*	39	24	*	15	18	30	*6
346.0	*6	*	*5	-	*	*	-	*	*	*	-
346.00	*6	*	*	-	*	*	-	*	*	*	-
346.8	11	*	*9	*	*7	*	*	*	*	*	*
346.80	*9	*	*8	*	*6	*	*	*	*	*	*
346.9	45	10	36	*	28	14	*	*8	12	20	*5
346.90	31	*9	22	*	18	*9	*	*5	*7	15	*
346.91	*6	*	*6	-	*	*	*	*	*	*	*
346.92	*6	*	*	-	*	*	*	*	*	*	*
348	96	42	55	*5	26	23	42	16	27	39	15
348.0	*8	*	*5	*	*	*	*	*	*	*	*
348.2	*6	-	*6	-	*	*	-	*	*	*	*
348.3	54	24	30	*	*	13	36	10	15	22	*7
348.30	24	11	13	*	*	*	19	*	*8	11	*
348.31	15	*6	*9	-	*	*6	*8	*	*	*5	*
348.39	14	*6	*8	*	*	*	*9	*	*	*6	*
348.4	*9	*	*5	*	*8	*	*	*	*	*	-
348.5	*6	*	*	-	*	*	*	*	*	*	*
348.8	*9	*6	*	*	*	*	*	*	*	*	*
348.89	*9	*6	*	*	*	*	*	*	*	*	*
349	23	*7	16	*	*	*	13	*	*5	11	*
349.8	15	*	10	-	*	*	11	*	*	*7	*
349.82	14	*	*9	-	*	*	11	*	*	*6	*
350	*5	*	*	-	*	*	*	*	*	*	*
350.1	*5	*	*	-	*	*	*	*	*	*	*
351	*7	*	*	-	*	*	*	*	*	*	*
351.0	*7	*	*	-	*	*	*	*	*	*	*
355	*6	*	*	-	*	*	*	*	*	*	*
356	*9	*6	*	*	*	*	*	*	*	*	*
356.9	*8	*6	*	-	*	*	*	*	*	*	*
357	17	10	*7	*	*	*7	*6	*9	*	*	*
357.0	10	*7	*	*	*	*	*	*6	*	*	*
357.8	*6	*	*	*	*	*	*	*	*	*	*
357.81	*6	*	*	*	*	*	*	*	*	*	*
358	*7	*	*	*	*	*	*	*	*	*	*
358.0	*6	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
359	18	*5	12	*5	*	*	*9	*	*	*6	*7
359.8	*7	*	*	-	*	*	*	*	-	*	-
362	*6	*	*	*	*	*	*	*	*	*	*
368	12	10	*	*	*	*	*8	*	*	*	*
376	*8	*6	*	*	*	*	*	*	*	*	*
376.0	*7	*	*	*	*	*	*	*	*	*	*
376.01	*7	*	*	*	*	*	*	*	*	*	*
377	*6	*	*	*	*	*	*	*	*	*	*
380	14	*6	*7	*	*	*6	*	*	*	*	*
380.1	10	*	*5	*	*	*	*	*	*	*	*
380.10	*8	*	*5	*	*	*	*	*	*	*	*
382	10	*	*5	*7	*	*	*	*	*	*5	*
382.9	*9	*	*5	*7	*	*	*	*	*	*	*
383	*5	*	*	*	*	*	*	*	*	*	-
386	36	13	23	-	*	11	24	*7	14	10	*5
386.1	26	10	16	-	*	*8	17	*	*8	*8	*
386.11	17	*7	10	-	*	*	13	*	*	*5	*
386.12	*6	*	*	-	*	*	*	*	*	*	-
386.3	*6	*	*	-	*	*	*	*	*	*	*
386.30	*6	*	*	-	*	*	*	*	*	*	-
390-459	5,802	3,021	2,781	23	418	1,773	3,587	1,365	1,336	2,234	867
396	*9	*	*6	-	*	*	*8	*	*	*	*
396.2	*6	*	*	-	-	*	*5	*	*	*	*
401	280	114	166	*	47	131	101	79	45	112	45
401.0	36	13	23	-	*6	18	12	*7	*	20	*
401.1	*7	*	*7	-	*	*	*	*7	*	-	-
401.9	237	101	136	*	39	108	88	65	41	92	40
402	48	19	28	-	*6	18	24	13	*9	20	*7
402.0	*5	*	*	-	*	*	*	*	*	*	-
402.9	42	18	25	-	*	16	22	11	*6	18	*7
402.90	12	*	*8	-	*	*	*7	*	*	*	*
402.91	30	13	17	-	*	11	16	*7	*5	14	*
403	102	57	45	*	19	35	48	21	23	37	21
403.0	18	11	*7	-	*	*6	*7	*	*	*9	*
403.00	11	*6	*	-	*	*	*5	*	*	*	*
403.01	*7	*5	*	-	*	*	*	*	*	*	*
403.9	84	46	38	*	15	28	41	16	20	28	20
403.90	31	18	13	-	*	*6	22	*5	*9	*9	*8
403.91	53	28	25	*	12	22	19	11	11	19	12
404	57	25	32	-	*6	13	38	14	11	29	*
404.0	12	*5	*7	-	*	*	*5	*	*	10	*
404.01	*9	*	*5	-	*	*	*	*	*	*7	*
404.9	43	20	23	-	*	*9	31	13	*9	19	*
404.91	32	12	19	-	*	*6	24	*9	*7	15	*
404.93	*9	*6	*	-	*	*	*	*	*	*	*
410	595	347	248	*	25	215	354	141	140	235	78
410.0	10	*6	*	-	*	*5	*	*	*	*	*
410.01	10	*6	*	-	*	*5	*	*	*	*	*
410.1	51	29	22	-	*	22	26	11	15	13	12
410.11	49	28	21	-	*	22	24	11	13	13	11
410.2	13	*9	*	-	*	*6	*6	*	*	*6	*
410.21	12	*9	*	-	*	*6	*5	*	*	*5	*
410.3	11	*7	*	-	*	*5	*5	*	*5	*	*
410.31	11	*7	*	-	*	*5	*5	*	*5	*	*
410.4	48	33	15	-	*	23	20	13	10	23	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over				
Number of first-listed diagnoses in thousands											
410.41	45	30	15	-	*	21	19	13	*9	20	*
410.5	*8	*7	*	-	-	*	*	*	*	*	*
410.51	*8	*7	*	-	-	*	*	*	*	*	*
410.7	405	237	168	*	13	134	257	99	83	172	51
410.71	403	236	167	*	13	134	256	98	83	171	51
410.8	*6	*	*	-	*	*	*	*	*	*	*
410.81	*6	*	*	-	*	*	*	*	*	*	*
410.9	42	14	28	-	*	10	30	10	18	11	*
410.91	33	11	22	-	*	*9	24	*	17	10	*
410.92	*5	*	*5	-	-	-	*5	*	-	*	-
411	30	16	14	-	*	16	11	*9	*	*9	*8
411.1	27	14	13	-	*	13	10	*8	*	*9	*6
412	30	14	16	-	*	13	14	*	*5	18	*
413	22	12	10	-	*	10	11	*5	*	*5	*7
413.9	20	10	10	-	*	*8	10	*	*	*	*7
414	669	438	231	-	29	255	384	165	188	244	72
414.0	646	420	226	-	27	246	373	162	181	236	66
414.00	79	50	28	-	*	23	52	22	21	28	*8
414.01	541	352	189	-	23	217	302	137	151	199	54
414.02	20	14	*6	-	*	*	16	*	*7	*7	*
414.8	17	14	*	-	*	*7	10	*	*6	*6	*
415	190	96	95	-	27	57	106	35	39	69	47
415.1	186	94	92	-	27	56	102	35	38	66	47
415.11	*8	*	*	-	*	*	*	*	*	*	*
415.19	178	89	89	-	26	54	98	31	37	64	45
416	38	11	26	*	*5	*8	23	13	*6	12	*8
416.8	28	*8	20	*	*	*6	19	11	*	*9	*5
420	13	*7	*6	*	*	*	*5	*6	*	*	*
420.9	13	*7	*6	*	*	*	*5	*6	*	*	*
420.90	*7	*	*	*	*	*	*	*	*	*	*
421	11	*8	*	-	*	*6	*	*	*	*	*
421.0	11	*8	*	-	*	*6	*	*	*	*	*
423	18	*8	11	*	*	*7	*8	*	*	*6	*
423.9	13	*5	*8	*	*	*6	*5	*	*	*6	*
424	85	46	39	*	*	24	57	25	22	26	12
424.0	22	15	*7	*	*	12	*8	*	*6	10	*
424.1	55	31	25	-	*	10	45	16	13	16	10
425	34	21	13	-	*	18	13	*	10	12	*7
425.4	31	20	11	-	*	18	12	*	10	11	*6
426	63	38	25	*	*	*8	51	18	16	16	11
426.0	34	19	15	*	*	*	31	*7	*9	11	*7
426.1	17	12	*5	*	*	*	14	*	*6	*	*
426.13	*8	*6	*	*	*	*	*7	*	*	*	*
427	767	385	382	*5	49	208	504	190	170	288	119
427.0	23	*7	16	*	*	*5	14	*	*6	*7	*7
427.1	52	39	13	*	*	16	32	17	*9	18	*7
427.3	479	243	236	*	24	153	301	112	111	192	63
427.31	411	199	212	*	21	131	257	97	96	166	52
427.32	68	44	24	*	*	22	44	16	15	26	12
427.4	13	*8	*	*	*	*	*8	*	*	*	*6
427.41	13	*8	*	*	*	*	*8	*	*	*	*6
427.5	*9	*	*7	*	*	*	*6	*	*	*	*
427.6	*6	*	*	-	*	*	*	*	*	*	*
427.69	*5	*	*	-	*	*	*	*	*	*	*
427.8	180	78	102	*	14	27	137	52	35	62	31
427.81	59	25	34	-	*	*	54	21	*9	19	11
427.89	121	52	68	*	13	22	84	31	26	43	20

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
428	1,023	501	522	*	53	237	730	208	232	426	157
428.0	384	163	221	*	27	85	270	58	90	163	72
428.1	11	*6	*5	-	*	*	*8	-	-	10	*
428.2	315	201	114	-	20	84	211	70	72	131	42
428.20	20	12	*9	-	*	*6	14	*	*7	*8	*
428.21	60	40	20	-	*8	17	35	12	10	32	*6
428.22	27	17	10	-	*	*6	19	*7	*6	*9	*
428.23	208	133	75	-	*9	56	143	50	49	82	27
428.3	240	87	153	-	*	51	187	62	51	91	35
428.30	31	14	17	-	*	*	26	*9	*5	14	*
428.31	54	14	41	-	*	15	38	13	12	25	*
428.32	13	*6	*6	-	-	*	10	*	*	*	*
428.33	142	53	89	-	*	29	112	37	30	50	25
428.4	70	42	28	-	*	14	53	16	18	30	*6
428.41	19	11	*8	-	*	*	14	*	*	13	*
428.43	45	27	19	-	*	*9	36	13	13	14	*6
429	10	*	*8	-	*	*	*7	*	*	*	*
429.8	*6	*	*6	-	-	*	*5	*	*	*	*
429.83	*6	*	*6	-	-	*	*5	*	*	*	*
430	25	*9	16	*	*	14	*7	*8	*7	*7	*
431	71	40	31	*	*6	28	37	21	15	20	15
432	29	16	12	*	*	*6	20	*8	*8	10	*
432.1	19	10	*9	*	*	*	14	*	*	*7	*
432.9	*7	*	*	-	*	*	*	*	*	*	*
433	159	79	79	*	*	44	113	31	43	66	19
433.1	148	73	75	*	*	39	107	30	40	60	18
433.10	111	60	51	*	*	32	78	14	33	50	15
433.11	37	13	24	-	*	*7	29	16	*8	11	*
434	479	236	243	*	19	131	329	116	99	195	70
434.0	*7	*	*	-	*	*	*6	*	*	*5	*
434.01	*6	*	*	-	*	*	*6	*	*	*	*
434.1	69	34	34	-	*	14	50	15	13	22	19
434.11	66	33	34	-	*	14	48	15	13	20	19
434.9	403	198	206	*	15	115	273	100	85	168	51
434.91	399	195	204	*	15	115	270	100	85	164	51
435	166	69	97	*	*7	50	108	43	37	60	27
435.8	*6	*	*	-	*	*	*	*	*	*	-
435.9	153	63	90	-	*7	48	98	39	32	58	23
437	38	15	24	-	*8	12	19	*9	10	13	*7
437.2	*9	*	*5	-	*	*	*	*	*	*	*
437.3	15	*5	*9	-	*	*7	*5	*	*	*	*
437.7	*9	*	*	-	-	*	*6	*	*	*	*
438	46	21	25	-	*	15	30	16	*	16	11
438.2	26	13	14	-	*	11	15	11	*	*8	*6
438.20	26	12	14	-	*	11	15	10	*	*8	*6
438.8	12	*	*8	-	*	*	*8	*	*	*6	*
438.89	11	*	*7	-	*	*	*6	*	*	*5	*
440	142	84	58	-	*	39	100	26	41	64	10
440.1	*5	*	*	-	-	*	*	*	*	*	-
440.2	127	77	50	-	*	34	90	24	38	57	*8
440.20	*9	*6	*	-	*	*	*6	*	*	*	*
440.21	42	29	13	-	*	12	29	*7	14	18	*
440.22	21	11	10	-	-	*7	14	*	*	13	*
440.23	21	14	*7	-	*	*	17	*	*7	*8	*
440.24	33	16	16	-	*	10	22	*7	*9	15	*
440.3	*6	*	*	-	*	*	*	*	*	*	*
441	64	45	19	-	*	13	49	*8	20	23	13
441.0	13	*8	*	-	*	*	*8	*	*	*	*



Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over				
Number of first-listed diagnoses in thousands											
474	11	*6	*5	10	*	-	-	*	*	*	*
474.1	*7	*	*	*7	-	-	-	*	*	*	*
474.10	*6	*	*	*6	-	-	-	*	*	*	*
475	*9	*	*	*	*6	*	*	*	*	*	*
478	26	16	10	10	*6	*6	*	*5	*5	10	*5
478.1	10	*6	*	*	*	*	*	*	*	*	*
478.19	10	*6	*	*	*	*	*	*	*	*	*
478.2	11	*9	*	*6	*	*	*	*	*	*	*
480	26	13	14	20	*	*	*	*5	*6	*	12
480.1	*7	*	*	*6	-	*	*	*	*	*	*
480.9	16	*7	*8	11	*	*	*	*	*	*	*9
481	21	11	10	*	*	*6	*9	*6	*	*	*6
482	91	43	48	*6	*8	22	56	14	18	48	11
482.0	*5	*	*	-	-	*	*	*	*	*	*
482.1	11	*6	*	*	*	*	*6	*	*	*6	*
482.3	*6	*	*	*	*	*	*	*	*	*	*
482.4	30	13	17	*	*	*	20	*	*6	18	*
482.42	23	10	13	*	*	*	15	*	*	14	*
482.8	16	*	11	*	*	*	12	*	*	*6	*
482.83	10	*	*7	*	*	*	*9	*	*	*	*
482.9	18	10	*8	*	*	*	11	*	*	10	*
483	*6	*	*	*	*	*	*	*	*	*	*
485	10	*	*7	*	*	*	*	*	*	*	*
486	973	461	512	122	80	225	545	173	221	404	174
487	*7	*	*5	*	*	*	*	*	*	*	*
490	18	*8	10	*	*	*	10	*	*	*6	*
491	614	265	349	-	13	203	398	118	142	286	68
491.2	611	264	347	-	13	202	397	117	141	285	67
491.20	10	*	*6	-	*	*	*8	*	*	*6	-
491.21	497	215	282	-	*8	167	322	91	121	226	59
491.22	105	45	59	-	*	34	67	23	19	53	*9
492	16	*9	*8	-	*	*7	*8	*	*	*7	*
492.0	*6	*	*	-	*	*	*	*	*	*	*
492.8	11	*	*7	-	*	*	*6	*	*	*	*
493	439	163	277	128	90	118	103	103	79	168	90
493.0	36	19	17	27	*	*	*	*	*	*8	24
493.00	*6	*	*	*6	*	*	*	*	-	*	*
493.01	11	*6	*5	10	*	*	*	*	*	*	*5
493.02	19	11	*7	11	*	*	*	*	*	*	14
493.1	*7	*	*	*5	*	*	*	*	*	*	*5
493.12	*6	*	*	*5	*	*	*	*	*	*	*5
493.2	153	45	108	*	14	63	76	33	38	54	28
493.20	13	*5	*8	-	*	*5	*7	*	*	*5	*
493.22	135	40	95	*	13	57	66	27	34	47	27
493.9	244	96	148	96	70	52	26	67	39	105	33
493.90	46	16	30	10	18	10	*8	17	*6	15	*8
493.91	58	28	30	39	14	*5	*	14	*6	32	*5
493.92	140	53	88	46	38	37	18	35	27	59	19
494	12	*	*9	*	*	*	*8	*	*	*	*
494.1	*9	*	*8	*	*	*	*6	*	*	*	*
496	52	21	31	*	*	12	39	14	14	14	11
507	209	120	89	*	12	30	163	46	50	70	43
507.0	208	120	89	*	12	30	163	46	50	70	43

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of first-listed diagnoses in thousands											
508	*7	*	*	-	-	*	*	*	*	*	*
508.0	*7	*	*	-	-	*	*	*	*	*	*
510	14	*6	*8	*	*	*6	*5	*	*	*	*7
510.9	13	*6	*7	*	*	*	*5	*	*	*	*6
511	79	37	42	*	*8	24	45	18	18	30	13
511.8	31	11	20	*	*	10	18	*7	*7	13	*
511.81	23	*6	17	-	*	*8	13	*5	*7	*8	*
511.89	*8	*	*	*	*	*	*5	*	*	*	*
511.9	45	25	20	*	*5	12	25	10	10	16	*9
512	35	20	15	*	10	11	12	*8	10	10	*6
512.1	10	*	*5	-	*	*	*6	*	*	*5	*
512.8	22	13	*9	*	*9	*6	*7	*7	*6	*	*
514	*5	*	*	*	*	*	*	*	*	*	*
515	23	10	13	*	*	*7	14	*	*7	*9	*
518	436	209	227	31	29	131	246	84	77	194	81
518.0	21	12	*9	*7	*	*6	*6	*	*	*	12
518.3	*7	*6	*	-	*	*	*	*	*	*	*
518.5	11	*6	*6	*	*	*	*6	*	*	*	*6
518.8	391	182	208	22	20	118	232	77	71	184	60
518.81	251	114	137	13	16	74	148	52	45	112	41
518.82	*7	*	*	*	*	*	*	*	*	*	*
518.83	*9	*	*5	*	*	*	*	*	*	*	*
518.84	111	56	55	*	*	33	74	20	22	59	11
518.89	13	*	*9	*	*	*8	*	*	*	*5	*
519	22	*9	12	*5	*	*7	*7	*	*7	10	*
519.0	*9	*	*6	*	*	*	*	*	*	*6	*
519.09	*6	*	*	*	-	*	*	*	*	*	*
519.1	*7	*	*	*	*	*	*	*	*	*	*
520-579	3,473	1,548	1,925	154	822	1,168	1,329	711	758	1,328	675
522	11	*	*7	*	*6	*	*	*	*	*6	*
522.5	11	*	*7	*	*6	*	*	*	*	*6	*
524	*7	*	*	*	*	*	*	*	*	*	*
527	13	*7	*5	*	*	*	*6	*	*	*5	*
527.2	*9	*5	*	*	*	*	*6	*	*	*	*
528	*9	*	*	*	*	*	*	*	*	*	*
530	191	84	107	25	35	65	66	39	34	70	48
530.1	38	16	21	*	*7	14	14	*6	11	14	*6
530.10	12	*6	*7	*	*	*	*	*	*	*	*
530.11	11	*	*7	*	*	*	*	*	*	*6	*
530.19	13	*6	*7	*	*	*7	*	*	*6	*	*
530.2	15	*8	*7	-	*	*7	*7	*	*	*	*5
530.20	*6	*	*	-	*	*	*	*	*	*	*
530.21	*9	*	*	-	*	*	*	*	*	*	*
530.3	*8	*	*6	*	*	*	*	*	*	*5	*
530.5	*6	*	*	-	*	*	*	*	*	*	*
530.7	13	10	*	-	*	*	*6	*	*	*	*
530.8	101	39	62	22	17	35	26	22	14	37	27
530.81	95	36	58	22	17	33	23	21	12	35	26
531	62	26	36	-	*6	24	31	*7	13	26	15
531.4	38	16	22	-	*	13	22	*	*6	18	10
531.40	38	16	22	-	*	12	22	*	*6	18	10
531.9	12	*	*8	-	*	*7	*	*	*	*	*
531.90	12	*	*8	-	*	*7	*	*	*	*	*
532	48	31	17	*	*7	12	29	10	10	18	*9

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
532.4	31	19	12	*	*	*6	21	*5	*5	13	*8
532.40	30	18	12	*	*	*6	21	*5	*5	13	*7
532.5	*5	*	*	-	*	*	*	*	*	*	*
532.9	*6	*	*	-	*	*	*	*	*	*	*
532.90	*5	*	*	-	*	*	*	*	*	*	*
533	10	*	*8	-	*	*	*8	*	*	*	*
533.4	*5	*	*	-	*	*	*	*	*	*	*
533.40	*5	*	*	-	*	*	*	*	*	*	*
534	*8	*	*7	-	*	*	*	*	*	*	*
535	118	46	72	*	30	44	41	28	22	50	18
535.0	16	*	11	*	*	*7	*	*	*	*7	*
535.00	14	*	10	*	*	*7	*	*	*	*6	*
535.1	10	*	*7	-	*	*5	*	*	*	*	*
535.10	*7	*	*5	-	*	*	*	*	*	*	*
535.3	*6	*	*	-	*	*	*	*	*	*	*
535.4	38	17	21	*	11	11	15	*7	*5	18	*8
535.40	24	*9	15	*	10	*8	*5	*	*	13	*
535.41	14	*8	*6	*	*	*	10	*	*	*5	*
535.5	41	14	27	*	11	15	14	10	*7	19	*6
535.50	34	11	23	*	11	14	*9	*7	*6	16	*6
535.51	*7	*	*	-	*	*	*5	*	*	*	*
535.6	*8	*	*	*	*	*	*	*	*	*	*
535.61	*5	*	*	-	*	*	*	*	*	*	*
536	58	19	39	*	17	15	24	11	11	23	13
536.2	17	*8	*9	*	*7	*5	*	*	*	*6	*
536.3	15	*	11	*	*6	*6	*	*	*	*7	*
536.4	21	*6	15	*	*	*	14	*	*	*7	*7
536.41	11	*	*7	*	*	*	*7	*	*	*	*
536.42	*8	*	*6	*	*	*	*5	*	*	*	*
537	32	18	14	*	*	*6	21	*8	*7	12	*6
537.0	*6	*	*	*	*	*	*	*	*	*	*
537.8	20	11	*9	*	*	*	16	*5	*	*7	*
537.83	14	*9	*5	-	-	*	13	*	*	*	*
540	266	151	114	51	135	56	24	50	45	93	78
540.0	59	38	20	13	21	15	10	10	13	19	17
540.1	35	21	13	*6	13	12	*	*5	*7	14	*9
540.9	173	92	81	31	100	30	11	35	25	60	52
541	*7	*	*	*	*	*	*	*	*	*	*
550	35	31	*	*	*	12	16	*7	*	13	11
550.1	18	14	*	*	*	*7	10	*5	*	*7	*
550.10	14	11	*	*	*	*5	*8	*	*	*6	*
550.9	17	17	*	*	*	*6	*6	*	*	*6	*7
550.90	13	13	-	*	*	*	*	*	*	*	*6
552	77	32	45	*	11	32	32	18	15	31	13
552.1	*9	*5	*	*	*	*	*	*5	*	*	*
552.2	54	22	32	*	*7	27	20	11	12	21	*9
552.20	14	*	10	-	*	*8	*	*	*	*7	*
552.21	31	12	19	*	*	15	12	*8	*5	11	*6
552.29	*8	*	*	-	*	*	*	*	*	*	*
552.3	*5	*	*	-	*	*	*	*	*	*	*
553	69	23	46	*	*9	37	22	12	22	25	10
553.1	*6	*	*	*	*	*	*	*	*	*	*
553.2	44	16	28	*	*6	25	13	*6	15	17	*6
553.20	*5	*	*	-	*	*	*	*	*	*	*
553.21	37	12	24	*	*5	22	10	*5	12	14	*6
553.3	15	*	12	-	*	*8	*6	*	*	*5	*
555	73	28	46	*	38	23	11	11	15	34	14
555.0	16	*	11	*	*7	*5	*	*	*	*8	*
555.1	14	*6	*8	-	*6	*6	*	*	*	*5	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
555.2	*9	*	*6	*	*6	*	*	*	*	*	*
555.9	35	15	20	*	19	11	*	*5	*8	17	*
556	31	19	12	*	16	*9	*	10	*7	*9	*5
556.6	*7	*	*	-	*	*	*	*	*	*	*
556.8	*5	*	*	*	*	*	*	*	*	*	*
556.9	13	*7	*6	*	*6	*	*	*	*	*	*
557	71	21	50	*	*9	20	41	16	16	21	19
557.0	21	*9	12	-	*	*	14	*6	*	*6	*
557.1	11	*	*8	*	*	*	*7	*	*	*	*8
557.9	39	*9	29	-	*	15	21	*9	*9	14	*6
558	146	53	93	20	43	31	52	28	32	63	23
558.9	141	52	89	18	43	30	50	26	32	60	23
560	385	166	218	*9	54	117	205	92	94	140	58
560.0	*8	*	*	*	*	*	*	*	*	*	*
560.1	60	28	32	*	*7	23	30	10	12	27	11
560.2	10	*	*6	*	*	*	*5	*	*	*	*
560.3	28	13	15	*	*	*5	21	11	*	11	*
560.39	26	11	15	*	*	*	21	10	*	11	*
560.8	117	47	71	*	16	32	68	23	28	46	21
560.81	85	33	52	*	11	23	50	16	15	38	16
560.89	32	14	18	*	*	*9	18	*7	13	*8	*
560.9	160	69	91	*	27	52	79	44	46	48	21
562	300	129	171	-	34	110	156	68	70	120	42
562.1	298	128	169	-	34	109	155	68	70	119	41
562.10	22	10	12	-	*6	*9	*7	*	*	*9	*
562.11	201	84	117	-	26	89	85	44	47	84	25
562.12	60	30	30	-	-	*7	53	14	14	22	10
562.13	15	*	11	-	*	*	*9	*	*	*	*
564	83	30	53	*8	17	28	31	20	20	28	15
564.0	50	19	32	*8	*9	13	20	11	13	16	10
564.00	43	16	27	*7	*7	10	19	*8	11	14	10
564.09	*7	*	*	*	*	*	*	*	*	*	*
564.1	17	*	14	*	*6	*6	*	*	*	*7	*
564.8	*9	*	*	-	*	*	*6	*	*	*	*
564.89	*9	*	*	-	*	*	*6	*	*	*	*
566	31	16	15	*	16	10	*	*6	*6	12	*7
567	22	10	12	*	*	13	*6	*	*	*8	*5
567.2	13	*5	*8	-	*	*7	*	*	*	*	*
567.22	*5	*	*	-	*	*	*	*	*	*	*
567.23	*6	*	*	-	*	*	*	*	*	*	*
568	23	*7	16	*	*7	*7	*9	*7	*6	*8	*
568.0	*6	*	*5	-	*	*	*	*	*	*	*
568.8	17	*6	11	*	*	*6	*8	*	*	*6	*
568.81	*8	*	*6	-	*	*	*	*	*	*	*
568.89	*9	*	*5	*	*	*	*5	-	*	*5	*
569	118	57	61	*	15	42	59	25	26	43	24
569.1	*7	*	*7	-	*	*	*	*	*	*	*
569.3	23	13	10	*	*	*8	10	*5	*	10	*
569.4	*8	*	*	-	*	*	*6	*	*	*	*
569.6	27	18	*9	*	*	13	10	*5	*6	10	*
569.62	*7	*6	*	-	*	*	*	*	*	*	-
569.69	20	12	*8	*	*	*9	*8	*	*	*6	*
569.8	48	21	28	*	*	16	28	*9	10	16	13
569.81	13	*	*9	-	*	*	*9	*	*	*	*6
569.83	11	*5	*6	*	*	*6	*	*	*	*	*
569.85	17	*8	*9	-	*	*	13	*	*	*5	*
571	101	62	39	*	16	62	23	19	25	34	23
571.1	16	*7	*9	-	*6	*7	*	*	*	*	*
571.2	53	39	14	-	*7	39	*7	*9	14	17	13

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
571.5	22	13	*9	-	*	11	*9	*6	*	*9	*
571.8	*6	*	*	*	*	*	*	*	*	*	*
572	59	38	21	*	*	30	24	14	10	23	13
572.0	*5	*	*	*	*	*	*	*	*	*	*
572.2	47	29	18	-	*	25	20	11	*8	18	10
573	16	*5	11	*	*5	*	*5	*	*6	*	*
573.3	*9	*	*7	*	*	*	*	*	*	*	*
573.8	*5	*	*	*	*	*	*	*	*	*	*
574	334	104	231	*	111	102	119	68	68	127	71
574.0	140	47	93	*	46	47	46	31	31	48	30
574.00	134	44	90	*	45	43	45	30	29	46	28
574.01	*6	*	*	-	*	*	*	*	*	*	*
574.1	70	23	47	-	25	21	24	13	10	32	15
574.10	67	23	44	-	22	20	24	12	10	32	13
574.2	37	14	23	*	14	12	*9	*5	*9	15	*8
574.20	35	13	22	*	13	12	*9	*5	*9	13	*8
574.3	*8	*	*6	-	*	*	*	*	*	*	*
574.4	*6	*	*5	-	*	*	*	*	*	*	*
574.5	27	*7	20	*	*7	*7	13	*9	*7	*6	*
574.50	16	*	13	*	*	*	*6	*	*	*	*
574.51	11	*	*7	-	*	*	*7	*6	*	*	*
574.6	12	*	*9	-	*	*	*6	*	*	*7	*
574.60	*7	*	*5	-	*	*	*	*	*	*	*
574.7	19	*	16	-	*7	*6	*6	*	*	*8	*7
574.70	10	*	*8	-	*	*	*	*	*	*6	*
574.71	*9	*	*8	-	*	*	*	*	*	*	*
574.8	*7	*	*7	-	*	*	*	*	*	*	*
574.9	*8	*	*	-	*	*	*	*	*	*5	*
574.90	*5	*	*	-	*	*	*	*	*	*	*
575	85	33	52	*	28	31	25	11	19	44	11
575.0	42	17	25	-	10	16	17	*6	*7	21	*7
575.1	30	11	18	-	13	10	*7	*	*9	15	*
575.10	*5	*	*	-	*	*	*	*	*	*	*
575.11	17	*6	11	-	*9	*	*	*	*6	*7	*
575.12	*8	*	*	-	*	*	*	*	*	*6	*
575.8	11	*	*8	*	*	*	*	*	*	*7	*
576	27	12	15	-	*	12	12	*	*	14	*
576.1	*9	*	*	-	*	*	*	*	*	*	*
576.2	10	*5	*	-	*	*	*	*	*	*	*
576.8	*8	*	*5	-	*	*	*	*	*	*6	*
577	307	150	158	*	100	125	78	54	75	114	63
577.0	276	134	141	*	90	112	70	48	67	103	57
577.1	21	*9	12	*	*7	11	*	*	*6	*8	*
577.2	*5	*	*	-	*	*	*	*	*	*	*
578	212	106	106	*	21	60	129	43	54	89	26
578.0	33	20	13	*	*8	10	15	10	*7	11	*5
578.1	39	18	20	*	*	13	22	10	*9	14	*5
578.9	140	68	72	*	11	38	92	23	38	64	16
580-629	2,160	762	1,398	66	459	583	1,052	414	467	878	401
584	512	271	241	*	36	142	332	94	101	241	76
584.5	27	12	15	*	*	*9	15	*	*7	13	*
584.9	484	258	226	*	33	132	317	91	93	228	73
585	76	43	32	*	*6	36	34	15	18	31	10
585.4	*5	*	*	-	*	*	*	*	*	*	*
585.6	61	33	28	*	*	31	26	10	15	26	10
585.9	*5	*	*	-	*	*	*	*	*	*	-
590	143	29	114	17	57	34	36	26	31	52	35
590.1	68	10	58	*	30	17	16	14	13	20	21
590.10	68	10	58	*	30	17	16	14	13	20	21

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
590.8	74	19	55	12	26	16	19	12	17	31	14
590.80	74	19	55	12	26	16	19	12	17	31	14
591	19	*	15	*	*	*8	*5	*	*	*	*8
592	158	82	76	*	59	63	34	34	38	60	26
592.0	46	21	26	*	13	21	12	*7	14	19	*5
592.1	111	61	50	*	45	43	22	26	24	41	19
593	40	18	22	*8	*9	14	*9	*5	10	14	11
593.4	10	*	*5	*	*	*	*	*	*	*	*
593.7	*7	*	*	*6	*	-	-	*	*	*	*
593.70	*6	*	*	*6	*	-	-	*	*	*	*
593.8	*6	*	*	-	*	*	*	*	*	*	*
593.9	14	*8	*6	-	*	*7	*5	*	*	*	*
594	*6	*	*	-	*	*	*	*	*	*	*
595	20	*9	11	-	*	*	16	*	*	*8	*
595.0	*8	*	*	-	*	*	*6	*	*	*	*
595.9	*8	*	*	-	*	*	*7	*	*	*	*
596	11	*8	*	*	*	*	*5	*	*	*6	*
599	589	166	424	19	48	81	442	118	133	236	103
599.0	558	143	416	18	46	74	420	111	127	222	99
599.7	25	21	*	*	*	*5	20	*	*5	12	*
599.70	*7	*5	*	-	*	*	*	*	*	*	*
599.71	18	15	*	*	*	*	15	*	*	*8	*
600	64	64	-	-	-	17	47	18	13	20	13
600.0	58	58	-	-	-	16	42	18	13	17	10
600.00	10	10	-	-	-	*	*9	*	*	*	*
600.01	48	48	-	-	-	14	34	14	11	15	*8
601	*5	*5	-	-	*	*	*	*	*	*	*
604	15	15	-	*	*	*7	*6	*	*	10	*
604.9	12	12	-	*	*	*6	*	*	*	*8	*
604.90	*8	*8	-	*	*	*	*	*	*	*	*
608	18	18	-	*	*7	*9	*	*	*	*8	*
608.4	12	12	-	-	*5	*5	*	*	*	*	*
611	26	*	26	*	16	*8	*	*8	*	*8	*6
611.0	17	*	17	*	11	*6	*	*	*	*7	*6
614	34	-	34	*	26	*8	*	*8	*5	14	*7
614.2	10	-	10	-	*8	*	*	*	*	*6	*
614.9	11	-	11	*	*9	*	-	*	*	*	*
616	10	-	10	*	*	*	*	*	*	*6	-
616.4	*8	-	*8	*	*	*	*	*	*	*	-
617	48	-	48	-	43	*5	*	*8	*9	10	21
617.0	24	-	24	-	22	*	*	*	*	*	16
617.1	*8	-	*8	-	*7	*	-	*	*	*	*
617.3	*7	-	*7	-	*6	*	-	*	*	*	*
618	114	-	114	-	12	57	45	19	31	36	27
618.0	27	-	27	-	*	15	11	*	*5	13	*6
618.01	16	-	16	-	*	*7	*8	*	*	*5	*
618.04	*7	-	*7	-	*	*	*	*	*	*	*
618.2	12	-	12	-	*	*6	*	*	*	*5	*
618.3	10	-	10	-	*	*	*5	*	*	*	*
618.4	35	-	35	-	*	18	15	*7	13	*7	*8
618.5	17	-	17	-	*	*9	*7	*	*8	*	*
618.8	*6	-	*6	-	*	*	*	*	*	*	*
618.89	*5	-	*5	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
Number of first-listed diagnoses in thousands												
619	*5	-	*5	-	*	*	*	*	*	*	-	
620	43	-	43	*	26	12	*	*6	*6	16	15	
620.0	*5	-	*5	-	*	*	-	*	*	*	*	
620.2	25	-	25	*	15	*9	*	*	*	10	*9	
621	22	-	22	-	*7	14	*	*9	*	*8	*	
621.0	*6	-	*6	-	*	*	*	*	*	*	-	
621.3	12	-	12	-	*	*8	*	*	*	*	*	
621.33	*8	-	*8	-	*	*7	*	*	*	*	*	
623	*7	-	*7	-	*	*	*	*	*	*	*	
623.8	*6	-	*6	-	*	*	*	*	*	*	*	
625	38	-	38	-	22	*9	*7	*	*8	18	*8	
625.3	*6	-	*6	-	*	*	-	-	*	*	*	
625.6	13	-	13	-	*	*6	*6	*	*	*6	*	
625.9	14	-	14	-	11	*	*	*	*	*7	*	
626	90	-	90	*	61	28	-	*9	18	49	14	
626.2	66	-	66	*	48	18	-	*	16	34	11	
626.8	20	-	20	*	11	*9	-	*	*	13	*	
627	*8	-	*8	-	*	*	*	*	*	*	-	
630-679	488	-	488	*	485	*	-	113	101	193	82	
632	*9	-	*9	-	*9	-	-	*	*	*	*	
633	21	-	21	-	21	-	-	*5	*5	*9	*	
633.1	16	-	16	-	16	-	-	*	*	*8	*	
633.10	16	-	16	-	16	-	-	*	*	*8	*	
634	10	-	10	-	10	*	-	*	*	*	*	
635	*5	-	*5	-	*5	-	-	*	*	*	*	
641	20	-	20	-	20	-	-	*	*	*8	*6	
641.1	*9	-	*9	-	*9	-	-	*	*	*	*	
641.13	*9	-	*9	-	*9	-	-	*	*	*	*	
641.2	*6	-	*6	-	*6	-	-	*	*	*	*	
641.23	*6	-	*6	-	*6	-	-	*	*	*	*	
642	36	-	36	*	35	-	-	*	10	21	*	
642.3	10	-	10	-	10	-	-	*	*	*8	*	
642.33	*9	-	*9	-	*9	-	-	*	*	*7	*	
642.4	11	-	11	-	11	-	-	*	*	*6	-	
642.43	*6	-	*6	-	*6	-	-	-	*	*	-	
642.7	*6	-	*6	-	*6	-	-	*	*	*	-	
643	28	-	28	-	28	-	-	*	*	16	*	
643.0	14	-	14	-	14	-	-	*	*	*8	*	
643.03	14	-	14	-	14	-	-	*	*	*8	*	
643.1	10	-	10	-	10	-	-	*	*	*5	*	
643.13	10	-	10	-	10	-	-	*	*	*5	*	
644	70	-	70	*	70	-	-	15	20	27	*9	
644.0	63	-	63	*	63	-	-	10	19	25	*8	
644.03	63	-	63	*	63	-	-	10	19	25	*8	
646	59	-	59	-	57	*	-	*9	11	25	14	
646.6	33	-	33	-	33	-	-	*8	*8	13	*	
646.63	30	-	30	-	30	-	-	*7	*7	13	*	
646.8	21	-	21	-	19	*	-	*	*	*9	*9	
646.83	20	-	20	-	18	*	-	*	*	*8	*9	
647	*7	-	*7	-	*7	-	-	*	*	*	*	
648	105	-	105	*	105	-	-	26	25	41	13	
648.0	12	-	12	-	12	-	-	*	*	*7	-	

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
648.03	11	-	11	-	11	-	-	*	*	*7	-
648.2	*8	-	*8	-	*8	-	-	*	*	*	-
648.23	*7	-	*7	-	*7	-	-	*	*	*	-
648.4	21	-	21	*	21	-	-	*6	*6	*6	*
648.43	16	-	16	-	16	-	-	*	*	*5	*
648.6	*5	-	*5	-	*5	-	-	*	*	*	*
648.8	11	-	11	-	11	-	-	*	*	*7	*
648.83	10	-	10	-	10	-	-	*	*	*7	*
648.9	44	-	44	-	44	-	-	10	15	15	*
648.93	42	-	42	-	42	-	-	10	14	15	*
649	*8	-	*8	-	*8	-	-	*	*	*	*
654	10	-	10	-	10	-	-	*	*	*	*
654.5	*8	-	*8	-	*8	-	-	*	*	*	*
654.53	*8	-	*8	-	*8	-	-	*	*	*	*
658	14	-	14	-	14	-	-	10	*	*	*
658.0	11	-	11	-	11	-	-	*9	*	*	*
658.03	*6	-	*6	-	*6	-	-	*	*	*	*
659	23	-	23	-	23	*	-	14	*	*5	*
659.1	10	-	10	-	10	-	-	*	*	*	*
659.13	*6	-	*6	-	*6	-	-	*	*	*	*
666	*6	-	*6	-	*6	-	-	*	*	*	*
666.2	*5	-	*5	-	*5	-	-	*	*	*	*
666.24	*5	-	*5	-	*5	-	-	*	*	*	*
670	*7	-	*7	-	*7	-	-	*	*	*	*
670.1	*6	-	*6	-	*6	-	-	*	*	*	*
670.14	*6	-	*6	-	*6	-	-	*	*	*	*
674	15	-	15	-	15	-	-	*	*	*6	*
674.3	*7	-	*7	-	*7	-	-	*	*	*	*
674.34	*7	-	*7	-	*7	-	-	*	*	*	*
680-709	743	378	365	71	192	243	238	167	167	271	138
681	40	22	18	*	16	13	*8	*7	*8	13	11
681.0	27	16	11	*	13	10	*	*	*6	10	*8
681.00	25	16	*9	*	12	*9	*	*	*6	*8	*8
681.1	12	*6	*7	*	*	*	*	*	*	*	*
681.10	12	*	*7	*	*	*	*	*	*	*	*
682	563	290	273	46	148	190	179	121	136	213	93
682.0	46	20	26	*6	19	14	*7	13	10	15	*9
682.1	10	*5	*	*	*	*	*	*	*	*	*
682.2	66	34	33	*	17	29	15	10	17	23	15
682.3	65	38	26	*	25	23	14	13	13	27	12
682.4	28	16	12	*	*8	12	*7	*	*8	11	*
682.5	35	*9	26	15	*9	*6	*5	*	*8	17	*5
682.6	271	144	127	12	57	91	111	66	64	98	43
682.7	39	22	17	*	*7	13	17	*8	12	16	*
692	19	15	*	*8	*	*	*	10	*	*	*6
692.9	15	12	*	*8	*	*	*	*8	-	*	*6
693	11	*	10	*	*	*	*	*	*	*	*
693.0	11	*	10	*	*	*	*	*	*	*	*
695	*9	*	*6	*	*	*	*	*	*	*	*
695.1	*6	*	*	*	*	*	*	*	*	*	*
707	69	36	33	-	*7	24	38	19	13	28	*9
707.0	36	19	17	-	*	12	20	*6	*9	16	*
707.03	20	*9	10	-	*	*8	10	*	*	*8	*
707.04	*7	*5	*	-	*	*	*	*	*	*	*
707.1	26	15	11	-	*	10	13	10	*	10	*
707.10	*6	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
707.15	*6	*	*	-	*	*	*	*	*	*	*
707.19	*6	*	*	-	*	*	*	*	*	*	*
710-739	2,301	972	1,329	28	267	940	1,065	537	552	775	437
710	21	*	19	*	10	*9	*	*	*6	*8	*
710.0	12	*	11	*	*7	*	*	*	*	*6	*
711	32	15	16	*	*9	*9	*9	*8	*5	13	*5
711.0	30	15	15	*	*9	*9	*7	*7	*5	13	*5
711.01	*7	*	*	*	*	*	*	*	*	*	*
711.06	13	*7	*7	*	*	*	*	*	*	*7	*
714	16	*5	10	-	*	*6	*7	*	*	*	*
714.0	13	*	*9	-	*	*	*7	*	*	*	*
715	1,057	417	640	*	31	453	570	255	246	354	202
715.1	109	39	69	-	*	52	55	*8	22	34	45
715.11	*9	*	*	-	*	*	*7	-	*	*	*7
715.15	31	14	17	-	*	18	12	*	*7	*9	12
715.16	66	20	47	-	*	32	34	*5	14	22	25
715.3	697	279	417	*	23	297	375	216	173	199	108
715.31	30	16	14	-	*	10	18	*6	*	12	*9
715.35	201	92	109	-	10	89	103	74	49	50	28
715.36	463	170	293	*	11	198	253	135	121	136	71
715.9	243	95	148	*	*6	99	136	30	45	119	49
715.91	15	*7	*7	-	-	*6	*9	*	*	*7	*
715.95	61	26	35	-	*	24	35	*8	11	30	12
715.96	160	59	101	*	*	67	89	18	32	80	30
716	28	13	15	*	*	13	10	*9	*9	*8	*
716.1	11	*6	*	-	*	*6	*	*5	*	*	*
716.15	*5	*	*	-	*	*	*	*	*	*	-
716.9	15	*7	*8	-	*	*7	*7	*	*6	*	*
716.96	*6	*	*	-	*	*	*	*	*	*	*
717	*6	*	*	-	*	*	*	*	*	*	*
718	*9	*	*5	*	*	*	*	*	*	*	*
719	39	14	25	*	*5	*6	27	16	10	10	*
719.0	*7	*	*	*	*	*	*	*	*	*	*
719.06	*7	*	*	*	*	*	*	*	*	*	*
719.4	24	*8	16	*	*	*	16	*8	*7	*6	*
719.41	*5	*	*	-	*	*	*	-	*	*	*
719.45	11	*	*8	-	*	*	*9	*	*	*	*
721	135	65	69	-	16	53	66	27	40	32	36
721.0	25	12	13	-	*	14	*7	*	*9	10	*
721.1	35	20	14	-	*	19	14	10	*	10	11
721.3	64	30	34	-	*8	17	39	13	23	11	18
721.4	*7	*	*	-	*	*	*5	*	*	*	*
722	318	151	167	*	87	157	75	55	88	109	67
722.0	41	21	20	-	15	24	*	*7	11	15	*8
722.1	124	58	67	*	44	55	25	23	33	45	24
722.10	122	57	65	*	44	54	24	22	32	44	23
722.4	21	*7	14	-	*	14	*	*	*	*9	*6
722.5	84	40	44	-	16	42	26	*8	28	26	22
722.52	84	40	44	-	16	42	26	*8	28	26	21
722.7	34	19	15	-	*8	17	*9	14	*6	10	*
722.71	29	17	12	-	*6	16	*8	12	*	*8	*
722.8	*6	*	*	-	*	*	*	*	*	*	-
722.83	*5	*	*	-	*	*	*	*	*	*	-
722.9	*6	*	*	-	*	*	*	*	*	*	*
722.93	*6	*	*	-	*	*	*	*	*	*	*
723	29	12	17	-	*	16	10	*6	*7	11	*6
723.0	17	*6	11	-	*	10	*6	*	*	*7	*
723.1	*6	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
724	153	74	80	-	16	55	83	43	36	52	22
724.0	95	44	51	-	*	32	59	24	23	34	13
724.02	93	44	49	-	*	31	59	23	23	34	13
724.2	30	15	15	-	*7	*7	15	*9	*6	*9	*5
724.4	10	*	*6	-	*	*	*	*	*	*	*
724.5	16	*9	*7	-	*	*9	*	*7	*	*	*
726	32	20	12	*	*	17	12	*8	*8	12	*
726.3	*8	*7	*	*	*	*	*	*	*	*	*
726.33	*8	*7	*	*	*	*	*	*	*	*	*
726.6	*7	*6	*	*	*	*	*	*	*	*	*
726.65	*6	*6	*	*	*	*	*	*	*	*	*
727	16	*9	*7	*	*	*	*	*	*6	*	*
727.0	*8	*	*	*	*	*	*	*	*	*	*
728	70	37	33	*	16	18	35	20	11	27	11
728.8	64	36	28	*	15	15	33	19	10	25	10
728.88	51	31	20	*	13	*8	30	15	*9	20	*8
729	52	18	34	*	13	16	21	*9	11	19	13
729.1	12	*	*9	*	*	*	*7	*	*	*	*
729.5	16	*8	*8	*	*5	*6	*	*	*	*	*
729.8	13	*	*9	-	*	*	*6	*	*	*	*6
729.89	12	*	*8	-	*	*	*6	*	*	*	*6
729.9	*6	*	*5	-	*	*	*	*	*	*	*
730	56	32	24	*	*8	19	26	14	11	23	*8
730.0	13	*7	*6	*	*	*7	*	*	*	*	*
730.07	*7	*	*	-	*	*	*	*	*	*	-
730.1	*8	*	*	-	*	*	*	*	*	*	*
730.2	34	20	14	*	*	*9	18	*6	*	17	*7
730.27	17	10	*7	*	*	*6	*9	*	*	*7	*
730.28	12	*6	*7	*	*	*	*7	*	*	*6	*
733	154	54	100	*	17	55	81	36	29	61	28
733.1	72	19	53	*	*	13	56	15	14	23	20
733.13	45	11	34	-	*	*7	36	10	*9	14	12
733.14	16	*	12	*	*	*	13	*	*	*	*7
733.4	27	14	13	*	*7	13	*6	*6	*	16	*
733.42	19	11	*8	*	*	11	*6	*5	*	10	*
733.6	16	*	12	-	*	11	*	*	*	*7	*
733.8	27	13	14	*	*	12	11	*5	*7	13	*
733.81	*5	*	*	*	*	*	*	*	*	*	-
733.82	21	*9	12	*	*	*8	*9	*	*5	11	*
733.9	10	*	*7	-	*	*5	*	*6	*	*	*
733.90	*6	*	*	-	*	*	*	*	*	*	*
736	12	*6	*6	*	*	*8	*	*	*	*	*
737	19	*	14	*	*5	*	*6	*7	*5	*6	*
737.3	17	*	13	*	*5	*	*5	*7	*	*6	*
737.30	12	*	*9	*	*	*	*	*6	*	*	*
738	36	14	23	*	*7	18	10	*	12	10	10
738.4	33	11	22	*	*6	17	10	*	11	*9	*9
740-759	174	103	71	97	29	27	20	25	34	59	56
742	11	*6	*5	*9	*	*	-	*	*	*5	*
742.5	*6	*	*	*6	*	-	-	*	*	*	*
742.59	*6	*	*	*6	*	-	-	*	*	*	*
745	30	20	10	18	*	*5	*	*	*	11	12
745.5	20	13	*6	*9	*	*5	*	*	*	*5	*9
746	14	*9	*5	*8	*	*	*	*	*	*	*
746.8	*6	*	*	*	*	*	*	*	-	*	-



Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
789	18	*7	10	*	*7	*6	*	*8	*	*	*
789.0	16	*7	*9	*	*7	*6	*	*8	*	*	*
789.09	*6	*	*	*	*	*	-	*	*	-	*
799	47	21	26	*5	12	19	11	*	15	22	*5
799.9	44	21	24	*	10	19	11	*	15	22	*
800-999	2,984	1,396	1,588	162	690	857	1,276	705	687	1,024	569
800	11	*7	*	*6	*	*	*	*	*	*	*
801	43	30	13	*6	20	11	*6	*7	*8	10	18
801.0	11	*6	*	*	*	*	*	*	*	*	*
801.01	*6	*	*	*	*	-	*	*	*	*	*
801.2	21	17	*	*	12	*	*	*	*	*	10
801.20	*6	*5	*	*	*5	*	*	*	*	*	*
801.26	*5	*	*	*	*	*	*	-	*	*	*
802	35	24	11	*	18	*9	*6	*8	*7	11	*9
802.2	11	*9	*	*	*8	*	*	*	*	*	*
802.4	*8	*6	*	-	*	*	*	*	*	*	*
803	*7	*6	*	*	*	*	*	*	*	*	*
803.2	*5	*	*	*	*	*	*	*	*	*	*
805	107	46	61	*	21	23	61	23	33	31	21
805.0	32	18	14	*	*8	*7	16	10	*8	*6	*7
805.02	11	*	*7	*	*	-	*9	*	*	*	*
805.06	*6	*	*	-	*	*	*	-	*	*	*
805.2	27	11	16	*	*	*6	16	*5	*6	*9	*8
805.4	40	16	25	*	*6	10	24	*7	15	12	*6
805.6	*7	*	*6	-	*	*	*	*	*	*	*
806	*8	*7	*	-	*	*	*	*	*	*	*
807	63	31	32	*	*7	22	33	15	10	18	20
807.0	54	26	29	*	*6	19	30	13	*9	15	17
807.02	10	*	*7	-	*	*	*6	*	*	*	*
807.03	11	*	*7	-	*	*	*8	*	*	*	*
807.04	*7	*	*	-	*	*	*	*	*	*	*
807.05	*5	*	*	-	*	*	*	*	*	*	*
808	71	22	48	*	12	11	46	16	20	23	10
808.0	12	*9	*	*	*	*	*	*	*	*5	*
808.2	46	*9	37	*	*	*	37	11	13	14	*8
808.4	*9	*	*6	*	*	*	*	*	*	*	*
810	*9	*6	*	*	*	*	*	*	*	*	*
810.0	*9	*5	*	*	*	*	*	*	*	*	*
812	87	33	53	16	11	16	44	19	13	27	27
812.0	45	11	34	*	*	*9	34	13	*8	13	10
812.00	16	*	11	-	*	*	11	*7	*	*	*
812.01	15	*	12	-	*	*	13	*	*	*	*
812.09	10	*	*7	*	*	*	*7	*	*	*	*
812.2	15	*6	*8	*	*	*	*6	*	*	*8	*
812.21	12	*	*7	*	*	*	*	*	*	*	*
812.4	22	11	11	13	*	*	*	*	*	*	13
812.41	14	*8	*6	10	*	*	*	*	*	*	*9
813	58	24	33	10	12	14	22	*9	13	20	16
813.0	14	*	11	*	*	*	*	*	*	*	*7
813.01	*8	*	*6	*	*	*	*	*	*	*	*
813.4	31	12	18	*	*6	*9	13	*6	*	15	*6
813.41	*6	*	*	-	*	*	*	*	*	*	*
813.42	12	*	*9	*	*	*	*5	*	*	*5	*
813.44	11	*5	*5	*	*	*	*	*	*	*6	*
819	*9	*6	*	-	*	*	*	*9	-	*	-
819.0	*9	*6	*	-	*	*	*	*9	-	*	-

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over				
Number of first-listed diagnoses in thousands											
820	306	93	213	*	*6	39	258	61	76	123	46
820.0	78	31	47	*	*	*9	66	14	18	30	16
820.03	*5	*	*	*	-	*	*	*	*	*	*
820.09	64	25	39	*	*	*8	55	12	15	25	12
820.2	161	44	117	*	*	19	137	31	44	63	23
820.20	12	*7	*	-	*	*	10	*	*	*5	*
820.21	131	35	96	-	*	16	114	23	37	52	20
820.22	18	*	15	*	*	*	13	*5	*	*6	*
820.8	66	18	48	-	*	10	55	16	14	30	*7
821	65	27	37	*8	11	16	29	18	14	20	13
821.0	33	16	16	*7	*7	*	15	*7	*6	11	*8
821.00	*5	*	*	*	*	*	*	-	*	*	-
821.01	27	13	14	*6	*5	*	12	*7	*5	*7	*8
821.2	26	*7	19	*	*	11	12	*9	*6	*9	*
821.20	*7	*	*7	*	*	*	*	*	*	*	-
821.23	*9	*	*8	-	*	*	*	*	*	*	*
821.29	*7	*	*	*	*	*	*	*	*	*	*
822	18	*	13	*	*	*8	*9	*	*	*6	*5
822.0	18	*	13	-	*	*8	*8	*	*	*6	*5
823	78	40	39	*8	30	24	17	17	14	27	21
823.0	36	14	21	-	10	15	11	*6	*7	16	*7
823.00	26	12	13	-	*7	11	*7	*	*	11	*
823.02	*9	*	*7	-	*	*	*	*	*	*	*
823.2	20	10	10	*	12	*	*	*8	*	*	*6
823.20	*9	*5	*	*	*6	*	*	*5	*	*	*
823.22	11	*5	*6	*	*5	*	*	*	*	*	*
823.3	*8	*6	*	*	*	*	*	*	*	*	*
823.32	*6	*	*	*	*	*	*	*	*	*	*
823.8	*9	*5	*	*	*	*	*	*	*	*	*
823.82	*8	*	*	*	*	*	*	*	*	*	*
824	98	33	65	*	27	37	30	20	27	33	18
824.2	*5	*	*	-	*	*	*	*	*	*	*
824.4	30	*6	24	*	*8	10	11	*6	*8	12	*
824.5	*6	*	*	-	*	*	*	*	*	*	*
824.6	24	*6	18	*	*	13	*7	*7	*9	*5	*
824.8	23	13	10	*	*7	*8	*6	*	*	*9	*5
825	17	*8	*9	*	*7	*6	*	*	*	*5	*
825.2	*8	*	*	*	*	*	*	*	*	*	*
828	10	*	*6	-	*	*	*5	*8	-	*	-
828.0	10	*	*6	-	*	*	*5	*8	-	*	-
836	*8	*6	*	-	*6	*	*	*	*	*	*
840	*6	*	*	-	-	*	*	*	*	*	*
840.4	*6	*	*	-	-	*	*	*	*	*	*
844	*6	*5	*	-	*	*	*	*	*	*	*
844.8	*5	*	*	-	*	*	*	*	*	*	*
845	*5	*	*	-	*	*	*	*	*	*	-
845.0	*5	*	*	-	*	*	*	*	*	*	-
847	*6	*	*	*	*	*	*	*	*	*	*
850	30	14	17	*	13	*7	*8	*9	*8	*7	*7
850.0	*8	*	*6	*	*	*	*	*	*	*	*
850.1	*7	*	*	*	*	*	*	*	*	*	*
850.11	*7	*	*	*	*	*	*	*	*	*	*
850.5	11	*7	*	*	*6	*	*	*	*	*	*
851	20	11	*8	*	*7	*	*6	*	*	*7	*
851.8	15	*9	*6	*	*	*	*	*	*	*6	*
851.86	*6	*	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under	15-44	45-64	65 years	North-	Midwest	South	West
				15 years	years	years	and over				
Number of first-listed diagnoses in thousands											
852	115	64	51	*8	13	13	82	42	21	32	20
852.0	34	14	20	*	*	*5	23	15	*8	*8	*
852.00	*8	*	*5	*	*	*	*5	*	*	*	*
852.01	12	*	10	*	*	*	*9	*	*	*	*
852.06	*9	*6	*	*	*	*	*6	*	*	*	*
852.2	76	46	30	*	*9	*6	57	26	13	22	16
852.20	29	17	12	*	*	*	26	16	*	*7	*
852.21	32	19	12	*	*	*	21	*9	*7	*9	*7
852.26	*6	*5	*	-	*	*	*	*	*	*	*
853	11	*6	*6	*	*	*	*8	*	*	*	*
853.0	11	*6	*6	*	*	*	*8	*	*	*	*
853.01	*8	*	*	*	*	*	*6	*	*	*	*
860	34	24	10	*	15	12	*6	*	*8	13	*8
860.0	22	14	*8	*	*7	*9	*	*	*5	*9	*6
861	*8	*	*	*	*	*	*	*	*	*	*
861.2	*6	*	*	*	*	*	*	*	*	*	*
863	*7	*7	*	-	*5	*	*	*	*	*	*
864	*8	*5	*	*	*6	*	*	*	*	*	*
864.0	*5	*	*	*	*	*	*	*	*	*	*
865	*8	*5	*	*	*	*	*	*	*	*	*
865.0	*8	*	*	*	*	*	*	*	*	*	*
868	*5	*	*	*	*	-	*	*	*	*	*
873	16	*9	*7	*	*7	*	*	*	*	*	*
873.0	*7	*5	*	-	*	*	*	*	*	*	*
873.4	*5	*	*	*	*	*	*	*	*	*	*
881	12	*8	*	*	*7	*	*	*	*	*	*
881.0	*6	*	*	-	*	*	*	*	*	*	*
891	*9	*5	*	*	*	*	*	*	*	*	*
920	12	*5	*7	*	*	-	*7	*	*	*	*
922	11	*	*7	*	*	*	*7	*	*	*	*
922.1	*8	*	*6	-	*	*	*5	*	*	*	*
924	16	*8	*9	*	*	*	13	*	*6	*6	*
924.0	10	*	*6	*	*	*	*8	*	*	*	*
924.01	*7	*	*6	-	*	*	*7	*	*	*	*
934	*5	*	*	*	*	*	*	*	*	*	*
935	*7	*	*	*	*	*	*	*	*	*	*
941	*6	*	*	*	*	*	*	*	*	*	*
952	*9	*	*	-	*	*	*5	*6	*	*	*
952.9	*5	*	*	-	*	*	*	*	*	*	*
959	22	10	12	*	*6	*	10	*9	*	*5	*
959.0	15	*8	*7	*	*	*	*8	*6	*	*	*
959.01	13	*8	*5	*	*	*	*6	*	*	*	*
962	*9	*5	*	*	*	*	*	*	*	*6	*
962.3	*9	*	*	-	*	*	*	*	*	*6	*
963	*8	*	*	*	*7	*	*	*	*	*	*
963.0	*8	*	*	*	*7	*	*	*	*	*	*
965	70	31	39	*	35	26	*8	13	20	24	14
965.0	38	21	17	*	15	20	*	*7	11	12	*7

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
965.00	*9	*	*5	*	*	*5	*	*	*	*6	*
965.02	*9	*6	*	-	*	*6	*	*	*	*	*
965.09	15	*8	*7	*	*	*8	*	*	*	*	*
965.1	*6	*	*	*	*	*	*	*	*	*	*
965.4	20	*7	13	*	13	*	*	*	*	*8	*
966	11	*5	*6	*	*5	*	*	*	*	*6	*
966.3	*6	*	*	*	*	*	*	*	*	*	*
967	12	*	*8	*	*	*5	*	*	*	*	*
967.8	*7	*	*	*	*	*	*	*	*	*	*
968	*6	*	*	-	*	*	*	*	*	*	*
969	79	34	45	*	47	25	*6	10	17	36	15
969.0	13	*	10	-	10	*	*	*	*	*6	*
969.09	*9	*	*7	-	*6	*	*	*	*	*	*
969.3	10	*	*	*	*8	*	*	*	*	*	*
969.4	47	21	26	*	25	17	*	*5	*9	23	10
970	13	*8	*	*	*7	*6	*	*	*	*6	*
970.8	12	*8	*	-	*7	*	*	*	*	*6	*
972	11	*5	*5	*	*	*	*	*	*	*	*
977	13	*	10	*	*5	*	*	*	*	*7	*
977.9	10	*	*8	*	*	*	*	*	*	*5	*
980	*7	*	*	-	*	*	*	*	*	*	*
992	*8	*6	*	-	*	*	*	*	*	*	-
992.5	*6	*5	*	-	*	*	*	*	*	*	-
995	47	20	27	*	10	19	14	12	14	10	11
995.0	*5	*	*	*	*	*	*	*	*	*	*
995.1	17	10	*7	*	*	10	*	*5	*	*	*
995.9	14	*	10	*	*	*	*8	*	*8	*	*
995.90	*5	*	*5	-	*	*	*	*	*	*	*
995.91	*6	*	*	*	*	*	*	-	*6	*	*
996	564	271	293	13	79	198	274	148	129	198	89
996.0	20	12	*8	-	*	*6	12	*	*	*6	*6
996.01	*9	*	*	-	*	*	*7	*	*	*	*
996.04	*7	*	*	-	*	*	*	*	*	*	*
996.1	11	*6	*	*	*	*	*6	*	*	*7	*
996.2	16	*	12	*6	*	*	*	*	*	*7	*
996.3	10	*8	*	-	*	*	*6	*	*	*	*
996.31	*5	*	*	-	-	*	*	*	*	*	*
996.4	133	50	83	*	11	46	75	37	37	40	19
996.41	28	*7	21	-	*	14	15	15	*	*5	*
996.42	25	*6	19	*	*	*	18	*	*9	*9	*
996.44	*9	*	*7	-	*	*	*9	*	*	*	*
996.46	*7	*	*	-	*	*	*	*	*	*	*
996.47	26	*8	18	-	*	11	13	*8	*7	*8	*
996.49	29	18	11	*	*7	13	*9	*	10	*9	*6
996.5	12	*	*9	*	*	*5	*	*	*	*	*
996.59	*9	*	*5	*	*	*	*	*	*	*	*
996.6	184	99	85	*	23	56	101	54	41	63	26
996.61	12	10	*	-	*	*	*8	*	*	*	*
996.62	37	21	16	*	*7	18	12	10	10	13	*
996.64	40	26	14	-	*	*8	30	*6	*9	19	*6
996.65	11	*7	*	-	*	*	*8	*6	*	*	*
996.66	41	15	26	-	*	13	28	13	10	11	*7
996.67	18	*8	*9	*	*	*6	*6	*8	*	*	*
996.69	17	*7	10	*	*	*	*9	*	*	*5	*
996.7	132	62	69	*	16	53	62	32	25	52	24
996.72	22	13	*8	*	*	*8	12	*8	*5	*6	*
996.73	42	19	23	-	*8	14	20	11	*6	17	*8
996.74	27	15	12	-	*	12	13	*6	*7	*8	*6
996.76	*6	*5	*	-	*	*	*	*	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
996.77	17	*	14	-	*	*7	10	*	*	10	*
996.78	11	*	*7	*	*	*	*	*	*	*6	*
996.8	47	27	20	*	17	24	*	12	15	16	*
996.81	29	16	13	*	11	13	*	*7	12	*8	*
996.82	*9	*7	*	*	*	*6	*	*	*	*6	*
997	136	69	66	*	25	60	48	40	34	42	19
997.0	12	*7	*6	-	*5	*	*	*	*5	*	*
997.09	*9	*	*5	-	*	*	*	*	*	*	*
997.1	*9	*5	*	-	*	*	*6	*	*	*	*
997.2	15	*7	*8	*	*	*8	*5	*6	*	*5	*
997.3	11	*	*7	*	*	*	*	*	*	*	*
997.39	11	*	*7	*	*	*	*	*	*	*	*
997.4	49	22	27	*	12	25	11	15	13	13	*7
997.5	13	*6	*7	-	*	*	*8	*	*	*	*
997.6	26	17	*8	*	*	12	12	*5	*	14	*
997.62	17	11	*5	*	*	*7	*9	*	*	11	*
997.69	*8	*	*	-	*	*	*	*	*	*	*
998	273	117	156	*6	66	102	99	67	61	101	44
998.1	61	36	25	*	14	22	24	15	14	21	11
998.11	34	22	11	*	*5	15	13	12	*5	11	*6
998.12	22	11	11	-	*8	*5	*8	*	*7	*9	*
998.13	*6	*	*	-	*	*	*	*	*	*	*
998.2	*8	*	*7	-	*	*	*	*	*	*	*
998.3	17	*6	10	-	*	*8	*7	*	*	*7	*
998.31	*8	*	*	-	*	*	*	*	*	*	*
998.32	*7	*	*5	-	*	*	*	*	*	*	*
998.5	158	60	99	*	45	59	52	40	35	58	26
998.59	155	58	96	*	44	56	51	39	34	55	26
998.6	12	*	*7	-	*	*	*6	*5	*	*	*
998.8	14	*7	*7	*	*	*6	*6	*	*	*7	*
998.83	*6	*	*	-	*	*	*	*	*	*	-
998.89	*7	*	*	*	*	*	*	*	*	*	*
999	45	21	24	*	*9	19	13	*7	17	17	*
999.3	41	19	22	*	*8	18	12	*	16	16	*
999.31	37	18	19	*	*7	17	*9	*	13	15	*
V01-V89	4,767	396	4,370	87	4,092	240	348	820	1,129	1,834	985
V07	13	*7	*7	-	*	*9	-	13	*	-	-
V07.9	*8	*	*	-	*	*	-	*8	-	-	-
V10	*9	*6	*	-	*	*	*	*	*	*	*
V12	11	*7	*	-	*	*	*	*	*	*8	*
V12.5	*7	*	*	-	*	*	*	*	*	*	*
V14	*5	*	*	*	*	*	*	*	*	*	*
V15	12	*	*7	*	*	*7	*	*	*	*6	*
V15.8	10	*	*6	*	*	*7	*	*	*	*6	-
V15.81	*6	*	*	-	*	*	*	*	*	*	-
V27	3,951	-	3,951	*7	3,941	*	-	603	956	1,535	857
V27.0	3,653	-	3,653	*7	3,645	*	-	539	898	1,428	788
V27.1	15	-	15	-	15	-	-	*	*	*7	*
V27.2	67	-	67	-	67	*	-	12	17	26	12
V27.9	212	-	212	*	211	*	-	50	35	74	54
V30	*7	*	*	*7	-	-	-	*	*	*	*
V30.1	*7	*	*	*7	-	-	-	*	*	*	*
V42	*7	*	*	*	*	*	*	*	*	*	*
V42.0	*5	*	*	-	*	*	*	*	*	*	*
V45	25	*9	16	*	*	10	*7	10	*	*5	*6
V45.7	*5	-	*5	-	*	*	*	*	*	*	*
V45.8	16	*8	*8	*	*	*7	*	*8	*	*	*

Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2010

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of first-listed diagnoses in thousands											
V45.89	10	*	*7	*	*	*	*	*6	*	*	*
V46	*6	*6	*	*	*	*	*	*	*	*	*
V46.1	*5	*	*	*	-	*	-	-	*	*	*
V50	*6	*	*5	*	*	*	*	*	*	*	*
V50.4	*5	*	*	*	*	*	*	*	*	*	*
V52	*7	*	*	*6	*	-	-	*	*	*6	-
V52.8	*7	*	*	*6	*	-	-	*	*	*6	-
V53	11	*	*7	*	*	*	*6	*	*	*	*
V53.3	10	*	*6	*	*	*	*6	*	*	*	*
V53.32	*6	*	*	-	*	*	*	*	*	*	*
V54	*8	*	*5	*	*	*	*5	*	*	*	*
V55	54	29	25	*	13	19	17	10	*7	21	15
V55.1	*6	*	*	*	-	*	*	*	*	*	*
V55.2	22	11	10	*	*	10	*6	*5	*	*	*9
V55.3	23	12	11	*	*8	*7	*6	*	*	13	*
V56	*9	*	*6	-	*	*	*5	*	*	*5	*
V56.0	*8	*	*6	-	*	*	*5	*	*	*5	*
V57	341	171	170	*	35	84	221	74	104	112	51
V57.1	43	24	19	-	11	12	20	30	*9	*	-
V57.8	298	147	151	*	23	72	201	43	95	109	51
V57.89	296	145	151	*	23	71	201	42	95	109	51
V58	166	85	81	33	32	46	55	54	24	74	15
V58.0	*9	*	*6	-	*	*6	*	*	*	*	*
V58.1	120	70	50	32	23	32	33	45	21	42	11
V58.11	115	68	47	32	22	29	33	44	19	41	11
V58.6	25	10	15	*	*	*6	14	*	*	22	*
V58.69	17	*7	10	-	*	*5	*9	-	*	16	*
V58.7	*5	*	*5	-	*	*	*	-	-	*	*
V59	*8	*	*6	-	*	*	*	*	*	*	*
V59.4	*8	*	*6	-	*	*	*	*	*	*	*
V62	21	11	10	*	*9	10	*	*	*	11	*5
V62.8	21	11	10	*	*9	10	*	*	*	11	*5
V62.84	21	11	10	*	*9	10	*	*	*	11	*5
V67	*8	*6	*	*	*	*	*	*8	*	*	-
V70	*8	*7	*	-	*	*	*	*	*	*	*
V70.7	*6	*6	*	-	*	*	*	*	*	*	*
V71	*5	*	*	*	*	-	*	*	*	*	*
V85	19	*7	12	-	*7	10	*	*	*	*9	*
V85.4	16	*5	11	-	*5	10	*	*	*	*8	*

\* Figure does not meet standards of reliability or precision. Estimates preceded by the asterisk should be used with caution.

- Quantity zero.

SOURCE: CDC/NCHS National Hospital Discharge Survey, 2010.

More information about survey methodology can be found at:

[ftp://ftp.cdc.gov/pub/Health\\_Statistics/NCHS/Dataset\\_Documentation/NHDS/NHDS\\_2010\\_Documentation.pdf](ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NHDS/NHDS_2010_Documentation.pdf).