

Number, rate, and standard error of deaths for discharges from short-stay hospitals, by age and selected first-listed diagnosis: United States, 2007

[Discharges of inpatients from nonfederal hospitals. Diagnostic groups and code numbers are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*]

First-listed diagnosis and ICD-9-CM code		All	Under	65 years	All	Under	65 years
		ages	65 years	and over	ages	65 years	and over
		Number of deaths in thousands			Rate per 100 discharges		
All conditions \1		724	196	528	2.1	0.9	4.1
Heart disease	391-392.0,393-398,402,404,410-416,420-429	112	22	91	2.8	1.5	3.6
Acute myocardial infarction	410	39	8	31	6.7	3.3	9.0
Cardiac dysrhythmias	427	22	*6	16	2.7	*2.3	2.8
Congestive heart failure	428.0,428.2-428.4	28	*3	25	2.8	*1.2	3.4
Septicemia	038	110	23	87	18.7	11.6	22.3
Malignant neoplasms	140-208,230-234	76	34	42	6.2	5.4	7.0
Malignant neoplasm on trachea, bronchus, and lung	162,176.4,197.0,197.3	19	9	10	10.7	12.3	9.6
Respiratory failure	518.81,518.83,518.84	61	15	45	18.0	10.5	23.6
Cerebrovascular disease	430-438	47	13	34	5.7	4.7	6.1
Pneumonia	480-486	39	*4	36	3.7	*0.8	5.8
Nephritis, nephrotic syndrome and nephrosis	580-589	24	*3	21	4.8	*1.7	6.6
Pneumonitis due to solids and liquids	507	21	*5	17	13.5	*11.4	14.3
Fractures, all sites \2	800-829	18	*4	14	1.7	*0.7	2.7
Fracture of neck of femur	820	9	*	9	3.1	*	3.4
<i>Standard error</i>							
All conditions \1		30.3	11.5	25.1	0.1	0.1	0.2
Heart disease	391-392.0,393-398,402,404,410-416,420-429	7.5	2.7	6.6	0.2	0.2	0.3
Acute myocardial infarction	410	3.9	1.8	3.4	0.7	0.8	1.0
Cardiac dysrhythmias	427	3.2	*1.6	2.9	0.4	*0.6	0.5
Congestive heart failure	428.0,428.2-428.4	3.3	*0.9	3.2	0.3	*0.3	0.4
Septicemia	038	10.4	2.6	9.9	1.8	1.3	2.5
Malignant neoplasms	140-208,230-234	5.4	4.0	3.6	0.4	0.6	0.6
Malignant neoplasm on trachea, bronchus, and lung	162,176.4,197.0,197.3	3.1	2.4	1.8	1.7	3.4	1.7
Respiratory failure	518.81,518.83,518.84	5.1	2.0	4.8	1.5	1.4	2.5
Cerebrovascular disease	430-438	5.7	2.7	4.0	0.7	1.0	0.7
Pneumonia	480-486	4.4	*0.8	4.3	0.4	*0.2	0.7
Nephritis, nephrotic syndrome and nephrosis	580-589	2.7	*0.9	2.5	0.5	*0.5	0.8
Pneumonitis due to solids and liquids	507	2.2	*1.3	2.2	1.4	*3.2	1.9
Fractures, all sites \2	800-829	2.7	*1.0	2.4	0.3	*0.2	0.5
Fracture of neck of femur	820	2.0	*	2.0	0.7	*	0.8

* Figure does not meet the standard of reliability or precision.

\1 Includes data for deaths not shown in table.

\2 Excludes fractures coded as 733.1, pathologic fracture.