

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 971
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MONOCYTTIC LEUKEMIA (206)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	-	1	6	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 973
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
0 UNITED STATES --	5,325	11	40	37	44	35	38	65	55	78	90	134
WHITE-----MALE----	2,651	4	20	18	18	20	15	34	20	41	37	63
FEMALE--	2,143	5	8	13	12	9	15	18	22	24	40	50
ALL OTHER--MALE----	293	-	6	2	6	5	4	8	6	8	9	13
FEMALE--	238	2	6	4	8	1	4	5	7	5	4	8
BLACK---MALE----	238	-	4	2	4	4	4	6	5	7	7	12
FEMALE--	189	-	5	2	7	-	3	1	5	2	2	6
ALABAMA -----	119	-	1	-	2	1	1	-	1	2	4	6
WHITE-----MALE----	56	-	1	-	1	-	-	-	-	-	1	2
FEMALE--	42	-	-	-	-	1	1	-	-	-	2	3
ALL OTHER--MALE----	17	-	-	-	1	-	-	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	17	-	-	-	1	-	-	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
ALASKA -----	8	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	108	1	-	1	-	1	1	-	2	1	5	4
WHITE-----MALE----	67	-	-	1	-	1	1	-	-	1	3	-
FEMALE--	40	1	-	-	-	-	-	-	2	-	2	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	78	-	-	-	-	-	1	1	-	-	-	1
WHITE-----MALE----	47	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	508	3	5	9	5	9	1	10	7	8	6	15
WHITE-----MALE----	258	1	3	5	2	8	-	6	2	3	4	9
FEMALE--	188	2	1	3	-	1	1	4	4	4	2	3
ALL OTHER--MALE----	32	-	1	-	1	-	-	-	-	-	-	2
FEMALE--	30	-	-	1	2	-	-	-	1	1	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	1	2	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 973
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
0 UNITED STATES --	153	223	334	544	774	928	830	563	283	55	11	-
WHITE-----MALE----	76	121	190	291	436	491	398	238	99	18	3	-
FEMALE--	50	77	107	196	269	364	372	289	168	30	5	-
ALL OTHER--MALE----	16	19	21	37	44	36	29	15	7	2	-	-
FEMALE--	11	6	16	20	25	37	31	21	9	5	3	-
BLACK---MALE----	14	17	15	32	33	26	24	13	7	2	-	-
FEMALE--	8	3	13	18	23	30	27	17	9	5	3	-
ALABAMA -----	5	9	12	11	19	16	16	9	4	-	-	-
WHITE-----MALE----	2	5	6	8	8	12	6	2	2	-	-	-
FEMALE--	2	2	5	3	6	2	7	6	2	-	-	-
ALL OTHER--MALE----	1	2	1	-	4	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	2	1	-	4	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALASKA -----	-	1	2	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	7	6	16	16	21	12	7	7	-	-	-
WHITE-----MALE----	-	5	4	10	11	14	10	4	2	-	-	-
FEMALE--	-	1	2	6	5	7	2	3	5	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	5	15	9	7	8	12	12	5	-	1	-
WHITE-----MALE----	1	3	10	8	2	6	6	9	1	-	-	-
FEMALE--	-	2	4	-	3	1	6	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	1	-
CALIFORNIA -----	19	20	35	39	61	97	80	46	25	8	-	-
WHITE-----MALE----	11	12	20	20	30	51	40	20	8	3	-	-
FEMALE--	6	6	10	11	22	34	35	20	15	4	-	-
ALL OTHER--MALE----	-	2	4	3	8	5	1	3	1	1	-	-
FEMALE--	2	-	1	5	1	7	4	3	1	-	-	-
BLACK---MALE----	-	1	2	2	1	1	-	2	1	1	-	-
FEMALE--	2	-	-	3	1	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 974
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
COLORADO -----	1	5	5	3	13	15	4	4	3	-	-	-
WHITE-----MALE----	1	3	2	3	8	10	2	1	1	-	-	-
FEMALE--	-	2	2	-	5	5	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	1	7	11	16	18	14	12	7	2	-	-
WHITE-----MALE----	1	-	5	6	8	9	7	4	3	-	-	-
FEMALE--	-	1	2	3	7	8	7	8	3	2	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	1	-	1	-	-	2	-	2	1	-	-	-
WHITE-----MALE----	1	-	1	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	3	2	2	2	1	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	-	-
FLORIDA -----	11	7	22	32	45	55	53	33	19	2	1	-
WHITE-----MALE----	4	3	11	18	29	31	27	15	7	2	-	-
FEMALE--	5	3	8	12	16	22	22	18	12	-	-	-
ALL OTHER--MALE----	2	1	2	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	-	-	-	1	-
BLACK---MALE----	2	1	2	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	1	-
GEORGIA -----	4	9	6	14	21	20	24	19	9	2	1	-
WHITE-----MALE----	3	5	4	11	13	6	11	10	3	-	-	-
FEMALE--	1	2	1	1	4	7	7	7	4	1	1	-
ALL OTHER--MALE----	-	2	-	1	2	2	3	2	-	-	-	-
FEMALE--	-	-	1	1	2	5	3	-	2	1	-	-
BLACK---MALE----	-	2	-	1	2	2	3	2	-	-	-	-
FEMALE--	-	-	1	1	2	5	3	-	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 975

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
HAWAII -----	2	2	1	-	1	6	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	3	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	2	2	8	2	6	1	1	1	-	-
WHITE-----MALE----	-	-	1	-	5	2	2	1	-	-	-	-
FEMALE--	-	-	1	2	3	-	4	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	13	8	20	23	43	61	50	29	22	4	-	-
WHITE-----MALE----	7	5	11	9	24	29	26	10	6	1	-	-
FEMALE--	3	3	7	9	15	25	21	19	16	2	-	-
ALL OTHER--MALE----	2	-	-	3	2	5	-	-	-	-	-	-
FEMALE--	1	-	2	2	2	2	3	-	-	1	-	-
BLACK---MALE----	2	-	-	3	1	5	-	-	-	-	-	-
FEMALE--	1	-	2	2	2	2	3	-	-	1	-	-
INDIANA -----	2	11	6	11	14	26	19	14	8	1	-	-
WHITE-----MALE----	1	4	4	5	7	12	7	8	4	-	-	-
FEMALE--	-	6	2	6	5	14	10	6	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	2	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	-	2	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	2	3	4	10	3	5	3	1	-	-
WHITE-----MALE----	-	-	2	2	1	7	1	2	1	-	-	-
FEMALE--	-	-	-	1	3	3	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	2	3	5	8	7	6	2	5	2	-	-
WHITE-----MALE----	-	1	3	3	5	2	3	2	2	1	-	-
FEMALE--	-	1	-	2	3	5	3	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 976
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
KENTUCKY -----	82	-	1	-	-	-	-	2	-	3	1	-
WHITE-----MALE----	39	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	41	-	1	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	95	-	1	-	1	-	1	1	-	2	1	2
WHITE-----MALE----	44	-	-	-	-	-	1	1	-	2	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	1	-	1	-	-	-	-	-	-	-
MAINE -----	22	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	74	-	-	-	1	-	1	1	1	-	1	3
WHITE-----MALE----	29	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	136	-	1	3	-	-	-	1	1	2	3	5
WHITE-----MALE----	76	-	1	2	-	-	-	1	-	2	1	2
FEMALE--	59	-	-	1	-	-	-	-	1	-	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	186	-	-	-	1	-	-	-	1	4	3	9
WHITE-----MALE----	90	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	79	-	-	-	-	-	-	-	-	2	2	5
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 976
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
KENTUCKY -----	6	3	7	10	14	6	14	8	7	-	-	-
WHITE-----MALE----	4	2	2	7	6	1	7	2	4	-	-	-
FEMALE--	2	1	5	2	8	5	6	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
LOUISIANA -----	4	3	7	13	10	15	15	15	3	-	1	-
WHITE-----MALE----	1	1	3	9	6	7	5	6	1	-	-	-
FEMALE--	1	-	1	2	1	5	7	6	2	-	-	-
ALL OTHER--MALE----	2	1	1	1	2	2	3	1	-	-	-	-
FEMALE--	-	1	2	1	1	1	-	2	-	-	1	-
BLACK---MALE----	2	1	1	1	2	2	3	1	-	-	-	-
FEMALE--	-	1	2	1	1	1	-	2	-	-	1	-
MAINE -----	-	-	-	3	3	5	4	5	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	4	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	3	7	11	15	15	3	4	3	-	-
WHITE-----MALE----	1	2	-	2	5	7	5	-	2	1	-	-
FEMALE--	1	-	1	3	5	5	9	3	2	1	-	-
ALL OTHER--MALE----	1	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	1	-	-
BLACK---MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	1	-	-
MASSACHUSETTS -----	1	5	5	13	20	32	24	9	9	2	-	-
WHITE-----MALE----	1	3	2	8	15	17	14	4	2	1	-	-
FEMALE--	-	2	3	5	5	14	10	5	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	7	9	18	42	32	27	20	5	2	-	-
WHITE-----MALE----	3	3	4	10	23	16	12	10	1	1	-	-
FEMALE--	3	3	4	6	16	13	12	9	3	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	1	1	3	1	1	1	1	-	-	-
BLACK---MALE----	-	1	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	1	3	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 979
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
OHIO -----	9	10	15	27	36	44	50	22	13	1	1	-
WHITE-----MALE----	5	6	11	11	16	26	21	7	4	-	1	-
FEMALE--	2	4	4	15	16	16	26	11	7	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	1	3	1	1	-	-
FEMALE--	1	-	-	-	2	2	2	1	1	-	-	-
BLACK---MALE----	1	-	-	1	2	-	1	3	1	1	-	-
FEMALE--	1	-	-	-	2	2	2	1	1	-	-	-
OKLAHOMA -----	3	1	5	14	6	14	13	9	2	-	1	-
WHITE-----MALE----	2	-	4	7	4	6	5	3	1	-	-	-
FEMALE--	1	1	1	6	2	8	6	6	1	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	2	2	7	16	11	8	5	4	1	-	-
WHITE-----MALE----	1	-	1	6	9	8	4	1	3	-	-	-
FEMALE--	2	2	1	1	7	3	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	11	16	23	45	63	38	42	22	3	1	-
WHITE-----MALE----	7	5	8	12	29	34	26	16	8	2	1	-
FEMALE--	-	5	6	10	15	27	10	25	13	1	-	-
ALL OTHER--MALE----	2	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	1	-	-	-
BLACK---MALE----	1	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	1	-	-	-
RHODE ISLAND -----	-	-	1	4	2	3	5	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	4	2	-	-	-	-
FEMALE--	-	-	-	3	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	4	9	11	8	10	3	2	2	-	-
WHITE-----MALE----	-	1	3	5	8	5	2	1	1	1	-	-
FEMALE--	1	1	1	3	2	3	6	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	1	-	-
BLACK---MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 980
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
SOUTH DAKOTA -----	17	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	113	-	2	1	-	1	2	4	-	1	1	4
WHITE-----MALE----	50	-	1	1	-	-	1	1	-	-	-	1
FEMALE--	49	-	-	-	-	-	-	3	-	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	7	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	7	-	1	-	-	-	1	-	-	-	-	-
TEXAS -----	292	1	5	6	6	3	-	5	4	5	2	6
WHITE-----MALE----	143	1	1	2	3	-	-	4	2	3	-	5
FEMALE--	120	-	2	4	2	3	-	-	2	1	2	-
ALL OTHER--MALE----	14	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	15	-	1	-	-	-	-	1	-	1	-	1
BLACK---MALE----	13	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	1	-	-	-	-	-	-	-	-	1
UTAH -----	16	-	3	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	10	-	3	-	-	-	1	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	115	2	2	-	2	1	3	4	3	5	3	3
WHITE-----MALE----	41	1	1	-	-	1	-	1	1	1	2	2
FEMALE--	48	-	1	-	1	-	1	-	1	2	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	1	2	-	1	1	1
FEMALE--	11	1	-	-	1	-	1	1	1	1	-	-
BLACK---MALE----	15	-	-	-	-	-	1	2	-	1	1	1
FEMALE--	10	-	-	-	1	-	1	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 980
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)												
SOUTH DAKOTA -----	-	1	-	-	3	2	2	8	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	1	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	8	8	8	10	22	19	15	5	-	-	-
WHITE-----MALE----	1	3	3	5	7	11	6	8	1	-	-	-
FEMALE--	-	3	4	2	1	11	13	5	4	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	2	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	2	-	-	-	-
TEXAS -----	7	14	14	33	43	40	54	33	10	-	1	-
WHITE-----MALE----	1	9	8	17	29	20	23	15	-	-	-	-
FEMALE--	5	5	5	8	11	18	28	15	8	-	1	-
ALL OTHER--MALE----	1	-	1	5	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	3	2	-	2	3	1	-	-	-
BLACK---MALE----	1	-	1	5	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	3	2	-	2	3	1	-	-	-
UTAH -----	2	-	-	1	2	2	-	3	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	2	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	10	5	10	14	18	9	11	2	1	-	-
WHITE-----MALE----	2	4	2	5	5	4	5	3	1	-	-	-
FEMALE--	5	3	1	4	8	11	2	6	1	1	-	-
ALL OTHER--MALE----	-	3	2	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	2	-	-	-	-
BLACK---MALE----	-	3	2	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 982
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)												
0 UNITED STATES --	281	316	488	694	918	1,100	1,197	997	486	157	28	-
WHITE-----MALE----	141	151	214	320	379	467	418	264	143	35	3	-
FEMALE--	93	118	200	265	424	540	671	627	298	109	19	-
ALL OTHER--MALE----	21	20	34	49	52	32	44	45	13	2	2	-
FEMALE--	26	27	40	60	63	61	64	61	32	11	4	-
BLACK---MALE----	18	20	29	45	48	31	37	36	12	2	2	-
FEMALE--	21	22	36	54	52	54	58	52	29	8	3	-
ALABAMA -----	1	9	5	16	12	22	22	23	7	1	1	-
WHITE-----MALE----	1	4	2	5	5	8	6	3	2	-	1	-
FEMALE--	-	2	3	6	4	10	9	15	4	1	-	-
ALL OTHER--MALE----	-	1	-	3	1	1	5	2	1	-	-	-
FEMALE--	-	2	-	2	2	3	2	3	-	-	-	-
BLACK---MALE----	-	1	-	3	1	1	5	2	1	-	-	-
FEMALE--	-	2	-	2	2	3	2	3	-	-	-	-
ALASKA -----	-	-	-	1	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	5	7	10	22	21	17	10	2	1	1	-
WHITE-----MALE----	4	4	4	6	10	10	9	1	1	-	1	-
FEMALE--	2	1	1	3	12	11	8	9	1	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	2	3	3	6	9	13	10	12	9	2	-	-
WHITE-----MALE----	2	1	1	-	4	5	4	4	2	1	-	-
FEMALE--	-	2	2	3	4	5	5	8	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	3	-	1	-	-	2	1	-	-
BLACK---MALE----	-	-	-	-	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	3	-	1	-	-	2	1	-	-
CALIFORNIA -----	26	25	27	51	79	64	96	78	31	19	5	-
WHITE-----MALE----	11	7	10	19	36	25	38	20	12	3	-	-
FEMALE--	9	11	14	28	30	34	47	47	14	14	3	-
ALL OTHER--MALE----	2	4	1	1	6	2	6	6	2	-	1	-
FEMALE--	4	3	2	3	7	3	5	5	3	2	1	-
BLACK---MALE----	1	4	-	1	6	2	2	1	2	-	1	-
FEMALE--	2	-	1	2	1	-	2	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 983

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	83	1	1	1	-	-	-	1	3	-	2	4
WHITE-----MALE----	35	1	1	-	-	-	-	-	2	-	1	2
FEMALE--	41	-	-	1	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	133	1	1	-	-	1	-	-	1	1	3	8
WHITE-----MALE----	49	-	1	-	-	-	-	-	1	1	1	3
FEMALE--	79	1	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	24	-	1	-	-	-	-	2	-	1	1	2
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	22	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	479	7	1	1	-	2	6	3	7	6	8	11
WHITE-----MALE----	190	4	-	-	-	-	3	2	6	1	2	5
FEMALE--	226	3	-	1	-	1	2	1	-	1	3	3
ALL OTHER--MALE----	34	-	1	-	-	1	1	-	-	3	1	2
FEMALE--	29	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	34	-	1	-	-	1	1	-	-	3	1	2
FEMALE--	28	-	-	-	-	-	-	-	1	1	2	1
GEORGIA -----	203	1	1	1	2	-	1	4	6	4	9	6
WHITE-----MALE----	62	1	-	-	1	-	-	4	3	1	1	2
FEMALE--	81	-	1	-	-	-	-	-	2	1	3	3
ALL OTHER--MALE----	27	-	-	-	1	-	1	-	1	-	3	1
FEMALE--	33	-	-	1	-	-	-	-	-	2	2	-
BLACK---MALE----	26	-	-	-	1	-	1	-	1	-	3	1
FEMALE--	33	-	-	1	-	-	-	-	-	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 983

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	4	6	6	8	12	11	14	6	1	-	-
WHITE-----MALE----	1	2	4	3	5	5	4	1	2	1	-	-
FEMALE--	-	2	2	2	3	5	6	12	4	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	8	6	10	12	20	28	18	9	4	-	-
WHITE-----MALE----	1	6	3	5	5	4	7	9	1	1	-	-
FEMALE--	1	1	2	5	7	15	21	9	8	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	1	1	1	-	3	4	4	3	-	-	-	-
WHITE-----MALE----	1	1	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	3	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	7	1	2	2	3	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	6	1	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	6	1	-	2	1	-	1	-	-	-
FLORIDA -----	12	13	21	52	62	77	86	66	30	6	2	-
WHITE-----MALE----	3	3	7	26	26	41	28	21	10	2	-	-
FEMALE--	6	6	12	16	31	26	52	38	18	4	2	-
ALL OTHER--MALE----	1	2	1	6	4	4	2	4	1	-	-	-
FEMALE--	2	2	1	4	1	6	4	3	1	-	-	-
BLACK---MALE----	1	2	1	6	4	4	2	4	1	-	-	-
FEMALE--	2	2	1	4	1	6	4	2	1	-	-	-
GEORGIA -----	8	9	20	22	29	30	26	19	3	2	-	-
WHITE-----MALE----	4	4	5	9	5	13	4	4	1	-	-	-
FEMALE--	3	3	9	8	9	11	15	9	2	2	-	-
ALL OTHER--MALE----	-	1	2	4	6	1	4	2	-	-	-	-
FEMALE--	1	1	4	1	9	5	3	4	-	-	-	-
BLACK---MALE----	-	1	2	4	5	1	4	2	-	-	-	-
FEMALE--	1	1	4	1	9	5	3	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 984

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	1	-	3	2	1	3	5	2	1	-	-
WHITE-----MALE----	1	1	-	-	1	1	1	2	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	3	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	2	6	4	3	2	-	4	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	1	-	-
FEMALE--	-	-	-	2	5	3	2	2	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	20	15	23	40	53	66	51	43	30	7	2	-
WHITE-----MALE----	12	7	11	16	19	25	26	13	7	1	-	-
FEMALE--	4	6	7	14	25	35	22	22	21	6	1	-
ALL OTHER--MALE----	3	1	2	6	4	-	-	1	1	-	1	-
FEMALE--	1	1	3	4	5	6	3	7	1	-	-	-
BLACK---MALE----	1	1	1	5	4	-	-	1	1	-	1	-
FEMALE--	1	1	3	4	3	6	3	6	1	-	-	-
INDIANA -----	7	6	8	19	20	28	28	22	8	5	-	-
WHITE-----MALE----	6	2	1	12	6	11	12	2	4	-	-	-
FEMALE--	1	3	6	6	12	16	16	18	4	5	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
IOWA -----	2	2	6	2	11	9	12	14	5	3	-	-
WHITE-----MALE----	1	-	3	1	5	3	2	3	1	1	-	-
FEMALE--	1	2	2	1	6	6	10	11	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	3	8	11	4	11	9	10	6	1	-	-
WHITE-----MALE----	-	1	3	7	2	5	2	2	1	-	-	-
FEMALE--	1	1	4	3	2	5	7	8	5	1	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 985

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	112	-	2	1	-	-	-	-	-	-	4	1
WHITE-----MALE----	43	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	56	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	10	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	10	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	170	2	1	2	2	1	-	1	5	3	3	7
WHITE-----MALE----	71	2	-	-	-	1	-	1	2	3	1	2
FEMALE--	54	-	1	-	1	-	-	-	1	-	-	2
ALL OTHER--MALE----	19	-	-	-	1	-	-	-	-	-	2	2
FEMALE--	26	-	-	2	-	-	-	-	2	-	-	1
BLACK---MALE----	19	-	-	-	1	-	-	-	-	-	2	2
FEMALE--	25	-	-	2	-	-	-	-	2	-	-	1
MAINE -----	50	1	-	-	-	1	1	-	-	-	1	-
WHITE-----MALE----	24	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	26	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	162	2	-	2	1	2	3	1	5	8	4	7
WHITE-----MALE----	59	1	-	-	1	2	1	-	2	3	1	1
FEMALE--	60	1	-	-	-	-	1	1	-	2	1	2
ALL OTHER--MALE----	22	-	-	2	-	-	-	-	2	2	1	3
FEMALE--	21	-	-	-	-	-	1	-	1	1	1	1
BLACK---MALE----	21	-	-	1	-	-	-	-	2	2	1	3
FEMALE--	21	-	-	-	-	-	1	-	1	1	1	1
MASSACHUSETTS -----	223	-	-	-	2	-	-	6	5	6	3	4
WHITE-----MALE----	91	-	-	-	-	-	-	5	4	2	2	1
FEMALE--	129	-	-	-	2	-	-	1	1	4	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	270	2	1	-	-	2	2	6	3	6	8	6
WHITE-----MALE----	104	-	-	-	-	1	-	4	1	2	3	1
FEMALE--	131	1	-	-	-	-	1	1	2	2	5	3
ALL OTHER--MALE----	12	-	1	-	-	1	-	1	-	-	-	2
FEMALE--	23	1	-	-	-	-	1	-	-	2	-	-
BLACK---MALE----	11	-	1	-	-	1	-	1	-	-	-	2
FEMALE--	21	1	-	-	-	-	1	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 985

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	2	6	8	8	20	21	16	16	4	3	-	-
WHITE-----MALE----	2	5	5	2	7	8	7	4	-	-	-	-
FEMALE--	-	1	3	6	8	10	8	11	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	4	3	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	4	3	-	1	-	1	-	-
LOUISIANA -----	5	5	9	25	24	24	23	21	6	1	-	-
WHITE-----MALE----	1	3	2	10	13	9	11	9	1	-	-	-
FEMALE--	-	-	4	7	7	12	9	8	2	-	-	-
ALL OTHER--MALE----	2	-	1	6	1	1	2	1	-	-	-	-
FEMALE--	2	2	2	2	3	2	1	3	3	1	-	-
BLACK---MALE----	2	-	1	6	1	1	2	1	-	-	-	-
FEMALE--	2	2	1	2	3	2	1	3	3	1	-	-
MAINE -----	3	2	4	-	5	7	7	11	4	2	1	-
WHITE-----MALE----	1	2	3	-	3	3	2	4	3	1	-	-
FEMALE--	2	-	1	-	2	4	5	7	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	9	17	11	13	23	24	16	8	1	-	-
WHITE-----MALE----	2	5	7	4	6	9	8	4	1	1	-	-
FEMALE--	2	4	4	2	6	11	11	8	4	-	-	-
ALL OTHER--MALE----	1	-	4	2	-	2	1	1	1	-	-	-
FEMALE--	-	-	2	3	1	1	4	3	2	-	-	-
BLACK---MALE----	1	-	4	2	-	2	1	1	1	-	-	-
FEMALE--	-	-	2	3	1	1	4	3	2	-	-	-
MASSACHUSETTS -----	10	7	21	13	26	28	39	28	17	7	1	-
WHITE-----MALE----	2	4	13	8	11	12	14	6	6	1	-	-
FEMALE--	8	3	7	5	15	15	25	21	11	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
MICHIGAN -----	13	11	21	28	29	40	35	33	17	5	2	-
WHITE-----MALE----	7	5	7	14	14	21	7	10	7	-	-	-
FEMALE--	4	5	13	11	9	16	23	20	9	4	2	-
ALL OTHER--MALE----	1	1	-	-	1	2	1	1	-	-	-	-
FEMALE--	1	-	1	3	5	1	4	2	1	1	-	-
BLACK---MALE----	1	1	-	-	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	2	5	1	4	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 988

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)												
OHIO -----	394	1	4	3	2	3	1	6	5	9	6	8
WHITE-----MALE----	155	1	2	1	-	1	-	5	4	6	3	4
FEMALE--	199	-	1	1	1	1	-	-	-	3	3	3
ALL OTHER--MALE----	15	-	1	-	1	-	1	1	-	-	-	1
FEMALE--	25	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	15	-	1	-	1	-	1	1	-	-	-	1
FEMALE--	25	-	-	1	-	1	-	-	1	-	-	-
OKLAHOMA -----	95	1	1	-	-	3	2	1	2	3	2	1
WHITE-----MALE----	39	1	1	-	-	3	-	-	1	3	1	-
FEMALE--	47	-	-	-	-	-	1	1	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	-
OREGON -----	113	1	3	1	-	-	-	-	1	-	2	2
WHITE-----MALE----	57	-	1	1	-	-	-	-	1	-	2	-
FEMALE--	52	1	2	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	474	4	8	3	5	3	1	4	5	8	5	11
WHITE-----MALE----	184	2	4	1	1	-	-	2	2	4	1	3
FEMALE--	258	2	3	2	3	3	1	1	3	4	1	7
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	16	-	1	-	1	-	-	-	-	-	2	-
BLACK---MALE----	16	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	14	-	1	-	1	-	-	-	-	-	2	-
RHODE ISLAND -----	30	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	90	1	-	-	1	-	-	1	2	-	1	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	1	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	13	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	13	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 988

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)												
OHIO -----	13	13	25	37	52	50	58	50	34	10	4	-
WHITE-----MALE----	8	6	11	20	19	23	20	12	7	2	-	-
FEMALE--	4	2	11	13	30	26	33	32	26	5	4	-
ALL OTHER--MALE----	1	1	1	1	2	-	-	3	-	1	-	-
FEMALE--	-	4	2	3	1	1	5	3	1	2	-	-
BLACK---MALE----	1	1	1	1	2	-	-	3	-	1	-	-
FEMALE--	-	4	2	3	1	1	5	3	1	2	-	-
OKLAHOMA -----	1	6	7	7	9	12	10	17	6	3	1	-
WHITE-----MALE----	1	1	3	3	4	5	3	6	2	1	-	-
FEMALE--	-	5	4	1	5	7	4	11	3	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
OREGON -----	3	4	7	10	17	18	16	14	11	3	-	-
WHITE-----MALE----	2	2	5	4	8	9	9	8	4	1	-	-
FEMALE--	1	1	2	5	9	9	7	5	7	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	14	35	36	52	67	86	66	35	10	2	-
WHITE-----MALE----	6	9	17	22	23	26	29	16	12	4	-	-
FEMALE--	5	4	17	10	27	36	55	46	21	6	1	-
ALL OTHER--MALE----	2	-	1	2	1	4	2	1	-	-	-	-
FEMALE--	1	1	-	2	1	1	-	3	2	-	1	-
BLACK---MALE----	2	-	1	2	1	4	2	1	-	-	-	-
FEMALE--	1	-	-	2	1	1	-	2	2	-	1	-
RHODE ISLAND -----	-	4	2	1	4	7	4	4	1	-	-	-
WHITE-----MALE----	-	1	2	1	1	3	-	1	-	-	-	-
FEMALE--	-	3	-	-	3	4	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	4	14	10	12	12	10	11	3	2	1	-
WHITE-----MALE----	2	1	4	4	3	3	2	1	-	1	-	-
FEMALE--	1	3	7	2	3	6	3	7	2	-	-	-
ALL OTHER--MALE----	-	-	3	1	3	1	-	1	1	1	-	-
FEMALE--	-	-	-	3	3	2	5	2	-	-	1	-
BLACK---MALE----	-	-	3	1	3	1	-	1	1	1	-	-
FEMALE--	-	-	-	3	3	2	5	2	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 989

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX TOTAL UND 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	19	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	108	4	-	3	1	1	-	1	3	3	2	-
WHITE-----MALE----	33	4	-	1	-	1	-	-	1	1	1	-
FEMALE--	58	-	-	2	1	-	-	1	1	2	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	361	5	-	1	2	1	2	8	2	10	10	11
WHITE-----MALE----	154	1	-	-	-	-	1	5	2	5	4	5
FEMALE--	159	4	-	1	1	-	-	2	-	4	3	1
ALL OTHER--MALE----	14	-	-	-	1	1	-	1	-	-	1	1
FEMALE--	34	-	-	-	-	-	1	-	-	1	2	4
BLACK---MALE----	14	-	-	-	1	1	-	1	-	-	1	1
FEMALE--	29	-	-	-	-	-	1	-	-	1	-	4
UTAH -----	67	1	-	-	1	1	1	2	3	3	4	3
WHITE-----MALE----	29	-	-	-	-	1	-	2	2	3	1	2
FEMALE--	38	1	-	-	1	-	1	-	1	-	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	18	-	-	1	1	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	218	1	1	4	2	3	3	2	4	8	8	8
WHITE-----MALE----	87	1	-	1	1	2	-	-	2	4	2	5
FEMALE--	85	-	-	2	-	1	-	1	1	2	2	3
ALL OTHER--MALE----	22	-	1	-	1	-	2	1	1	1	2	-
FEMALE--	24	-	-	1	-	-	1	-	-	1	2	-
BLACK---MALE----	22	-	1	-	1	-	2	1	1	1	2	-
FEMALE--	23	-	-	1	-	-	1	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 989

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	5	1	2	4	4	2	1	-	-
WHITE-----MALE----	-	-	-	3	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	2	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	4	3	14	8	11	20	16	9	-	-	-
WHITE-----MALE----	1	1	1	6	3	2	7	-	3	-	-	-
FEMALE--	3	2	2	5	2	8	8	14	6	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	3	2	-	-	-	-
FEMALE--	1	-	-	3	1	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	1	3	2	-	-	-	-
FEMALE--	1	-	-	3	1	-	2	-	-	-	-	-
TEXAS -----	14	10	13	33	40	44	61	50	35	7	2	-
WHITE-----MALE----	10	6	8	11	16	22	22	19	13	3	1	-
FEMALE--	2	4	1	17	20	21	34	22	17	4	1	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	4	2	-	-	-
FEMALE--	2	-	4	3	3	1	5	5	3	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	4	2	-	-	-
FEMALE--	1	-	4	3	3	-	4	5	3	-	-	-
UTAH -----	-	3	3	3	4	5	13	15	2	-	-	-
WHITE-----MALE----	-	2	1	1	1	3	5	4	1	-	-	-
FEMALE--	-	1	2	2	3	2	8	11	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	2	2	2	3	3	2	-	-	-
WHITE-----MALE----	-	-	-	2	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	8	20	15	28	26	43	20	6	2	-	-
WHITE-----MALE----	1	5	9	11	13	11	13	4	1	1	-	-
FEMALE--	4	3	6	1	11	9	22	12	4	1	-	-
ALL OTHER--MALE----	-	-	2	-	3	3	2	3	-	-	-	-
FEMALE--	1	-	3	3	1	3	6	1	1	-	-	-
BLACK---MALE----	-	-	2	-	3	3	2	3	-	-	-	-
FEMALE--	1	-	3	3	1	3	6	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 991
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
0 UNITED STATES --	64	50	82	131	187	229	222	187	82	15	7	-
WHITE-----MALE----	21	16	28	32	66	86	66	46	20	3	-	-
FEMALE--	27	25	29	67	84	112	130	117	50	9	5	-
ALL OTHER--MALE----	6	1	13	13	13	11	9	6	3	-	1	-
FEMALE--	10	8	12	19	24	20	17	18	9	3	1	-
BLACK---MALE----	5	1	10	12	13	10	7	4	3	-	1	-
FEMALE--	6	6	11	17	19	18	17	15	8	3	-	-
ALABAMA -----	-	-	-	2	3	4	2	7	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	1	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	2	-	2	2	2	-	-	-	-	-
WHITE-----MALE----	1	2	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	2	1	2	5	5	2	4	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
CALIFORNIA -----	7	5	3	14	19	18	26	22	7	4	1	-
WHITE-----MALE----	1	1	1	3	8	8	14	5	2	1	-	-
FEMALE--	1	2	1	9	6	9	10	15	3	3	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	2	1	1	-	-	-
FEMALE--	3	1	1	2	4	1	-	1	1	-	1	-
BLACK---MALE----	1	1	-	-	1	-	1	-	1	-	-	-
FEMALE--	1	-	1	2	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 992
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
COLORADO -----	1	1	-	-	2	3	3	2	1	-	-	-
WHITE-----MALE----	1	-	-	-	2	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	3	-	2	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	1	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	-	-	-	-
FLORIDA -----	4	3	4	11	15	18	22	14	7	-	1	-
WHITE-----MALE----	1	1	1	5	6	8	6	3	2	-	-	-
FEMALE--	2	1	2	4	8	8	13	9	4	-	1	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	1	1	-	-	-
FEMALE--	-	1	-	1	1	2	3	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	1	1	-	-	-
FEMALE--	-	1	-	1	1	2	3	1	-	-	-	-
GEORGIA -----	2	1	4	2	4	5	4	6	1	-	-	-
WHITE-----MALE----	1	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	1	1	-	1	3	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 993
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
HAWAII -----	-	-	-	1	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	2	3	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	3	2	4	9	12	12	9	3	1	2	-
WHITE-----MALE----	2	-	1	1	3	4	3	2	-	-	-	-
FEMALE--	2	2	-	2	6	3	7	6	2	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	1	1	-	-	5	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	1	1	-	-	5	2	1	1	-	-	-
INDIANA -----	-	1	2	1	1	6	4	4	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	3	2	-	-	-	-	-
FEMALE--	-	-	2	1	-	2	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	1	2	1	6	2	1	5	1	-	-	-
WHITE-----MALE----	1	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	3	2	1	5	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	2	2	1	1	2	3	3	2	1	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	1	1	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 994
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BENIGN NEOPLASMS (210-229)												
KENTUCKY -----	17	-	-	1	-	-	-	-	-	-	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	30	-	-	-	1	-	-	-	2	1	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	2	-	-	1
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	2	-	-	1
MAINE -----	7	1	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	22	-	-	-	-	-	1	-	-	2	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	28	-	-	-	1	-	-	1	1	1	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	22	-	-	-	1	-	-	1	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	64	1	1	-	-	1	1	2	1	1	3	3
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	31	-	-	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	5	-	1	-	-	1	-	-	-	-	-	1
FEMALE--	11	1	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	4	-	1	-	-	1	-	-	-	-	-	1
FEMALE--	10	1	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 994
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
KENTUCKY -----	1	1	-	2	3	3	3	-	1	-	-	-
WHITE-----MALE----	1	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	1	1	1	6	3	3	3	5	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	1	2	1	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	-	1	1	-	-	-
MAINE -----	1	-	1	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	4	1	-	3	5	2	1	-	-	-
WHITE-----MALE----	1	1	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MASSACHUSETTS -----	1	-	3	1	2	7	6	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	1	2	5	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	2	1	5	9	7	8	8	3	2	1	-
WHITE-----MALE----	1	1	-	2	4	3	1	1	1	-	-	-
FEMALE--	2	1	-	2	2	3	5	7	2	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	3	-	2	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	2	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 997
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
OHIO -----	-	3	5	9	9	9	9	8	5	2	-	-
WHITE-----MALE----	-	-	1	2	1	3	2	5	-	-	-	-
FEMALE--	-	2	3	5	7	6	4	2	5	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	3	1	-	1	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	3	1	-	1	-	-
OKLAHOMA -----	-	1	2	1	3	4	1	1	1	1	1	-
WHITE-----MALE----	-	-	1	-	2	1	-	-	-	1	-	-
FEMALE--	-	1	1	1	1	3	-	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	1	-	1	1	6	5	4	1	3	-	-	-
WHITE-----MALE----	-	-	1	-	4	4	1	1	2	-	-	-
FEMALE--	1	-	-	1	2	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	3	3	8	7	13	16	12	4	1	1	-
WHITE-----MALE----	1	1	2	3	3	4	7	4	2	1	-	-
FEMALE--	3	2	1	4	4	7	9	7	2	-	1	-
ALL OTHER--MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	2	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	3	2	5	2	2	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 998
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BENIGN NEOPLASMS (210-229)												
SOUTH DAKOTA -----	-	-	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	1	7	2	-	5	5	2	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	2	-	1	-	-	-
FEMALE--	2	1	-	4	2	-	1	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
TEXAS -----	5	1	3	4	13	16	15	12	8	-	-	-
WHITE-----MALE----	3	1	1	-	4	7	6	3	3	-	-	-
FEMALE--	-	-	-	3	6	9	9	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	2	1	2	-	-	4	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	2	-	-	4	2	-	-	-
UTAH -----	-	2	-	1	1	-	1	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	2	3	2	4	5	3	4	1	-	-	-
WHITE-----MALE----	1	2	2	-	2	-	1	1	1	-	-	-
FEMALE--	1	-	1	1	2	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,003
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF FEMALE GENITAL ORGANS (218-221)												
KENTUCKY -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	-	-	-	-	-	-	-	-	1	1	-
WHITE-----FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,010
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)												
COLORADO -----	-	1	-	-	2	2	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	-	-	1	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	2	1	3	7	10	12	12	10	6	-	1	-
WHITE-----MALE----	1	-	1	2	4	5	3	2	2	-	-	-
FEMALE--	1	-	2	4	6	6	8	7	4	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
GEORGIA -----	2	-	3	1	3	5	2	4	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	3	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,012
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)												
KENTUCKY -----	1	1	-	1	1	2	2	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	5	1	3	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
MAINE -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	2	1	-	2	2	2	1	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MASSACHUSETTS -----	1	-	2	-	2	3	6	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	3	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	1	1	2	4	5	7	5	3	2	-	-
WHITE-----MALE----	1	1	-	1	2	1	1	1	1	-	-	-
FEMALE--	2	-	-	1	-	3	4	4	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	2	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,015
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)												
OHIO -----	-	3	4	6	5	9	8	6	3	2	-	-
WHITE-----MALE----	-	-	-	2	-	3	2	4	-	-	-	-
FEMALE--	-	2	3	2	5	6	3	2	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	3	-	-	1	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	3	-	-	1	-	-
OKLAHOMA -----	-	1	1	1	2	3	1	-	1	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	1	-	-
FEMALE--	-	1	-	1	1	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	-	-	1	1	5	3	3	1	3	-	-	-
WHITE-----MALE----	-	-	1	-	4	2	-	1	2	-	-	-
FEMALE--	-	-	-	1	1	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	2	5	5	13	15	10	4	1	1	-
WHITE-----MALE----	1	1	2	2	2	4	7	2	2	1	-	-
FEMALE--	1	2	-	2	3	7	8	7	2	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	2	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	1	3	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,016

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)												
SOUTH DAKOTA -----	-	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	3	2	-	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	1	-	2	2	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	1	-	2	4	11	13	11	8	5	-	-	-
WHITE-----MALE----	1	-	-	-	3	6	5	2	1	-	-	-
FEMALE--	-	-	-	3	5	7	6	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	-	-	3	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	-	-	3	1	-	-	-
UTAH -----	-	1	-	1	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	3	-	3	2	2	2	-	-	-	-
WHITE-----MALE----	-	1	2	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	2	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,018
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)												
0 UNITED STATES --	25	19	25	39	55	62	58	50	24	3	4	-
WHITE-----MALE----	8	7	8	14	23	30	25	18	4	-	-	-
FEMALE--	10	9	8	16	17	24	27	23	15	3	3	-
ALL OTHER--MALE----	3	1	5	4	5	4	2	4	3	-	-	-
FEMALE--	4	2	4	5	10	4	4	5	2	-	1	-
BLACK---MALE----	3	1	5	3	5	4	2	3	3	-	-	-
FEMALE--	3	2	4	5	8	4	4	5	2	-	-	-
ALABAMA -----	-	-	-	-	3	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	1	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	2	-	-	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	2	1	3	5	5	10	5	4	2	1	-
WHITE-----MALE----	-	-	-	1	3	4	9	3	-	-	-	-
FEMALE--	-	1	1	2	1	1	1	2	2	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	1	-
BLACK---MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,019

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)												
COLORADO -----	1	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	3	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
FLORIDA -----	2	2	1	4	4	5	8	4	1	-	-	-
WHITE-----MALE----	-	1	-	3	2	3	3	1	-	-	-	-
FEMALE--	1	1	-	-	2	2	3	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
GEORGIA -----	-	1	1	1	1	-	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,020
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)												
HAWAII -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	1	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	2	-	1	1	4	-	1	1	-	1	-
WHITE-----MALE----	1	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
INDIANA -----	-	-	-	-	-	3	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	1	-	-	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	2	-	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,021
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)												
KENTUCKY -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	12	-	-	-	1	-	-	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	5	1	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	-	-	-	-	-	1	-	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	10	-	-	-	1	-	-	1	1	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	21	1	1	-	-	1	1	-	1	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,021
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)												
KENTUCKY -----	-	-	-	1	1	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	1	1	2	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	1	-	-	-	-
MAINE -----	-	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	2	-	-	1	3	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	1	-	4	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	-	3	5	2	1	2	-	-	1	-
WHITE-----MALE----	-	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	1	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,054
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
0 UNITED STATES --	53	52	88	156	233	289	345	260	109	46	6	-
WHITE-----MALE----	24	31	35	90	101	122	141	82	34	12	2	-
FEMALE--	21	13	41	47	108	145	184	158	66	32	2	-
ALL OTHER--MALE----	3	4	6	11	11	7	11	10	3	-	-	-
FEMALE--	5	4	6	8	13	15	9	10	6	2	2	-
BLACK---MALE----	2	4	6	11	10	7	9	9	3	-	-	-
FEMALE--	5	3	6	8	10	13	9	7	5	1	2	-
ALABAMA -----	-	1	-	2	2	5	6	2	-	-	1	-
WHITE-----MALE----	-	-	-	2	2	2	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	1	2	3	8	6	3	-	1	-	-
WHITE-----MALE----	1	-	1	1	-	6	5	1	-	-	-	-
FEMALE--	1	-	-	1	3	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	1	-	4	5	3	3	2	1	-	-
WHITE-----MALE----	1	-	-	-	2	3	2	-	2	1	-	-
FEMALE--	-	1	1	-	2	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	5	8	8	21	22	26	21	8	4	-	-
WHITE-----MALE----	5	2	6	5	10	8	10	7	5	1	-	-
FEMALE--	3	2	2	3	8	12	13	12	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	2	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,055
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
COLORADO -----	-	1	1	-	2	2	3	2	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	2	-	6	7	6	1	1	-	-
WHITE-----MALE----	-	1	1	1	-	-	2	3	-	-	-	-
FEMALE--	-	-	-	1	-	5	5	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	2	2	-	3	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	-	1	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	3	1	4	13	20	22	34	18	7	1	-	-
WHITE-----MALE----	1	-	1	6	8	12	14	9	2	-	-	-
FEMALE--	1	-	3	4	11	8	19	8	5	1	-	-
ALL OTHER--MALE----	-	-	-	3	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	3	5	2	6	7	8	6	1	-	-	-
WHITE-----MALE----	-	2	1	2	-	3	2	1	1	-	-	-
FEMALE--	1	-	2	-	3	2	5	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	2	-	3	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	2	-	3	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,057
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
KENTUCKY -----	-	3	1	2	5	-	3	5	-	1	-	-
WHITE-----MALE----	-	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	3	-	2	5	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
LOUISIANA -----	1	-	-	5	7	5	5	5	1	-	-	-
WHITE-----MALE----	-	-	-	2	7	2	2	3	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	1	-	-	-	2	1	3	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	2	1	5	7	3	2	2	1	-	-
WHITE-----MALE----	-	1	-	-	2	2	2	-	-	1	-	-
FEMALE--	-	-	2	1	3	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	2	1	4	3	7	5	10	4	3	2	1	-
WHITE-----MALE----	1	1	4	2	2	1	2	-	-	-	-	-
FEMALE--	1	-	-	1	5	4	8	4	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	2	6	12	9	15	12	9	2	-	-	-
WHITE-----MALE----	2	1	2	8	5	8	5	5	-	-	-	-
FEMALE--	1	1	4	4	3	5	7	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,060
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
OHIO -----	4	3	1	7	14	8	12	14	11	3	1	-
WHITE-----MALE----	1	2	1	4	7	4	4	2	5	1	-	-
FEMALE--	2	-	-	3	5	4	7	10	6	2	1	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
OKLAHOMA -----	-	1	1	4	1	2	2	5	2	2	-	-
WHITE-----MALE----	-	-	-	2	1	1	1	1	1	-	-	-
FEMALE--	-	1	1	-	-	1	1	4	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
OREGON -----	-	-	2	3	2	5	6	3	1	3	-	-
WHITE-----MALE----	-	-	1	2	-	-	5	2	-	1	-	-
FEMALE--	-	-	1	1	2	5	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	5	5	14	13	18	14	11	2	-	-
WHITE-----MALE----	1	2	2	4	6	8	9	2	2	1	-	-
FEMALE--	1	-	2	-	8	5	9	11	8	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
RHODE ISLAND -----	-	-	2	-	2	2	-	2	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	5	2	2	3	-	2	1	-	1	-
WHITE-----MALE----	-	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	2	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,061
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)												
SOUTH DAKOTA -----	-	-	-	-	-	-	3	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	2	3	1	3	6	4	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	4	-	2	-	-	-
FEMALE--	-	-	2	1	-	3	1	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	2	3	2	13	11	5	22	12	6	2	1	-
WHITE-----MALE----	1	2	1	6	6	5	7	7	2	1	1	-
FEMALE--	1	1	-	5	5	-	14	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	-	-	-	-
UTAH -----	-	-	1	1	-	2	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	1	1	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	5	5	8	6	16	7	1	1	-	-
WHITE-----MALE----	-	-	1	5	1	3	7	2	-	-	-	-
FEMALE--	-	-	1	-	5	3	6	3	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,063
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
0 UNITED STATES --	164	214	318	402	498	580	630	549	294	96	15	-
WHITE-----MALE----	96	104	151	198	212	258	211	135	88	20	1	-
FEMALE--	45	80	130	149	232	282	357	352	182	68	12	-
ALL OTHER--MALE----	12	15	15	22	28	14	24	29	7	2	1	-
FEMALE--	11	15	22	33	26	26	38	33	17	6	1	-
BLACK---MALE----	11	15	13	19	25	14	21	23	6	2	1	-
FEMALE--	10	13	19	29	23	23	32	30	16	4	1	-
ALABAMA -----	1	8	5	12	7	13	14	14	5	1	-	-
WHITE-----MALE----	1	4	2	3	2	5	4	3	2	-	-	-
FEMALE--	-	2	3	4	4	5	6	8	3	1	-	-
ALL OTHER--MALE----	-	1	-	3	-	1	3	1	-	-	-	-
FEMALE--	-	1	-	2	1	2	1	2	-	-	-	-
BLACK---MALE----	-	1	-	3	-	1	3	1	-	-	-	-
FEMALE--	-	1	-	2	1	2	1	2	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	4	8	17	11	9	7	2	-	1	-
WHITE-----MALE----	2	2	2	5	8	3	4	-	1	-	1	-
FEMALE--	-	1	-	2	9	8	5	7	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	-	5	3	2	2	7	3	1	-	-
WHITE-----MALE----	1	1	-	-	1	-	-	3	-	-	-	-
FEMALE--	-	1	-	3	2	1	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	1	-	-
CALIFORNIA -----	10	15	16	28	39	24	44	35	16	11	4	-
WHITE-----MALE----	5	4	3	11	18	9	14	8	5	1	-	-
FEMALE--	5	7	11	15	16	13	24	20	8	9	3	-
ALL OTHER--MALE----	-	3	1	1	3	1	2	4	1	-	1	-
FEMALE--	-	1	1	1	2	1	4	3	2	1	-	-
BLACK---MALE----	-	3	-	1	3	1	-	1	1	-	1	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,064
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
COLORADO -----	53	-	1	1	-	-	-	-	2	-	2	2
WHITE-----MALE----	23	-	1	-	-	-	-	-	1	-	1	2
FEMALE--	24	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	89	1	-	-	-	1	-	-	-	1	2	4
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	54	1	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	11	-	1	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	221	1	1	1	-	-	1	-	2	4	3	3
WHITE-----MALE----	88	1	-	-	-	-	-	-	2	1	1	2
FEMALE--	102	-	-	1	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	16	-	1	-	-	-	-	-	-	2	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	16	-	1	-	-	-	-	-	-	2	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	-
GEORGIA -----	124	1	-	-	2	-	-	2	5	4	6	5
WHITE-----MALE----	42	1	-	-	1	-	-	2	3	1	1	1
FEMALE--	49	-	-	-	-	-	-	-	1	1	3	3
ALL OTHER--MALE----	17	-	-	-	1	-	-	-	1	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	16	-	-	-	1	-	-	-	1	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,064
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
COLORADO -----	1	2	5	6	4	7	5	10	4	1	-	-
WHITE-----MALE----	-	1	3	3	3	2	2	1	2	1	-	-
FEMALE--	-	1	2	2	1	4	2	8	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	7	4	8	9	14	19	9	5	3	-	-
WHITE-----MALE----	1	5	2	4	3	4	5	4	1	1	-	-
FEMALE--	1	1	2	4	6	10	14	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	1	-	-	2	4	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	4	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	4	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	4	-	-	1	1	-	-	-	-	-
FLORIDA -----	5	9	13	28	27	37	30	34	16	5	1	-
WHITE-----MALE----	1	2	5	15	12	21	8	9	6	2	-	-
FEMALE--	3	5	7	8	12	10	20	21	9	3	1	-
ALL OTHER--MALE----	-	2	-	2	3	2	1	2	-	-	-	-
FEMALE--	1	-	1	3	-	4	1	2	1	-	-	-
BLACK---MALE----	-	2	-	2	3	2	1	2	-	-	-	-
FEMALE--	1	-	1	3	-	4	1	1	1	-	-	-
GEORGIA -----	4	5	11	18	19	18	14	7	1	2	-	-
WHITE-----MALE----	3	2	3	7	4	9	2	2	-	-	-	-
FEMALE--	1	2	6	8	5	6	7	3	1	2	-	-
ALL OTHER--MALE----	-	1	1	2	5	-	3	1	-	-	-	-
FEMALE--	-	-	1	1	5	3	2	1	-	-	-	-
BLACK---MALE----	-	1	1	2	4	-	3	1	-	-	-	-
FEMALE--	-	-	1	1	5	3	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,066
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
KENTUCKY -----	74	-	1	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	34	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	105	1	1	2	1	-	-	1	1	2	3	3
WHITE-----MALE----	46	1	-	-	-	-	-	1	1	2	1	1
FEMALE--	35	-	1	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	15	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	14	-	-	2	-	-	-	-	-	-	-	-
MAINE -----	35	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	111	1	-	2	1	2	1	1	4	5	3	6
WHITE-----MALE----	42	1	-	-	1	2	1	-	2	2	-	-
FEMALE--	39	-	-	-	-	-	-	1	-	2	1	2
ALL OTHER--MALE----	14	-	-	2	-	-	-	-	1	1	1	3
FEMALE--	16	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	13	-	-	1	-	-	-	-	1	1	1	3
FEMALE--	16	-	-	-	-	-	-	-	1	-	1	1
MASSACHUSETTS -----	149	-	-	-	1	-	-	5	1	5	2	2
WHITE-----MALE----	71	-	-	-	-	-	-	5	1	2	1	1
FEMALE--	76	-	-	-	1	-	-	-	-	3	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	132	1	-	-	-	1	1	3	2	5	4	2
WHITE-----MALE----	50	-	-	-	-	1	-	2	1	2	2	-
FEMALE--	66	1	-	-	-	-	1	-	1	2	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,066
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
KENTUCKY -----	1	2	7	4	12	18	10	11	3	2	-	-
WHITE-----MALE----	1	2	5	1	6	7	5	4	-	-	-	-
FEMALE--	-	-	2	3	5	8	4	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	1	-	1	-	-
LOUISIANA -----	3	4	8	14	14	16	15	11	4	1	-	-
WHITE-----MALE----	1	3	2	7	6	7	8	4	1	-	-	-
FEMALE--	-	-	3	4	6	8	5	5	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	1	1	2	2	1	-	1	2	2	1	-	-
BLACK---MALE----	1	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	1	2	2	1	-	-
MAINE -----	2	1	3	-	4	5	6	7	3	2	1	-
WHITE-----MALE----	1	1	3	-	3	3	2	2	2	1	-	-
FEMALE--	1	-	-	-	1	2	4	5	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	7	11	9	8	13	16	12	5	-	-	-
WHITE-----MALE----	1	3	6	3	4	7	5	3	1	-	-	-
FEMALE--	2	4	1	1	3	6	7	7	2	-	-	-
ALL OTHER--MALE----	1	-	2	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	3	1	-	3	2	2	-	-	-
BLACK---MALE----	1	-	2	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	3	1	-	3	2	2	-	-	-
MASSACHUSETTS -----	7	6	14	9	17	16	23	22	14	5	-	-
WHITE-----MALE----	1	3	8	6	9	9	12	6	6	1	-	-
FEMALE--	6	3	6	3	8	6	11	15	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	6	7	14	11	11	17	15	16	12	3	1	-
WHITE-----MALE----	4	3	5	4	5	10	1	4	6	-	-	-
FEMALE--	1	3	9	5	4	7	11	9	5	3	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	2	1	-	2	2	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	2	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,069
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
OHIO -----	243	-	3	3	1	2	1	5	3	6	4	6
WHITE-----MALE----	105	-	2	1	-	1	-	5	3	4	2	4
FEMALE--	121	-	1	1	1	1	-	-	-	2	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	14	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	14	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	50	-	1	-	-	1	-	-	1	2	1	1
WHITE-----MALE----	23	-	1	-	-	1	-	-	1	2	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	61	-	1	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	31	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	26	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	304	1	8	2	5	3	1	2	5	6	4	9
WHITE-----MALE----	117	1	4	1	1	-	-	2	2	4	1	2
FEMALE--	166	-	3	1	3	3	1	-	3	2	1	6
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	1	-	1	-	-	-	-	-	2	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	1	-	1	-	-	-	-	-	2	-
RHODE ISLAND -----	14	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	51	-	-	-	1	-	-	-	2	-	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,069
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
OHIO -----	9	7	19	21	29	33	37	28	18	5	3	-
WHITE-----MALE----	7	4	9	14	11	16	14	5	2	1	-	-
FEMALE--	2	-	8	5	18	16	22	20	15	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	3	2	2	-	1	1	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	3	2	2	-	1	1	2	1	1	-	-
OKLAHOMA -----	1	4	4	2	5	6	7	11	3	-	-	-
WHITE-----MALE----	1	1	2	1	1	3	2	5	1	-	-	-
FEMALE--	-	3	2	-	4	3	3	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	4	4	6	9	8	6	10	7	-	-	-
WHITE-----MALE----	2	2	3	2	4	5	3	5	2	-	-	-
FEMALE--	-	1	1	3	5	3	3	4	5	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	9	27	23	31	41	52	40	20	7	1	-
WHITE-----MALE----	4	6	13	15	14	14	13	10	8	2	-	-
FEMALE--	1	2	14	6	15	24	37	28	11	5	-	-
ALL OTHER--MALE----	1	-	-	1	1	2	2	1	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	1	1	-	1	-
BLACK---MALE----	1	-	-	1	1	2	2	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	1	1	-	1	-
RHODE ISLAND -----	-	3	-	1	-	4	3	2	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	-	-	3	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	6	6	5	7	8	9	1	2	-	-
WHITE-----MALE----	2	-	2	2	3	1	2	1	-	1	-	-
FEMALE--	-	2	3	2	1	4	2	5	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	2	-	1	4	2	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	2	-	1	4	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,070
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
SOUTH DAKOTA -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	48	-	-	1	-	1	-	1	2	1	-	-
WHITE-----MALE----	15	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	25	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	177	1	-	-	1	1	1	4	1	7	3	7
WHITE-----MALE----	80	1	-	-	-	-	1	3	1	4	2	4
FEMALE--	76	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	10	-	-	-	1	1	-	1	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	10	-	-	-	1	1	-	1	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
UTAH -----	40	-	-	-	1	-	-	1	2	2	-	2
WHITE-----MALE----	15	-	-	-	-	-	-	1	1	2	-	2
FEMALE--	25	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	129	1	1	2	2	1	2	2	3	6	4	6
WHITE-----MALE----	51	1	-	-	1	1	-	-	1	3	-	4
FEMALE--	49	-	-	1	-	-	-	1	1	1	1	2
ALL OTHER--MALE----	14	-	1	-	1	-	1	1	1	1	2	-
FEMALE--	15	-	-	1	-	-	1	-	-	1	1	-
BLACK---MALE----	14	-	1	-	1	-	1	1	1	1	2	-
FEMALE--	14	-	-	1	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,070
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NEOPLASMS OF UNSPECIFIED NATURE (239)												
SOUTH DAKOTA -----	-	-	-	4	-	1	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	3	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	-	4	5	8	9	7	5	-	-	-
WHITE-----MALE----	1	1	-	4	3	2	1	-	-	-	-	-
FEMALE--	1	1	-	-	5	6	5	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
TEXAS -----	7	6	8	14	16	23	24	26	21	5	1	-
WHITE-----MALE----	6	3	6	5	6	10	9	9	8	2	-	-
FEMALE--	1	3	1	8	9	12	11	13	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	4	2	-	-	-
FEMALE--	-	-	1	1	1	1	4	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	4	2	-	-	-
FEMALE--	-	-	1	1	1	-	3	-	1	-	-	-
UTAH -----	-	1	2	1	3	3	10	10	2	-	-	-
WHITE-----MALE----	-	1	1	-	-	2	4	-	1	-	-	-
FEMALE--	-	-	1	1	3	1	6	10	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	-	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	6	12	8	16	15	24	9	4	1	-	-
WHITE-----MALE----	-	3	6	6	10	8	5	1	-	1	-	-
FEMALE--	3	3	4	-	4	3	15	7	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	1	-	1	2	1	2	3	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	1	-	1	2	1	2	3	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,072
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
0 UNITED STATES --	79,620	320	147	78	118	194	282	460	828	1,278	1,667	2,302
WHITE-----MALE----	28,408	133	71	34	47	87	113	180	366	540	752	1,020
FEMALE--	36,326	92	43	32	56	66	93	130	214	348	449	640
ALL OTHER--MALE----	6,169	48	17	8	5	24	48	85	150	223	266	355
FEMALE--	8,717	47	16	4	10	17	28	65	98	167	200	287
BLACK---MALE----	5,426	40	14	6	5	21	43	82	141	212	243	323
FEMALE--	7,801	38	11	4	8	16	24	62	90	158	188	269
ALABAMA -----	1,559	6	5	-	3	3	6	9	16	32	39	54
WHITE-----MALE----	421	4	2	-	2	2	2	3	7	12	11	17
FEMALE--	565	1	2	-	1	-	2	2	3	7	7	11
ALL OTHER--MALE----	203	1	-	-	-	-	2	2	5	9	9	8
FEMALE--	370	-	1	-	-	1	-	2	1	4	12	18
BLACK---MALE----	201	1	-	-	-	-	2	2	5	9	9	8
FEMALE--	369	-	1	-	-	1	-	2	1	4	12	18
ALASKA -----	78	-	-	-	2	-	-	1	2	1	3	2
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	33	-	-	-	2	-	-	-	1	-	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,148	4	-	1	1	3	7	8	13	15	30	28
WHITE-----MALE----	437	3	-	-	-	2	4	5	10	4	9	13
FEMALE--	565	1	-	1	1	1	2	2	9	15	8	8
ALL OTHER--MALE----	61	-	-	-	-	-	2	1	1	1	4	4
FEMALE--	85	-	-	-	-	-	-	-	1	2	3	3
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	2
ARKANSAS -----	764	6	2	-	1	2	2	2	3	12	22	25
WHITE-----MALE----	251	1	-	-	1	1	2	-	2	6	9	11
FEMALE--	356	2	2	-	-	-	-	-	1	5	9	8
ALL OTHER--MALE----	57	1	-	-	-	1	-	2	-	1	3	2
FEMALE--	100	2	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	56	1	-	-	-	1	-	2	-	1	3	2
FEMALE--	100	2	-	-	-	-	-	-	-	-	1	4
CALIFORNIA -----	6,479	45	19	12	10	22	31	46	85	124	145	205
WHITE-----MALE----	2,450	21	9	5	6	11	14	24	41	58	70	93
FEMALE--	2,799	16	8	6	4	9	7	8	22	38	52	64
ALL OTHER--MALE----	563	6	-	1	-	1	6	7	15	16	17	28
FEMALE--	667	2	2	-	-	1	4	7	7	12	6	20
BLACK---MALE----	338	2	-	-	-	1	6	7	10	12	13	23
FEMALE--	382	-	-	-	-	-	3	5	6	8	6	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,072
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
0 UNITED STATES --	3,038	4,112	5,738	8,384	10,936	11,636	11,458	8,974	5,327	1,888	453	2
WHITE-----MALE----	1,272	1,701	2,267	3,303	4,190	4,427	3,837	2,474	1,207	329	58	-
FEMALE--	934	1,317	2,016	3,308	4,680	5,366	5,947	5,412	3,513	1,350	319	1
ALL OTHER--MALE----	454	510	640	751	774	686	555	316	183	50	21	-
FEMALE--	378	584	815	1,022	1,292	1,157	1,119	772	424	159	55	1
BLACK---MALE----	398	443	568	666	671	589	477	265	159	41	19	-
FEMALE--	345	523	717	898	1,153	1,015	995	700	388	148	50	1
ALABAMA -----	69	78	112	148	212	192	221	200	107	41	6	-
WHITE-----MALE----	22	30	35	40	64	48	60	44	13	3	-	-
FEMALE--	17	19	33	55	73	77	99	93	44	17	2	-
ALL OTHER--MALE----	19	10	18	20	19	25	19	23	10	4	-	-
FEMALE--	11	19	26	33	56	42	43	40	40	17	4	-
BLACK---MALE----	18	10	18	20	19	24	19	23	10	4	-	-
FEMALE--	11	18	26	33	56	42	43	40	40	17	4	-
ALASKA -----	2	4	2	7	18	15	12	4	3	-	-	-
WHITE-----MALE----	-	2	1	3	6	6	4	1	-	-	-	-
FEMALE--	2	1	1	3	9	3	4	2	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	4	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ARIZONA -----	50	70	86	128	137	178	172	120	66	27	4	-
WHITE-----MALE----	26	30	28	62	55	68	57	38	17	5	1	-
FEMALE--	16	25	40	46	64	92	97	77	44	20	3	-
ALL OTHER--MALE----	3	10	10	6	7	5	3	2	2	-	-	-
FEMALE--	5	5	8	14	11	13	15	3	3	2	-	-
BLACK---MALE----	-	4	2	2	3	3	2	-	-	-	-	-
FEMALE--	-	1	2	4	4	6	4	2	-	1	-	-
ARKANSAS -----	23	41	42	73	83	115	119	111	56	19	5	-
WHITE-----MALE----	6	16	16	28	34	41	31	30	12	4	-	-
FEMALE--	7	15	16	27	37	50	64	65	34	11	3	-
ALL OTHER--MALE----	4	5	2	4	4	8	12	2	4	1	1	-
FEMALE--	6	5	8	14	8	16	12	14	6	3	1	-
BLACK---MALE----	3	5	2	4	4	8	12	2	4	1	1	-
FEMALE--	6	5	8	14	8	16	12	14	6	3	1	-
CALIFORNIA -----	296	342	527	758	950	1,001	834	614	305	85	23	-
WHITE-----MALE----	116	141	229	294	355	367	319	177	79	18	3	-
FEMALE--	105	116	182	316	399	455	390	353	177	55	17	-
ALL OTHER--MALE----	40	45	47	69	90	73	43	33	20	4	2	-
FEMALE--	35	40	69	79	106	106	82	51	29	8	1	-
BLACK---MALE----	24	30	31	47	46	36	21	16	10	2	1	-
FEMALE--	22	26	39	50	61	55	38	24	15	7	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,073
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
COLORADO -----	809	6	-	1	2	2	1	6	16	17	25	22
WHITE-----MALE----	319	3	-	1	-	-	1	4	7	11	12	12
FEMALE--	446	1	-	-	2	2	-	2	8	6	12	9
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	25	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	1	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	789	3	-	1	2	1	2	2	10	6	15	19
WHITE-----MALE----	295	2	-	1	1	-	1	-	4	3	5	9
FEMALE--	410	1	-	-	1	-	1	1	4	-	7	6
ALL OTHER--MALE----	31	-	-	-	-	-	-	1	1	-	3	1
FEMALE--	53	-	-	-	-	1	-	-	1	3	-	3
BLACK---MALE----	30	-	-	-	-	-	-	1	1	-	3	1
FEMALE--	51	-	-	-	-	1	-	-	1	2	-	3
DELAWARE -----	263	-	1	-	-	1	2	1	1	3	8	5
WHITE-----MALE----	76	-	-	-	-	-	-	1	1	1	4	1
FEMALE--	109	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	-	-	-	2	-	-	1	4	2
FEMALE--	44	-	-	-	-	1	-	-	-	1	-	2
BLACK---MALE----	32	-	-	-	-	-	2	-	-	1	4	2
FEMALE--	42	-	-	-	-	1	-	-	-	1	-	2
DISTRICT OF COLUMBIA ----	279	1	-	-	-	-	1	1	1	5	13	11
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	105	-	-	-	-	-	-	1	1	2	8	7
FEMALE--	134	1	-	-	-	-	1	-	-	1	3	3
BLACK---MALE----	105	-	-	-	-	-	-	1	1	2	8	7
FEMALE--	134	1	-	-	-	-	1	-	-	1	3	3
FLORIDA -----	4,930	15	3	5	4	12	15	23	57	79	108	129
WHITE-----MALE----	2,070	7	2	-	3	5	6	10	24	30	51	61
FEMALE--	1,975	4	1	3	1	4	5	4	8	13	22	36
ALL OTHER--MALE----	357	-	-	1	-	1	1	6	10	18	20	18
FEMALE--	528	4	-	1	-	2	3	3	15	18	15	14
BLACK---MALE----	347	-	-	1	-	1	1	6	10	18	20	18
FEMALE--	518	4	-	1	-	2	3	3	15	18	15	14
GEORGIA -----	1,734	9	6	1	-	4	6	23	27	32	55	73
WHITE-----MALE----	458	1	4	1	-	1	1	8	5	9	23	18
FEMALE--	623	3	-	-	-	1	2	1	4	7	6	10
ALL OTHER--MALE----	270	3	2	-	-	1	2	8	13	8	13	26
FEMALE--	383	2	-	-	-	1	1	6	5	8	13	19
BLACK---MALE----	267	3	2	-	-	1	2	8	13	8	13	26
FEMALE--	379	1	-	-	-	1	1	6	5	8	13	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,073
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
COLORADO -----	25	39	53	76	97	95	112	113	64	31	6	-
WHITE-----MALE----	13	16	26	31	49	43	41	30	14	5	-	-
FEMALE--	12	19	22	39	41	49	65	79	46	26	6	-
ALL OTHER--MALE----	-	2	3	3	2	2	2	1	2	-	-	-
FEMALE--	-	2	2	3	5	1	4	3	2	-	-	-
BLACK---MALE----	-	2	3	1	1	1	1	1	1	-	-	-
FEMALE--	-	1	1	2	3	1	2	2	1	-	-	-
CONNECTICUT -----	25	36	49	64	109	111	122	110	74	18	10	-
WHITE-----MALE----	13	9	19	28	52	52	43	32	20	-	1	-
FEMALE--	5	13	24	27	45	54	72	73	50	18	8	-
ALL OTHER--MALE----	4	6	1	5	3	3	1	1	-	-	1	-
FEMALE--	3	8	5	4	9	2	6	4	4	-	-	-
BLACK---MALE----	4	6	1	4	3	3	1	1	-	-	1	-
FEMALE--	3	8	5	4	8	2	6	4	4	-	-	-
DELAWARE -----	10	17	19	24	23	43	42	36	21	6	-	-
WHITE-----MALE----	3	3	6	7	7	15	13	9	5	-	-	-
FEMALE--	2	6	6	9	9	18	21	18	14	5	-	-
ALL OTHER--MALE----	2	5	1	5	4	4	2	2	-	-	-	-
FEMALE--	3	3	6	3	3	6	6	7	2	1	-	-
BLACK---MALE----	1	5	1	5	4	4	2	1	-	-	-	-
FEMALE--	3	3	6	2	3	6	5	7	2	1	-	-
DISTRICT OF COLUMBIA ----	4	19	28	24	42	39	36	32	16	2	4	-
WHITE-----MALE----	-	1	1	3	3	6	2	2	1	-	-	-
FEMALE--	1	1	-	1	2	1	3	5	2	-	-	-
ALL OTHER--MALE----	1	8	13	12	15	14	9	4	9	-	1	-
FEMALE--	2	9	14	8	22	18	22	21	4	2	3	-
BLACK---MALE----	1	8	13	12	15	14	9	4	9	-	1	-
FEMALE--	2	9	14	8	22	18	22	21	4	2	3	-
FLORIDA -----	186	223	335	493	763	770	686	600	308	90	26	-
WHITE-----MALE----	83	99	155	228	360	330	296	210	81	25	4	-
FEMALE--	53	65	97	166	291	310	298	318	201	59	16	-
ALL OTHER--MALE----	21	28	31	45	47	48	32	20	7	2	1	-
FEMALE--	29	31	52	54	65	82	60	52	19	4	5	-
BLACK---MALE----	20	28	31	43	46	44	30	20	7	2	1	-
FEMALE--	28	31	52	53	63	78	59	52	19	4	4	-
GEORGIA -----	77	99	137	166	226	245	222	163	119	34	10	-
WHITE-----MALE----	24	38	50	54	62	64	46	25	19	5	-	-
FEMALE--	21	23	31	49	78	104	105	84	65	25	4	-
ALL OTHER--MALE----	18	14	32	26	31	28	22	12	10	1	-	-
FEMALE--	14	24	24	37	55	49	49	42	25	3	6	-
BLACK---MALE----	18	14	32	25	30	28	22	11	10	1	-	-
FEMALE--	14	23	24	37	55	48	49	41	25	3	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,074
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
HAWAII -----	241	-	-	-	-	-	-	-	2	2	6	5
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	95	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	93	-	-	-	-	-	-	-	1	-	2	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
IDAHO -----	285	2	1	-	-	1	2	2	1	3	8	8
WHITE-----MALE----	141	-	-	-	-	1	2	2	-	2	3	5
FEMALE--	135	2	1	-	-	-	-	-	1	1	4	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,599	12	13	6	5	9	20	30	31	60	84	98
WHITE-----MALE----	1,232	4	7	3	2	2	6	10	10	18	37	42
FEMALE--	1,674	2	3	1	3	5	6	7	11	12	17	25
ALL OTHER--MALE----	314	1	2	1	-	2	2	9	6	21	22	16
FEMALE--	379	5	1	1	-	-	6	4	4	9	8	15
BLACK---MALE----	297	1	1	1	-	1	2	9	6	21	22	14
FEMALE--	367	5	1	1	-	-	6	4	4	9	8	15
INDIANA -----	1,898	2	3	2	3	4	6	12	16	34	35	59
WHITE-----MALE----	698	1	2	1	1	1	3	7	10	14	14	29
FEMALE--	959	1	1	1	1	2	1	4	5	10	15	19
ALL OTHER--MALE----	118	-	-	-	1	1	2	-	1	5	3	8
FEMALE--	123	-	-	-	-	-	-	1	-	5	3	3
BLACK---MALE----	118	-	-	-	1	1	2	-	1	5	3	8
FEMALE--	120	-	-	-	-	-	-	1	-	5	3	3
IOWA -----	888	4	1	-	2	1	3	4	11	7	13	17
WHITE-----MALE----	372	3	1	-	1	1	1	2	5	4	6	8
FEMALE--	496	1	-	-	1	-	2	2	6	3	7	8
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	812	1	1	1	2	2	6	2	6	13	14	20
WHITE-----MALE----	298	-	-	-	2	-	2	-	4	8	5	12
FEMALE--	451	-	-	1	-	1	4	2	1	5	7	7
ALL OTHER--MALE----	25	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	38	1	-	-	-	1	-	-	1	-	2	-
BLACK---MALE----	24	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	34	1	-	-	-	1	-	-	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,074
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
HAWAII -----	8	19	18	24	39	37	32	21	16	11	1	-
WHITE-----MALE----	1	4	3	4	5	6	3	2	3	-	-	-
FEMALE--	1	3	2	2	3	3	3	3	-	-	-	-
ALL OTHER--MALE----	4	8	8	9	14	13	12	9	6	5	-	-
FEMALE--	2	4	5	9	17	15	14	7	7	6	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	12	12	22	29	40	37	45	30	16	12	2	-
WHITE-----MALE----	8	7	11	14	23	16	22	12	9	4	-	-
FEMALE--	3	5	9	14	13	21	23	18	7	8	2	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	126	178	242	377	465	553	532	414	240	82	22	-
WHITE-----MALE----	45	64	99	140	174	201	181	106	68	10	3	-
FEMALE--	36	55	82	155	202	269	290	267	148	65	13	-
ALL OTHER--MALE----	30	28	24	36	38	40	17	10	8	1	-	-
FEMALE--	15	31	37	46	51	43	44	31	16	6	6	-
BLACK---MALE----	29	27	22	34	37	38	14	9	8	1	-	-
FEMALE--	15	31	34	45	46	42	42	31	16	6	6	-
INDIANA -----	69	93	120	205	240	285	293	226	141	43	6	1
WHITE-----MALE----	36	41	50	92	90	106	96	71	29	3	1	-
FEMALE--	23	36	54	81	115	139	168	142	98	37	5	1
ALL OTHER--MALE----	7	8	9	19	17	13	13	3	6	2	-	-
FEMALE--	3	8	7	13	18	27	16	10	8	1	-	-
BLACK---MALE----	7	8	9	19	17	13	13	3	6	2	-	-
FEMALE--	3	8	6	12	18	26	16	10	8	1	-	-
IOWA -----	26	24	44	77	111	132	140	128	92	44	7	-
WHITE-----MALE----	17	11	24	29	55	63	58	48	25	9	1	-
FEMALE--	8	11	17	45	54	68	80	76	66	35	6	-
ALL OTHER--MALE----	1	1	1	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	2	2	-	1	1	3	1	-	-	-
BLACK---MALE----	-	1	1	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	1	2	-	1	1	2	1	-	-	-
KANSAS -----	34	30	41	62	119	109	126	113	70	32	8	-
WHITE-----MALE----	13	15	20	25	48	39	50	36	12	6	1	-
FEMALE--	15	8	16	29	65	59	71	73	55	26	6	-
ALL OTHER--MALE----	4	3	2	3	3	4	2	1	-	-	1	-
FEMALE--	2	4	3	5	3	7	3	3	3	-	-	-
BLACK---MALE----	4	3	2	2	3	4	2	1	-	-	1	-
FEMALE--	1	4	2	5	3	6	3	3	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,075
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
KENTUCKY -----	1,293	3	3	1	4	6	5	4	11	13	23	30
WHITE-----MALE----	466	1	2	-	-	2	4	1	7	6	11	14
FEMALE--	673	1	-	1	4	3	1	2	3	4	10	11
ALL OTHER--MALE----	68	1	-	-	-	1	-	1	1	3	-	2
FEMALE--	86	-	1	-	-	-	-	-	-	-	2	3
BLACK---MALE----	66	1	-	-	-	1	-	1	1	3	-	2
FEMALE--	85	-	1	-	-	-	-	-	-	-	2	2
LOUISIANA -----	1,870	10	2	1	1	2	6	9	19	32	34	57
WHITE-----MALE----	453	3	2	1	-	2	-	3	6	9	6	11
FEMALE--	602	3	-	-	1	-	2	3	3	4	1	16
ALL OTHER--MALE----	323	4	-	-	-	-	3	-	6	7	12	19
FEMALE--	492	-	-	-	-	-	1	3	4	12	15	11
BLACK---MALE----	319	4	-	-	-	-	3	-	6	7	12	19
FEMALE--	489	-	-	-	-	-	1	3	4	12	15	11
MAINE -----	472	-	-	1	1	3	-	2	1	4	5	17
WHITE-----MALE----	209	-	-	1	-	3	-	2	-	3	3	12
FEMALE--	261	-	-	-	1	-	-	-	1	1	2	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,798	4	4	1	3	3	9	13	21	35	32	54
WHITE-----MALE----	523	1	1	1	-	1	2	4	9	10	12	18
FEMALE--	672	1	2	-	2	-	3	3	4	5	7	11
ALL OTHER--MALE----	258	-	1	-	1	2	-	-	6	11	9	13
FEMALE--	345	2	-	-	-	-	2	6	2	9	4	12
BLACK---MALE----	246	-	1	-	1	2	2	-	6	11	9	12
FEMALE--	327	2	-	-	-	-	2	6	2	9	4	12
MASSACHUSETTS -----	1,906	2	2	2	5	2	4	9	23	31	34	51
WHITE-----MALE----	756	1	1	-	2	1	2	5	12	18	17	29
FEMALE--	1,030	1	1	2	3	1	2	2	6	11	12	13
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	2	1	5	7
FEMALE--	68	-	-	-	-	-	-	2	3	1	-	2
BLACK---MALE----	44	-	-	-	-	-	-	-	2	1	5	7
FEMALE--	57	-	-	-	-	-	-	2	2	1	-	2
MICHIGAN -----	3,075	11	5	3	10	14	18	21	31	64	79	70
WHITE-----MALE----	1,145	4	-	-	5	8	3	4	17	36	36	35
FEMALE--	1,389	4	2	2	2	4	10	10	5	9	17	17
ALL OTHER--MALE----	237	3	3	1	1	1	2	2	7	12	14	10
FEMALE--	304	-	-	-	2	1	3	5	2	7	12	8
BLACK---MALE----	225	1	3	1	1	1	2	2	7	12	14	10
FEMALE--	281	-	-	-	1	1	2	5	2	7	10	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,075
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
KENTUCKY -----	42	64	99	140	183	201	209	139	84	21	8	-
WHITE-----MALE----	18	35	41	65	56	68	63	41	26	3	2	-
FEMALE--	18	19	41	59	101	112	127	82	54	15	5	-
ALL OTHER--MALE----	4	6	5	8	10	13	6	5	1	-	1	-
FEMALE--	2	4	12	8	16	8	13	11	3	3	-	-
BLACK---MALE----	4	6	5	7	10	12	6	5	1	-	1	-
FEMALE--	2	4	12	8	16	8	13	11	3	3	-	-
LOUISIANA -----	89	124	137	228	275	264	250	175	106	36	13	-
WHITE-----MALE----	14	37	37	57	78	85	50	35	12	3	2	-
FEMALE--	31	23	24	70	81	83	101	83	55	14	4	-
ALL OTHER--MALE----	24	28	32	36	42	28	37	17	18	7	3	-
FEMALE--	20	36	44	65	74	68	62	40	21	12	4	-
BLACK---MALE----	24	27	32	36	42	28	36	17	17	6	3	-
FEMALE--	20	34	44	64	74	68	62	40	21	12	4	-
MAINE -----	15	21	34	53	54	74	57	62	40	21	7	-
WHITE-----MALE----	9	13	20	27	28	29	22	20	11	5	1	-
FEMALE--	6	7	13	26	26	45	35	42	29	16	6	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	81	109	151	190	248	286	243	151	116	32	12	-
WHITE-----MALE----	24	37	42	60	80	94	62	40	19	5	1	-
FEMALE--	15	23	44	63	91	116	98	82	71	22	9	-
ALL OTHER--MALE----	28	20	32	32	25	27	30	10	8	1	-	-
FEMALE--	14	29	33	35	52	49	53	19	18	4	2	-
BLACK---MALE----	26	20	31	32	25	24	28	8	7	1	-	-
FEMALE--	13	28	31	31	49	47	51	16	18	4	2	-
MASSACHUSETTS -----	45	61	122	181	209	274	316	254	185	72	22	-
WHITE-----MALE----	27	27	59	84	98	124	120	84	33	11	1	-
FEMALE--	15	25	53	77	100	139	181	162	145	60	19	-
ALL OTHER--MALE----	3	2	2	10	7	5	2	4	2	-	-	-
FEMALE--	-	7	8	10	4	6	13	4	5	1	2	-
BLACK---MALE----	3	2	2	6	6	4	1	3	2	-	-	-
FEMALE--	-	7	7	8	3	5	10	4	4	1	1	-
MICHIGAN -----	117	155	214	324	430	443	404	352	233	63	14	-
WHITE-----MALE----	50	65	85	140	182	182	136	92	53	10	2	-
FEMALE--	32	51	79	123	175	205	207	218	157	48	12	-
ALL OTHER--MALE----	20	20	29	27	24	24	19	12	5	1	-	-
FEMALE--	15	19	21	34	49	32	42	30	18	4	-	-
BLACK---MALE----	20	19	28	27	21	22	17	11	5	1	-	-
FEMALE--	15	16	20	31	45	29	40	27	18	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,076
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
MINNESOTA -----	23	40	76	104	142	165	208	168	112	53	10	-
WHITE-----MALE----	16	23	43	58	57	79	105	60	33	13	2	-
FEMALE--	5	13	27	42	76	83	97	103	79	40	8	-
ALL OTHER--MALE----	1	-	5	2	4	-	1	2	-	-	-	-
FEMALE--	1	4	1	2	5	3	5	3	-	-	-	-
BLACK---MALE----	1	-	2	1	2	-	-	1	-	-	-	-
FEMALE--	-	2	-	2	1	2	1	-	-	-	-	-
MISSISSIPPI -----	30	48	52	63	70	103	115	76	54	16	5	-
WHITE-----MALE----	5	12	16	14	19	29	23	14	7	4	1	-
FEMALE--	4	14	7	15	21	33	46	37	28	4	1	-
ALL OTHER--MALE----	10	7	11	9	8	11	16	10	4	2	1	-
FEMALE--	11	15	18	25	22	30	30	15	15	6	2	-
BLACK---MALE----	10	6	11	9	8	11	16	10	4	2	1	-
FEMALE--	11	15	18	24	22	27	30	15	15	6	2	-
MISSOURI -----	61	80	112	193	255	231	257	225	144	53	18	-
WHITE-----MALE----	21	35	44	83	96	87	74	68	26	13	2	-
FEMALE--	29	30	47	81	123	120	146	142	111	37	16	-
ALL OTHER--MALE----	6	3	9	11	16	7	16	5	2	2	-	-
FEMALE--	5	12	12	18	20	17	21	10	5	1	-	-
BLACK---MALE----	5	3	7	11	15	7	16	5	2	2	-	-
FEMALE--	5	12	10	18	19	16	20	9	5	1	-	-
MONTANA -----	11	8	14	32	28	48	40	38	22	6	-	-
WHITE-----MALE----	6	3	7	12	12	24	20	16	3	1	-	-
FEMALE--	4	4	6	15	14	21	19	22	18	5	-	-
ALL OTHER--MALE----	1	1	-	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	3	2	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	7	11	26	36	47	56	57	48	37	34	8	-
WHITE-----MALE----	4	5	11	12	23	25	20	18	5	11	1	-
FEMALE--	3	2	12	19	20	24	34	28	32	22	7	-
ALL OTHER--MALE----	-	3	3	1	3	3	2	1	-	-	-	-
FEMALE--	-	1	-	4	1	4	1	1	-	1	-	-
BLACK---MALE----	-	2	2	1	3	3	2	1	-	-	-	-
FEMALE--	-	-	-	4	1	2	1	1	-	1	-	-
NEVADA -----	18	18	22	44	53	45	41	23	16	7	1	-
WHITE-----MALE----	6	9	5	19	30	23	11	8	2	1	-	-
FEMALE--	10	4	11	15	20	20	25	14	14	6	1	-
ALL OTHER--MALE----	1	2	2	5	1	1	3	-	-	-	-	-
FEMALE--	1	3	4	5	2	1	2	1	-	-	-	-
BLACK---MALE----	-	-	2	3	1	1	3	-	-	-	-	-
FEMALE--	1	3	3	3	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,078
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
OHIO -----	4,436	18	6	4	8	8	11	16	42	47	70	107
WHITE-----MALE----	1,610	10	3	1	1	4	6	7	22	22	41	62
FEMALE--	2,249	3	3	3	6	3	3	6	10	20	11	32
ALL OTHER--MALE----	256	4	-	-	-	1	1	3	6	4	14	9
FEMALE--	321	1	-	-	1	-	1	-	4	1	4	4
BLACK---MALE----	254	4	-	-	-	1	1	3	6	4	14	9
FEMALE--	316	1	-	-	1	-	1	-	4	1	4	4
OKLAHOMA -----	906	5	1	1	2	4	5	7	10	21	14	31
WHITE-----MALE----	304	2	-	-	2	2	3	3	6	5	6	15
FEMALE--	432	1	1	1	-	-	1	3	2	9	3	11
ALL OTHER--MALE----	60	2	-	-	-	2	1	1	-	2	3	4
FEMALE--	110	-	-	-	-	-	-	-	2	5	2	1
BLACK---MALE----	26	1	-	-	-	1	-	1	-	-	-	2
FEMALE--	60	-	-	-	-	-	-	-	1	3	1	1
OREGON -----	918	3	-	1	1	2	7	4	10	11	18	24
WHITE-----MALE----	399	2	-	1	-	-	3	3	6	5	12	17
FEMALE--	477	1	-	-	-	-	3	1	4	5	4	6
ALL OTHER--MALE----	20	-	-	-	-	2	1	-	-	-	2	1
FEMALE--	22	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	4,524	19	1	6	1	11	14	11	29	61	66	98
WHITE-----MALE----	1,612	6	-	3	1	3	4	3	15	21	31	47
FEMALE--	2,402	8	1	2	1	6	7	6	7	22	21	33
ALL OTHER--MALE----	211	2	-	1	-	1	1	2	4	8	6	11
FEMALE--	299	3	-	-	-	1	2	-	3	10	8	7
BLACK---MALE----	207	2	-	1	-	1	1	2	4	8	6	11
FEMALE--	293	3	-	-	-	1	2	-	3	10	8	7
RHODE ISLAND -----	329	-	-	-	-	-	-	-	1	3	3	13
WHITE-----MALE----	136	-	-	-	-	-	-	-	1	3	2	6
FEMALE--	171	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	1,352	5	1	2	1	6	3	10	13	20	29	39
WHITE-----MALE----	342	2	-	1	-	3	-	-	3	8	10	13
FEMALE--	426	-	-	-	1	-	-	2	3	4	5	4
ALL OTHER--MALE----	212	1	1	-	-	3	2	2	4	3	6	10
FEMALE--	372	2	-	1	-	-	1	6	3	5	8	12
BLACK---MALE----	210	1	1	-	-	3	2	2	4	3	6	10
FEMALE--	368	2	-	1	-	-	1	6	3	4	8	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,078
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
OHIO -----	124	234	298	435	648	674	670	532	329	128	27	-
WHITE-----MALE----	59	112	120	165	250	255	230	137	77	23	3	-
FEMALE--	43	101	114	193	301	333	374	349	232	86	23	-
ALL OTHER--MALE----	11	10	33	43	37	37	22	14	6	1	-	-
FEMALE--	11	11	31	34	60	49	44	32	14	18	1	-
BLACK---MALE----	11	10	33	43	36	36	22	14	6	1	-	-
FEMALE--	11	11	31	32	60	48	42	32	14	18	1	-
OKLAHOMA -----	48	46	60	90	115	122	130	106	57	26	5	-
WHITE-----MALE----	19	20	18	31	49	49	43	17	10	3	1	-
FEMALE--	15	12	25	33	51	55	66	74	42	23	4	-
ALL OTHER--MALE----	8	6	5	8	3	3	8	3	1	-	-	-
FEMALE--	6	8	12	18	12	15	13	12	4	-	-	-
BLACK---MALE----	2	1	2	5	1	3	5	1	1	-	-	-
FEMALE--	2	1	7	13	4	9	8	7	3	-	-	-
OREGON -----	35	52	52	98	120	150	126	116	56	24	8	-
WHITE-----MALE----	17	26	27	46	60	63	56	30	16	7	2	-
FEMALE--	17	23	22	46	54	81	69	79	39	17	6	-
ALL OTHER--MALE----	1	-	1	4	5	2	-	1	-	-	-	-
FEMALE--	-	3	2	2	1	4	1	6	1	-	-	-
BLACK---MALE----	-	-	1	-	4	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	3	-	5	-	-	-	-
PENNSYLVANIA -----	137	205	305	474	690	696	714	549	300	112	25	-
WHITE-----MALE----	77	78	131	191	278	272	243	131	61	15	2	-
FEMALE--	38	89	123	214	343	370	408	376	218	91	18	-
ALL OTHER--MALE----	11	17	22	36	25	17	27	16	2	-	2	-
FEMALE--	11	21	29	33	44	37	36	26	19	6	3	-
BLACK---MALE----	11	16	21	36	25	16	27	15	2	-	2	-
FEMALE--	11	20	27	32	43	36	36	26	19	6	3	-
RHODE ISLAND -----	10	14	17	31	44	51	57	46	28	8	3	-
WHITE-----MALE----	8	8	7	14	20	28	24	11	4	-	-	-
FEMALE--	2	4	8	12	21	22	29	33	23	8	3	-
ALL OTHER--MALE----	-	1	2	3	3	1	2	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	2	2	3	1	2	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	1	1	-	-	-
SOUTH CAROLINA -----	65	112	125	153	192	170	171	136	68	25	6	-
WHITE-----MALE----	15	41	26	38	50	47	44	27	10	2	2	-
FEMALE--	14	25	22	42	52	54	72	66	38	18	4	-
ALL OTHER--MALE----	20	24	34	26	30	15	16	11	2	2	-	-
FEMALE--	16	22	43	47	60	54	39	32	18	3	-	-
BLACK---MALE----	20	23	34	25	30	15	16	11	2	2	-	-
FEMALE--	16	22	42	46	60	54	39	31	18	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,079
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
SOUTH DAKOTA -----	248	4	-	-	-	-	1	1	-	2	6	10
WHITE-----MALE----	96	2	-	-	-	-	1	1	-	1	1	6
FEMALE--	123	-	-	-	-	-	-	-	-	1	4	3
ALL OTHER--MALE----	14	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,654	12	2	-	3	5	7	10	16	36	29	55
WHITE-----MALE----	541	5	2	-	1	2	4	1	6	22	15	27
FEMALE--	767	4	-	-	1	2	1	6	4	6	8	16
ALL OTHER--MALE----	119	3	-	-	-	-	2	2	4	4	1	7
FEMALE--	227	-	-	-	1	1	-	1	2	4	5	5
BLACK---MALE----	118	3	-	-	-	-	2	2	4	4	1	6
FEMALE--	227	-	-	-	1	1	-	1	2	4	5	5
TEXAS -----	5,963	28	14	9	12	16	21	35	72	96	149	197
WHITE-----MALE----	2,254	11	8	6	4	9	11	15	30	49	71	104
FEMALE--	2,733	11	3	3	7	5	9	10	19	31	44	51
ALL OTHER--MALE----	373	2	2	-	-	-	1	7	18	11	15	22
FEMALE--	603	4	1	-	1	2	-	3	5	5	19	20
BLACK---MALE----	352	2	2	-	-	-	1	7	18	11	14	22
FEMALE--	583	3	1	-	1	2	-	3	5	5	19	20
UTAH -----	542	1	3	3	1	2	3	6	3	14	11	16
WHITE-----MALE----	220	-	1	1	1	1	1	3	3	8	9	9
FEMALE--	291	1	-	1	-	1	2	3	-	4	2	5
ALL OTHER--MALE----	16	-	-	1	-	-	-	-	-	1	-	2
FEMALE--	15	-	2	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
VERMONT -----	200	-	1	-	-	-	-	-	2	3	4	5
WHITE-----MALE----	89	-	1	-	-	-	-	-	2	3	3	3
FEMALE--	111	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,727	5	1	-	4	3	4	15	19	36	36	52
WHITE-----MALE----	508	2	-	-	-	-	1	4	5	9	17	15
FEMALE--	726	1	-	-	4	2	2	3	7	9	5	13
ALL OTHER--MALE----	204	1	-	-	-	1	1	6	5	11	6	13
FEMALE--	289	1	1	-	-	-	-	2	2	7	8	11
BLACK---MALE----	196	1	-	-	-	1	1	6	5	11	6	13
FEMALE--	283	1	1	-	-	-	-	2	2	7	7	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,079
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
SOUTH DAKOTA -----	9	6	22	18	32	37	33	29	24	12	2	-
WHITE-----MALE----	5	2	12	6	13	17	11	11	6	1	-	-
FEMALE--	2	3	4	5	15	19	20	17	17	11	2	-
ALL OTHER--MALE----	-	-	3	2	2	1	2	1	-	-	-	-
FEMALE--	2	1	3	5	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	58	103	128	161	203	256	241	169	111	42	6	1
WHITE-----MALE----	25	41	42	58	72	85	63	44	18	7	1	-
FEMALE--	19	32	53	71	81	125	139	94	72	28	5	-
ALL OTHER--MALE----	6	11	10	11	12	19	8	8	9	2	-	-
FEMALE--	8	19	23	21	38	27	31	23	12	5	-	1
BLACK---MALE----	6	11	10	11	12	19	8	8	9	2	-	-
FEMALE--	8	19	23	21	38	27	31	23	12	5	-	1
TEXAS -----	252	348	476	688	803	812	862	625	316	104	28	-
WHITE-----MALE----	106	157	189	277	300	326	295	193	75	15	3	-
FEMALE--	84	118	192	295	375	379	444	353	203	78	19	-
ALL OTHER--MALE----	29	30	41	40	44	33	45	24	5	2	2	-
FEMALE--	33	43	54	76	84	74	78	55	33	9	4	-
BLACK---MALE----	28	27	39	38	39	33	40	24	4	1	2	-
FEMALE--	33	43	52	74	81	69	74	52	33	9	4	-
UTAH -----	21	25	35	50	75	79	74	72	38	9	1	-
WHITE-----MALE----	12	11	13	22	39	29	22	22	11	2	-	-
FEMALE--	8	9	14	24	33	48	52	49	27	7	1	-
ALL OTHER--MALE----	1	4	3	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	5	3	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	9	18	20	32	34	31	22	9	3	2	-
WHITE-----MALE----	5	5	12	8	16	16	9	5	1	-	-	-
FEMALE--	-	4	6	12	16	18	22	17	8	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	62	101	151	174	238	247	243	180	109	44	3	-
WHITE-----MALE----	24	39	53	64	64	71	75	35	23	6	1	-
FEMALE--	15	26	44	60	110	106	111	106	73	28	1	-
ALL OTHER--MALE----	14	17	25	15	21	34	15	10	3	6	-	-
FEMALE--	9	19	29	35	43	36	42	29	10	4	1	-
BLACK---MALE----	14	16	24	13	20	32	14	10	3	6	-	-
FEMALE--	9	19	28	34	41	35	42	29	10	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,080
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)												
WASHINGTON -----	60	72	89	156	217	205	213	151	83	29	10	-
WHITE-----MALE----	30	32	39	72	105	98	75	49	27	5	3	-
FEMALE--	23	33	39	67	97	90	122	95	53	21	6	-
ALL OTHER--MALE----	5	4	3	2	5	8	4	2	2	-	-	-
FEMALE--	2	3	8	15	10	9	12	5	1	3	1	-
BLACK---MALE----	2	2	1	1	3	5	-	1	1	-	-	-
FEMALE--	2	-	4	7	5	5	7	3	1	2	-	-
WEST VIRGINIA -----	23	38	60	112	123	108	126	77	44	16	2	-
WHITE-----MALE----	11	15	24	48	46	41	39	19	11	4	-	-
FEMALE--	9	16	31	60	68	62	80	55	31	12	2	-
ALL OTHER--MALE----	2	2	2	1	5	1	4	-	-	-	-	-
FEMALE--	1	5	3	3	4	4	3	3	2	-	-	-
BLACK---MALE----	2	2	2	1	5	1	4	-	-	-	-	-
FEMALE--	1	5	3	3	4	4	3	3	2	-	-	-
WISCONSIN -----	57	61	104	130	180	232	264	205	142	59	15	-
WHITE-----MALE----	28	30	43	69	86	102	98	62	37	8	2	-
FEMALE--	25	24	48	46	85	120	160	142	101	51	13	-
ALL OTHER--MALE----	1	4	5	7	3	3	1	-	1	-	-	-
FEMALE--	3	3	8	8	6	7	5	1	3	-	3	-
BLACK---MALE----	1	3	4	4	2	2	1	-	1	-	-	-
FEMALE--	1	2	7	7	5	4	5	1	3	-	-	-
WYOMING -----	8	5	13	11	12	19	21	18	11	4	-	-
WHITE-----MALE----	4	3	6	5	7	10	9	4	1	1	-	-
FEMALE--	3	2	6	5	4	8	12	14	10	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,081
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
0 UNITED STATES --	76,036	313	141	76	116	193	277	454	818	1,261	1,652	2,270
WHITE-----MALE----	27,409	131	67	32	46	87	110	177	363	528	748	1,005
FEMALE--	34,207	90	43	32	55	65	93	129	211	344	443	630
ALL OTHER--MALE----	5,975	47	15	8	5	24	47	83	147	222	262	352
FEMALE--	8,445	45	16	4	10	17	27	65	97	167	199	283
BLACK---MALE----	5,250	39	12	6	5	21	42	80	138	211	239	320
FEMALE--	7,559	36	11	4	8	16	23	62	89	158	187	265
ALABAMA -----	1,466	6	5	-	3	3	6	8	16	31	39	52
WHITE-----MALE----	401	4	2	-	2	2	2	3	7	11	11	16
FEMALE--	519	1	2	-	1	-	2	1	3	7	7	10
ALL OTHER--MALE----	196	1	-	-	-	-	2	2	5	9	9	8
FEMALE--	350	-	1	-	-	1	-	2	1	4	12	18
BLACK---MALE----	194	1	-	-	-	-	2	2	5	9	9	8
FEMALE--	349	-	1	-	-	1	-	2	1	4	12	18
ALASKA -----	75	-	-	-	2	-	-	1	2	1	3	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	32	-	-	-	2	-	-	-	1	-	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,072	4	-	1	1	3	7	8	12	15	30	28
WHITE-----MALE----	413	3	-	-	-	2	4	5	10	4	9	13
FEMALE--	516	1	-	1	1	1	1	2	1	9	15	8
ALL OTHER--MALE----	61	-	-	-	-	-	2	1	1	1	4	4
FEMALE--	82	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	2
ARKANSAS -----	718	6	2	-	1	2	2	2	3	12	22	24
WHITE-----MALE----	237	1	-	-	1	1	2	-	2	6	9	10
FEMALE--	330	2	2	-	-	-	-	-	1	5	9	8
ALL OTHER--MALE----	54	1	-	-	-	1	-	2	-	1	3	2
FEMALE--	97	2	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	53	1	-	-	-	1	-	2	-	1	3	2
FEMALE--	97	2	-	-	-	-	-	-	-	-	1	4
CALIFORNIA -----	6,351	44	18	11	10	22	31	46	84	122	144	204
WHITE-----MALE----	2,416	21	8	4	6	11	14	24	41	56	70	93
FEMALE--	2,719	15	8	6	4	9	7	8	21	38	52	64
ALL OTHER--MALE----	558	6	-	1	-	1	6	7	15	16	16	27
FEMALE--	658	2	2	-	-	1	4	7	7	12	6	20
BLACK---MALE----	334	2	-	-	-	1	6	7	10	12	12	22
FEMALE--	381	-	-	-	-	-	3	5	6	8	6	17

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,081
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
0 UNITED STATES --	3,006	4,060	5,667	8,260	10,697	11,263	10,829	8,190	4,627	1,523	341	2
WHITE-----MALE----	1,265	1,682	2,239	3,263	4,099	4,310	3,641	2,236	1,065	267	48	-
FEMALE--	920	1,297	1,990	3,252	4,568	5,178	5,598	4,936	3,030	1,070	232	1
ALL OTHER--MALE----	447	499	629	737	761	663	515	293	159	44	16	-
FEMALE--	374	582	809	1,008	1,269	1,112	1,075	725	373	142	45	1
BLACK---MALE----	391	432	558	652	659	569	442	243	138	38	15	-
FEMALE--	341	521	711	885	1,131	974	955	660	346	133	42	1
ALABAMA -----	68	77	106	144	204	180	207	185	88	34	4	-
WHITE-----MALE----	22	30	34	39	60	45	57	42	10	2	-	-
FEMALE--	16	18	30	53	70	74	90	84	36	13	1	-
ALL OTHER--MALE----	19	10	17	20	19	23	19	21	8	4	-	-
FEMALE--	11	19	25	32	55	38	41	38	34	15	3	-
BLACK---MALE----	18	10	17	20	19	22	19	21	8	4	-	-
FEMALE--	11	18	25	32	55	38	41	38	34	15	3	-
ALASKA -----	2	3	2	7	18	14	11	4	3	-	-	-
WHITE-----MALE----	-	2	1	3	6	5	3	1	-	-	-	-
FEMALE--	2	-	1	3	9	3	4	2	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	4	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ARIZONA -----	49	70	84	121	135	168	160	105	54	16	1	-
WHITE-----MALE----	25	30	27	58	53	64	55	34	14	3	-	-
FEMALE--	16	25	39	43	64	87	88	66	36	11	1	-
ALL OTHER--MALE----	3	10	10	6	7	5	3	2	2	-	-	-
FEMALE--	5	5	8	14	11	12	14	3	2	2	-	-
BLACK---MALE----	-	4	2	2	3	3	2	-	-	-	-	-
FEMALE--	-	1	2	4	4	6	4	2	-	1	-	-
ARKANSAS -----	22	41	41	67	80	109	113	98	51	17	3	-
WHITE-----MALE----	6	16	16	25	33	37	30	26	12	4	-	-
FEMALE--	6	15	15	26	35	48	61	56	30	10	1	-
ALL OTHER--MALE----	4	5	2	3	4	8	10	2	4	1	1	-
FEMALE--	6	5	8	13	8	16	12	14	5	2	1	-
BLACK---MALE----	3	5	2	3	4	8	10	2	4	1	1	-
FEMALE--	6	5	8	13	8	16	12	14	5	2	1	-
CALIFORNIA -----	296	341	524	755	943	988	820	580	275	76	17	-
WHITE-----MALE----	116	141	227	294	353	366	313	167	73	16	2	-
FEMALE--	105	116	181	313	395	444	383	332	156	48	14	-
ALL OTHER--MALE----	40	44	47	69	89	73	43	33	20	4	1	-
FEMALE--	35	40	69	79	106	105	81	48	26	8	-	-
BLACK---MALE----	24	29	31	47	45	36	21	16	10	2	1	-
FEMALE--	22	26	39	50	61	55	38	24	14	7	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,082
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
COLORADO -----	730	6	-	1	2	2	1	6	15	16	25	22
WHITE-----MALE----	298	3	-	1	-	-	1	4	6	10	12	12
FEMALE--	391	1	-	-	2	2	-	2	8	6	12	9
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	1	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	761	3	-	1	2	1	2	2	9	6	14	19
WHITE-----MALE----	290	2	-	1	1	-	1	-	4	3	5	9
FEMALE--	388	1	-	-	1	-	1	1	4	-	6	6
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	-	-	3	1
FEMALE--	53	-	-	-	-	1	-	-	1	3	-	3
BLACK---MALE----	29	-	-	-	-	-	-	1	-	-	3	1
FEMALE--	51	-	-	-	-	1	-	-	1	2	-	3
DELAWARE -----	254	-	1	-	-	1	2	1	1	3	8	5
WHITE-----MALE----	72	-	-	-	-	-	-	1	1	1	4	1
FEMALE--	105	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	-	-	-	2	-	-	1	4	2
FEMALE--	43	-	-	-	-	1	-	-	-	1	-	2
BLACK---MALE----	32	-	-	-	-	-	2	-	-	1	4	2
FEMALE--	41	-	-	-	-	1	-	-	-	1	-	2
DISTRICT OF COLUMBIA ----	273	1	-	-	-	-	1	1	1	5	13	11
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	101	-	-	-	-	-	-	1	1	2	8	7
FEMALE--	133	1	-	-	-	-	1	-	-	1	3	3
BLACK---MALE----	101	-	-	-	-	-	-	1	1	2	8	7
FEMALE--	133	1	-	-	-	-	1	-	-	1	3	3
FLORIDA -----	4,760	15	3	5	3	12	15	23	57	79	106	129
WHITE-----MALE----	2,011	7	2	-	3	5	6	10	24	30	50	61
FEMALE--	1,884	4	1	3	4	4	5	4	8	13	21	36
ALL OTHER--MALE----	346	-	-	1	-	1	1	6	10	18	20	18
FEMALE--	519	4	-	1	-	2	3	3	15	18	15	14
BLACK---MALE----	338	-	-	1	-	1	1	6	10	18	20	18
FEMALE--	509	4	-	1	-	2	3	3	15	18	15	14
GEORGIA -----	1,616	9	5	1	-	4	6	22	27	32	54	70
WHITE-----MALE----	439	1	3	1	-	1	1	8	5	9	23	18
FEMALE--	563	3	-	-	-	1	2	1	4	7	6	8
ALL OTHER--MALE----	254	3	2	-	-	1	2	7	13	8	13	25
FEMALE--	360	2	-	-	-	1	1	6	5	8	12	19
BLACK---MALE----	251	3	2	-	-	1	2	7	13	8	13	25
FEMALE--	356	1	-	-	-	1	1	6	5	8	12	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,082
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
COLORADO -----	24	38	51	74	96	90	99	95	44	20	3	-
WHITE-----MALE----	13	16	24	31	49	41	38	25	8	4	-	-
FEMALE--	11	18	22	37	40	46	55	66	35	16	3	-
ALL OTHER--MALE----	-	2	3	3	2	2	2	1	1	-	-	-
FEMALE--	-	2	2	3	5	1	4	3	-	-	-	-
BLACK---MALE----	-	2	3	1	1	1	1	1	-	-	-	-
FEMALE--	-	1	1	2	3	1	2	2	-	-	-	-
CONNECTICUT -----	25	36	47	63	109	110	119	105	64	16	8	-
WHITE-----MALE----	13	9	17	28	52	52	41	32	19	-	1	-
FEMALE--	5	13	24	26	45	53	71	68	41	16	6	-
ALL OTHER--MALE----	4	6	1	5	3	3	1	1	-	-	1	-
FEMALE--	3	8	5	4	9	2	6	4	4	-	-	-
BLACK---MALE----	4	6	1	4	3	3	1	1	-	-	1	-
FEMALE--	3	8	5	4	8	2	6	4	4	-	-	-
DELAWARE -----	9	17	19	23	23	41	41	35	20	4	-	-
WHITE-----MALE----	3	3	6	6	7	14	12	8	5	-	-	-
FEMALE--	2	6	6	9	9	17	21	18	13	3	-	-
ALL OTHER--MALE----	2	5	1	5	4	4	2	2	-	-	-	-
FEMALE--	2	3	6	3	3	6	6	7	2	1	-	-
BLACK---MALE----	1	5	1	5	4	4	2	1	-	-	-	-
FEMALE--	2	3	6	2	3	6	5	7	2	1	-	-
DISTRICT OF COLUMBIA ----	4	18	28	24	42	38	36	30	15	2	3	-
WHITE-----MALE----	-	1	1	3	3	6	2	2	1	-	-	-
FEMALE--	1	1	-	1	2	1	3	4	2	-	-	-
ALL OTHER--MALE----	1	7	13	12	15	14	9	3	8	-	-	-
FEMALE--	2	9	14	8	22	17	22	21	4	2	3	-
BLACK---MALE----	1	7	13	12	15	14	9	3	8	-	-	-
FEMALE--	2	9	14	8	22	17	22	21	4	2	3	-
FLORIDA -----	185	220	332	488	750	752	661	550	277	78	20	-
WHITE-----MALE----	82	98	154	227	356	322	284	191	74	22	3	-
FEMALE--	53	65	97	163	282	306	289	289	179	50	12	-
ALL OTHER--MALE----	21	26	29	45	47	45	29	19	7	2	1	-
FEMALE--	29	31	52	53	65	79	59	51	17	4	4	-
BLACK---MALE----	20	26	29	43	46	42	28	19	7	2	1	-
FEMALE--	28	31	52	52	63	75	58	51	17	4	3	-
GEORGIA -----	76	97	133	160	214	230	199	146	101	26	4	-
WHITE-----MALE----	24	37	49	54	61	63	41	22	15	3	-	-
FEMALE--	20	23	30	47	73	98	91	74	54	20	1	-
ALL OTHER--MALE----	18	13	32	23	28	26	21	11	8	-	-	-
FEMALE--	14	24	22	36	52	43	46	39	24	3	3	-
BLACK---MALE----	18	13	32	22	27	26	21	10	8	-	-	-
FEMALE--	14	23	22	36	52	42	46	38	24	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,083
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
HAWAII -----	232	-	-	-	-	-	-	-	2	2	6	5
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	91	-	-	-	-	-	-	-	1	-	2	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
IDAHO -----	268	2	1	-	-	1	2	2	1	3	8	7
WHITE-----MALE----	132	-	-	-	-	1	2	2	-	2	3	5
FEMALE--	127	2	1	-	-	-	-	-	1	1	4	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,414	11	13	6	5	9	19	30	31	60	83	97
WHITE-----MALE----	1,185	4	7	3	2	2	6	10	10	18	37	42
FEMALE--	1,558	1	3	1	3	5	6	7	11	12	17	25
ALL OTHER--MALE----	303	1	2	1	-	2	2	9	6	21	21	15
FEMALE--	368	5	1	1	-	-	5	4	4	9	8	15
BLACK---MALE----	287	1	1	1	-	1	2	9	6	21	21	13
FEMALE--	356	5	1	1	-	-	5	4	4	9	8	15
INDIANA -----	1,804	2	3	2	3	4	6	12	16	34	34	59
WHITE-----MALE----	669	1	2	1	1	1	3	7	10	14	14	29
FEMALE--	903	1	1	1	1	2	1	4	5	10	14	19
ALL OTHER--MALE----	114	-	-	-	1	1	2	-	1	5	3	8
FEMALE--	118	-	-	-	-	-	-	1	-	5	3	3
BLACK---MALE----	114	-	-	-	1	1	2	-	1	5	3	8
FEMALE--	115	-	-	-	-	-	-	1	-	5	3	3
IOWA -----	847	4	1	-	2	1	3	4	11	7	13	17
WHITE-----MALE----	360	3	1	-	1	1	1	2	5	4	6	8
FEMALE--	467	1	-	-	1	-	2	2	6	3	7	8
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	753	1	1	1	2	2	6	2	6	13	14	20
WHITE-----MALE----	278	-	-	-	2	-	2	-	4	8	5	12
FEMALE--	413	-	-	1	-	1	4	2	1	5	7	7
ALL OTHER--MALE----	25	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	37	1	-	-	-	1	-	-	1	-	2	-
BLACK---MALE----	24	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	33	1	-	-	-	1	-	-	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,083
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
HAWAII -----	8	19	18	23	39	37	30	20	13	9	1	-
WHITE-----MALE----	1	4	3	3	5	6	3	2	3	-	-	-
FEMALE--	1	3	2	2	3	3	3	3	-	-	-	-
ALL OTHER--MALE----	4	8	8	9	14	13	10	9	4	3	-	-
FEMALE--	2	4	5	9	17	15	14	6	6	6	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	12	12	22	26	39	37	42	25	12	12	2	-
WHITE-----MALE----	8	7	11	13	22	16	20	10	6	4	-	-
FEMALE--	3	5	9	12	13	21	22	15	6	8	2	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	125	172	239	371	458	532	488	385	200	63	17	-
WHITE-----MALE----	45	62	98	139	171	196	167	96	63	5	2	-
FEMALE--	36	53	80	150	199	257	265	251	114	53	9	-
ALL OTHER--MALE----	29	26	24	36	37	39	44	10	7	1	-	-
FEMALE--	15	31	37	46	51	40	42	28	16	4	6	-
BLACK---MALE----	28	25	22	34	36	37	12	9	7	1	-	-
FEMALE--	15	31	34	45	46	39	40	28	16	4	6	-
INDIANA -----	68	93	120	202	232	277	273	197	127	34	5	1
WHITE-----MALE----	36	41	50	90	86	102	89	62	27	2	1	-
FEMALE--	23	36	54	80	113	136	155	126	87	29	4	1
ALL OTHER--MALE----	6	8	9	19	16	12	13	2	6	2	-	-
FEMALE--	3	8	7	13	17	27	16	7	7	1	-	-
BLACK---MALE----	6	8	9	19	16	12	13	2	6	2	-	-
FEMALE--	3	8	6	12	17	26	16	7	7	1	-	-
IOWA -----	26	24	44	77	109	130	135	120	75	38	6	-
WHITE-----MALE----	17	11	24	29	54	63	56	44	21	8	1	-
FEMALE--	8	11	17	45	53	66	77	72	53	30	5	-
ALL OTHER--MALE----	1	1	1	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	2	2	-	1	1	3	1	-	-	-
BLACK---MALE----	-	1	1	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	1	2	-	1	2	1	-	-	-	-
KANSAS -----	34	30	41	61	115	106	117	97	59	21	4	-
WHITE-----MALE----	13	15	20	25	45	37	47	29	10	3	1	-
FEMALE--	15	8	16	28	64	58	65	65	46	18	2	-
ALL OTHER--MALE----	4	3	2	3	3	4	2	1	-	-	1	-
FEMALE--	2	4	3	5	3	7	3	2	3	-	-	-
BLACK---MALE----	4	3	2	2	3	4	2	1	-	-	1	-
FEMALE--	1	4	2	5	3	6	3	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,084
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
KENTUCKY -----	1,235	3	2	1	4	6	5	4	11	12	23	30
WHITE-----MALE----	445	1	1	-	-	2	4	1	7	6	11	14
FEMALE--	641	1	-	1	4	3	1	2	3	3	10	11
ALL OTHER--MALE----	66	1	-	-	-	1	-	1	1	3	-	2
FEMALE--	83	-	1	-	-	-	-	-	-	-	2	3
BLACK---MALE----	64	1	-	-	-	1	-	1	1	3	-	2
FEMALE--	82	-	1	-	-	-	-	-	-	-	2	2
LOUISIANA -----	1,806	10	2	1	1	2	6	9	19	32	34	55
WHITE-----MALE----	438	3	2	1	-	2	-	3	6	9	6	11
FEMALE--	580	3	-	-	1	-	2	3	3	4	1	16
ALL OTHER--MALE----	312	4	-	-	-	-	3	-	6	7	12	19
FEMALE--	476	-	-	-	-	-	1	3	4	12	15	9
BLACK---MALE----	309	4	-	-	-	-	3	-	6	7	12	19
FEMALE--	473	-	-	-	-	-	1	3	4	12	15	9
MAINE -----	441	-	-	1	1	3	-	2	1	4	5	17
WHITE-----MALE----	205	-	-	1	-	3	-	2	-	3	3	12
FEMALE--	234	-	-	-	1	-	-	-	1	1	2	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,754	4	3	1	3	3	9	13	21	35	32	54
WHITE-----MALE----	512	1	-	1	-	1	2	4	9	10	12	18
FEMALE--	646	1	2	-	2	-	3	3	4	5	7	11
ALL OTHER--MALE----	256	-	1	-	1	2	2	-	6	11	9	13
FEMALE--	340	2	-	-	-	-	2	6	2	9	4	12
BLACK---MALE----	244	-	1	-	1	2	2	-	6	11	9	12
FEMALE--	322	2	-	-	-	-	2	6	2	9	4	12
MASSACHUSETTS -----	1,830	2	2	2	5	2	4	9	23	31	33	50
WHITE-----MALE----	733	1	1	-	2	1	2	5	12	18	16	28
FEMALE--	979	1	1	2	3	1	2	2	6	11	12	13
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	2	1	5	7
FEMALE--	67	-	-	-	-	-	-	2	3	1	-	2
BLACK---MALE----	43	-	-	-	-	-	-	-	2	1	5	7
FEMALE--	56	-	-	-	-	-	-	2	2	1	-	2
MICHIGAN -----	2,938	11	3	3	10	13	18	21	31	63	79	69
WHITE-----MALE----	1,117	4	-	-	5	8	3	4	17	35	36	35
FEMALE--	1,300	4	2	2	2	3	10	10	5	9	17	16
ALL OTHER--MALE----	229	3	1	1	1	1	2	2	7	12	14	10
FEMALE--	292	-	-	-	2	1	3	5	2	7	12	8
BLACK---MALE----	217	1	1	1	1	1	2	2	7	12	14	10
FEMALE--	269	-	-	-	1	1	2	5	2	7	10	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,084
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
KENTUCKY -----	42	60	98	137	181	197	196	124	74	17	8	-
WHITE-----MALE----	18	31	41	62	55	66	59	37	24	3	2	-
FEMALE--	18	19	40	59	100	110	119	74	47	11	5	-
ALL OTHER--MALE----	4	6	5	8	10	13	6	4	-	-	1	-
FEMALE--	2	4	12	8	16	8	12	9	3	3	-	-
BLACK---MALE----	4	6	5	7	10	12	6	4	-	-	1	-
FEMALE--	2	4	12	8	16	8	12	9	3	3	-	-
LOUISIANA -----	89	121	134	226	269	257	237	167	94	31	10	-
WHITE-----MALE----	14	35	36	57	77	82	47	32	10	3	2	-
FEMALE--	31	23	24	70	78	82	96	81	51	10	1	-
ALL OTHER--MALE----	24	28	30	35	42	26	34	17	16	6	3	-
FEMALE--	20	35	44	64	72	67	60	37	17	12	4	-
BLACK---MALE----	24	27	30	35	42	26	33	17	15	6	3	-
FEMALE--	20	33	44	63	72	67	60	37	17	12	4	-
MAINE -----	15	20	34	53	53	72	54	55	28	17	6	-
WHITE-----MALE----	9	13	20	27	28	29	22	19	9	4	1	-
FEMALE--	6	6	13	26	25	43	32	36	19	13	5	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	79	108	151	190	245	282	233	147	107	26	8	-
WHITE-----MALE----	23	37	42	60	78	92	59	40	17	5	1	-
FEMALE--	15	23	44	63	90	115	93	78	65	16	6	-
ALL OTHER--MALE----	28	19	32	32	25	27	29	10	8	1	-	-
FEMALE--	13	29	33	35	52	48	52	19	17	4	1	-
BLACK---MALE----	26	19	31	32	25	24	27	8	7	1	-	-
FEMALE--	12	28	31	31	49	46	50	16	17	4	1	-
MASSACHUSETTS -----	44	59	121	179	203	268	303	236	170	65	19	-
WHITE-----MALE----	26	26	59	83	95	122	114	81	31	9	1	-
FEMALE--	15	24	52	76	97	135	175	148	132	55	16	-
ALL OTHER--MALE----	3	2	2	10	7	5	2	3	2	-	-	-
FEMALE--	-	7	8	10	4	6	12	4	5	1	2	-
BLACK---MALE----	3	2	2	6	6	4	1	2	2	-	-	-
FEMALE--	-	7	7	8	3	5	9	4	4	1	1	-
MICHIGAN -----	117	153	211	319	419	427	383	326	204	48	10	-
WHITE-----MALE----	50	65	85	138	177	179	132	90	47	6	1	-
FEMALE--	32	50	78	122	170	192	196	196	138	37	9	-
ALL OTHER--MALE----	20	19	27	27	24	24	17	12	4	1	-	-
FEMALE--	15	19	21	32	48	32	38	28	15	4	-	-
BLACK---MALE----	20	18	26	27	21	22	15	11	4	1	-	-
FEMALE--	15	16	20	29	44	29	36	25	15	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,085
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
MINNESOTA -----	23	40	74	103	136	160	192	152	97	37	10	-
WHITE-----MALE----	16	23	43	58	54	79	97	56	27	11	2	-
FEMALE--	5	13	25	41	74	78	90	91	70	26	8	-
ALL OTHER--MALE----	1	-	5	2	4	-	1	2	-	-	-	-
FEMALE--	1	4	1	2	4	3	4	3	-	-	-	-
BLACK---MALE----	1	-	2	1	2	-	-	1	-	-	-	-
FEMALE--	-	2	-	2	1	2	1	-	-	-	-	-
MISSISSIPPI -----	29	47	52	63	65	97	107	67	44	12	4	-
WHITE-----MALE----	5	12	16	14	18	28	21	12	7	2	1	-
FEMALE--	4	13	7	15	19	32	44	35	23	3	1	-
ALL OTHER--MALE----	9	7	11	9	7	9	14	6	3	2	1	-
FEMALE--	11	15	18	25	21	28	28	14	11	5	1	-
BLACK---MALE----	9	6	11	9	7	9	14	6	3	2	1	-
FEMALE--	11	15	18	24	21	25	28	14	11	5	1	-
MISSOURI -----	58	80	109	189	247	215	232	184	122	42	13	-
WHITE-----MALE----	21	35	43	82	92	82	71	56	26	7	2	-
FEMALE--	27	30	46	79	119	113	130	116	89	33	11	-
ALL OTHER--MALE----	5	3	8	10	16	6	13	4	2	1	-	-
FEMALE--	5	12	12	18	20	14	18	8	5	1	-	-
BLACK---MALE----	4	3	6	10	15	6	13	4	2	1	-	-
FEMALE--	5	12	10	18	19	14	17	7	5	1	-	-
MONTANA -----	11	8	14	31	25	44	39	32	17	5	-	-
WHITE-----MALE----	6	3	7	11	12	23	20	12	1	1	-	-
FEMALE--	4	4	6	15	11	19	18	20	15	4	-	-
ALL OTHER--MALE----	1	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	2	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	7	11	26	35	47	55	53	42	33	30	6	-
WHITE-----MALE----	4	5	11	11	23	24	19	15	5	11	1	-
FEMALE--	3	2	12	19	20	24	31	25	28	18	5	-
ALL OTHER--MALE----	-	3	3	1	3	3	2	1	-	-	-	-
FEMALE--	-	1	-	4	1	4	1	1	-	1	-	-
BLACK---MALE----	-	2	2	1	3	3	2	1	-	-	-	-
FEMALE--	-	-	-	4	1	2	1	1	-	1	-	-
NEVADA -----	18	18	22	42	52	43	39	22	15	5	1	-
WHITE-----MALE----	6	9	5	18	29	21	11	8	2	1	-	-
FEMALE--	10	4	11	14	20	20	23	13	13	4	1	-
ALL OTHER--MALE----	1	2	2	5	1	1	3	-	-	-	-	-
FEMALE--	1	3	4	5	2	1	2	1	-	-	-	-
BLACK---MALE----	-	-	2	3	1	1	3	-	-	-	-	-
FEMALE--	1	3	3	3	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,087
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
OHIO -----	4,229	18	6	4	8	8	11	15	42	46	69	105
WHITE-----MALE----	1,541	10	3	1	1	4	6	6	22	22	40	61
FEMALE--	2,128	3	3	3	6	3	3	6	10	19	11	31
ALL OTHER--MALE----	252	4	-	-	-	1	1	3	6	4	14	9
FEMALE--	308	1	-	-	1	-	1	-	4	1	4	4
BLACK---MALE----	250	4	-	-	-	1	1	3	6	4	14	9
FEMALE--	303	1	-	-	1	-	1	-	4	1	4	4
OKLAHOMA -----	843	5	1	1	2	4	5	7	9	21	14	29
WHITE-----MALE----	282	2	-	-	2	2	3	3	5	5	6	13
FEMALE--	396	1	1	1	-	-	1	3	2	9	3	11
ALL OTHER--MALE----	59	2	-	-	-	2	1	1	-	2	3	4
FEMALE--	106	-	-	-	-	-	-	-	2	5	2	1
BLACK---MALE----	25	1	-	-	-	1	-	1	-	-	-	2
FEMALE--	57	-	-	-	-	-	-	-	1	3	1	1
OREGON -----	880	3	-	1	1	2	6	4	9	11	18	24
WHITE-----MALE----	387	2	-	1	-	-	2	3	6	5	12	17
FEMALE--	452	1	-	-	-	-	3	1	3	5	4	6
ALL OTHER--MALE----	20	-	-	-	-	2	1	-	-	-	2	1
FEMALE--	21	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	10	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	4,332	17	1	6	1	11	14	10	29	59	66	96
WHITE-----MALE----	1,545	5	-	3	-	3	4	2	15	21	31	46
FEMALE--	2,296	8	1	2	1	6	7	6	7	21	21	33
ALL OTHER--MALE----	204	1	-	1	-	1	1	2	4	7	6	11
FEMALE--	287	3	-	-	-	1	2	-	3	10	8	6
BLACK---MALE----	200	1	-	1	-	1	1	2	4	7	6	11
FEMALE--	281	3	-	-	-	1	2	-	3	10	8	6
RHODE ISLAND -----	316	-	-	-	-	-	-	-	1	3	3	13
WHITE-----MALE----	133	-	-	-	-	-	-	-	1	3	2	6
FEMALE--	161	-	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	1,285	5	1	2	1	6	3	10	13	20	28	38
WHITE-----MALE----	321	2	-	1	-	3	-	-	3	8	9	12
FEMALE--	405	-	-	-	1	-	-	2	3	4	5	4
ALL OTHER--MALE----	201	1	1	-	-	3	2	2	4	3	6	10
FEMALE--	358	2	-	1	-	-	1	6	3	5	8	12
BLACK---MALE----	199	1	1	-	-	3	2	2	4	3	6	10
FEMALE--	354	2	-	1	-	-	1	6	3	4	8	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,087
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
OHIO -----	122	233	294	425	631	655	633	492	289	102	21	-
WHITE-----MALE----	58	112	118	161	239	243	219	124	70	18	3	-
FEMALE--	42	100	112	190	296	327	349	327	202	68	17	-
ALL OTHER--MALE----	11	10	33	42	36	37	21	14	5	1	-	-
FEMALE--	11	11	31	32	60	48	44	27	12	15	1	-
BLACK---MALE----	11	10	33	42	35	36	21	14	5	1	-	-
FEMALE--	11	11	31	30	60	47	42	27	12	15	1	-
OKLAHOMA -----	45	45	58	89	112	118	114	94	48	20	2	-
WHITE-----MALE----	18	19	16	31	49	46	37	15	8	2	-	-
FEMALE--	13	12	25	32	49	54	58	65	36	18	2	-
ALL OTHER--MALE----	8	6	5	8	3	3	7	3	1	-	-	-
FEMALE--	6	8	12	18	11	15	12	11	3	-	-	-
BLACK---MALE----	2	1	2	5	1	3	4	1	1	-	-	-
FEMALE--	2	1	7	13	3	9	7	6	3	-	-	-
OREGON -----	35	52	51	96	117	147	124	110	45	18	6	-
WHITE-----MALE----	17	26	26	45	59	62	56	28	12	6	2	-
FEMALE--	17	23	22	45	52	79	67	75	33	12	4	-
ALL OTHER--MALE----	1	-	1	4	5	2	-	1	-	-	-	-
FEMALE--	-	3	2	2	1	4	1	6	-	-	-	-
BLACK---MALE----	-	-	1	-	4	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	3	-	5	-	-	-	-
PENNSYLVANIA -----	136	203	302	466	679	671	680	509	265	90	21	-
WHITE-----MALE----	77	78	130	188	272	260	228	112	55	13	2	-
FEMALE--	38	87	121	210	338	361	389	359	192	73	15	-
ALL OTHER--MALE----	11	17	22	35	25	15	27	14	2	-	2	-
FEMALE--	10	21	29	33	44	35	36	24	16	4	2	-
BLACK---MALE----	11	16	21	35	25	14	27	13	2	-	2	-
FEMALE--	10	20	27	32	43	34	36	24	16	4	2	-
RHODE ISLAND -----	10	14	17	31	43	51	56	43	23	6	2	-
WHITE-----MALE----	8	8	7	14	19	28	24	9	4	-	-	-
FEMALE--	2	4	8	12	21	22	28	32	18	6	2	-
ALL OTHER--MALE----	-	1	2	3	3	1	2	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	2	2	3	1	2	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	1	1	-	-	-
SOUTH CAROLINA -----	65	108	123	148	182	161	156	130	60	20	5	-
WHITE-----MALE----	15	38	25	38	47	45	40	25	7	2	1	-
FEMALE--	14	25	22	42	47	50	69	63	35	15	4	-
ALL OTHER--MALE----	20	23	34	23	29	15	11	11	2	1	-	-
FEMALE--	16	22	42	45	59	51	36	31	16	2	-	-
BLACK---MALE----	20	22	34	22	29	15	11	11	2	1	-	-
FEMALE--	16	22	41	44	59	51	36	30	16	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,088
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
SOUTH DAKOTA -----	229	4	-	-	-	-	1	1	-	2	6	10
WHITE-----MALE----	92	2	-	-	-	-	1	1	-	1	1	6
FEMALE--	109	-	-	-	-	-	-	-	-	1	4	3
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,569	11	2	-	3	5	7	10	16	36	29	54
WHITE-----MALE----	525	4	2	-	1	2	4	1	6	22	15	27
FEMALE--	717	4	-	-	1	2	1	6	4	6	8	16
ALL OTHER--MALE----	113	3	-	-	-	-	2	2	4	4	1	7
FEMALE--	214	-	-	-	1	1	-	1	2	4	5	4
BLACK---MALE----	112	3	-	-	-	-	2	2	4	4	1	6
FEMALE--	214	-	-	-	1	1	-	1	2	4	5	4
TEXAS -----	5,721	26	14	9	12	16	20	35	71	94	147	193
WHITE-----MALE----	2,178	11	8	6	4	9	10	15	30	48	71	101
FEMALE--	2,602	11	3	3	7	5	9	10	19	30	42	50
ALL OTHER--MALE----	355	2	2	-	-	-	1	7	17	11	15	22
FEMALE--	586	2	1	-	1	2	-	3	5	5	19	20
BLACK---MALE----	335	2	2	-	-	-	1	7	17	11	14	22
FEMALE--	566	1	1	-	1	2	-	3	5	5	19	20
UTAH -----	518	1	3	3	1	2	3	6	3	14	11	16
WHITE-----MALE----	212	-	1	1	1	1	1	3	3	8	9	9
FEMALE--	275	1	-	1	-	1	2	3	-	4	2	5
ALL OTHER--MALE----	16	-	-	1	-	-	-	-	-	1	-	2
FEMALE--	15	-	2	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
VERMONT -----	194	-	1	-	-	-	-	-	2	3	4	5
WHITE-----MALE----	89	-	1	-	-	-	-	-	2	3	3	3
FEMALE--	105	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,619	5	1	-	4	3	3	14	18	34	36	52
WHITE-----MALE----	479	2	-	-	-	-	-	4	5	7	17	15
FEMALE--	664	1	-	-	4	2	2	3	7	9	5	13
ALL OTHER--MALE----	197	1	-	-	-	1	1	5	4	11	6	13
FEMALE--	279	1	1	-	-	-	-	2	2	7	8	11
BLACK---MALE----	189	1	-	-	-	1	1	5	4	11	6	13
FEMALE--	273	1	1	-	-	-	-	2	2	7	7	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,088
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
SOUTH DAKOTA -----	9	5	21	18	31	33	32	23	21	11	1	-
WHITE-----MALE----	5	2	12	6	13	15	11	10	5	1	-	-
FEMALE--	2	2	4	5	14	17	19	12	15	10	1	-
ALL OTHER--MALE----	-	-	2	2	2	1	2	1	-	-	-	-
FEMALE--	2	1	3	5	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	58	101	126	159	195	248	228	153	93	33	1	1
WHITE-----MALE----	25	41	41	58	71	82	61	40	16	6	-	-
FEMALE--	19	31	53	69	76	120	132	84	63	21	1	-
ALL OTHER--MALE----	6	10	10	11	12	19	7	7	6	2	-	-
FEMALE--	8	19	22	21	36	27	28	22	8	4	-	1
BLACK---MALE----	6	10	10	11	12	19	7	7	6	2	-	-
FEMALE--	8	19	22	21	36	27	28	22	8	4	-	1
TEXAS -----	250	347	476	678	785	784	808	561	283	87	25	-
WHITE-----MALE----	105	157	189	273	291	320	278	170	66	13	3	-
FEMALE--	84	118	192	290	370	364	413	318	184	63	17	-
ALL OTHER--MALE----	28	30	41	40	42	30	42	20	2	2	1	-
FEMALE--	33	42	54	75	82	70	75	53	31	9	4	-
BLACK---MALE----	27	27	39	38	37	30	37	20	2	1	1	-
FEMALE--	33	42	52	73	79	65	71	50	31	9	4	-
UTAH -----	21	24	35	50	75	73	71	66	33	7	-	-
WHITE-----MALE----	12	10	13	22	39	28	22	20	8	1	-	-
FEMALE--	8	9	14	24	33	43	49	45	25	6	-	-
ALL OTHER--MALE----	1	4	3	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	5	3	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	8	18	20	30	34	29	22	8	3	2	-
WHITE-----MALE----	5	5	12	8	16	16	9	5	1	-	-	-
FEMALE--	-	3	6	12	14	18	20	17	7	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	61	100	148	169	229	239	216	157	91	36	3	-
WHITE-----MALE----	24	38	52	64	62	69	66	30	19	4	1	-
FEMALE--	14	26	43	56	107	102	98	89	60	22	1	-
ALL OTHER--MALE----	14	17	25	14	20	33	15	9	2	6	-	-
FEMALE--	9	19	28	35	40	35	37	29	10	4	1	-
BLACK---MALE----	14	16	24	12	19	31	14	9	2	6	-	-
FEMALE--	9	19	27	34	38	34	37	29	10	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,089

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)												
WASHINGTON -----	59	72	88	156	207	197	208	133	70	22	5	-
WHITE-----MALE----	30	32	38	72	104	96	73	46	23	5	3	-
FEMALE--	23	33	39	67	88	84	119	82	44	16	2	-
ALL OTHER--MALE----	5	4	3	2	5	8	4	2	2	-	-	-
FEMALE--	1	3	8	15	10	9	12	3	1	1	-	-
BLACK---MALE----	2	2	1	1	3	5	-	1	1	-	-	-
FEMALE--	1	-	4	7	5	5	7	3	1	1	-	-
WEST VIRGINIA -----	23	37	59	112	122	105	119	73	40	15	2	-
WHITE-----MALE----	11	15	23	48	46	41	35	19	10	4	-	-
FEMALE--	9	15	31	60	67	59	78	51	28	11	2	-
ALL OTHER--MALE----	2	2	2	1	5	1	3	-	-	-	-	-
FEMALE--	1	5	3	3	4	4	3	3	2	-	-	-
BLACK---MALE----	2	2	2	1	5	1	3	-	-	-	-	-
FEMALE--	1	5	3	3	4	4	3	3	2	-	-	-
WISCONSIN -----	56	60	101	129	176	223	249	171	114	33	11	-
WHITE-----MALE----	28	30	42	69	83	100	97	54	31	5	2	-
FEMALE--	24	23	47	45	84	114	146	116	79	28	9	-
ALL OTHER--MALE----	1	4	4	7	3	3	1	-	1	-	-	-
FEMALE--	3	3	8	8	6	6	5	1	3	-	-	-
BLACK---MALE----	1	3	3	4	2	2	1	-	1	-	-	-
FEMALE--	1	2	7	7	5	4	5	1	3	-	-	-
WYOMING -----	8	5	13	11	10	19	20	15	11	4	-	-
WHITE-----MALE----	4	3	6	5	6	10	9	3	1	1	-	-
FEMALE--	3	2	6	5	3	8	11	12	10	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,090
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISORDERS OF THYROID GLAND (240-246)												
0 UNITED STATES --	1,284	1	-	-	-	2	6	8	22	23	20	16
WHITE-----MALE----	250	1	-	-	-	-	1	3	9	7	3	4
FEMALE--	878	-	-	-	-	1	2	3	4	5	8	8
ALL OTHER--MALE----	45	-	-	-	-	-	1	1	3	7	2	2
FEMALE--	111	-	-	-	-	1	2	1	6	4	7	2
BLACK---MALE----	39	-	-	-	-	-	1	1	1	7	1	2
FEMALE--	105	-	-	-	-	1	2	1	6	4	7	2
ALABAMA -----	25	-	-	-	-	-	1	-	1	2	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	79	-	-	-	-	-	-	4	7	1	1	2
WHITE-----MALE----	16	-	-	-	-	-	-	2	3	1	-	1
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	3	-	1	-
FEMALE--	13	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	1	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,090
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF THYROID GLAND (240-246)												
0 UNITED STATES --	26	23	42	63	103	157	228	268	181	84	11	-
WHITE-----MALE----	6	10	13	11	20	27	47	42	34	12	-	-
FEMALE--	15	6	21	41	66	107	170	209	139	63	10	-
ALL OTHER--MALE----	1	1	2	1	6	6	2	7	-	3	-	-
FEMALE--	4	6	6	10	11	17	9	10	8	6	1	-
BLACK---MALE----	-	1	2	1	6	6	1	6	-	3	-	-
FEMALE--	3	5	6	10	11	15	8	9	8	6	1	-
ALABAMA -----	1	-	-	-	1	4	3	8	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	3	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	2	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	-	-	1	1	-	4	3	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	1	-	-	3	1	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	3	1	6	2	12	11	14	8	2	-	-
WHITE-----MALE----	1	1	1	-	-	2	1	2	1	-	-	-
FEMALE--	2	1	-	5	2	8	8	11	7	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	2	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,091
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF THYROID GLAND (240-246)												
COLORADO -----	-	-	-	-	-	1	4	5	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	1	1	3	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
DELAWARE -----	-	-	1	1	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	1	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	1	-
FLORIDA -----	1	3	1	7	11	9	14	30	13	9	-	-
WHITE-----MALE----	-	1	-	-	2	3	5	3	4	2	-	-
FEMALE--	1	1	1	7	5	5	7	26	9	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	1	-	-	3	1	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	1	-	-	3	1	2	-	-	1	-	-
GEORGIA -----	-	-	1	1	2	5	3	6	7	-	1	-
WHITE-----MALE----	-	-	1	-	-	1	-	1	3	-	-	-
FEMALE--	-	-	-	-	2	3	3	3	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,093
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF THYROID GLAND (240-246)												
KENTUCKY -----	-	-	-	-	1	4	7	4	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	6	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	1	2	1	1	4	4	3	7	2	-	-	-
WHITE-----MALE----	-	1	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	3	2	6	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	1	-	-	-
MAINE -----	-	1	-	-	1	1	2	5	1	3	1	-
WHITE-----MALE----	-	-	-	-	1	1	-	2	-	2	-	-
FEMALE--	-	1	-	-	-	-	2	3	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	2	1	7	3	5	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	5	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
MASSACHUSETTS -----	1	-	1	1	2	4	5	12	5	4	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	2	-	-	-
FEMALE--	1	-	1	1	1	4	4	12	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	2	1	8	8	6	10	4	-	-
WHITE-----MALE----	-	-	-	-	-	4	-	1	2	-	-	-
FEMALE--	-	-	-	1	1	3	8	5	8	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,097
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISORDERS OF THYROID GLAND (240-246)												
SOUTH DAKOTA -----	6	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	85	-	-	-	-	-	-	1	2	1	5	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	54	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	4	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	4	-
UTAH -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	28	-	-	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,097
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF THYROID GLAND (240-246)												
SOUTH DAKOTA -----	-	-	-	-	-	1	1	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	-	1	2	4	5	5	1	3	-	-
WHITE-----MALE----	-	1	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	4	3	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
TEXAS -----	2	3	6	2	7	12	15	18	8	3	-	-
WHITE-----MALE----	1	3	2	-	3	2	3	4	1	-	-	-
FEMALE--	1	-	4	2	2	10	11	12	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
UTAH -----	1	-	-	1	-	1	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	2	1	2	1	6	6	5	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	2	2	-	-	-	-
FEMALE--	-	-	1	1	2	-	4	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,099
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
0 UNITED STATES --	59,254	-	6	6	11	47	89	208	406	754	1,090	1,633
WHITE-----MALE----	21,407	-	5	3	4	20	30	75	164	315	487	703
FEMALE--	26,068	-	-	2	3	11	22	59	127	233	319	458
ALL OTHER--MALE----	4,717	-	-	1	1	9	24	44	62	115	159	251
FEMALE--	7,062	-	1	-	3	7	13	30	53	91	125	221
BLACK---MALE----	4,110	-	-	1	1	9	23	42	58	108	142	229
FEMALE--	6,292	-	1	-	3	6	12	27	47	83	117	206
ALABAMA -----	1,159	-	1	-	1	1	2	3	7	21	27	43
WHITE-----MALE----	311	-	-	-	1	1	1	1	2	7	8	13
FEMALE--	398	-	-	-	-	-	-	-	2	4	5	7
ALL OTHER--MALE----	157	-	-	-	-	-	1	1	3	6	8	7
FEMALE--	293	-	1	-	-	-	-	1	-	4	6	16
BLACK---MALE----	155	-	-	-	-	-	1	1	3	6	8	7
FEMALE--	292	-	1	-	-	-	-	1	-	4	6	16
ALASKA -----	56	-	-	-	1	-	-	-	1	1	2	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	23	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	824	-	-	1	-	-	-	3	5	7	25	20
WHITE-----MALE----	319	-	-	-	-	-	-	2	4	1	9	11
FEMALE--	383	-	-	1	-	-	-	-	-	6	11	4
ALL OTHER--MALE----	51	-	-	-	-	-	-	1	1	-	4	2
FEMALE--	71	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	2
ARKANSAS -----	556	-	-	-	-	-	1	1	3	6	19	20
WHITE-----MALE----	184	-	-	-	-	-	1	-	2	3	8	7
FEMALE--	247	-	-	-	-	-	-	-	1	2	7	7
ALL OTHER--MALE----	44	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	81	-	-	-	-	-	-	-	-	-	1	4
BLACK---MALE----	43	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	81	-	-	-	-	-	-	-	-	-	1	4
CALIFORNIA -----	5,104	-	-	-	-	6	12	23	46	90	100	146
WHITE-----MALE----	1,924	-	-	-	-	4	5	13	19	41	49	65
FEMALE--	2,140	-	-	-	-	1	2	3	14	29	38	44
ALL OTHER--MALE----	463	-	-	-	-	-	2	4	8	11	8	19
FEMALE--	577	-	-	-	-	1	3	3	5	9	5	18
BLACK---MALE----	275	-	-	-	-	-	2	4	5	7	7	16
FEMALE--	327	-	-	-	-	-	2	1	4	5	5	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,099
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
0 UNITED STATES --	2,363	3,355	4,833	7,097	9,134	9,426	8,709	6,092	3,039	814	141	1
WHITE-----MALE----	972	1,336	1,839	2,782	3,458	3,645	3,000	1,706	705	141	17	-
FEMALE--	713	1,070	1,697	2,746	3,857	4,224	4,374	3,558	1,939	556	100	-
ALL OTHER--MALE----	366	440	555	655	669	577	416	235	114	21	3	-
FEMALE--	312	509	742	914	1,150	980	919	593	281	96	21	1
BLACK---MALE----	316	379	487	576	579	493	353	193	100	18	3	-
FEMALE--	283	450	650	805	1,022	855	814	536	261	92	21	1
ALABAMA -----	57	63	95	129	173	140	162	143	65	24	2	-
WHITE-----MALE----	20	27	28	35	49	33	43	32	9	1	-	-
FEMALE--	13	13	26	47	61	54	72	65	20	9	-	-
ALL OTHER--MALE----	17	7	17	18	14	19	13	14	8	4	-	-
FEMALE--	7	16	24	29	49	34	34	32	28	10	2	-
BLACK---MALE----	16	7	17	18	14	18	13	14	8	4	-	-
FEMALE--	7	15	24	29	49	34	34	32	28	10	2	-
ALASKA -----	-	3	1	7	14	13	6	3	2	-	-	-
WHITE-----MALE----	-	2	1	3	4	4	2	1	-	-	-	-
FEMALE--	-	-	-	3	7	3	4	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	4	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	36	56	73	108	115	141	118	77	30	9	-	-
WHITE-----MALE----	19	22	22	50	40	57	40	27	12	3	-	-
FEMALE--	9	19	33	40	58	70	65	47	16	4	-	-
ALL OTHER--MALE----	3	10	10	6	7	4	1	1	1	-	-	-
FEMALE--	5	5	8	12	10	10	12	2	1	2	-	-
BLACK---MALE----	-	4	2	2	3	3	-	-	-	-	-	-
FEMALE--	-	1	2	3	4	5	3	2	-	1	-	-
ARKANSAS -----	17	34	37	60	71	90	90	70	27	10	-	-
WHITE-----MALE----	4	11	14	23	30	31	24	18	6	2	-	-
FEMALE--	4	14	13	23	30	37	49	39	15	6	-	-
ALL OTHER--MALE----	3	5	2	3	4	6	8	2	4	-	-	-
FEMALE--	6	4	8	11	7	16	9	11	2	2	-	-
BLACK---MALE----	2	5	2	3	4	6	8	2	4	-	-	-
FEMALE--	6	4	8	11	7	16	9	11	2	2	-	-
CALIFORNIA -----	236	295	450	648	813	835	674	476	197	47	10	-
WHITE-----MALE----	96	117	186	253	297	315	266	137	52	8	1	-
FEMALE--	81	100	158	261	334	360	299	265	109	34	8	-
ALL OTHER--MALE----	32	41	43	63	81	67	37	30	14	2	1	-
FEMALE--	27	37	63	71	101	93	72	44	22	3	-	-
BLACK---MALE----	20	28	28	42	42	32	17	16	7	1	1	-
FEMALE--	18	24	35	44	58	48	31	22	13	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,100
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
COLORADO -----	535	-	-	-	-	1	-	4	8	13	16	15
WHITE-----MALE----	233	-	-	-	-	-	-	3	3	7	6	10
FEMALE--	269	-	-	-	-	1	-	1	5	6	9	5
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	594	-	-	-	-	-	-	2	5	3	8	15
WHITE-----MALE----	233	-	-	-	-	-	-	-	1	2	3	7
FEMALE--	294	-	-	-	-	-	-	1	3	-	3	5
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	43	-	-	-	-	-	-	-	1	1	-	3
BLACK---MALE----	23	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	41	-	-	-	-	-	-	-	1	-	-	3
DELAWARE -----	193	-	-	-	-	1	1	1	1	3	5	5
WHITE-----MALE----	59	-	-	-	-	-	-	1	1	1	3	1
FEMALE--	73	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	1	-	-	1	2	2
FEMALE--	35	-	-	-	-	1	-	-	-	1	-	2
BLACK---MALE----	24	-	-	-	-	-	1	-	-	1	2	2
FEMALE--	33	-	-	-	-	1	-	-	-	1	-	2
DISTRICT OF COLUMBIA ----	219	-	-	-	-	-	1	1	-	2	4	8
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	78	-	-	-	-	-	-	1	-	-	3	6
FEMALE--	108	-	-	-	-	-	1	-	-	1	1	2
BLACK---MALE----	78	-	-	-	-	-	-	1	-	-	3	6
FEMALE--	108	-	-	-	-	-	1	-	-	1	1	2
FLORIDA -----	3,680	-	-	-	-	4	7	9	21	34	56	78
WHITE-----MALE----	1,583	-	-	-	-	1	3	3	7	13	27	35
FEMALE--	1,419	-	-	-	-	2	2	1	4	8	11	26
ALL OTHER--MALE----	259	-	-	-	-	-	-	4	3	6	7	11
FEMALE--	419	-	-	-	-	1	2	1	7	7	11	6
BLACK---MALE----	251	-	-	-	-	-	-	4	3	6	7	11
FEMALE--	411	-	-	-	-	1	2	1	7	7	11	6
GEORGIA -----	1,205	-	-	-	-	1	1	10	10	21	37	46
WHITE-----MALE----	332	-	-	-	-	-	-	2	1	4	14	13
FEMALE--	408	-	-	-	-	-	-	1	2	5	6	5
ALL OTHER--MALE----	173	-	-	-	-	1	1	4	4	6	8	12
FEMALE--	292	-	-	-	-	-	-	3	3	6	9	16
BLACK---MALE----	170	-	-	-	-	1	1	4	4	6	8	12
FEMALE--	289	-	-	-	-	-	-	3	3	6	9	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,100
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
COLORADO -----	19	33	44	58	79	76	80	53	30	6	-	-
WHITE-----MALE----	10	15	22	24	40	39	31	14	7	2	-	-
FEMALE--	9	14	18	29	32	35	43	36	22	4	-	-
ALL OTHER--MALE----	-	2	2	2	2	2	2	-	1	-	-	-
FEMALE--	-	2	2	3	5	-	4	3	-	-	-	-
BLACK---MALE----	-	2	2	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	2	3	-	2	2	-	-	-	-
CONNECTICUT -----	20	34	42	59	93	94	92	79	37	9	2	-
WHITE-----MALE----	9	8	16	26	47	45	32	25	12	-	-	-
FEMALE--	5	13	21	24	35	44	55	50	24	9	2	-
ALL OTHER--MALE----	3	5	1	5	2	3	1	1	-	-	-	-
FEMALE--	3	8	4	4	9	2	4	3	1	-	-	-
BLACK---MALE----	3	5	1	4	2	3	1	1	-	-	-	-
FEMALE--	3	8	4	4	8	2	4	3	1	-	-	-
DELAWARE -----	5	15	15	16	20	32	31	29	11	2	-	-
WHITE-----MALE----	2	3	5	5	7	11	11	7	1	-	-	-
FEMALE--	-	5	5	5	7	13	13	14	10	1	-	-
ALL OTHER--MALE----	2	4	1	3	3	3	2	2	-	-	-	-
FEMALE--	1	3	4	3	3	5	6	6	-	1	-	-
BLACK---MALE----	1	4	1	3	3	3	2	1	-	-	-	-
FEMALE--	1	3	4	2	3	5	4	6	-	1	-	-
DISTRICT OF COLUMBIA ----	3	17	26	20	37	34	31	26	9	-	-	-
WHITE-----MALE----	-	1	1	1	3	6	2	2	1	-	-	-
FEMALE--	1	1	-	1	2	1	3	4	2	-	-	-
ALL OTHER--MALE----	1	7	12	10	12	12	8	2	4	-	-	-
FEMALE--	1	8	13	8	20	15	18	18	2	-	-	-
BLACK---MALE----	1	7	12	10	12	12	8	2	4	-	-	-
FEMALE--	1	8	13	8	20	15	18	18	2	-	-	-
FLORIDA -----	144	176	287	409	631	638	529	406	200	40	11	-
WHITE-----MALE----	62	78	132	195	290	277	240	150	55	14	1	-
FEMALE--	43	51	83	127	241	245	218	202	125	23	7	-
ALL OTHER--MALE----	13	23	25	40	43	41	25	13	5	-	-	-
FEMALE--	26	24	47	47	57	75	46	41	15	3	3	-
BLACK---MALE----	12	23	25	38	42	38	24	13	5	-	-	-
FEMALE--	25	24	47	47	55	71	45	41	15	3	3	-
GEORGIA -----	55	80	111	131	181	186	162	103	58	12	-	-
WHITE-----MALE----	19	31	39	44	51	52	36	16	9	1	-	-
FEMALE--	15	18	23	37	61	79	70	48	30	8	-	-
ALL OTHER--MALE----	11	11	27	19	23	19	15	6	6	-	-	-
FEMALE--	10	20	22	31	46	36	41	33	13	3	-	-
BLACK---MALE----	11	11	27	18	22	19	15	5	6	-	-	-
FEMALE--	10	19	22	31	46	35	41	32	13	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,101
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
HAWAII -----	168	-	-	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	206	-	-	-	-	1	-	2	1	3	7	4
WHITE-----MALE----	99	-	-	-	-	1	-	2	-	2	3	2
FEMALE--	99	-	-	-	-	-	-	-	1	1	4	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,663	-	1	-	-	5	8	12	13	34	55	67
WHITE-----MALE----	925	-	1	-	-	2	2	4	4	8	27	26
FEMALE--	1,203	-	-	-	-	2	1	2	7	9	13	21
ALL OTHER--MALE----	234	-	-	-	-	1	1	3	1	12	10	9
FEMALE--	301	-	-	-	-	-	4	3	1	5	5	11
BLACK---MALE----	222	-	-	-	-	1	1	3	1	12	10	8
FEMALE--	290	-	-	-	-	-	4	3	1	5	5	11
INDIANA -----	1,437	-	-	-	-	-	2	6	4	20	24	47
WHITE-----MALE----	525	-	-	-	-	-	1	3	3	7	10	25
FEMALE--	709	-	-	-	-	-	-	2	1	6	8	13
ALL OTHER--MALE----	97	-	-	-	-	-	1	-	-	3	3	7
FEMALE--	106	-	-	-	-	-	-	1	-	4	3	2
BLACK---MALE----	97	-	-	-	-	-	1	-	-	3	3	7
FEMALE--	103	-	-	-	-	-	-	1	-	4	3	2
IOWA -----	637	-	-	-	-	-	1	2	9	7	11	12
WHITE-----MALE----	273	-	-	-	-	-	1	-	4	4	4	5
FEMALE--	348	-	-	-	-	-	-	2	5	3	7	7
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	577	-	-	-	1	2	3	1	5	9	11	11
WHITE-----MALE----	219	-	-	-	1	-	2	-	3	5	5	7
FEMALE--	307	-	-	-	-	1	1	1	1	4	4	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	1	-	-	1	-	2	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	-	-	-	1	-	-	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,101
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
HAWAII -----	6	13	16	17	32	31	21	14	10	2	-	-
WHITE-----MALE----	-	3	2	1	5	5	3	2	3	-	-	-
FEMALE--	1	-	1	1	2	3	2	2	-	-	-	-
ALL OTHER--MALE----	3	6	8	8	11	11	6	6	2	1	-	-
FEMALE--	2	4	5	7	14	12	10	4	5	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	8	8	17	24	34	27	36	20	7	7	-	-
WHITE-----MALE----	6	5	7	12	18	11	19	7	3	1	-	-
FEMALE--	1	3	8	11	12	16	17	13	4	6	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	103	153	206	323	380	455	389	285	128	36	10	-
WHITE-----MALE----	36	56	82	117	142	170	133	72	39	3	1	-
FEMALE--	30	47	67	134	164	211	208	181	70	30	6	-
ALL OTHER--MALE----	24	23	23	34	33	35	11	8	6	-	-	-
FEMALE--	13	27	34	38	41	39	37	24	13	3	3	-
BLACK---MALE----	23	22	22	32	32	33	9	7	6	-	-	-
FEMALE--	13	27	31	37	37	38	35	24	13	3	3	-
INDIANA -----	49	77	95	187	194	243	219	161	85	22	2	-
WHITE-----MALE----	24	30	36	82	72	92	72	51	15	2	-	-
FEMALE--	18	32	46	73	93	114	120	105	57	19	2	-
ALL OTHER--MALE----	4	8	7	19	14	11	12	1	6	1	-	-
FEMALE--	3	7	6	13	15	26	15	4	7	-	-	-
BLACK---MALE----	4	8	7	19	14	11	12	1	6	1	-	-
FEMALE--	3	7	5	12	15	25	15	4	7	-	-	-
IOWA -----	19	18	31	65	88	108	108	86	53	16	3	-
WHITE-----MALE----	13	8	15	24	43	52	44	33	18	4	1	-
FEMALE--	5	9	14	38	43	55	62	50	34	12	2	-
ALL OTHER--MALE----	1	1	1	1	2	-	1	1	-	-	-	-
FEMALE--	-	-	1	2	-	1	1	2	1	-	-	-
BLACK---MALE----	-	1	1	1	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
KANSAS -----	28	23	33	54	98	85	93	70	40	10	-	-
WHITE-----MALE----	11	12	15	22	39	30	41	20	4	2	-	-
FEMALE--	12	4	13	25	54	46	50	47	33	8	-	-
ALL OTHER--MALE----	4	3	2	2	2	2	1	1	-	-	-	-
FEMALE--	1	4	3	5	3	7	1	2	3	-	-	-
BLACK---MALE----	4	3	2	1	2	2	1	1	-	-	-	-
FEMALE--	-	4	2	5	3	6	1	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,102
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
KENTUCKY -----	970	-	-	-	-	-	2	3	3	7	19	21
WHITE-----MALE----	356	-	-	-	-	-	2	-	1	4	10	10
FEMALE--	491	-	-	-	-	-	-	2	1	2	8	7
ALL OTHER--MALE----	51	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	72	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	49	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	71	-	-	-	-	-	-	-	-	-	1	2
LOUISIANA -----	1,495	-	-	1	-	-	4	2	7	19	23	36
WHITE-----MALE----	351	-	-	1	-	-	-	1	1	5	3	7
FEMALE--	474	-	-	-	-	-	2	-	3	3	1	9
ALL OTHER--MALE----	255	-	-	-	-	-	2	-	2	3	8	14
FEMALE--	415	-	-	-	-	-	-	1	1	8	11	6
BLACK---MALE----	252	-	-	-	-	-	2	-	2	3	8	14
FEMALE--	412	-	-	-	-	-	-	1	1	8	11	6
MAINE -----	315	-	-	1	1	-	-	-	1	4	2	10
WHITE-----MALE----	144	-	-	1	-	-	-	-	-	3	1	7
FEMALE--	169	-	-	-	1	-	-	-	1	1	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,360	-	-	1	-	2	2	5	9	19	19	34
WHITE-----MALE----	389	-	-	1	-	-	-	2	3	6	7	12
FEMALE--	480	-	-	-	-	-	1	1	3	3	6	7
ALL OTHER--MALE----	209	-	-	-	-	2	-	-	2	8	4	7
FEMALE--	282	-	-	-	-	-	1	2	1	2	2	8
BLACK---MALE----	198	-	-	-	-	2	-	-	2	8	4	6
FEMALE--	266	-	-	-	-	-	1	2	1	2	2	8
MASSACHUSETTS -----	1,326	-	-	1	1	-	-	3	10	15	21	33
WHITE-----MALE----	560	-	-	-	-	-	-	2	5	6	8	18
FEMALE--	672	-	-	1	1	-	-	-	3	8	10	10
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	55	-	-	-	-	-	-	1	2	1	-	1
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	46	-	-	-	-	-	-	1	1	1	-	1
MICHIGAN -----	2,235	-	-	-	-	1	4	8	19	36	54	46
WHITE-----MALE----	845	-	-	-	-	-	2	-	11	16	26	22
FEMALE--	964	-	-	-	-	1	1	5	2	7	9	9
ALL OTHER--MALE----	184	-	-	-	-	-	1	1	5	7	9	9
FEMALE--	242	-	-	-	-	-	-	2	1	6	10	6
BLACK---MALE----	174	-	-	-	-	-	1	1	5	7	9	9
FEMALE--	223	-	-	-	-	-	-	2	1	6	9	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,102
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
KENTUCKY -----	35	48	80	122	160	159	160	92	47	9	3	-
WHITE-----MALE----	14	22	32	55	53	54	50	31	17	1	-	-
FEMALE--	16	17	33	52	83	87	95	51	28	6	3	-
ALL OTHER--MALE----	4	5	4	8	9	10	4	3	-	-	-	-
FEMALE--	1	4	11	7	15	8	11	7	2	2	-	-
BLACK---MALE----	4	5	4	7	9	9	4	3	-	-	-	-
FEMALE--	1	4	11	7	15	8	11	7	2	2	-	-
LOUISIANA -----	77	104	118	205	241	227	208	133	66	19	5	-
WHITE-----MALE----	12	28	31	51	67	70	41	23	7	2	1	-
FEMALE--	27	18	20	59	71	72	85	62	37	4	1	-
ALL OTHER--MALE----	20	25	27	32	38	25	28	16	11	3	1	-
FEMALE--	18	33	40	63	65	60	54	32	11	10	2	-
BLACK---MALE----	20	24	27	32	38	25	27	16	10	3	1	-
FEMALE--	18	31	40	62	65	60	54	32	11	10	2	-
MAINE -----	7	13	25	49	44	58	39	37	14	8	2	-
WHITE-----MALE----	3	10	15	25	22	24	16	11	5	1	-	-
FEMALE--	4	2	9	24	22	34	23	26	9	7	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	63	94	129	158	210	224	199	102	74	14	2	-
WHITE-----MALE----	16	32	34	46	68	72	47	31	10	2	-	-
FEMALE--	12	19	35	52	73	85	79	49	45	8	2	-
ALL OTHER--MALE----	23	18	31	28	24	24	25	6	6	1	-	-
FEMALE--	12	25	29	32	45	43	48	16	13	3	-	-
BLACK---MALE----	21	18	30	28	24	21	24	4	5	1	-	-
FEMALE--	11	24	28	28	42	42	46	13	13	3	-	-
MASSACHUSETTS -----	34	51	99	147	172	218	237	157	100	22	5	-
WHITE-----MALE----	23	21	51	65	83	100	89	61	20	7	1	-
FEMALE--	8	22	42	63	80	107	136	90	74	14	3	-
ALL OTHER--MALE----	3	2	2	9	5	5	2	2	2	-	-	-
FEMALE--	-	6	4	10	4	6	10	4	4	1	1	-
BLACK---MALE----	3	2	2	6	4	4	1	1	2	-	-	-
FEMALE--	-	6	3	8	3	5	8	4	3	1	1	-
MICHIGAN -----	94	118	186	265	355	349	302	244	126	22	6	-
WHITE-----MALE----	38	47	75	115	140	141	112	65	32	2	1	-
FEMALE--	26	38	67	101	149	161	144	143	78	18	5	-
ALL OTHER--MALE----	17	17	26	21	22	20	14	12	3	-	-	-
FEMALE--	13	16	18	28	44	27	32	24	13	2	-	-
BLACK---MALE----	17	16	25	21	19	18	12	11	3	-	-	-
FEMALE--	13	13	17	25	40	25	30	21	13	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,103
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
MINNESOTA -----	18	26	63	85	117	128	161	118	67	19	4	-
WHITE-----MALE----	13	15	35	46	46	60	80	44	19	5	-	-
FEMALE--	3	9	22	35	64	65	76	69	48	14	4	-
ALL OTHER--MALE----	1	-	5	2	4	-	1	2	-	-	-	-
FEMALE--	1	2	1	2	3	3	4	3	-	-	-	-
BLACK---MALE----	1	-	2	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	2	1	-	-	-	-	-
MISSISSIPPI -----	22	35	45	55	50	73	84	46	25	8	2	-
WHITE-----MALE----	3	8	13	13	12	22	16	9	5	-	-	-
FEMALE--	4	9	7	13	16	23	36	27	14	2	-	-
ALL OTHER--MALE----	7	7	9	7	5	8	7	3	1	2	1	-
FEMALE--	8	11	16	22	17	20	25	7	5	4	1	-
BLACK---MALE----	7	6	9	7	5	8	7	3	1	2	1	-
FEMALE--	8	11	16	21	17	17	25	7	5	4	1	-
MISSOURI -----	44	55	99	153	211	174	191	139	69	21	4	-
WHITE-----MALE----	15	22	38	65	81	68	59	41	15	2	-	-
FEMALE--	22	23	41	66	99	88	104	88	51	18	4	-
ALL OTHER--MALE----	3	3	8	8	13	5	13	4	-	-	-	-
FEMALE--	4	7	12	14	18	13	15	6	3	1	-	-
BLACK---MALE----	3	3	6	8	12	5	13	4	-	-	-	-
FEMALE--	4	7	10	14	18	13	14	5	3	1	-	-
MONTANA -----	9	8	13	29	23	36	34	27	11	3	-	-
WHITE-----MALE----	4	3	6	10	10	19	18	9	1	-	-	-
FEMALE--	4	4	6	14	11	15	15	18	9	3	-	-
ALL OTHER--MALE----	1	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	2	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	7	9	18	30	40	49	43	30	27	13	1	-
WHITE-----MALE----	4	4	9	9	20	21	17	12	5	6	-	-
FEMALE--	3	2	6	17	17	22	25	17	22	7	1	-
ALL OTHER--MALE----	-	2	3	-	2	3	-	1	-	-	-	-
FEMALE--	-	1	-	4	1	3	1	-	-	-	-	-
BLACK---MALE----	-	1	2	-	2	3	-	1	-	-	-	-
FEMALE--	-	-	-	4	1	1	1	-	-	-	-	-
NEVADA -----	12	13	20	38	43	32	32	14	7	2	1	-
WHITE-----MALE----	4	7	5	17	23	18	9	4	1	-	-	-
FEMALE--	6	3	10	11	18	12	18	9	6	2	1	-
ALL OTHER--MALE----	1	1	1	5	-	1	3	-	-	-	-	-
FEMALE--	1	2	4	5	2	1	2	1	-	-	-	-
BLACK---MALE----	-	-	1	3	-	1	3	-	-	-	-	-
FEMALE--	1	2	3	3	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,105
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
OHIO -----	3,350	-	1	-	1	2	4	5	22	31	40	80
WHITE-----MALE----	1,216	-	1	-	-	1	2	1	12	17	25	43
FEMALE--	1,660	-	-	-	-	1	-	2	5	11	6	26
ALL OTHER--MALE----	208	-	-	-	-	-	1	2	3	3	8	8
FEMALE--	266	-	-	-	1	-	1	-	2	-	1	3
BLACK---MALE----	206	-	-	-	-	-	1	2	3	3	8	8
FEMALE--	263	-	-	-	1	-	1	-	2	-	1	3
OKLAHOMA -----	640	-	-	-	-	2	3	3	5	15	10	20
WHITE-----MALE----	211	-	-	-	-	1	1	2	2	4	3	8
FEMALE--	289	-	-	-	-	-	1	1	1	7	2	8
ALL OTHER--MALE----	50	-	-	-	-	1	1	-	-	1	3	3
FEMALE--	90	-	-	-	-	-	-	-	2	3	2	1
BLACK---MALE----	22	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	43	-	-	-	-	-	-	-	1	1	1	1
OREGON -----	682	-	-	-	-	1	3	1	6	6	12	13
WHITE-----MALE----	305	-	-	-	-	-	1	1	5	4	9	8
FEMALE--	349	-	-	-	-	-	2	-	1	2	2	5
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,408	-	-	1	-	1	7	5	11	40	41	71
WHITE-----MALE----	1,236	-	-	-	-	1	2	2	7	14	19	31
FEMALE--	1,787	-	-	-	-	-	3	1	1	19	14	25
ALL OTHER--MALE----	155	-	-	1	-	-	1	2	1	2	4	9
FEMALE--	230	-	-	-	-	-	1	-	2	5	4	6
BLACK---MALE----	152	-	-	1	-	-	1	2	1	2	4	9
FEMALE--	224	-	-	-	-	-	1	-	2	5	4	6
RHODE ISLAND -----	244	-	-	-	-	-	-	-	1	2	1	8
WHITE-----MALE----	108	-	-	-	-	-	-	-	1	2	-	4
FEMALE--	117	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,008	-	-	-	-	2	2	6	12	13	20	27
WHITE-----MALE----	247	-	-	-	-	2	-	-	3	4	7	9
FEMALE--	295	-	-	-	-	-	-	2	3	4	4	2
ALL OTHER--MALE----	163	-	-	-	-	-	2	2	3	3	4	8
FEMALE--	303	-	-	-	-	-	-	2	3	2	5	8
BLACK---MALE----	161	-	-	-	-	-	2	2	3	3	4	8
FEMALE--	299	-	-	-	-	-	-	2	3	1	5	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,105
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
OHIO -----	92	196	241	354	554	564	525	369	199	62	8	-
WHITE-----MALE----	40	90	91	138	209	206	184	93	50	12	1	-
FEMALE--	33	86	95	152	255	280	285	242	136	39	6	-
ALL OTHER--MALE----	10	9	25	38	32	35	19	11	3	1	-	-
FEMALE--	9	11	30	26	58	43	37	23	10	10	1	-
BLACK---MALE----	10	9	25	38	31	34	19	11	3	1	-	-
FEMALE--	9	11	30	25	58	42	36	23	10	10	1	-
OKLAHOMA -----	36	40	44	74	92	101	83	68	32	12	-	-
WHITE-----MALE----	13	15	10	27	38	37	30	12	6	2	-	-
FEMALE--	9	11	19	24	42	49	37	45	23	10	-	-
ALL OTHER--MALE----	8	6	5	7	2	3	6	3	1	-	-	-
FEMALE--	6	8	10	16	10	12	10	8	2	-	-	-
BLACK---MALE----	2	1	2	4	1	3	4	1	1	-	-	-
FEMALE--	2	1	5	12	3	6	5	3	2	-	-	-
OREGON -----	25	41	43	77	100	118	101	86	34	11	4	-
WHITE-----MALE----	13	21	21	35	49	54	48	23	8	5	-	-
FEMALE--	11	17	19	37	46	61	52	58	26	6	4	-
ALL OTHER--MALE----	1	-	1	3	4	1	-	-	-	-	-	-
FEMALE--	-	3	2	2	1	2	1	5	-	-	-	-
BLACK---MALE----	-	-	1	-	3	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	4	-	-	-	-
PENNSYLVANIA -----	112	165	266	393	578	569	545	380	167	48	8	-
WHITE-----MALE----	61	61	109	161	231	235	184	80	30	6	2	-
FEMALE--	33	71	109	173	293	296	306	271	126	40	6	-
ALL OTHER--MALE----	9	15	19	29	18	13	21	11	-	-	-	-
FEMALE--	9	18	29	30	36	25	34	18	11	2	-	-
BLACK---MALE----	9	15	18	29	18	12	21	10	-	-	-	-
FEMALE--	9	17	27	29	35	24	34	18	11	2	-	-
RHODE ISLAND -----	7	11	13	25	34	40	49	31	18	3	1	-
WHITE-----MALE----	5	5	6	12	17	24	23	6	3	-	-	-
FEMALE--	2	4	5	9	14	15	23	23	14	3	1	-
ALL OTHER--MALE----	-	1	2	2	3	1	1	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	2	1	3	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	2	1	1	-	-	-
SOUTH CAROLINA -----	53	87	105	134	153	144	119	87	38	5	1	-
WHITE-----MALE----	12	27	23	31	33	40	36	17	3	-	-	-
FEMALE--	8	21	18	39	42	45	45	36	22	3	1	-
ALL OTHER--MALE----	19	19	25	22	25	13	8	8	1	1	-	-
FEMALE--	14	20	39	42	53	46	30	26	12	1	-	-
BLACK---MALE----	19	18	25	21	25	13	8	8	1	1	-	-
FEMALE--	14	20	38	41	53	46	30	25	12	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,106
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DIABETES MELLITUS (250)												
SOUTH DAKOTA -----	168	-	-	-	-	-	-	1	-	1	6	6
WHITE-----MALE----	69	-	-	-	-	-	-	1	-	1	1	5
FEMALE--	74	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,230	-	1	-	-	2	3	7	9	29	21	40
WHITE-----MALE----	405	-	1	-	-	1	-	1	5	18	9	19
FEMALE--	549	-	-	-	-	-	1	5	2	5	7	11
ALL OTHER--MALE----	86	-	-	-	-	-	2	-	1	2	1	6
FEMALE--	190	-	-	-	-	1	-	1	1	4	4	4
BLACK---MALE----	85	-	-	-	-	-	2	-	1	2	1	5
FEMALE--	190	-	-	-	-	1	-	1	1	4	4	4
TEXAS -----	4,576	-	-	-	-	3	5	12	34	51	92	152
WHITE-----MALE----	1,733	-	-	-	-	2	2	5	12	27	42	77
FEMALE--	2,058	-	-	-	-	1	3	4	11	18	30	41
ALL OTHER--MALE----	285	-	-	-	-	-	-	1	8	3	11	20
FEMALE--	500	-	-	-	-	-	-	2	3	3	9	14
BLACK---MALE----	266	-	-	-	-	-	-	1	8	3	10	20
FEMALE--	486	-	-	-	-	-	-	2	3	3	9	14
UTAH -----	415	-	-	-	-	-	-	4	3	9	9	14
WHITE-----MALE----	175	-	-	-	-	-	-	1	3	6	7	8
FEMALE--	213	-	-	-	-	-	-	3	-	2	2	4
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	143	-	-	-	-	-	-	-	-	1	4	3
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	77	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,166	-	-	-	-	-	2	8	11	17	22	36
WHITE-----MALE----	358	-	-	-	-	-	-	2	3	4	8	11
FEMALE--	444	-	-	-	-	-	1	2	5	7	4	8
ALL OTHER--MALE----	146	-	-	-	-	-	1	2	2	2	3	9
FEMALE--	218	-	-	-	-	-	-	2	1	4	7	8
BLACK---MALE----	140	-	-	-	-	-	1	2	2	2	3	9
FEMALE--	212	-	-	-	-	-	-	2	1	4	6	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,106
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
SOUTH DAKOTA -----	6	5	18	16	24	23	26	16	13	6	1	-
WHITE-----MALE----	3	2	11	5	9	8	9	9	5	-	-	-
FEMALE--	1	2	2	4	11	14	15	6	7	6	1	-
ALL OTHER--MALE----	-	-	2	2	2	1	2	1	-	-	-	-
FEMALE--	2	1	3	5	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TENNESSEE -----	46	79	116	139	165	208	175	107	68	14	-	1
WHITE-----MALE----	21	29	36	48	60	66	46	31	12	2	-	-
FEMALE--	15	24	48	59	64	103	99	53	46	7	-	-
ALL OTHER--MALE----	4	9	10	11	9	16	5	4	5	1	-	-
FEMALE--	6	17	22	21	32	23	25	19	5	4	-	1
BLACK---MALE----	4	9	10	11	9	16	5	4	5	1	-	-
FEMALE--	6	17	22	21	32	23	25	19	5	4	-	1
TEXAS -----	207	290	415	621	700	658	654	423	194	51	14	-
WHITE-----MALE----	85	122	154	250	255	283	226	134	50	6	1	-
FEMALE--	69	105	175	265	330	288	328	228	117	35	10	-
ALL OTHER--MALE----	24	28	37	36	38	26	33	18	1	1	-	-
FEMALE--	29	35	49	70	77	61	67	43	26	9	3	-
BLACK---MALE----	23	25	35	35	33	26	28	18	1	-	-	-
FEMALE--	29	35	48	69	74	57	64	41	26	9	3	-
UTAH -----	13	23	29	42	69	62	61	49	23	5	-	-
WHITE-----MALE----	7	10	9	18	36	27	21	17	5	-	-	-
FEMALE--	5	8	12	20	30	33	40	31	18	5	-	-
ALL OTHER--MALE----	1	4	3	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	5	3	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	5	14	15	25	27	22	15	7	1	2	-
WHITE-----MALE----	2	2	9	7	14	14	6	5	1	-	-	-
FEMALE--	-	3	5	8	11	13	16	10	6	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	47	82	123	136	183	192	143	100	51	13	-	-
WHITE-----MALE----	18	30	41	52	52	53	48	22	13	1	-	-
FEMALE--	10	21	34	44	78	84	59	48	29	10	-	-
ALL OTHER--MALE----	11	14	23	12	18	26	13	8	2	-	-	-
FEMALE--	8	17	25	28	35	29	23	22	7	2	-	-
BLACK---MALE----	11	13	22	10	18	25	12	8	2	-	-	-
FEMALE--	8	17	24	27	33	28	23	22	7	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,107
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIABETES MELLITUS (250)												
WASHINGTON -----	44	61	75	126	168	161	163	101	54	9	2	-
WHITE-----MALE----	19	25	32	62	81	79	58	32	19	2	2	-
FEMALE--	19	29	34	53	73	71	90	65	33	6	-	-
ALL OTHER--MALE----	5	4	3	-	5	5	4	2	1	-	-	-
FEMALE--	1	3	6	11	9	6	11	2	1	1	-	-
BLACK---MALE----	2	2	1	-	3	3	-	1	1	-	-	-
FEMALE--	1	-	4	7	5	3	7	2	1	1	-	-
WEST VIRGINIA -----	18	30	52	91	101	90	95	53	22	11	1	-
WHITE-----MALE----	8	13	19	41	40	33	26	11	5	2	-	-
FEMALE--	8	12	28	46	52	52	65	39	15	9	1	-
ALL OTHER--MALE----	1	1	2	1	5	1	2	-	-	-	-	-
FEMALE--	1	4	3	3	4	4	2	3	2	-	-	-
BLACK---MALE----	1	1	2	1	5	1	2	-	-	-	-	-
FEMALE--	1	4	3	3	4	4	2	3	2	-	-	-
WISCONSIN -----	40	53	76	108	150	183	203	132	77	18	9	-
WHITE-----MALE----	20	27	28	55	73	79	78	44	18	3	2	-
FEMALE--	17	19	38	38	68	96	120	87	55	15	7	-
ALL OTHER--MALE----	1	4	2	7	3	2	1	-	1	-	-	-
FEMALE--	2	3	8	8	6	6	4	1	3	-	3	-
BLACK---MALE----	1	3	2	4	2	1	1	-	1	-	-	-
FEMALE--	-	2	7	7	5	4	4	1	3	-	-	-
WYOMING -----	5	5	11	8	7	18	20	12	8	3	-	-
WHITE-----MALE----	2	3	6	4	4	9	9	2	1	1	-	-
FEMALE--	2	2	4	3	2	8	11	10	7	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,108
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)												
0 UNITED STATES --	6	7	7	14	29	35	39	23	14	4	1	-
WHITE-----MALE----	1	-	3	5	14	12	7	7	4	1	1	-
FEMALE--	2	7	4	5	12	21	29	12	8	3	-	-
ALL OTHER--MALE----	2	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	3	1	2	3	3	2	-	-	-
BLACK---MALE----	2	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	2	1	1	3	3	2	-	-	-
ALABAMA -----	1	1	-	1	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	1	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	-	-	-	3	-	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	3	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,115
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	1	2	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	1	-	2	5	3	5	-	2	1	-	-
WHITE-----MALE----	1	-	-	2	1	1	-	-	-	1	-	-
FEMALE--	1	1	-	-	4	2	5	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	-	1	1	1	4	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,127
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISORDERS OF ADRENAL GLANDS (255)												
COLORADO -----	2	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	13	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	3	-	-	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,129
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF ADRENAL GLANDS (255)												
KENTUCKY -----	1	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	-	2	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	1	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,133

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISORDERS OF ADRENAL GLANDS (255)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	2	2	-	3	1	3	1	2	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	2	1	-	-	-	-
FEMALE--	-	1	1	-	2	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	1	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	2	1	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,135
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CYSTIC FIBROSIS (277.0)												
0 UNITED STATES --	444	8	7	22	41	75	91	69	52	33	15	16
WHITE-----MALE----	218	1	4	8	14	37	39	35	31	19	8	12
FEMALE--	202	4	2	13	24	35	46	33	18	13	5	4
ALL OTHER--MALE----	11	1	1	-	1	2	2	1	1	1	1	-
FEMALE--	13	2	-	1	2	1	4	-	2	-	1	-
BLACK---MALE----	11	1	1	-	1	2	2	1	1	1	1	-
FEMALE--	11	1	-	1	1	1	4	-	2	-	1	-
ALABAMA -----	6	-	1	-	1	-	2	-	-	-	1	1
WHITE-----MALE----	3	-	1	-	1	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	-	-	-	1	1	2	2	4	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	2	1	3	-	-	-
FEMALE--	4	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	-	-	1	1	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	53	2	2	4	3	8	12	8	9	1	1	1
WHITE-----MALE----	24	-	1	-	1	2	7	5	5	-	-	1
FEMALE--	25	1	1	4	2	5	3	3	4	1	1	-
ALL OTHER--MALE----	3	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,136
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CYSTIC FIBROSIS (277.0)												
COLORADO -----	3	-	-	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	-	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	21	-	-	1	2	5	5	3	3	2	-	-
WHITE-----MALE----	11	-	-	-	2	3	1	1	2	2	-	-
FEMALE--	9	-	-	1	-	2	3	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	11	-	1	1	-	1	3	1	3	1	-	-
WHITE-----MALE----	5	-	1	1	-	-	1	1	1	-	-	-
FEMALE--	5	-	-	-	-	1	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,138
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CYSTIC FIBROSIS (277.0)												
KENTUCKY -----	7	-	-	-	2	2	1	-	1	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	-	-	-	-	-	-	4	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	6	-	-	-	-	3	-	2	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	3	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	-	-	-	3	-	1	2	-	2	1	2
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	6	-	-	-	2	-	1	1	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	10	-	-	1	3	1	2	2	-	1	-	-
WHITE-----MALE----	4	-	-	-	2	1	-	-	-	1	-	-
FEMALE--	6	-	-	1	1	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	28	-	-	-	4	5	9	2	2	4	-	2
WHITE-----MALE----	14	-	-	-	2	3	1	1	1	4	-	2
FEMALE--	11	-	-	-	1	2	6	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,144
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
0 UNITED STATES --	1,855	-	-	1	-	12	30	60	87	130	174	204
WHITE-----MALE----	704	-	-	-	-	3	15	26	43	56	75	91
FEMALE--	739	-	-	-	-	3	2	9	16	38	53	63
ALL OTHER--MALE----	145	-	-	1	-	2	10	12	14	14	19	22
FEMALE--	267	-	-	-	-	4	3	13	14	22	27	28
BLACK---MALE----	133	-	-	1	-	1	8	11	13	13	17	21
FEMALE--	260	-	-	-	-	4	3	13	12	21	26	28
ALABAMA -----	36	-	-	-	-	1	-	-	3	3	4	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	12	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	12	-	-	-	-	1	-	-	-	-	1	-
ALASKA -----	6	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	33	-	-	-	-	-	1	2	1	2	2	3
WHITE-----MALE----	17	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	15	-	-	-	-	-	-	1	-	1	2	2
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	-	-	-	-	-	1	1	-	2	2	2
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	183	-	-	-	-	2	3	5	8	13	23	23
WHITE-----MALE----	68	-	-	-	-	1	1	1	5	7	9	11
FEMALE--	90	-	-	-	-	1	-	-	1	4	11	11
ALL OTHER--MALE----	8	-	-	-	-	-	2	1	1	-	2	1
FEMALE--	17	-	-	-	-	-	-	3	1	2	1	-
BLACK---MALE----	8	-	-	-	-	-	2	1	1	-	2	1
FEMALE--	16	-	-	-	-	-	-	3	1	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,144
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OBESITY (278.0)												
0 UNITED STATES --	181	198	163	181	190	115	80	33	13	3	-	-
WHITE-----MALE----	74	86	57	70	58	25	15	5	5	-	-	-
FEMALE--	68	71	76	84	101	73	51	23	6	2	-	-
ALL OTHER--MALE----	17	12	8	5	5	2	2	-	-	-	-	-
FEMALE--	22	29	22	22	26	15	12	5	2	1	-	-
BLACK---MALE----	17	11	8	5	4	1	2	-	-	-	-	-
FEMALE--	22	29	21	20	26	15	12	5	2	1	-	-
ALABAMA -----	4	8	2	3	4	2	1	-	-	-	-	-
WHITE-----MALE----	1	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	3	1	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	2	2	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	2	2	1	1	-	-	-	-	-
ALASKA -----	1	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	5	3	3	3	3	1	-	-	-	-	-
WHITE-----MALE----	1	4	2	3	2	1	-	-	-	-	-	-
FEMALE--	3	1	1	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	-	1	1	-	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	18	12	21	15	19	13	5	2	1	-	-	-
WHITE-----MALE----	5	3	8	7	7	2	-	-	1	-	-	-
FEMALE--	10	7	10	7	11	11	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	2	3	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	2	2	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,145
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
COLORADO -----	14	-	-	-	-	-	1	1	2	-	2	2
WHITE-----MALE----	5	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	1	-	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	127	-	-	-	-	-	-	3	8	7	11	15
WHITE-----MALE----	53	-	-	-	-	-	-	2	5	3	6	7
FEMALE--	43	-	-	-	-	-	-	-	2	2	1	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	1	-	3	1
FEMALE--	22	-	-	-	-	-	-	-	2	2	1	4
BLACK---MALE----	9	-	-	-	-	-	-	1	1	-	3	1
FEMALE--	22	-	-	-	-	-	-	-	2	2	1	4
GEORGIA -----	49	-	-	-	-	-	1	3	3	4	2	7
WHITE-----MALE----	11	-	-	-	-	-	-	2	1	2	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	19	-	-	-	-	-	1	1	1	1	-	3
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	19	-	-	-	-	-	1	1	1	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,145
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OBESITY (278.0)												
COLORADO -----	1	2	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	3	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	3	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	1	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	9	13	7	11	18	8	15	2	-	-	-	-
WHITE-----MALE----	5	6	1	4	10	1	2	1	-	-	-	-
FEMALE--	3	5	4	5	5	6	9	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	2	2	2	3	1	2	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	2	2	2	3	1	2	1	-	-	-	-
GEORGIA -----	5	2	1	8	5	3	1	2	1	1	-	-
WHITE-----MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	4	1	1	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	3	3	1	1	2	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	3	3	1	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,147
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OBESITY (278.0)												
KENTUCKY -----	2	3	5	2	5	1	-	-	-	-	-	-
WHITE-----MALE----	1	2	4	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	5	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	6	5	6	4	1	-	1	-	-	-	-
WHITE-----MALE----	1	2	1	3	1	-	-	1	-	-	-	-
FEMALE--	2	2	2	3	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	-	-	-	-	-
MAINE -----	2	1	5	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	3	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	5	2	4	5	4	-	-	1	-	-	-
WHITE-----MALE----	3	2	-	2	1	1	-	-	-	-	-	-
FEMALE--	2	2	1	2	3	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	1	-	-	-
MASSACHUSETTS -----	2	1	7	3	2	1	3	-	-	-	-	-
WHITE-----MALE----	1	-	2	2	1	1	-	-	-	-	-	-
FEMALE--	1	1	5	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	8	9	6	9	3	3	2	3	-	-	-	-
WHITE-----MALE----	4	3	1	3	1	-	1	-	-	-	-	-
FEMALE--	3	4	3	6	1	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	2	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	2	-	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,150
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
OHIO -----	96	-	-	-	-	-	2	1	7	4	13	7
WHITE-----MALE----	40	-	-	-	-	-	2	1	2	-	6	7
FEMALE--	43	-	-	-	-	-	-	-	3	4	4	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	2	-
OKLAHOMA -----	18	-	-	-	-	1	-	1	1	3	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
OREGON -----	22	-	-	-	-	-	-	-	1	1	2	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	10	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	73	-	-	-	-	1	-	-	2	2	8	9
WHITE-----MALE----	33	-	-	-	-	-	-	-	2	-	4	5
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	7	-	-	-	-	1	-	-	-	1	2	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	7	-	-	-	-	1	-	-	-	1	2	-
RHODE ISLAND -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	38	-	-	-	-	1	1	1	-	-	3	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	1	1	-	-	1	1
BLACK---MALE----	6	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	1	1	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,150
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OBESITY (278.0)												
OHIO -----	10	8	11	14	7	4	5	3	-	-	-	-
WHITE-----MALE----	6	5	4	4	1	-	1	1	-	-	-	-
FEMALE--	2	3	5	8	5	3	4	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	-	-	-	-	-	-
OKLAHOMA -----	4	1	3	2	1	-	1	-	-	-	-	-
WHITE-----MALE----	3	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
OREGON -----	2	2	2	1	3	4	-	-	1	-	-	-
WHITE-----MALE----	-	1	1	1	1	1	-	-	1	-	-	-
FEMALE--	2	1	1	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	6	12	4	11	7	6	4	1	-	-	-	-
WHITE-----MALE----	4	7	2	5	2	1	1	-	-	-	-	-
FEMALE--	2	5	1	4	5	4	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	3	7	1	6	-	4	2	1	1	-	-
WHITE-----MALE----	-	2	-	-	2	-	-	-	-	-	-	-
FEMALE--	3	1	3	-	1	-	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	3	-	1	1	1	1	-	-
BLACK---MALE----	1	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	3	-	1	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,151
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OBESITY (278.0)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	37	-	-	-	-	-	-	2	1	4	1	6
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	14	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	142	-	-	-	-	2	2	2	5	11	14	17
WHITE-----MALE----	55	-	-	-	-	-	2	2	1	4	4	10
FEMALE--	57	-	-	-	-	-	-	-	2	5	5	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	2	2	2	-
FEMALE--	22	-	-	-	-	2	-	-	-	-	3	4
BLACK---MALE----	8	-	-	-	-	-	-	-	2	2	2	-
FEMALE--	22	-	-	-	-	2	-	-	-	-	3	4
UTAH -----	11	-	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	43	-	-	-	-	-	-	1	-	2	1	6
WHITE-----MALE----	15	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,151
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OBESITY (278.0)												
SOUTH DAKOTA -----	-	-	1	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	10	1	3	3	2	-	-	-	-	-	-
WHITE-----MALE----	2	5	-	2	2	-	-	-	-	-	-	-
FEMALE--	1	4	1	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TEXAS -----	14	13	14	14	12	13	7	2	-	-	-	-
WHITE-----MALE----	4	9	9	4	4	1	1	-	-	-	-	-
FEMALE--	7	1	2	7	7	11	5	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	3	3	2	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	3	3	2	1	1	1	-	-	-	-	-
UTAH -----	2	-	1	1	-	-	-	3	1	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	-	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	6	5	8	5	4	2	-	-	-	-	-
WHITE-----MALE----	-	3	2	3	2	1	1	-	-	-	-	-
FEMALE--	3	-	1	3	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,153
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
0 UNITED STATES --	12,764	295	115	42	64	51	55	103	238	304	338	386
WHITE-----MALE----	4,691	124	53	19	28	26	21	36	110	127	169	191
FEMALE--	6,091	85	37	15	28	13	20	22	43	49	55	90
ALL OTHER--MALE----	1,032	45	12	6	3	9	10	25	66	84	78	74
FEMALE--	950	41	13	2	5	3	4	20	19	44	36	31
BLACK---MALE----	936	37	10	4	3	8	8	25	64	81	75	66
FEMALE--	854	33	8	2	4	3	1	20	19	44	34	28
ALABAMA -----	227	6	3	-	1	1	-	4	5	5	6	4
WHITE-----MALE----	69	4	1	-	-	1	-	2	4	2	-	-
FEMALE--	93	1	2	-	1	-	-	1	1	2	2	2
ALL OTHER--MALE----	30	1	-	-	-	-	-	1	-	1	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	3	1
BLACK---MALE----	30	1	-	-	-	-	-	1	-	1	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	3	1
ALASKA -----	12	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	183	3	-	-	-	2	3	1	1	6	2	5
WHITE-----MALE----	62	2	-	-	-	2	1	1	1	2	-	1
FEMALE--	104	1	-	-	-	-	1	-	-	2	2	2
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	1	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	130	6	2	-	-	1	-	-	-	3	1	2
WHITE-----MALE----	43	1	-	-	-	-	-	-	-	2	-	2
FEMALE--	65	2	2	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	9	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	13	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	13	2	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	903	41	15	7	7	4	4	6	11	16	19	31
WHITE-----MALE----	370	20	6	4	5	4	1	3	7	7	12	14
FEMALE--	409	14	7	2	2	-	2	2	2	3	2	9
ALL OTHER--MALE----	76	5	-	1	-	-	1	1	2	5	5	7
FEMALE--	48	2	2	-	-	-	-	-	-	1	-	1
BLACK---MALE----	43	1	-	-	-	-	1	1	2	5	2	5
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,153
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
0 UNITED STATES --	415	459	610	888	1,214	1,507	1,750	1,755	1,370	617	187	1
WHITE-----MALE----	206	241	322	390	541	594	566	468	316	113	30	-
FEMALE--	115	136	185	366	516	738	958	1,124	929	445	121	1
ALL OTHER--MALE----	61	45	64	73	79	77	94	49	45	20	13	-
FEMALE--	33	37	39	59	78	98	132	114	80	39	23	-
BLACK---MALE----	56	40	61	67	68	69	85	42	38	17	12	-
FEMALE--	31	36	34	48	69	88	118	107	73	34	20	-
ALABAMA -----	5	5	9	9	25	34	39	33	22	9	2	-
WHITE-----MALE----	1	1	5	2	10	11	14	9	1	1	-	-
FEMALE--	2	1	3	5	6	17	13	15	15	3	1	-
ALL OTHER--MALE----	1	2	-	1	5	4	6	6	-	-	-	-
FEMALE--	1	1	1	1	4	2	6	3	6	5	1	-
BLACK---MALE----	1	2	-	1	5	4	6	6	-	-	-	-
FEMALE--	1	1	1	1	4	2	6	3	6	5	1	-
ALASKA -----	1	-	1	-	2	1	5	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	8	8	8	9	17	21	38	27	20	3	1	-
WHITE-----MALE----	4	3	3	4	11	5	13	7	2	-	-	-
FEMALE--	4	5	5	3	5	15	21	18	16	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	1	1	-	-	-
FEMALE--	-	-	-	2	1	1	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ARKANSAS -----	4	4	4	3	7	15	19	26	23	7	3	-
WHITE-----MALE----	2	4	2	2	3	5	5	7	6	2	-	-
FEMALE--	1	-	2	1	3	8	9	16	14	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	2	2	-	-	1	1	-
FEMALE--	-	-	-	-	1	-	3	3	3	-	1	-
BLACK---MALE----	1	-	-	-	-	2	2	-	-	1	1	-
FEMALE--	-	-	-	-	1	-	3	3	3	-	1	-
CALIFORNIA -----	33	27	51	85	105	126	128	86	67	27	7	-
WHITE-----MALE----	11	18	31	34	46	46	46	28	18	8	1	-
FEMALE--	12	6	13	40	47	64	70	52	40	14	6	-
ALL OTHER--MALE----	7	3	4	4	8	6	6	3	6	2	-	-
FEMALE--	3	-	3	7	4	10	6	3	3	3	-	-
BLACK---MALE----	4	1	3	3	3	4	4	-	3	1	-	-
FEMALE--	1	-	2	5	2	7	5	1	-	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,154
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
COLORADO -----	164	6	-	1	2	1	-	-	4	3	5	5
WHITE-----MALE----	54	3	-	1	-	-	-	-	1	3	4	2
FEMALE--	103	1	-	-	2	1	-	-	2	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	2	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	140	3	-	-	1	1	1	-	2	2	5	4
WHITE-----MALE----	51	2	-	-	1	-	-	-	2	1	2	2
FEMALE--	77	1	-	-	-	-	1	-	-	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	1	-	-	-	1	-	-
DELAWARE -----	49	-	1	-	-	-	1	-	-	-	3	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	43	1	-	-	-	-	-	-	1	2	7	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	1	4	1
FEMALE--	19	1	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	20	-	-	-	-	-	-	-	1	1	4	1
FEMALE--	19	1	-	-	-	-	-	-	-	-	2	-
FLORIDA -----	803	14	3	2	1	2	3	8	23	31	39	33
WHITE-----MALE----	335	7	2	-	1	1	2	4	9	10	17	19
FEMALE--	331	4	1	1	-	-	-	1	2	2	9	4
ALL OTHER--MALE----	71	-	-	1	-	-	-	1	6	11	10	6
FEMALE--	66	3	-	-	-	1	1	2	6	8	3	4
BLACK---MALE----	71	-	-	1	-	-	-	1	6	11	10	6
FEMALE--	64	3	-	-	-	1	1	2	6	8	3	4
GEORGIA -----	319	9	4	-	-	1	1	8	11	6	13	16
WHITE-----MALE----	83	1	2	-	-	1	-	3	2	3	6	5
FEMALE--	122	3	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	71	3	2	-	-	-	1	3	8	2	5	8
FEMALE--	43	2	-	-	-	-	-	2	-	1	2	-
BLACK---MALE----	71	3	2	-	-	-	1	3	8	2	5	8
FEMALE--	42	1	-	-	-	-	-	2	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,154
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
COLORADO -----	4	2	5	16	17	12	15	37	12	14	3	-
WHITE-----MALE----	2	-	1	7	9	2	6	10	1	2	-	-
FEMALE--	2	2	3	8	8	10	9	26	11	12	3	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	2	2	3	14	14	24	23	22	6	6	-
WHITE-----MALE----	4	1	1	2	5	7	9	6	5	-	1	-
FEMALE--	-	-	-	1	8	7	14	16	16	6	4	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
DELAWARE -----	3	2	2	5	2	8	6	5	9	2	-	-
WHITE-----MALE----	1	-	1	1	-	3	1	1	4	-	-	-
FEMALE--	1	1	-	2	1	3	5	4	3	2	-	-
ALL OTHER--MALE----	-	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	2	-	-	-
BLACK---MALE----	-	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	2	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	3	4	4	5	4	5	1	2	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	2	2	1	1	4	-	-	-
FEMALE--	-	-	1	-	2	2	4	3	1	1	2	-
BLACK---MALE----	-	-	1	2	2	2	1	1	4	-	-	-
FEMALE--	-	-	1	-	2	2	4	3	1	1	2	-
FLORIDA -----	31	28	35	59	87	93	99	110	64	29	9	-
WHITE-----MALE----	15	13	20	27	53	40	36	36	15	6	2	-
FEMALE--	6	8	8	23	30	47	52	61	45	22	5	-
ALL OTHER--MALE----	7	3	4	5	3	4	2	4	2	1	1	-
FEMALE--	3	4	3	4	1	2	9	9	2	-	1	-
BLACK---MALE----	7	3	4	5	3	4	2	4	2	1	1	-
FEMALE--	3	4	3	3	1	2	9	9	2	-	-	-
GEORGIA -----	16	15	20	20	25	35	33	35	35	13	3	-
WHITE-----MALE----	3	6	9	9	10	8	5	5	3	2	-	-
FEMALE--	4	4	6	6	8	15	18	23	20	11	-	-
ALL OTHER--MALE----	6	2	5	4	4	6	6	4	2	-	-	-
FEMALE--	3	3	-	1	3	6	4	3	10	-	3	-
BLACK---MALE----	6	2	5	4	4	6	6	4	2	-	-	-
FEMALE--	3	3	-	1	3	6	4	3	10	-	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,155
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
HAWAII -----	2	5	2	3	5	6	9	5	3	7	1	-
WHITE-----MALE----	1	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	2	2	4	2	2	2	-	-
FEMALE--	-	-	-	1	3	3	4	2	1	5	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	1	4	2	4	7	6	4	4	5	2	-
WHITE-----MALE----	1	1	3	1	3	4	1	2	2	3	-	-
FEMALE--	2	-	1	1	1	3	5	2	2	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	16	13	24	38	59	63	78	73	65	20	7	-
WHITE-----MALE----	6	5	13	16	25	23	29	19	22	2	1	-
FEMALE--	5	4	9	13	23	36	42	48	39	17	3	-
ALL OTHER--MALE----	3	2	1	2	4	3	2	2	1	1	-	-
FEMALE--	2	2	1	7	7	1	5	4	3	-	3	-
BLACK---MALE----	3	2	-	2	4	3	2	2	1	1	-	-
FEMALE--	2	2	1	7	6	1	5	4	3	-	3	-
INDIANA -----	9	10	17	12	28	25	46	29	35	12	3	1
WHITE-----MALE----	8	8	11	7	12	9	14	10	12	-	1	-
FEMALE--	1	2	4	5	13	14	30	15	23	10	2	1
ALL OTHER--MALE----	-	-	2	-	2	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	3	-	1	-	-
BLACK---MALE----	-	-	2	-	2	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	3	-	1	-	-
IOWA -----	5	4	11	9	18	18	23	28	20	20	2	-
WHITE-----MALE----	3	2	8	5	10	10	11	9	3	4	-	-
FEMALE--	2	1	2	4	8	8	12	18	17	16	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
KANSAS -----	4	3	8	6	15	20	24	27	18	10	4	-
WHITE-----MALE----	2	-	5	3	5	7	6	9	6	1	1	-
FEMALE--	1	3	3	2	9	11	15	18	12	9	2	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	2	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,156
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
KENTUCKY -----	200	3	2	1	2	2	2	-	2	2	2	6
WHITE-----MALE----	68	1	1	-	-	1	2	-	2	1	-	2
FEMALE--	112	1	-	1	2	-	-	-	-	1	1	3
ALL OTHER--MALE----	12	1	-	-	-	1	-	-	-	-	-	1
FEMALE--	8	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	12	1	-	-	-	1	-	-	-	-	-	1
FEMALE--	8	-	1	-	-	-	-	-	-	-	1	-
LOUISIANA -----	200	9	1	-	1	2	-	1	6	4	3	6
WHITE-----MALE----	58	3	1	-	-	2	-	-	2	2	1	1
FEMALE--	65	3	-	-	1	-	-	1	-	-	-	2
ALL OTHER--MALE----	41	3	-	-	-	-	-	-	4	1	2	3
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	41	3	-	-	-	-	-	-	4	1	2	3
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	-
MAINE -----	88	-	-	-	-	-	-	-	-	-	-	5
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	308	4	3	-	-	1	3	5	9	8	9	13
WHITE-----MALE----	102	1	-	-	-	1	1	1	4	3	4	3
FEMALE--	126	1	2	-	-	-	1	1	1	-	1	1
ALL OTHER--MALE----	43	-	1	-	-	-	1	-	4	3	4	6
FEMALE--	37	2	-	-	-	-	-	3	-	2	-	3
BLACK---MALE----	42	-	1	-	-	-	1	-	4	3	4	6
FEMALE--	36	2	-	-	-	-	-	3	-	2	-	3
MASSACHUSETTS -----	410	2	2	-	1	1	2	3	10	10	8	10
WHITE-----MALE----	140	1	1	-	-	-	2	2	4	8	5	6
FEMALE--	247	1	1	-	1	1	-	-	3	1	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	2	1	2	3
FEMALE--	11	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	2	1	2	3
FEMALE--	9	-	-	-	-	-	-	1	1	-	-	1
MICHIGAN -----	550	11	2	2	6	7	4	8	6	15	17	13
WHITE-----MALE----	219	4	-	-	3	5	-	3	3	9	6	7
FEMALE--	251	4	1	1	1	-	2	1	-	1	4	3
ALL OTHER--MALE----	43	3	1	1	1	1	1	1	2	4	5	1
FEMALE--	37	-	-	-	1	1	1	3	1	1	2	2
BLACK---MALE----	41	1	1	1	1	1	1	1	2	4	5	1
FEMALE--	33	-	-	-	-	1	-	3	1	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,156
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
KENTUCKY -----	4	9	12	13	14	32	28	28	24	7	5	-
WHITE-----MALE----	3	7	5	6	2	11	8	5	7	2	2	-
FEMALE--	1	2	5	6	10	18	18	21	16	4	2	-
ALL OTHER--MALE----	-	-	1	-	1	3	2	1	-	-	1	-
FEMALE--	-	-	1	1	1	-	-	1	1	1	-	-
BLACK---MALE----	-	-	1	-	1	3	2	1	-	-	1	-
FEMALE--	-	-	1	1	1	-	-	1	1	1	-	-
LOUISIANA -----	5	7	9	11	19	25	25	25	24	12	5	-
WHITE-----MALE----	1	4	3	3	7	11	5	7	3	1	1	-
FEMALE--	2	1	2	5	3	7	8	13	11	6	-	-
ALL OTHER--MALE----	2	2	1	2	3	1	6	1	5	3	2	-
FEMALE--	-	-	3	1	6	6	6	4	5	2	2	-
BLACK---MALE----	2	2	1	2	3	1	6	1	5	3	2	-
FEMALE--	-	-	3	1	6	6	4	5	2	2	-	-
MAINE -----	6	5	4	4	8	13	12	12	11	5	3	-
WHITE-----MALE----	5	3	3	2	5	4	5	5	4	1	1	-
FEMALE--	1	2	1	2	3	9	7	7	7	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	9	19	25	28	45	30	40	28	12	6	-
WHITE-----MALE----	4	3	8	12	7	19	11	9	7	3	1	-
FEMALE--	1	2	7	7	14	22	11	26	16	8	4	-
ALL OTHER--MALE----	5	1	1	4	1	3	4	3	2	-	-	-
FEMALE--	1	3	3	2	6	1	4	2	3	1	1	-
BLACK---MALE----	5	1	1	4	1	3	3	3	2	-	-	-
FEMALE--	1	3	2	2	6	1	4	2	3	1	1	-
MASSACHUSETTS -----	7	7	14	27	26	43	54	65	65	39	14	-
WHITE-----MALE----	2	5	6	15	10	20	23	19	9	2	-	-
FEMALE--	5	1	4	11	14	23	30	45	55	37	13	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	1	4	-	-	-	1	-	1	-	1	-
BLACK---MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	1	4	-	-	-	-	-	1	-	-	-
MICHIGAN -----	15	25	19	42	58	64	71	71	68	22	4	-
WHITE-----MALE----	8	15	9	19	36	33	19	23	13	4	-	-
FEMALE--	3	7	8	14	18	23	44	45	52	15	4	-
ALL OTHER--MALE----	3	2	1	5	2	4	3	-	1	1	-	-
FEMALE--	1	1	1	4	2	4	5	3	2	2	-	-
BLACK---MALE----	3	2	1	5	2	4	3	-	1	1	-	-
FEMALE--	1	1	1	4	2	3	5	3	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,159
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
OHIO -----	655	15	4	2	5	2	2	4	10	8	15	16
WHITE-----MALE----	253	8	2	1	1	1	1	2	6	4	8	10
FEMALE--	337	2	2	1	4	-	1	1	1	2	1	4
ALL OTHER--MALE----	38	4	-	-	-	1	-	1	2	1	5	1
FEMALE--	27	1	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	38	4	-	-	-	1	-	1	2	1	5	1
FEMALE--	25	1	-	-	-	-	-	-	1	1	1	1
OKLAHOMA -----	161	5	1	1	1	-	1	2	3	3	3	8
WHITE-----MALE----	57	2	-	-	1	-	1	-	2	1	3	5
FEMALE--	86	1	1	1	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	7	2	-	-	-	-	-	1	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	156	3	-	-	-	1	1	1	2	4	4	7
WHITE-----MALE----	64	2	-	-	-	-	-	1	1	1	1	6
FEMALE--	82	1	-	-	-	-	-	-	1	2	2	1
ALL OTHER--MALE----	7	-	-	-	-	1	1	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	712	16	-	4	-	3	-	3	8	13	11	15
WHITE-----MALE----	243	5	-	3	-	-	-	-	4	6	7	10
FEMALE--	383	8	-	1	-	2	-	3	1	-	3	4
ALL OTHER--MALE----	44	1	-	-	-	1	-	-	3	4	-	1
FEMALE--	42	2	-	-	-	-	-	-	-	3	1	-
BLACK---MALE----	43	1	-	-	-	1	-	-	3	4	-	1
FEMALE--	42	2	-	-	-	-	-	-	-	3	1	-
RHODE ISLAND -----	59	-	-	-	-	-	-	-	-	1	2	4
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	214	5	-	-	-	2	-	3	1	6	4	8
WHITE-----MALE----	61	2	-	-	-	-	-	-	-	3	1	2
FEMALE--	83	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	29	1	-	-	-	2	-	-	1	-	1	2
FEMALE--	41	2	-	-	-	-	-	3	-	3	2	3
BLACK---MALE----	29	1	-	-	-	2	-	-	1	-	1	2
FEMALE--	41	2	-	-	-	-	-	3	-	3	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,159
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
OHIO -----	16	28	38	53	56	75	83	106	73	33	11	-
WHITE-----MALE----	10	16	23	18	25	34	29	29	18	5	2	-
FEMALE--	5	11	8	28	28	37	45	71	52	24	9	-
ALL OTHER--MALE----	-	1	7	4	3	1	2	3	2	-	-	-
FEMALE--	1	-	-	3	-	3	7	3	1	4	-	-
BLACK---MALE----	-	1	7	4	3	1	2	3	2	-	-	-
FEMALE--	1	-	-	2	-	3	6	3	1	4	-	-
OKLAHOMA -----	4	4	10	12	17	15	28	21	14	6	2	-
WHITE-----MALE----	2	3	4	3	10	8	7	3	2	-	-	-
FEMALE--	2	1	5	7	5	4	20	15	11	6	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	3	1	3	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	1	3	1	-	-	-
OREGON -----	6	9	5	16	13	24	19	23	10	6	2	-
WHITE-----MALE----	3	4	3	7	9	7	8	5	3	1	2	-
FEMALE--	3	5	2	8	3	15	11	16	7	5	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
PENNSYLVANIA -----	17	24	27	56	84	82	110	104	84	39	12	-
WHITE-----MALE----	11	9	16	22	38	24	38	25	20	5	-	-
FEMALE--	3	10	9	27	32	49	64	70	57	32	8	-
ALL OTHER--MALE----	2	2	2	6	7	2	6	3	2	-	2	-
FEMALE--	1	3	-	1	7	7	2	6	5	2	2	-
BLACK---MALE----	2	1	2	6	7	2	6	3	2	-	2	-
FEMALE--	1	3	-	1	7	7	2	6	5	2	2	-
RHODE ISLAND -----	3	3	3	6	7	9	5	9	3	3	1	-
WHITE-----MALE----	3	3	1	2	2	4	1	3	1	-	-	-
FEMALE--	-	-	2	3	5	5	3	6	2	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	17	11	11	23	15	27	38	19	12	4	-
WHITE-----MALE----	3	9	2	6	12	5	2	7	4	2	1	-
FEMALE--	3	3	1	2	4	4	17	24	11	10	3	-
ALL OTHER--MALE----	-	3	6	1	4	1	3	3	1	-	-	-
FEMALE--	2	2	2	2	3	5	5	4	3	-	-	-
BLACK---MALE----	-	3	6	1	4	1	3	3	1	-	-	-
FEMALE--	2	2	2	2	3	5	5	4	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,160
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
SOUTH DAKOTA -----	49	4	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	19	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	261	11	1	-	2	1	1	1	3	2	7	7
WHITE-----MALE----	88	4	1	-	1	-	1	-	-	1	5	4
FEMALE--	133	4	-	-	-	1	-	-	-	-	1	3
ALL OTHER--MALE----	21	3	-	-	-	-	-	1	2	1	-	-
FEMALE--	19	-	-	-	1	-	-	-	1	-	1	-
BLACK---MALE----	21	3	-	-	-	-	-	1	2	1	-	-
FEMALE--	19	-	-	-	1	-	-	-	1	-	1	-
TEXAS -----	838	25	12	3	10	5	3	14	28	26	33	24
WHITE-----MALE----	333	11	6	2	4	4	-	5	15	14	23	14
FEMALE--	393	10	3	1	5	1	2	2	5	6	5	6
ALL OTHER--MALE----	56	2	2	-	-	-	1	6	7	5	2	2
FEMALE--	56	2	1	-	1	-	-	1	1	1	3	2
BLACK---MALE----	55	2	2	-	-	-	1	6	7	5	2	2
FEMALE--	51	1	1	-	1	-	-	1	1	1	3	2
UTAH -----	74	1	3	3	1	1	1	-	-	2	-	1
WHITE-----MALE----	24	-	1	1	1	-	-	-	-	1	-	1
FEMALE--	47	1	-	1	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	39	-	1	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	15	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	360	3	1	-	3	2	-	5	4	13	13	8
WHITE-----MALE----	98	1	-	-	-	-	-	1	1	2	9	3
FEMALE--	175	-	-	-	3	1	-	1	1	2	-	3
ALL OTHER--MALE----	43	1	-	-	-	1	-	3	2	8	3	2
FEMALE--	44	1	1	-	-	-	-	-	-	1	1	-
BLACK---MALE----	42	1	-	-	-	1	-	3	2	8	3	2
FEMALE--	44	1	1	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,160
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (251-252,256-259,270-276,277.1-277.9,278.1-279)												
SOUTH DAKOTA -----	3	-	2	2	6	8	4	7	5	5	-	-
WHITE-----MALE----	2	-	1	1	4	5	2	1	-	1	-	-
FEMALE--	1	-	1	1	2	3	2	6	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	11	8	15	23	34	47	40	23	16	1	-
WHITE-----MALE----	2	6	4	8	7	14	14	8	4	4	-	-
FEMALE--	2	3	4	7	11	15	28	27	15	11	1	-
ALL OTHER--MALE----	2	1	-	-	2	3	2	2	1	1	-	-
FEMALE--	1	1	-	-	3	2	3	3	3	-	-	-
BLACK---MALE----	2	1	-	-	2	3	2	2	1	1	-	-
FEMALE--	1	1	-	-	3	2	3	3	3	-	-	-
TEXAS -----	24	37	39	39	58	97	124	117	77	32	11	-
WHITE-----MALE----	14	21	23	17	27	33	46	31	15	6	2	-
FEMALE--	6	10	10	16	25	52	64	76	56	25	7	-
ALL OTHER--MALE----	2	2	4	3	2	4	8	1	1	1	1	-
FEMALE--	2	4	2	3	4	8	6	9	5	-	1	-
BLACK---MALE----	2	2	4	2	2	4	8	1	1	1	1	-
FEMALE--	2	4	1	2	4	7	5	9	5	-	1	-
UTAH -----	5	-	5	6	6	10	8	12	7	2	-	-
WHITE-----MALE----	4	-	3	2	3	1	1	2	2	1	-	-
FEMALE--	1	-	2	4	3	9	7	10	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	4	3	5	7	5	6	1	2	-	-
WHITE-----MALE----	2	1	3	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	2	3	5	4	6	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	10	17	21	37	41	61	51	34	22	3	-
WHITE-----MALE----	6	4	8	9	8	15	15	6	6	3	1	-
FEMALE--	1	4	6	6	23	16	32	37	27	11	1	-
ALL OTHER--MALE----	3	1	2	1	2	5	2	1	-	6	-	-
FEMALE--	1	1	1	5	4	5	12	7	1	2	1	-
BLACK---MALE----	3	1	2	1	1	5	2	1	-	6	-	-
FEMALE--	1	1	1	5	4	5	12	7	1	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,162
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
0 UNITED STATES --	32	52	71	124	239	373	629	784	700	365	112	-
WHITE-----MALE----	7	19	28	40	91	117	196	238	142	62	10	-
FEMALE--	14	20	26	56	112	188	349	476	483	280	87	-
ALL OTHER--MALE----	7	11	11	14	13	23	40	23	24	6	5	-
FEMALE--	4	2	6	14	23	45	44	47	51	17	10	-
BLACK---MALE----	7	11	10	14	12	20	35	22	21	3	4	-
FEMALE--	4	2	6	13	22	41	40	40	42	15	8	-
ALABAMA -----	1	1	6	4	8	12	14	15	19	7	2	-
WHITE-----MALE----	-	-	1	1	4	3	3	2	3	1	-	-
FEMALE--	1	1	3	2	3	3	9	9	8	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	2	2	-	-	-
FEMALE--	-	-	1	1	1	4	2	2	6	2	1	-
BLACK---MALE----	-	-	1	-	-	2	-	2	2	-	-	-
FEMALE--	-	-	1	1	1	4	2	2	6	2	1	-
ALASKA -----	-	1	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	2	7	2	10	12	15	12	11	3	-
WHITE-----MALE----	1	-	1	4	2	4	2	4	3	2	1	-
FEMALE--	-	-	1	3	-	5	9	11	8	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	6	3	6	6	13	5	2	2	-
WHITE-----MALE----	-	-	-	3	1	4	1	4	-	-	-	-
FEMALE--	1	-	1	1	2	2	3	9	4	1	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
CALIFORNIA -----	-	1	3	3	7	13	14	34	30	9	6	-
WHITE-----MALE----	-	-	2	-	2	1	6	10	6	2	1	-
FEMALE--	-	-	1	3	4	11	7	21	21	7	3	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	1	3	3	-	1	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,163
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
COLORADO -----	1	1	2	2	1	5	13	18	20	11	3	-
WHITE-----MALE----	-	-	2	-	-	2	3	5	6	1	-	-
FEMALE--	1	1	-	2	1	3	10	13	11	10	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	-	-	2	1	-	1	3	5	10	2	2	-
WHITE-----MALE----	-	-	2	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	5	9	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	1	-	2	1	1	1	2	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	1	-	2	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	1	3	3	5	13	18	25	50	31	12	6	-
WHITE-----MALE----	1	1	1	1	4	8	12	19	7	3	1	-
FEMALE--	-	-	-	3	9	4	9	29	22	9	4	-
ALL OTHER--MALE----	-	2	2	-	-	3	3	1	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	1	2	-	1	-
BLACK---MALE----	-	2	2	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	1	2	-	1	-
GEORGIA -----	1	2	4	6	12	15	23	17	18	8	6	-
WHITE-----MALE----	-	1	1	-	1	1	5	3	4	2	-	-
FEMALE--	1	-	1	2	5	6	14	10	11	5	3	-
ALL OTHER--MALE----	-	1	-	3	3	2	1	1	2	1	-	-
FEMALE--	-	-	2	1	3	6	3	3	1	-	3	-
BLACK---MALE----	-	1	-	3	3	2	1	1	2	1	-	-
FEMALE--	-	-	2	1	3	6	3	3	1	-	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,164
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
HAWAII -----	-	-	-	1	-	-	2	1	3	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	3	1	-	3	5	4	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	2	2	3	-	-	-
FEMALE--	-	-	-	2	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	6	3	6	7	21	44	29	40	19	5	-
WHITE-----MALE----	-	2	1	1	3	5	14	10	5	5	1	-
FEMALE--	-	2	2	5	3	12	25	16	34	12	4	-
ALL OTHER--MALE----	1	2	-	-	1	1	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	2	3	-	2	-	-
BLACK---MALE----	1	2	-	-	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	2	3	-	2	-	-
INDIANA -----	1	-	-	3	8	8	20	29	14	9	1	-
WHITE-----MALE----	-	-	-	2	4	4	7	9	2	1	-	-
FEMALE--	-	-	-	1	2	3	13	16	11	8	1	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	1	-	-	-
IOWA -----	-	-	-	-	2	2	5	8	17	6	1	-
WHITE-----MALE----	-	-	-	-	1	-	2	4	4	1	-	-
FEMALE--	-	-	-	-	1	2	3	4	13	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	1	4	3	9	16	11	11	4	-
WHITE-----MALE----	-	-	-	-	3	2	3	7	2	3	-	-
FEMALE--	-	-	-	1	1	1	6	8	9	8	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,165
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
KENTUCKY -----	-	4	1	3	2	4	13	15	10	4	-	-
WHITE-----MALE----	-	4	-	3	1	2	4	4	2	-	-	-
FEMALE--	-	-	1	-	1	2	8	8	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
LOUISIANA -----	-	3	3	2	6	7	13	8	12	5	3	-
WHITE-----MALE----	-	2	1	-	1	3	3	3	2	-	-	-
FEMALE--	-	-	-	-	3	1	5	2	4	4	3	-
ALL OTHER--MALE----	-	-	2	1	-	2	3	-	2	1	-	-
FEMALE--	-	1	-	1	2	1	2	3	4	-	-	-
BLACK---MALE----	-	-	2	1	-	2	3	-	2	-	-	-
FEMALE--	-	1	-	1	2	1	2	3	4	-	-	-
MAINE -----	-	1	-	-	1	2	3	7	12	4	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	2	1	-	-
FEMALE--	-	1	-	-	1	2	3	6	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	-	-	3	4	10	4	9	6	4	-
WHITE-----MALE----	1	-	-	-	2	2	3	-	2	-	-	-
FEMALE--	-	-	-	-	1	1	5	4	6	6	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	1	-	1	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	1	-	1	-
MASSACHUSETTS -----	1	2	1	2	6	6	13	18	15	7	3	-
WHITE-----MALE----	1	1	-	1	3	2	6	3	2	2	-	-
FEMALE--	-	1	1	1	3	4	6	14	13	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	-	2	3	5	11	16	21	26	29	15	4	-
WHITE-----MALE----	-	-	-	2	5	3	4	2	6	4	1	-
FEMALE--	-	1	1	1	5	13	11	22	19	11	3	-
ALL OTHER--MALE----	-	1	2	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	2	1	-	4	2	3	-	-	-
BLACK---MALE----	-	1	2	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	2	1	-	4	2	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,168
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
OHIO -----	2	1	4	10	17	19	37	40	40	26	6	-
WHITE-----MALE----	1	-	2	4	11	12	11	13	7	5	-	-
FEMALE--	1	1	2	3	5	6	25	22	30	18	6	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	5	2	3	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	5	2	3	-	-
OKLAHOMA -----	3	1	2	1	3	4	16	12	9	6	3	-
WHITE-----MALE----	1	1	2	-	-	3	6	2	2	1	1	-
FEMALE--	2	-	-	1	2	1	8	9	6	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
OREGON -----	-	-	1	2	3	3	2	6	11	6	2	-
WHITE-----MALE----	-	-	1	1	1	1	-	2	4	1	-	-
FEMALE--	-	-	-	1	2	2	2	4	6	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	3	8	11	25	34	40	35	22	4	-
WHITE-----MALE----	-	-	1	3	6	12	15	19	6	2	-	-
FEMALE--	-	2	2	4	5	9	19	17	26	18	3	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	2	3	2	1	-
BLACK---MALE----	-	-	-	1	-	2	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	2	3	2	1	-
RHODE ISLAND -----	-	-	-	-	1	-	1	3	5	2	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	4	2	5	10	9	15	6	8	5	1	-
WHITE-----MALE----	-	3	1	-	3	2	4	2	3	-	1	-
FEMALE--	-	-	-	-	5	4	3	3	3	3	-	-
ALL OTHER--MALE----	-	1	-	3	1	-	5	-	-	1	-	-
FEMALE--	-	-	1	2	1	3	3	1	2	1	-	-
BLACK---MALE----	-	1	-	3	1	-	5	-	-	1	-	-
FEMALE--	-	-	1	2	1	3	3	1	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,169
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
NUTRITIONAL DEFICIENCIES (260-269)												
SOUTH DAKOTA -----	-	1	1	-	1	4	1	6	3	1	1	-
WHITE-----MALE----	-	-	-	-	-	2	-	1	1	-	-	-
FEMALE--	-	1	-	-	1	2	1	5	2	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	2	2	8	8	13	16	18	9	5	-
WHITE-----MALE----	-	-	1	-	1	3	2	4	2	1	1	-
FEMALE--	-	1	-	2	5	5	7	10	9	7	4	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	3	-	-	-
FEMALE--	-	-	1	-	2	-	3	1	4	1	-	-
BLACK---MALE----	-	1	-	-	-	-	1	1	3	-	-	-
FEMALE--	-	-	1	-	2	-	3	1	4	1	-	-
TEXAS -----	2	1	-	10	18	28	54	64	33	17	3	-
WHITE-----MALE----	1	-	-	4	9	6	17	23	9	2	-	-
FEMALE--	-	-	-	5	5	15	31	35	19	15	2	-
ALL OTHER--MALE----	1	-	-	-	2	3	3	4	3	-	1	-
FEMALE--	-	1	-	1	2	4	3	2	2	-	-	-
BLACK---MALE----	1	-	-	-	2	3	3	4	2	-	1	-
FEMALE--	-	1	-	1	2	4	3	2	2	-	-	-
UTAH -----	-	1	-	-	-	6	3	6	5	2	1	-
WHITE-----MALE----	-	1	-	-	-	1	-	2	3	1	-	-
FEMALE--	-	-	-	-	-	5	3	4	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	2	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	3	5	9	8	27	23	18	8	-	-
WHITE-----MALE----	-	1	1	-	2	2	9	5	4	2	-	-
FEMALE--	1	-	1	4	3	4	13	17	13	6	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	3	1	5	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	3	1	5	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,180
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
0 UNITED STATES --	26	32	55	102	201	321	563	695	646	336	106	-
WHITE-----MALE----	6	12	23	33	74	105	168	205	129	57	9	-
FEMALE--	11	10	18	45	97	160	324	431	444	257	82	-
ALL OTHER--MALE----	5	8	8	12	9	19	32	18	22	6	5	-
FEMALE--	4	2	6	12	21	37	39	41	51	16	10	-
BLACK---MALE----	5	8	7	12	8	16	30	17	20	3	4	-
FEMALE--	4	2	6	11	20	34	35	35	42	15	8	-
ALABAMA -----	1	1	6	4	8	12	11	14	18	7	2	-
WHITE-----MALE----	-	-	1	1	4	3	2	2	3	1	-	-
FEMALE--	1	1	3	2	3	3	8	9	7	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	2	2	-	-	-
FEMALE--	-	-	1	1	1	4	1	1	6	2	1	-
BLACK---MALE----	-	-	1	-	-	2	-	2	2	-	-	-
FEMALE--	-	-	1	1	1	4	1	1	6	2	1	-
ALASKA -----	-	1	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	2	6	1	10	11	12	12	11	3	-
WHITE-----MALE----	1	-	1	3	1	4	2	2	3	2	1	-
FEMALE--	-	-	1	3	-	5	8	10	8	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	4	2	4	6	12	5	2	2	-
WHITE-----MALE----	-	-	-	3	1	3	1	4	-	-	-	-
FEMALE--	1	-	1	-	1	1	3	8	4	1	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
CALIFORNIA -----	-	1	2	2	6	10	14	26	25	7	6	-
WHITE-----MALE----	-	-	2	-	2	1	6	8	3	2	1	-
FEMALE--	-	-	-	2	4	8	7	16	19	5	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	1	2	3	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,181
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
COLORADO -----	1	-	2	2	1	3	12	14	18	10	2	-
WHITE-----MALE----	-	-	2	-	-	2	2	2	5	1	-	-
FEMALE--	1	-	-	2	1	1	10	12	10	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	-	-	2	1	-	-	3	4	9	2	1	-
WHITE-----MALE----	-	-	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	4	9	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	1	-	2	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	1	-	1	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	1	1	1	4	12	16	18	44	27	12	4	-
WHITE-----MALE----	1	-	-	-	4	8	9	17	7	3	-	-
FEMALE--	-	-	-	3	8	3	7	26	18	9	3	-
ALL OTHER--MALE----	-	1	1	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	-	2	-	1	-
BLACK---MALE----	-	1	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	-	2	-	1	-
GEORGIA -----	1	-	4	5	11	14	20	16	16	8	6	-
WHITE-----MALE----	-	-	1	-	1	1	4	2	3	2	-	-
FEMALE--	1	-	1	1	4	6	13	10	10	5	3	-
ALL OTHER--MALE----	-	-	-	3	3	1	-	1	2	1	-	-
FEMALE--	-	-	2	1	3	6	3	3	1	-	3	-
BLACK---MALE----	-	-	-	3	3	1	-	1	2	1	-	-
FEMALE--	-	-	2	1	3	6	3	3	1	-	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,182
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
HAWAII -----	-	-	-	1	-	-	-	1	3	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	2	1	-	2	5	4	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	2	3	-	-	-
FEMALE--	-	-	-	1	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	4	2	6	6	19	37	24	38	17	5	-
WHITE-----MALE----	-	2	1	1	2	5	10	8	5	5	1	-
FEMALE--	-	-	1	5	3	11	24	13	32	10	4	-
ALL OTHER--MALE----	1	2	-	-	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	-	2	-	-
BLACK---MALE----	1	2	-	-	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	-	2	-	-
INDIANA -----	1	-	-	1	5	6	20	26	13	8	1	-
WHITE-----MALE----	-	-	-	-	4	4	7	8	2	1	-	-
FEMALE--	-	-	-	1	-	2	13	16	10	7	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
IOWA -----	-	-	-	-	2	-	5	6	15	6	1	-
WHITE-----MALE----	-	-	-	-	1	-	2	2	4	1	-	-
FEMALE--	-	-	-	-	1	-	3	4	11	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	1	2	2	9	16	11	11	4	-
WHITE-----MALE----	-	-	-	-	1	1	3	7	2	3	-	-
FEMALE--	-	-	-	1	1	1	6	8	9	8	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,183
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
KENTUCKY -----	-	4	-	3	2	4	12	15	9	4	-	-
WHITE-----MALE----	-	4	-	3	1	2	3	4	2	-	-	-
FEMALE--	-	-	-	-	1	2	8	8	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
LOUISIANA -----	-	3	2	1	5	6	11	6	12	5	3	-
WHITE-----MALE----	-	2	1	-	1	3	2	3	2	-	-	-
FEMALE--	-	-	-	-	2	1	5	1	4	4	3	-
ALL OTHER--MALE----	-	-	1	-	-	1	3	-	2	1	-	-
FEMALE--	-	1	-	1	2	1	1	2	4	-	-	-
BLACK---MALE----	-	-	1	-	-	1	3	-	2	-	-	-
FEMALE--	-	1	-	1	2	1	1	2	4	-	-	-
MAINE -----	-	-	-	-	-	2	3	6	12	4	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	2	3	6	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	-	-	2	4	10	4	7	4	3	-
WHITE-----MALE----	1	-	-	-	1	2	3	-	2	-	-	-
FEMALE--	-	-	-	-	1	1	5	4	4	4	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	1	-	1	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	1	-	1	-
MASSACHUSETTS -----	1	1	1	1	5	6	10	18	15	7	3	-
WHITE-----MALE----	1	-	-	1	2	2	5	3	2	2	-	-
FEMALE--	-	1	1	-	3	4	5	14	13	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	2	3	5	11	14	18	26	25	14	4	-
WHITE-----MALE----	-	-	-	2	5	3	4	2	5	3	1	-
FEMALE--	-	1	1	1	5	11	9	22	16	11	3	-
ALL OTHER--MALE----	-	1	2	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	2	1	-	4	2	3	-	-	-
BLACK---MALE----	-	1	2	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	2	1	-	4	2	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,186
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
OHIO -----	2	1	4	8	13	15	35	35	36	24	6	-
WHITE-----MALE----	1	-	2	4	7	11	10	12	6	5	-	-
FEMALE--	1	1	2	3	5	4	24	18	27	16	6	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	5	2	3	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	5	2	3	-	-
OKLAHOMA -----	2	-	2	1	3	3	14	10	9	5	3	-
WHITE-----MALE----	-	-	2	-	-	2	6	2	2	-	1	-
FEMALE--	2	-	-	1	2	1	6	7	6	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
OREGON -----	-	-	-	2	3	2	2	5	11	4	2	-
WHITE-----MALE----	-	-	-	1	1	1	-	2	4	1	-	-
FEMALE--	-	-	-	1	2	1	2	3	6	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	3	7	9	22	28	36	32	21	4	-
WHITE-----MALE----	-	-	1	3	6	11	12	18	6	2	-	-
FEMALE--	-	1	2	3	3	7	16	16	23	17	3	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	2	3	2	1	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	2	3	2	1	-
RHODE ISLAND -----	-	-	-	-	1	-	1	2	5	2	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	3	1	5	10	7	14	6	7	5	1	-
WHITE-----MALE----	-	2	-	-	3	1	4	2	3	-	1	-
FEMALE--	-	-	-	-	5	4	3	3	2	3	-	-
ALL OTHER--MALE----	-	1	-	3	1	-	4	-	-	1	-	-
FEMALE--	-	-	1	2	1	2	3	1	2	1	-	-
BLACK---MALE----	-	1	-	3	1	-	4	-	-	1	-	-
FEMALE--	-	-	1	2	1	2	3	1	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,187

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER PROTEIN-CALORIE MALNUTRITION (262-263)												
SOUTH DAKOTA -----	-	-	1	-	-	3	1	4	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	4	1	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	1	8	7	11	15	17	6	5	-
WHITE-----MALE----	-	-	-	-	1	2	-	4	2	-	1	-
FEMALE--	-	1	-	1	5	5	7	9	8	5	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	3	-	-	-
FEMALE--	-	-	1	-	2	-	3	1	4	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	3	-	-	-
FEMALE--	-	-	1	-	2	-	3	1	4	1	-	-
TEXAS -----	2	1	-	9	15	26	49	56	31	15	3	-
WHITE-----MALE----	1	-	-	4	6	6	15	21	8	-	-	-
FEMALE--	-	-	-	4	5	15	28	30	19	15	2	-
ALL OTHER--MALE----	1	-	-	-	2	3	3	3	2	-	1	-
FEMALE--	-	1	-	1	2	2	3	2	2	-	-	-
BLACK---MALE----	1	-	-	-	2	3	3	3	2	-	1	-
FEMALE--	-	1	-	1	2	2	3	2	2	-	-	-
UTAH -----	-	1	-	-	-	4	3	5	5	2	1	-
WHITE-----MALE----	-	1	-	-	-	1	-	1	3	1	-	-
FEMALE--	-	-	-	-	-	3	3	4	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	2	4	6	7	25	17	14	8	-	-
WHITE-----MALE----	-	-	1	-	1	1	8	4	4	2	-	-
FEMALE--	-	-	-	3	3	4	12	12	9	6	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	2	1	5	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	2	1	5	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,195
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)												
OHIO -----	-	-	-	1	-	3	1	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	-	-	-	2	1	-	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	-	-	1	-	1	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	1	1	3	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,196
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NUTRITIONAL DEFICIENCIES (260,264-269)												
SOUTH DAKOTA -----	-	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	-	-	-	-	1	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	-	2	-	4	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	1	2	-	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,198
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
0 UNITED STATES --	10,197	79	69	45	52	63	122	129	146	235	258	237
WHITE-----MALE----	3,974	21	14	11	11	9	27	26	33	70	82	94
FEMALE--	4,437	24	17	10	12	14	15	19	32	51	64	60
ALL OTHER--MALE----	823	16	22	12	16	18	44	48	46	56	55	47
FEMALE--	963	18	16	12	13	22	36	36	35	58	57	36
BLACK---MALE----	731	9	21	10	15	18	44	47	46	54	54	43
FEMALE--	884	14	15	11	13	22	33	35	31	57	55	34
ALABAMA -----	240	-	2	-	2	2	3	8	5	14	4	5
WHITE-----MALE----	73	-	-	-	1	-	-	1	-	3	-	3
FEMALE--	83	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	37	-	-	-	-	-	2	5	3	2	2	-
FEMALE--	47	-	2	-	1	2	1	2	2	8	-	1
BLACK---MALE----	37	-	-	-	-	-	2	5	3	2	2	-
FEMALE--	47	-	2	-	1	2	1	2	2	8	-	1
ALASKA -----	15	-	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	161	-	1	-	-	-	1	1	-	5	3	5
WHITE-----MALE----	80	-	-	-	-	-	1	1	-	1	1	2
FEMALE--	68	-	-	-	-	-	-	-	-	2	2	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	114	1	1	2	-	1	1	-	-	3	2	2
WHITE-----MALE----	44	-	-	2	-	-	-	-	-	1	1	2
FEMALE--	48	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	12	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	12	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	-	-	-	1	1	-	-	-	-	-
CALIFORNIA -----	777	20	11	4	3	5	4	15	10	14	16	19
WHITE-----MALE----	362	8	4	1	2	1	1	6	4	9	11	7
FEMALE--	292	5	4	3	-	1	-	3	1	2	1	4
ALL OTHER--MALE----	62	4	2	-	-	2	-	5	3	2	1	5
FEMALE--	61	3	1	-	1	1	3	1	2	1	3	3
BLACK---MALE----	37	1	2	-	-	2	-	5	3	2	1	4
FEMALE--	38	1	1	-	1	1	3	1	1	1	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,198
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
0 UNITED STATES --	264	304	444	745	1,119	1,464	1,644	1,457	915	333	73	-
WHITE-----MALE----	97	136	194	375	550	649	685	519	281	81	9	-
FEMALE--	92	96	155	260	422	637	801	815	568	226	47	-
ALL OTHER--MALE----	37	34	33	59	76	76	66	41	15	3	3	-
FEMALE--	38	38	62	51	71	102	92	82	51	23	14	-
BLACK---MALE----	34	29	29	48	65	68	49	31	12	2	3	-
FEMALE--	38	34	56	46	59	90	78	77	50	23	13	-
ALABAMA -----	11	12	6	13	22	33	48	33	11	5	1	-
WHITE-----MALE----	2	7	2	4	8	10	20	9	1	1	1	-
FEMALE--	2	5	1	5	6	13	19	17	7	4	-	-
ALL OTHER--MALE----	2	-	1	2	4	5	5	4	-	-	-	-
FEMALE--	5	-	2	2	4	5	4	3	3	-	-	-
BLACK---MALE----	2	-	1	2	4	5	5	4	-	-	-	-
FEMALE--	5	-	2	2	4	5	4	3	3	-	-	-
ALASKA -----	-	2	1	4	-	1	3	2	-	-	-	-
WHITE-----MALE----	-	1	1	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	4	7	6	20	37	27	29	7	3	-	-
WHITE-----MALE----	2	2	2	5	10	22	17	10	3	1	-	-
FEMALE--	2	1	4	1	9	12	9	18	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	4	3	5	9	17	13	18	13	15	1	3	-
WHITE-----MALE----	1	1	3	5	9	6	5	5	3	-	-	-
FEMALE--	3	-	-	2	5	7	10	5	11	1	2	-
ALL OTHER--MALE----	-	1	1	1	2	-	2	1	1	-	-	-
FEMALE--	-	1	1	1	1	-	1	2	-	-	1	-
BLACK---MALE----	-	1	1	1	2	-	2	1	1	-	-	-
FEMALE--	-	1	1	1	1	-	1	2	-	-	1	-
CALIFORNIA -----	26	18	34	57	103	114	118	106	62	13	5	-
WHITE-----MALE----	10	7	19	29	53	51	66	42	23	8	-	-
FEMALE--	9	5	10	21	37	51	36	53	36	5	5	-
ALL OTHER--MALE----	3	1	3	5	8	3	9	5	1	-	-	-
FEMALE--	4	5	2	2	5	9	7	6	2	-	-	-
BLACK---MALE----	1	1	2	2	4	2	4	1	-	-	-	-
FEMALE--	4	3	2	-	2	5	3	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,199
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
COLORADO -----	115	1	-	-	-	-	4	2	1	2	6	5
WHITE-----MALE----	46	-	-	-	-	-	2	1	-	-	3	1
FEMALE--	57	-	-	-	-	-	-	-	1	-	3	3
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	1	1	-	2	-	1
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	1	1	-	2	-	1
CONNECTICUT -----	127	-	-	-	1	-	-	-	2	5	2	8
WHITE-----MALE----	55	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	61	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	4	-	-	-	1	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	4	-	-	-	1	-	-	-	-	1	-	1
DELAWARE -----	27	-	-	-	-	1	-	-	1	2	-	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	40	-	1	-	-	-	-	-	1	3	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	1	-	-	-	-	-	1	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	12	-	1	-	-	-	-	-	1	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	2	-	-
FLORIDA -----	647	5	3	3	2	2	7	9	6	15	16	14
WHITE-----MALE----	255	-	-	1	-	-	1	-	1	3	2	7
FEMALE--	294	2	2	-	-	-	-	2	3	3	6	1
ALL OTHER--MALE----	45	-	1	-	1	2	3	2	-	5	3	2
FEMALE--	53	3	-	2	1	-	3	5	2	4	5	4
BLACK---MALE----	41	-	1	-	1	2	3	2	-	4	3	2
FEMALE--	52	3	-	2	1	-	2	5	2	4	5	4
GEORGIA -----	256	4	2	2	3	7	7	11	5	5	16	9
WHITE-----MALE----	75	1	-	-	-	-	-	2	-	1	3	2
FEMALE--	82	-	1	-	1	1	1	-	-	1	1	-
ALL OTHER--MALE----	49	2	1	2	1	1	5	6	3	2	6	5
FEMALE--	50	1	-	-	1	5	1	3	2	1	6	2
BLACK---MALE----	48	1	1	2	1	1	5	6	3	2	6	5
FEMALE--	50	1	-	-	1	5	1	3	2	1	6	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,199
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
COLORADO -----	4	2	6	6	14	14	16	16	9	7	-	-
WHITE-----MALE----	2	-	2	4	7	5	8	5	3	3	-	-
FEMALE--	2	1	4	2	7	7	8	10	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	1	4	10	8	11	19	19	17	15	5	-	-
WHITE-----MALE----	-	-	9	5	6	5	11	6	8	-	-	-
FEMALE--	1	2	-	3	5	14	8	11	7	5	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	2	-	5	3	4	3	2	1	1	-
WHITE-----MALE----	1	-	1	-	3	1	3	1	2	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	1	5	2	3	8	8	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	3	1	-	2	1	1	-	-	-
FEMALE--	1	-	1	2	1	2	4	5	2	-	-	-
BLACK---MALE----	-	-	-	3	1	-	2	1	1	-	-	-
FEMALE--	1	-	1	2	1	2	4	5	2	-	-	-
FLORIDA -----	14	18	21	56	60	108	109	97	51	26	5	-
WHITE-----MALE----	7	7	8	30	29	40	57	37	17	7	1	-
FEMALE--	6	6	9	19	22	57	47	56	33	17	3	-
ALL OTHER--MALE----	1	2	2	6	3	6	4	2	-	-	-	-
FEMALE--	-	3	2	1	6	5	1	2	1	2	1	-
BLACK---MALE----	1	1	2	5	2	6	4	2	-	-	-	-
FEMALE--	-	3	2	1	6	5	1	2	1	2	1	-
GEORGIA -----	10	10	7	16	25	29	36	28	16	6	2	-
WHITE-----MALE----	1	4	2	10	8	8	18	8	5	2	-	-
FEMALE--	4	4	2	5	7	11	11	17	11	3	1	-
ALL OTHER--MALE----	1	-	1	-	4	6	3	-	-	-	-	-
FEMALE--	4	2	2	1	6	4	4	3	-	1	1	-
BLACK---MALE----	1	-	1	-	4	6	3	-	-	-	-	-
FEMALE--	4	2	2	1	6	4	4	3	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,200
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
HAWAII -----	-	2	2	1	3	7	10	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	3	4	5	1	-	-	-	-
FEMALE--	-	1	2	-	-	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	4	4	4	6	11	9	6	1	-	-
WHITE-----MALE----	-	-	-	2	2	1	5	5	1	-	-	-
FEMALE--	-	-	3	2	2	5	6	4	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	15	31	34	58	65	81	74	52	20	6	-
WHITE-----MALE----	2	8	7	17	29	26	23	23	11	1	-	-
FEMALE--	4	4	12	11	22	28	44	45	37	17	4	-
ALL OTHER--MALE----	1	1	6	2	3	4	5	2	-	-	-	-
FEMALE--	3	2	6	4	4	7	9	4	4	2	2	-
BLACK---MALE----	1	1	5	2	3	4	4	2	-	-	-	-
FEMALE--	3	2	6	3	4	7	9	4	4	2	2	-
INDIANA -----	4	8	9	22	29	44	43	40	26	8	1	-
WHITE-----MALE----	3	2	5	10	15	20	18	23	9	2	1	-
FEMALE--	1	4	4	10	13	21	23	14	16	5	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	2	-	1	-	2	2	2	1	1	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	2	-	1	-	2	2	2	1	1	-	-
IOWA -----	-	-	1	11	18	15	20	17	32	7	2	-
WHITE-----MALE----	-	-	-	8	10	12	9	6	13	2	1	-
FEMALE--	-	-	-	3	8	3	11	11	19	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	3	2	6	5	10	17	24	22	9	9	1	-
WHITE-----MALE----	1	1	1	4	5	7	11	9	1	3	-	-
FEMALE--	2	1	4	1	5	9	13	12	7	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,201
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
KENTUCKY -----	149	3	-	-	-	-	1	1	-	2	3	1
WHITE-----MALE----	63	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	73	1	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	207	-	5	1	-	4	2	-	1	5	8	6
WHITE-----MALE----	72	-	-	-	-	1	-	-	-	2	2	2
FEMALE--	74	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	29	-	4	1	-	2	1	-	1	1	2	1
FEMALE--	32	-	1	-	-	1	1	-	-	1	3	1
BLACK---MALE----	29	-	4	1	-	2	1	-	1	1	2	1
FEMALE--	32	-	1	-	-	1	1	-	-	1	3	1
MAINE -----	72	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	33	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	39	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	209	1	1	1	3	1	3	4	5	10	7	9
WHITE-----MALE----	62	-	1	-	-	1	-	-	1	-	2	4
FEMALE--	85	-	-	1	-	-	1	-	-	-	3	1
ALL OTHER--MALE----	30	-	-	-	-	-	2	2	1	2	1	2
FEMALE--	32	1	-	-	3	-	-	2	3	8	1	2
BLACK---MALE----	28	-	-	-	-	-	2	2	1	2	1	2
FEMALE--	32	1	-	-	3	-	-	2	3	8	1	2
MASSACHUSETTS -----	235	2	1	-	1	2	1	2	2	4	9	4
WHITE-----MALE----	89	-	-	-	1	1	-	2	1	1	5	3
FEMALE--	131	2	-	-	1	1	-	-	-	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	8	-	1	-	-	-	1	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	7	-	1	-	-	-	1	-	-	-	1	-
MICHIGAN -----	385	4	1	1	2	-	7	10	7	5	9	8
WHITE-----MALE----	133	1	-	-	-	-	1	2	1	1	1	2
FEMALE--	168	-	1	-	-	-	2	1	-	-	4	2
ALL OTHER--MALE----	43	1	-	1	2	-	3	3	5	4	-	3
FEMALE--	41	2	-	-	-	-	1	4	1	-	4	1
BLACK---MALE----	41	1	-	1	2	-	3	2	5	4	-	2
FEMALE--	40	2	-	-	-	-	1	4	1	-	4	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,201
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
KENTUCKY -----	4	6	5	10	17	31	20	24	16	5	-	-
WHITE-----MALE----	2	2	3	4	11	18	5	9	4	2	-	-
FEMALE--	2	2	2	5	6	11	13	15	11	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	1	1	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	1	1	-	-
LOUISIANA -----	4	8	13	13	23	35	32	22	14	8	3	-
WHITE-----MALE----	-	3	4	5	8	17	14	6	5	3	-	-
FEMALE--	1	2	5	3	10	11	16	12	6	4	-	-
ALL OTHER--MALE----	1	1	3	3	2	3	-	3	-	-	-	-
FEMALE--	2	2	1	2	3	4	2	1	3	1	3	-
BLACK---MALE----	1	1	3	3	2	3	-	3	-	-	-	-
FEMALE--	2	2	1	2	3	4	2	1	3	1	3	-
MAINE -----	1	3	1	7	9	6	12	18	9	3	-	-
WHITE-----MALE----	-	1	1	4	6	5	4	4	5	2	-	-
FEMALE--	1	2	-	3	3	1	8	14	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	8	10	14	29	26	34	25	8	7	-	-
WHITE-----MALE----	-	2	3	7	13	7	16	4	1	-	-	-
FEMALE--	1	1	4	3	12	13	14	19	6	6	-	-
ALL OTHER--MALE----	1	3	2	3	3	4	2	1	1	-	-	-
FEMALE--	1	2	1	1	1	2	2	1	-	1	-	-
BLACK---MALE----	1	3	2	3	2	4	2	-	1	-	-	-
FEMALE--	1	2	1	1	1	2	2	1	-	1	-	-
MASSACHUSETTS -----	3	2	10	19	19	42	33	45	19	9	6	-
WHITE-----MALE----	3	1	5	7	7	18	13	17	3	2	-	-
FEMALE--	-	1	5	11	10	24	18	28	16	6	5	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	1	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	1	-	-
MICHIGAN -----	11	11	20	42	47	48	61	48	22	16	5	-
WHITE-----MALE----	3	7	10	19	19	26	18	17	4	1	-	-
FEMALE--	2	2	7	13	19	17	37	26	17	15	3	-
ALL OTHER--MALE----	5	-	-	8	3	1	-	1	1	-	2	-
FEMALE--	1	2	3	2	6	4	6	4	-	-	-	-
BLACK---MALE----	5	-	-	8	3	1	-	1	1	-	2	-
FEMALE--	1	2	3	2	6	4	6	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,202
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
MINNESOTA -----	180	-	-	1	2	1	1	3	2	4	4	1
WHITE-----MALE----	82	-	-	-	-	-	-	2	1	-	1	1
FEMALE--	90	-	-	-	2	1	-	1	1	2	2	-
ALL OTHER--MALE----	4	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	3	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
MISSISSIPPI -----	118	-	2	-	1	1	1	5	4	2	1	4
WHITE-----MALE----	36	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	35	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	1	-	1	1	1	2	1	-	1	-
FEMALE--	25	-	-	-	-	-	-	2	2	1	-	3
BLACK---MALE----	22	-	1	-	1	1	1	2	1	-	1	-
FEMALE--	25	-	-	-	-	-	-	2	2	1	-	3
MISSOURI -----	261	-	1	1	1	-	4	3	3	4	7	6
WHITE-----MALE----	84	-	-	-	-	-	2	-	-	2	1	1
FEMALE--	143	-	-	-	-	-	-	1	2	1	-	4
ALL OTHER--MALE----	12	-	-	1	1	-	1	1	-	1	2	-
FEMALE--	22	-	1	-	-	-	1	1	1	-	4	1
BLACK---MALE----	12	-	-	1	1	-	1	1	-	1	2	-
FEMALE--	21	-	1	-	-	-	1	1	1	-	4	1
MONTANA -----	38	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	72	2	1	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	33	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	39	-	-	-	-	1	-	-	-	3	1	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	15	-	-	-	-	1	-	-	-	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,204
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
OHIO -----	476	-	7	4	2	3	2	2	5	9	8	14
WHITE-----MALE----	187	-	1	2	-	-	-	-	2	4	3	5
FEMALE--	222	-	4	1	1	-	-	-	1	2	2	2
ALL OTHER--MALE----	27	-	2	-	-	1	-	2	1	3	1	3
FEMALE--	40	-	-	1	1	2	2	-	1	-	2	4
BLACK---MALE----	27	-	2	-	-	1	-	2	1	3	1	3
FEMALE--	37	-	-	1	1	2	2	-	-	-	2	3
OKLAHOMA -----	116	2	-	2	-	-	1	1	1	2	1	1
WHITE-----MALE----	54	1	-	-	-	-	1	-	-	-	1	-
FEMALE--	43	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	1	-	1	-	-	-	1	-	-	-	1
FEMALE--	12	-	-	1	-	-	-	-	1	1	-	-
BLACK---MALE----	6	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	8	-	-	1	-	-	-	-	1	1	-	-
OREGON -----	105	1	1	-	1	-	-	-	-	1	2	1
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	50	1	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	614	6	5	-	1	4	5	2	5	14	9	7
WHITE-----MALE----	242	2	-	-	1	2	2	-	-	4	2	2
FEMALE--	282	2	1	-	-	1	1	-	3	3	3	1
ALL OTHER--MALE----	42	1	3	-	-	1	2	1	1	3	3	4
FEMALE--	48	1	1	-	-	-	1	1	1	4	1	-
BLACK---MALE----	39	-	3	-	-	1	2	1	1	3	3	4
FEMALE--	46	1	1	-	-	-	-	1	1	4	1	-
RHODE ISLAND -----	42	-	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	168	-	1	2	2	2	3	2	5	5	5	2
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	58	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	22	-	-	-	1	1	2	1	2	2	2	-
FEMALE--	38	-	1	2	1	-	1	-	2	2	2	-
BLACK---MALE----	22	-	-	-	1	1	2	1	2	2	2	-
FEMALE--	38	-	1	2	1	-	1	-	2	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,204
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
OHIO -----	6	9	25	37	50	68	88	67	47	21	2	-
WHITE-----MALE----	4	6	6	15	25	33	37	23	15	6	-	-
FEMALE--	2	2	11	17	18	30	46	39	30	12	2	-
ALL OTHER--MALE----	-	1	1	2	4	1	3	1	1	-	-	-
FEMALE--	-	-	7	3	3	4	2	4	1	3	-	-
BLACK---MALE----	-	1	1	2	4	1	3	1	1	-	-	-
FEMALE--	-	-	6	3	3	4	2	4	1	3	-	-
OKLAHOMA -----	1	6	5	9	17	17	19	21	8	2	-	-
WHITE-----MALE----	-	3	1	5	7	11	9	9	6	-	-	-
FEMALE--	1	2	3	2	7	5	7	11	2	2	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	3	1	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	1	-	-	-	-
OREGON -----	3	6	2	8	4	14	26	20	8	6	1	-
WHITE-----MALE----	-	4	2	5	2	12	8	10	4	1	-	-
FEMALE--	2	2	-	3	2	1	17	10	4	5	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	17	18	27	53	55	104	110	88	62	19	3	-
WHITE-----MALE----	4	7	17	36	26	37	50	27	19	3	1	-
FEMALE--	6	7	6	15	21	51	53	53	38	15	2	-
ALL OTHER--MALE----	3	3	1	-	4	7	2	3	-	-	-	-
FEMALE--	4	1	3	2	4	9	5	5	5	1	-	-
BLACK---MALE----	3	3	1	-	3	7	2	2	-	-	-	-
FEMALE--	4	-	3	2	3	9	5	5	5	1	-	-
RHODE ISLAND -----	3	1	1	-	3	2	11	10	4	1	1	-
WHITE-----MALE----	2	1	1	-	2	-	5	5	-	-	-	-
FEMALE--	1	-	-	-	1	2	6	5	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	5	6	15	21	26	23	21	11	2	1	-
WHITE-----MALE----	3	2	2	6	5	10	8	9	-	-	1	-
FEMALE--	1	2	3	3	10	9	10	9	6	2	-	-
ALL OTHER--MALE----	2	-	-	1	3	3	2	-	-	-	-	-
FEMALE--	2	1	1	5	3	4	3	3	5	-	-	-
BLACK---MALE----	2	-	-	1	3	3	2	-	-	-	-	-
FEMALE--	2	1	1	5	3	4	3	3	5	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,205
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
SOUTH DAKOTA -----	28	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	167	1	2	-	1	2	-	3	4	2	7	5
WHITE-----MALE----	72	-	1	-	-	-	-	-	2	-	2	1
FEMALE--	61	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	18	-	-	-	1	1	-	2	2	1	2	2
FEMALE--	16	1	1	-	-	1	-	-	-	-	2	1
BLACK---MALE----	18	-	-	-	1	1	-	2	2	1	2	2
FEMALE--	16	1	1	-	-	1	-	-	-	-	2	1
TEXAS -----	652	5	3	5	2	6	7	7	7	14	14	18
WHITE-----MALE----	279	2	1	1	1	1	2	1	3	5	3	9
FEMALE--	283	1	-	1	-	1	-	1	2	5	5	4
ALL OTHER--MALE----	40	1	2	2	-	2	3	3	-	2	3	3
FEMALE--	50	1	-	1	1	2	2	2	2	2	3	2
BLACK---MALE----	38	1	2	1	-	2	3	3	-	2	3	3
FEMALE--	49	1	-	1	1	2	2	2	2	2	3	2
UTAH -----	53	-	1	-	-	-	1	-	1	1	1	1
WHITE-----MALE----	20	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	32	-	-	-	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	24	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	235	3	-	3	3	3	3	1	4	8	5	4
WHITE-----MALE----	89	1	-	2	2	1	1	-	1	3	3	2
FEMALE--	83	-	-	-	1	1	-	-	2	-	1	2
ALL OTHER--MALE----	26	1	-	1	-	1	1	-	1	1	1	-
FEMALE--	37	1	-	-	-	-	1	1	-	4	-	-
BLACK---MALE----	24	1	-	1	-	1	1	-	1	1	1	-
FEMALE--	35	-	-	-	-	-	-	1	-	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,205
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IV. DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (280-289)												
SOUTH DAKOTA -----	-	-	-	2	2	3	7	6	6	1	-	-
WHITE-----MALE----	-	-	-	1	2	2	3	-	3	-	-	-
FEMALE--	-	-	-	-	-	1	4	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	5	10	13	18	22	24	24	10	5	1	-
WHITE-----MALE----	5	4	5	10	8	11	8	11	4	-	-	-
FEMALE--	2	1	3	1	8	9	15	9	3	5	1	-
ALL OTHER--MALE----	-	-	-	1	2	1	1	1	1	-	-	-
FEMALE--	1	-	2	1	-	1	-	3	2	-	-	-
BLACK---MALE----	-	-	-	1	2	1	1	1	1	-	-	-
FEMALE--	1	-	2	1	-	1	-	3	2	-	-	-
TEXAS -----	18	23	32	35	73	99	97	102	62	20	3	-
WHITE-----MALE----	7	15	17	20	43	47	40	31	25	5	-	-
FEMALE--	8	5	11	13	27	41	52	61	32	13	-	-
ALL OTHER--MALE----	2	1	1	-	3	6	2	2	1	-	1	-
FEMALE--	1	2	3	2	-	5	3	8	4	2	2	-
BLACK---MALE----	2	1	1	-	3	5	2	2	1	-	1	-
FEMALE--	1	2	3	2	-	4	3	8	4	2	2	-
UTAH -----	-	-	1	5	5	9	10	9	7	1	-	-
WHITE-----MALE----	-	-	-	3	3	2	2	5	3	-	-	-
FEMALE--	-	-	1	2	2	7	8	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	2	-	2	9	-	4	4	-	-	-
WHITE-----MALE----	-	1	1	-	1	6	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	3	-	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	2	9	22	27	29	33	31	27	7	3	-
WHITE-----MALE----	2	-	1	9	14	14	13	13	6	-	1	-
FEMALE--	1	1	3	4	3	12	17	14	16	4	1	-
ALL OTHER--MALE----	4	1	-	2	5	3	2	1	-	1	-	-
FEMALE--	1	-	5	7	5	-	1	3	5	2	1	-
BLACK---MALE----	4	1	-	2	4	3	1	1	-	1	-	-
FEMALE--	1	-	5	7	5	-	1	3	5	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,207
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
0 UNITED STATES --	4,556	34	48	31	43	46	87	80	79	112	106	84
WHITE-----MALE----	1,362	9	6	6	8	3	13	6	11	15	15	20
FEMALE--	2,099	8	9	7	11	7	6	5	7	14	19	15
ALL OTHER--MALE----	493	9	19	9	11	16	39	40	36	41	37	27
FEMALE--	602	8	14	9	13	20	29	29	25	42	35	22
BLACK---MALE----	450	2	18	9	10	16	39	39	36	40	37	25
FEMALE--	564	6	13	8	13	20	28	29	23	42	35	22
ALABAMA -----	130	-	2	-	1	2	3	6	2	8	2	3
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	50	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	2	4	-	1	1	-
FEMALE--	35	-	2	-	1	2	1	2	2	7	-	-
BLACK---MALE----	16	-	-	-	-	-	2	4	-	1	1	-
FEMALE--	35	-	2	-	1	2	1	2	2	7	-	-
ALASKA -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	64	-	1	-	-	-	1	-	-	4	-	3
WHITE-----MALE----	27	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	45	-	1	1	-	1	1	-	-	2	1	-
WHITE-----MALE----	9	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	9	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	1	1	-	-	-	-	-
CALIFORNIA -----	255	16	7	2	3	4	2	8	5	4	3	5
WHITE-----MALE----	86	6	2	1	2	-	-	1	1	-	1	-
FEMALE--	104	4	3	1	-	1	-	2	-	1	-	1
ALL OTHER--MALE----	33	4	2	-	-	2	-	4	3	2	-	3
FEMALE--	32	2	-	-	1	1	2	1	1	1	2	1
BLACK---MALE----	24	1	2	-	-	2	-	4	3	2	-	3
FEMALE--	21	1	-	-	1	1	2	1	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,207
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ANEMIAS (280-285)												
0 UNITED STATES --	87	103	146	230	373	531	709	774	555	236	62	-
WHITE-----MALE----	25	35	48	111	143	188	267	220	150	56	7	-
FEMALE--	21	36	52	83	158	255	354	470	360	161	41	-
ALL OTHER--MALE----	17	15	13	16	39	36	30	29	9	3	2	-
FEMALE--	24	17	33	20	33	52	58	55	36	16	12	-
BLACK---MALE----	17	14	12	15	32	32	24	22	7	2	2	-
FEMALE--	24	17	29	18	29	44	49	52	36	16	11	-
ALABAMA -----	7	6	2	3	6	17	28	22	5	4	1	-
WHITE-----MALE----	1	3	1	1	2	2	11	4	-	1	1	-
FEMALE--	1	3	-	2	1	9	12	13	4	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	3	1	3	-	-	-	-
FEMALE--	4	-	1	-	3	3	4	2	1	-	-	-
BLACK---MALE----	1	-	-	-	-	3	1	3	-	-	-	-
FEMALE--	4	-	1	-	3	3	4	2	1	-	-	-
ALASKA -----	-	1	-	1	-	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	1	5	15	15	11	4	2	-	-
WHITE-----MALE----	1	-	-	-	2	7	7	5	1	1	-	-
FEMALE--	-	-	1	1	3	5	7	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	1	1	1	3	2	3	11	6	6	1	3	-
WHITE-----MALE----	-	-	-	2	-	1	3	1	1	-	-	-
FEMALE--	1	-	-	1	1	2	5	2	4	1	2	-
ALL OTHER--MALE----	-	1	-	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	1	-
BLACK---MALE----	-	1	-	-	1	-	2	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	1	-
CALIFORNIA -----	6	2	11	16	30	27	25	40	29	7	3	-
WHITE-----MALE----	1	-	6	9	14	9	12	9	9	3	-	-
FEMALE--	1	-	3	5	7	14	10	25	19	4	3	-
ALL OTHER--MALE----	1	1	2	1	4	1	-	2	1	-	-	-
FEMALE--	3	1	-	1	5	3	3	4	-	-	-	-
BLACK---MALE----	1	1	1	1	2	1	-	-	-	-	-	-
FEMALE--	3	1	-	-	2	1	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,208
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
COLORADO -----	53	1	-	-	-	-	3	1	1	-	-	4
WHITE-----MALE----	20	-	-	-	-	-	2	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	1	-	-	-	1
CONNECTICUT -----	44	-	-	-	1	-	-	-	2	-	1	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	19	-	1	-	-	-	-	-	-	3	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	-	-
FLORIDA -----	291	2	2	1	2	1	5	7	3	11	8	6
WHITE-----MALE----	84	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	135	-	1	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	31	-	1	-	1	1	3	1	-	5	2	1
FEMALE--	41	2	-	1	1	-	2	5	2	4	4	3
BLACK---MALE----	30	-	1	-	1	1	3	1	-	4	2	1
FEMALE--	41	2	-	1	1	-	2	5	2	4	4	3
GEORGIA -----	129	2	2	1	3	6	5	8	3	4	10	6
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	42	-	1	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	34	1	1	1	1	1	4	6	2	2	5	4
FEMALE--	34	1	-	-	1	5	1	2	1	1	4	2
BLACK---MALE----	33	-	1	1	1	1	4	6	2	2	5	4
FEMALE--	34	1	-	-	1	5	1	2	1	1	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,208
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ANEMIAS (280-285)												
COLORADO -----	2	-	3	3	5	8	6	7	5	4	-	-
WHITE-----MALE----	1	-	-	1	2	2	3	3	2	3	-	-
FEMALE--	1	-	3	2	3	5	3	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	1	1	1	3	-	4	6	9	10	4	-	-
WHITE-----MALE----	-	-	-	2	-	-	4	2	5	-	-	-
FEMALE--	1	1	-	1	-	4	2	7	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	2	2	2	3	1	1	1	-
WHITE-----MALE----	-	-	-	-	2	1	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	1	1	1	4	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	3	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	3	2	1	-	-	-
FLORIDA -----	5	7	6	21	24	39	46	42	32	17	4	-
WHITE-----MALE----	2	2	1	10	12	8	22	10	8	5	1	-
FEMALE--	2	2	3	7	7	24	20	29	23	10	2	-
ALL OTHER--MALE----	1	-	1	4	2	4	3	1	-	-	-	-
FEMALE--	-	3	1	-	3	3	1	2	1	2	1	-
BLACK---MALE----	1	-	1	4	2	4	3	1	-	-	-	-
FEMALE--	-	3	1	-	3	3	1	2	1	2	1	-
GEORGIA -----	3	2	2	6	12	12	12	16	9	3	2	-
WHITE-----MALE----	-	1	-	3	2	3	4	3	1	1	-	-
FEMALE--	1	1	1	2	4	3	4	12	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	2	3	1	-	-	-	-	-
FEMALE--	2	-	1	1	4	3	3	1	-	-	1	-
BLACK---MALE----	-	-	-	-	2	3	1	-	-	-	-	-
FEMALE--	2	-	1	1	4	3	3	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,209
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ANEMIAS (280-285)												
HAWAII -----	-	-	2	-	2	4	5	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	3	1	-	-	-	-
FEMALE--	-	-	2	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	-	1	2	3	4	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	3	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	7	10	10	19	25	48	37	39	16	6	-
WHITE-----MALE----	2	1	2	4	9	6	14	9	6	1	-	-
FEMALE--	-	4	3	3	6	16	25	23	31	14	4	-
ALL OTHER--MALE----	1	-	2	2	2	2	2	2	-	-	-	-
FEMALE--	1	2	3	1	2	1	7	3	2	1	2	-
BLACK---MALE----	1	-	2	2	2	2	2	2	-	-	-	-
FEMALE--	1	2	3	1	2	1	7	3	2	1	2	-
INDIANA -----	-	2	5	7	11	19	21	19	14	5	-	-
WHITE-----MALE----	-	-	2	1	6	4	9	10	4	1	-	-
FEMALE--	-	2	3	4	4	13	10	7	10	4	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	-	-	-
IOWA -----	-	-	-	1	4	4	10	7	14	6	2	-
WHITE-----MALE----	-	-	-	-	2	1	5	2	5	2	1	-
FEMALE--	-	-	-	1	2	3	5	5	9	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	2	2	1	5	7	9	14	5	8	1	-
WHITE-----MALE----	-	1	-	1	2	3	2	5	-	2	-	-
FEMALE--	-	1	1	-	3	4	7	9	4	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,210
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
KENTUCKY -----	71	1	-	-	-	-	1	-	-	1	2	-
WHITE-----MALE----	29	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	110	-	3	1	-	3	2	-	1	2	3	3
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	41	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	17	-	2	1	-	2	1	-	1	1	1	-
FEMALE--	23	-	1	-	-	1	1	-	-	-	2	-
BLACK---MALE----	17	-	2	1	-	2	1	-	1	1	1	-
FEMALE--	23	-	1	-	-	1	1	-	-	-	2	-
MAINE -----	29	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	92	-	-	1	3	-	2	2	2	6	1	4
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	2	1	1	1	-	2
FEMALE--	17	-	-	-	3	-	-	1	1	5	1	1
BLACK---MALE----	15	-	-	-	-	-	2	1	1	1	-	2
FEMALE--	17	-	-	-	3	-	-	1	1	5	1	1
MASSACHUSETTS -----	96	-	1	-	1	1	1	-	2	3	2	-
WHITE-----MALE----	31	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	56	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	5	-	1	-	-	-	1	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	4	-	1	-	-	-	1	-	-	-	1	-
MICHIGAN -----	170	-	-	1	2	-	4	6	5	4	4	5
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	82	-	-	-	-	-	2	-	-	-	2	-
ALL OTHER--MALE----	24	-	-	1	2	-	1	3	4	4	-	3
FEMALE--	24	-	-	-	-	-	1	3	1	-	2	1
BLACK---MALE----	22	-	-	1	2	-	1	2	4	4	-	2
FEMALE--	23	-	-	-	-	-	1	3	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,210
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ANEMIAS (280-285)												
KENTUCKY -----	1	1	1	5	4	11	9	17	13	4	-	-
WHITE-----MALE----	1	-	-	2	2	7	3	6	3	2	-	-
FEMALE--	-	-	1	2	2	3	5	11	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	1	1	-	-
LOUISIANA -----	3	4	5	6	11	14	17	14	10	6	2	-
WHITE-----MALE----	-	-	-	2	3	4	10	5	2	1	-	-
FEMALE--	-	2	2	2	5	7	6	6	5	4	-	-
ALL OTHER--MALE----	1	-	2	1	-	2	-	2	-	-	-	-
FEMALE--	2	2	1	1	3	1	1	1	3	1	2	-
BLACK---MALE----	1	-	2	1	-	2	-	2	-	-	-	-
FEMALE--	2	2	1	1	3	1	1	1	3	1	2	-
MAINE -----	-	1	-	1	2	1	6	9	5	3	-	-
WHITE-----MALE----	-	1	-	-	1	1	3	3	3	2	-	-
FEMALE--	-	-	-	1	1	-	3	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	3	5	11	10	21	12	3	4	-	-
WHITE-----MALE----	-	-	2	3	5	1	11	3	1	-	-	-
FEMALE--	-	-	-	-	3	6	8	9	2	3	-	-
ALL OTHER--MALE----	-	1	1	1	3	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	1	-	-
BLACK---MALE----	-	1	1	1	2	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	1	-	-
MASSACHUSETTS -----	1	2	3	5	8	11	10	22	9	9	5	-
WHITE-----MALE----	1	1	2	3	2	5	4	8	-	2	-	-
FEMALE--	-	1	1	2	5	6	6	14	9	6	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	2	3	8	9	13	16	31	29	15	9	4	-
WHITE-----MALE----	-	1	4	5	2	3	9	11	4	-	-	-
FEMALE--	-	2	2	3	8	9	17	16	10	9	2	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	1	-	2	-
FEMALE--	1	-	2	1	2	3	5	2	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	1	-	2	-
FEMALE--	1	-	2	1	2	3	5	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,211
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
MINNESOTA -----	92	-	-	1	2	-	1	2	1	2	1	-
WHITE-----MALE----	37	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	48	-	-	-	2	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
MISSISSIPPI -----	58	-	2	-	1	1	1	4	3	-	1	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	1	-	1	1	1	2	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	2	2	-	-	1
BLACK---MALE----	18	-	1	-	1	1	1	2	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	2	2	-	-	1
MISSOURI -----	116	-	1	1	1	-	2	1	1	2	3	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	1	1	-	1	1	-	1	2	-
FEMALE--	11	-	1	-	-	-	1	-	1	-	1	1
BLACK---MALE----	9	-	-	1	1	-	1	1	-	1	2	-
FEMALE--	10	-	1	-	-	-	1	-	1	-	1	1
MONTANA -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	29	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	13	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,213
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
OHIO -----	241	-	3	3	2	2	2	2	2	3	4	6
WHITE-----MALE----	80	-	-	2	-	-	-	-	1	-	1	1
FEMALE--	122	-	2	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	17	-	1	-	-	-	-	2	1	2	1	2
FEMALE--	22	-	-	-	1	2	2	-	-	-	2	3
BLACK---MALE----	17	-	1	-	-	-	-	2	1	2	1	2
FEMALE--	21	-	-	-	1	2	2	-	-	-	2	3
OKLAHOMA -----	54	1	-	1	-	-	-	1	1	2	-	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	7	-	-	1	-	-	-	-	1	1	-	-
BLACK---MALE----	6	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	6	-	-	1	-	-	-	-	1	1	-	-
OREGON -----	48	-	1	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	277	3	4	-	1	1	2	2	1	6	5	2
WHITE-----MALE----	90	1	-	-	1	-	1	-	-	1	1	-
FEMALE--	131	1	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	21	1	3	-	-	1	1	1	-	2	1	2
FEMALE--	35	-	1	-	-	-	1	1	1	3	1	-
BLACK---MALE----	18	-	3	-	-	1	1	1	-	2	1	2
FEMALE--	35	-	1	-	-	-	1	1	1	3	1	-
RHODE ISLAND -----	16	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	77	-	1	1	2	1	3	-	4	2	3	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	1	1	2	-	2	2	2	-
FEMALE--	23	-	1	1	1	-	1	-	2	-	-	-
BLACK---MALE----	18	-	-	-	1	1	2	-	2	2	2	-
FEMALE--	23	-	1	1	1	-	1	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,213
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ANEMIAS (280-285)												
OHIO -----	2	4	10	12	22	28	43	42	32	15	2	-
WHITE-----MALE----	2	2	1	3	7	20	16	13	8	3	-	-
FEMALE--	-	1	6	7	12	7	25	24	23	10	2	-
ALL OTHER--MALE----	-	1	-	1	3	-	1	1	1	-	-	-
FEMALE--	-	-	3	1	-	1	1	4	-	2	-	-
BLACK---MALE----	-	1	-	1	3	-	1	1	1	-	-	-
FEMALE--	-	-	2	1	-	1	1	4	-	2	-	-
OKLAHOMA -----	1	2	3	5	6	6	5	13	4	2	-	-
WHITE-----MALE----	-	-	-	2	1	4	2	7	3	-	-	-
FEMALE--	1	1	2	2	4	2	1	5	1	2	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
OREGON -----	1	5	1	3	1	2	11	10	6	4	1	-
WHITE-----MALE----	-	3	1	2	1	1	4	3	3	1	-	-
FEMALE--	1	2	-	1	-	1	7	7	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	5	9	14	23	38	47	50	38	13	3	-
WHITE-----MALE----	3	3	6	8	8	15	19	9	11	2	1	-
FEMALE--	1	2	1	5	11	13	24	35	23	11	2	-
ALL OTHER--MALE----	3	-	-	-	2	2	-	2	-	-	-	-
FEMALE--	3	-	2	1	2	8	4	4	4	-	-	-
BLACK---MALE----	3	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	3	-	2	1	2	8	4	4	4	-	-	-
RHODE ISLAND -----	-	1	-	-	1	-	6	5	-	1	1	-
WHITE-----MALE----	-	1	-	-	1	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	3	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	1	-	6	10	10	8	10	7	1	1	-
WHITE-----MALE----	2	-	-	2	3	2	2	2	-	-	1	-
FEMALE--	-	-	-	3	3	3	3	5	3	1	-	-
ALL OTHER--MALE----	2	-	-	1	2	2	1	-	-	-	-	-
FEMALE--	2	1	-	-	2	3	2	3	4	-	-	-
BLACK---MALE----	2	-	-	1	2	2	1	-	-	-	-	-
FEMALE--	2	1	-	-	2	3	2	3	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,214
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ANEMIAS (280-285)												
SOUTH DAKOTA -----	12	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	73	1	1	-	1	2	-	3	2	-	5	3
WHITE-----MALE----	19	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	33	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	12	-	-	-	1	1	-	2	1	-	2	1
FEMALE--	9	1	1	-	-	1	-	-	-	-	1	1
BLACK---MALE----	12	-	-	-	1	1	-	2	1	-	2	1
FEMALE--	9	1	1	-	-	1	-	-	-	-	1	1
TEXAS -----	318	-	2	3	2	5	5	5	3	6	9	5
WHITE-----MALE----	114	-	-	-	1	1	1	-	1	1	1	1
FEMALE--	138	-	-	1	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	29	-	2	1	-	2	3	3	-	2	3	-
FEMALE--	37	-	-	1	1	2	1	2	1	2	3	2
BLACK---MALE----	28	-	2	1	-	2	3	3	-	2	3	-
FEMALE--	37	-	-	1	1	2	1	2	1	2	3	2
UTAH -----	27	-	1	-	-	-	1	-	1	-	1	-
WHITE-----MALE----	11	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	16	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	114	-	-	1	3	3	2	1	2	5	1	-
WHITE-----MALE----	34	-	-	-	2	1	1	-	-	-	1	-
FEMALE--	43	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	15	-	-	1	-	1	1	-	1	1	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	4	-	-
BLACK---MALE----	14	-	-	1	-	1	1	-	1	1	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,214
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ANEMIAS (280-285)												
SOUTH DAKOTA -----	-	-	-	2	-	1	3	2	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	3	3	6	8	11	13	5	2	1	-
WHITE-----MALE----	1	1	1	3	1	3	3	2	2	-	-	-
FEMALE--	-	-	2	-	4	5	7	8	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	1	-	-	-
TEXAS -----	10	9	11	14	27	42	39	60	43	16	2	-
WHITE-----MALE----	4	5	5	8	12	19	19	13	17	5	-	-
FEMALE--	3	1	4	5	12	18	16	40	22	10	-	-
ALL OTHER--MALE----	2	1	-	-	3	4	1	2	-	-	-	-
FEMALE--	1	2	2	1	-	1	3	5	4	1	2	-
BLACK---MALE----	2	1	-	-	3	3	1	2	-	-	-	-
FEMALE--	1	2	2	1	-	1	3	5	4	1	2	-
UTAH -----	-	-	-	-	2	3	6	5	6	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	3	3	-	-	-
FEMALE--	-	-	-	-	1	2	5	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	-	-	2	-	3	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	2	5	8	9	11	14	16	22	6	1	-
WHITE-----MALE----	-	-	1	3	4	3	8	7	3	-	-	-
FEMALE--	1	1	-	1	2	6	5	6	14	3	1	-
ALL OTHER--MALE----	1	1	-	1	2	2	1	1	-	1	-	-
FEMALE--	-	-	4	3	1	-	-	2	5	2	-	-
BLACK---MALE----	1	1	-	1	1	2	1	1	-	1	-	-
FEMALE--	-	-	4	3	1	-	-	2	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,219
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DEFICIENCY ANEMIAS (280-281)												
KENTUCKY -----	-	-	-	-	-	2	1	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	-	-	-	-	-	1	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	1	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	-	1	-	-	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,222
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DEFICIENCY ANEMIAS (280-281)												
OHIO -----	-	-	-	2	-	-	3	1	3	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	2	-	-	3	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	-	-	2	1	2	5	-	1	-	-
WHITE-----MALE----	1	1	-	-	-	1	1	3	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,223
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DEFICIENCY ANEMIAS (280-281)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	-	-	-	3	2	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	1	-	1	3	4	6	4	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	2	2	2	-	-
FEMALE--	-	-	-	-	-	-	2	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	-	1	-
UTAH -----	-	-	-	-	-	-	-	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	1	1	2	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,225
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
0 UNITED STATES --	916	26	33	19	27	37	71	64	59	83	69	48
WHITE-----MALE----	126	7	3	2	2	-	5	1	1	3	3	4
FEMALE--	224	3	2	3	2	4	2	3	2	3	5	5
ALL OTHER--MALE----	288	8	16	9	10	14	36	36	34	38	30	19
FEMALE--	278	8	12	5	13	19	28	24	22	39	31	20
BLACK---MALE----	277	1	16	9	10	14	36	35	34	37	30	19
FEMALE--	271	6	11	5	13	19	27	24	21	39	31	20
ALABAMA -----	31	-	1	-	1	2	2	4	2	8	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	2	3	-	1	1	-
FEMALE--	17	-	1	-	1	2	-	1	2	7	-	-
BLACK---MALE----	8	-	-	-	-	-	2	3	-	1	1	-
FEMALE--	17	-	1	-	1	2	-	1	2	7	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	-	1	-	-	-	-	-	-	3	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	-	1	-	-	1	1	-	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
CALIFORNIA -----	84	13	4	1	2	4	2	7	4	4	2	4
WHITE-----MALE----	23	6	2	1	1	-	-	1	-	-	-	-
FEMALE--	22	2	-	-	1	1	-	2	-	1	-	-
ALL OTHER--MALE----	22	3	2	-	-	2	-	3	3	2	-	3
FEMALE--	17	2	-	-	1	1	2	1	1	1	2	1
BLACK---MALE----	19	-	2	-	-	2	-	3	3	2	-	3
FEMALE--	16	1	-	-	1	1	2	1	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,225
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEMOLYTIC ANEMIAS (282-283)												
0 UNITED STATES --	40	31	38	33	46	66	47	47	23	7	2	-
WHITE-----MALE----	4	6	10	13	10	18	19	8	4	3	-	-
FEMALE--	5	8	11	14	26	42	24	37	18	3	2	-
ALL OTHER--MALE----	12	6	5	3	5	3	1	1	1	1	-	-
FEMALE--	19	11	12	3	5	3	3	1	-	-	-	-
BLACK---MALE----	12	6	5	3	4	3	-	1	1	1	-	-
FEMALE--	19	11	11	3	5	2	3	1	-	-	-	-
ALABAMA -----	4	-	-	1	1	-	1	3	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	2	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	2	3	4	6	5	3	7	3	1	-	-
WHITE-----MALE----	-	-	1	4	1	2	1	2	1	-	-	-
FEMALE--	-	-	1	-	3	3	1	5	2	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,226
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
COLORADO -----	8	1	-	-	-	-	1	1	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	1	-	-	-	1
CONNECTICUT -----	9	-	-	-	1	-	-	-	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	1	-	-	-	-	-	-	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
FLORIDA -----	61	2	1	-	2	1	4	5	1	6	7	5
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	15	-	1	-	1	1	2	1	-	3	2	1
FEMALE--	23	2	-	-	1	-	2	4	1	3	4	3
BLACK---MALE----	14	-	1	-	1	1	2	1	-	2	2	1
FEMALE--	23	2	-	-	1	-	2	4	1	3	4	3
GEORGIA -----	48	2	1	1	2	6	5	8	3	3	6	4
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	1	1	1	1	1	4	6	2	2	3	2
FEMALE--	20	1	-	-	1	5	1	2	1	1	3	2
BLACK---MALE----	23	-	1	1	1	1	4	6	2	2	3	2
FEMALE--	20	1	-	-	1	5	1	2	1	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,226
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEMOLYTIC ANEMIAS (282-283)												
COLORADO -----	-	-	-	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	1	-	4	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	3	-	4	2	8	3	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	2	-	-	1	-	-
FEMALE--	2	-	-	3	1	5	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	1	1	-	2	1	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,228
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
KENTUCKY -----	8	1	-	-	-	-	1	-	-	-	2	-
WHITE-----MALE----	3	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	26	-	2	1	-	2	2	-	1	1	3	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	2	1	-	1	1	-	1	1	1	-
FEMALE--	9	-	-	-	-	1	1	-	-	-	2	-
BLACK---MALE----	11	-	2	1	-	1	1	-	1	1	1	-
FEMALE--	9	-	-	-	-	1	1	-	-	-	2	-
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	-	-	1	3	-	2	2	1	6	-	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	2	1	-	1	-	2
FEMALE--	11	-	-	-	3	-	-	1	1	5	-	-
BLACK---MALE----	7	-	-	-	-	-	2	1	-	1	-	2
FEMALE--	11	-	-	-	3	-	-	1	1	5	-	-
MASSACHUSETTS -----	10	-	1	-	-	-	1	-	1	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	1	-	-	-	1	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	1	-	-	-	1	-	-	-	1	-
MICHIGAN -----	41	-	-	1	2	-	3	4	5	3	2	3
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	1	2	-	1	3	4	3	-	2
FEMALE--	10	-	-	-	-	-	1	1	1	-	2	1
BLACK---MALE----	16	-	-	1	2	-	1	2	4	3	-	2
FEMALE--	10	-	-	-	-	-	1	1	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,228
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEMOLYTIC ANEMIAS (282-283)												
KENTUCKY -----	-	1	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	4	3	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	1	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	1	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	4	1	2	2	5	1	2	-	-	-
WHITE-----MALE----	-	-	3	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,229
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
MINNESOTA -----	13	-	-	1	1	-	1	-	-	2	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
MISSISSIPPI -----	19	-	2	-	1	1	1	3	3	-	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	1	-	1	1	1	2	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	2	-	-	1
BLACK---MALE----	10	-	1	-	1	1	1	2	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	2	-	-	1
MISSOURI -----	21	-	1	1	1	-	2	1	1	1	3	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	1	1	-	1	1	-	1	2	-
FEMALE--	5	-	1	-	-	-	1	-	1	-	1	1
BLACK---MALE----	7	-	-	1	1	-	1	1	-	1	2	-
FEMALE--	5	-	1	-	-	-	1	-	1	-	1	1
MONTANA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,231
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
OHIO -----	37	-	2	-	1	2	2	2	1	2	3	5
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	1	-	-	-	-	2	1	2	1	2
FEMALE--	12	-	-	-	1	2	2	-	-	-	2	3
BLACK---MALE----	11	-	1	-	-	-	-	2	1	2	1	2
FEMALE--	12	-	-	-	1	2	2	-	-	-	2	3
OKLAHOMA -----	13	1	-	1	-	-	-	1	1	1	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	3	-	-	1	-	-	-	-	1	1	-	-
BLACK---MALE----	5	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	3	-	-	1	-	-	-	-	1	1	-	-
OREGON -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	44	1	3	-	1	1	1	2	1	5	4	1
WHITE-----MALE----	8	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	12	1	2	-	-	1	1	1	-	2	1	1
FEMALE--	12	-	1	-	-	-	-	1	1	3	1	-
BLACK---MALE----	11	-	2	-	-	1	1	1	-	2	1	1
FEMALE--	12	-	1	-	-	-	-	1	1	3	1	-
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	25	-	1	-	2	1	3	-	4	2	3	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	1	1	2	-	2	2	2	-
FEMALE--	9	-	1	-	1	-	1	-	2	-	-	-
BLACK---MALE----	12	-	-	-	1	1	2	-	2	2	2	-
FEMALE--	9	-	1	-	1	-	1	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,231
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEMOLYTIC ANEMIAS (282-283)												
OHIO -----	-	-	2	1	1	4	2	5	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	2	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	-	2	1	-	1	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	2	-	-	1	-	2	1	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	1	3	2	2	4	1	4	1	-	-	-
WHITE-----MALE----	1	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	2	1	3	-	3	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	-	2	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,232
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEMOLYTIC ANEMIAS (282-283)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	1	1	-	1	2	-	3	1	-	3	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	1	1	-	2	1	-	2	1
FEMALE--	6	1	1	-	-	1	-	-	-	-	1	1
BLACK---MALE----	8	-	-	-	1	1	-	2	1	-	2	1
FEMALE--	6	1	1	-	-	1	-	-	-	-	1	1
TEXAS -----	45	-	1	2	1	3	3	4	-	4	6	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	-	1	1	-	2	2	2	-	2	2	-
FEMALE--	14	-	-	-	1	1	1	2	-	2	3	2
BLACK---MALE----	13	-	1	1	-	2	2	2	-	2	2	-
FEMALE--	14	-	-	-	1	1	1	2	-	2	3	2
UTAH -----	6	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	-	-	1	-	1	2	1	2	4	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	-	1	-	1	1	-	1	1	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	3	-	-
BLACK---MALE----	7	-	-	1	-	1	1	-	1	1	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,234
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APLASTIC ANEMIA (284)												
0 UNITED STATES --	24	35	63	100	147	197	234	223	139	57	7	-
WHITE-----MALE----	10	17	21	48	67	81	105	79	46	14	2	-
FEMALE--	9	13	26	44	64	93	106	126	88	39	4	-
ALL OTHER--MALE----	4	3	4	3	7	11	9	8	1	-	-	-
FEMALE--	1	2	12	5	9	12	14	10	4	4	1	-
BLACK---MALE----	4	3	3	3	4	7	6	4	1	-	-	-
FEMALE--	1	2	9	3	7	9	8	9	4	4	1	-
ALABAMA -----	1	5	1	1	2	3	14	5	2	-	-	-
WHITE-----MALE----	-	3	1	-	1	-	8	1	-	-	-	-
FEMALE--	-	2	-	1	-	2	5	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	5	5	8	2	-	1	-	-
WHITE-----MALE----	1	-	-	-	2	3	4	1	-	1	-	-
FEMALE--	-	-	-	-	3	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	3	1	2	1	1	1	-	2	-
WHITE-----MALE----	-	-	-	2	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
CALIFORNIA -----	3	-	6	8	14	11	14	15	12	3	1	-
WHITE-----MALE----	1	-	4	2	6	3	7	4	3	1	-	-
FEMALE--	1	-	1	4	3	6	5	8	9	2	1	-
ALL OTHER--MALE----	-	-	1	1	2	-	-	2	-	-	-	-
FEMALE--	1	-	-	1	3	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,235
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APLASTIC ANEMIA (284)												
COLORADO -----	2	-	3	-	2	5	3	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	2	1	-	1	-	-	-
FEMALE--	1	-	3	-	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	-	-	-	3	3	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	2	-	-	-
FEMALE--	1	1	-	-	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	2	3	9	9	13	18	10	4	3	1	-
WHITE-----MALE----	1	2	-	5	3	2	6	4	1	2	1	-
FEMALE--	-	-	1	3	3	10	10	6	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
GEORGIA -----	-	1	1	1	2	6	6	5	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	2	1	-	-	-
FEMALE--	-	1	1	1	1	3	2	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,236
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APLASTIC ANEMIA (284)												
HAWAII -----	-	-	1	-	-	3	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	-	1	1	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	1	3	6	5	12	13	12	8	1	-	-
WHITE-----MALE----	-	-	2	2	4	5	4	3	1	-	-	-
FEMALE--	-	1	-	3	1	7	6	7	7	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	2	-	-	-	-
INDIANA -----	-	1	3	4	8	5	7	5	2	1	-	-
WHITE-----MALE----	-	-	-	1	5	-	4	4	1	-	-	-
FEMALE--	-	1	3	3	2	4	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IOWA -----	-	-	-	1	2	-	2	2	5	2	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	1	2	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	2	-	1	4	2	4	1	1	-	-
WHITE-----MALE----	-	1	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,237
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 APLASTIC ANEMIA (284)												
KENTUCKY -----	17	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	35	-	-	-	-	1	-	-	-	1	-	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	13	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
MASSACHUSETTS -----	28	-	-	-	1	-	-	-	-	2	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	15	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	50	-	-	-	-	-	-	2	-	1	2	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,240
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APLASTIC ANEMIA (284)												
OHIO -----	1	2	5	7	8	9	11	14	8	4	-	-
WHITE-----MALE----	1	1	1	3	2	5	4	5	2	-	-	-
FEMALE--	-	1	3	4	6	4	7	8	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
OKLAHOMA -----	1	-	1	2	2	4	3	9	2	1	-	-
WHITE-----MALE----	-	-	-	2	-	3	1	5	2	-	-	-
FEMALE--	1	-	1	-	2	1	1	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	-	1	-	-	4	4	2	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	2	2	1	-	-	-
FEMALE--	1	1	-	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	3	1	5	6	13	15	13	8	2	-	-
WHITE-----MALE----	1	2	1	2	3	7	7	-	3	-	-	-
FEMALE--	1	1	-	2	3	3	6	11	5	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	1	4	6	2	3	1	1	-	-
WHITE-----MALE----	-	-	-	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,241
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 APLASTIC ANEMIA (284)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	16	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	92	-	-	1	1	1	2	-	2	-	1	3
WHITE-----MALE----	41	-	-	-	1	-	1	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	7	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	7	-	-	1	-	1	-	-	1	-	-	-
UTAH -----	10	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	38	-	-	-	3	2	-	-	-	1	1	-
WHITE-----MALE----	20	-	-	-	2	1	-	-	-	-	1	-
FEMALE--	13	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,241
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APLASTIC ANEMIA (284)												
SOUTH DAKOTA -----	-	-	-	1	-	1	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	2	2	-	4	3	1	1	1	-	-
WHITE-----MALE----	-	-	1	2	-	1	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	3	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	4	2	6	8	12	13	12	11	11	2	-	-
WHITE-----MALE----	3	1	1	5	7	6	6	2	5	2	-	-
FEMALE--	-	-	3	3	5	5	6	5	6	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	2	-	2	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	2	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	2	-	-	-	-
UTAH -----	-	-	-	-	1	1	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	4	5	4	3	9	3	1	-	-
WHITE-----MALE----	-	-	-	3	2	2	3	5	1	-	-	-
FEMALE--	-	1	-	1	1	2	-	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,243
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
0 UNITED STATES --	21	31	44	86	165	243	379	441	331	143	44	-
WHITE-----MALE----	9	10	17	46	61	81	127	118	87	29	4	-
FEMALE--	7	12	14	22	61	105	195	270	211	102	29	-
ALL OTHER--MALE----	1	6	4	8	24	21	19	14	7	1	2	-
FEMALE--	4	3	9	10	19	36	38	39	26	11	9	-
BLACK---MALE----	1	5	4	7	21	21	17	12	5	1	2	-
FEMALE--	4	3	9	10	17	33	35	37	26	11	8	-
ALABAMA -----	2	1	1	1	3	12	11	12	3	2	1	-
WHITE-----MALE----	-	-	-	-	1	2	3	2	-	-	1	-
FEMALE--	1	1	-	1	-	5	4	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	1	-	1	-	2	3	3	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	1	-	1	-	2	3	3	2	-	-	-	-
ALASKA -----	-	1	-	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	1	-	8	4	5	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	4	2	3	-	-	-	-
FEMALE--	-	-	1	1	-	3	2	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	-	1	1	-	-	1	9	4	5	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	5	2	4	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	-	-	2	2	9	8	5	16	9	3	2	-
WHITE-----MALE----	-	-	1	2	6	3	3	3	3	2	-	-
FEMALE--	-	-	1	-	1	3	2	10	5	1	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,244
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
COLORADO -----	-	-	-	2	3	1	2	5	4	2	-	-
WHITE-----MALE----	-	-	-	1	1	-	2	3	1	1	-	-
FEMALE--	-	-	-	1	2	1	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	2	-	-	2	5	7	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	1	3	-	-	-
FEMALE--	-	-	-	1	-	-	-	4	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	1	1	4	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	1	1	-	-	-
FLORIDA -----	1	2	3	7	13	17	21	28	19	13	2	-
WHITE-----MALE----	1	-	1	5	8	3	12	6	6	2	-	-
FEMALE--	-	2	2	1	3	9	7	19	12	9	1	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	2	1	2	1	-
BLACK---MALE----	-	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	2	1	2	1	-
GEORGIA -----	2	-	-	5	7	5	5	8	5	1	-	-
WHITE-----MALE----	-	-	-	3	2	2	1	1	-	1	-	-
FEMALE--	1	-	-	1	1	-	2	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	3	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	3	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,246
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
KENTUCKY -----	1	-	1	4	2	4	6	9	8	4	-	-
WHITE-----MALE----	1	-	-	1	-	3	2	3	1	2	-	-
FEMALE--	-	-	1	2	2	1	3	6	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
LOUISIANA -----	-	-	-	3	5	7	10	6	7	3	2	-
WHITE-----MALE----	-	-	-	-	1	1	7	2	1	-	-	-
FEMALE--	-	-	-	1	2	3	3	2	4	3	-	-
ALL OTHER--MALE----	-	-	-	1	2	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	2	-	2	-
BLACK---MALE----	-	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	2	-	2	-
MAINE -----	-	1	-	-	1	-	4	4	3	1	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	1	2	1	-	-
FEMALE--	-	-	-	-	-	-	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	2	5	9	5	13	10	2	2	-	-
WHITE-----MALE----	-	-	2	3	5	-	6	3	1	-	-	-
FEMALE--	-	-	-	-	2	2	6	7	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
MASSACHUSETTS -----	1	1	-	1	4	9	6	16	4	5	5	-
WHITE-----MALE----	1	-	-	1	1	3	2	5	-	1	-	-
FEMALE--	-	1	-	-	2	6	4	11	4	3	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	1	-	2	4	6	11	16	13	7	7	4	-
WHITE-----MALE----	-	-	-	2	-	3	6	5	2	-	-	-
FEMALE--	-	-	1	2	4	5	8	6	5	7	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	2	-
FEMALE--	1	-	1	-	1	2	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	2	-
FEMALE--	1	-	1	-	1	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,249
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
OHIO -----	1	2	3	2	13	15	27	22	19	8	2	-
WHITE-----MALE----	1	1	-	-	5	12	10	7	4	2	-	-
FEMALE--	-	-	2	1	5	2	15	12	15	5	2	-
ALL OTHER--MALE----	-	1	-	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	2	-	1	-	-
BLACK---MALE----	-	1	-	-	3	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	2	-	1	-	-
OKLAHOMA -----	-	-	1	3	2	1	1	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	2	1	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
OREGON -----	-	1	1	2	-	2	5	5	4	2	1	-
WHITE-----MALE----	-	1	1	1	-	1	2	-	2	1	-	-
FEMALE--	-	-	-	1	-	1	3	5	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	5	7	13	20	29	28	29	10	3	-
WHITE-----MALE----	-	-	4	6	4	6	10	5	8	2	1	-
FEMALE--	-	-	1	1	5	7	17	20	17	8	2	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	6	2	3	4	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	6	2	3	4	-	-	-
RHODE ISLAND -----	-	1	-	-	1	-	2	3	-	1	1	-
WHITE-----MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	-	2	4	4	5	7	5	-	1	-
WHITE-----MALE----	2	-	-	1	1	-	1	2	-	-	1	-
FEMALE--	-	-	-	1	1	2	1	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	2	-	-	-
BLACK---MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,250
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND UNSPECIFIED ANEMIAS (285)												
SOUTH DAKOTA -----	-	-	-	1	-	-	2	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	1	4	3	5	9	3	1	1	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	2	2	5	5	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
TEXAS -----	3	5	4	5	12	25	22	44	23	9	1	-
WHITE-----MALE----	1	3	3	3	4	11	10	9	9	-	-	-
FEMALE--	2	1	1	2	5	11	8	32	12	8	-	-
ALL OTHER--MALE----	-	-	-	-	3	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	3	2	1	1	-
BLACK---MALE----	-	-	-	-	3	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	3	2	1	1	-
UTAH -----	-	-	-	-	-	1	1	4	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	3	2	3	5	10	5	14	5	1	-
WHITE-----MALE----	-	-	1	-	2	1	5	1	1	-	-	-
FEMALE--	-	-	-	-	-	3	4	2	9	2	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	1	-	-	1	-	-
FEMALE--	-	-	2	2	-	-	-	2	4	2	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	2	2	-	-	-	2	4	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,252
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)												
0 UNITED STATES --	35	34	51	55	90	124	132	105	70	23	4	-
WHITE-----MALE----	14	17	21	23	44	45	50	43	23	8	1	-
FEMALE--	15	10	18	21	38	65	74	55	45	13	1	-
ALL OTHER--MALE----	4	2	1	3	2	6	3	2	1	-	1	-
FEMALE--	2	5	11	8	6	8	5	5	1	2	1	-
BLACK---MALE----	4	1	1	2	2	6	2	2	1	-	1	-
FEMALE--	2	3	10	6	4	6	5	4	1	2	1	-
ALABAMA -----	-	1	-	-	-	2	4	3	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	1	1	1	3	1	5	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	1	1	-	1	2	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	2	-	3	-	5	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	3	-	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	5	3	3	1	8	7	5	1	1	-	-
WHITE-----MALE----	-	3	1	-	-	2	4	2	1	1	-	-
FEMALE--	1	1	1	1	1	5	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,253
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)												
COLORADO -----	13	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	9	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	53	-	1	-	-	-	-	-	1	2	1	3
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	21	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	22	1	-	-	-	-	1	1	1	-	2	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,253

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	-	-	-	1	1	2	2	1	1	-	-
WHITE-----MALE----	1	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	1	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
FLORIDA -----	1	3	-	6	7	9	7	7	3	2	-	-
WHITE-----MALE----	1	1	-	2	4	4	4	2	3	1	-	-
FEMALE--	-	1	-	3	2	4	3	5	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
GEORGIA -----	1	-	1	-	6	3	2	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	3	-	1	-	1	1	-	-
FEMALE--	1	-	-	-	2	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,258

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 PURPURA AND OTHER HEMORRHAGIC CONDITIONS (287)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	2	1	5	3	6	12	8	5	1	-	-
WHITE-----MALE----	-	1	-	3	2	2	5	4	1	-	-	-
FEMALE--	-	1	-	2	1	3	7	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	1	-	-
OKLAHOMA -----	-	-	1	1	1	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	1	1	6	3	7	11	9	5	9	1	-	-
WHITE-----MALE----	-	-	6	1	6	1	5	3	2	-	-	-
FEMALE--	1	1	-	2	1	9	4	2	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	3	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	2	3	6	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	5	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,261
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)												
0 UNITED STATES --	4,770	37	18	12	8	12	24	41	50	89	119	127
WHITE-----MALE----	2,259	10	6	4	3	4	10	18	13	41	55	58
FEMALE--	1,936	12	7	3	1	6	4	12	21	24	33	40
ALL OTHER--MALE----	288	5	3	2	4	1	5	7	9	12	15	16
FEMALE--	287	10	2	3	-	1	5	4	7	12	16	13
BLACK---MALE----	244	5	3	1	4	1	5	7	9	11	14	15
FEMALE--	259	8	2	3	-	1	4	3	6	11	15	11
ALABAMA -----	94	-	-	-	1	-	-	2	3	5	1	1
WHITE-----MALE----	38	-	-	-	1	-	-	1	-	2	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	3	1	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	20	-	-	-	-	-	-	1	3	1	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
ALASKA -----	8	-	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	79	-	-	-	-	-	-	1	-	1	2	1
WHITE-----MALE----	49	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	56	-	-	1	-	-	-	-	-	1	1	1
WHITE-----MALE----	33	-	-	1	-	-	-	-	-	1	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	472	4	3	2	-	-	1	7	4	8	10	8
WHITE-----MALE----	253	2	1	-	-	-	-	5	3	8	8	4
FEMALE--	172	1	1	2	-	-	-	1	-	-	1	3
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	22	1	1	-	-	-	1	-	1	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	14	-	1	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,261
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)												
0 UNITED STATES --	142	167	247	460	656	809	803	578	290	74	7	-
WHITE-----MALE----	58	84	125	241	363	416	368	256	108	17	1	-
FEMALE--	56	50	85	156	226	317	373	290	163	52	5	-
ALL OTHER--MALE----	16	17	19	40	35	34	33	10	5	-	-	-
FEMALE--	12	16	18	23	32	42	29	22	14	5	1	-
BLACK---MALE----	13	14	16	31	31	30	23	7	4	-	-	-
FEMALE--	12	14	17	22	26	40	24	21	13	5	1	-
ALABAMA -----	4	5	4	10	16	14	16	8	4	-	-	-
WHITE-----MALE----	1	4	1	3	6	6	8	4	1	-	-	-
FEMALE--	1	1	1	3	5	4	4	3	1	-	-	-
ALL OTHER--MALE----	1	-	1	2	4	2	4	-	-	-	-	-
FEMALE--	1	-	1	2	1	2	-	1	2	-	-	-
BLACK---MALE----	1	-	1	2	4	2	4	-	-	-	-	-
FEMALE--	1	-	1	2	1	2	-	1	2	-	-	-
ALASKA -----	-	1	1	2	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	5	4	14	19	11	13	2	1	-	-
WHITE-----MALE----	1	2	2	4	8	14	9	5	1	-	-	-
FEMALE--	2	-	2	-	5	5	2	8	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	2	4	6	13	10	4	7	4	-	-	-
WHITE-----MALE----	1	1	3	3	9	5	2	4	1	-	-	-
FEMALE--	1	-	-	1	3	5	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
CALIFORNIA -----	19	11	20	38	72	79	86	61	32	5	2	-
WHITE-----MALE----	9	4	12	20	39	40	50	31	13	4	-	-
FEMALE--	7	4	6	15	29	32	24	26	17	1	2	-
ALL OTHER--MALE----	2	-	1	3	4	2	8	3	-	-	-	-
FEMALE--	1	3	1	-	-	5	4	1	2	-	-	-
BLACK---MALE----	-	-	1	-	2	1	4	1	-	-	-	-
FEMALE--	1	2	1	-	-	4	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,262
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)												
COLORADO -----	49	-	-	-	-	-	1	1	-	1	4	1
WHITE-----MALE----	20	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
CONNECTICUT -----	74	-	-	-	-	-	-	-	-	4	-	6
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	13	-	-	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	16	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	303	3	-	2	-	1	2	2	2	2	7	5
WHITE-----MALE----	144	-	-	1	-	-	1	-	-	-	2	3
FEMALE--	138	2	-	-	-	-	-	1	2	2	4	-
ALL OTHER--MALE----	13	-	-	-	-	1	-	1	-	-	1	1
FEMALE--	8	1	-	1	-	-	1	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	1	-	1	-	-	1	1
FEMALE--	7	1	-	1	-	-	-	-	-	-	-	1
GEORGIA -----	105	1	-	1	-	1	1	2	1	1	4	2
WHITE-----MALE----	48	1	-	-	-	-	-	2	-	1	1	1
FEMALE--	32	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	1	-	-	1	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	11	-	-	1	-	-	1	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,262

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	2	3	3	8	5	8	7	3	2	-	-
WHITE-----MALE----	-	-	2	3	4	2	4	2	-	-	-	-
FEMALE--	-	1	1	-	4	2	4	4	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	3	8	4	10	13	12	8	5	1	-	-
WHITE-----MALE----	-	-	8	2	6	5	6	4	3	-	-	-
FEMALE--	-	1	-	2	4	8	6	4	2	1	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	1	-	3	1	2	-	1	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	3	1	1	3	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	1	-	2	1	-	-	-
BLACK---MALE----	-	-	-	2	1	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	1	-	2	1	-	-	-
FLORIDA -----	8	8	15	29	29	60	56	48	16	7	1	-
WHITE-----MALE----	4	4	7	18	13	28	31	25	6	1	-	-
FEMALE--	4	3	6	9	13	29	24	22	10	6	1	-
ALL OTHER--MALE----	-	1	1	2	1	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	-	-	-	-	-
GEORGIA -----	6	8	4	10	7	14	22	12	6	2	-	-
WHITE-----MALE----	1	3	2	7	3	5	13	5	3	-	-	-
FEMALE--	2	3	1	3	1	5	6	5	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	2	3	2	-	-	-	-	-
FEMALE--	2	2	1	-	1	1	1	2	-	1	-	-
BLACK---MALE----	1	-	-	-	2	3	2	-	-	-	-	-
FEMALE--	2	2	1	-	1	1	1	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,263

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	-	1	-	1	1	3	4	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	3	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	2	4	3	3	8	4	1	1	-	-
WHITE-----MALE----	-	-	-	2	2	1	4	2	1	-	-	-
FEMALE--	-	-	1	2	1	2	4	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	6	14	22	32	35	29	28	9	2	-	-
WHITE-----MALE----	-	5	4	13	16	17	8	10	4	-	-	-
FEMALE--	4	-	6	7	13	11	17	17	3	2	-	-
ALL OTHER--MALE----	-	1	4	-	1	1	3	-	-	-	-	-
FEMALE--	2	-	-	2	2	6	1	1	2	-	-	-
BLACK---MALE----	-	1	3	-	1	1	2	-	-	-	-	-
FEMALE--	2	-	-	2	2	6	1	1	2	-	-	-
INDIANA -----	3	3	4	15	16	19	19	18	8	3	1	-
WHITE-----MALE----	2	1	3	9	8	12	9	11	3	1	1	-
FEMALE--	1	1	1	6	8	7	10	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	1	-	-
IOWA -----	-	-	1	8	12	11	7	9	14	1	-	-
WHITE-----MALE----	-	-	-	7	8	11	2	4	8	-	-	-
FEMALE--	-	-	-	1	4	-	5	5	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	2	-	2	3	5	7	14	6	3	-	-	-
WHITE-----MALE----	1	-	1	2	3	3	9	3	1	-	-	-
FEMALE--	1	-	1	1	2	3	5	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,264
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)												
KENTUCKY -----	63	1	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	84	-	2	-	-	1	-	-	-	2	5	2
WHITE-----MALE----	39	-	-	-	-	1	-	-	-	1	2	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	12	-	2	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	12	-	2	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
MAINE -----	39	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	96	1	1	-	-	-	1	-	3	3	4	4
WHITE-----MALE----	29	-	1	-	-	-	-	-	1	-	2	2
FEMALE--	44	-	-	-	-	-	1	-	-	-	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	1	-	-	-	-	-	-	2	2	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	1	-	-	-	-	-	-	2	2	-	1
MASSACHUSETTS -----	123	1	-	-	-	1	-	2	-	-	6	4
WHITE-----MALE----	53	-	-	-	-	-	-	2	-	-	5	3
FEMALE--	66	1	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	185	4	1	-	-	-	3	4	2	1	4	3
WHITE-----MALE----	80	1	-	-	-	-	1	2	1	1	1	1
FEMALE--	71	-	1	-	-	-	-	1	-	-	2	2
ALL OTHER--MALE----	19	1	-	-	-	-	2	-	1	-	-	-
FEMALE--	15	2	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	19	1	-	-	-	-	2	-	1	-	-	-
FEMALE--	15	2	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,264
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)												
KENTUCKY -----	3	4	3	4	13	16	8	5	2	1	-	-
WHITE-----MALE----	1	1	3	2	9	11	1	2	1	-	-	-
FEMALE--	2	2	-	2	4	5	6	3	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	4	7	5	11	20	14	6	3	2	-	-
WHITE-----MALE----	-	3	3	2	5	13	3	1	3	2	-	-
FEMALE--	-	-	3	1	4	4	10	4	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	1	1	2	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
MAINE -----	1	2	1	6	7	5	5	7	3	-	-	-
WHITE-----MALE----	-	-	1	4	5	4	1	1	1	-	-	-
FEMALE--	1	2	-	2	2	1	4	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	5	6	8	16	12	9	13	4	3	-	-
WHITE-----MALE----	-	1	1	4	7	4	5	1	-	-	-	-
FEMALE--	1	1	3	2	8	6	3	10	3	3	-	-
ALL OTHER--MALE----	1	2	1	2	-	1	-	1	1	-	-	-
FEMALE--	1	1	1	-	1	1	1	1	-	-	-	-
BLACK---MALE----	1	2	1	2	-	1	-	-	1	-	-	-
FEMALE--	1	1	1	-	1	1	1	1	-	-	-	-
MASSACHUSETTS -----	1	-	7	12	10	27	22	19	10	-	1	-
WHITE-----MALE----	1	-	3	4	4	12	9	7	3	-	-	-
FEMALE--	-	-	4	7	5	15	12	12	7	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MICHIGAN -----	8	8	9	30	26	31	26	14	7	4	-	-
WHITE-----MALE----	2	6	5	12	14	22	9	2	-	-	-	-
FEMALE--	2	-	4	9	6	8	16	9	7	4	-	-
ALL OTHER--MALE----	4	-	-	8	2	-	-	1	-	-	-	-
FEMALE--	-	2	-	1	4	1	1	2	-	-	-	-
BLACK---MALE----	4	-	-	8	2	-	-	1	-	-	-	-
FEMALE--	-	2	-	1	4	1	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,267

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)												
OHIO -----	186	-	4	1	-	-	-	-	1	4	4	7
WHITE-----MALE----	87	-	1	-	-	-	-	-	1	2	2	4
FEMALE--	76	-	2	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	14	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	54	1	-	1	-	-	-	-	-	-	1	-
WHITE-----MALE----	31	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	52	1	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	21	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	277	1	1	-	-	3	3	-	4	5	3	4
WHITE-----MALE----	125	-	-	-	-	2	1	-	-	3	-	1
FEMALE--	121	-	1	-	-	1	1	-	3	1	1	1
ALL OTHER--MALE----	20	-	-	-	-	-	1	-	1	1	2	2
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	1	-	1	1	2	2
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	19	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	75	-	-	1	-	1	-	2	1	3	1	2
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	28	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	1	-	-	-	-	-	2	1	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	1	-	-	-	-	-	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,267

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	4	3	14	20	25	34	33	17	10	5	-	-
WHITE-----MALE----	2	3	5	9	16	11	16	6	6	3	-	-
FEMALE--	2	-	5	8	5	20	14	11	3	2	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	3	2	3	2	1	-	1	-	-	-
BLACK---MALE----	-	-	1	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	3	2	3	2	1	-	1	-	-	-
OKLAHOMA -----	-	4	1	3	10	10	13	7	3	-	-	-
WHITE-----MALE----	-	3	-	3	6	6	7	1	3	-	-	-
FEMALE--	-	1	1	-	2	3	5	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	2	1	1	5	2	10	13	10	2	2	-	-
WHITE-----MALE----	-	1	1	3	-	9	4	7	1	-	-	-
FEMALE--	1	-	-	2	2	-	9	3	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	12	12	36	25	55	54	33	15	5	-	-
WHITE-----MALE----	1	4	5	27	12	21	26	15	6	1	-	-
FEMALE--	4	4	5	8	9	29	25	16	9	3	-	-
ALL OTHER--MALE----	-	3	1	-	2	4	2	1	-	-	-	-
FEMALE--	1	1	1	1	2	1	1	1	-	1	-	-
BLACK---MALE----	-	3	1	-	2	4	2	1	-	-	-	-
FEMALE--	1	-	1	1	1	1	1	1	-	1	-	-
RHODE ISLAND -----	1	-	1	-	2	2	2	5	4	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	2	3	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	3	5	7	8	10	14	10	4	1	-	-
WHITE-----MALE----	1	1	2	3	1	8	6	7	-	-	-	-
FEMALE--	1	2	3	-	5	1	6	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	4	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	4	1	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,268

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 ALL OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS (286,288-289)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	-	-	-	-	2	1	3	4	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	5	9	11	14	11	7	5	2	-	-
WHITE-----MALE----	3	3	3	6	7	8	5	6	2	-	-	-
FEMALE--	-	1	1	1	3	4	6	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	1	-	-	-
TEXAS -----	6	13	20	19	41	46	49	36	17	4	-	-
WHITE-----MALE----	2	9	12	11	29	22	20	15	8	-	-	-
FEMALE--	4	4	6	7	12	20	28	18	8	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	3	-	3	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	2	-	3	-	1	-	-
UTAH -----	-	-	1	4	3	6	2	4	1	-	-	-
WHITE-----MALE----	-	-	-	2	2	1	-	2	-	-	-	-
FEMALE--	-	-	1	2	1	5	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	2	6	-	1	2	-	-	-
WHITE-----MALE----	-	1	-	-	1	5	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	2	12	16	15	17	14	5	1	1	-
WHITE-----MALE----	-	-	-	5	9	9	5	6	3	-	-	-
FEMALE--	-	-	2	3	-	5	10	7	2	1	-	-
ALL OTHER--MALE----	1	-	-	1	3	1	1	-	-	-	-	-
FEMALE--	1	-	-	3	4	-	1	1	-	-	1	-
BLACK---MALE----	1	-	-	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	3	4	-	1	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,270
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 V. MENTAL DISORDERS (290-319)												
0 UNITED STATES --	40,718	9	10	9	27	60	103	224	560	930	1,270	1,220
WHITE-----MALE----	14,283	1	4	5	14	36	60	124	312	486	674	682
FEMALE--	21,752	4	2	3	5	12	20	39	98	156	180	183
ALL OTHER--MALE----	2,669	1	2	1	4	9	19	37	110	187	280	272
FEMALE--	2,014	3	2	-	4	3	4	24	40	101	136	83
BLACK---MALE----	2,360	1	2	1	3	7	16	33	93	161	247	240
FEMALE--	1,803	3	2	-	4	2	4	18	35	89	124	73
ALABAMA -----	667	-	-	-	-	1	1	3	10	20	20	23
WHITE-----MALE----	183	-	-	-	-	1	-	-	4	7	5	7
FEMALE--	322	-	-	-	-	-	1	-	-	-	-	3
ALL OTHER--MALE----	82	-	-	-	-	-	-	1	4	9	12	9
FEMALE--	80	-	-	-	-	-	-	2	2	4	3	4
BLACK---MALE----	81	-	-	-	-	-	-	1	4	9	12	9
FEMALE--	80	-	-	-	-	-	-	2	2	4	3	4
ALASKA -----	77	-	-	-	1	-	-	3	-	3	7	7
WHITE-----MALE----	26	-	-	-	-	-	-	1	-	-	3	3
FEMALE--	26	-	-	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	13	-	-	-	1	-	-	1	-	1	1	3
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	758	-	-	-	-	2	4	5	13	27	33	20
WHITE-----MALE----	315	-	-	-	-	-	3	5	7	13	20	15
FEMALE--	381	-	-	-	-	1	-	-	1	2	3	3
ALL OTHER--MALE----	43	-	-	-	-	1	1	-	5	8	8	2
FEMALE--	19	-	-	-	-	-	-	-	-	4	2	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	335	-	-	-	-	1	-	-	6	9	5	11
WHITE-----MALE----	117	-	-	-	-	-	-	-	2	5	1	5
FEMALE--	167	-	-	-	-	1	-	-	-	1	-	3
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	4	2	4	2
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	32	-	-	-	-	-	-	-	4	1	4	2
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
CALIFORNIA -----	3,309	1	1	-	3	4	21	31	112	122	169	181
WHITE-----MALE----	1,429	-	-	-	3	3	13	26	80	76	103	111
FEMALE--	1,536	-	1	-	-	-	6	5	20	30	31	35
ALL OTHER--MALE----	228	1	-	-	-	1	2	-	10	9	27	25
FEMALE--	116	-	-	-	-	-	-	-	2	7	8	10
BLACK---MALE----	167	1	-	-	-	-	1	-	8	8	20	19
FEMALE--	72	-	-	-	-	-	-	-	2	6	6	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,270
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
0 UNITED STATES --	1,041	944	1,162	1,408	2,248	4,031	6,778	8,606	6,542	2,855	667	14
WHITE-----MALE----	556	531	639	751	1,062	1,713	2,385	2,407	1,359	399	76	7
FEMALE--	178	176	265	396	884	1,928	3,892	5,700	4,823	2,269	538	1
ALL OTHER--MALE----	255	194	205	177	177	211	197	189	96	35	7	4
FEMALE--	52	43	53	84	125	179	304	310	264	152	46	2
BLACK---MALE----	232	179	184	170	159	187	175	150	78	32	6	4
FEMALE--	45	39	43	69	116	168	278	286	230	131	42	2
ALABAMA -----	20	14	19	29	34	70	131	142	87	31	12	-
WHITE-----MALE----	8	7	10	15	11	21	38	33	12	3	1	-
FEMALE--	2	4	5	6	15	33	74	87	63	23	6	-
ALL OTHER--MALE----	8	3	2	8	3	7	7	5	3	-	1	-
FEMALE--	2	-	2	-	5	9	12	17	9	5	4	-
BLACK---MALE----	8	3	2	8	3	7	7	5	2	-	1	-
FEMALE--	2	-	2	-	5	9	12	17	9	5	4	-
ALASKA -----	4	4	7	2	5	4	13	8	6	3	-	-
WHITE-----MALE----	1	4	2	1	1	2	3	1	2	2	-	-
FEMALE--	-	-	-	1	1	2	7	6	4	1	-	-
ALL OTHER--MALE----	1	-	2	-	3	-	-	-	-	-	-	-
FEMALE--	2	-	3	-	-	-	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	24	22	22	38	61	136	164	121	42	7	2
WHITE-----MALE----	12	17	17	15	22	25	57	53	25	6	1	2
FEMALE--	1	1	4	6	13	33	71	110	93	33	6	-
ALL OTHER--MALE----	1	4	1	1	1	2	6	1	1	-	-	-
FEMALE--	1	2	-	-	2	1	2	-	2	3	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
ARKANSAS -----	9	8	15	16	16	38	68	68	53	10	2	-
WHITE-----MALE----	3	5	8	7	5	17	28	18	10	3	-	-
FEMALE--	1	1	3	6	10	18	35	43	36	7	2	-
ALL OTHER--MALE----	5	2	3	2	1	2	1	4	1	-	-	-
FEMALE--	-	-	1	1	-	1	4	3	6	-	-	-
BLACK---MALE----	5	2	3	2	1	2	1	4	1	-	-	-
FEMALE--	-	-	1	1	-	1	4	3	6	-	-	-
CALIFORNIA -----	139	103	103	124	195	286	513	562	407	180	52	-
WHITE-----MALE----	88	61	68	75	85	135	191	170	105	30	6	-
FEMALE--	28	24	18	29	82	123	284	358	280	140	42	-
ALL OTHER--MALE----	18	15	14	12	22	19	18	18	14	2	1	-
FEMALE--	5	3	3	8	6	9	20	16	8	8	3	-
BLACK---MALE----	16	12	12	11	19	13	16	3	7	1	-	-
FEMALE--	4	3	-	3	3	9	9	12	3	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,271
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 V. MENTAL DISORDERS (290-319)												
COLORADO -----	668	-	-	-	-	-	-	3	6	19	29	23
WHITE-----MALE----	259	-	-	-	-	-	-	2	4	13	21	17
FEMALE--	372	-	-	-	-	-	-	1	1	4	3	4
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	16	-	-	-	-	-	-	-	1	1	3	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	-
CONNECTICUT -----	496	-	-	-	2	-	-	3	6	9	15	17
WHITE-----MALE----	180	-	-	-	1	-	-	3	4	6	9	13
FEMALE--	287	-	-	-	1	-	-	-	2	-	2	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	3	3	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	3	3	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	64	-	-	-	-	-	-	1	1	3	1	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	38	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	92	-	-	-	-	-	-	-	-	5	1	4
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	3	1	3
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	36	-	-	-	-	-	-	-	-	3	1	3
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	2,797	1	-	-	-	1	4	10	18	39	66	64
WHITE-----MALE----	1,035	-	-	-	-	-	1	5	9	24	37	46
FEMALE--	1,562	1	-	-	-	1	1	2	5	7	18	9
ALL OTHER--MALE----	107	-	-	-	-	-	2	2	2	4	5	6
FEMALE--	93	-	-	-	-	-	-	1	2	4	6	3
BLACK---MALE----	105	-	-	-	-	-	2	2	2	4	5	6
FEMALE--	91	-	-	-	-	-	-	1	2	4	6	3
GEORGIA -----	1,171	1	1	-	1	2	3	11	10	26	50	40
WHITE-----MALE----	312	1	-	-	-	-	-	4	2	7	15	15
FEMALE--	501	-	-	-	-	2	2	2	2	3	1	3
ALL OTHER--MALE----	201	-	1	-	-	-	1	4	3	9	22	17
FEMALE--	157	-	-	-	1	-	-	1	3	7	12	5
BLACK---MALE----	201	-	1	-	-	-	1	4	3	9	22	17
FEMALE--	157	-	-	-	1	-	-	1	3	7	12	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,271
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
COLORADO -----	16	18	26	22	31	62	97	135	134	42	5	-
WHITE-----MALE----	8	10	17	13	14	30	37	42	24	6	1	-
FEMALE--	4	4	5	5	17	31	60	90	105	34	4	-
ALL OTHER--MALE----	3	4	3	2	-	1	-	1	1	1	-	-
FEMALE--	1	-	1	2	-	-	-	2	4	1	-	-
BLACK---MALE----	2	4	2	2	-	-	-	-	1	1	-	-
FEMALE--	1	-	1	1	-	-	-	2	3	1	-	-
CONNECTICUT -----	15	13	18	12	28	43	85	93	82	44	10	1
WHITE-----MALE----	7	7	12	7	16	17	29	24	18	6	-	1
FEMALE--	4	6	4	2	11	23	51	69	63	38	10	-
ALL OTHER--MALE----	3	-	2	2	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	1	3	3	-	1	-	-	-
BLACK---MALE----	3	-	2	2	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	3	-	1	-	-	-
DELAWARE -----	-	-	-	2	4	6	12	13	10	9	2	-
WHITE-----MALE----	-	-	-	1	1	2	9	3	-	1	-	-
FEMALE--	-	-	-	1	2	3	2	10	8	8	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
DISTRICT OF COLUMBIA ----	3	5	4	7	5	18	12	12	12	4	-	-
WHITE-----MALE----	-	1	-	-	1	3	1	4	3	1	-	-
FEMALE--	-	-	-	1	-	4	-	3	5	1	-	-
ALL OTHER--MALE----	3	4	4	5	2	4	5	2	-	-	-	-
FEMALE--	-	-	-	1	2	7	6	3	4	2	-	-
BLACK---MALE----	3	4	4	5	2	4	5	2	-	-	-	-
FEMALE--	-	-	-	1	2	7	6	3	4	2	-	-
FLORIDA -----	50	61	67	98	169	324	495	627	485	183	35	-
WHITE-----MALE----	31	29	34	56	76	132	187	208	115	39	6	-
FEMALE--	8	20	19	27	76	167	287	401	353	132	28	-
ALL OTHER--MALE----	10	10	10	10	10	14	8	6	6	2	-	-
FEMALE--	1	2	4	5	7	11	13	12	11	10	1	-
BLACK---MALE----	10	10	10	10	10	14	8	6	5	1	-	-
FEMALE--	1	2	4	5	7	11	12	12	11	9	1	-
GEORGIA -----	55	45	51	55	58	120	187	215	159	59	19	3
WHITE-----MALE----	17	15	19	14	24	50	54	46	25	2	1	1
FEMALE--	3	4	4	16	18	46	95	133	107	47	13	-
ALL OTHER--MALE----	30	20	23	17	8	13	14	11	4	3	-	1
FEMALE--	5	6	5	8	8	11	24	25	23	7	5	1
BLACK---MALE----	30	20	23	17	8	13	14	11	4	3	-	1
FEMALE--	5	6	5	8	8	11	24	25	23	7	5	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,272
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
HAWAII -----	4	-	3	3	5	13	15	18	23	7	4	-
WHITE-----MALE----	4	-	-	1	1	1	5	2	2	-	-	-
FEMALE--	-	-	-	-	-	3	2	4	6	1	2	-
ALL OTHER--MALE----	-	-	2	1	4	6	7	5	6	-	-	-
FEMALE--	-	-	1	1	-	3	1	7	9	6	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	5	3	9	8	20	28	41	19	13	3	-
WHITE-----MALE----	5	4	2	4	3	6	8	13	6	2	1	-
FEMALE--	-	1	1	4	5	13	20	28	13	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	44	36	49	59	80	163	322	373	281	133	31	-
WHITE-----MALE----	20	16	27	33	40	79	107	93	55	14	4	-
FEMALE--	10	8	15	15	32	78	192	259	213	109	26	-
ALL OTHER--MALE----	13	11	5	8	3	2	12	8	5	-	-	-
FEMALE--	1	1	2	3	5	4	11	13	8	10	1	-
BLACK---MALE----	13	11	5	8	3	2	12	8	4	-	-	-
FEMALE--	1	1	2	3	5	4	11	11	8	8	1	-
INDIANA -----	24	17	24	41	40	90	144	199	103	63	14	1
WHITE-----MALE----	11	12	13	22	24	41	47	55	17	8	-	1
FEMALE--	6	2	9	11	11	48	87	137	84	55	13	-
ALL OTHER--MALE----	4	2	2	8	4	-	5	1	-	-	-	-
FEMALE--	3	1	-	-	1	1	5	6	2	-	1	-
BLACK---MALE----	4	2	2	8	4	-	5	1	-	-	-	-
FEMALE--	3	1	-	-	1	1	5	6	1	-	1	-
IOWA -----	4	6	11	14	38	56	90	157	112	64	28	-
WHITE-----MALE----	2	5	6	7	21	29	48	52	33	12	2	-
FEMALE--	2	1	3	7	17	25	41	105	78	52	26	-
ALL OTHER--MALE----	-	-	2	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	2	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	8	3	9	12	21	51	81	134	96	42	7	-
WHITE-----MALE----	6	3	6	5	11	18	33	40	17	5	1	-
FEMALE--	2	-	3	5	10	31	47	92	76	37	6	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	2	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	2	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,273
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 V. MENTAL DISORDERS (290-319)												
KENTUCKY -----	639	1	-	-	-	1	3	2	4	5	15	15
WHITE-----MALE----	244	-	-	-	-	1	3	1	3	4	12	11
FEMALE--	343	1	-	-	-	-	-	1	1	1	2	3
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	493	-	-	-	1	-	3	3	6	9	18	11
WHITE-----MALE----	128	-	-	-	-	-	-	-	3	3	7	4
FEMALE--	226	-	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	73	-	-	-	1	-	2	1	1	3	7	5
FEMALE--	66	-	-	-	-	-	1	1	1	2	4	-
BLACK---MALE----	73	-	-	-	1	-	2	1	1	3	7	5
FEMALE--	66	-	-	-	-	-	1	1	1	2	4	-
MAINE -----	286	-	-	-	-	-	-	-	3	3	9	2
WHITE-----MALE----	113	-	-	-	-	-	-	-	3	2	7	2
FEMALE--	173	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	775	1	1	1	1	2	-	6	10	21	22	28
WHITE-----MALE----	205	-	-	1	1	-	-	1	2	5	5	8
FEMALE--	392	-	-	-	-	1	-	-	-	2	1	2
ALL OTHER--MALE----	96	-	-	-	-	1	-	2	7	10	10	12
FEMALE--	82	1	1	-	-	-	-	3	1	4	6	6
BLACK---MALE----	93	-	-	-	-	1	-	2	7	10	10	12
FEMALE--	76	1	1	-	-	-	-	3	-	4	6	6
MASSACHUSETTS -----	1,100	-	-	-	-	-	3	4	9	18	27	23
WHITE-----MALE----	358	-	-	-	-	-	3	3	4	12	21	16
FEMALE--	692	-	-	-	-	-	-	1	3	3	5	5
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	24	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	23	-	-	-	-	-	-	-	1	1	-	-
MICHIGAN -----	1,348	-	-	-	1	4	10	14	32	72	86	64
WHITE-----MALE----	477	-	-	-	1	2	5	5	17	34	31	30
FEMALE--	647	-	-	-	-	1	1	3	6	8	5	3
ALL OTHER--MALE----	133	-	-	-	-	1	3	4	7	17	30	25
FEMALE--	91	-	-	-	-	-	1	2	2	13	20	6
BLACK---MALE----	129	-	-	-	-	1	3	4	7	15	29	25
FEMALE--	91	-	-	-	-	-	1	2	2	13	20	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,273
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
KENTUCKY -----	17	16	23	13	32	66	105	131	126	53	11	-
WHITE-----MALE----	12	12	18	10	15	28	43	36	27	6	2	-
FEMALE--	3	3	5	-	12	32	58	83	87	42	9	-
ALL OTHER--MALE----	2	-	-	3	3	3	2	4	3	1	-	-
FEMALE--	-	1	-	-	2	3	2	8	9	4	-	-
BLACK---MALE----	2	-	-	3	3	3	2	4	3	1	-	-
FEMALE--	-	1	-	-	2	3	2	8	9	4	-	-
LOUISIANA -----	9	11	17	27	27	47	94	89	83	32	6	-
WHITE-----MALE----	3	6	6	9	10	13	25	21	15	2	1	-
FEMALE--	1	2	4	9	6	21	43	53	57	23	2	-
ALL OTHER--MALE----	3	3	7	7	5	5	10	7	2	2	2	-
FEMALE--	2	-	-	2	6	8	16	8	9	5	1	-
BLACK---MALE----	3	3	7	7	5	5	10	7	2	2	2	-
FEMALE--	2	-	-	2	6	8	16	8	9	5	1	-
MAINE -----	7	3	6	10	13	32	52	70	51	16	9	-
WHITE-----MALE----	5	2	6	6	8	16	22	24	7	3	-	-
FEMALE--	2	1	-	4	5	16	30	46	44	13	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	20	30	26	48	66	114	157	133	65	6	-
WHITE-----MALE----	8	7	13	12	17	29	31	32	27	6	-	-
FEMALE--	2	3	4	7	17	28	67	108	93	52	5	-
ALL OTHER--MALE----	5	7	10	5	9	6	2	5	2	3	-	-
FEMALE--	2	3	3	2	5	3	14	12	11	4	1	-
BLACK---MALE----	5	7	8	5	8	6	2	5	2	3	-	-
FEMALE--	2	3	3	2	4	3	13	10	11	3	1	-
MASSACHUSETTS -----	11	9	19	26	56	105	183	258	210	109	30	-
WHITE-----MALE----	7	6	13	14	27	40	64	63	46	15	4	-
FEMALE--	4	2	6	9	26	57	108	190	155	94	24	-
ALL OTHER--MALE----	-	1	-	1	2	6	6	-	4	-	-	-
FEMALE--	-	-	-	2	1	2	5	5	5	-	2	-
BLACK---MALE----	-	1	-	1	2	5	4	-	4	-	-	-
FEMALE--	-	-	-	1	1	2	5	5	5	-	2	-
MICHIGAN -----	30	28	37	40	64	133	192	237	186	97	20	1
WHITE-----MALE----	14	17	18	20	28	49	75	66	47	17	1	-
FEMALE--	9	4	11	12	30	69	106	151	135	76	16	1
ALL OTHER--MALE----	3	5	6	5	6	9	4	7	-	1	-	-
FEMALE--	4	2	2	3	-	6	7	13	4	3	3	-
BLACK---MALE----	3	5	6	5	6	9	4	6	-	1	-	-
FEMALE--	4	2	2	3	-	6	7	13	4	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,274
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 V. MENTAL DISORDERS (290-319)												
MINNESOTA -----	1,360	-	1	1	-	-	5	2	7	14	17	24
WHITE-----MALE----	447	-	1	-	-	-	2	-	2	8	13	17
FEMALE--	870	-	-	1	-	-	1	2	3	3	2	6
ALL OTHER--MALE----	20	-	-	-	-	-	2	-	2	1	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	10	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	250	-	-	-	1	1	-	2	4	4	15	8
WHITE-----MALE----	63	-	-	-	-	-	-	-	3	-	5	4
FEMALE--	100	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	49	-	-	-	-	1	-	1	1	3	8	3
FEMALE--	38	-	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	49	-	-	-	-	1	-	1	1	3	8	3
FEMALE--	38	-	-	-	-	-	-	1	-	1	1	1
MISSOURI -----	977	-	-	-	2	2	1	3	6	18	18	23
WHITE-----MALE----	357	-	-	-	-	2	1	-	5	14	8	13
FEMALE--	549	-	-	-	1	-	-	1	-	2	2	1
ALL OTHER--MALE----	46	-	-	-	-	-	-	2	1	2	6	8
FEMALE--	25	-	-	-	1	-	-	-	-	-	2	1
BLACK---MALE----	44	-	-	-	-	-	-	1	1	2	6	8
FEMALE--	23	-	-	-	1	-	-	-	-	-	2	1
MONTANA -----	180	-	-	-	-	1	-	-	2	1	2	8
WHITE-----MALE----	62	-	-	-	-	1	-	-	-	-	2	6
FEMALE--	110	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	236	-	-	-	-	1	-	1	-	3	8	3
WHITE-----MALE----	80	-	-	-	-	1	-	-	-	2	8	1
FEMALE--	147	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	189	-	-	-	-	1	-	1	3	12	13	10
WHITE-----MALE----	86	-	-	-	-	-	-	-	-	3	9	6
FEMALE--	85	-	-	-	-	1	-	1	1	6	2	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	8	-	-	-	-	-	-	-	2	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,274
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
MINNESOTA -----	19	10	36	42	60	112	219	334	271	148	37	1
WHITE-----MALE----	12	10	29	27	31	52	83	88	47	18	7	-
FEMALE--	4	-	3	14	22	57	128	245	223	127	29	-
ALL OTHER--MALE----	2	-	3	-	3	2	2	-	-	-	-	1
FEMALE--	1	-	1	1	4	1	6	1	1	3	1	-
BLACK---MALE----	1	-	1	-	1	2	1	-	-	-	-	1
FEMALE--	-	-	1	1	3	1	4	1	-	2	1	-
MISSISSIPPI -----	7	12	13	10	16	21	28	49	32	21	6	-
WHITE-----MALE----	3	2	3	4	8	2	9	10	4	5	1	-
FEMALE--	2	3	7	1	3	11	12	27	19	9	4	-
ALL OTHER--MALE----	2	6	3	3	4	4	5	4	-	1	-	-
FEMALE--	-	1	-	2	1	4	2	8	9	6	1	-
BLACK---MALE----	2	6	3	3	4	4	5	4	-	1	-	-
FEMALE--	-	1	-	2	1	4	2	8	9	6	1	-
MISSOURI -----	24	20	30	34	61	93	160	204	181	82	15	-
WHITE-----MALE----	12	11	13	24	32	40	60	70	38	11	3	-
FEMALE--	7	3	11	5	26	49	94	132	138	65	12	-
ALL OTHER--MALE----	5	6	5	2	3	3	1	-	1	1	-	-
FEMALE--	-	-	1	3	-	1	5	2	4	5	-	-
BLACK---MALE----	5	6	5	2	3	2	1	-	1	1	-	-
FEMALE--	-	-	1	3	-	1	4	2	3	5	-	-
MONTANA -----	2	5	3	6	6	13	39	43	35	10	4	-
WHITE-----MALE----	1	3	2	2	1	5	16	12	9	1	1	-
FEMALE--	-	1	1	3	5	7	22	31	26	9	3	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	5	5	5	6	10	20	35	58	50	22	4	-
WHITE-----MALE----	4	3	2	4	5	8	13	17	9	2	1	-
FEMALE--	-	1	3	2	5	9	22	39	41	20	3	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
NEVADA -----	14	9	10	12	12	19	21	28	17	6	1	-
WHITE-----MALE----	8	7	8	8	6	11	9	8	2	1	-	-
FEMALE--	4	1	2	2	5	8	11	18	15	5	1	-
ALL OTHER--MALE----	2	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,276
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 V. MENTAL DISORDERS (290-319)												
OHIO -----	1,908	1	-	2	2	3	3	4	19	18	31	26
WHITE-----MALE----	588	-	-	1	1	1	2	3	10	12	18	14
FEMALE--	1,129	1	-	-	1	1	1	1	3	3	4	5
ALL OTHER--MALE----	105	-	-	1	-	1	-	-	3	2	4	6
FEMALE--	86	-	-	-	-	-	-	-	3	1	5	1
BLACK---MALE----	105	-	-	1	-	1	-	-	3	2	4	6
FEMALE--	83	-	-	-	-	-	-	-	2	1	5	1
OKLAHOMA -----	493	1	1	-	1	1	1	2	5	8	8	14
WHITE-----MALE----	165	-	-	-	-	1	1	-	3	4	2	8
FEMALE--	279	1	1	-	-	-	-	-	2	3	-	4
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	1	5	2
FEMALE--	21	-	-	-	1	-	-	1	-	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	12	-	-	-	1	-	-	-	-	-	1	-
OREGON -----	867	-	-	-	-	3	1	4	12	17	35	17
WHITE-----MALE----	337	-	-	-	-	3	-	3	7	10	28	10
FEMALE--	510	-	-	-	-	-	1	-	4	6	6	5
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,682	1	-	-	1	3	1	10	14	17	24	19
WHITE-----MALE----	609	-	-	-	-	2	1	9	7	10	15	12
FEMALE--	976	-	-	-	-	-	-	-	4	4	5	5
ALL OTHER--MALE----	36	-	-	-	1	-	-	1	3	1	3	1
FEMALE--	61	1	-	-	-	1	-	-	-	2	1	1
BLACK---MALE----	35	-	-	-	1	-	-	1	3	1	3	1
FEMALE--	60	1	-	-	-	1	-	-	-	2	1	1
RHODE ISLAND -----	164	-	-	-	-	-	1	-	1	-	2	6
WHITE-----MALE----	54	-	-	-	-	-	1	-	-	-	2	4
FEMALE--	108	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	739	-	-	1	-	-	1	3	14	17	27	28
WHITE-----MALE----	229	-	-	1	-	-	-	1	6	4	10	11
FEMALE--	312	-	-	-	-	-	1	-	2	2	2	5
ALL OTHER--MALE----	113	-	-	-	-	-	-	2	5	9	11	8
FEMALE--	85	-	-	-	-	-	-	-	1	2	4	4
BLACK---MALE----	113	-	-	-	-	-	-	2	5	9	11	8
FEMALE--	85	-	-	-	-	-	-	-	1	2	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,276
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
OHIO -----	25	35	37	62	118	202	329	447	359	145	40	-
WHITE-----MALE----	11	21	27	27	44	78	112	117	68	21	-	-
FEMALE--	4	7	7	21	46	104	197	302	274	111	36	-
ALL OTHER--MALE----	10	5	1	11	17	12	11	13	4	4	-	-
FEMALE--	-	2	2	3	11	8	9	15	13	9	4	-
BLACK---MALE----	10	5	1	11	17	12	11	13	4	4	-	-
FEMALE--	-	2	2	3	11	8	9	14	12	9	4	-
OKLAHOMA -----	22	12	12	19	27	54	94	103	81	21	6	-
WHITE-----MALE----	16	8	7	7	13	19	25	36	12	3	-	-
FEMALE--	1	1	1	9	12	31	62	62	65	18	6	-
ALL OTHER--MALE----	3	3	3	1	2	2	2	3	-	-	-	-
FEMALE--	2	-	1	2	-	2	5	2	4	-	-	-
BLACK---MALE----	1	1	1	-	1	2	2	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	4	2	1	-	-	-
OREGON -----	16	13	15	23	57	98	139	186	161	57	13	-
WHITE-----MALE----	10	8	10	12	29	49	48	64	38	7	1	-
FEMALE--	5	5	4	9	28	48	89	118	121	49	12	-
ALL OTHER--MALE----	1	-	1	2	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	1	1	-	-
BLACK---MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	1	-	-
PENNSYLVANIA -----	24	18	32	51	99	185	318	390	314	136	25	-
WHITE-----MALE----	15	14	18	32	50	97	111	126	72	16	2	-
FEMALE--	6	4	10	18	42	79	195	245	225	111	23	-
ALL OTHER--MALE----	1	-	4	1	2	5	3	6	2	2	-	-
FEMALE--	2	-	-	-	5	4	9	13	15	7	-	-
BLACK---MALE----	1	-	4	1	2	4	3	6	2	2	-	-
FEMALE--	2	-	-	-	4	4	9	13	15	7	-	-
RHODE ISLAND -----	2	2	5	2	9	17	31	28	30	23	5	-
WHITE-----MALE----	2	2	3	1	6	6	12	3	7	3	2	-
FEMALE--	-	-	2	1	3	11	19	25	23	19	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	28	22	27	39	46	88	127	147	88	30	6	-
WHITE-----MALE----	6	10	7	17	22	33	48	38	15	-	-	-
FEMALE--	2	2	5	7	12	33	55	91	61	29	3	-
ALL OTHER--MALE----	16	8	13	9	5	12	7	5	3	-	-	-
FEMALE--	4	2	2	6	7	10	17	13	9	1	3	-
BLACK---MALE----	16	8	13	9	5	12	7	5	3	-	-	-
FEMALE--	4	2	2	6	7	10	17	13	9	1	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,277
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 V. MENTAL DISORDERS (290-319)												
SOUTH DAKOTA -----	134	-	-	-	-	-	-	-	2	2	2	5
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	83	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	2	-	-	4
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,051	-	-	-	-	2	1	4	13	16	24	27
WHITE-----MALE----	349	-	-	-	-	2	1	3	9	11	11	17
FEMALE--	550	-	-	-	-	-	-	-	1	4	5	5
ALL OTHER--MALE----	78	-	-	-	-	-	-	1	3	1	8	5
FEMALE--	74	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	76	-	-	-	-	-	-	1	3	1	7	5
FEMALE--	74	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2,119	-	-	1	1	6	7	16	34	40	56	60
WHITE-----MALE----	793	-	-	1	1	4	3	9	23	31	40	41
FEMALE--	1,137	-	-	-	-	2	2	5	6	8	8	10
ALL OTHER--MALE----	87	-	-	-	-	-	1	1	2	1	5	5
FEMALE--	102	-	-	-	-	-	1	1	3	-	3	4
BLACK---MALE----	86	-	-	-	-	-	1	1	2	1	5	5
FEMALE--	98	-	-	-	-	-	1	1	3	-	3	3
UTAH -----	327	-	-	-	-	2	-	-	5	5	11	9
WHITE-----MALE----	130	-	-	-	-	1	-	-	3	3	8	8
FEMALE--	189	-	-	-	-	1	-	-	2	1	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	124	-	-	-	-	-	-	-	3	2	2	2
WHITE-----MALE----	51	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	72	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,035	1	-	1	1	1	1	1	7	15	17	21
WHITE-----MALE----	297	-	-	-	-	-	1	1	3	1	10	14
FEMALE--	537	-	-	1	1	-	-	-	2	2	-	2
ALL OTHER--MALE----	112	-	-	-	-	1	-	-	2	8	7	4
FEMALE--	89	1	-	-	-	-	-	-	-	4	-	1
BLACK---MALE----	111	-	-	-	-	1	-	-	2	8	7	4
FEMALE--	89	1	-	-	-	-	-	-	-	4	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,277
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 V. MENTAL DISORDERS (290-319)												
SOUTH DAKOTA -----	5	1	1	7	5	11	29	27	17	17	3	-
WHITE-----MALE----	1	-	-	1	3	3	10	5	3	3	2	-
FEMALE--	-	1	1	4	2	6	19	21	14	14	1	-
ALL OTHER--MALE----	4	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	24	33	30	33	72	122	165	266	161	50	8	-
WHITE-----MALE----	15	22	19	18	29	46	43	70	23	10	-	-
FEMALE--	1	3	6	8	28	58	104	166	121	35	5	-
ALL OTHER--MALE----	7	6	4	6	8	7	7	11	3	-	1	-
FEMALE--	1	2	1	1	7	11	11	19	14	5	2	-
BLACK---MALE----	7	5	4	6	8	7	7	11	3	-	1	-
FEMALE--	1	2	1	1	7	11	11	19	14	5	2	-
TEXAS -----	47	48	52	70	129	236	384	449	342	114	27	-
WHITE-----MALE----	35	31	31	39	68	99	134	116	71	13	3	-
FEMALE--	6	12	12	22	47	118	218	304	245	90	22	-
ALL OTHER--MALE----	6	5	7	8	5	9	9	13	8	2	-	-
FEMALE--	-	-	2	1	9	10	23	16	18	9	2	-
BLACK---MALE----	6	5	7	8	5	8	9	13	8	2	-	-
FEMALE--	-	-	2	1	9	9	23	16	16	9	2	-
UTAH -----	14	6	11	13	18	28	59	69	58	15	4	-
WHITE-----MALE----	8	4	5	11	8	18	19	17	15	2	-	-
FEMALE--	5	1	6	2	10	10	38	52	42	13	4	-
ALL OTHER--MALE----	1	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	2	1	4	8	16	18	26	21	15	1	-
WHITE-----MALE----	3	1	1	3	6	5	11	9	5	-	1	-
FEMALE--	-	1	-	1	2	11	7	17	16	15	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	22	27	22	38	59	120	187	232	169	77	13	3
WHITE-----MALE----	9	16	14	15	21	37	54	54	36	10	-	1
FEMALE--	3	3	3	11	18	56	106	150	114	53	12	-
ALL OTHER--MALE----	9	6	5	7	13	14	13	14	6	2	-	1
FEMALE--	1	2	-	5	7	13	14	14	13	12	1	1
BLACK---MALE----	9	6	5	7	13	14	12	14	6	2	-	1
FEMALE--	1	2	-	5	7	13	14	14	13	12	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,279
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)												
0 UNITED STATES --	21	54	145	350	975	2,218	3,884	4,828	3,707	1,528	365	1
WHITE-----MALE----	11	22	52	162	418	882	1,345	1,319	768	206	40	-
FEMALE--	6	28	68	151	451	1,145	2,278	3,256	2,757	1,228	295	-
ALL OTHER--MALE----	2	2	12	20	53	91	100	88	53	15	2	-
FEMALE--	2	2	13	17	53	100	161	165	129	79	28	1
BLACK---MALE----	1	2	11	19	48	81	89	66	42	12	2	-
FEMALE--	2	1	11	13	48	94	148	155	114	68	26	1
ALABAMA -----	1	-	2	7	14	34	71	75	33	11	3	-
WHITE-----MALE----	-	-	-	3	6	8	19	17	6	3	-	-
FEMALE--	-	-	2	3	6	18	42	45	23	8	1	-
ALL OTHER--MALE----	1	-	-	1	-	3	3	2	2	-	1	-
FEMALE--	-	-	-	-	2	5	7	11	2	-	1	-
BLACK---MALE----	1	-	-	1	-	3	3	2	1	-	1	-
FEMALE--	-	-	-	-	2	5	7	11	2	-	1	-
ALASKA -----	-	-	2	-	1	3	6	7	4	2	-	-
WHITE-----MALE----	-	-	1	-	-	2	2	1	1	1	-	-
FEMALE--	-	-	-	-	-	1	3	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	4	3	20	38	80	100	69	18	6	-
WHITE-----MALE----	-	1	3	1	10	14	33	30	11	1	1	-
FEMALE--	-	1	1	2	9	23	42	69	56	17	5	-
ALL OTHER--MALE----	-	-	-	-	-	1	3	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	-	1	4	8	26	35	29	25	4	1	-
WHITE-----MALE----	-	-	-	1	3	12	12	6	4	1	-	-
FEMALE--	-	-	1	3	4	13	20	20	20	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
CALIFORNIA -----	4	7	11	29	99	197	361	400	288	133	31	-
WHITE-----MALE----	-	4	5	12	33	87	139	109	72	20	4	-
FEMALE--	3	3	5	10	50	89	198	266	203	105	25	-
ALL OTHER--MALE----	1	-	-	2	13	12	13	13	7	1	-	-
FEMALE--	-	-	1	5	3	9	11	12	6	7	2	-
BLACK---MALE----	-	-	-	2	11	8	11	2	2	-	-	-
FEMALE--	-	-	-	1	1	9	7	10	2	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,280
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)												
COLORADO -----	-	-	1	6	11	28	68	87	95	30	2	-
WHITE-----MALE----	-	-	-	3	3	12	25	28	20	4	1	-
FEMALE--	-	-	1	2	8	16	43	59	71	24	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
CONNECTICUT -----	-	1	3	3	10	21	33	36	51	23	4	-
WHITE-----MALE----	-	1	1	2	5	8	12	6	8	2	-	-
FEMALE--	-	-	1	1	4	13	21	30	42	21	4	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
DELAWARE -----	-	-	-	-	4	5	8	11	3	3	1	-
WHITE-----MALE----	-	-	-	-	1	2	6	3	-	1	-	-
FEMALE--	-	-	-	-	2	2	1	8	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	2	8	5	5	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	3	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	3	-	-	1	-	-
FLORIDA -----	1	2	13	25	77	181	270	339	300	96	22	-
WHITE-----MALE----	1	-	3	14	31	72	95	121	67	23	2	-
FEMALE--	-	2	5	10	41	96	162	214	222	71	19	-
ALL OTHER--MALE----	-	-	2	1	3	7	7	2	4	1	-	-
FEMALE--	-	-	3	-	2	6	6	2	7	1	1	-
BLACK---MALE----	-	-	2	1	3	7	7	2	4	-	-	-
FEMALE--	-	-	3	-	2	6	6	2	7	1	1	-
GEORGIA -----	1	4	4	10	24	55	88	117	81	28	10	-
WHITE-----MALE----	-	2	2	3	11	18	19	25	15	1	1	-
FEMALE--	-	1	-	5	7	24	53	76	55	22	7	-
ALL OTHER--MALE----	-	1	2	1	-	4	6	4	1	1	-	-
FEMALE--	1	-	-	1	6	9	10	12	10	4	2	-
BLACK---MALE----	-	1	2	1	-	4	6	4	1	1	-	-
FEMALE--	1	-	-	1	6	9	10	12	10	4	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,281
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)												
HAWAII -----	-	-	1	-	2	5	4	6	7	4	1	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	2	1	3	-	-	-
FEMALE--	-	-	1	-	-	1	1	2	4	3	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	2	7	16	17	23	9	3	1	-
WHITE-----MALE----	-	1	-	-	2	5	5	4	3	1	-	-
FEMALE--	-	-	-	2	5	10	12	19	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	1	8	10	33	78	176	194	150	66	20	-
WHITE-----MALE----	2	-	3	4	18	40	63	47	35	6	3	-
FEMALE--	-	1	4	5	12	36	104	137	111	55	16	-
ALL OTHER--MALE----	-	-	-	1	1	1	3	3	2	-	-	-
FEMALE--	-	-	1	-	2	1	6	7	2	5	1	-
BLACK---MALE----	-	-	-	1	1	1	3	3	1	-	-	-
FEMALE--	-	-	1	-	2	1	6	6	2	4	1	-
INDIANA -----	-	-	3	10	17	44	82	105	63	39	8	-
WHITE-----MALE----	-	-	1	6	9	14	30	36	7	3	-	-
FEMALE--	-	-	2	4	7	30	47	67	55	36	8	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	-	-	-	-
IOWA -----	-	1	3	4	21	32	55	100	66	38	15	-
WHITE-----MALE----	-	1	2	3	9	17	27	33	19	7	1	-
FEMALE--	-	-	-	1	12	15	27	67	47	31	14	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	-	1	-	6	11	31	50	80	46	24	5	-
WHITE-----MALE----	-	1	-	3	6	8	24	24	11	3	1	-
FEMALE--	-	-	-	3	5	21	25	55	34	21	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,282
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)												
KENTUCKY -----	1	1	3	4	12	31	70	66	77	23	7	-
WHITE-----MALE----	-	1	2	4	6	14	30	19	13	2	2	-
FEMALE--	1	-	1	-	6	13	38	40	56	19	5	-
ALL OTHER--MALE----	-	-	-	-	-	3	-	3	2	1	-	-
FEMALE--	-	-	-	-	-	1	2	4	6	1	-	-
BLACK---MALE----	-	-	-	-	-	3	-	3	2	1	-	-
FEMALE--	-	-	-	-	-	1	2	4	6	1	-	-
LOUISIANA -----	1	-	3	7	7	24	45	48	40	10	3	-
WHITE-----MALE----	-	-	-	1	2	7	13	10	7	-	-	-
FEMALE--	-	-	2	4	1	15	21	30	28	8	2	-
ALL OTHER--MALE----	-	-	1	1	3	-	5	4	2	-	-	-
FEMALE--	1	-	-	1	1	2	6	4	3	2	1	-
BLACK---MALE----	-	-	1	1	3	-	5	4	2	-	-	-
FEMALE--	1	-	-	1	1	2	6	4	3	2	1	-
MAINE -----	-	1	1	2	6	20	28	47	38	8	4	-
WHITE-----MALE----	-	-	1	1	3	12	11	16	6	2	-	-
FEMALE--	-	1	-	1	3	8	17	31	32	6	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	4	6	18	28	60	85	63	42	3	-
WHITE-----MALE----	-	-	-	3	7	8	15	17	13	5	-	-
FEMALE--	-	-	2	2	7	17	39	60	46	35	3	-
ALL OTHER--MALE----	-	-	1	1	-	2	-	3	1	1	-	-
FEMALE--	-	1	1	-	4	1	6	5	3	1	-	-
BLACK---MALE----	-	-	1	1	-	2	-	3	1	1	-	-
FEMALE--	-	1	1	-	3	1	6	5	3	-	-	-
MASSACHUSETTS -----	1	-	3	7	25	51	96	120	83	42	12	-
WHITE-----MALE----	-	-	1	2	11	15	34	29	16	3	-	-
FEMALE--	1	-	2	4	12	32	53	89	62	39	11	-
ALL OTHER--MALE----	-	-	-	-	2	3	5	-	2	-	-	-
FEMALE--	-	-	-	1	-	1	4	2	3	-	1	-
BLACK---MALE----	-	-	-	-	2	3	3	-	2	-	-	-
FEMALE--	-	-	-	1	-	1	4	2	3	-	1	-
MICHIGAN -----	1	4	5	10	30	81	117	143	115	55	6	-
WHITE-----MALE----	1	2	1	5	14	29	43	38	27	10	-	-
FEMALE--	-	2	2	3	14	47	68	92	86	44	6	-
ALL OTHER--MALE----	-	-	1	1	2	3	2	4	-	-	-	-
FEMALE--	-	-	1	1	-	2	4	9	2	1	-	-
BLACK---MALE----	-	-	1	1	2	3	2	3	-	-	-	-
FEMALE--	-	-	1	1	-	2	4	9	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,283

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)												
MINNESOTA -----	-	-	-	6	20	57	108	160	134	79	19	-
WHITE-----MALE----	-	-	-	4	7	25	36	39	20	9	3	-
FEMALE--	-	-	-	2	11	31	67	120	114	67	16	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	3	1	-	3	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	-	2	-	-
MISSISSIPPI -----	-	1	-	3	8	10	11	24	16	10	3	-
WHITE-----MALE----	-	-	-	1	6	-	4	5	3	1	-	-
FEMALE--	-	1	-	1	1	7	5	13	9	5	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	4	4	4	1	-
BLACK---MALE----	-	-	-	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	4	4	4	1	-
MISSOURI -----	-	1	3	6	27	50	89	115	99	44	7	-
WHITE-----MALE----	-	-	1	6	14	18	32	42	22	5	3	-
FEMALE--	-	1	2	-	13	31	54	73	74	36	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	2	3	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	3	-	-
MONTANA -----	-	-	1	2	2	8	28	26	19	4	3	-
WHITE-----MALE----	-	-	1	-	-	3	12	7	3	-	1	-
FEMALE--	-	-	-	2	2	5	16	19	16	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	2	1	3	7	12	26	26	8	3	-
WHITE-----MALE----	-	-	-	-	2	2	4	10	6	1	1	-
FEMALE--	-	1	2	1	1	4	8	15	20	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA -----	-	-	-	-	3	9	12	13	9	3	1	-
WHITE-----MALE----	-	-	-	-	1	6	6	3	2	1	-	-
FEMALE--	-	-	-	-	2	3	5	9	7	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,285
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)												
OHIO -----	-	3	5	19	65	103	179	232	185	66	27	-
WHITE-----MALE----	-	2	2	8	22	35	57	58	35	9	-	-
FEMALE--	-	1	3	8	27	57	114	162	140	50	24	-
ALL OTHER--MALE----	-	-	-	2	9	6	4	4	2	1	-	-
FEMALE--	-	-	-	1	7	5	4	8	8	6	3	-
BLACK---MALE----	-	-	-	2	9	6	4	4	2	1	-	-
FEMALE--	-	-	-	1	7	5	4	7	7	6	3	-
OKLAHOMA -----	-	-	2	6	13	27	48	49	39	11	3	-
WHITE-----MALE----	-	-	1	3	4	12	13	17	3	2	-	-
FEMALE--	-	-	1	3	8	13	31	30	35	9	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
OREGON -----	-	3	2	7	23	50	92	115	98	32	6	-
WHITE-----MALE----	-	1	1	4	10	22	37	43	26	5	-	-
FEMALE--	-	2	1	2	13	27	54	71	72	26	6	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
PENNSYLVANIA -----	-	-	9	19	40	110	198	242	185	82	11	-
WHITE-----MALE----	-	-	4	12	19	56	62	72	43	9	1	-
FEMALE--	-	-	5	7	19	49	126	157	132	67	10	-
ALL OTHER--MALE----	-	-	-	-	-	2	3	4	1	-	-	-
FEMALE--	-	-	-	-	2	3	7	9	9	6	-	-
BLACK---MALE----	-	-	-	-	-	2	3	4	1	-	-	-
FEMALE--	-	-	-	-	2	3	7	9	9	6	-	-
RHODE ISLAND -----	-	-	-	1	-	12	20	8	14	13	2	-
WHITE-----MALE----	-	-	-	1	-	4	7	-	3	2	1	-
FEMALE--	-	-	-	-	-	8	13	8	11	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	1	-	3	15	20	48	85	98	53	17	5	-
WHITE-----MALE----	-	-	1	5	10	20	32	28	10	-	-	-
FEMALE--	1	-	2	6	8	20	39	61	36	16	2	-
ALL OTHER--MALE----	-	-	-	1	1	6	5	2	3	-	-	-
FEMALE--	-	-	-	3	1	2	9	7	4	1	3	-
BLACK---MALE----	-	-	-	1	1	6	5	2	3	-	-	-
FEMALE--	-	-	-	3	1	2	9	7	4	1	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,286
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS (290)												
SOUTH DAKOTA -----	-	-	-	1	-	6	19	11	10	13	1	-
WHITE-----MALE----	-	-	-	-	-	2	8	2	2	3	-	-
FEMALE--	-	-	-	1	-	3	11	9	8	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	9	12	43	90	107	176	99	28	4	-
WHITE-----MALE----	1	1	5	6	16	35	28	46	9	6	-	-
FEMALE--	-	-	4	6	21	43	69	110	74	20	3	-
ALL OTHER--MALE----	-	-	-	-	3	3	3	8	3	-	-	-
FEMALE--	-	-	-	-	3	9	7	12	13	2	1	-
BLACK---MALE----	-	-	-	-	3	3	3	8	3	-	-	-
FEMALE--	-	-	-	-	3	9	7	12	13	2	1	-
TEXAS -----	3	2	4	21	53	121	213	267	214	60	14	-
WHITE-----MALE----	3	-	1	6	24	51	66	63	44	7	1	-
FEMALE--	-	2	2	12	25	57	129	187	155	46	11	-
ALL OTHER--MALE----	-	-	-	2	-	8	6	5	4	1	-	-
FEMALE--	-	-	1	1	4	5	12	12	11	6	2	-
BLACK---MALE----	-	-	-	2	-	7	6	5	4	1	-	-
FEMALE--	-	-	1	1	4	4	12	12	10	6	2	-
UTAH -----	-	1	1	3	8	13	32	38	30	6	2	-
WHITE-----MALE----	-	-	-	2	2	7	12	12	8	1	-	-
FEMALE--	-	1	1	1	6	6	18	26	22	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	3	10	7	12	11	6	-	-
WHITE-----MALE----	-	-	-	-	2	2	6	5	4	-	-	-
FEMALE--	-	-	-	-	1	8	1	7	7	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	3	12	25	70	90	113	89	33	9	1
WHITE-----MALE----	-	1	1	4	8	21	25	21	21	4	-	-
FEMALE--	-	-	2	6	11	35	53	77	58	24	8	-
ALL OTHER--MALE----	-	1	-	1	3	6	6	5	3	1	-	-
FEMALE--	-	-	-	1	3	8	6	10	7	4	1	1
BLACK---MALE----	-	1	-	1	3	6	6	5	3	1	-	-
FEMALE--	-	-	-	1	3	8	6	10	7	4	1	1

