

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,915
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
OHIO -----	7	3	7	13	16	18	38	29	16	5	-	-
WHITE-----MALE----	2	1	6	2	8	11	16	16	6	1	-	-
FEMALE--	1	-	1	7	7	6	20	11	10	4	-	-
ALL OTHER--MALE----	4	1	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	1	-	3	-	1	1	-	-	-	-	-
BLACK---MALE----	4	1	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	1	-	3	-	1	1	-	-	-	-	-
OKLAHOMA -----	6	1	7	4	6	10	20	14	14	2	1	-
WHITE-----MALE----	3	-	5	4	-	5	6	5	5	-	1	-
FEMALE--	1	1	1	-	5	5	10	8	8	2	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	3	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	3	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	4	3	2	11	9	8	9	8	8	1	-
WHITE-----MALE----	1	1	2	-	5	2	3	5	4	2	-	-
FEMALE--	1	3	1	2	6	7	5	3	4	6	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	6	10	11	9	20	18	18	22	14	7	-	-
WHITE-----MALE----	2	4	4	5	13	8	6	9	7	4	-	-
FEMALE--	3	4	4	4	6	9	10	12	7	2	-	-
ALL OTHER--MALE----	-	2	1	-	-	1	2	-	-	1	-	-
FEMALE--	1	-	2	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	2	1	-	-	1	1	-	-	1	-	-
FEMALE--	1	-	2	-	1	-	-	1	-	-	-	-
RHODE ISLAND -----	1	1	1	1	-	3	3	7	1	5	1	-
WHITE-----MALE----	1	-	1	1	-	1	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	4	1	4	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	5	4	10	13	24	21	24	10	5	-	-
WHITE-----MALE----	1	3	3	6	8	12	11	8	2	-	-	-
FEMALE--	-	2	-	4	1	9	9	10	6	4	-	-
ALL OTHER--MALE----	1	-	1	-	4	2	-	5	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	1	-	-
BLACK---MALE----	1	-	1	-	4	2	-	5	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,916
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
SOUTH DAKOTA -----	-	2	1	2	1	3	2	2	-	1	1	-
WHITE-----MALE----	-	-	-	1	1	2	-	1	-	1	-	-
FEMALE--	-	1	-	1	-	-	2	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	6	12	6	14	19	20	17	12	8	1	-
WHITE-----MALE----	4	-	5	3	4	7	10	9	3	2	-	-
FEMALE--	1	4	6	2	8	8	7	7	9	5	1	-
ALL OTHER--MALE----	1	1	1	-	2	2	1	1	-	1	-	-
FEMALE--	-	1	-	1	-	2	2	-	-	-	-	-
BLACK---MALE----	1	1	1	-	2	2	1	1	-	1	-	-
FEMALE--	-	1	-	1	-	2	2	-	-	-	-	-
TEXAS -----	10	11	11	12	18	24	54	51	43	10	2	-
WHITE-----MALE----	6	1	5	4	12	14	25	23	15	1	-	-
FEMALE--	3	5	4	6	5	8	27	25	26	9	2	-
ALL OTHER--MALE----	-	4	2	2	1	2	-	2	1	-	-	-
FEMALE--	1	1	-	-	1	-	2	1	1	-	-	-
BLACK---MALE----	-	4	2	2	1	2	-	2	1	-	-	-
FEMALE--	-	1	-	-	-	-	2	1	1	-	-	-
UTAH -----	-	1	2	2	3	4	5	-	4	-	-	-
WHITE-----MALE----	-	-	2	-	1	2	3	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	2	-	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	1	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	3	12	9	4	11	11	18	7	5	1	-
WHITE-----MALE----	3	1	5	5	2	3	5	8	3	1	-	-
FEMALE--	2	1	5	2	1	6	5	6	3	4	1	-
ALL OTHER--MALE----	-	1	2	1	-	2	-	2	1	-	-	-
FEMALE--	1	-	-	1	1	-	1	2	-	-	-	-
BLACK---MALE----	-	1	2	1	-	2	-	2	1	-	-	-
FEMALE--	1	-	-	1	1	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,918
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
0 UNITED STATES --	4,256	139	40	8	2	10	14	26	45	73	123	119
WHITE-----MALE----	1,627	43	5	4	-	3	6	13	18	29	56	54
FEMALE--	1,987	35	14	1	2	2	3	6	10	15	29	30
ALL OTHER--MALE----	346	31	13	1	-	3	1	5	10	15	30	24
FEMALE--	296	30	8	2	-	2	4	2	7	14	8	11
BLACK---MALE----	300	28	13	1	-	-	1	5	9	14	28	22
FEMALE--	255	29	8	2	-	1	4	2	6	13	6	10
ALABAMA -----	20	1	1	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	1	-	-	-
ALASKA -----	4	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	61	2	1	-	-	-	-	-	-	3	1	4
WHITE-----MALE----	35	1	1	-	-	-	-	-	-	1	-	3
FEMALE--	22	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	2	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	612	12	2	-	-	1	-	1	5	6	15	15
WHITE-----MALE----	242	6	1	-	-	-	-	1	1	2	5	8
FEMALE--	295	3	1	-	-	-	-	-	2	2	7	3
ALL OTHER--MALE----	32	3	-	-	-	1	-	-	1	1	2	4
FEMALE--	43	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	19	2	-	-	-	-	-	-	1	1	2	3
FEMALE--	22	-	-	-	-	-	-	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,918
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
0 UNITED STATES --	88	87	119	196	331	402	663	720	674	305	72	-
WHITE-----MALE----	39	40	59	96	165	191	285	254	188	68	11	-
FEMALE--	24	18	30	57	106	157	315	414	438	223	58	-
ALL OTHER--MALE----	22	18	17	32	28	28	30	19	16	3	-	-
FEMALE--	3	11	13	11	32	26	33	33	32	11	3	-
BLACK---MALE----	20	17	16	29	26	20	25	14	9	3	-	-
FEMALE--	2	8	13	10	29	18	28	27	28	10	1	-
ALABAMA -----	-	-	-	1	3	1	3	1	2	4	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	1	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALASKA -----	-	1	-	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	2	2	1	6	13	6	11	3	2	-
WHITE-----MALE----	3	1	2	2	-	3	9	4	5	-	-	-
FEMALE--	-	-	-	-	-	3	4	2	6	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	3	3	3	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	16	19	20	30	47	60	110	99	101	38	15	-
WHITE-----MALE----	9	8	12	20	21	29	48	33	25	10	3	-
FEMALE--	5	4	7	8	19	19	51	59	67	27	11	-
ALL OTHER--MALE----	2	2	-	1	1	5	4	2	3	-	-	-
FEMALE--	-	5	1	1	6	7	7	5	6	1	1	-
BLACK---MALE----	2	2	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	2	1	1	5	2	3	2	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,919
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
COLORADO -----	33	-	1	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	18	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	50	1	-	-	-	-	2	1	1	-	1	-
WHITE-----MALE----	22	-	-	-	-	-	2	1	-	-	1	-
FEMALE--	28	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	12	-	-	-	-	1	-	1	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	331	9	6	-	-	-	1	2	1	8	8	9
WHITE-----MALE----	134	3	-	-	-	-	-	-	-	2	3	2
FEMALE--	147	3	1	-	-	-	1	2	1	1	2	2
ALL OTHER--MALE----	29	1	3	-	-	-	-	-	-	2	3	4
FEMALE--	21	2	2	-	-	-	-	-	-	3	-	1
BLACK---MALE----	29	1	3	-	-	-	-	-	-	2	3	4
FEMALE--	21	2	2	-	-	-	-	-	-	3	-	1
GEORGIA -----	66	7	1	-	-	-	1	-	2	2	1	4
WHITE-----MALE----	23	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	28	3	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	8	2	1	-	-	-	1	-	-	2	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	2	1	-	-	-	1	-	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,919
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
COLORADO -----	1	2	5	1	2	2	5	6	5	-	-	-
WHITE-----MALE----	-	2	4	1	2	-	4	3	1	-	-	-
FEMALE--	1	-	1	-	-	2	-	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	2	1	5	3	13	6	11	3	-	-
WHITE-----MALE----	1	-	1	1	3	1	5	1	4	1	-	-
FEMALE--	-	-	1	-	2	2	8	5	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	2	-	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	2	1	3	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
FLORIDA -----	10	7	10	12	27	27	50	58	55	29	2	-
WHITE-----MALE----	5	5	5	7	8	13	26	28	19	8	-	-
FEMALE--	-	1	3	3	11	11	22	29	34	18	2	-
ALL OTHER--MALE----	5	1	1	2	4	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	4	2	-	1	2	3	-	-
BLACK---MALE----	5	1	1	2	4	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	4	2	-	1	2	3	-	-
GEORGIA -----	1	1	1	4	9	1	12	4	11	4	-	-
WHITE-----MALE----	-	-	-	2	3	1	4	1	7	1	-	-
FEMALE--	1	1	1	1	4	-	7	3	3	3	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,920
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
HAWAII -----	-	-	-	1	-	3	1	4	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	-	1	-	5	4	5	5	4	1	-
WHITE-----MALE----	-	-	-	1	-	3	3	-	1	-	-	-
FEMALE--	-	2	-	-	-	2	1	5	4	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	6	10	14	25	23	42	49	53	21	7	-
WHITE-----MALE----	-	1	3	3	11	8	22	15	14	2	2	-
FEMALE--	-	2	3	6	9	14	16	26	37	19	5	-
ALL OTHER--MALE----	3	3	3	4	4	-	3	3	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	5	2	-	-	-
BLACK---MALE----	3	3	3	4	4	-	3	2	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	5	2	-	-	-
INDIANA -----	1	1	-	-	2	4	9	11	12	4	1	-
WHITE-----MALE----	-	-	-	-	2	2	4	5	3	2	-	-
FEMALE--	-	-	-	-	-	2	5	6	7	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
IOWA -----	-	-	-	-	-	4	3	4	12	5	1	-
WHITE-----MALE----	-	-	-	-	-	4	1	2	6	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	6	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	2	2	2	7	8	3	4	2	-
WHITE-----MALE----	-	-	-	1	2	1	5	4	1	1	-	-
FEMALE--	-	-	-	1	-	1	2	3	2	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,921
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
KENTUCKY -----	-	1	1	1	4	3	7	9	3	2	1	-
WHITE-----MALE----	-	-	1	1	3	3	5	3	2	1	-	-
FEMALE--	-	1	-	-	1	-	2	6	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	2	1	4	5	8	7	12	5	5	-	-
WHITE-----MALE----	-	-	-	1	3	3	2	2	-	-	-	-
FEMALE--	-	1	-	-	1	4	4	8	5	4	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	1	1	-	1	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	1	1	-	1	-	-
FEMALE--	-	1	-	1	1	1	-	1	-	-	-	-
MAINE -----	-	-	-	-	-	1	-	2	2	5	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	1	6	4	6	1	4	3	2	2	-
WHITE-----MALE----	1	-	-	2	1	3	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	-	3	3	2	1	-
ALL OTHER--MALE----	-	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	1	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	1	-
MASSACHUSETTS -----	5	1	6	11	8	8	13	23	16	12	4	-
WHITE-----MALE----	3	1	5	5	6	7	5	6	4	1	1	-
FEMALE--	2	-	1	5	2	1	8	17	12	11	3	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	5	2	3	7	8	12	18	10	5	-	-
WHITE-----MALE----	-	2	2	1	1	2	4	6	1	1	-	-
FEMALE--	-	1	-	1	2	3	7	11	8	3	-	-
ALL OTHER--MALE----	-	1	-	1	3	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	1	1	-	-
BLACK---MALE----	-	1	-	-	3	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,924
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
OHIO -----	2	5	4	8	16	16	22	25	27	13	1	-
WHITE-----MALE----	1	3	1	2	8	6	7	9	10	3	-	-
FEMALE--	1	-	3	5	7	9	14	10	16	10	1	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	5	1	-	-	-
BLACK---MALE----	-	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	5	1	-	-	-
OKLAHOMA -----	-	1	-	2	3	5	8	9	6	2	4	-
WHITE-----MALE----	-	1	-	1	3	4	4	4	1	-	1	-
FEMALE--	-	-	-	1	-	-	4	5	5	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	-	4	5	4	4	7	5	-	-
WHITE-----MALE----	-	-	-	-	2	4	2	3	3	1	-	-
FEMALE--	1	-	1	-	1	-	2	1	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
PENNSYLVANIA -----	6	2	3	6	11	16	27	20	20	13	1	-
WHITE-----MALE----	-	-	1	4	4	13	14	5	6	5	-	-
FEMALE--	1	-	1	1	4	3	13	15	14	8	1	-
ALL OTHER--MALE----	4	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	1	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	2	2	1	2	6	2	1	2	-	-
WHITE-----MALE----	-	-	1	-	1	-	4	1	-	1	-	-
FEMALE--	-	-	-	2	-	2	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	3	1	1	5	8	5	5	1	-	-
WHITE-----MALE----	-	-	2	-	1	2	3	2	-	-	-	-
FEMALE--	1	-	-	-	-	2	3	-	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,925
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED (485)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	6	2	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	3	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	3	3	7	8	17	9	14	6	1	-
WHITE-----MALE----	1	1	1	-	3	4	5	1	2	1	1	-
FEMALE--	-	-	1	2	4	4	7	7	9	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	2	1	-	-
FEMALE--	-	-	1	-	-	-	3	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	2	1	-	-
FEMALE--	-	-	1	-	-	-	3	1	1	-	-	-
TEXAS -----	3	5	4	7	14	14	24	37	21	16	2	-
WHITE-----MALE----	1	4	2	6	8	8	4	10	8	3	-	-
FEMALE--	1	-	1	1	4	6	18	25	12	12	2	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	1	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	1	1	-	-
UTAH -----	1	-	-	-	-	-	-	2	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	1	1	3	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	4	1	2	7	3	8	7	7	4	-	-
WHITE-----MALE----	-	3	-	2	3	1	2	1	1	1	-	-
FEMALE--	1	1	-	-	2	1	3	4	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,927
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
0 UNITED STATES --	71,887	197	65	49	45	55	80	142	289	427	534	660
WHITE-----MALE----	28,517	74	19	14	16	35	31	42	125	180	220	298
FEMALE--	35,760	49	18	20	18	12	27	44	70	103	132	152
ALL OTHER--MALE----	3,925	39	8	6	6	3	11	35	63	91	117	147
FEMALE--	3,685	35	20	9	5	5	11	21	31	53	65	63
BLACK---MALE----	3,262	36	5	6	5	2	11	33	58	88	108	140
FEMALE--	3,139	29	18	9	4	5	11	21	26	51	58	57
ALABAMA -----	1,251	4	1	2	2	1	-	1	4	6	12	12
WHITE-----MALE----	422	-	-	-	1	-	-	1	1	2	5	1
FEMALE--	561	-	-	-	-	-	-	-	1	2	1	3
ALL OTHER--MALE----	120	3	1	-	-	-	-	-	2	-	3	5
FEMALE--	148	1	-	2	1	1	-	-	-	2	3	3
BLACK---MALE----	119	3	1	-	-	-	-	-	2	-	3	5
FEMALE--	148	1	-	2	1	1	-	-	-	2	3	3
ALASKA -----	38	-	1	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,014	10	1	1	3	1	1	1	9	5	15	8
WHITE-----MALE----	451	2	-	1	1	1	-	-	5	4	7	6
FEMALE--	486	4	1	-	2	-	1	-	1	-	7	1
ALL OTHER--MALE----	42	1	-	-	-	-	-	1	2	-	-	-
FEMALE--	35	3	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	10	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	869	12	1	1	1	1	1	4	-	3	8	12
WHITE-----MALE----	376	4	-	-	1	-	1	3	-	2	2	4
FEMALE--	404	2	-	1	-	-	-	-	-	1	3	5
ALL OTHER--MALE----	47	4	-	-	-	-	-	1	-	-	1	2
FEMALE--	42	2	1	-	-	1	-	-	-	-	2	1
BLACK---MALE----	47	4	-	-	-	-	-	1	-	-	1	2
FEMALE--	41	2	1	-	-	1	-	-	-	-	2	1
CALIFORNIA -----	9,020	14	11	4	4	5	10	11	20	30	51	60
WHITE-----MALE----	3,505	5	4	1	-	2	3	6	10	14	27	23
FEMALE--	4,539	2	3	3	3	2	6	2	5	11	15	21
ALL OTHER--MALE----	501	3	2	-	-	1	1	-	3	4	8	13
FEMALE--	475	4	2	-	1	-	-	3	2	1	1	3
BLACK---MALE----	230	2	-	-	-	-	1	-	3	2	7	10
FEMALE--	247	4	2	-	-	-	-	3	1	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,927
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
0 UNITED STATES --	801	1,010	1,723	3,190	6,020	9,520	13,546	15,169	11,675	5,235	1,451	4
WHITE-----MALE----	345	441	843	1,569	2,997	4,600	5,969	5,679	3,476	1,287	255	2
FEMALE--	248	318	539	1,096	2,214	3,916	6,350	8,342	7,426	3,611	1,053	2
ALL OTHER--MALE----	130	159	208	327	473	541	620	510	293	106	32	-
FEMALE--	78	92	133	198	336	463	607	638	480	231	111	-
BLACK---MALE----	113	146	182	288	397	440	492	381	224	81	26	-
FEMALE--	66	83	115	171	294	394	521	532	391	193	90	-
ALABAMA -----	18	23	39	66	114	171	241	267	186	64	17	-
WHITE-----MALE----	5	13	13	30	51	78	85	71	51	13	1	-
FEMALE--	5	3	12	17	44	64	111	147	106	36	9	-
ALL OTHER--MALE----	5	4	11	13	10	14	21	17	5	3	3	-
FEMALE--	3	3	3	6	9	15	24	32	24	12	4	-
BLACK---MALE----	5	4	10	13	10	14	21	17	5	3	3	-
FEMALE--	3	3	3	6	9	15	24	32	24	12	4	-
ALASKA -----	-	2	3	5	7	3	4	1	6	2	2	-
WHITE-----MALE----	-	1	1	2	3	3	-	-	-	1	-	-
FEMALE--	-	1	1	2	2	-	1	1	4	-	2	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	-	2	1	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	11	24	44	95	114	207	200	165	70	15	-
WHITE-----MALE----	5	6	9	26	51	65	100	86	54	15	7	-
FEMALE--	4	4	13	16	37	40	92	99	105	52	7	-
ALL OTHER--MALE----	4	-	1	2	5	6	8	7	2	3	-	-
FEMALE--	1	1	1	-	2	3	7	8	4	-	1	-
BLACK---MALE----	1	-	-	1	1	2	2	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	1	-	-	-
ARKANSAS -----	12	18	21	26	88	119	164	190	124	53	10	-
WHITE-----MALE----	4	10	13	17	48	57	80	73	46	10	1	-
FEMALE--	7	8	6	8	34	51	70	97	68	36	7	-
ALL OTHER--MALE----	1	-	1	1	3	7	10	6	5	4	1	-
FEMALE--	-	-	1	-	3	4	4	14	5	3	1	-
BLACK---MALE----	1	-	1	1	3	7	10	6	5	4	1	-
FEMALE--	-	-	1	-	3	4	4	13	5	3	1	-
CALIFORNIA -----	73	89	194	394	778	1,269	1,764	1,942	1,478	640	179	-
WHITE-----MALE----	35	42	98	186	400	595	741	681	431	173	28	-
FEMALE--	27	31	60	147	278	534	842	1,060	924	425	138	-
ALL OTHER--MALE----	7	7	20	35	56	70	106	107	41	11	6	-
FEMALE--	4	9	16	26	44	70	75	94	82	31	7	-
BLACK---MALE----	1	7	12	18	29	33	42	46	11	5	1	-
FEMALE--	1	7	8	17	27	35	36	48	39	13	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,928
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
COLORADO -----	837	1	1	1	-	2	-	2	5	5	15	10
WHITE-----MALE----	364	1	-	-	-	1	-	1	4	2	6	8
FEMALE--	445	-	1	1	-	1	-	1	1	1	8	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	989	1	1	-	1	1	-	-	3	10	6	5
WHITE-----MALE----	409	-	1	-	-	1	-	-	2	4	3	1
FEMALE--	540	1	-	-	1	-	-	-	-	3	-	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	21	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	186	-	1	-	-	-	-	-	2	1	1	4
WHITE-----MALE----	72	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	84	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	17	-	1	-	-	-	-	-	1	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	15	-	1	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	191	1	1	1	-	-	-	2	-	2	4	5
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	67	1	1	1	-	-	-	2	-	-	1	1
BLACK---MALE----	67	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	66	1	1	1	-	-	-	2	-	-	1	1
FLORIDA -----	3,042	9	-	2	-	3	11	9	23	29	35	42
WHITE-----MALE----	1,435	2	-	1	-	1	3	3	13	9	15	24
FEMALE--	1,298	1	-	1	-	1	5	2	3	3	8	6
ALL OTHER--MALE----	169	6	-	-	-	-	1	2	3	9	8	7
FEMALE--	140	-	-	-	-	1	2	2	4	8	4	5
BLACK---MALE----	166	6	-	-	-	-	1	2	3	9	8	7
FEMALE--	134	-	-	-	-	1	2	2	4	8	4	5
GEORGIA -----	1,788	6	1	1	3	6	4	6	13	23	22	27
WHITE-----MALE----	597	2	1	-	1	4	-	1	4	7	6	8
FEMALE--	787	2	-	1	1	2	-	-	1	3	2	4
ALL OTHER--MALE----	210	1	-	-	1	-	3	5	8	7	8	8
FEMALE--	194	1	-	-	-	-	1	-	-	6	6	7
BLACK---MALE----	207	1	-	-	1	-	3	5	8	7	8	8
FEMALE--	192	1	-	-	-	-	1	-	-	5	6	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,928
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
COLORADO -----	10	15	22	34	74	84	145	172	145	71	23	-
WHITE-----MALE----	4	8	12	17	37	45	71	69	52	20	6	-
FEMALE--	6	6	10	14	36	36	72	96	89	48	17	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	1	1	3	2	5	3	3	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	4	3	2	-	-
CONNECTICUT -----	11	11	19	39	71	117	182	203	189	94	25	-
WHITE-----MALE----	7	3	6	22	36	58	82	89	69	22	3	-
FEMALE--	3	6	8	16	31	55	93	111	117	72	21	-
ALL OTHER--MALE----	1	2	4	1	1	2	3	-	1	-	-	-
FEMALE--	-	-	1	-	3	2	4	3	2	-	1	-
BLACK---MALE----	1	2	4	1	1	2	2	-	1	-	-	-
FEMALE--	-	-	1	-	3	2	3	2	2	-	1	-
DELAWARE -----	1	2	5	15	17	23	36	29	35	13	1	-
WHITE-----MALE----	1	1	2	8	8	8	19	10	8	4	-	-
FEMALE--	-	1	1	4	5	12	14	15	22	9	1	-
ALL OTHER--MALE----	-	-	-	2	2	1	1	2	2	-	-	-
FEMALE--	-	-	2	1	2	2	2	2	3	-	-	-
BLACK---MALE----	-	-	-	2	2	1	1	2	2	-	-	-
FEMALE--	-	-	2	1	2	1	1	2	3	-	-	-
DISTRICT OF COLUMBIA ----	6	5	11	11	20	25	40	31	14	10	2	-
WHITE-----MALE----	-	-	2	-	3	1	5	8	2	-	-	-
FEMALE--	-	-	1	-	4	7	8	8	4	4	1	-
ALL OTHER--MALE----	5	2	5	6	9	9	15	6	4	-	-	-
FEMALE--	1	3	3	5	8	11	13	9	-	6	1	-
BLACK---MALE----	5	2	5	6	9	9	15	5	4	-	-	-
FEMALE--	1	3	3	5	8	11	13	8	-	6	1	-
FLORIDA -----	37	65	78	149	286	401	580	646	409	183	45	-
WHITE-----MALE----	13	28	37	85	171	215	290	306	160	50	9	-
FEMALE--	10	14	24	42	85	150	253	311	224	121	34	-
ALL OTHER--MALE----	7	13	11	17	15	25	18	9	11	6	1	-
FEMALE--	7	10	6	5	15	11	19	20	14	6	1	-
BLACK---MALE----	7	13	11	15	15	24	18	9	11	6	1	-
FEMALE--	7	9	6	4	14	11	19	18	13	6	1	-
GEORGIA -----	27	30	58	94	157	261	342	346	235	102	24	-
WHITE-----MALE----	12	13	18	33	68	114	121	109	61	12	2	-
FEMALE--	8	9	19	29	44	95	154	179	147	78	9	-
ALL OTHER--MALE----	6	8	9	22	28	28	28	23	12	3	2	-
FEMALE--	1	-	12	10	17	24	39	35	15	9	11	-
BLACK---MALE----	6	8	9	22	28	28	26	22	12	3	2	-
FEMALE--	1	-	12	10	17	24	39	34	15	9	11	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,929
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
HAWAII -----	-	4	10	16	30	32	49	65	42	17	12	-
WHITE-----MALE----	-	1	1	2	3	6	7	7	3	1	1	-
FEMALE--	-	-	3	3	4	3	8	10	7	3	2	-
ALL OTHER--MALE----	-	2	3	5	17	13	22	30	15	7	1	-
FEMALE--	-	1	3	6	6	10	12	18	17	6	8	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	3	4	7	25	29	51	59	45	26	7	-
WHITE-----MALE----	3	3	2	3	15	13	18	21	17	8	2	-
FEMALE--	4	-	2	3	10	14	33	38	28	18	5	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	46	54	69	175	311	435	594	690	497	242	71	-
WHITE-----MALE----	17	22	30	81	152	202	265	262	139	61	11	-
FEMALE--	14	14	24	49	104	170	273	356	314	161	54	-
ALL OTHER--MALE----	13	15	11	27	32	32	18	32	13	10	2	-
FEMALE--	2	3	4	18	23	31	38	40	31	10	4	-
BLACK---MALE----	13	14	11	26	32	30	18	29	12	9	2	-
FEMALE--	1	3	4	17	22	31	36	39	29	9	4	-
INDIANA -----	16	22	50	74	135	228	322	373	259	114	22	-
WHITE-----MALE----	2	9	28	35	66	109	134	151	90	34	4	-
FEMALE--	11	8	14	30	59	103	173	203	160	79	17	-
ALL OTHER--MALE----	3	2	3	2	6	7	8	6	5	-	-	-
FEMALE--	-	3	5	7	4	9	7	13	4	1	1	-
BLACK---MALE----	3	2	3	2	6	7	8	6	5	-	-	-
FEMALE--	-	3	5	7	3	9	7	13	4	1	1	-
IOWA -----	8	7	18	49	63	119	176	247	217	114	35	-
WHITE-----MALE----	6	4	15	30	34	71	96	100	66	33	6	-
FEMALE--	1	3	3	19	28	48	79	146	151	80	29	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	8	6	14	32	48	97	146	169	156	76	33	-
WHITE-----MALE----	6	6	8	17	19	47	77	78	51	10	2	-
FEMALE--	1	-	5	11	25	45	67	85	99	65	30	-
ALL OTHER--MALE----	-	-	1	3	3	5	1	2	2	1	-	-
FEMALE--	1	-	-	1	1	-	1	4	4	-	1	-
BLACK---MALE----	-	-	1	3	2	5	1	2	2	-	-	-
FEMALE--	1	-	-	1	1	-	1	4	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,930
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
KENTUCKY -----	1,324	1	-	2	-	1	-	5	2	3	9	5
WHITE-----MALE----	575	1	-	1	-	1	-	2	2	3	6	4
FEMALE--	681	-	-	1	-	-	-	3	-	-	3	1
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	908	8	2	-	-	-	2	-	8	9	8	9
WHITE-----MALE----	288	3	-	-	-	-	1	-	3	5	2	3
FEMALE--	397	-	-	-	-	-	-	-	1	3	1	2
ALL OTHER--MALE----	107	3	-	-	-	-	-	-	1	-	4	3
FEMALE--	116	2	2	-	-	-	1	-	3	1	1	1
BLACK---MALE----	106	3	-	-	-	-	-	-	1	-	4	3
FEMALE--	116	2	2	-	-	-	1	-	3	1	1	1
MAINE -----	298	1	-	-	1	-	-	-	-	1	1	1
WHITE-----MALE----	134	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	164	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,212	5	4	2	-	-	3	4	13	14	12	25
WHITE-----MALE----	409	1	-	-	-	-	2	1	2	7	4	4
FEMALE--	516	1	1	-	-	-	-	-	3	2	-	1
ALL OTHER--MALE----	155	2	1	1	-	-	1	1	7	3	6	16
FEMALE--	132	1	2	1	-	-	-	2	1	2	2	4
BLACK---MALE----	148	2	1	1	-	-	1	1	7	3	6	16
FEMALE--	126	1	1	1	-	-	-	2	1	2	2	4
MASSACHUSETTS -----	2,473	4	-	1	-	-	2	3	9	9	14	13
WHITE-----MALE----	963	2	-	-	-	-	1	2	5	6	8	7
FEMALE--	1,439	-	-	1	-	-	1	1	3	-	4	6
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	33	2	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	26	1	-	-	-	-	-	-	1	1	1	-
MICHIGAN -----	2,703	10	4	-	3	3	5	4	9	16	29	29
WHITE-----MALE----	1,049	5	1	-	2	3	2	2	3	2	8	14
FEMALE--	1,322	4	-	-	-	-	2	-	2	5	10	7
ALL OTHER--MALE----	188	-	-	-	1	-	-	1	2	7	9	5
FEMALE--	144	1	3	-	-	-	1	1	2	2	2	3
BLACK---MALE----	182	-	-	-	1	-	-	1	1	7	9	5
FEMALE--	136	1	3	-	-	-	1	1	2	2	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,930
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
KENTUCKY -----	13	23	31	67	116	191	252	279	206	95	23	-
WHITE-----MALE----	11	13	15	35	64	107	108	101	73	23	5	-
FEMALE--	2	9	13	25	44	74	131	167	124	67	17	-
ALL OTHER--MALE----	-	-	1	5	5	9	4	4	3	2	-	-
FEMALE--	-	1	2	2	3	1	9	7	6	3	1	-
BLACK---MALE----	-	-	1	5	5	9	4	4	3	2	-	-
FEMALE--	-	1	2	2	3	1	9	7	6	3	1	-
LOUISIANA -----	13	13	26	44	77	133	173	195	125	52	11	-
WHITE-----MALE----	2	3	15	17	32	50	56	60	25	8	3	-
FEMALE--	7	2	5	11	19	54	81	100	78	27	6	-
ALL OTHER--MALE----	2	6	5	9	14	13	20	14	6	6	1	-
FEMALE--	2	2	1	7	12	16	16	21	16	11	1	-
BLACK---MALE----	2	6	4	9	14	13	20	14	6	6	1	-
FEMALE--	2	2	1	7	12	16	16	21	16	11	1	-
MAINE -----	1	2	6	14	22	44	49	55	67	28	5	-
WHITE-----MALE----	1	2	3	12	10	26	26	22	20	8	1	-
FEMALE--	-	-	3	2	12	18	23	33	47	20	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	20	41	60	109	149	233	232	174	76	18	1
WHITE-----MALE----	6	3	13	26	46	72	88	73	41	15	4	1
FEMALE--	5	3	11	17	33	50	90	125	114	51	9	-
ALL OTHER--MALE----	-	8	11	13	17	15	28	14	6	3	2	-
FEMALE--	6	6	6	4	13	12	27	20	13	7	3	-
BLACK---MALE----	-	7	10	13	17	15	25	13	5	3	2	-
FEMALE--	6	5	6	4	12	11	27	19	12	7	3	-
MASSACHUSETTS -----	16	20	49	72	185	292	443	547	479	252	63	-
WHITE-----MALE----	12	12	26	38	106	144	188	224	120	55	7	-
FEMALE--	4	6	20	31	69	138	243	311	351	194	56	-
ALL OTHER--MALE----	-	2	3	2	5	5	7	6	5	-	-	-
FEMALE--	-	-	-	1	5	5	5	6	3	3	-	-
BLACK---MALE----	-	2	2	1	5	3	5	5	2	-	-	-
FEMALE--	-	-	-	1	3	5	4	5	2	2	-	-
MICHIGAN -----	41	55	66	117	233	394	480	557	425	166	56	1
WHITE-----MALE----	12	19	32	57	118	172	206	200	128	51	12	-
FEMALE--	14	22	18	39	80	183	220	319	262	99	35	1
ALL OTHER--MALE----	10	10	9	14	23	27	28	20	17	4	1	-
FEMALE--	5	4	7	7	12	12	26	18	18	12	8	-
BLACK---MALE----	10	10	9	14	21	25	28	19	17	4	1	-
FEMALE--	5	4	5	6	11	12	24	18	18	11	8	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,931
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
MINNESOTA -----	1,381	2	-	1	1	1	2	-	5	3	6	8
WHITE-----MALE----	569	1	-	-	-	1	1	-	-	1	5	3
FEMALE--	792	1	-	1	-	-	1	-	5	2	1	4
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	854	7	1	-	-	-	3	4	3	9	11	11
WHITE-----MALE----	279	1	-	-	-	-	-	1	1	6	3	4
FEMALE--	350	2	-	-	-	-	1	-	1	-	2	1
ALL OTHER--MALE----	128	1	-	-	-	-	1	1	-	2	4	5
FEMALE--	97	3	1	-	-	-	1	2	1	1	2	1
BLACK---MALE----	127	1	-	-	-	-	1	1	-	2	4	5
FEMALE--	97	3	1	-	-	-	1	2	1	1	2	1
MISSOURI -----	1,965	1	1	2	-	-	-	1	6	12	10	14
WHITE-----MALE----	753	-	-	-	-	-	-	1	4	6	6	9
FEMALE--	1,042	1	1	1	-	-	-	-	1	5	2	3
ALL OTHER--MALE----	86	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	84	-	-	1	-	-	-	-	-	1	-	2
BLACK---MALE----	84	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	83	-	-	1	-	-	-	-	-	1	-	2
MONTANA -----	276	2	-	-	-	2	-	-	-	-	1	5
WHITE-----MALE----	122	1	-	-	-	2	-	-	-	-	-	2
FEMALE--	144	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	568	4	-	-	-	1	1	-	1	1	3	2
WHITE-----MALE----	231	3	-	-	-	1	1	-	-	-	3	-
FEMALE--	320	1	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	331	5	1	1	-	1	1	-	2	3	6	5
WHITE-----MALE----	171	2	-	-	-	1	1	-	1	1	3	4
FEMALE--	139	1	1	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	16	2	-	1	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	12	2	-	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,931
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
MINNESOTA -----	8	7	16	38	79	165	227	328	285	161	38	-
WHITE-----MALE----	5	5	11	23	43	99	108	125	87	44	7	-
FEMALE--	1	2	5	15	35	63	115	197	196	117	31	-
ALL OTHER--MALE----	1	-	-	-	1	2	2	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	2	5	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	4	1	-	-	-
MISSISSIPPI -----	11	21	25	46	71	123	190	139	116	56	7	-
WHITE-----MALE----	4	7	5	18	30	45	70	39	33	11	1	-
FEMALE--	1	6	10	15	23	42	77	69	60	36	4	-
ALL OTHER--MALE----	6	5	7	6	17	21	22	15	13	2	-	-
FEMALE--	-	3	3	7	1	15	21	16	10	7	2	-
BLACK---MALE----	6	5	6	6	17	21	22	15	13	2	-	-
FEMALE--	-	3	3	7	1	15	21	16	10	7	2	-
MISSOURI -----	24	28	52	106	156	243	344	419	333	166	47	-
WHITE-----MALE----	13	17	29	50	80	97	168	127	96	43	7	-
FEMALE--	6	7	18	47	56	119	148	261	214	114	38	-
ALL OTHER--MALE----	2	2	2	5	14	16	13	19	6	3	1	-
FEMALE--	3	2	3	4	6	11	15	12	17	6	1	-
BLACK---MALE----	2	2	2	5	14	15	13	18	6	3	1	-
FEMALE--	2	2	3	4	6	11	15	12	17	6	1	-
MONTANA -----	2	3	8	6	24	25	52	55	55	30	6	-
WHITE-----MALE----	1	2	5	4	11	14	27	27	16	10	-	-
FEMALE--	-	1	2	2	12	10	24	27	39	19	5	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	8	10	15	41	76	99	121	114	56	13	-
WHITE-----MALE----	1	4	5	8	28	36	47	38	41	15	-	-
FEMALE--	1	4	4	7	10	36	50	79	72	41	13	-
ALL OTHER--MALE----	-	-	1	-	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	4	1	-	-	-
BLACK---MALE----	-	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	4	-	-	-	-
NEVADA -----	5	9	16	20	44	50	71	51	30	8	2	-
WHITE-----MALE----	4	3	9	11	24	31	34	24	14	2	2	-
FEMALE--	1	4	6	7	18	19	34	24	15	6	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	2	-	2	1	-	3	2	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	3	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,933
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
OHIO -----	3,044	5	1	-	4	6	1	4	10	14	17	25
WHITE-----MALE----	1,215	2	1	-	3	3	-	-	5	5	7	8
FEMALE--	1,586	2	-	-	1	3	1	4	4	6	6	10
ALL OTHER--MALE----	134	1	-	-	-	-	-	-	1	2	2	6
FEMALE--	109	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	127	1	-	-	-	-	-	-	1	2	2	5
FEMALE--	108	-	-	-	-	-	-	-	-	1	2	1
OKLAHOMA -----	1,210	2	1	1	-	1	1	-	6	11	9	13
WHITE-----MALE----	490	-	1	1	-	1	-	-	4	5	3	6
FEMALE--	638	1	-	-	-	-	1	-	2	4	4	7
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	41	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	787	-	-	-	-	-	-	3	3	3	2	5
WHITE-----MALE----	363	-	-	-	-	-	-	2	-	1	-	3
FEMALE--	407	-	-	-	-	-	-	1	3	2	2	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,948	9	1	3	3	3	1	4	11	16	18	35
WHITE-----MALE----	1,627	3	-	1	1	2	-	2	1	9	6	17
FEMALE--	2,042	2	-	1	-	1	-	1	3	1	4	6
ALL OTHER--MALE----	145	1	1	-	1	-	-	-	5	5	5	8
FEMALE--	134	3	-	1	1	-	1	1	2	1	3	4
BLACK---MALE----	138	1	1	-	1	-	-	-	5	5	5	8
FEMALE--	127	3	-	1	1	-	1	1	1	1	3	2
RHODE ISLAND -----	260	1	1	-	1	-	2	1	2	3	3	4
WHITE-----MALE----	117	1	-	-	1	-	1	-	2	3	1	3
FEMALE--	134	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	5	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	807	1	2	1	-	-	-	3	4	7	11	8
WHITE-----MALE----	292	-	-	1	-	-	-	-	1	3	1	1
FEMALE--	327	-	-	-	-	-	-	1	1	3	3	2
ALL OTHER--MALE----	92	1	-	-	-	-	-	2	1	1	5	5
FEMALE--	96	-	2	-	-	-	-	-	1	-	2	-
BLACK---MALE----	91	1	-	-	-	-	-	2	1	1	5	5
FEMALE--	94	-	2	-	-	-	-	-	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,933
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
OHIO -----	34	36	69	131	252	445	560	686	487	219	38	-
WHITE-----MALE----	16	17	32	69	116	209	260	262	139	57	4	-
FEMALE--	9	14	21	46	107	198	267	390	320	145	32	-
ALL OTHER--MALE----	6	3	13	11	17	23	20	12	12	5	-	-
FEMALE--	3	2	3	5	12	15	13	22	16	12	2	-
BLACK---MALE----	6	3	13	11	15	21	20	11	11	5	-	-
FEMALE--	3	2	3	5	12	15	12	22	16	12	2	-
OKLAHOMA -----	9	13	28	51	105	145	240	260	204	84	26	-
WHITE-----MALE----	2	3	18	29	50	64	108	111	63	18	3	-
FEMALE--	6	7	7	19	45	65	120	136	132	60	22	-
ALL OTHER--MALE----	-	3	2	2	6	8	6	4	4	3	-	-
FEMALE--	1	-	1	1	4	8	6	9	5	3	1	-
BLACK---MALE----	-	2	1	1	6	3	2	3	2	2	-	-
FEMALE--	1	-	1	-	2	5	4	8	3	1	-	-
OREGON -----	5	5	18	25	58	112	159	157	150	62	20	-
WHITE-----MALE----	3	4	12	16	37	56	79	72	61	13	4	-
FEMALE--	2	1	6	9	18	51	76	85	86	47	16	-
ALL OTHER--MALE----	-	-	-	-	3	3	2	-	2	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	1	2	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
PENNSYLVANIA -----	29	41	75	167	341	509	838	871	635	261	77	-
WHITE-----MALE----	12	15	36	90	181	264	394	321	199	62	11	-
FEMALE--	7	12	26	57	127	218	392	517	415	192	60	-
ALL OTHER--MALE----	5	11	9	11	16	17	23	14	10	1	2	-
FEMALE--	5	3	4	9	17	10	29	19	11	6	4	-
BLACK---MALE----	5	10	7	11	14	17	22	14	9	1	2	-
FEMALE--	5	3	4	9	17	10	28	16	11	6	4	-
RHODE ISLAND -----	2	2	1	10	22	28	47	59	45	19	7	-
WHITE-----MALE----	1	-	1	6	13	12	25	25	18	4	-	-
FEMALE--	1	2	-	4	7	14	22	34	26	14	7	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
SOUTH CAROLINA -----	12	23	23	38	87	126	133	154	110	45	19	-
WHITE-----MALE----	5	10	8	12	44	63	56	49	28	8	2	-
FEMALE--	3	4	5	14	27	39	42	78	64	28	13	-
ALL OTHER--MALE----	2	5	8	10	8	9	13	11	6	4	1	-
FEMALE--	2	4	2	2	8	15	22	16	12	5	3	-
BLACK---MALE----	2	5	8	9	8	9	13	11	6	4	1	-
FEMALE--	1	4	2	2	8	15	22	15	12	5	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,934
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
SOUTH DAKOTA -----	280	-	-	-	1	-	1	2	2	2	1	-
WHITE-----MALE----	144	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	127	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	6	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,658	4	2	-	1	1	2	5	9	16	9	15
WHITE-----MALE----	629	2	-	-	-	-	-	2	5	6	6	7
FEMALE--	783	-	1	-	1	-	1	-	2	2	1	3
ALL OTHER--MALE----	119	1	-	-	-	1	-	3	-	5	-	4
FEMALE--	127	1	1	-	-	-	1	-	2	3	2	1
BLACK---MALE----	118	1	-	-	-	1	-	3	-	5	-	4
FEMALE--	127	1	1	-	-	-	1	-	2	3	2	1
TEXAS -----	3,295	17	5	4	2	-	3	13	23	26	29	29
WHITE-----MALE----	1,296	9	4	1	-	-	2	4	10	8	14	18
FEMALE--	1,647	6	1	3	2	-	1	6	6	11	6	7
ALL OTHER--MALE----	175	1	-	-	-	-	-	2	6	5	4	2
FEMALE--	177	1	-	-	-	-	-	1	1	2	5	2
BLACK---MALE----	166	1	-	-	-	-	-	2	6	5	4	2
FEMALE--	171	1	-	-	-	-	-	1	-	2	4	2
UTAH -----	445	1	-	1	-	1	-	1	1	5	5	2
WHITE-----MALE----	193	-	-	-	-	1	-	-	1	4	3	1
FEMALE--	243	1	-	1	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	152	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	58	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	92	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,732	4	-	-	2	1	-	3	11	12	10	15
WHITE-----MALE----	638	-	-	-	-	-	-	-	4	5	3	7
FEMALE--	828	1	-	-	2	1	-	1	1	3	3	2
ALL OTHER--MALE----	139	2	-	-	-	-	-	1	4	1	1	4
FEMALE--	127	1	-	-	-	-	-	1	2	3	3	2
BLACK---MALE----	136	2	-	-	-	-	-	1	4	1	1	4
FEMALE--	126	1	-	-	-	-	-	1	2	3	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,934
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA DUE TO OTHER AND UNSPECIFIED ORGANISM (483,486)												
SOUTH DAKOTA -----	3	6	2	8	11	29	52	58	59	30	13	-
WHITE-----MALE----	2	1	2	5	5	18	30	28	31	16	4	-
FEMALE--	-	4	-	3	6	10	21	30	27	14	9	-
ALL OTHER--MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	28	49	81	151	250	318	334	254	81	26	-
WHITE-----MALE----	13	18	21	38	61	111	127	132	58	17	5	-
FEMALE--	8	6	20	28	60	104	150	159	167	55	15	-
ALL OTHER--MALE----	-	3	6	8	17	22	16	19	12	1	1	-
FEMALE--	1	1	2	7	13	13	25	24	17	8	5	-
BLACK---MALE----	-	3	6	8	17	22	16	18	12	1	1	-
FEMALE--	1	1	2	7	13	13	25	24	17	8	5	-
TEXAS -----	51	50	89	160	283	439	559	686	546	207	73	1
WHITE-----MALE----	26	19	47	66	130	219	244	248	160	54	13	-
FEMALE--	13	18	27	63	115	175	273	376	347	141	49	1
ALL OTHER--MALE----	5	8	3	17	20	23	20	32	21	2	4	-
FEMALE--	7	5	12	14	18	22	22	30	18	10	7	-
BLACK---MALE----	5	7	2	15	19	21	20	31	20	2	4	-
FEMALE--	6	5	12	13	18	21	22	30	17	10	7	-
UTAH -----	6	10	11	19	31	62	91	93	61	32	12	-
WHITE-----MALE----	1	6	8	11	16	33	37	36	22	9	4	-
FEMALE--	3	2	3	8	15	28	53	57	39	23	7	-
ALL OTHER--MALE----	2	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	3	10	19	30	39	21	17	8	-
WHITE-----MALE----	-	-	-	2	5	12	13	17	3	3	1	-
FEMALE--	1	-	-	1	5	7	17	22	18	14	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
VIRGINIA -----	20	35	42	83	145	218	363	354	265	111	37	1
WHITE-----MALE----	8	16	25	37	64	110	139	116	71	24	8	1
FEMALE--	7	12	7	25	52	78	167	202	170	77	17	-
ALL OTHER--MALE----	2	5	8	14	14	17	31	20	9	4	2	-
FEMALE--	3	2	2	7	15	13	26	16	15	6	10	-
BLACK---MALE----	2	5	8	13	13	17	30	20	9	4	2	-
FEMALE--	3	2	2	7	15	13	25	16	15	6	10	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,939
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFLUENZA (487)												
KENTUCKY -----	-	-	-	2	-	1	3	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	3	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	1	-	2	1	1	1	2	3	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	1	-	-
FEMALE--	-	1	-	2	1	1	-	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	1	2	1	2	4	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
MASSACHUSETTS -----	-	1	-	1	2	2	1	3	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	-	2	1	3	6	7	4	3	1	-
WHITE-----MALE----	-	-	-	-	-	1	4	3	-	1	-	-
FEMALE--	-	-	-	2	1	1	2	4	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,943
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INFLUENZA (487)												
SOUTH DAKOTA -----	-	1	-	2	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	3	4	2	1	-	3	-	-	-	-
WHITE-----MALE----	-	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	2	1	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	-	1	3	4	-	4	5	2	2	-	-
WHITE-----MALE----	-	-	1	-	1	-	2	-	1	1	-	-
FEMALE--	-	-	-	3	3	-	-	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	1	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	1	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	1	-	-	-	2	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,945
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
0 UNITED STATES --	102,899	43	37	38	105	132	114	141	233	312	519	932
WHITE-----MALE----	49,320	20	11	12	28	35	31	41	70	97	146	334
FEMALE--	45,757	9	13	4	23	42	30	43	79	95	205	360
ALL OTHER--MALE----	4,618	8	9	17	41	34	33	33	47	60	64	130
FEMALE--	3,204	6	4	5	13	21	20	24	37	60	104	108
BLACK---MALE----	3,917	8	8	17	38	33	31	31	47	51	54	118
FEMALE--	2,750	6	4	4	13	20	20	23	33	53	97	99
ALABAMA -----	1,681	-	2	1	3	-	-	-	3	2	9	20
WHITE-----MALE----	835	-	-	-	-	-	-	-	1	-	1	6
FEMALE--	633	-	-	-	-	-	-	-	1	1	5	7
ALL OTHER--MALE----	143	-	1	1	3	-	-	-	-	1	2	3
FEMALE--	70	-	1	-	-	-	-	-	1	-	1	4
BLACK---MALE----	140	-	1	1	3	-	-	-	-	1	2	3
FEMALE--	70	-	1	-	-	-	-	-	1	-	1	4
ALASKA -----	107	-	-	-	-	1	-	-	1	-	1	2
WHITE-----MALE----	46	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	35	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,036	1	-	1	2	-	2	4	4	4	7	16
WHITE-----MALE----	1,025	1	-	1	1	-	1	1	1	2	2	7
FEMALE--	958	-	-	-	1	-	1	2	1	2	4	8
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	1,118	1	1	-	3	2	1	2	2	5	8	16
WHITE-----MALE----	576	1	-	-	2	1	1	-	-	3	2	7
FEMALE--	436	-	-	-	-	1	-	1	1	2	4	6
ALL OTHER--MALE----	68	-	1	-	1	-	-	-	-	-	-	2
FEMALE--	38	-	-	-	-	-	-	1	1	-	2	1
BLACK---MALE----	67	-	1	-	1	-	-	-	-	-	-	2
FEMALE--	37	-	-	-	-	-	-	1	1	-	2	1
CALIFORNIA -----	10,792	8	3	3	7	8	11	21	32	39	70	108
WHITE-----MALE----	4,699	3	1	1	3	2	2	10	9	14	30	37
FEMALE--	5,110	4	2	-	1	3	7	3	9	8	23	38
ALL OTHER--MALE----	606	-	-	2	3	1	1	7	10	12	6	25
FEMALE--	377	1	-	-	-	2	1	1	4	5	11	8
BLACK---MALE----	297	-	-	2	2	1	1	6	10	8	2	19
FEMALE--	215	1	-	-	-	2	1	1	2	2	6	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,945
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
0 UNITED STATES --	1,824	3,439	6,549	12,161	17,957	20,498	18,713	12,287	5,178	1,433	251	3
WHITE-----MALE----	749	1,535	3,134	6,016	9,016	10,372	9,181	5,789	2,131	502	67	3
FEMALE--	776	1,450	2,748	5,157	7,693	8,938	8,507	5,846	2,744	842	153	-
ALL OTHER--MALE----	148	231	412	597	793	718	619	408	163	42	11	-
FEMALE--	151	223	255	391	455	470	406	244	140	47	20	-
BLACK---MALE----	136	206	367	519	661	602	504	317	125	35	9	-
FEMALE--	130	199	218	345	394	387	332	194	118	43	18	-
ALABAMA -----	38	71	143	251	270	318	282	166	78	21	3	-
WHITE-----MALE----	14	41	70	123	133	165	168	76	28	9	-	-
FEMALE--	14	24	56	96	102	123	90	66	38	8	2	-
ALL OTHER--MALE----	7	5	11	21	21	21	18	15	10	3	-	-
FEMALE--	3	1	6	11	14	9	6	9	2	1	1	-
BLACK---MALE----	7	5	11	21	19	21	18	14	10	3	-	-
FEMALE--	3	1	6	11	14	9	6	9	2	1	1	-
ALASKA -----	6	4	11	17	20	20	15	6	2	1	-	-
WHITE-----MALE----	4	1	3	6	12	7	7	2	-	-	-	-
FEMALE--	1	1	5	5	7	7	3	3	1	1	-	-
ALL OTHER--MALE----	1	1	3	5	1	4	4	1	1	-	-	-
FEMALE--	-	1	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	32	58	136	234	374	433	364	229	107	25	3	-
WHITE-----MALE----	19	32	74	133	195	227	179	104	40	4	1	-
FEMALE--	9	24	57	96	172	195	180	120	65	19	2	-
ALL OTHER--MALE----	-	-	2	4	5	8	3	4	2	-	-	-
FEMALE--	4	2	3	1	2	3	2	1	-	2	-	-
BLACK---MALE----	-	-	1	3	3	5	1	3	1	-	-	-
FEMALE--	1	1	2	-	-	1	-	-	-	2	-	-
ARKANSAS -----	27	52	78	133	206	196	180	136	57	11	1	-
WHITE-----MALE----	5	23	46	71	110	107	108	63	20	6	-	-
FEMALE--	17	23	24	56	82	74	56	57	27	4	1	-
ALL OTHER--MALE----	1	4	6	4	11	9	12	13	3	1	-	-
FEMALE--	4	2	2	2	3	6	4	3	7	-	-	-
BLACK---MALE----	1	4	5	4	11	9	12	13	3	1	-	-
FEMALE--	4	2	2	2	3	6	4	2	7	-	-	-
CALIFORNIA -----	191	333	628	1,128	1,902	2,145	2,025	1,356	564	178	32	-
WHITE-----MALE----	76	150	283	486	883	984	879	584	208	48	6	-
FEMALE--	75	142	281	535	855	997	999	677	312	118	21	-
ALL OTHER--MALE----	20	18	38	62	116	101	85	63	25	8	3	-
FEMALE--	20	23	26	45	48	63	62	32	19	4	2	-
BLACK---MALE----	15	11	24	35	59	39	31	20	8	3	1	-
FEMALE--	17	14	16	33	31	30	28	15	6	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,946
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
COLORADO -----	1,585	-	-	2	1	-	-	2	4	5	5	12
WHITE-----MALE----	800	-	-	1	1	-	-	1	-	3	1	7
FEMALE--	743	-	-	1	-	-	-	1	3	1	3	3
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	27	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	1,164	-	-	-	-	3	3	1	2	-	5	6
WHITE-----MALE----	534	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	595	-	-	-	-	2	2	1	1	-	3	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	258	-	-	-	-	-	-	3	1	2	1	1
WHITE-----MALE----	114	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	115	-	-	-	-	-	-	3	-	2	1	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	134	-	-	-	-	1	-	-	2	1	2	4
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	43	-	-	-	-	1	-	-	-	-	1	2
BLACK---MALE----	48	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	43	-	-	-	-	1	-	-	-	-	1	2
FLORIDA -----	7,493	5	3	-	2	2	5	7	10	24	27	55
WHITE-----MALE----	3,530	3	2	-	1	-	1	2	5	3	7	21
FEMALE--	3,549	1	1	-	-	1	2	2	2	7	10	21
ALL OTHER--MALE----	258	-	-	-	1	1	2	2	2	6	3	7
FEMALE--	156	1	-	-	-	-	-	1	1	8	7	6
BLACK---MALE----	251	-	-	-	1	1	2	2	2	6	3	7
FEMALE--	153	1	-	-	-	-	-	1	1	8	7	6
GEORGIA -----	2,461	1	1	3	2	2	3	2	9	8	15	18
WHITE-----MALE----	1,132	-	-	1	-	1	-	-	1	1	2	4
FEMALE--	983	-	1	-	-	-	-	-	3	3	6	6
ALL OTHER--MALE----	230	1	-	1	2	1	2	-	4	1	2	5
FEMALE--	116	-	-	1	-	-	1	2	1	3	5	3
BLACK---MALE----	227	1	-	1	2	1	2	-	4	1	2	5
FEMALE--	113	-	-	1	-	-	1	2	1	3	5	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,946
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
COLORADO -----	22	43	108	172	294	337	294	190	74	17	3	-
WHITE-----MALE----	8	15	57	83	155	155	163	103	34	11	2	-
FEMALE--	13	26	47	82	129	173	129	86	39	6	1	-
ALL OTHER--MALE----	1	1	3	7	7	7	2	-	-	-	-	-
FEMALE--	-	1	1	-	3	2	-	1	1	-	-	-
BLACK---MALE----	1	1	1	6	5	7	2	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	-	-	1	-	-	-
CONNECTICUT -----	9	27	61	101	183	264	257	165	53	22	2	-
WHITE-----MALE----	3	8	27	52	96	130	127	58	22	8	-	-
FEMALE--	4	16	28	48	83	132	121	105	31	13	2	-
ALL OTHER--MALE----	-	1	5	1	4	2	3	1	-	-	-	-
FEMALE--	2	2	1	-	-	-	6	1	-	1	-	-
BLACK---MALE----	-	1	5	1	3	2	3	1	-	-	-	-
FEMALE--	2	2	1	-	-	-	5	1	-	1	-	-
DELAWARE -----	2	6	16	40	53	47	47	27	8	3	1	-
WHITE-----MALE----	2	1	7	10	28	24	20	16	4	1	1	-
FEMALE--	-	3	5	24	20	19	24	8	3	2	-	-
ALL OTHER--MALE----	-	1	4	5	5	1	1	1	1	-	-	-
FEMALE--	-	1	-	1	-	3	2	2	-	-	-	-
BLACK---MALE----	-	1	4	5	4	1	1	1	1	-	-	-
FEMALE--	-	1	-	1	-	3	2	2	-	-	-	-
DISTRICT OF COLUMBIA ----	3	5	8	9	19	27	26	10	14	3	-	-
WHITE-----MALE----	-	-	1	-	4	1	4	2	2	-	-	-
FEMALE--	-	-	-	-	4	4	10	6	3	1	-	-
ALL OTHER--MALE----	1	3	2	7	4	14	8	1	1	2	-	-
FEMALE--	2	2	5	2	7	8	4	1	8	-	-	-
BLACK---MALE----	1	3	2	7	4	14	8	1	1	2	-	-
FEMALE--	2	2	5	2	7	8	4	1	8	-	-	-
FLORIDA -----	101	224	414	811	1,233	1,537	1,467	1,049	393	101	23	-
WHITE-----MALE----	53	89	190	410	614	767	697	466	155	38	6	-
FEMALE--	37	103	185	350	555	719	709	549	222	59	14	-
ALL OTHER--MALE----	6	24	27	32	43	28	43	16	12	1	2	-
FEMALE--	5	8	12	19	21	23	18	18	4	3	1	-
BLACK---MALE----	6	23	27	32	43	27	40	15	11	1	2	-
FEMALE--	5	8	12	19	19	23	17	18	4	3	1	-
GEORGIA -----	46	90	208	324	460	483	417	261	88	19	1	-
WHITE-----MALE----	20	40	96	163	243	221	194	110	32	3	-	-
FEMALE--	13	34	83	122	160	201	178	115	46	12	-	-
ALL OTHER--MALE----	6	13	23	26	36	42	32	23	8	2	-	-
FEMALE--	7	3	6	13	21	19	13	13	2	2	1	-
BLACK---MALE----	6	13	22	26	36	42	31	22	8	2	-	-
FEMALE--	6	3	6	13	21	19	12	12	2	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,947
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
HAWAII -----	6	7	19	28	50	34	38	35	12	2	1	-
WHITE-----MALE----	-	1	2	7	12	9	5	6	1	-	-	-
FEMALE--	1	3	7	5	10	6	11	8	-	1	-	-
ALL OTHER--MALE----	4	1	6	7	19	14	14	14	8	-	-	-
FEMALE--	1	2	4	9	9	5	8	7	3	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	9	16	30	50	74	109	83	51	17	2	-	-
WHITE-----MALE----	7	12	18	25	56	68	53	27	11	1	-	-
FEMALE--	2	4	11	24	18	41	30	23	6	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	77	157	282	554	784	854	791	528	239	62	10	-
WHITE-----MALE----	26	73	118	268	392	448	345	274	106	19	2	-
FEMALE--	31	54	123	226	319	339	387	223	117	37	8	-
ALL OTHER--MALE----	10	12	26	37	46	32	33	18	10	3	-	-
FEMALE--	10	18	15	23	27	35	26	13	6	3	-	-
BLACK---MALE----	10	10	25	34	44	31	32	15	8	3	-	-
FEMALE--	7	18	14	21	27	32	22	12	6	3	-	-
INDIANA -----	36	80	166	324	421	467	432	255	113	28	10	-
WHITE-----MALE----	8	31	75	168	210	241	217	137	43	12	4	-
FEMALE--	24	42	81	143	198	208	198	114	65	14	5	-
ALL OTHER--MALE----	3	4	5	8	8	12	6	3	1	2	-	-
FEMALE--	1	3	5	5	5	6	11	1	4	-	1	-
BLACK---MALE----	3	4	5	8	8	12	6	3	1	2	-	-
FEMALE--	1	3	5	5	5	6	11	1	4	-	1	-
IOWA -----	21	45	86	147	223	264	257	189	91	25	1	-
WHITE-----MALE----	10	24	49	94	126	148	146	109	48	8	-	-
FEMALE--	9	21	36	47	94	114	109	80	42	17	1	-
ALL OTHER--MALE----	1	-	-	3	1	2	2	-	-	-	-	-
FEMALE--	1	-	1	3	2	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	3	1	2	2	-	-	-	-	-
FEMALE--	1	-	1	3	2	-	-	-	1	-	-	-
KANSAS -----	16	38	85	138	211	210	201	146	54	25	4	-
WHITE-----MALE----	4	18	47	76	97	119	123	75	32	13	2	-
FEMALE--	11	17	30	54	112	88	72	69	22	12	1	-
ALL OTHER--MALE----	-	3	5	6	2	1	2	1	-	-	1	-
FEMALE--	1	-	3	2	-	2	4	1	-	-	-	-
BLACK---MALE----	-	1	4	6	2	1	2	1	-	-	1	-
FEMALE--	-	-	3	2	-	2	4	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,948
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
KENTUCKY -----	1,858	-	1	-	1	2	1	3	6	3	9	19
WHITE-----MALE----	1,021	-	-	-	-	1	-	1	1	-	5	8
FEMALE--	750	-	1	-	-	-	-	2	4	1	2	8
ALL OTHER--MALE----	46	-	-	-	1	1	1	-	-	-	-	1
FEMALE--	41	-	-	-	-	-	-	-	1	2	2	2
BLACK---MALE----	46	-	-	-	1	1	1	-	-	-	-	1
FEMALE--	41	-	-	-	-	-	-	-	1	2	2	2
LOUISIANA -----	1,421	2	-	-	3	5	2	1	7	4	13	13
WHITE-----MALE----	571	-	-	-	-	1	-	-	1	-	4	2
FEMALE--	563	-	-	-	-	3	1	-	2	2	2	2
ALL OTHER--MALE----	184	2	-	-	2	1	-	1	2	-	3	5
FEMALE--	103	-	-	-	1	-	1	-	2	2	4	4
BLACK---MALE----	180	2	-	-	2	1	-	1	2	-	3	5
FEMALE--	101	-	-	-	1	-	1	-	2	2	4	4
MAINE -----	674	-	1	-	-	1	-	-	1	-	3	5
WHITE-----MALE----	373	-	-	-	-	1	-	-	1	-	2	2
FEMALE--	298	-	1	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,595	1	1	-	1	3	6	1	5	8	5	10
WHITE-----MALE----	661	-	-	-	-	1	2	-	2	4	2	5
FEMALE--	737	-	-	-	-	-	1	-	1	1	1	2
ALL OTHER--MALE----	110	1	-	-	-	-	2	1	1	3	1	1
FEMALE--	87	-	1	-	1	2	1	-	1	-	1	2
BLACK---MALE----	105	1	-	-	-	-	2	1	1	3	1	1
FEMALE--	84	-	1	-	1	2	1	-	1	-	1	2
MASSACHUSETTS -----	2,354	-	1	-	1	3	-	3	2	11	9	18
WHITE-----MALE----	1,050	-	1	-	1	2	-	2	1	7	1	9
FEMALE--	1,235	-	-	-	1	1	-	1	-	2	7	6
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	31	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	24	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	3,584	2	2	4	4	9	5	10	11	16	17	44
WHITE-----MALE----	1,709	-	1	-	1	1	1	3	2	4	7	13
FEMALE--	1,555	2	-	1	1	3	-	1	7	8	6	16
ALL OTHER--MALE----	178	-	1	2	2	3	3	1	-	1	1	6
FEMALE--	142	-	-	1	-	2	1	5	2	3	3	9
BLACK---MALE----	161	-	1	2	2	3	3	1	-	1	1	5
FEMALE--	127	-	-	1	-	2	1	5	2	3	3	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,948
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
KENTUCKY -----	47	96	124	248	329	364	309	178	81	34	3	-
WHITE-----MALE----	27	43	67	139	186	221	172	99	42	8	1	-
FEMALE--	17	51	49	98	129	128	127	71	36	24	2	-
ALL OTHER--MALE----	-	1	3	4	8	11	7	5	1	2	-	-
FEMALE--	3	1	5	7	6	4	3	3	2	-	-	-
BLACK---MALE----	-	1	3	4	8	11	7	5	1	2	-	-
FEMALE--	3	1	5	7	6	4	3	3	2	-	-	-
LOUISIANA -----	41	60	111	182	233	284	247	143	58	11	1	-
WHITE-----MALE----	12	21	48	79	87	131	109	52	21	3	-	-
FEMALE--	15	22	38	64	92	113	101	73	25	7	1	-
ALL OTHER--MALE----	8	10	17	25	33	25	23	17	9	1	-	-
FEMALE--	6	7	8	14	21	15	14	1	3	-	-	-
BLACK---MALE----	8	10	17	24	33	25	22	16	8	1	-	-
FEMALE--	6	7	8	14	20	15	13	1	3	-	-	-
MAINE -----	12	24	39	90	116	144	118	77	37	6	-	-
WHITE-----MALE----	7	11	23	50	67	80	72	33	20	4	-	-
FEMALE--	5	13	15	40	48	63	46	44	17	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	28	60	99	205	267	327	268	195	79	21	5	-
WHITE-----MALE----	12	20	41	81	106	147	116	91	23	6	2	-
FEMALE--	7	27	35	94	131	153	130	88	52	12	2	-
ALL OTHER--MALE----	5	9	7	21	20	13	11	12	1	1	-	-
FEMALE--	4	4	16	9	10	14	11	4	3	2	1	-
BLACK---MALE----	5	9	6	19	20	12	10	12	1	1	-	-
FEMALE--	4	4	16	9	10	12	10	4	3	2	1	-
MASSACHUSETTS -----	33	63	123	232	391	457	479	321	145	51	11	-
WHITE-----MALE----	10	30	47	124	198	194	222	130	52	15	5	-
FEMALE--	22	30	68	102	182	249	249	186	88	35	6	-
ALL OTHER--MALE----	1	3	4	2	7	6	4	4	-	1	-	-
FEMALE--	-	-	4	4	4	8	4	1	5	-	-	-
BLACK---MALE----	1	2	3	1	4	4	3	4	-	1	-	-
FEMALE--	-	-	2	4	2	7	4	1	3	-	-	-
MICHIGAN -----	71	116	249	451	598	748	581	420	178	42	6	-
WHITE-----MALE----	32	46	111	218	301	389	275	205	79	19	1	-
FEMALE--	30	50	101	188	254	307	271	189	93	22	5	-
ALL OTHER--MALE----	2	9	21	30	29	29	19	15	3	1	-	-
FEMALE--	7	11	16	15	14	23	16	11	3	-	-	-
BLACK---MALE----	1	9	18	26	27	26	18	13	3	1	-	-
FEMALE--	6	9	14	13	13	20	15	8	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,949
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
MINNESOTA -----	1,675	1	-	1	1	2	1	-	-	9	4	8
WHITE-----MALE----	861	1	-	-	-	-	-	-	-	3	2	3
FEMALE--	786	-	-	1	1	2	-	-	-	3	2	4
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI -----	1,021	1	1	-	1	2	1	1	3	3	6	8
WHITE-----MALE----	464	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	358	-	1	-	-	-	1	-	-	-	-	4
ALL OTHER--MALE----	131	-	-	-	1	1	-	-	-	3	2	1
FEMALE--	68	1	-	-	-	1	-	1	3	-	3	-
BLACK---MALE----	131	-	-	-	1	1	-	-	-	3	2	1
FEMALE--	66	1	-	-	-	1	-	1	3	-	2	-
MISSOURI -----	2,454	-	-	1	9	7	3	2	3	5	9	26
WHITE-----MALE----	1,278	-	-	1	1	2	1	1	1	3	-	11
FEMALE--	1,026	-	-	-	2	2	-	-	1	2	4	9
ALL OTHER--MALE----	81	-	-	-	2	3	1	-	1	-	1	2
FEMALE--	69	-	-	-	4	-	1	1	-	-	4	4
BLACK---MALE----	79	-	-	-	2	3	1	-	1	-	1	2
FEMALE--	65	-	-	-	4	-	1	1	-	-	4	4
MONTANA -----	480	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	260	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	213	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	730	-	-	-	-	2	2	2	1	4	3	3
WHITE-----MALE----	412	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	298	-	-	-	-	1	-	-	-	3	3	1
ALL OTHER--MALE----	13	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	1	-	-	-	-
NEVADA -----	796	2	1	-	3	1	-	2	3	3	5	5
WHITE-----MALE----	407	-	-	-	1	-	-	1	2	2	2	4
FEMALE--	353	1	-	-	-	1	-	1	1	1	3	1
ALL OTHER--MALE----	20	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	16	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	12	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	10	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,949
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
MINNESOTA -----	32	47	72	170	265	323	351	235	115	34	4	-
WHITE-----MALE----	18	24	42	83	151	176	174	118	50	16	-	-
FEMALE--	10	22	27	83	110	144	174	116	65	18	4	-
ALL OTHER--MALE----	2	-	2	4	2	-	2	-	-	-	-	-
FEMALE--	2	1	1	-	2	3	1	1	-	-	-	-
BLACK---MALE----	2	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	1	-	-	-	-
MISSISSIPPI -----	22	33	80	126	186	205	173	120	34	13	2	-
WHITE-----MALE----	5	13	37	61	89	110	82	46	13	4	-	-
FEMALE--	9	15	25	42	66	67	64	44	14	6	-	-
ALL OTHER--MALE----	5	3	13	19	18	25	14	22	2	1	1	-
FEMALE--	3	2	5	4	13	3	13	8	5	2	1	-
BLACK---MALE----	5	3	13	19	18	25	14	22	2	1	1	-
FEMALE--	3	2	5	4	13	3	12	8	5	2	1	-
MISSOURI -----	48	100	163	298	420	488	442	274	115	36	5	-
WHITE-----MALE----	19	47	77	161	232	277	239	137	54	14	-	-
FEMALE--	21	40	70	117	167	197	186	126	56	21	5	-
ALL OTHER--MALE----	1	9	14	7	15	8	10	5	2	-	-	-
FEMALE--	7	4	2	13	6	6	7	6	3	1	-	-
BLACK---MALE----	1	9	14	7	14	8	9	5	2	-	-	-
FEMALE--	5	4	2	13	6	5	7	5	3	1	-	-
MONTANA -----	10	14	33	49	85	110	92	53	24	6	-	-
WHITE-----MALE----	3	9	14	29	47	56	58	28	10	3	-	-
FEMALE--	7	5	18	20	37	52	33	24	14	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	8	17	43	68	127	138	136	99	59	16	2	-
WHITE-----MALE----	4	9	24	40	80	84	70	59	29	8	-	-
FEMALE--	3	7	18	25	45	53	60	40	29	8	2	-
ALL OTHER--MALE----	1	1	1	2	-	-	6	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	1	-	-	-
BLACK---MALE----	1	1	1	2	-	-	5	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	1	-	-	-
NEVADA -----	11	37	55	117	167	172	114	65	29	4	-	-
WHITE-----MALE----	4	20	23	74	85	92	54	33	9	1	-	-
FEMALE--	6	12	30	40	75	76	55	32	15	3	-	-
ALL OTHER--MALE----	1	3	1	1	3	4	3	-	2	-	-	-
FEMALE--	-	2	1	2	4	-	2	-	3	-	-	-
BLACK---MALE----	1	-	1	1	3	1	2	-	1	-	-	-
FEMALE--	-	2	-	-	2	-	2	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,951
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
OHIO -----	4,926	3	2	1	1	4	1	7	6	8	24	35
WHITE-----MALE----	2,344	1	1	-	1	1	-	3	3	2	2	12
FEMALE--	2,234	-	-	-	-	1	-	-	3	2	9	17
ALL OTHER--MALE----	191	1	1	1	-	1	1	3	-	-	7	2
FEMALE--	157	1	-	-	-	1	-	1	-	4	6	4
BLACK---MALE----	190	1	1	1	-	1	1	3	-	-	7	2
FEMALE--	149	1	-	-	-	1	-	1	-	4	6	4
OKLAHOMA -----	1,575	-	1	1	1	3	2	2	3	7	8	17
WHITE-----MALE----	818	-	1	1	1	-	1	-	-	4	2	3
FEMALE--	671	-	-	-	-	-	1	-	2	2	5	13
ALL OTHER--MALE----	46	-	-	-	-	2	-	1	1	1	1	-
FEMALE--	40	-	-	-	-	1	-	1	-	-	-	1
BLACK---MALE----	26	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	22	-	-	-	-	1	-	1	-	-	-	1
OREGON -----	1,425	-	-	1	-	-	-	2	2	4	4	13
WHITE-----MALE----	715	-	-	-	-	-	-	2	-	3	1	6
FEMALE--	684	-	-	-	-	-	-	-	2	-	3	4
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	10	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	1
PENNSYLVANIA -----	5,294	-	1	2	3	9	4	8	1	16	25	39
WHITE-----MALE----	2,586	-	-	1	1	-	1	3	-	6	3	15
FEMALE--	2,387	-	1	-	1	5	-	3	1	7	16	14
ALL OTHER--MALE----	180	-	-	1	1	4	1	2	-	1	1	5
FEMALE--	141	-	-	-	-	-	2	-	-	2	5	5
BLACK---MALE----	176	-	-	1	1	3	1	2	-	1	1	5
FEMALE--	136	-	-	-	-	-	2	-	-	2	5	5
RHODE ISLAND -----	416	-	-	-	-	-	-	1	-	1	2	-
WHITE-----MALE----	212	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	199	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,412	1	1	1	2	2	6	-	5	4	11	19
WHITE-----MALE----	663	1	-	-	-	1	1	-	-	1	3	4
FEMALE--	555	-	-	-	-	-	1	-	3	1	4	8
ALL OTHER--MALE----	115	-	1	1	2	1	3	-	1	-	2	2
FEMALE--	79	-	-	-	-	-	1	-	1	2	2	5
BLACK---MALE----	112	-	1	1	2	1	3	-	1	-	2	2
FEMALE--	79	-	-	-	-	-	1	-	1	2	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,951
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
OHIO -----	74	150	320	596	883	1,022	859	582	268	67	13	-
WHITE-----MALE----	34	72	140	276	450	499	445	268	102	26	6	-
FEMALE--	32	62	146	279	379	455	369	291	146	37	6	-
ALL OTHER--MALE----	5	7	21	23	30	37	24	14	11	1	1	-
FEMALE--	3	9	13	18	24	31	21	9	9	3	-	-
BLACK---MALE----	5	7	21	23	30	37	23	14	11	1	1	-
FEMALE--	3	8	11	18	23	29	21	7	9	3	-	-
OKLAHOMA -----	35	54	104	215	292	313	254	183	61	16	3	-
WHITE-----MALE----	17	26	65	111	147	177	137	92	27	5	1	-
FEMALE--	15	25	32	91	131	123	109	81	30	9	2	-
ALL OTHER--MALE----	1	1	5	7	8	8	1	5	3	1	-	-
FEMALE--	2	2	2	6	6	5	7	5	1	1	-	-
BLACK---MALE----	1	1	3	3	3	7	-	1	3	1	-	-
FEMALE--	1	2	1	3	3	2	4	3	-	-	-	-
OREGON -----	26	46	83	181	256	300	270	165	55	16	1	-
WHITE-----MALE----	9	17	40	87	113	168	136	92	34	6	1	-
FEMALE--	17	28	39	92	136	129	133	70	21	10	-	-
ALL OTHER--MALE----	-	-	2	1	4	2	1	3	-	-	-	-
FEMALE--	-	1	2	1	3	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	72	148	311	588	948	1,072	1,019	635	294	86	13	-
WHITE-----MALE----	27	65	148	305	503	535	510	301	129	31	2	-
FEMALE--	38	62	132	225	391	484	475	312	155	55	10	-
ALL OTHER--MALE----	4	10	18	32	35	31	18	12	4	-	-	-
FEMALE--	3	11	13	26	19	22	16	10	6	-	1	-
BLACK---MALE----	4	10	18	31	35	29	18	12	4	-	-	-
FEMALE--	2	10	13	25	18	21	16	10	6	-	1	-
RHODE ISLAND -----	9	12	19	44	61	90	81	57	30	9	-	-
WHITE-----MALE----	5	8	10	21	35	49	39	29	10	4	-	-
FEMALE--	4	4	7	23	26	40	40	28	20	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	49	61	121	191	262	273	200	142	47	13	1	-
WHITE-----MALE----	22	28	63	96	130	142	88	59	19	5	-	-
FEMALE--	15	21	42	75	99	103	85	69	21	7	1	-
ALL OTHER--MALE----	7	5	12	11	18	23	13	10	3	-	-	-
FEMALE--	5	7	4	9	15	5	14	4	4	1	-	-
BLACK---MALE----	7	5	12	11	17	22	12	10	3	-	-	-
FEMALE--	5	7	4	9	15	5	14	4	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,952
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
SOUTH DAKOTA -----	324	-	-	-	-	1	-	1	-	-	-	4
WHITE-----MALE----	200	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	116	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,201	1	-	-	4	2	-	2	5	5	15	30
WHITE-----MALE----	1,138	1	-	-	1	-	-	-	2	1	5	14
FEMALE--	867	-	-	-	1	1	-	1	2	-	7	12
ALL OTHER--MALE----	111	-	-	-	2	1	-	1	1	3	-	2
FEMALE--	85	-	-	-	-	-	-	-	-	1	3	2
BLACK---MALE----	111	-	-	-	2	1	-	1	1	3	-	2
FEMALE--	85	-	-	-	-	-	-	-	-	1	3	2
TEXAS -----	6,237	4	4	3	13	9	12	8	12	12	25	55
WHITE-----MALE----	3,042	2	2	1	6	4	3	3	6	2	12	25
FEMALE--	2,762	1	-	-	3	2	6	3	2	5	5	17
ALL OTHER--MALE----	255	1	-	2	3	2	2	1	2	2	4	8
FEMALE--	178	-	2	-	1	1	1	1	2	3	4	5
BLACK---MALE----	248	1	-	2	3	2	2	1	2	2	4	8
FEMALE--	167	-	2	-	1	1	1	1	2	3	4	4
UTAH -----	470	-	-	-	2	2	-	-	2	-	1	2
WHITE-----MALE----	271	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	195	-	-	-	2	1	-	-	2	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	241	-	-	-	-	1	-	-	1	-	1	4
WHITE-----MALE----	122	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	119	-	-	-	-	1	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,258	-	2	2	3	4	2	-	3	9	14	20
WHITE-----MALE----	989	-	1	-	-	1	1	-	1	4	3	6
FEMALE--	977	-	1	1	-	1	-	-	-	2	6	9
ALL OTHER--MALE----	166	-	-	-	2	2	-	-	1	1	3	3
FEMALE--	126	-	-	1	1	-	1	-	1	2	2	2
BLACK---MALE----	161	-	-	-	1	2	-	-	1	1	3	3
FEMALE--	114	-	-	1	1	-	1	-	1	2	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,952
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)												
SOUTH DAKOTA -----	3	4	17	33	61	64	62	46	27	-	1	-
WHITE-----MALE----	3	1	11	17	34	36	47	34	15	-	-	-
FEMALE--	-	3	5	15	26	26	15	11	12	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	54	100	177	346	413	376	341	221	80	24	5	-
WHITE-----MALE----	24	54	88	187	233	196	175	115	35	7	-	-
FEMALE--	22	37	75	134	143	150	140	86	37	16	3	-
ALL OTHER--MALE----	4	2	10	9	23	19	17	14	3	-	-	-
FEMALE--	4	7	4	16	14	11	9	6	5	1	2	-
BLACK---MALE----	4	2	10	9	23	19	17	14	3	-	-	-
FEMALE--	4	7	4	16	14	11	9	6	5	1	2	-
TEXAS -----	112	258	421	769	1,127	1,206	1,086	711	284	86	19	1
WHITE-----MALE----	53	119	210	385	557	614	557	329	114	34	3	1
FEMALE--	42	108	178	320	490	535	476	353	156	46	14	-
ALL OTHER--MALE----	12	10	20	43	51	31	39	14	6	2	-	-
FEMALE--	5	21	13	21	29	26	14	15	8	4	2	-
BLACK---MALE----	12	10	20	42	46	31	38	14	6	2	-	-
FEMALE--	5	20	12	21	24	25	14	14	8	3	2	-
UTAH -----	10	17	28	66	93	80	97	49	19	2	-	-
WHITE-----MALE----	5	10	13	42	51	48	52	36	12	1	-	-
FEMALE--	5	5	14	24	42	32	45	13	6	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	7	11	26	48	42	52	30	7	5	-	-
WHITE-----MALE----	2	5	8	18	27	17	25	12	2	4	-	-
FEMALE--	4	2	3	8	21	25	27	18	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	46	78	148	278	416	437	402	249	102	35	7	1
WHITE-----MALE----	13	32	67	118	194	207	182	111	39	7	1	1
FEMALE--	24	29	56	120	171	194	173	109	51	25	5	-
ALL OTHER--MALE----	2	8	11	21	30	25	29	20	7	-	1	-
FEMALE--	7	9	14	19	21	11	18	9	5	3	-	-
BLACK---MALE----	2	8	11	20	28	25	28	20	7	-	1	-
FEMALE--	7	8	13	17	18	10	15	8	5	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,954
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
0 UNITED STATES --	25,897	40	35	35	101	130	110	133	199	256	346	507
WHITE-----MALE----	11,619	19	11	10	26	33	28	37	54	74	73	163
FEMALE--	11,570	8	11	3	23	42	29	42	71	83	140	183
ALL OTHER--MALE----	1,471	8	9	17	40	34	33	31	43	48	53	74
FEMALE--	1,237	5	4	5	12	21	20	23	31	51	80	87
BLACK---MALE----	1,243	8	8	17	37	33	31	30	43	44	43	65
FEMALE--	1,081	5	4	4	12	20	20	23	27	44	75	79
ALABAMA -----	357	-	2	1	3	-	-	-	2	1	5	12
WHITE-----MALE----	168	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	120	-	-	-	-	-	-	-	1	1	3	3
ALL OTHER--MALE----	45	-	1	1	3	-	-	-	-	-	1	2
FEMALE--	24	-	1	-	-	-	-	-	-	-	1	4
BLACK---MALE----	45	-	1	1	3	-	-	-	-	-	1	2
FEMALE--	24	-	1	-	-	-	-	-	-	-	1	4
ALASKA -----	26	-	-	-	-	1	-	-	1	-	1	2
WHITE-----MALE----	11	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	538	1	-	1	2	-	2	2	3	2	5	7
WHITE-----MALE----	269	1	-	1	1	-	1	-	1	-	-	2
FEMALE--	254	-	-	-	1	-	1	2	1	2	4	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	285	1	1	-	2	2	1	2	1	3	5	9
WHITE-----MALE----	139	1	-	-	1	1	1	-	-	2	1	4
FEMALE--	104	-	-	-	-	1	-	1	-	1	3	3
ALL OTHER--MALE----	22	-	1	-	1	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	22	-	1	-	1	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	1	1	-	1	1
CALIFORNIA -----	3,050	8	3	3	6	8	10	19	30	32	41	62
WHITE-----MALE----	1,217	3	1	1	2	2	2	9	9	11	12	20
FEMALE--	1,486	4	2	-	1	3	6	3	8	7	16	23
ALL OTHER--MALE----	214	-	-	2	3	1	1	6	9	9	6	12
FEMALE--	133	1	-	-	-	2	1	1	4	5	7	7
BLACK---MALE----	110	-	-	2	2	1	1	6	9	7	2	8
FEMALE--	81	1	-	-	-	2	1	1	2	2	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,954
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
0 UNITED STATES --	744	1,187	1,927	3,294	4,388	4,718	3,989	2,402	982	297	77	-
WHITE-----MALE----	282	483	898	1,544	2,136	2,282	1,906	1,076	377	93	14	-
FEMALE--	303	497	834	1,475	1,902	2,133	1,818	1,186	546	182	59	-
ALL OTHER--MALE----	73	97	109	141	217	173	154	80	28	8	1	-
FEMALE--	86	110	86	134	133	130	111	60	31	14	3	-
BLACK---MALE----	69	85	92	122	171	139	113	61	23	8	1	-
FEMALE--	76	102	73	118	111	106	98	44	26	12	2	-
ALABAMA -----	11	24	36	44	57	55	60	27	10	6	1	-
WHITE-----MALE----	2	11	21	23	32	22	36	13	2	2	-	-
FEMALE--	5	9	12	12	15	23	17	9	6	3	1	-
ALL OTHER--MALE----	2	3	3	6	5	8	4	4	1	1	-	-
FEMALE--	2	1	-	3	5	2	3	1	1	-	-	-
BLACK---MALE----	2	3	3	6	5	8	4	4	1	1	-	-
FEMALE--	2	1	-	3	5	2	3	1	1	-	-	-
ALASKA -----	-	1	2	5	6	3	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	3	2	1	-	-	-	-	-
FEMALE--	-	1	1	3	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	20	39	71	102	100	103	39	17	4	2	-
WHITE-----MALE----	11	13	13	40	52	56	47	27	2	-	1	-
FEMALE--	4	6	24	30	47	42	55	12	15	3	1	-
ALL OTHER--MALE----	-	-	1	1	2	1	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	-	-	-	1	-	-
BLACK---MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	1	-	-
ARKANSAS -----	9	20	26	33	52	50	30	21	13	3	1	-
WHITE-----MALE----	1	11	15	14	29	26	20	9	1	2	-	-
FEMALE--	4	7	7	18	16	19	7	7	8	1	1	-
ALL OTHER--MALE----	-	2	3	1	6	1	1	4	1	-	-	-
FEMALE--	4	-	1	-	1	4	2	1	3	-	-	-
BLACK---MALE----	-	2	3	1	6	1	1	4	1	-	-	-
FEMALE--	4	-	1	-	1	4	2	-	3	-	-	-
CALIFORNIA -----	85	130	190	345	497	575	513	322	124	39	8	-
WHITE-----MALE----	31	57	84	143	223	230	208	116	43	10	-	-
FEMALE--	34	51	86	175	223	289	261	181	77	28	8	-
ALL OTHER--MALE----	8	13	8	13	39	35	32	17	-	-	-	-
FEMALE--	12	9	12	14	12	21	12	8	4	1	-	-
BLACK---MALE----	6	9	4	8	21	9	9	6	-	-	-	-
FEMALE--	10	6	8	10	5	12	7	5	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,955
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
COLORADO -----	365	-	-	2	1	-	-	1	4	4	4	6
WHITE-----MALE----	166	-	-	1	1	-	-	-	-	2	1	3
FEMALE--	185	-	-	1	-	-	-	1	3	1	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	258	-	-	-	-	3	3	1	1	-	2	5
WHITE-----MALE----	115	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	127	-	-	-	-	2	2	1	1	-	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	70	-	-	-	-	-	-	3	-	1	-	1
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	3	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	43	-	-	-	-	1	-	-	2	1	1	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	18	-	-	-	-	1	-	-	-	-	1	2
BLACK---MALE----	14	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	18	-	-	-	-	1	-	-	-	-	1	2
FLORIDA -----	1,857	5	3	-	2	2	5	6	9	18	14	33
WHITE-----MALE----	867	3	2	-	1	-	1	2	5	3	1	13
FEMALE--	867	1	1	-	-	1	2	2	2	5	5	11
ALL OTHER--MALE----	74	-	-	-	1	1	2	1	1	5	2	5
FEMALE--	49	1	-	-	-	-	-	1	1	5	6	4
BLACK---MALE----	70	-	-	-	1	1	2	1	1	5	2	5
FEMALE--	49	1	-	-	-	-	-	1	1	5	6	4
GEORGIA -----	649	1	1	3	1	2	3	2	7	8	9	7
WHITE-----MALE----	295	-	-	1	-	1	-	-	1	1	1	1
FEMALE--	254	-	1	-	-	-	-	-	3	3	2	4
ALL OTHER--MALE----	55	1	-	1	1	1	2	-	3	1	1	1
FEMALE--	45	-	-	1	-	-	1	2	-	3	5	1
BLACK---MALE----	53	1	-	1	1	1	2	-	3	1	1	1
FEMALE--	44	-	-	1	-	-	1	2	-	3	5	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,955
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
COLORADO -----	13	13	33	45	79	70	55	21	10	3	1	-
WHITE-----MALE----	5	5	17	18	41	31	31	8	-	2	-	-
FEMALE--	7	7	15	26	38	37	23	12	9	1	1	-
ALL OTHER--MALE----	1	-	1	1	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	6	13	20	23	44	53	46	21	7	9	1	-
WHITE-----MALE----	1	6	15	12	22	23	20	6	4	4	-	-
FEMALE--	3	5	5	11	21	29	21	15	3	4	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	3	-	-	1	-	-
BLACK---MALE----	-	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	2	-	-	1	-	-
DELAWARE -----	1	4	7	6	16	10	14	5	2	-	-	-
WHITE-----MALE----	1	1	4	3	11	9	4	3	2	-	-	-
FEMALE--	-	2	2	2	5	1	8	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	5	2	6	7	9	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	1	-	-	-
ALL OTHER--MALE----	-	1	2	2	1	3	2	-	-	-	-	-
FEMALE--	1	1	3	-	4	3	2	-	-	-	-	-
BLACK---MALE----	-	1	2	2	1	3	2	-	-	-	-	-
FEMALE--	1	1	3	-	4	3	2	-	-	-	-	-
FLORIDA -----	37	85	122	229	316	357	326	189	74	21	4	-
WHITE-----MALE----	19	32	54	113	161	166	167	83	32	8	1	-
FEMALE--	14	39	62	102	145	182	140	101	37	13	2	-
ALL OTHER--MALE----	3	10	4	9	6	2	14	2	5	-	1	-
FEMALE--	1	4	2	5	4	7	5	3	-	-	-	-
BLACK---MALE----	3	9	4	9	6	2	12	1	5	-	1	-
FEMALE--	1	4	2	5	4	7	5	3	-	-	-	-
GEORGIA -----	20	27	63	85	127	117	82	64	15	5	-	-
WHITE-----MALE----	9	11	27	43	67	55	44	26	7	-	-	-
FEMALE--	5	12	26	33	42	50	30	31	7	5	-	-
ALL OTHER--MALE----	2	3	7	5	9	8	4	4	1	-	-	-
FEMALE--	4	1	3	4	9	4	4	3	-	-	-	-
BLACK---MALE----	2	3	6	5	9	8	4	3	1	-	-	-
FEMALE--	4	1	3	4	9	4	3	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,956
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
HAWAII -----	3	4	9	9	12	7	10	10	4	1	-	-
WHITE-----MALE----	-	1	-	1	2	-	-	2	-	-	-	-
FEMALE--	1	1	3	3	-	2	2	2	-	-	-	-
ALL OTHER--MALE----	2	-	4	2	6	4	6	4	3	-	-	-
FEMALE--	-	2	2	3	4	1	2	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	6	6	11	19	20	19	15	-	1	-	-
WHITE-----MALE----	2	4	4	4	14	11	14	5	-	1	-	-
FEMALE--	1	2	2	7	5	9	5	9	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	35	70	97	180	217	216	200	132	52	15	2	-
WHITE-----MALE----	7	32	43	81	109	121	90	59	23	4	-	-
FEMALE--	16	21	36	82	82	82	95	69	27	9	2	-
ALL OTHER--MALE----	5	8	9	10	18	6	8	2	1	1	-	-
FEMALE--	7	9	9	7	8	7	7	2	1	1	-	-
BLACK---MALE----	5	6	8	8	17	6	7	2	1	1	-	-
FEMALE--	4	9	8	6	8	6	5	2	1	1	-	-
INDIANA -----	8	29	40	83	79	103	89	41	23	6	2	-
WHITE-----MALE----	-	10	20	37	36	54	47	21	6	2	-	-
FEMALE--	7	16	18	44	41	43	37	18	14	3	1	-
ALL OTHER--MALE----	-	3	2	1	2	4	3	2	-	1	-	-
FEMALE--	1	-	-	1	-	2	2	-	3	-	1	-
BLACK---MALE----	-	3	2	1	2	4	3	2	-	1	-	-
FEMALE--	1	-	-	1	-	2	2	-	3	-	1	-
IOWA -----	8	20	18	26	44	56	47	39	10	4	1	-
WHITE-----MALE----	3	10	12	15	19	29	22	21	2	1	-	-
FEMALE--	3	10	6	9	24	27	24	18	8	3	1	-
ALL OTHER--MALE----	1	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	2	10	19	32	38	36	37	27	8	14	2	-
WHITE-----MALE----	2	5	11	18	19	19	20	12	4	6	1	-
FEMALE--	-	4	5	14	19	17	16	15	4	8	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,957
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
KENTUCKY -----	373	-	-	-	1	2	1	2	4	1	5	9
WHITE-----MALE----	183	-	-	-	-	1	-	1	-	-	1	5
FEMALE--	165	-	-	-	-	-	-	1	3	-	2	2
ALL OTHER--MALE----	11	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	11	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	2	2
LOUISIANA -----	429	2	-	-	3	5	2	1	7	4	9	8
WHITE-----MALE----	140	-	-	-	-	1	-	-	1	-	2	-
FEMALE--	177	-	-	-	-	3	1	-	2	2	1	2
ALL OTHER--MALE----	70	2	-	-	2	1	-	1	2	-	2	3
FEMALE--	42	-	-	-	1	-	1	-	2	2	4	3
BLACK---MALE----	69	2	-	-	2	1	-	1	2	-	2	3
FEMALE--	42	-	-	-	1	-	1	-	2	2	4	3
MAINE -----	150	-	1	-	-	1	-	-	1	-	3	3
WHITE-----MALE----	87	-	-	-	-	1	-	-	1	-	2	1
FEMALE--	63	-	1	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	382	1	1	-	1	3	6	1	3	5	4	7
WHITE-----MALE----	140	-	-	-	-	1	2	-	2	2	2	3
FEMALE--	184	-	-	-	-	-	1	-	-	1	1	2
ALL OTHER--MALE----	31	1	-	-	-	-	2	1	1	2	1	-
FEMALE--	27	-	1	-	1	2	1	-	-	-	-	2
BLACK---MALE----	31	1	-	-	-	-	2	1	1	2	1	-
FEMALE--	26	-	1	-	1	2	1	-	-	-	-	2
MASSACHUSETTS -----	543	-	1	-	1	2	-	3	2	10	6	12
WHITE-----MALE----	208	-	1	-	-	1	-	2	1	6	1	4
FEMALE--	308	-	-	-	1	1	-	1	-	2	5	5
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	1,093	1	2	4	4	9	4	9	9	15	12	28
WHITE-----MALE----	514	-	1	-	1	1	-	2	-	3	4	5
FEMALE--	454	1	-	1	1	3	-	1	7	8	4	11
ALL OTHER--MALE----	62	-	1	2	2	3	3	1	-	1	1	5
FEMALE--	63	-	-	1	-	2	1	5	2	3	3	7
BLACK---MALE----	57	-	1	2	2	3	3	1	-	1	1	4
FEMALE--	59	-	-	1	-	2	1	5	2	3	3	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,957
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
KENTUCKY -----	18	21	18	54	73	64	47	28	13	12	-	-
WHITE-----MALE----	13	12	7	30	34	35	22	15	5	2	-	-
FEMALE--	3	8	10	23	35	28	23	11	7	9	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	1	1	1	-	-
FEMALE--	2	-	1	1	2	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	2	1	1	1	1	1	-	-
FEMALE--	2	-	1	1	2	-	1	1	-	-	-	-
LOUISIANA -----	21	22	41	50	75	73	60	33	11	1	1	-
WHITE-----MALE----	5	3	17	13	27	28	26	11	5	1	-	-
FEMALE--	6	11	15	19	32	31	27	19	5	-	1	-
ALL OTHER--MALE----	6	4	6	11	10	10	6	3	1	-	-	-
FEMALE--	4	4	3	7	6	4	1	-	-	-	-	-
BLACK---MALE----	6	4	6	10	10	10	6	3	1	-	-	-
FEMALE--	4	4	3	7	6	4	1	-	-	-	-	-
MAINE -----	7	7	12	21	32	33	16	8	5	-	-	-
WHITE-----MALE----	4	3	6	15	20	18	9	5	2	-	-	-
FEMALE--	3	4	6	6	12	15	7	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	28	27	54	56	65	62	30	13	3	-	-
WHITE-----MALE----	4	7	9	22	18	26	25	14	3	-	-	-
FEMALE--	4	12	14	29	32	35	28	13	10	2	-	-
ALL OTHER--MALE----	3	6	-	2	5	2	2	2	-	1	-	-
FEMALE--	1	3	4	1	1	2	7	1	-	-	-	-
BLACK---MALE----	3	6	-	2	5	2	2	2	-	1	-	-
FEMALE--	1	3	4	1	1	1	7	1	-	-	-	-
MASSACHUSETTS -----	12	18	33	67	86	90	93	63	24	15	5	-
WHITE-----MALE----	5	6	10	25	39	31	41	22	8	2	3	-
FEMALE--	6	11	19	40	43	55	50	38	16	13	2	-
ALL OTHER--MALE----	1	1	-	1	3	3	1	2	-	-	-	-
FEMALE--	-	-	4	1	1	1	1	1	-	-	-	-
BLACK---MALE----	1	1	-	1	2	2	1	2	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	1	-	-	-	-
MICHIGAN -----	32	39	96	157	163	219	142	101	37	8	2	-
WHITE-----MALE----	17	14	47	76	86	107	74	58	15	3	-	-
FEMALE--	12	17	39	67	63	91	62	40	20	4	2	-
ALL OTHER--MALE----	-	3	7	8	10	11	3	-	-	1	-	-
FEMALE--	3	5	3	6	4	10	3	3	2	-	-	-
BLACK---MALE----	-	3	5	8	8	11	3	-	-	1	-	-
FEMALE--	3	4	3	6	4	8	3	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,958
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
MINNESOTA -----	345	1	-	1	1	2	1	-	-	8	4	2
WHITE-----MALE----	163	1	-	-	-	-	-	-	-	3	2	-
FEMALE--	175	-	-	1	1	2	-	-	-	3	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI -----	239	-	1	-	1	2	1	1	3	2	2	4
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	79	-	1	-	-	-	1	-	-	-	-	3
ALL OTHER--MALE----	37	-	-	-	1	1	-	-	-	2	1	-
FEMALE--	29	-	-	-	-	1	-	1	3	-	1	-
BLACK---MALE----	37	-	-	-	1	1	-	-	-	2	1	-
FEMALE--	29	-	-	-	-	1	-	1	3	-	1	-
MISSOURI -----	522	-	-	1	9	7	3	2	3	4	7	15
WHITE-----MALE----	263	-	-	1	1	2	1	1	1	3	-	8
FEMALE--	208	-	-	-	2	2	-	-	1	1	2	3
ALL OTHER--MALE----	23	-	-	-	2	3	1	-	1	-	1	1
FEMALE--	28	-	-	-	4	-	1	1	-	-	4	3
BLACK---MALE----	23	-	-	-	2	3	1	-	1	-	1	1
FEMALE--	27	-	-	-	4	-	1	1	-	-	4	3
MONTANA -----	101	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	174	-	-	-	-	2	2	2	1	3	3	1
WHITE-----MALE----	99	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	70	-	-	-	-	1	-	-	-	2	3	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
NEVADA -----	168	2	1	-	3	1	-	2	2	3	3	3
WHITE-----MALE----	81	-	-	-	1	-	-	1	1	2	1	2
FEMALE--	75	1	-	-	-	1	-	1	1	1	2	1
ALL OTHER--MALE----	5	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,958
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
MINNESOTA -----	9	12	19	37	52	58	59	48	18	10	3	-
WHITE-----MALE----	5	6	8	16	26	35	23	26	6	6	-	-
FEMALE--	3	6	10	19	26	23	36	22	12	4	3	-
ALL OTHER--MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	9	8	25	31	38	44	33	26	6	2	-	-
WHITE-----MALE----	-	4	11	11	17	25	10	12	2	1	-	-
FEMALE--	6	3	8	10	10	15	10	8	3	1	-	-
ALL OTHER--MALE----	2	-	5	7	6	3	4	4	1	-	-	-
FEMALE--	1	1	1	3	5	1	9	2	-	-	-	-
BLACK---MALE----	2	-	5	7	6	3	4	4	1	-	-	-
FEMALE--	1	1	1	3	5	1	9	2	-	-	-	-
MISSOURI -----	17	29	40	69	74	92	74	50	21	3	2	-
WHITE-----MALE----	5	12	27	36	39	48	41	23	13	1	-	-
FEMALE--	7	12	12	26	32	41	30	25	8	2	2	-
ALL OTHER--MALE----	1	4	1	2	3	-	2	1	-	-	-	-
FEMALE--	4	1	-	5	-	3	1	1	-	-	-	-
BLACK---MALE----	1	4	1	2	3	-	2	1	-	-	-	-
FEMALE--	3	1	-	5	-	3	1	1	-	-	-	-
MONTANA -----	5	3	10	15	16	17	12	13	7	1	-	-
WHITE-----MALE----	2	1	5	8	11	9	5	6	3	1	-	-
FEMALE--	3	2	5	7	5	8	7	7	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	6	14	19	27	31	21	22	15	3	-	-
WHITE-----MALE----	1	3	10	10	20	20	13	12	5	1	-	-
FEMALE--	1	2	4	9	7	11	8	10	10	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	4	10	7	21	42	24	20	13	7	-	-	-
WHITE-----MALE----	2	4	2	12	17	11	13	9	3	-	-	-
FEMALE--	2	4	5	7	24	12	7	4	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,960
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
OHIO -----	1,120	3	2	1	1	4	1	7	6	6	17	13
WHITE-----MALE----	532	1	1	-	1	1	-	3	3	2	1	3
FEMALE--	489	-	-	-	-	1	-	-	3	1	4	6
ALL OTHER--MALE----	51	1	1	1	-	1	1	3	-	-	6	1
FEMALE--	48	1	-	-	-	1	-	1	-	3	6	3
BLACK---MALE----	51	1	1	1	-	1	1	3	-	-	6	1
FEMALE--	48	1	-	-	-	1	-	1	-	3	6	3
OKLAHOMA -----	335	-	1	-	1	3	1	2	3	3	8	7
WHITE-----MALE----	164	-	1	-	1	-	-	-	-	1	2	1
FEMALE--	139	-	-	-	-	-	1	-	2	2	5	5
ALL OTHER--MALE----	14	-	-	-	-	2	-	1	1	-	1	-
FEMALE--	18	-	-	-	-	1	-	1	-	-	-	1
BLACK---MALE----	9	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	1	-	1	-	-	-	1
OREGON -----	442	-	-	1	-	-	-	2	2	3	3	7
WHITE-----MALE----	208	-	-	-	-	-	-	2	-	2	-	3
FEMALE--	224	-	-	-	-	-	-	-	2	-	3	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	1,120	-	1	2	3	9	4	8	1	11	13	16
WHITE-----MALE----	498	-	-	1	1	-	1	3	-	3	1	7
FEMALE--	527	-	1	-	1	5	-	3	1	5	10	3
ALL OTHER--MALE----	44	-	-	1	1	4	1	2	-	1	1	2
FEMALE--	51	-	-	-	-	-	2	-	-	2	1	4
BLACK---MALE----	42	-	-	1	1	3	1	2	-	1	1	2
FEMALE--	49	-	-	-	-	-	2	-	-	2	1	4
RHODE ISLAND -----	69	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	34	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	386	1	1	1	2	2	6	-	4	3	7	6
WHITE-----MALE----	173	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	129	-	-	-	-	-	1	-	2	1	3	2
ALL OTHER--MALE----	45	-	1	1	2	1	3	-	1	-	2	-
FEMALE--	39	-	-	-	-	-	1	-	1	2	2	4
BLACK---MALE----	44	-	1	1	2	1	3	-	1	-	2	-
FEMALE--	39	-	-	-	-	-	1	-	1	2	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,960
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
OHIO -----	27	47	79	149	202	214	167	116	44	11	3	-
WHITE-----MALE----	12	24	38	73	105	102	87	52	19	4	-	-
FEMALE--	12	18	33	65	90	99	70	58	21	5	3	-
ALL OTHER--MALE----	2	1	2	3	6	8	6	3	4	1	-	-
FEMALE--	1	4	6	8	1	5	4	3	-	1	-	-
BLACK---MALE----	2	1	2	3	6	8	6	3	4	1	-	-
FEMALE--	1	4	6	8	1	5	4	3	-	1	-	-
OKLAHOMA -----	9	10	24	43	52	77	50	27	9	5	-	-
WHITE-----MALE----	4	1	16	22	26	44	31	9	4	1	-	-
FEMALE--	2	6	7	18	23	30	16	15	5	2	-	-
ALL OTHER--MALE----	1	1	1	1	1	1	1	1	-	1	-	-
FEMALE--	2	2	-	2	2	2	2	2	-	1	-	-
BLACK---MALE----	1	1	1	-	1	1	-	-	-	1	-	-
FEMALE--	1	2	-	1	1	2	2	1	-	-	-	-
OREGON -----	11	19	32	55	71	88	86	43	18	1	-	-
WHITE-----MALE----	2	8	14	24	29	47	39	27	10	1	-	-
FEMALE--	9	11	15	31	40	39	47	16	8	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	31	46	83	141	208	204	171	101	47	15	5	-
WHITE-----MALE----	9	10	40	77	103	99	76	41	19	6	1	-
FEMALE--	17	24	35	52	92	96	89	55	26	9	3	-
ALL OTHER--MALE----	2	5	4	4	6	5	3	1	1	-	-	-
FEMALE--	3	7	4	8	7	4	3	4	1	-	1	-
BLACK---MALE----	2	5	4	3	6	5	3	1	1	-	-	-
FEMALE--	2	7	4	8	6	4	3	4	1	-	1	-
RHODE ISLAND -----	1	5	4	11	13	12	10	7	2	1	-	-
WHITE-----MALE----	-	4	3	5	8	5	3	4	-	-	-	-
FEMALE--	1	1	1	6	5	7	6	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	25	24	33	64	61	49	50	35	9	3	-	-
WHITE-----MALE----	10	9	16	30	30	28	24	19	3	1	-	-
FEMALE--	5	9	13	24	21	14	20	11	2	1	-	-
ALL OTHER--MALE----	6	2	3	4	6	6	3	3	1	-	-	-
FEMALE--	4	4	1	6	4	1	3	2	3	1	-	-
BLACK---MALE----	6	2	3	4	5	6	3	3	1	-	-	-
FEMALE--	4	4	1	6	4	1	3	2	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,961
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
SOUTH DAKOTA -----	94	-	-	-	-	1	-	1	-	-	-	1
WHITE-----MALE----	53	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	552	1	-	-	4	2	-	2	4	4	4	14
WHITE-----MALE----	246	1	-	-	1	-	-	-	1	1	2	8
FEMALE--	245	-	-	-	1	1	-	1	2	-	2	3
ALL OTHER--MALE----	43	-	-	-	2	1	-	1	1	3	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	43	-	-	-	2	1	-	1	1	3	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	1,699	4	4	3	13	8	11	8	10	11	16	28
WHITE-----MALE----	786	2	2	1	6	3	2	3	4	2	4	14
FEMALE--	754	1	-	-	3	2	6	3	2	5	5	7
ALL OTHER--MALE----	92	1	-	2	3	2	2	1	2	1	3	3
FEMALE--	67	-	2	-	1	1	1	1	2	3	4	4
BLACK---MALE----	89	1	-	2	3	2	2	1	2	1	3	3
FEMALE--	64	-	2	-	1	1	1	1	2	3	4	3
UTAH -----	144	-	-	-	2	2	-	-	2	-	1	1
WHITE-----MALE----	68	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	75	-	-	-	2	1	-	-	2	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	44	-	-	-	-	1	-	-	1	-	1	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	549	-	2	1	3	4	2	-	2	9	13	8
WHITE-----MALE----	229	-	1	-	-	1	1	-	-	4	3	1
FEMALE--	233	-	1	-	-	1	-	-	-	2	5	4
ALL OTHER--MALE----	42	-	-	-	2	2	-	-	1	1	3	2
FEMALE--	45	-	-	1	1	-	1	-	1	2	2	1
BLACK---MALE----	40	-	-	-	1	2	-	-	1	1	3	2
FEMALE--	38	-	-	1	1	-	1	-	1	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,961
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED, EMPHYSEMA AND ASTHMA (490-493)												
SOUTH DAKOTA -----	1	2	8	13	14	22	14	12	5	-	-	-
WHITE-----MALE----	1	-	5	6	6	11	11	10	2	-	-	-
FEMALE--	-	2	2	6	8	11	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	30	44	95	82	91	74	55	23	4	2	-
WHITE-----MALE----	8	17	16	45	40	41	35	21	9	-	-	-
FEMALE--	6	11	25	44	30	39	35	27	13	3	2	-
ALL OTHER--MALE----	3	-	3	1	10	10	3	3	-	-	-	-
FEMALE--	-	2	-	5	2	1	1	4	1	1	-	-
BLACK---MALE----	3	-	3	1	10	10	3	3	-	-	-	-
FEMALE--	-	2	-	5	2	1	1	4	1	1	-	-
TEXAS -----	46	91	144	200	304	314	250	143	65	17	9	-
WHITE-----MALE----	23	40	63	102	148	153	119	60	29	5	1	-
FEMALE--	12	41	65	80	134	146	113	78	31	12	8	-
ALL OTHER--MALE----	9	2	10	12	14	7	14	2	2	-	-	-
FEMALE--	2	8	6	6	8	8	4	3	3	-	-	-
BLACK---MALE----	9	2	10	12	11	7	14	2	2	-	-	-
FEMALE--	2	8	5	6	8	8	4	2	3	-	-	-
UTAH -----	5	7	6	17	27	25	32	13	3	1	-	-
WHITE-----MALE----	2	3	3	11	13	9	15	9	2	-	-	-
FEMALE--	3	3	3	6	14	16	17	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	2	1	7	6	7	7	4	1	2	-	-
WHITE-----MALE----	1	1	1	4	5	1	4	1	-	2	-	-
FEMALE--	3	1	-	3	1	6	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	21	44	76	101	98	66	47	22	7	3	-
WHITE-----MALE----	6	7	12	33	53	42	32	22	9	1	1	-
FEMALE--	9	7	23	29	39	48	26	19	12	6	2	-
ALL OTHER--MALE----	1	1	5	6	4	5	5	4	-	-	-	-
FEMALE--	4	6	4	8	5	3	3	2	1	-	-	-
BLACK---MALE----	1	1	5	5	4	5	5	4	-	-	-	-
FEMALE--	4	5	4	7	3	2	2	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,964
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)												
COLORADO -----	-	-	-	-	1	1	-	-	2	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	-	-	1	5	3	-	2	-	-
WHITE-----MALE----	-	-	1	-	-	1	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	3	3	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	2	2	3	5	16	8	6	5	1	-
WHITE-----MALE----	-	-	-	1	1	3	6	3	3	1	-	-
FEMALE--	-	1	2	-	2	2	9	5	2	4	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	1	-	4	1	1	2	4	2	-	-	-
WHITE-----MALE----	-	1	-	2	1	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,966
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)												
KENTUCKY -----	1	-	-	-	-	2	3	-	2	2	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	-	-	-	3	3	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	1	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	1	-	1	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	1	-	4	2	2	4	2	4	1	-
WHITE-----MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	2	2	4	2	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	-	-	3	5	2	3	1	-	2	-
WHITE-----MALE----	-	1	-	-	-	3	1	2	1	-	-	-
FEMALE--	-	-	-	-	2	2	1	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,969
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)												
OHIO -----	-	-	-	6	1	3	4	6	4	3	-	-
WHITE-----MALE----	-	-	-	4	1	-	1	1	-	3	-	-
FEMALE--	-	-	-	2	-	2	3	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	1	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	1	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	-	5	4	3	9	8	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	2	3	-	-	-
FEMALE--	-	-	1	-	3	2	2	7	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	1	1	-	2	5	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,970
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHITIS, NOT SPECIFIED AS ACUTE OR CHRONIC (490)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	2	2	1	3	-	7	2	1	-	-
WHITE-----MALE----	-	1	2	2	1	1	-	2	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	4	-	1	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	4	-	1	-	-
TEXAS -----	4	1	-	-	5	6	8	7	7	1	2	-
WHITE-----MALE----	-	1	-	-	2	5	3	2	2	-	1	-
FEMALE--	1	-	-	-	3	1	5	5	5	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	2	3	2	3	3	-	2	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	1	-	1	-
FEMALE--	-	-	-	-	1	1	1	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,972
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC BRONCHITIS (491)												
0 UNITED STATES --	45	86	160	324	419	490	463	351	189	72	16	-
WHITE-----MALE----	24	40	78	165	219	255	226	153	68	22	3	-
FEMALE--	14	37	73	135	174	207	204	179	108	41	13	-
ALL OTHER--MALE----	6	3	3	17	20	15	22	9	8	3	-	-
FEMALE--	1	6	6	7	6	13	11	10	5	6	-	-
BLACK---MALE----	5	3	2	14	16	12	12	7	5	3	-	-
FEMALE--	1	5	6	6	5	7	8	7	4	5	-	-
ALABAMA -----	-	3	4	4	7	4	6	3	2	4	1	-
WHITE-----MALE----	-	2	1	1	5	3	4	-	1	-	-	-
FEMALE--	-	1	3	3	2	1	2	2	1	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	5	9	6	5	12	4	2	1	1	-
WHITE-----MALE----	-	-	-	4	2	3	5	3	-	-	1	-
FEMALE--	-	-	4	5	4	2	7	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	4	4	4	5	3	3	4	-	1	-
WHITE-----MALE----	-	1	3	1	3	3	3	2	1	-	-	-
FEMALE--	-	1	1	3	1	2	-	-	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	13	21	34	52	69	66	52	22	11	-	-
WHITE-----MALE----	2	8	9	14	21	29	26	18	6	3	-	-
FEMALE--	2	3	12	16	26	35	32	31	16	8	-	-
ALL OTHER--MALE----	1	1	-	2	4	3	6	2	-	-	-	-
FEMALE--	-	1	-	2	1	2	2	1	-	-	-	-
BLACK---MALE----	-	1	-	2	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,973
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC BRONCHITIS (491)												
COLORADO -----	1	2	2	3	5	6	5	3	1	2	-	-
WHITE-----MALE----	1	2	2	2	5	5	5	1	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	3	2	11	6	6	2	1	-	-
WHITE-----MALE----	-	-	1	1	2	3	2	3	-	1	-	-
FEMALE--	-	-	-	2	-	8	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	2	-	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	8	9	22	30	43	32	24	15	1	1	-
WHITE-----MALE----	3	4	3	13	14	18	18	9	3	-	-	-
FEMALE--	-	4	5	7	15	24	11	14	10	1	1	-
ALL OTHER--MALE----	-	-	-	2	1	-	2	1	2	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	2	1	2	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
GEORGIA -----	-	5	4	8	14	12	8	6	2	1	-	-
WHITE-----MALE----	-	2	2	6	10	7	5	2	-	-	-	-
FEMALE--	-	3	1	2	3	3	2	2	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,975
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC BRONCHITIS (491)												
KENTUCKY -----	3	3	2	11	12	10	11	5	2	3	-	-
WHITE-----MALE----	2	2	2	4	6	6	5	4	1	1	-	-
FEMALE--	1	1	-	7	5	4	5	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	2	4	2	5	4	6	4	1	2	-	1	-
WHITE-----MALE----	1	1	1	1	3	3	1	1	1	-	-	-
FEMALE--	1	2	1	2	1	2	3	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
MAINE -----	-	2	1	4	5	6	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	3	2	3	1	1	-	-	-	-
FEMALE--	-	1	1	1	3	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	1	7	4	10	4	3	1	-	-	-
WHITE-----MALE----	1	-	-	4	1	5	3	2	-	-	-	-
FEMALE--	-	1	1	3	2	5	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	2	6	6	5	11	1	3	5	1	-
WHITE-----MALE----	-	-	1	1	1	2	6	-	2	2	1	-
FEMALE--	1	1	1	5	4	2	5	1	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	1	7	19	16	14	21	11	7	1	-	-
WHITE-----MALE----	3	1	5	8	9	5	11	4	1	-	-	-
FEMALE--	-	-	2	11	5	8	10	5	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,976
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC BRONCHITIS (491)												
MINNESOTA -----	43	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MISSISSIPPI -----	35	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	61	-	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	33	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	7	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,981
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
0 UNITED STATES --	355	692	1,356	2,403	3,302	3,555	2,827	1,546	523	111	26	-
WHITE-----MALE----	181	343	694	1,219	1,723	1,838	1,469	789	246	45	6	-
FEMALE--	138	274	582	1,068	1,383	1,537	1,206	686	246	61	19	-
ALL OTHER--MALE----	24	53	62	75	141	122	106	48	16	4	1	-
FEMALE--	12	22	18	41	55	58	46	23	15	1	-	-
BLACK---MALE----	23	50	56	63	114	103	81	36	14	4	1	-
FEMALE--	12	20	15	39	46	51	42	19	12	1	-	-
ALABAMA -----	7	18	29	30	43	45	44	20	6	2	-	-
WHITE-----MALE----	2	9	19	20	27	19	28	12	1	2	-	-
FEMALE--	4	7	7	5	11	20	12	6	3	-	-	-
ALL OTHER--MALE----	-	2	3	4	5	5	3	1	1	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	1	-	-	-
BLACK---MALE----	-	2	3	4	5	5	3	1	1	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	1	-	-	-
ALASKA -----	-	1	1	4	6	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	3	1	-	-	-	-	-	-
FEMALE--	-	1	-	3	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	14	24	46	78	76	75	28	10	1	-	-
WHITE-----MALE----	7	11	11	32	42	44	37	21	1	-	-	-
FEMALE--	4	3	13	14	35	30	37	7	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	3	14	18	27	35	35	18	11	5	2	-	-
WHITE-----MALE----	1	8	11	13	23	21	12	5	-	2	-	-
FEMALE--	2	5	5	13	9	10	5	5	3	-	-	-
ALL OTHER--MALE----	-	1	2	1	3	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	1	-	-	-
BLACK---MALE----	-	1	2	1	3	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	1	-	-	-
CALIFORNIA -----	37	67	126	255	367	424	363	210	75	15	3	-
WHITE-----MALE----	18	38	64	120	184	182	156	90	30	4	-	-
FEMALE--	17	24	53	122	154	206	180	105	41	10	3	-
ALL OTHER--MALE----	1	4	4	10	24	24	19	12	-	-	-	-
FEMALE--	1	1	5	3	5	12	8	3	4	1	-	-
BLACK---MALE----	-	3	3	6	16	9	7	5	-	-	-	-
FEMALE--	1	-	4	3	2	9	6	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,982
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
COLORADO -----	3	6	21	30	63	57	39	11	4	1	-	-
WHITE-----MALE----	1	2	10	14	32	24	21	6	-	1	-	-
FEMALE--	2	4	10	15	31	32	18	5	4	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	7	15	19	31	37	30	8	5	4	1	-
WHITE-----MALE----	-	3	12	11	17	19	14	3	4	2	-	-
FEMALE--	2	4	3	8	14	17	15	5	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	1	6	3	13	6	9	3	1	-	-	-
WHITE-----MALE----	-	-	3	1	9	5	3	2	1	-	-	-
FEMALE--	-	1	2	2	4	1	5	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	1	1	4	4	6	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
FLORIDA -----	22	41	89	169	253	282	245	136	45	11	2	-
WHITE-----MALE----	12	23	46	90	134	140	133	62	23	6	1	-
FEMALE--	8	13	40	74	113	136	100	72	20	5	-	-
ALL OTHER--MALE----	2	5	3	5	3	1	11	1	2	-	1	-
FEMALE--	-	-	-	-	3	5	1	1	-	-	-	-
BLACK---MALE----	2	5	3	5	3	1	9	-	2	-	1	-
FEMALE--	-	-	-	-	3	5	1	1	-	-	-	-
GEORGIA -----	11	16	46	63	96	90	57	46	9	-	-	-
WHITE-----MALE----	9	7	24	34	54	48	32	21	4	-	-	-
FEMALE--	1	7	20	25	32	37	20	23	4	-	-	-
ALL OTHER--MALE----	1	1	2	3	7	3	3	1	1	-	-	-
FEMALE--	-	1	-	1	3	2	2	1	-	-	-	-
BLACK---MALE----	1	1	2	3	7	3	3	1	1	-	-	-
FEMALE--	-	1	-	1	3	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,983
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
HAWAII -----	-	1	2	4	5	5	8	5	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	2	-	-	-	-
FEMALE--	-	1	1	3	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	3	3	5	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	6	4	9	13	11	15	7	-	1	-	-
WHITE-----MALE----	2	4	2	3	10	5	13	4	-	1	-	-
FEMALE--	1	2	2	6	3	6	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	18	46	67	133	161	165	142	93	29	6	1	-
WHITE-----MALE----	4	26	35	65	85	95	71	46	18	1	-	-
FEMALE--	9	14	26	59	63	61	62	44	9	5	1	-
ALL OTHER--MALE----	3	5	5	7	8	5	5	2	1	-	-	-
FEMALE--	2	1	1	2	5	4	4	1	1	-	-	-
BLACK---MALE----	3	4	5	5	8	5	4	2	1	-	-	-
FEMALE--	2	1	1	1	5	3	3	1	1	-	-	-
INDIANA -----	4	18	30	64	62	76	61	28	10	5	-	-
WHITE-----MALE----	-	7	16	28	28	43	35	14	3	2	-	-
FEMALE--	4	9	13	35	32	30	24	12	5	2	-	-
ALL OTHER--MALE----	-	2	1	-	2	2	1	2	-	1	-	-
FEMALE--	-	-	-	1	-	1	-	-	2	-	-	-
BLACK---MALE----	-	2	1	-	2	2	1	2	-	1	-	-
FEMALE--	-	-	-	1	-	1	1	-	2	-	-	-
IOWA -----	1	15	10	21	25	40	32	20	5	1	1	-
WHITE-----MALE----	1	8	6	14	13	23	18	12	1	1	-	-
FEMALE--	-	7	4	5	12	17	14	8	4	-	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	8	12	23	28	29	23	17	4	5	-	-
WHITE-----MALE----	1	5	10	12	18	16	14	10	3	4	-	-
FEMALE--	-	2	1	11	10	13	8	7	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,984
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
KENTUCKY -----	10	16	14	36	51	45	25	20	8	2	-	-
WHITE-----MALE----	9	9	5	24	26	25	14	11	3	-	-	-
FEMALE--	1	6	9	11	23	19	10	7	4	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	1	1	1	1	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	1	1	1	1	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
LOUISIANA -----	12	15	27	34	59	56	43	23	4	1	-	-
WHITE-----MALE----	4	2	10	11	22	25	19	10	2	1	-	-
FEMALE--	2	8	12	14	26	20	18	11	2	-	-	-
ALL OTHER--MALE----	4	3	3	6	9	8	6	2	-	-	-	-
FEMALE--	2	2	2	3	2	3	-	-	-	-	-	-
BLACK---MALE----	4	3	3	5	9	8	6	2	-	-	-	-
FEMALE--	2	2	2	3	2	3	-	-	-	-	-	-
MAINE -----	4	5	11	14	22	26	10	6	3	-	-	-
WHITE-----MALE----	3	2	6	10	15	14	7	4	2	-	-	-
FEMALE--	1	3	5	4	7	12	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	18	17	39	38	51	44	22	5	1	-	-
WHITE-----MALE----	3	6	8	15	14	18	20	11	2	-	-	-
FEMALE--	1	6	8	23	23	30	18	9	3	1	-	-
ALL OTHER--MALE----	-	5	-	-	1	2	2	1	-	-	-	-
FEMALE--	-	1	1	1	-	1	4	1	-	-	-	-
BLACK---MALE----	-	5	-	-	1	2	2	1	-	-	-	-
FEMALE--	-	1	1	1	-	1	4	1	-	-	-	-
MASSACHUSETTS -----	5	12	24	51	59	68	64	49	14	4	2	-
WHITE-----MALE----	4	5	8	21	31	29	28	20	6	-	2	-
FEMALE--	1	7	14	29	27	38	34	26	8	4	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	2	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
MICHIGAN -----	20	27	77	114	127	180	97	74	25	5	-	-
WHITE-----MALE----	11	11	40	61	68	94	55	47	13	2	-	-
FEMALE--	7	10	34	45	48	70	37	26	10	2	-	-
ALL OTHER--MALE----	-	2	3	6	8	9	3	-	-	1	-	-
FEMALE--	2	4	-	2	3	7	2	1	2	-	-	-
BLACK---MALE----	-	2	3	6	7	9	3	-	-	1	-	-
FEMALE--	2	3	-	2	3	5	2	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,987
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
OHIO -----	20	34	56	111	153	165	120	68	20	-	2	-
WHITE-----MALE----	10	17	29	60	81	80	69	37	11	-	-	-
FEMALE--	9	15	25	45	68	76	47	27	7	-	2	-
ALL OTHER--MALE----	1	1	-	2	4	8	4	2	2	-	-	-
FEMALE--	-	1	2	4	-	1	-	2	-	-	-	-
BLACK---MALE----	1	1	-	2	4	8	4	2	2	-	-	-
FEMALE--	-	1	2	4	-	1	-	2	-	-	-	-
OKLAHOMA -----	5	6	20	30	42	59	41	18	4	4	-	-
WHITE-----MALE----	2	1	14	14	23	40	28	7	2	1	-	-
FEMALE--	2	4	5	13	19	17	11	8	2	2	-	-
ALL OTHER--MALE----	1	1	1	1	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	2	-	1	1	2	-	-	-	-
BLACK---MALE----	1	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
OREGON -----	4	10	25	40	55	68	65	27	9	-	-	-
WHITE-----MALE----	1	4	13	19	26	38	29	16	5	-	-	-
FEMALE--	3	6	10	21	28	29	36	11	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	29	57	109	163	148	130	62	28	8	1	-
WHITE-----MALE----	7	9	30	61	86	81	60	33	13	3	-	-
FEMALE--	6	13	24	40	67	64	66	28	14	5	1	-
ALL OTHER--MALE----	-	4	2	2	5	2	2	-	1	-	-	-
FEMALE--	-	3	1	6	5	1	2	1	-	-	-	-
BLACK---MALE----	-	4	2	1	5	2	2	-	1	-	-	-
FEMALE--	-	3	1	6	4	1	2	1	-	-	-	-
RHODE ISLAND -----	1	5	2	8	12	9	8	3	-	-	-	-
WHITE-----MALE----	-	4	2	4	8	3	3	3	-	-	-	-
FEMALE--	1	1	-	4	4	6	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	15	24	41	42	36	40	21	2	1	-	-
WHITE-----MALE----	8	7	14	24	24	24	21	15	2	1	-	-
FEMALE--	2	5	8	16	12	9	13	5	-	-	-	-
ALL OTHER--MALE----	2	2	2	-	5	3	3	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	3	-	-	-	-	-
BLACK---MALE----	2	2	2	-	4	3	3	1	-	-	-	-
FEMALE--	-	1	-	1	1	-	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,988
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPHYSEMA (492)												
SOUTH DAKOTA -----	-	1	6	10	10	20	9	8	2	-	-	-
WHITE-----MALE----	-	-	4	4	5	10	8	7	1	-	-	-
FEMALE--	-	1	2	6	5	10	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	23	32	72	60	68	53	32	11	-	1	-
WHITE-----MALE----	8	14	12	34	31	35	31	18	6	-	-	-
FEMALE--	4	9	18	35	21	28	21	11	5	-	1	-
ALL OTHER--MALE----	1	-	2	1	7	5	1	3	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	1	7	5	1	3	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
TEXAS -----	20	46	105	153	230	229	172	90	38	6	4	-
WHITE-----MALE----	12	28	50	76	119	113	89	42	22	1	-	-
FEMALE--	4	17	49	69	99	106	71	45	14	5	4	-
ALL OTHER--MALE----	4	1	6	7	9	7	10	1	1	-	-	-
FEMALE--	-	-	-	1	3	3	2	2	1	-	-	-
BLACK---MALE----	4	1	6	7	6	7	10	1	1	-	-	-
FEMALE--	-	-	-	1	3	3	2	1	1	-	-	-
UTAH -----	4	3	5	8	22	15	23	7	1	-	-	-
WHITE-----MALE----	2	2	2	6	11	5	10	4	1	-	-	-
FEMALE--	2	1	3	2	11	10	13	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	5	2	3	6	3	-	-	-	-
WHITE-----MALE----	1	1	-	3	2	1	3	1	-	-	-	-
FEMALE--	-	-	-	2	-	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	9	30	52	69	70	41	20	11	3	1	-
WHITE-----MALE----	6	3	10	24	38	34	23	13	6	1	-	-
FEMALE--	4	5	16	23	28	30	15	7	5	2	1	-
ALL OTHER--MALE----	-	1	4	3	2	5	3	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	4	2	2	5	3	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,990
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
0 UNITED STATES --	5,637	13	21	35	95	119	105	119	179	224	274	328
WHITE-----MALE----	1,454	4	9	10	24	28	25	36	47	65	51	73
FEMALE--	2,754	5	4	3	20	40	27	36	64	74	114	127
ALL OTHER--MALE----	625	1	6	17	40	32	33	25	39	39	41	52
FEMALE--	804	3	2	5	11	19	20	22	29	46	68	76
BLACK---MALE----	538	1	6	17	37	31	31	25	39	35	32	46
FEMALE--	709	3	2	4	11	18	20	22	26	40	64	68
ALABAMA -----	56	-	1	1	3	-	-	-	2	1	4	7
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	16	-	-	1	3	-	-	-	-	-	1	2
FEMALE--	16	-	1	-	-	-	-	-	-	-	1	4
BLACK---MALE----	16	-	-	1	3	-	-	-	-	-	1	2
FEMALE--	16	-	1	-	-	-	-	-	-	-	1	4
ALASKA -----	7	-	-	-	-	1	-	-	1	-	1	1
WHITE-----MALE----	5	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	122	1	-	1	2	-	2	1	3	2	5	4
WHITE-----MALE----	42	1	-	1	1	-	1	-	1	-	-	-
FEMALE--	72	-	-	-	1	-	1	1	1	2	4	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	73	-	-	-	2	2	1	2	1	3	3	6
WHITE-----MALE----	22	-	-	-	1	1	1	-	-	2	1	2
FEMALE--	29	-	-	-	-	1	-	1	-	1	1	3
ALL OTHER--MALE----	8	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	8	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	1	1	-	1	1
CALIFORNIA -----	652	3	2	3	6	7	8	16	28	26	36	34
WHITE-----MALE----	149	-	1	1	2	2	1	8	9	9	10	4
FEMALE--	343	2	1	-	1	2	5	3	8	6	15	15
ALL OTHER--MALE----	83	-	-	2	3	1	1	4	7	6	5	8
FEMALE--	77	1	-	-	-	2	1	1	4	5	6	7
BLACK---MALE----	43	-	-	2	2	1	1	4	7	4	2	6
FEMALE--	45	1	-	-	-	2	1	1	2	2	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,990
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
0 UNITED STATES --	335	393	392	531	616	606	589	393	178	71	21	-
WHITE-----MALE----	75	91	116	146	173	153	169	109	36	12	2	-
FEMALE--	148	184	172	258	321	362	349	245	131	53	17	-
ALL OTHER--MALE----	40	38	43	45	54	33	24	20	2	1	-	-
FEMALE--	72	80	61	82	68	58	47	19	9	5	2	-
BLACK---MALE----	38	29	33	41	39	21	18	16	2	1	-	-
FEMALE--	62	76	51	70	57	47	41	12	8	5	2	-
ALABAMA -----	4	3	3	9	4	5	5	3	1	-	-	-
WHITE-----MALE----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	1	1	2	4	-	2	2	1	1	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	2	1	2	-	-	-	-
FEMALE--	1	1	-	2	4	1	1	-	-	-	-	-
BLACK---MALE----	2	1	-	1	-	2	1	2	-	-	-	-
FEMALE--	1	1	-	2	4	1	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	5	9	15	18	19	16	7	5	2	-	-
WHITE-----MALE----	4	1	2	4	8	9	5	3	1	-	-	-
FEMALE--	-	3	7	10	8	10	11	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	6	4	4	2	13	9	6	6	2	1	-	-
WHITE-----MALE----	-	2	1	-	3	2	4	2	-	-	-	-
FEMALE--	2	1	1	2	6	6	1	2	-	1	-	-
ALL OTHER--MALE----	-	1	1	-	3	-	-	2	-	-	-	-
FEMALE--	4	-	1	-	1	1	1	-	2	-	-	-
BLACK---MALE----	-	1	1	-	3	-	-	2	-	-	-	-
FEMALE--	4	-	1	-	1	1	1	-	2	-	-	-
CALIFORNIA -----	43	48	42	51	72	79	72	46	17	8	5	-
WHITE-----MALE----	11	11	11	8	13	16	20	5	5	2	-	-
FEMALE--	15	23	21	35	42	48	44	34	12	6	5	-
ALL OTHER--MALE----	6	7	4	1	11	8	6	3	-	-	-	-
FEMALE--	11	7	6	7	6	7	2	4	-	-	-	-
BLACK---MALE----	6	4	1	-	2	-	-	1	-	-	-	-
FEMALE--	9	6	3	3	3	3	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,991
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
COLORADO -----	93	-	-	2	1	-	-	1	4	4	3	5
WHITE-----MALE----	29	-	-	1	1	-	-	-	-	2	1	2
FEMALE--	53	-	-	1	-	-	1	3	1	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	53	-	-	-	-	3	3	1	1	-	2	4
WHITE-----MALE----	12	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	31	-	-	-	-	2	2	1	1	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	15	-	-	-	-	-	-	2	-	1	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	2	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	21	-	-	-	-	1	-	-	1	1	1	3
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	14	-	-	-	-	1	-	-	-	-	1	2
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	14	-	-	-	-	1	-	-	-	-	1	2
FLORIDA -----	293	1	2	-	2	2	4	6	8	15	8	17
WHITE-----MALE----	79	-	1	-	1	-	-	2	4	2	-	6
FEMALE--	156	1	1	-	-	1	2	2	2	5	3	3
ALL OTHER--MALE----	25	-	-	-	1	1	2	1	1	3	1	4
FEMALE--	33	-	-	-	-	-	-	1	1	5	4	4
BLACK---MALE----	24	-	-	-	1	1	2	1	1	3	1	4
FEMALE--	33	-	-	-	-	-	-	1	1	5	4	4
GEORGIA -----	131	-	-	3	1	2	3	2	6	8	7	4
WHITE-----MALE----	19	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	59	-	-	-	-	-	-	-	3	3	2	4
ALL OTHER--MALE----	23	-	-	1	1	1	2	-	3	1	1	-
FEMALE--	30	-	-	1	-	-	1	2	-	3	4	-
BLACK---MALE----	22	-	-	1	1	1	2	-	3	1	1	-
FEMALE--	29	-	-	1	-	-	1	2	-	3	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,991
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
COLORADO -----	9	5	10	12	10	6	11	7	3	-	-	-
WHITE-----MALE----	3	1	5	2	3	2	5	1	-	-	-	-
FEMALE--	5	3	5	10	7	3	5	5	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	4	5	3	1	11	4	5	4	-	2	-	-
WHITE-----MALE----	1	3	1	-	3	-	2	-	-	-	-	-
FEMALE--	1	1	2	1	7	4	1	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	1	-	-
DELAWARE -----	1	2	-	1	2	3	1	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	2	3	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	4	1	2	3	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	1	3	-	2	2	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	1	3	-	2	2	1	-	-	-	-	-
FLORIDA -----	12	35	22	36	30	27	33	21	8	4	-	-
WHITE-----MALE----	4	5	5	9	12	5	10	9	3	1	-	-
FEMALE--	6	21	15	21	15	20	20	10	5	3	-	-
ALL OTHER--MALE----	1	5	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	4	1	5	1	1	3	2	-	-	-	-
BLACK---MALE----	1	4	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	4	1	5	1	1	3	2	-	-	-	-
GEORGIA -----	8	5	13	10	16	14	15	8	2	4	-	-
WHITE-----MALE----	-	1	1	1	2	-	6	3	2	-	-	-
FEMALE--	3	2	5	6	7	10	7	3	-	4	-	-
ALL OTHER--MALE----	1	2	4	1	2	2	-	1	-	-	-	-
FEMALE--	4	-	3	2	5	2	2	1	-	-	-	-
BLACK---MALE----	1	2	4	1	2	2	-	-	-	-	-	-
FEMALE--	4	-	3	2	5	2	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,993
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
KENTUCKY -----	66	-	-	-	1	1	1	2	3	1	4	4
WHITE-----MALE----	15	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	39	-	-	-	-	-	-	1	2	-	2	1
ALL OTHER--MALE----	3	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	3	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	2	1
LOUISIANA -----	105	-	-	-	3	4	2	1	5	4	8	4
WHITE-----MALE----	16	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	43	-	-	-	-	2	1	-	2	2	1	-
ALL OTHER--MALE----	21	-	-	-	2	1	-	1	1	-	1	2
FEMALE--	25	-	-	-	1	-	1	-	2	2	4	2
BLACK---MALE----	21	-	-	-	2	1	-	1	1	-	1	2
FEMALE--	25	-	-	-	1	-	1	-	2	2	4	2
MAINE -----	20	-	-	-	-	1	-	-	1	-	2	1
WHITE-----MALE----	9	-	-	-	-	1	-	-	1	-	2	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	99	-	1	-	1	3	6	1	3	5	4	4
WHITE-----MALE----	23	-	-	-	-	1	2	-	2	2	2	1
FEMALE--	41	-	-	-	-	-	1	-	-	1	1	1
ALL OTHER--MALE----	17	-	-	-	-	-	2	1	1	2	1	-
FEMALE--	18	-	1	-	1	2	1	-	-	-	-	2
BLACK---MALE----	17	-	-	-	-	-	2	1	1	2	1	-
FEMALE--	17	-	1	-	1	2	1	-	-	-	-	2
MASSACHUSETTS -----	120	-	1	-	1	1	-	3	2	9	5	7
WHITE-----MALE----	30	-	1	-	-	-	-	2	1	5	1	1
FEMALE--	76	-	-	-	1	1	-	1	-	2	4	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	216	1	2	4	3	9	4	9	8	13	9	21
WHITE-----MALE----	50	-	1	-	1	1	-	2	-	3	1	1
FEMALE--	103	1	-	1	-	3	-	1	6	6	4	9
ALL OTHER--MALE----	27	-	1	2	2	3	3	1	-	1	1	5
FEMALE--	36	-	-	1	-	2	1	5	2	3	3	6
BLACK---MALE----	24	-	1	2	2	3	3	1	-	1	1	4
FEMALE--	36	-	-	1	-	2	1	5	2	3	3	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,993
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
KENTUCKY -----	4	2	2	7	10	7	8	3	1	5	-	-
WHITE-----MALE----	1	1	-	2	2	3	2	-	-	1	-	-
FEMALE--	1	1	1	5	7	4	6	3	1	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
LOUISIANA -----	7	3	11	11	12	11	10	6	3	-	-	-
WHITE-----MALE----	-	-	5	1	2	-	4	-	1	-	-	-
FEMALE--	3	1	2	3	5	9	5	5	2	-	-	-
ALL OTHER--MALE----	2	1	3	4	1	1	-	1	-	-	-	-
FEMALE--	2	1	1	3	4	1	1	-	-	-	-	-
BLACK---MALE----	2	1	3	4	1	1	-	1	-	-	-	-
FEMALE--	2	1	1	3	4	1	1	-	-	-	-	-
MAINE -----	3	-	-	2	4	1	3	1	1	-	-	-
WHITE-----MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	2	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	9	9	8	14	3	14	4	3	1	-	-
WHITE-----MALE----	-	1	1	3	3	2	2	1	-	-	-	-
FEMALE--	3	5	5	3	7	-	9	2	3	-	-	-
ALL OTHER--MALE----	2	1	-	2	3	-	-	1	-	1	-	-
FEMALE--	1	2	3	-	1	1	3	-	-	-	-	-
BLACK---MALE----	2	1	-	2	3	-	-	1	-	1	-	-
FEMALE--	1	2	3	-	1	-	3	-	-	-	-	-
MASSACHUSETTS -----	6	4	6	10	17	15	16	9	5	2	1	-
WHITE-----MALE----	1	-	-	3	6	-	7	2	-	-	-	-
FEMALE--	4	3	4	6	9	13	9	7	5	2	1	-
ALL OTHER--MALE----	1	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MICHIGAN -----	9	10	12	24	17	20	22	13	4	2	-	-
WHITE-----MALE----	3	1	2	7	9	5	7	5	-	1	-	-
FEMALE--	5	7	3	11	8	11	14	8	4	1	-	-
ALL OTHER--MALE----	-	1	4	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	3	4	-	3	1	-	-	-	-	-
BLACK---MALE----	-	1	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	3	4	-	3	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,994
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
MINNESOTA -----	4	3	5	10	8	17	20	14	8	7	2	-
WHITE-----MALE----	2	-	2	6	4	9	4	6	1	3	-	-
FEMALE--	1	3	3	3	4	8	16	8	7	4	2	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	3	7	5	1	4	8	3	1	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	3	2	-	3	3	1	1	-	-	-
ALL OTHER--MALE----	1	-	2	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	1	1	4	1	-	-	-	-
BLACK---MALE----	1	-	2	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	1	1	4	1	-	-	-	-
MISSOURI -----	9	7	8	10	12	11	8	7	3	-	1	-
WHITE-----MALE----	-	3	4	4	4	3	3	1	2	-	-	-
FEMALE--	5	3	3	-	7	6	5	6	1	-	1	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	4	1	-	5	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	3	1	-	5	-	2	-	-	-	-	-	-
MONTANA -----	-	2	4	4	4	2	2	3	1	-	-	-
WHITE-----MALE----	-	1	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	1	3	2	2	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	3	1	4	4	3	7	9	9	-	-	-
WHITE-----MALE----	-	1	-	1	3	1	4	4	3	-	-	-
FEMALE--	1	2	1	3	1	2	3	5	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	5	-	2	5	2	2	1	2	-	-	-
WHITE-----MALE----	-	1	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	2	-	1	3	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,996
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
OHIO -----	196	1	2	1	1	4	1	5	4	4	10	4
WHITE-----MALE----	54	1	1	-	1	1	-	3	3	1	1	1
FEMALE--	98	-	-	-	-	1	-	-	1	1	3	1
ALL OTHER--MALE----	16	-	1	1	-	1	1	1	-	-	3	-
FEMALE--	28	-	-	-	-	1	-	1	-	2	3	2
BLACK---MALE----	16	-	1	1	-	1	1	1	-	-	3	-
FEMALE--	28	-	-	-	-	1	-	1	-	2	3	2
OKLAHOMA -----	69	-	1	-	1	2	1	1	3	2	6	6
WHITE-----MALE----	17	-	1	-	1	-	-	-	-	1	-	-
FEMALE--	37	-	-	-	-	-	1	-	2	1	5	5
ALL OTHER--MALE----	5	-	-	-	-	2	-	-	1	-	1	-
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	4	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1
OREGON -----	83	-	-	1	-	-	-	2	2	3	2	6
WHITE-----MALE----	29	-	-	-	-	-	-	2	-	2	-	3
FEMALE--	48	-	-	-	-	-	-	-	2	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	211	-	-	2	3	8	3	7	1	10	12	10
WHITE-----MALE----	47	-	-	1	1	-	-	3	-	2	1	2
FEMALE--	117	-	-	-	1	5	-	2	1	5	10	3
ALL OTHER--MALE----	20	-	-	1	1	3	1	2	-	1	-	2
FEMALE--	27	-	-	-	-	-	2	-	-	2	1	3
BLACK---MALE----	19	-	-	1	1	2	1	2	-	1	-	2
FEMALE--	26	-	-	-	-	-	2	-	-	2	1	3
RHODE ISLAND -----	14	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	103	-	1	1	2	2	6	-	3	2	5	5
WHITE-----MALE----	14	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	1	-	1	-	3	1
ALL OTHER--MALE----	23	-	1	1	2	1	3	-	1	-	1	-
FEMALE--	28	-	-	-	-	-	1	-	1	2	1	4
BLACK---MALE----	23	-	1	1	2	1	3	-	1	-	1	-
FEMALE--	28	-	-	-	-	-	1	-	1	2	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,996
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
OHIO -----	6	10	15	20	26	20	31	20	8	3	-	-
WHITE-----MALE----	1	5	3	3	8	5	9	6	1	-	-	-
FEMALE--	3	2	6	12	15	13	17	13	7	3	-	-
ALL OTHER--MALE----	1	-	2	1	2	-	1	1	-	-	-	-
FEMALE--	1	3	4	4	1	2	4	-	-	-	-	-
BLACK---MALE----	1	-	2	1	2	-	1	1	-	-	-	-
FEMALE--	1	3	4	4	1	2	4	-	-	-	-	-
OKLAHOMA -----	4	4	3	9	6	12	5	2	1	-	-	-
WHITE-----MALE----	2	-	1	5	1	2	2	1	-	-	-	-
FEMALE--	-	2	2	4	2	9	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	1	1	1	-	-	-	-	-
OREGON -----	6	6	4	9	9	10	9	9	5	-	-	-
WHITE-----MALE----	1	1	1	3	2	3	3	6	2	-	-	-
FEMALE--	5	5	2	6	6	6	6	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	12	19	20	23	21	15	18	2	3	4	-
WHITE-----MALE----	2	1	7	7	7	5	5	2	-	-	1	-
FEMALE--	11	6	7	9	14	13	9	14	2	3	2	-
ALL OTHER--MALE----	2	1	2	2	-	1	-	1	-	-	-	-
FEMALE--	3	4	3	2	2	2	1	1	-	-	1	-
BLACK---MALE----	2	1	2	2	-	1	-	1	-	-	-	-
FEMALE--	2	4	3	2	2	2	1	1	-	-	1	-
RHODE ISLAND -----	-	-	2	3	1	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	6	7	19	14	9	3	4	3	1	-	-
WHITE-----MALE----	-	1	1	5	3	2	-	-	-	-	-	-
FEMALE--	3	3	4	6	7	4	3	2	-	-	-	-
ALL OTHER--MALE----	3	-	1	4	1	2	-	1	1	-	-	-
FEMALE--	4	2	1	4	3	1	-	1	2	1	-	-
BLACK---MALE----	3	-	1	4	1	2	-	1	1	-	-	-
FEMALE--	4	2	1	4	3	1	-	1	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,997
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASTHMA (493)												
SOUTH DAKOTA -----	23	-	-	-	-	1	-	1	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	101	1	-	-	4	2	-	2	4	3	2	6
WHITE-----MALE----	26	1	-	-	1	-	-	-	1	1	-	4
FEMALE--	52	-	-	-	1	1	-	1	2	-	2	1
ALL OTHER--MALE----	16	-	-	-	2	1	-	1	1	2	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	2	1	-	1	1	2	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	19
TEXAS -----	371	1	2	3	11	7	11	7	9	11	11	19
WHITE-----MALE----	117	-	2	1	5	2	2	3	4	2	3	7
FEMALE--	173	1	-	-	2	2	6	3	1	5	3	7
ALL OTHER--MALE----	35	-	-	2	3	2	2	-	2	1	2	2
FEMALE--	46	-	-	-	1	1	1	1	2	3	3	3
BLACK---MALE----	35	-	-	2	3	2	2	-	2	1	2	2
FEMALE--	44	-	-	-	1	1	1	1	2	3	3	2
UTAH -----	33	-	-	-	2	2	-	-	2	-	-	1
WHITE-----MALE----	9	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	23	-	-	-	2	1	-	-	2	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	156	-	1	1	3	3	2	-	2	9	12	5
WHITE-----MALE----	33	-	1	-	-	-	1	-	-	4	3	1
FEMALE--	64	-	-	-	-	1	-	-	-	2	4	2
ALL OTHER--MALE----	19	-	-	-	2	2	-	-	1	1	3	1
FEMALE--	40	-	-	1	1	-	1	-	1	2	2	1
BLACK---MALE----	18	-	-	-	1	2	-	-	1	1	3	1
FEMALE--	34	-	-	1	1	-	1	-	1	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,997
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASTHMA (493)												
SOUTH DAKOTA -----	1	1	2	2	3	1	4	4	2	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	2	3	-	-	-	-
FEMALE--	-	1	-	-	3	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	5	6	13	9	13	14	9	5	1	-	-
WHITE-----MALE----	-	1	1	4	5	4	2	1	-	-	-	-
FEMALE--	1	2	4	6	2	6	10	8	4	1	-	-
ALL OTHER--MALE----	1	-	1	-	2	2	2	-	-	-	-	-
FEMALE--	-	2	-	3	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	2	2	2	-	-	-	-	-
FEMALE--	-	2	-	3	-	1	-	-	1	-	-	-
TEXAS -----	22	39	28	32	42	44	36	22	8	4	2	-
WHITE-----MALE----	11	10	7	16	10	14	11	4	1	2	-	-
FEMALE--	7	21	12	7	25	25	20	16	6	2	2	-
ALL OTHER--MALE----	3	1	3	5	2	-	3	1	1	-	-	-
FEMALE--	1	7	6	4	5	5	2	1	-	-	-	-
BLACK---MALE----	3	1	3	5	2	-	3	1	1	-	-	-
FEMALE--	1	7	5	4	5	5	2	1	-	-	-	-
UTAH -----	1	3	-	2	3	7	5	3	1	1	-	-
WHITE-----MALE----	-	1	-	1	-	2	2	2	-	-	-	-
FEMALE--	1	1	-	1	3	5	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	1	1	1	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	11	13	14	15	21	14	14	4	3	-	-
WHITE-----MALE----	-	3	1	2	3	5	4	3	2	-	-	-
FEMALE--	4	2	7	5	6	14	5	7	2	3	-	-
ALL OTHER--MALE----	1	-	1	1	2	-	2	2	-	-	-	-
FEMALE--	4	6	4	6	4	2	3	2	-	-	-	-
BLACK---MALE----	1	-	1	1	2	-	2	2	-	-	-	-
FEMALE--	4	5	4	5	3	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,999
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)												
0 UNITED STATES --	22	32	48	99	162	225	222	159	70	12	3	-
WHITE-----MALE----	7	9	13	43	60	71	64	48	13	-	-	-
FEMALE--	12	15	26	47	88	144	145	105	53	12	1	-
ALL OTHER--MALE----	1	4	4	5	7	4	7	3	2	-	1	-
FEMALE--	2	4	5	4	7	6	6	3	2	-	1	-
BLACK---MALE----	1	2	3	2	4	1	4	1	1	-	-	-
FEMALE--	1	2	4	2	4	2	2	2	-	-	1	-
ALABAMA -----	1	-	2	-	1	3	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	3	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	3	6	8	7	3	8	2	1	-	-
WHITE-----MALE----	1	-	1	3	4	1	2	2	-	-	-	-
FEMALE--	-	-	2	3	2	6	1	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	2	1	2	1	4	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	2	3	12	20	21	29	23	6	2	1	-
WHITE-----MALE----	-	-	1	7	5	5	9	7	2	-	-	-
FEMALE--	3	2	2	2	13	14	17	14	3	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	2	-	-	1	-
FEMALE--	-	-	-	1	2	2	3	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,005
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)												
OHIO -----	1	-	5	7	9	12	4	7	5	-	-	-
WHITE-----MALE----	1	-	1	1	4	4	1	2	-	-	-	-
FEMALE--	-	-	3	6	4	8	3	5	5	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	1	4	5	5	4	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	2	3	3	6	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	2	3	1	5	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	4	1	2	11	16	7	5	4	1	-	-
WHITE-----MALE----	-	1	-	2	2	10	1	2	-	-	-	-
FEMALE--	-	2	-	-	9	6	6	3	4	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	2	2	3	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	2	3	1	3	4	5	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	3	1	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,006
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 BRONCHIECTASIS AND EXTRINSIC ALLERGIC ALVEOLITIS (494-495)												
SOUTH DAKOTA -----	-	-	-	-	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	-	4	4	7	5	1	-	1	1	-
WHITE-----MALE----	-	1	-	2	2	2	3	1	-	-	-	-
FEMALE--	-	-	-	2	2	4	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	1	-
TEXAS -----	-	3	5	6	6	17	17	13	4	1	-	-
WHITE-----MALE----	-	-	2	3	4	2	6	3	1	-	-	-
FEMALE--	-	2	3	2	1	15	11	9	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	1	-	-	1	-	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	3	8	5	5	8	2	1	-	-	-
WHITE-----MALE----	-	1	-	2	1	4	1	-	-	-	-	-
FEMALE--	1	1	2	5	3	1	7	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,008
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
0 UNITED STATES --	1,058	2,220	4,574	8,768	13,407	15,555	14,502	9,726	4,126	1,124	171	3
WHITE-----MALE----	460	1,043	2,223	4,429	6,820	8,019	7,211	4,665	1,741	409	53	3
FEMALE--	461	938	1,888	3,635	5,703	6,661	6,544	4,555	2,145	648	93	-
ALL OTHER--MALE----	74	130	299	451	569	541	458	325	133	34	9	-
FEMALE--	63	109	164	253	315	334	289	181	107	33	16	-
BLACK---MALE----	66	119	272	395	486	462	387	255	101	27	8	-
FEMALE--	53	95	141	225	279	279	232	148	92	31	15	-
ALABAMA -----	26	47	105	207	212	260	220	137	67	15	2	-
WHITE-----MALE----	12	30	49	100	100	143	131	63	26	7	-	-
FEMALE--	8	15	44	84	87	97	72	55	31	5	1	-
ALL OTHER--MALE----	5	2	8	15	16	13	14	11	9	2	-	-
FEMALE--	1	-	4	8	9	7	3	8	1	1	1	-
BLACK---MALE----	5	2	8	15	14	13	14	10	9	2	-	-
FEMALE--	1	-	4	8	9	7	3	8	1	1	1	-
ALASKA -----	6	3	9	11	14	17	12	4	1	1	-	-
WHITE-----MALE----	4	1	3	5	9	5	6	2	-	-	-	-
FEMALE--	1	-	4	2	5	6	3	1	1	1	-	-
ALL OTHER--MALE----	1	1	2	3	-	4	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	38	94	157	264	326	258	182	88	20	1	-
WHITE-----MALE----	7	19	60	90	139	170	130	75	38	4	-	-
FEMALE--	5	18	31	63	123	147	124	102	48	15	1	-
ALL OTHER--MALE----	-	-	1	3	2	7	2	4	2	-	-	-
FEMALE--	2	1	2	1	-	2	2	1	-	1	-	-
BLACK---MALE----	-	-	-	2	2	4	1	3	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	1	-	-
ARKANSAS -----	18	32	50	99	152	145	146	114	44	8	-	-
WHITE-----MALE----	4	12	30	57	81	81	85	54	19	4	-	-
FEMALE--	13	16	16	37	64	54	48	49	19	3	-	-
ALL OTHER--MALE----	1	2	3	3	5	8	11	9	2	1	-	-
FEMALE--	-	2	1	2	2	2	2	2	4	-	-	-
BLACK---MALE----	1	2	2	3	5	8	11	9	2	1	-	-
FEMALE--	-	2	1	2	2	2	2	2	4	-	-	-
CALIFORNIA -----	103	201	435	771	1,385	1,549	1,483	1,011	434	137	23	-
WHITE-----MALE----	45	93	198	336	655	749	662	461	163	38	6	-
FEMALE--	38	89	193	358	619	694	721	482	232	88	13	-
ALL OTHER--MALE----	12	5	30	47	77	66	53	44	25	8	2	-
FEMALE--	8	14	14	30	34	40	47	24	14	3	2	-
BLACK---MALE----	9	2	20	26	38	30	22	14	8	3	1	-
FEMALE--	7	8	8	23	25	18	21	10	5	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,009
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
COLORADO -----	1,206	-	-	-	-	-	-	1	-	1	1	5
WHITE-----MALE----	630	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	548	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	894	-	-	-	-	-	-	-	1	-	3	1
WHITE-----MALE----	418	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	457	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	186	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	76	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	87	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	91	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5,542	-	-	-	-	-	-	1	1	5	12	22
WHITE-----MALE----	2,629	-	-	-	-	-	-	-	-	-	5	8
FEMALE--	2,623	-	-	-	-	-	-	-	-	1	5	10
ALL OTHER--MALE----	183	-	-	-	-	-	-	1	1	1	1	2
FEMALE--	107	-	-	-	-	-	-	-	-	3	1	2
BLACK---MALE----	181	-	-	-	-	-	-	1	1	1	1	2
FEMALE--	104	-	-	-	-	-	-	-	-	3	1	2
GEORGIA -----	1,783	-	-	-	-	-	-	-	1	-	6	10
WHITE-----MALE----	833	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	709	-	-	-	-	-	-	-	-	-	4	2
ALL OTHER--MALE----	170	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	71	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	169	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	69	-	-	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,009
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
COLORADO -----	8	30	75	126	214	263	235	168	63	14	2	-
WHITE-----MALE----	3	10	40	64	113	124	131	95	34	9	2	-
FEMALE--	5	19	32	56	91	132	103	73	29	5	-	-
ALL OTHER--MALE----	-	1	2	6	7	5	1	-	-	-	-	-
FEMALE--	-	-	1	-	3	2	-	-	-	-	-	-
BLACK---MALE----	-	1	1	5	5	5	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	-	-	-
CONNECTICUT -----	3	13	41	77	139	208	208	142	45	12	1	-
WHITE-----MALE----	2	2	12	40	74	106	107	52	18	4	-	-
FEMALE--	1	10	23	36	62	101	97	88	27	8	1	-
ALL OTHER--MALE----	-	-	5	1	3	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	3	1	1	-	-	-	-
BLACK---MALE----	-	-	5	1	2	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	3	1	1	-	-	-	-
DELAWARE -----	1	2	9	33	36	37	33	22	6	3	1	-
WHITE-----MALE----	1	-	3	7	17	15	16	13	2	1	1	-
FEMALE--	-	1	3	21	15	18	16	6	3	2	-	-
ALL OTHER--MALE----	-	-	3	5	4	1	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	3	-	2	-	-	-	-
BLACK---MALE----	-	-	3	5	4	1	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	3	-	2	-	-	-	-
DISTRICT OF COLUMBIA ----	2	3	3	7	13	20	17	8	13	3	-	-
WHITE-----MALE----	-	-	1	-	4	1	2	2	2	-	-	-
FEMALE--	-	-	-	-	3	3	7	4	2	1	-	-
ALL OTHER--MALE----	1	2	-	5	3	11	6	1	1	2	-	-
FEMALE--	1	1	2	2	3	5	2	1	8	-	-	-
BLACK---MALE----	1	2	-	5	3	11	6	1	1	2	-	-
FEMALE--	1	1	2	2	3	5	2	1	8	-	-	-
FLORIDA -----	61	135	289	575	901	1,163	1,118	849	311	80	19	-
WHITE-----MALE----	32	56	134	293	446	595	523	381	121	30	5	-
FEMALE--	22	61	122	245	401	526	553	439	180	46	12	-
ALL OTHER--MALE----	3	14	23	23	37	26	29	14	6	1	1	-
FEMALE--	4	4	10	14	17	16	13	15	4	3	1	-
BLACK---MALE----	3	14	23	23	37	25	28	14	6	1	1	-
FEMALE--	4	4	10	14	15	16	12	15	4	3	1	-
GEORGIA -----	26	63	142	237	329	362	329	193	70	14	1	-
WHITE-----MALE----	11	29	68	119	174	166	150	84	25	3	-	-
FEMALE--	8	22	55	88	117	147	143	80	36	7	-	-
ALL OTHER--MALE----	4	10	16	21	26	34	27	19	7	2	-	-
FEMALE--	3	2	3	9	12	15	9	10	2	2	1	-
BLACK---MALE----	4	10	16	21	26	34	26	19	7	2	-	-
FEMALE--	2	2	3	9	12	15	9	9	2	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,010
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
HAWAII -----	3	3	9	19	38	23	27	25	7	1	1	-
WHITE-----MALE----	-	-	2	6	10	9	5	4	1	-	-	-
FEMALE--	-	2	4	2	10	4	9	6	-	1	-	-
ALL OTHER--MALE----	2	1	2	5	13	8	8	10	5	-	-	-
FEMALE--	1	-	1	6	5	2	5	5	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	10	24	39	54	87	64	36	17	1	-	-
WHITE-----MALE----	5	8	14	21	41	57	39	22	11	-	-	-
FEMALE--	1	2	9	17	13	30	25	14	6	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	41	84	184	370	564	631	584	391	182	47	8	-
WHITE-----MALE----	18	41	75	187	282	324	251	213	80	15	2	-
FEMALE--	15	31	86	140	235	253	289	151	88	28	6	-
ALL OTHER--MALE----	5	4	17	27	28	26	25	16	9	2	-	-
FEMALE--	3	8	6	16	19	28	19	11	5	2	-	-
BLACK---MALE----	5	4	17	26	27	25	25	13	7	2	-	-
FEMALE--	3	8	6	15	19	26	17	10	5	2	-	-
INDIANA -----	28	50	125	239	341	361	338	211	88	22	8	-
WHITE-----MALE----	8	20	55	129	173	187	169	115	37	10	4	-
FEMALE--	17	26	62	99	157	162	157	94	49	11	4	-
ALL OTHER--MALE----	3	1	3	7	6	8	3	1	1	1	-	-
FEMALE--	-	3	5	4	5	4	9	1	1	-	-	-
BLACK---MALE----	3	1	3	7	6	8	3	1	1	1	-	-
FEMALE--	-	3	5	4	5	4	9	1	1	-	-	-
IOWA -----	13	25	67	120	173	204	202	144	79	21	-	-
WHITE-----MALE----	7	14	37	78	105	119	121	84	44	7	-	-
FEMALE--	6	11	29	38	66	83	80	60	34	14	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	3	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	3	1	-	-	-	1	-	-	-
KANSAS -----	14	28	66	105	170	171	164	117	46	9	2	-
WHITE-----MALE----	2	13	36	57	77	98	103	62	28	7	1	-
FEMALE--	11	13	25	40	92	70	56	53	18	2	-	-
ALL OTHER--MALE----	-	2	4	6	1	1	2	1	-	-	1	-
FEMALE--	1	-	1	2	-	2	3	1	-	-	-	-
BLACK---MALE----	-	1	3	6	1	1	2	1	-	-	1	-
FEMALE--	-	-	1	2	-	2	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,011
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
KENTUCKY -----	29	75	106	193	253	295	261	148	67	22	3	-
WHITE-----MALE----	14	31	60	109	152	185	150	84	37	6	1	-
FEMALE--	14	43	39	74	91	96	103	58	28	15	2	-
ALL OTHER--MALE----	-	-	3	4	6	10	6	4	-	1	-	-
FEMALE--	1	1	4	6	4	4	2	2	2	-	-	-
BLACK---MALE----	-	-	3	4	6	10	6	4	-	1	-	-
FEMALE--	1	1	4	6	4	4	2	2	2	-	-	-
LOUISIANA -----	19	38	69	131	155	209	185	109	47	10	-	-
WHITE-----MALE----	7	18	31	65	59	103	83	41	16	2	-	-
FEMALE--	8	11	23	45	60	80	73	53	20	7	-	-
ALL OTHER--MALE----	2	6	10	14	23	15	16	14	8	1	-	-
FEMALE--	2	3	5	7	13	11	13	1	3	-	-	-
BLACK---MALE----	2	6	10	14	23	15	16	13	7	1	-	-
FEMALE--	2	3	5	7	12	11	12	1	3	-	-	-
MAINE -----	5	17	27	67	84	109	97	66	31	6	-	-
WHITE-----MALE----	3	8	17	34	47	61	60	27	18	4	-	-
FEMALE--	2	9	9	33	36	47	37	39	13	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	32	72	150	209	257	204	165	66	18	5	-
WHITE-----MALE----	8	13	32	59	88	119	90	77	20	6	2	-
FEMALE--	3	15	21	64	98	116	101	75	42	10	2	-
ALL OTHER--MALE----	2	3	7	19	14	10	9	10	1	-	-	-
FEMALE--	3	1	12	8	9	12	4	3	3	2	1	-
BLACK---MALE----	2	3	6	17	14	10	8	10	1	-	-	-
FEMALE--	3	1	12	8	9	11	3	3	3	2	1	-
MASSACHUSETTS -----	21	45	89	164	304	365	381	256	119	36	6	-
WHITE-----MALE----	5	24	37	98	158	161	180	107	43	13	2	-
FEMALE--	16	19	48	62	139	194	196	147	71	22	4	-
ALL OTHER--MALE----	-	2	4	1	4	3	3	2	-	1	-	-
FEMALE--	-	-	-	3	3	7	2	-	5	-	-	-
BLACK---MALE----	-	1	3	-	2	2	2	2	-	1	-	-
FEMALE--	-	-	-	3	2	7	2	-	3	-	-	-
MICHIGAN -----	37	76	151	292	430	520	436	317	140	34	4	-
WHITE-----MALE----	14	32	63	140	214	282	200	146	64	16	1	-
FEMALE--	17	32	61	121	187	207	207	148	72	18	3	-
ALL OTHER--MALE----	2	6	14	22	19	18	16	15	3	-	-	-
FEMALE--	4	6	13	9	10	13	13	8	1	-	-	-
BLACK---MALE----	1	6	13	18	19	15	15	13	3	-	-	-
FEMALE--	3	5	11	7	9	12	12	6	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,012
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
MINNESOTA -----	22	34	53	132	211	262	289	183	96	24	1	-
WHITE-----MALE----	12	18	34	66	124	139	151	90	43	10	-	-
FEMALE--	7	15	17	64	83	120	136	92	53	14	1	-
ALL OTHER--MALE----	1	-	1	2	2	-	1	-	-	-	-	-
FEMALE--	2	1	1	-	2	3	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	1	-	-	-	-
MISSISSIPPI -----	13	25	55	94	147	161	137	92	28	11	2	-
WHITE-----MALE----	5	9	26	49	72	85	72	34	11	3	-	-
FEMALE--	3	12	17	32	55	52	51	35	11	5	-	-
ALL OTHER--MALE----	3	3	8	12	12	22	10	17	1	1	1	-
FEMALE--	2	1	4	1	8	2	4	6	5	2	1	-
BLACK---MALE----	3	3	8	12	12	22	10	17	1	1	1	-
FEMALE--	2	1	4	1	8	2	3	6	5	2	1	-
MISSOURI -----	31	71	123	229	343	390	364	218	93	33	3	-
WHITE-----MALE----	14	35	50	125	193	227	197	113	41	13	-	-
FEMALE--	14	28	58	91	132	152	153	96	47	19	3	-
ALL OTHER--MALE----	-	5	13	5	12	8	8	4	2	-	-	-
FEMALE--	3	3	2	8	6	3	6	5	3	1	-	-
BLACK---MALE----	-	5	13	5	11	8	7	4	2	-	-	-
FEMALE--	2	3	2	8	6	2	6	4	3	1	-	-
MONTANA -----	5	11	23	33	69	93	80	40	17	5	-	-
WHITE-----MALE----	1	8	9	20	36	47	53	22	7	2	-	-
FEMALE--	4	3	13	13	32	44	26	17	10	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	11	27	49	99	104	114	77	44	13	1	-
WHITE-----MALE----	3	6	12	30	60	63	57	47	24	7	-	-
FEMALE--	2	5	14	16	37	40	51	30	19	6	1	-
ALL OTHER--MALE----	1	-	1	2	-	-	6	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	2	-	-	5	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	1	-	-	-
NEVADA -----	7	27	48	96	124	147	94	51	22	4	-	-
WHITE-----MALE----	2	16	21	62	67	80	41	24	6	1	-	-
FEMALE--	4	8	25	33	51	64	48	27	13	3	-	-
ALL OTHER--MALE----	1	2	1	1	3	3	3	-	1	-	-	-
FEMALE--	-	1	1	-	3	-	2	-	2	-	-	-
BLACK---MALE----	1	-	1	1	3	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,014
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
OHIO -----	46	103	236	440	672	796	688	459	219	56	10	-
WHITE-----MALE----	21	48	101	202	341	393	357	214	83	22	6	-
FEMALE--	20	44	110	208	285	348	296	228	120	32	3	-
ALL OTHER--MALE----	3	6	18	20	23	29	18	11	7	-	1	-
FEMALE--	2	5	7	10	23	26	17	6	9	2	-	-
BLACK---MALE----	3	6	18	20	23	29	17	11	7	-	1	-
FEMALE--	2	4	5	10	22	24	17	4	9	2	-	-
OKLAHOMA -----	26	43	80	171	236	231	199	152	52	11	3	-
WHITE-----MALE----	13	24	49	89	119	130	105	82	23	4	1	-
FEMALE--	13	19	25	72	107	91	89	63	25	7	2	-
ALL OTHER--MALE----	-	-	4	6	6	7	-	4	3	-	-	-
FEMALE--	-	-	2	4	4	3	5	3	1	-	-	-
BLACK---MALE----	-	-	2	3	2	6	-	1	3	-	-	-
FEMALE--	-	-	1	2	2	-	2	2	-	-	-	-
OREGON -----	15	27	51	124	182	209	178	121	36	15	1	-
WHITE-----MALE----	7	9	26	63	84	119	96	64	24	5	1	-
FEMALE--	8	17	24	59	93	89	81	54	12	10	-	-
ALL OTHER--MALE----	-	-	1	1	2	1	1	3	-	-	-	-
FEMALE--	-	1	-	1	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	41	98	227	445	729	852	841	529	243	70	8	-
WHITE-----MALE----	18	54	108	226	398	426	433	258	110	25	1	-
FEMALE--	21	36	97	173	290	382	380	254	125	45	7	-
ALL OTHER--MALE----	2	4	14	28	29	26	15	11	3	-	-	-
FEMALE--	-	4	8	18	12	18	13	6	5	-	-	-
BLACK---MALE----	2	4	14	28	29	24	15	11	3	-	-	-
FEMALE--	-	3	8	17	12	17	13	6	5	-	-	-
RHODE ISLAND -----	8	6	15	33	46	76	68	50	28	8	-	-
WHITE-----MALE----	5	3	7	16	26	42	35	25	10	4	-	-
FEMALE--	3	3	6	17	20	33	32	25	18	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	24	37	86	124	200	221	146	102	38	10	1	-
WHITE-----MALE----	12	19	47	65	99	114	63	40	16	4	-	-
FEMALE--	10	12	28	49	78	86	64	53	19	6	1	-
ALL OTHER--MALE----	1	3	9	7	12	17	9	7	2	-	-	-
FEMALE--	1	3	2	3	11	4	10	2	1	-	-	-
BLACK---MALE----	1	3	9	7	12	16	8	7	2	-	-	-
FEMALE--	1	3	2	3	11	4	10	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,015
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED (496)												
SOUTH DAKOTA -----	2	2	9	20	46	42	47	34	21	-	1	-
WHITE-----MALE----	2	1	6	11	28	25	36	24	13	-	-	-
FEMALE--	-	1	3	9	17	15	11	9	8	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	36	68	133	247	327	278	262	165	57	19	2	-
WHITE-----MALE----	16	36	72	140	191	153	137	93	26	7	-	-
FEMALE--	16	26	50	88	111	107	104	59	24	12	1	-
ALL OTHER--MALE----	-	2	7	8	13	8	13	11	3	-	-	-
FEMALE--	4	4	4	11	12	10	8	2	4	-	1	-
BLACK---MALE----	-	2	7	8	13	8	13	11	3	-	-	-
FEMALE--	4	4	4	11	12	10	8	2	4	-	1	-
TEXAS -----	66	164	272	563	817	875	819	555	215	68	10	1
WHITE-----MALE----	30	79	145	280	405	459	432	266	84	29	2	1
FEMALE--	30	65	110	238	355	374	352	266	122	33	6	-
ALL OTHER--MALE----	3	8	10	30	37	24	25	12	4	2	-	-
FEMALE--	3	12	7	15	20	18	10	11	5	4	2	-
BLACK---MALE----	3	8	10	29	35	24	24	12	4	2	-	-
FEMALE--	3	12	7	15	16	17	10	11	5	3	2	-
UTAH -----	5	9	22	49	65	55	63	33	16	1	-	-
WHITE-----MALE----	3	7	10	31	38	39	37	26	10	1	-	-
FEMALE--	2	2	11	18	27	16	26	7	5	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	5	10	19	41	34	44	26	6	3	-	-
WHITE-----MALE----	1	4	7	14	22	15	21	11	2	2	-	-
FEMALE--	1	1	3	5	19	19	23	15	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	55	101	194	310	334	328	200	79	28	4	1
WHITE-----MALE----	7	24	55	83	140	161	149	89	30	6	-	1
FEMALE--	14	21	31	86	129	145	140	88	39	19	3	-
ALL OTHER--MALE----	1	7	5	15	26	20	24	16	6	-	1	-
FEMALE--	3	3	10	10	15	8	15	7	4	3	-	-
BLACK---MALE----	1	7	5	15	24	20	23	16	6	-	1	-
FEMALE--	3	3	9	10	14	8	13	7	4	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,017
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
0 UNITED STATES --	97	167	294	544	995	1,481	2,203	2,345	1,552	636	145	1
WHITE-----MALE----	54	86	181	333	588	874	1,144	1,076	573	189	39	1
FEMALE--	21	33	65	113	271	434	840	1,069	841	388	82	-
ALL OTHER--MALE----	17	36	34	56	85	110	125	89	53	21	5	-
FEMALE--	5	12	14	42	51	63	94	111	85	38	19	-
BLACK---MALE----	14	32	30	48	71	97	110	75	39	16	4	-
FEMALE--	4	10	11	37	45	62	82	103	80	32	18	-
ALABAMA -----	-	4	3	10	13	16	29	34	14	8	3	-
WHITE-----MALE----	-	2	-	5	5	10	12	10	3	1	-	-
FEMALE--	-	-	2	2	3	5	17	20	9	6	-	-
ALL OTHER--MALE----	-	1	-	2	2	-	-	2	1	-	1	-
FEMALE--	-	1	1	1	3	1	-	2	1	1	2	-
BLACK---MALE----	-	1	-	2	1	-	-	2	1	-	1	-
FEMALE--	-	1	1	1	3	1	-	2	1	1	2	-
ALASKA -----	1	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	4	10	12	26	22	29	20	2	-	-
WHITE-----MALE----	1	1	1	6	7	17	15	17	7	1	-	-
FEMALE--	-	-	2	4	3	6	7	11	11	1	-	-
ALL OTHER--MALE----	-	1	1	-	1	3	-	1	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	2	-	6	5	14	24	22	45	18	7	2	-
WHITE-----MALE----	1	-	5	4	7	10	15	20	4	3	1	-
FEMALE--	1	-	1	1	6	7	6	19	12	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	5	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	4	2	1	-	-
BLACK---MALE----	-	-	-	-	-	5	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	4	2	1	-	-
CALIFORNIA -----	4	13	19	29	51	73	112	117	72	29	5	1
WHITE-----MALE----	1	8	12	15	35	39	55	63	26	9	-	1
FEMALE--	1	3	4	10	14	28	45	45	39	19	4	-
ALL OTHER--MALE----	1	1	-	3	2	6	5	6	4	-	-	-
FEMALE--	1	1	3	1	-	-	7	3	3	1	1	-
BLACK---MALE----	-	1	-	1	2	2	1	3	1	-	-	-
FEMALE--	-	1	-	-	-	-	2	2	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,018
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
COLORADO -----	1	3	5	12	12	19	37	29	22	13	3	-
WHITE-----MALE----	1	2	5	8	6	8	26	13	11	6	1	-
FEMALE--	-	-	-	3	6	10	11	16	11	7	2	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	3	3	7	13	29	41	37	27	16	3	-
WHITE-----MALE----	2	2	2	6	5	16	23	18	11	4	-	-
FEMALE--	-	-	1	-	6	11	17	18	15	12	3	-
ALL OTHER--MALE----	1	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
DELAWARE -----	-	2	-	2	4	6	4	10	4	-	1	-
WHITE-----MALE----	-	1	-	2	2	5	2	4	2	-	1	-
FEMALE--	-	1	-	-	2	1	1	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	4	4	5	9	8	6	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	2	4	4	4	-	1	-	-
FEMALE--	-	-	-	3	2	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	1	2	4	4	4	-	1	-	-
FEMALE--	-	-	-	3	2	-	-	1	2	-	-	-
FLORIDA -----	12	5	16	25	57	101	181	184	146	48	10	-
WHITE-----MALE----	7	3	11	15	31	51	96	103	68	13	6	-
FEMALE--	2	-	2	6	18	36	77	74	70	31	4	-
ALL OTHER--MALE----	3	2	3	2	6	10	5	4	1	1	-	-
FEMALE--	-	-	-	2	2	4	3	3	7	3	-	-
BLACK---MALE----	3	2	3	2	6	9	5	3	1	1	-	-
FEMALE--	-	-	-	2	2	4	3	3	7	2	-	-
GEORGIA -----	2	5	8	8	20	39	63	79	40	14	4	-
WHITE-----MALE----	1	3	5	6	8	16	29	23	13	4	-	-
FEMALE--	-	1	-	2	3	14	24	49	17	9	3	-
ALL OTHER--MALE----	1	1	3	-	5	5	4	3	3	-	-	-
FEMALE--	-	-	-	-	4	4	6	4	7	1	1	-
BLACK---MALE----	-	1	3	-	5	5	4	3	3	-	-	-
FEMALE--	-	-	-	-	4	4	6	4	7	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,020
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
KENTUCKY -----	189	-	-	-	-	-	-	1	-	-	1	2
WHITE-----MALE----	107	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	67	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	182	1	1	1	-	1	1	1	2	3	2	6
WHITE-----MALE----	77	-	1	-	-	-	-	-	1	-	2	1
FEMALE--	52	1	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	26	-	-	1	-	1	-	1	1	1	-	2
FEMALE--	27	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	26	-	-	1	-	1	-	1	1	1	-	2
FEMALE--	27	-	-	-	-	-	1	-	-	1	-	-
MAINE -----	36	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	272	1	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	100	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	113	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	31	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	29	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	331	-	-	-	-	-	1	1	-	2	1	2
WHITE-----MALE----	156	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	152	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	289	-	-	-	-	-	-	2	-	3	2	4
WHITE-----MALE----	137	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	106	-	-	-	-	-	-	2	-	-	1	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,020
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
KENTUCKY -----	4	4	4	6	21	33	34	41	25	8	5	-
WHITE-----MALE----	4	3	4	5	15	22	18	17	13	2	2	-
FEMALE--	-	-	-	1	5	9	12	21	11	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	4	2	-	-	1	-
FEMALE--	-	1	-	-	1	1	-	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	1	4	2	-	-	1	-
FEMALE--	-	1	-	-	1	1	-	1	1	-	1	-
LOUISIANA -----	-	8	8	8	17	19	31	36	23	9	4	-
WHITE-----MALE----	-	5	2	3	9	7	16	13	14	2	1	-
FEMALE--	-	-	1	2	2	8	6	11	9	6	2	-
ALL OTHER--MALE----	-	3	2	1	4	3	4	2	-	-	-	-
FEMALE--	-	-	3	2	2	1	5	10	-	1	1	-
BLACK---MALE----	-	3	2	1	4	3	4	2	-	-	-	-
FEMALE--	-	-	3	2	2	1	5	10	-	1	1	-
MAINE -----	-	-	4	2	2	4	10	5	2	3	3	-
WHITE-----MALE----	-	-	4	1	1	4	6	2	1	1	2	-
FEMALE--	-	-	-	1	1	-	4	3	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	7	12	18	20	34	57	60	40	13	4	-
WHITE-----MALE----	-	4	4	9	14	16	20	24	4	3	-	-
FEMALE--	-	-	4	4	-	12	24	27	29	8	4	-
ALL OTHER--MALE----	-	3	3	4	3	1	6	3	1	1	-	-
FEMALE--	-	-	1	1	3	5	7	6	6	1	-	-
BLACK---MALE----	-	3	3	4	2	1	6	3	1	1	-	-
FEMALE--	-	-	1	1	3	4	6	6	6	1	-	-
MASSACHUSETTS -----	1	8	6	18	16	38	74	85	42	31	5	-
WHITE-----MALE----	1	5	3	12	9	23	33	35	16	12	3	-
FEMALE--	-	2	3	3	5	13	36	43	26	16	2	-
ALL OTHER--MALE----	-	1	-	2	2	2	2	4	-	1	-	-
FEMALE--	-	-	-	1	-	-	3	3	-	2	-	-
BLACK---MALE----	-	-	-	1	-	-	-	3	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	3	-	2	-	-
MICHIGAN -----	4	10	13	15	32	42	55	65	26	12	4	-
WHITE-----MALE----	1	5	10	8	17	23	32	24	10	3	-	-
FEMALE--	-	2	1	4	10	15	15	29	14	7	4	-
ALL OTHER--MALE----	2	1	1	1	4	2	5	6	2	1	-	-
FEMALE--	1	2	1	2	1	2	3	6	-	1	-	-
BLACK---MALE----	2	-	1	1	4	2	5	6	2	1	-	-
FEMALE--	1	2	1	2	1	2	3	5	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,023
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
OHIO -----	3	3	13	31	48	70	90	109	67	27	7	-
WHITE-----MALE----	2	2	10	18	29	39	44	49	25	10	1	-
FEMALE--	-	1	3	8	14	21	39	52	36	17	5	-
ALL OTHER--MALE----	1	-	-	3	3	7	4	3	3	-	-	-
FEMALE--	-	-	-	2	2	3	3	5	3	-	1	-
BLACK---MALE----	1	-	-	3	3	7	4	3	3	-	-	-
FEMALE--	-	-	-	2	2	3	3	5	3	-	1	-
OKLAHOMA -----	1	1	4	9	18	22	30	48	33	16	3	-
WHITE-----MALE----	1	-	1	5	11	13	14	18	14	6	-	-
FEMALE--	-	1	3	4	6	8	15	26	18	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	4	-	2	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
OREGON -----	-	2	2	3	7	14	23	24	20	10	1	-
WHITE-----MALE----	-	2	1	1	4	8	12	12	6	5	-	-
FEMALE--	-	-	1	1	2	6	11	12	14	5	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	7	25	52	107	173	266	220	154	48	7	-
WHITE-----MALE----	3	5	15	42	70	124	156	129	64	14	4	-
FEMALE--	1	-	8	5	26	30	82	76	78	31	3	-
ALL OTHER--MALE----	-	2	2	3	7	10	16	7	3	-	-	-
FEMALE--	-	-	-	2	4	9	12	8	9	3	-	-
BLACK---MALE----	-	2	2	2	7	10	16	5	2	-	-	-
FEMALE--	-	-	-	2	4	9	12	8	9	3	-	-
RHODE ISLAND -----	1	-	-	3	3	5	6	8	4	4	-	-
WHITE-----MALE----	-	-	-	3	2	5	2	3	1	-	-	-
FEMALE--	1	-	-	-	1	-	4	5	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	3	6	7	27	31	40	47	32	7	5	-
WHITE-----MALE----	-	-	4	2	15	11	18	18	6	1	1	-
FEMALE--	-	-	1	2	10	11	15	20	19	3	3	-
ALL OTHER--MALE----	1	3	1	1	2	4	4	4	1	-	-	-
FEMALE--	-	-	-	2	-	5	3	5	6	3	1	-
BLACK---MALE----	1	3	1	1	2	4	4	4	1	-	-	-
FEMALE--	-	-	-	2	-	5	3	5	6	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,024
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS (500-508)												
SOUTH DAKOTA -----	-	-	-	-	2	5	3	5	4	2	-	-
WHITE-----MALE----	-	-	-	-	2	2	2	2	2	1	-	-
FEMALE--	-	-	-	-	-	3	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	4	6	18	28	37	57	55	45	19	4	-
WHITE-----MALE----	3	1	4	10	13	27	20	21	21	5	1	-
FEMALE--	-	3	1	2	10	6	33	28	18	11	1	-
ALL OTHER--MALE----	2	-	-	1	3	1	1	2	3	3	-	-
FEMALE--	1	-	1	5	2	3	3	4	3	-	2	-
BLACK---MALE----	2	-	-	1	3	1	1	2	3	3	-	-
FEMALE--	1	-	1	5	2	3	3	4	3	-	2	-
TEXAS -----	9	11	19	24	65	81	132	134	82	37	12	-
WHITE-----MALE----	3	4	13	13	38	45	57	66	28	8	2	-
FEMALE--	4	6	3	8	19	26	60	54	46	25	8	-
ALL OTHER--MALE----	1	1	2	1	6	6	9	6	3	1	-	-
FEMALE--	1	-	1	2	2	4	6	8	5	3	2	-
BLACK---MALE----	-	1	2	1	6	5	9	6	3	-	-	-
FEMALE--	1	-	1	2	2	4	6	8	5	3	2	-
UTAH -----	-	-	1	2	4	8	8	14	11	4	-	-
WHITE-----MALE----	-	-	-	1	1	6	4	7	7	2	-	-
FEMALE--	-	-	1	1	3	1	4	7	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	-	-	-	1	2	2	4	5	1	4	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	3	-	2	-	-
FEMALE--	-	-	-	-	1	1	2	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	4	15	24	42	49	68	52	40	24	3	-
WHITE-----MALE----	4	2	11	14	32	31	35	26	13	5	-	-
FEMALE--	1	-	2	4	7	12	19	21	20	14	-	-
ALL OTHER--MALE----	-	2	2	2	1	4	7	2	5	2	1	-
FEMALE--	-	-	-	4	2	2	7	3	2	3	2	-
BLACK---MALE----	-	2	2	2	1	4	7	2	4	2	1	-
FEMALE--	-	-	-	3	2	2	7	3	2	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,027
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)												
COLORADO -----	-	-	1	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	1	1	3	3	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	-	7	3	6	8	1	3	1	-	-	-
WHITE-----MALE----	1	-	4	-	2	6	1	2	-	-	-	-
FEMALE--	1	-	2	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
GEORGIA -----	-	4	3	4	3	3	1	3	-	-	-	-
WHITE-----MALE----	-	2	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,029
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)												
KENTUCKY -----	12	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	17	-	-	-	-	1	-	-	-	1	-	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	15	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	18	-	-	-	-	-	1	-	-	3	1	2
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,032
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EMPYEMA AND ABSCESS OF LUNG AND MEDIASTINUM (510,513)												
OHIO -----	28	-	-	-	-	-	1	-	1	-	1	-
WHITE-----MALE----	18	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	42	-	-	-	-	-	-	-	1	2	2	-
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	11	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	15	-	1	-	-	-	-	-	1	2	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,036
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PLEURISY (511)												
COLORADO -----	-	-	-	-	1	1	-	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	1	3	-	5	4	-	-	-	-
WHITE-----MALE----	1	-	1	-	2	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	5	6	6	11	10	8	3	1	-
WHITE-----MALE----	-	-	-	2	5	1	5	3	2	1	-	-
FEMALE--	-	-	-	1	1	3	5	7	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	-	-	-	-	-
GEORGIA -----	2	1	2	6	2	3	5	6	2	1	-	-
WHITE-----MALE----	-	-	1	2	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	3	-	1	3	4	1	1	-	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,038
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PLEURISY (511)												
KENTUCKY -----	-	1	1	3	-	1	5	5	3	-	-	-
WHITE-----MALE----	-	-	1	2	-	-	2	3	-	-	-	-
FEMALE--	-	1	-	1	-	1	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	1	1	1	2	3	1	1	3	1	-
WHITE-----MALE----	-	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	3	1	1	3	-	-	-
WHITE-----MALE----	1	-	-	-	-	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	3	1	7	2	5	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	4	1	2	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
MASSACHUSETTS -----	-	1	-	1	1	5	1	4	1	1	1	-
WHITE-----MALE----	-	1	-	-	1	2	1	1	-	-	1	-
FEMALE--	-	-	-	1	-	3	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	-	1	2	5	2	9	7	2	1	1	-
WHITE-----MALE----	-	-	-	1	3	-	4	3	-	1	1	-
FEMALE--	-	-	1	1	1	2	3	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,041
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PLEURISY (511)												
OHIO -----	-	1	2	5	4	7	8	8	2	1	1	-
WHITE-----MALE----	-	-	-	2	2	3	3	1	2	-	1	-
FEMALE--	-	1	2	2	2	3	5	6	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
OKLAHOMA -----	1	-	-	1	-	1	1	2	1	1	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	3	1	3	3	7	11	11	8	5	-	-
WHITE-----MALE----	-	1	1	3	2	3	2	3	3	1	-	-
FEMALE--	1	2	-	-	1	3	8	8	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	2	2	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	3	1	2	3	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,042
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PLEURISY (511)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	53	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	21	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,044
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
0 UNITED STATES --	15,906	224	81	23	30	36	67	72	117	181	243	292
WHITE-----MALE----	7,052	91	29	8	11	11	23	27	44	64	86	109
FEMALE--	7,103	59	22	7	14	15	18	24	35	58	78	116
ALL OTHER--MALE----	870	41	15	4	1	6	8	9	20	27	39	38
FEMALE--	881	33	15	4	4	4	18	12	18	32	40	29
BLACK---MALE----	702	33	14	4	1	3	6	7	19	26	36	36
FEMALE--	726	31	11	4	3	4	17	11	15	31	37	25
ALABAMA -----	338	5	-	-	-	-	1	1	2	4	7	7
WHITE-----MALE----	109	2	-	-	-	-	-	1	-	1	2	1
FEMALE--	171	-	-	-	-	-	-	-	1	2	1	4
ALL OTHER--MALE----	31	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	27	2	-	-	-	-	1	-	-	-	3	1
BLACK---MALE----	31	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	27	2	-	-	-	-	1	-	-	-	3	1
ALASKA -----	17	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	293	3	3	-	-	-	-	2	-	2	10	7
WHITE-----MALE----	125	2	1	-	-	-	-	-	-	1	5	4
FEMALE--	136	1	-	-	-	-	-	1	-	1	5	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	15	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	211	1	1	-	1	1	1	-	1	3	2	4
WHITE-----MALE----	97	-	1	-	1	1	-	-	1	1	-	-
FEMALE--	87	1	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	10	-	-	-	-	-	1	-	-	1	1	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	10	-	-	-	-	-	1	-	-	1	1	1
CALIFORNIA -----	1,330	26	8	3	3	4	2	8	5	16	16	24
WHITE-----MALE----	615	12	3	1	1	2	2	3	5	10	6	5
FEMALE--	573	10	3	2	2	1	-	2	-	3	4	14
ALL OTHER--MALE----	69	3	1	-	-	1	-	2	-	3	2	2
FEMALE--	73	1	1	-	-	-	-	1	-	-	4	3
BLACK---MALE----	35	1	1	-	-	-	-	2	-	3	1	1
FEMALE--	34	-	1	-	-	-	-	1	-	-	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,044
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
0 UNITED STATES --	436	581	955	1,597	2,324	2,692	2,655	1,971	938	314	76	1
WHITE-----MALE----	165	235	475	831	1,219	1,319	1,174	759	285	75	11	1
FEMALE--	165	216	338	577	927	1,165	1,305	1,088	601	221	54	-
ALL OTHER--MALE----	50	59	74	104	92	116	82	59	17	5	4	-
FEMALE--	56	71	68	85	86	92	94	65	35	13	7	-
BLACK---MALE----	40	51	58	87	79	88	54	40	12	4	4	-
FEMALE--	46	60	54	69	72	70	68	50	32	10	6	-
ALABAMA -----	11	17	26	34	46	60	47	46	18	3	3	-
WHITE-----MALE----	2	2	9	13	18	24	15	15	4	-	-	-
FEMALE--	8	7	11	15	22	29	27	26	13	3	2	-
ALL OTHER--MALE----	1	3	3	4	4	5	4	2	-	-	-	-
FEMALE--	-	5	3	2	2	2	1	3	1	-	1	-
BLACK---MALE----	1	3	3	4	4	5	4	2	-	-	-	-
FEMALE--	-	5	3	2	2	2	1	3	1	-	1	-
ALASKA -----	1	-	3	-	2	2	7	2	-	-	-	-
WHITE-----MALE----	1	-	2	-	2	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	7	14	33	43	55	51	31	14	6	-	-
WHITE-----MALE----	3	3	6	14	19	24	21	13	6	3	-	-
FEMALE--	4	3	4	15	23	28	25	13	7	3	-	-
ALL OTHER--MALE----	3	-	2	2	1	2	3	3	-	-	-	-
FEMALE--	2	1	2	2	-	1	2	2	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
ARKANSAS -----	6	14	9	24	34	37	36	21	10	4	1	-
WHITE-----MALE----	1	6	4	7	22	19	20	7	5	1	-	-
FEMALE--	4	5	4	14	9	17	12	12	4	3	-	-
ALL OTHER--MALE----	1	2	1	2	1	1	3	2	-	-	1	-
FEMALE--	-	1	-	1	2	-	1	-	1	-	-	-
BLACK---MALE----	1	2	1	2	1	1	3	2	-	-	1	-
FEMALE--	-	1	-	1	2	-	1	-	1	-	-	-
CALIFORNIA -----	47	56	56	140	209	224	218	162	76	24	3	-
WHITE-----MALE----	16	24	27	81	115	106	96	66	29	5	-	-
FEMALE--	19	19	18	44	81	96	105	83	45	19	3	-
ALL OTHER--MALE----	4	6	7	8	5	9	7	9	-	-	-	-
FEMALE--	8	7	4	7	8	13	10	4	2	-	-	-
BLACK---MALE----	3	4	5	4	2	4	2	2	-	-	-	-
FEMALE--	4	2	2	2	5	4	4	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,045
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
COLORADO -----	187	-	-	1	-	-	1	-	3	4	5	7
WHITE-----MALE----	89	-	-	1	-	-	1	-	2	2	1	2
FEMALE--	95	-	-	-	-	-	-	-	1	1	4	5
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	229	2	2	2	2	-	-	2	2	4	5	4
WHITE-----MALE----	107	2	-	-	2	-	-	1	1	2	1	3
FEMALE--	105	-	1	-	-	-	-	1	1	-	3	-
ALL OTHER--MALE----	6	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	1	-	-	-	-	-	2	1	1
BLACK---MALE----	5	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	1	-	-	-	-	-	2	1	1
DELAWARE -----	47	-	-	-	-	1	-	-	1	1	1	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	39	1	-	-	-	-	-	2	2	-	2	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	15	1	-	-	-	-	-	1	2	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	15	1	-	-	-	-	-	1	2	-	1	-
FLORIDA -----	1,077	14	2	1	1	1	2	1	6	7	16	14
WHITE-----MALE----	527	4	1	-	-	-	-	1	1	1	8	6
FEMALE--	462	5	-	-	1	1	1	-	2	3	7	4
ALL OTHER--MALE----	41	4	-	-	-	-	-	-	2	2	-	2
FEMALE--	47	1	1	1	-	-	1	-	1	1	1	2
BLACK---MALE----	40	4	-	-	-	-	-	-	2	2	-	2
FEMALE--	44	1	1	1	-	-	1	-	1	1	1	2
GEORGIA -----	477	6	5	-	-	3	3	3	4	7	13	8
WHITE-----MALE----	188	1	-	-	-	-	-	-	1	3	2	1
FEMALE--	202	2	3	-	-	2	3	2	1	2	4	4
ALL OTHER--MALE----	43	3	2	-	-	1	-	-	1	1	3	-
FEMALE--	44	-	-	-	-	-	-	1	1	1	4	3
BLACK---MALE----	41	3	2	-	-	1	-	-	1	1	3	-
FEMALE--	42	-	-	-	-	-	-	1	1	1	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,045
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
COLORADO -----	7	4	8	23	25	25	29	33	9	2	1	-
WHITE-----MALE----	4	2	5	12	13	14	17	10	2	1	-	-
FEMALE--	2	2	3	11	12	11	12	23	6	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	10	14	17	38	43	31	25	16	5	1	-
WHITE-----MALE----	2	2	7	11	17	26	13	9	6	2	-	-
FEMALE--	2	6	6	5	20	15	15	16	10	3	1	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	2	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	2	-	-	-	-	-
DELAWARE -----	1	4	11	2	7	7	5	2	3	1	-	-
WHITE-----MALE----	1	3	6	1	5	2	2	-	-	-	-	-
FEMALE--	-	-	4	1	2	4	2	2	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	2	1	3	3	6	9	3	2	-	1	-
WHITE-----MALE----	-	-	1	-	1	1	4	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	1	2	-	1	2	3	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	2	3	-	1	-	1	-
BLACK---MALE----	1	2	-	1	2	3	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	2	3	-	1	-	1	-
FLORIDA -----	21	40	54	94	173	184	195	156	78	13	4	-
WHITE-----MALE----	11	19	25	53	86	112	93	71	28	5	2	-
FEMALE--	6	11	18	31	77	65	95	78	47	8	2	-
ALL OTHER--MALE----	1	4	3	7	6	3	3	3	1	-	-	-
FEMALE--	3	6	8	3	4	4	4	4	2	-	-	-
BLACK---MALE----	1	4	3	7	5	3	3	3	1	-	-	-
FEMALE--	3	6	5	3	4	4	4	4	2	-	-	-
GEORGIA -----	20	16	38	57	78	67	82	42	18	6	1	-
WHITE-----MALE----	6	5	16	31	35	34	37	12	4	-	-	-
FEMALE--	4	7	16	19	31	26	38	22	10	5	1	-
ALL OTHER--MALE----	3	2	3	5	8	3	6	1	1	-	-	-
FEMALE--	7	2	3	2	4	4	1	7	3	1	-	-
BLACK---MALE----	3	2	3	5	7	3	5	1	1	-	-	-
FEMALE--	7	2	2	2	4	4	1	7	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,046
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
HAWAII -----	2	2	6	7	8	18	18	13	4	4	-	-
WHITE-----MALE----	-	-	1	1	3	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	4	2	-	-	-	-
ALL OTHER--MALE----	2	1	3	4	2	10	7	5	3	1	-	-
FEMALE--	-	1	2	2	1	5	6	6	-	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO -----	2	3	2	1	10	18	16	9	4	2	-	-
WHITE-----MALE----	1	1	2	-	6	14	6	2	1	1	-	-
FEMALE--	-	2	-	1	4	4	10	7	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	18	20	33	75	81	126	99	106	46	10	3	-
WHITE-----MALE----	6	3	19	40	36	56	40	35	10	3	-	-
FEMALE--	7	10	9	28	31	56	53	61	34	7	3	-
ALL OTHER--MALE----	1	3	3	5	7	10	3	4	-	-	-	-
FEMALE--	4	4	2	2	7	4	3	6	2	-	-	-
BLACK---MALE----	1	3	3	5	7	9	3	3	-	-	-	-
FEMALE--	4	3	2	2	5	4	3	6	2	-	-	-
INDIANA -----	12	23	27	38	59	65	71	54	20	12	1	-
WHITE-----MALE----	7	11	17	24	32	28	26	26	5	3	-	-
FEMALE--	4	11	9	9	26	34	42	28	15	9	1	-
ALL OTHER--MALE----	-	-	-	3	-	2	1	-	-	-	-	-
FEMALE--	1	1	1	2	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	3	-	2	1	-	-	-	-	-
FEMALE--	1	1	1	2	1	1	2	-	-	-	-	-
IOWA -----	1	9	10	16	28	31	40	24	14	7	-	-
WHITE-----MALE----	1	7	5	11	18	15	21	11	7	3	-	-
FEMALE--	-	2	5	3	9	16	19	13	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	5	4	7	18	22	28	27	27	18	14	3	-
WHITE-----MALE----	3	2	3	13	8	13	15	14	1	3	1	-
FEMALE--	1	2	4	5	13	13	12	11	17	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,047
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
KENTUCKY -----	229	5	2	-	1	1	2	-	2	2	3	8
WHITE-----MALE----	108	2	-	-	1	1	1	-	1	-	-	3
FEMALE--	106	2	2	-	-	-	1	-	1	1	2	5
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	292	7	4	-	1	2	-	1	4	6	3	9
WHITE-----MALE----	101	1	-	-	1	-	-	1	2	-	1	-
FEMALE--	111	-	-	-	-	1	-	-	-	1	-	3
ALL OTHER--MALE----	45	3	4	-	-	1	-	-	2	3	-	4
FEMALE--	35	3	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	45	3	4	-	-	1	-	-	2	3	-	4
FEMALE--	34	3	-	-	-	-	-	-	-	2	1	2
MAINE -----	97	1	1	1	-	-	-	-	-	-	-	2
WHITE-----MALE----	53	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	300	2	1	-	-	1	1	3	2	4	5	10
WHITE-----MALE----	124	-	1	-	-	1	1	1	-	1	1	5
FEMALE--	108	-	-	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	36	2	-	-	-	-	-	-	-	2	2	2
FEMALE--	32	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	31	2	-	-	-	-	-	-	-	2	2	2
FEMALE--	30	-	-	-	-	-	-	1	1	-	-	-
MASSACHUSETTS -----	448	3	-	-	2	-	1	2	1	5	3	10
WHITE-----MALE----	206	2	-	-	1	-	-	1	1	-	2	6
FEMALE--	222	1	-	-	1	-	1	1	-	3	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	2
MICHIGAN -----	579	12	1	-	-	-	5	2	5	4	9	9
WHITE-----MALE----	252	8	-	-	-	-	2	2	-	-	2	4
FEMALE--	257	2	-	-	-	-	1	-	3	2	3	4
ALL OTHER--MALE----	38	2	-	-	-	-	1	-	1	1	3	-
FEMALE--	32	-	1	-	-	-	1	-	1	1	1	1
BLACK---MALE----	34	2	-	-	-	-	1	-	1	1	2	-
FEMALE--	29	-	1	-	-	-	1	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,047
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
KENTUCKY -----	6	14	12	23	38	40	37	25	5	3	-	-
WHITE-----MALE----	3	10	7	12	16	25	14	11	1	-	-	-
FEMALE--	2	4	5	10	18	13	21	13	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	3	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	3	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	1	-	-	1	-	-
LOUISIANA -----	13	13	15	41	40	37	39	32	17	8	-	-
WHITE-----MALE----	1	3	6	20	20	18	14	10	3	-	-	-
FEMALE--	4	4	5	15	14	12	19	15	11	7	-	-
ALL OTHER--MALE----	6	4	2	5	2	4	1	3	1	-	-	-
FEMALE--	2	2	2	1	4	3	5	4	2	1	-	-
BLACK---MALE----	6	4	2	5	2	4	1	3	1	-	-	-
FEMALE--	2	2	2	1	4	3	5	4	2	1	-	-
MAINE -----	1	2	9	13	13	16	20	14	3	-	1	-
WHITE-----MALE----	1	2	5	3	8	14	12	4	2	-	-	-
FEMALE--	-	-	4	10	5	2	8	10	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	10	23	29	39	55	44	40	13	4	-	-
WHITE-----MALE----	4	2	8	13	16	25	23	17	4	1	-	-
FEMALE--	6	2	4	8	15	21	15	19	9	2	-	-
ALL OTHER--MALE----	3	4	5	4	3	4	3	2	-	-	-	-
FEMALE--	1	2	6	4	5	5	3	2	-	1	-	-
BLACK---MALE----	3	3	3	3	3	3	3	2	-	-	-	-
FEMALE--	1	2	6	4	5	4	3	2	-	1	-	-
MASSACHUSETTS -----	11	12	26	43	67	79	77	71	26	5	4	-
WHITE-----MALE----	5	6	16	20	36	39	36	24	9	1	1	-
FEMALE--	5	6	8	17	31	37	39	47	16	4	3	-
ALL OTHER--MALE----	-	-	2	2	-	2	1	-	-	-	-	-
FEMALE--	1	-	-	4	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	2	2	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	3	-	1	1	-	1	-	-	-
MICHIGAN -----	16	12	42	66	90	100	86	66	38	12	4	-
WHITE-----MALE----	4	4	20	32	52	45	37	24	13	3	-	-
FEMALE--	6	6	16	24	28	47	45	38	21	7	4	-
ALL OTHER--MALE----	5	1	4	6	3	6	1	2	1	1	-	-
FEMALE--	1	1	2	4	7	2	3	2	3	1	-	-
BLACK---MALE----	5	1	3	5	3	6	-	2	1	1	-	-
FEMALE--	-	1	1	4	7	2	3	1	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,048
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
MINNESOTA -----	263	1	1	1	-	-	2	1	2	-	5	5
WHITE-----MALE----	133	-	-	1	-	-	2	-	1	-	1	4
FEMALE--	118	1	1	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	182	4	-	-	-	1	1	1	1	2	3	8
WHITE-----MALE----	73	-	-	-	-	-	-	1	-	2	-	3
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	22	2	-	-	-	1	-	-	1	-	2	2
FEMALE--	18	2	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	22	2	-	-	-	1	-	-	1	-	2	2
FEMALE--	18	2	-	-	-	-	1	-	-	-	1	1
MISSOURI -----	386	5	1	1	-	-	1	2	4	5	3	9
WHITE-----MALE----	162	3	-	-	-	-	-	-	3	2	-	6
FEMALE--	194	-	1	-	-	-	-	1	1	1	2	3
ALL OTHER--MALE----	15	2	-	-	-	-	1	-	-	-	1	-
FEMALE--	15	-	-	1	-	-	-	1	-	2	-	-
BLACK---MALE----	15	2	-	-	-	-	1	-	-	-	1	-
FEMALE--	15	-	-	1	-	-	-	1	-	2	-	-
MONTANA -----	72	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	128	1	1	-	-	-	-	1	1	-	1	1
WHITE-----MALE----	64	-	1	-	-	-	-	-	1	-	-	1
FEMALE--	58	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
NEVADA -----	98	1	-	1	1	-	1	-	1	6	1	2
WHITE-----MALE----	49	-	-	1	-	-	1	-	-	1	1	1
FEMALE--	42	1	-	-	1	-	-	-	-	2	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,050
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
OHIO -----	692	3	3	1	1	2	4	2	4	8	9	10
WHITE-----MALE----	304	2	1	-	1	-	2	-	1	1	3	2
FEMALE--	331	1	1	1	-	2	2	1	2	5	3	8
ALL OTHER--MALE----	22	-	1	-	-	-	-	1	-	-	2	-
FEMALE--	35	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	22	-	1	-	-	-	-	1	-	-	2	-
FEMALE--	34	-	-	-	-	-	-	-	1	2	1	-
OKLAHOMA -----	209	2	1	-	1	1	2	1	1	6	10	5
WHITE-----MALE----	90	1	-	-	-	-	1	-	1	5	2	1
FEMALE--	88	-	-	-	1	-	-	1	-	1	4	2
ALL OTHER--MALE----	17	1	1	-	-	1	-	-	-	-	2	-
FEMALE--	14	-	-	-	-	-	1	-	-	-	2	2
BLACK---MALE----	8	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	1
OREGON -----	202	1	1	-	-	-	-	-	-	2	2	3
WHITE-----MALE----	95	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	101	-	1	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	858	14	7	1	-	-	2	3	6	8	12	11
WHITE-----MALE----	375	8	4	-	-	-	-	-	3	5	6	2
FEMALE--	407	3	3	-	-	-	-	-	1	1	1	6
ALL OTHER--MALE----	32	1	-	1	-	-	-	-	1	-	4	2
FEMALE--	44	2	-	-	-	-	2	3	1	2	1	1
BLACK---MALE----	30	1	-	1	-	-	-	-	1	-	4	2
FEMALE--	44	2	-	-	-	-	2	3	1	2	1	1
RHODE ISLAND -----	74	2	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	35	2	-	-	-	-	-	-	1	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	247	6	2	-	1	4	2	3	4	5	2	2
WHITE-----MALE----	106	1	-	-	-	-	2	2	2	2	1	1
FEMALE--	88	1	1	-	1	2	-	-	-	-	-	1
ALL OTHER--MALE----	25	1	-	-	-	-	-	1	2	1	1	-
FEMALE--	28	3	1	-	-	2	-	-	-	2	-	-
BLACK---MALE----	25	1	-	-	-	-	-	1	2	1	1	-
FEMALE--	27	3	1	-	-	2	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,050
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
OHIO -----	16	34	49	69	98	124	105	81	44	22	3	-
WHITE-----MALE----	7	13	22	36	57	60	40	36	13	7	-	-
FEMALE--	6	16	17	26	39	56	61	40	29	13	2	-
ALL OTHER--MALE----	2	-	2	2	1	4	3	4	-	-	-	-
FEMALE--	1	5	8	5	1	4	1	1	2	2	1	-
BLACK---MALE----	2	-	2	2	1	4	3	4	-	-	-	-
FEMALE--	1	5	8	5	-	4	1	1	2	2	1	-
OKLAHOMA -----	9	4	13	17	33	28	37	24	11	-	2	1
WHITE-----MALE----	3	3	7	10	17	10	17	8	2	-	1	1
FEMALE--	5	1	4	4	11	14	17	13	9	-	1	-
ALL OTHER--MALE----	-	-	2	2	3	2	2	1	-	-	-	-
FEMALE--	1	-	-	1	2	2	1	2	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
OREGON -----	7	7	11	22	27	25	43	30	13	5	3	-
WHITE-----MALE----	4	4	7	11	11	12	22	13	5	1	1	-
FEMALE--	2	3	4	10	16	12	21	15	8	4	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	17	20	60	92	107	168	148	96	60	23	3	-
WHITE-----MALE----	6	10	27	53	53	82	54	39	18	4	1	-
FEMALE--	9	5	25	33	46	75	87	54	38	19	1	-
ALL OTHER--MALE----	-	-	4	3	5	5	2	-	4	-	-	-
FEMALE--	2	5	4	3	3	6	5	3	-	-	1	-
BLACK---MALE----	-	-	4	3	5	4	1	-	4	-	-	-
FEMALE--	2	5	4	3	3	6	5	3	-	-	1	-
RHODE ISLAND -----	3	2	3	7	10	20	10	7	5	2	1	-
WHITE-----MALE----	1	1	2	3	4	9	5	3	2	1	-	-
FEMALE--	2	1	1	4	6	11	5	4	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	15	18	33	35	41	33	22	8	5	1	-
WHITE-----MALE----	1	2	9	17	14	28	14	8	2	-	-	-
FEMALE--	1	6	4	8	14	9	16	14	6	4	-	-
ALL OTHER--MALE----	-	4	3	6	3	2	-	-	-	1	-	-
FEMALE--	3	3	2	2	4	2	3	-	-	-	1	-
BLACK---MALE----	-	4	3	6	3	2	-	-	-	1	-	-
FEMALE--	3	3	1	2	4	2	3	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,051
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
SOUTH DAKOTA -----	32	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	19	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	289	6	1	-	-	1	2	1	3	4	4	6
WHITE-----MALE----	135	3	-	-	-	-	-	1	2	1	3	2
FEMALE--	116	1	-	-	-	1	-	-	1	2	-	1
ALL OTHER--MALE----	20	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	18	2	1	-	-	-	1	-	-	1	1	1
BLACK---MALE----	20	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	17	2	1	-	-	-	1	-	-	1	1	1
TEXAS -----	931	19	4	3	2	4	6	7	8	15	13	24
WHITE-----MALE----	442	9	3	1	2	3	2	4	2	5	7	13
FEMALE--	410	5	1	2	-	1	3	3	3	5	3	9
ALL OTHER--MALE----	30	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	49	4	-	-	-	-	1	-	2	4	2	1
BLACK---MALE----	28	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	46	3	-	-	-	-	1	-	1	4	2	1
UTAH -----	91	2	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	48	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	41	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	49	1	-	-	-	2	-	-	-	1	-	-
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	436	8	3	1	1	-	3	1	4	3	10	11
WHITE-----MALE----	180	4	1	-	-	-	-	1	1	1	6	2
FEMALE--	181	1	-	-	1	-	2	-	2	1	3	5
ALL OTHER--MALE----	32	-	1	1	-	-	-	-	-	-	-	1
FEMALE--	43	3	1	-	-	-	1	-	1	1	1	3
BLACK---MALE----	31	-	1	1	-	-	-	-	-	-	-	1
FEMALE--	40	3	1	-	-	-	1	-	1	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,051
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF RESPIRATORY SYSTEM (512,514-519)												
SOUTH DAKOTA -----	1	-	1	4	5	4	8	4	3	1	-	-
WHITE-----MALE----	-	-	-	1	4	4	5	3	1	-	-	-
FEMALE--	1	-	-	3	1	-	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	22	27	29	44	39	43	32	15	3	1	-
WHITE-----MALE----	3	11	14	17	21	22	22	10	2	1	-	-
FEMALE--	2	8	10	9	16	15	17	20	10	2	1	-
ALL OTHER--MALE----	1	2	2	-	7	1	1	2	1	-	-	-
FEMALE--	-	1	1	3	-	1	3	-	2	-	-	-
BLACK---MALE----	1	2	2	-	7	1	1	2	1	-	-	-
FEMALE--	-	1	1	2	-	1	3	-	2	-	-	-
TEXAS -----	30	30	59	98	129	136	166	95	54	19	10	-
WHITE-----MALE----	16	15	31	55	77	70	64	37	20	4	2	-
FEMALE--	9	6	24	35	49	57	93	53	29	14	6	-
ALL OTHER--MALE----	2	4	1	4	-	4	4	2	1	1	2	-
FEMALE--	3	5	3	4	3	5	5	3	4	-	-	-
BLACK---MALE----	2	3	1	4	-	3	4	2	1	1	2	-
FEMALE--	3	5	3	4	3	5	4	3	4	-	-	-
UTAH -----	4	1	3	7	18	19	16	13	3	2	-	-
WHITE-----MALE----	2	1	1	3	12	9	10	5	2	1	-	-
FEMALE--	2	-	2	4	6	10	5	8	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	3	3	4	6	6	7	8	6	1	-	-
WHITE-----MALE----	1	3	2	3	4	4	3	2	2	-	-	-
FEMALE--	-	-	1	1	2	2	4	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	17	20	43	70	69	77	53	21	7	1	-
WHITE-----MALE----	5	6	11	18	37	31	32	14	9	1	-	-
FEMALE--	1	5	6	12	24	27	38	36	10	6	1	-
ALL OTHER--MALE----	4	2	1	5	6	8	2	1	-	-	-	-
FEMALE--	3	4	2	8	3	3	5	2	2	-	-	-
BLACK---MALE----	4	2	1	4	6	8	2	1	-	-	-	-
FEMALE--	3	3	2	8	3	2	5	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,053
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
0 UNITED STATES --	76,861	327	145	67	73	86	135	333	825	2,089	3,470	4,142
WHITE-----MALE----	33,297	119	64	34	31	44	51	158	420	1,062	1,949	2,309
FEMALE--	33,213	94	43	12	28	20	34	91	192	489	693	891
ALL OTHER--MALE----	5,699	67	23	15	7	13	33	49	133	349	555	630
FEMALE--	4,652	47	15	6	7	9	17	35	80	189	273	312
BLACK---MALE----	4,841	57	21	14	6	13	27	39	105	289	469	562
FEMALE--	3,971	41	11	6	6	8	16	29	68	161	234	267
ALABAMA -----	1,364	4	3	2	1	3	2	4	18	41	64	78
WHITE-----MALE----	504	1	2	1	-	1	-	2	6	16	28	35
FEMALE--	522	1	-	-	-	2	1	2	4	11	13	9
ALL OTHER--MALE----	172	1	-	1	-	-	1	-	5	9	13	19
FEMALE--	166	1	1	-	1	-	-	-	3	5	10	15
BLACK---MALE----	171	1	-	1	-	-	1	-	5	9	13	19
FEMALE--	164	1	1	-	1	-	-	-	3	5	10	13
ALASKA -----	115	1	-	-	-	-	-	1	5	3	15	15
WHITE-----MALE----	51	-	-	-	-	-	-	1	1	1	8	7
FEMALE--	31	-	-	-	-	-	-	-	1	-	3	4
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	2	1	3	1
FEMALE--	17	1	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	1,354	9	2	-	3	4	1	10	18	44	72	66
WHITE-----MALE----	605	4	2	-	-	1	-	2	6	16	37	42
FEMALE--	577	5	-	-	2	1	-	3	5	11	11	14
ALL OTHER--MALE----	91	-	-	-	-	1	1	2	4	12	16	7
FEMALE--	81	-	-	-	1	-	-	3	3	5	8	3
BLACK---MALE----	28	-	-	-	-	1	-	-	-	1	4	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	813	4	-	1	-	2	-	6	7	14	27	34
WHITE-----MALE----	334	-	-	-	-	1	-	2	2	3	16	17
FEMALE--	371	3	-	-	-	-	-	1	2	6	5	12
ALL OTHER--MALE----	59	-	-	1	-	1	-	3	1	2	4	4
FEMALE--	49	1	-	-	-	-	-	-	2	3	2	1
BLACK---MALE----	58	-	-	1	-	1	-	2	1	2	4	4
FEMALE--	49	1	-	-	-	-	-	-	2	3	2	1
CALIFORNIA -----	8,135	37	11	4	10	10	21	37	110	258	498	577
WHITE-----MALE----	3,885	15	3	4	4	5	12	27	73	145	325	367
FEMALE--	3,320	10	7	-	5	1	6	5	20	75	111	142
ALL OTHER--MALE----	514	9	1	-	1	3	2	2	7	28	45	47
FEMALE--	416	3	-	-	-	1	1	3	10	10	17	21
BLACK---MALE----	274	4	1	-	-	3	1	1	3	16	27	36
FEMALE--	240	3	-	-	-	1	-	3	8	8	14	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,053
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
0 UNITED STATES --	4,136	4,293	5,566	7,089	8,606	9,439	9,867	8,583	5,281	1,910	386	13
WHITE-----MALE----	2,240	2,232	2,923	3,603	4,062	3,997	3,694	2,595	1,314	331	56	9
FEMALE--	964	1,182	1,756	2,563	3,608	4,549	5,266	5,391	3,616	1,433	297	1
ALL OTHER--MALE----	596	548	543	504	494	407	367	221	103	35	5	2
FEMALE--	336	331	344	419	442	486	540	376	248	111	28	1
BLACK---MALE----	512	448	481	431	422	335	308	187	78	30	5	2
FEMALE--	281	277	292	346	372	421	463	331	216	99	25	1
ALABAMA -----	78	94	96	125	128	180	179	161	74	24	5	-
WHITE-----MALE----	42	36	39	53	62	65	55	39	21	-	-	-
FEMALE--	12	28	30	44	41	81	92	86	42	20	3	-
ALL OTHER--MALE----	16	21	13	15	15	15	12	13	3	-	-	-
FEMALE--	8	9	14	13	10	19	20	23	8	4	2	-
BLACK---MALE----	15	21	13	15	15	15	12	13	3	-	-	-
FEMALE--	8	9	14	13	10	19	20	23	8	4	2	-
ALASKA -----	8	14	8	13	11	8	4	4	4	1	-	-
WHITE-----MALE----	6	7	5	4	6	3	1	1	-	-	-	-
FEMALE--	-	3	3	5	3	3	2	2	2	-	-	-
ALL OTHER--MALE----	1	3	-	2	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	1	1	-	1	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ARIZONA -----	81	97	119	132	159	160	162	133	61	15	6	-
WHITE-----MALE----	42	49	66	75	79	71	55	41	16	1	-	-
FEMALE--	18	27	39	44	72	80	90	91	45	14	5	-
ALL OTHER--MALE----	9	11	8	7	2	2	9	-	-	-	-	-
FEMALE--	12	10	6	6	6	7	8	1	-	-	1	-
BLACK---MALE----	2	2	4	4	1	2	6	-	-	-	-	-
FEMALE--	1	-	1	1	2	3	3	1	-	-	-	-
ARKANSAS -----	26	49	54	66	89	119	122	103	60	25	5	-
WHITE-----MALE----	15	24	27	39	50	50	46	23	16	2	1	-
FEMALE--	3	13	17	23	36	60	63	67	38	19	3	-
ALL OTHER--MALE----	5	11	7	1	1	2	6	5	2	2	1	-
FEMALE--	3	1	3	3	2	7	7	8	4	2	-	-
BLACK---MALE----	5	11	7	1	1	2	6	5	2	2	1	-
FEMALE--	3	1	3	3	2	7	7	8	4	2	-	-
CALIFORNIA -----	542	532	623	777	910	895	923	716	460	151	30	3
WHITE-----MALE----	305	302	345	404	429	370	361	222	127	30	7	3
FEMALE--	158	150	206	283	375	430	478	439	290	108	21	-
ALL OTHER--MALE----	53	43	48	49	59	42	39	19	12	5	-	-
FEMALE--	26	37	24	41	47	53	45	36	31	8	2	-
BLACK---MALE----	34	22	31	23	31	17	17	4	1	2	-	-
FEMALE--	17	22	11	22	28	28	20	19	16	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,054
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
COLORADO -----	994	6	2	-	3	1	-	7	21	47	54	57
WHITE-----MALE----	452	3	1	-	2	-	-	5	9	22	38	31
FEMALE--	488	3	1	-	1	1	-	1	10	15	9	21
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	1	6	3	4
FEMALE--	26	-	-	-	-	-	-	-	1	4	4	1
BLACK---MALE----	18	-	-	-	-	-	-	-	1	3	2	4
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	-
CONNECTICUT -----	1,043	3	1	1	1	2	3	4	13	25	32	60
WHITE-----MALE----	486	1	1	1	1	1	-	2	6	15	18	40
FEMALE--	490	2	-	-	-	-	2	2	6	6	8	12
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	1	2	3	6
FEMALE--	24	-	-	-	-	1	1	-	-	2	3	2
BLACK---MALE----	39	-	-	-	-	-	-	-	1	2	3	5
FEMALE--	22	-	-	-	-	1	1	-	-	2	3	2
DELAWARE -----	182	1	1	-	1	-	-	-	2	6	5	5
WHITE-----MALE----	76	-	1	-	-	-	-	-	2	4	-	3
FEMALE--	75	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	1	-	-	-	-	-	-	-	-	4	2
FEMALE--	10	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	20	1	-	-	-	-	-	-	-	-	4	2
FEMALE--	9	-	-	-	-	-	-	-	-	2	1	-
DISTRICT OF COLUMBIA ----	262	1	1	-	-	-	-	-	6	16	18	27
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	120	1	1	-	-	-	-	-	1	9	12	14
FEMALE--	95	-	-	-	-	-	-	-	5	5	6	9
BLACK---MALE----	117	1	1	-	-	-	-	-	1	8	12	14
FEMALE--	95	-	-	-	-	-	-	-	5	5	6	9
FLORIDA -----	4,746	18	5	2	-	3	5	11	50	111	199	217
WHITE-----MALE----	2,240	6	2	-	-	1	3	4	23	53	100	130
FEMALE--	2,053	4	2	-	-	1	-	3	15	38	60	51
ALL OTHER--MALE----	244	5	1	2	-	1	1	2	6	13	21	24
FEMALE--	209	3	-	-	-	-	1	2	6	7	18	12
BLACK---MALE----	231	5	1	2	-	1	1	2	5	10	20	23
FEMALE--	200	3	-	-	-	-	1	2	6	7	18	12
GEORGIA -----	2,036	9	8	7	3	3	6	12	21	64	103	154
WHITE-----MALE----	752	3	5	2	1	2	1	5	6	24	57	65
FEMALE--	730	1	-	-	-	1	-	3	2	12	12	23
ALL OTHER--MALE----	274	4	3	4	1	-	4	2	8	12	18	44
FEMALE--	280	1	-	1	1	-	1	2	5	16	16	22
BLACK---MALE----	268	4	3	4	1	-	4	2	8	12	18	42
FEMALE--	278	1	-	1	1	-	1	2	5	16	16	21

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,054
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
COLORADO -----	51	66	67	78	105	119	103	108	66	28	5	-
WHITE-----MALE----	34	33	37	42	52	44	40	35	21	2	1	-
FEMALE--	15	30	28	31	51	69	62	67	44	25	4	-
ALL OTHER--MALE----	1	2	1	3	1	3	-	2	-	-	-	-
FEMALE--	1	1	1	2	1	3	1	4	1	1	-	-
BLACK---MALE----	1	1	1	2	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	2	2	1	1	-	-
CONNECTICUT -----	64	58	57	90	111	157	130	121	76	26	8	-
WHITE-----MALE----	42	35	28	47	57	75	46	40	24	5	1	-
FEMALE--	14	18	25	40	53	72	80	75	48	20	7	-
ALL OTHER--MALE----	6	4	4	2	1	6	2	3	3	-	-	-
FEMALE--	2	1	-	1	-	4	2	3	1	1	-	-
BLACK---MALE----	6	4	4	2	1	6	1	2	2	-	-	-
FEMALE--	1	1	-	1	-	4	1	3	1	1	-	-
DELAWARE -----	4	10	11	23	16	23	25	33	11	5	-	-
WHITE-----MALE----	1	8	4	14	10	11	6	10	1	1	-	-
FEMALE--	2	2	2	4	6	10	15	20	9	4	-	-
ALL OTHER--MALE----	1	-	4	5	-	1	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	3	1	-	-	-
BLACK---MALE----	1	-	4	4	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	1	-	-	-
DISTRICT OF COLUMBIA ----	34	27	26	14	19	23	16	19	13	1	1	-
WHITE-----MALE----	6	2	3	2	2	4	1	3	1	-	-	-
FEMALE--	-	-	2	1	1	2	2	3	5	1	-	-
ALL OTHER--MALE----	19	15	14	5	11	8	6	3	1	-	-	-
FEMALE--	9	10	7	6	5	9	7	10	6	-	1	-
BLACK---MALE----	19	15	12	5	11	8	6	3	1	-	-	-
FEMALE--	9	10	7	6	5	9	7	10	6	-	1	-
FLORIDA -----	248	269	365	491	592	615	588	531	319	87	20	-
WHITE-----MALE----	131	156	197	270	295	295	273	185	97	15	4	-
FEMALE--	83	65	127	185	243	281	277	325	210	68	15	-
ALL OTHER--MALE----	21	27	26	21	27	14	16	11	4	1	-	-
FEMALE--	13	21	15	15	27	25	22	10	8	3	1	-
BLACK---MALE----	20	27	25	19	26	14	15	11	3	1	-	-
FEMALE--	13	19	15	13	25	24	21	9	8	3	1	-
GEORGIA -----	114	136	164	186	206	243	246	201	108	36	6	-
WHITE-----MALE----	45	67	75	67	76	86	81	55	23	4	2	-
FEMALE--	22	38	43	70	84	114	116	99	60	26	4	-
ALL OTHER--MALE----	26	17	23	25	28	20	15	14	4	2	-	-
FEMALE--	21	14	23	24	18	23	34	33	21	4	-	-
BLACK---MALE----	24	17	22	24	28	20	15	14	4	2	-	-
FEMALE--	21	14	23	24	18	22	34	33	21	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,055
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
HAWAII -----	12	17	19	19	27	23	28	25	16	3	1	-
WHITE-----MALE----	3	4	8	6	7	4	3	4	2	1	-	-
FEMALE--	1	2	3	3	3	6	5	2	-	-	-	-
ALL OTHER--MALE----	5	11	3	6	10	9	10	10	5	1	-	-
FEMALE--	3	-	5	4	7	4	9	6	7	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
IDAHO -----	6	17	20	22	39	41	41	33	20	9	2	-
WHITE-----MALE----	6	6	10	10	18	19	17	12	8	1	1	-
FEMALE--	-	8	8	11	20	22	24	21	12	8	1	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	186	198	239	316	390	425	487	404	259	78	29	-
WHITE-----MALE----	95	99	131	166	194	170	175	114	57	21	5	-
FEMALE--	41	48	64	100	149	216	264	262	181	53	22	-
ALL OTHER--MALE----	32	28	31	26	28	19	20	7	9	1	-	-
FEMALE--	18	23	13	24	19	20	28	21	12	3	2	-
BLACK---MALE----	29	28	30	25	28	16	17	6	9	1	-	-
FEMALE--	18	23	12	21	19	19	26	19	12	3	2	-
INDIANA -----	76	82	128	136	203	202	220	193	114	49	17	-
WHITE-----MALE----	48	41	73	74	102	61	84	57	26	5	2	-
FEMALE--	21	28	39	51	85	124	124	126	87	41	12	-
ALL OTHER--MALE----	4	11	8	5	9	6	6	4	-	1	-	-
FEMALE--	3	2	8	6	7	11	6	6	1	2	3	-
BLACK---MALE----	4	11	8	5	9	6	6	4	-	1	-	-
FEMALE--	3	2	8	6	7	11	6	6	1	2	3	-
IOWA -----	21	33	36	55	73	112	138	134	112	42	5	-
WHITE-----MALE----	14	14	21	23	40	46	58	48	29	12	2	-
FEMALE--	6	19	15	30	33	66	79	85	83	30	3	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	41	19	48	60	88	102	98	99	87	29	1	-
WHITE-----MALE----	28	11	29	38	49	47	45	33	21	4	1	-
FEMALE--	11	6	15	17	35	50	50	66	65	23	-	-
ALL OTHER--MALE----	1	2	4	3	3	1	1	-	-	1	-	-
FEMALE--	1	-	-	2	1	4	2	-	1	1	-	-
BLACK---MALE----	1	-	4	3	2	1	1	-	-	1	-	-
FEMALE--	1	-	-	2	1	4	2	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,056
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
KENTUCKY -----	1,157	2	2	-	3	1	2	6	18	31	48	76
WHITE-----MALE----	547	-	1	-	-	1	1	3	13	20	33	51
FEMALE--	527	2	1	-	3	-	1	3	4	8	12	17
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	1	2	2	5
FEMALE--	46	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	37	-	-	-	-	-	-	-	1	2	2	5
FEMALE--	44	-	-	-	-	-	-	-	-	1	1	3
LOUISIANA -----	1,159	9	6	1	1	1	1	8	15	34	44	82
WHITE-----MALE----	404	3	1	-	-	1	1	2	2	13	16	40
FEMALE--	392	1	1	-	-	-	-	1	5	3	9	14
ALL OTHER--MALE----	206	4	2	-	-	-	-	4	6	12	15	21
FEMALE--	157	1	2	1	1	-	-	1	2	6	4	7
BLACK---MALE----	202	4	1	-	-	-	-	4	6	12	15	20
FEMALE--	156	1	2	1	1	-	-	1	2	6	4	7
MAINE -----	403	2	1	-	1	-	1	-	3	5	7	13
WHITE-----MALE----	180	1	-	-	1	-	-	-	2	2	3	8
FEMALE--	221	1	1	-	-	-	1	-	1	3	3	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,378	8	2	1	-	1	4	13	20	47	66	92
WHITE-----MALE----	505	3	1	1	-	-	-	6	6	18	23	37
FEMALE--	493	2	-	-	-	1	-	1	1	3	13	17
ALL OTHER--MALE----	212	2	-	-	-	-	4	2	10	19	25	24
FEMALE--	168	1	1	-	-	-	-	4	3	7	5	14
BLACK---MALE----	204	2	-	-	-	-	4	2	9	19	24	24
FEMALE--	165	1	1	-	-	-	-	4	3	7	5	14
MASSACHUSETTS -----	2,099	3	4	1	2	-	2	6	18	46	73	97
WHITE-----MALE----	979	2	2	1	1	-	2	3	10	32	52	57
FEMALE--	1,023	-	2	-	1	-	-	1	5	9	15	27
ALL OTHER--MALE----	60	1	-	-	-	-	-	1	3	4	5	9
FEMALE--	37	-	-	-	-	-	-	1	-	1	1	4
BLACK---MALE----	49	1	-	-	-	-	-	-	3	3	5	8
FEMALE--	29	-	-	-	-	-	-	1	-	1	1	4
MICHIGAN -----	2,882	8	6	1	-	3	2	7	35	87	153	187
WHITE-----MALE----	1,196	3	5	-	-	-	1	4	17	38	79	94
FEMALE--	1,180	2	1	-	-	3	1	-	4	20	27	28
ALL OTHER--MALE----	299	3	-	1	-	-	-	1	12	16	31	40
FEMALE--	207	-	-	-	-	-	-	2	2	13	16	25
BLACK---MALE----	282	2	-	1	-	-	-	1	12	15	30	38
FEMALE--	198	-	-	-	-	-	-	2	2	13	16	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,056
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
KENTUCKY -----	61	63	72	113	140	146	152	115	73	31	2	-
WHITE-----MALE----	41	39	44	61	61	68	52	37	17	4	-	-
FEMALE--	13	17	24	46	63	69	91	74	52	25	2	-
ALL OTHER--MALE----	3	5	3	3	8	1	3	-	-	1	-	-
FEMALE--	4	2	1	3	8	8	6	4	4	1	-	-
BLACK---MALE----	3	5	3	3	8	1	3	-	-	1	-	-
FEMALE--	4	2	1	3	7	7	6	4	4	1	-	-
LOUISIANA -----	71	83	88	110	125	135	141	116	59	23	6	-
WHITE-----MALE----	21	39	30	51	52	54	37	31	5	5	-	-
FEMALE--	17	15	20	32	44	45	69	67	38	8	3	-
ALL OTHER--MALE----	21	18	25	14	9	22	11	8	11	3	-	-
FEMALE--	12	11	13	13	20	14	24	10	5	7	3	-
BLACK---MALE----	21	18	24	14	9	21	11	8	11	3	-	-
FEMALE--	12	11	13	13	20	13	24	10	5	7	3	-
MAINE -----	9	21	31	39	47	50	60	52	42	15	4	-
WHITE-----MALE----	7	11	24	22	29	24	15	19	10	2	-	-
FEMALE--	1	10	7	17	18	26	45	33	32	13	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	82	66	98	128	153	182	182	127	70	31	5	-
WHITE-----MALE----	32	30	41	55	65	70	53	43	16	3	2	-
FEMALE--	12	11	26	37	63	72	90	67	48	27	2	-
ALL OTHER--MALE----	27	15	14	23	14	16	11	4	-	1	1	-
FEMALE--	11	10	17	13	11	24	28	13	6	-	-	-
BLACK---MALE----	27	13	14	22	13	14	11	4	-	1	1	-
FEMALE--	11	10	16	13	11	24	27	13	5	-	-	-
MASSACHUSETTS -----	98	78	142	171	245	289	286	272	178	77	11	-
WHITE-----MALE----	65	54	79	104	129	114	121	91	47	12	1	-
FEMALE--	23	18	51	56	106	169	160	179	128	63	10	-
ALL OTHER--MALE----	7	2	8	4	8	3	2	2	1	-	-	-
FEMALE--	3	4	4	7	2	3	-	2	2	-	-	-
BLACK---MALE----	6	2	6	4	6	2	1	1	1	-	-	-
FEMALE--	2	2	3	5	2	2	2	-	2	2	-	-
MICHIGAN -----	154	156	202	292	340	323	333	315	188	75	13	2
WHITE-----MALE----	77	59	108	148	144	150	112	94	47	14	1	1
FEMALE--	31	38	56	103	151	145	177	199	124	58	12	-
ALL OTHER--MALE----	37	40	26	26	25	10	17	8	5	-	-	1
FEMALE--	9	19	12	15	20	18	27	14	12	3	-	-
BLACK---MALE----	35	37	23	26	23	9	17	7	5	-	-	1
FEMALE--	9	18	12	14	16	18	25	14	12	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,057
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
MINNESOTA -----	49	38	68	93	125	142	166	167	125	54	7	-
WHITE-----MALE----	28	23	42	49	69	62	73	54	34	6	1	-
FEMALE--	13	14	22	41	55	74	89	112	91	48	6	-
ALL OTHER--MALE----	6	1	4	2	1	4	3	-	-	-	-	-
FEMALE--	2	-	-	1	-	2	1	1	-	-	-	-
BLACK---MALE----	2	-	2	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	40	58	61	69	94	98	104	79	52	15	3	-
WHITE-----MALE----	24	19	27	30	37	34	25	14	12	1	-	-
FEMALE--	6	11	16	23	32	40	46	45	33	10	2	-
ALL OTHER--MALE----	9	19	7	13	12	10	10	6	2	2	-	-
FEMALE--	1	9	11	3	13	14	23	14	5	2	1	-
BLACK---MALE----	8	17	7	13	12	10	10	6	2	2	-	-
FEMALE--	1	9	8	3	13	13	22	14	5	2	1	-
MISSOURI -----	67	78	108	147	193	219	277	260	152	53	19	-
WHITE-----MALE----	45	46	65	79	84	98	114	81	40	9	1	-
FEMALE--	12	16	30	47	85	100	146	166	105	38	13	-
ALL OTHER--MALE----	7	11	9	7	12	10	6	6	1	1	1	-
FEMALE--	3	5	4	14	12	11	11	7	6	5	4	-
BLACK---MALE----	7	9	9	6	12	8	6	6	1	1	1	-
FEMALE--	3	5	4	13	11	11	10	6	6	4	4	-
MONTANA -----	21	17	14	24	32	31	38	33	15	10	1	-
WHITE-----MALE----	9	8	7	13	21	17	16	18	7	1	-	-
FEMALE--	6	6	5	10	9	14	20	15	8	9	1	-
ALL OTHER--MALE----	2	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	1	2	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	11	18	25	46	49	60	70	46	60	26	6	-
WHITE-----MALE----	6	10	17	21	24	29	29	15	14	4	-	-
FEMALE--	3	5	7	19	24	29	40	30	46	21	6	-
ALL OTHER--MALE----	1	2	-	3	1	1	-	1	-	-	-	-
FEMALE--	1	1	1	3	-	1	1	-	-	1	-	-
BLACK---MALE----	1	1	-	2	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	3	-	-	1	-	-	1	-	-
NEVADA -----	35	36	47	52	60	65	43	33	9	7	2	1
WHITE-----MALE----	23	19	24	34	25	35	17	11	3	1	-	1
FEMALE--	8	13	16	15	29	26	25	20	6	6	2	-
ALL OTHER--MALE----	1	2	5	1	3	-	1	2	-	-	-	-
FEMALE--	3	2	2	2	3	4	-	-	-	-	-	-
BLACK---MALE----	1	2	5	1	2	-	-	2	-	-	-	-
FEMALE--	3	1	2	-	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,059
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
OHIO -----	3,325	17	3	5	5	4	10	10	22	78	123	150
WHITE-----MALE----	1,370	8	2	4	1	2	3	4	13	46	60	87
FEMALE--	1,571	3	1	1	2	1	2	4	5	18	34	31
ALL OTHER--MALE----	208	2	-	-	1	1	1	1	3	10	22	23
FEMALE--	176	4	-	-	1	-	4	1	1	4	7	9
BLACK---MALE----	206	2	-	-	1	1	1	1	3	10	22	23
FEMALE--	172	4	-	-	1	-	4	1	1	4	7	8
OKLAHOMA -----	1,087	5	2	2	1	1	2	4	14	26	55	57
WHITE-----MALE----	469	1	1	1	-	1	-	1	7	12	28	30
FEMALE--	485	2	1	1	1	-	2	2	5	6	9	15
ALL OTHER--MALE----	73	1	-	-	-	-	-	1	2	5	11	6
FEMALE--	60	1	-	-	-	-	-	-	-	3	7	6
BLACK---MALE----	32	-	-	-	-	-	-	-	-	2	5	3
FEMALE--	27	1	-	-	-	-	-	-	-	1	3	3
OREGON -----	912	6	2	1	1	-	1	4	7	23	38	40
WHITE-----MALE----	421	2	2	-	1	-	-	1	4	15	26	27
FEMALE--	458	3	-	1	-	-	1	3	2	6	9	10
ALL OTHER--MALE----	18	1	-	-	-	-	-	-	1	2	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	4,120	16	5	3	6	1	3	13	43	80	151	157
WHITE-----MALE----	1,704	5	2	3	3	-	1	7	25	42	80	87
FEMALE--	1,980	7	3	-	3	-	1	2	11	16	36	39
ALL OTHER--MALE----	232	1	-	-	-	1	-	2	4	17	26	22
FEMALE--	204	3	-	-	-	-	1	2	3	5	9	9
BLACK---MALE----	225	1	-	-	-	1	-	2	4	17	24	21
FEMALE--	195	3	-	-	-	-	1	2	3	5	9	9
RHODE ISLAND -----	349	-	1	-	1	-	-	2	1	10	14	14
WHITE-----MALE----	165	-	1	-	-	-	-	2	1	5	9	6
FEMALE--	167	-	-	-	1	-	-	-	-	4	4	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	1,108	7	3	-	1	2	-	5	12	38	48	69
WHITE-----MALE----	385	2	-	-	1	1	-	1	3	18	16	29
FEMALE--	385	1	1	-	-	-	-	2	3	1	7	9
ALL OTHER--MALE----	192	2	1	-	-	-	-	2	3	10	18	21
FEMALE--	146	2	1	-	-	1	-	-	3	9	7	10
BLACK---MALE----	189	2	1	-	-	-	-	2	3	10	18	20
FEMALE--	143	2	1	-	-	1	-	-	3	9	7	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,059
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
OHIO -----	148	158	242	335	400	417	445	406	246	84	17	-
WHITE-----MALE----	77	78	114	163	165	190	165	106	60	21	1	-
FEMALE--	44	48	87	135	200	192	244	273	172	59	15	-
ALL OTHER--MALE----	17	15	25	20	17	16	18	11	2	2	1	-
FEMALE--	10	17	16	17	18	19	18	16	12	2	-	-
BLACK---MALE----	17	14	25	20	16	16	18	11	2	2	1	-
FEMALE--	10	16	16	16	18	19	17	16	12	2	-	-
OKLAHOMA -----	50	54	86	90	99	132	132	148	84	34	6	3
WHITE-----MALE----	26	34	46	52	49	57	51	39	25	7	-	1
FEMALE--	12	12	24	31	39	64	72	103	52	25	6	1
ALL OTHER--MALE----	7	6	9	4	5	6	4	1	3	1	-	1
FEMALE--	5	2	7	3	6	5	5	5	4	1	-	-
BLACK---MALE----	2	2	5	1	2	1	3	1	3	1	-	1
FEMALE--	1	1	4	-	3	2	3	4	1	-	-	-
OREGON -----	44	49	76	78	95	115	123	109	72	23	5	-
WHITE-----MALE----	19	31	34	39	47	53	44	45	22	7	2	-
FEMALE--	21	17	41	35	43	58	77	63	49	16	3	-
ALL OTHER--MALE----	3	1	1	1	2	3	1	-	-	-	-	-
FEMALE--	1	-	-	3	3	1	1	1	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
PENNSYLVANIA -----	169	183	255	372	469	600	614	523	315	120	21	1
WHITE-----MALE----	97	94	125	188	226	246	209	161	74	25	4	-
FEMALE--	38	51	82	141	206	313	358	343	230	83	17	-
ALL OTHER--MALE----	20	26	32	22	21	16	14	4	2	2	-	-
FEMALE--	14	12	16	21	16	25	33	15	9	10	-	1
BLACK---MALE----	19	26	31	22	20	16	13	4	2	2	-	-
FEMALE--	13	11	14	20	15	25	31	14	9	10	-	1
RHODE ISLAND -----	20	16	19	32	32	50	48	57	27	5	-	-
WHITE-----MALE----	17	10	13	17	17	24	20	17	4	2	-	-
FEMALE--	2	5	4	11	14	23	28	39	23	3	-	-
ALL OTHER--MALE----	-	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	3	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	3	-	2	-	1	-	-	-	-
SOUTH CAROLINA -----	88	73	99	115	115	133	126	101	51	20	2	-
WHITE-----MALE----	31	32	40	53	43	55	29	23	6	2	-	-
FEMALE--	17	17	31	30	39	47	69	62	35	13	1	-
ALL OTHER--MALE----	23	13	17	17	18	16	21	6	2	2	-	-
FEMALE--	17	11	11	15	15	15	7	10	8	3	1	-
BLACK---MALE----	22	13	17	17	18	16	20	6	2	2	-	-
FEMALE--	16	11	10	15	15	14	7	10	8	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,060
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
SOUTH DAKOTA -----	246	-	-	-	-	-	-	-	6	6	14	15
WHITE-----MALE----	87	-	-	-	-	-	-	-	1	2	4	3
FEMALE--	104	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	5	3	5	7
FEMALE--	21	-	-	-	-	-	-	-	-	-	3	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,622	9	2	1	3	4	7	8	16	47	68	87
WHITE-----MALE----	671	1	-	-	1	2	1	4	6	28	35	44
FEMALE--	699	2	1	1	2	-	1	4	7	8	16	15
ALL OTHER--MALE----	128	3	1	-	-	1	4	-	-	7	14	17
FEMALE--	124	3	-	-	-	1	1	-	3	4	3	11
BLACK---MALE----	127	3	1	-	-	1	4	-	-	7	14	17
FEMALE--	123	3	-	-	-	1	1	-	3	4	3	11
TEXAS -----	4,975	28	16	4	9	6	7	29	50	163	286	272
WHITE-----MALE----	2,347	15	6	3	5	4	4	16	36	93	199	171
FEMALE--	2,062	7	3	1	2	1	1	9	9	46	49	59
ALL OTHER--MALE----	310	3	4	-	1	1	1	3	3	18	25	28
FEMALE--	256	3	3	-	1	-	1	1	2	6	13	14
BLACK---MALE----	292	3	4	-	1	1	1	3	3	18	24	25
FEMALE--	244	3	2	-	1	-	1	1	2	6	11	14
UTAH -----	434	3	2	1	1	1	-	3	5	11	13	16
WHITE-----MALE----	217	2	1	-	1	1	-	2	2	6	9	11
FEMALE--	203	-	1	1	-	-	-	1	3	3	3	5
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	2	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	154	-	-	-	-	-	-	1	3	2	5	3
WHITE-----MALE----	63	-	-	-	-	-	-	-	2	1	3	1
FEMALE--	89	-	-	-	-	-	-	1	1	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,734	3	1	1	1	1	4	8	17	42	62	95
WHITE-----MALE----	666	3	1	1	-	1	2	4	10	18	30	50
FEMALE--	713	-	-	-	-	-	1	1	4	13	12	19
ALL OTHER--MALE----	184	-	-	-	1	-	-	2	2	8	14	14
FEMALE--	171	-	-	-	-	-	1	1	1	3	6	12
BLACK---MALE----	181	-	-	-	1	-	-	2	2	8	14	14
FEMALE--	165	-	-	-	-	-	1	1	1	3	6	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,060
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 IX. DISEASES OF THE DIGESTIVE SYSTEM (520-579)												
SOUTH DAKOTA -----	10	12	14	17	20	26	30	32	23	17	4	-
WHITE-----MALE----	2	2	5	8	8	15	12	15	7	3	-	-
FEMALE--	-	3	4	5	8	11	18	17	15	14	4	-
ALL OTHER--MALE----	5	4	3	1	-	-	-	-	1	-	-	-
FEMALE--	3	3	2	3	4	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	82	111	123	167	179	186	194	187	98	38	5	-
WHITE-----MALE----	46	64	63	79	79	61	77	52	21	7	-	-
FEMALE--	19	26	40	57	85	105	94	120	68	25	3	-
ALL OTHER--MALE----	11	10	10	15	7	9	10	5	4	-	-	-
FEMALE--	6	11	10	16	8	11	13	10	5	6	2	-
BLACK---MALE----	11	10	9	15	7	9	10	5	4	-	-	-
FEMALE--	6	11	10	15	8	11	13	10	5	6	2	-
TEXAS -----	293	291	428	483	566	523	597	494	310	102	18	-
WHITE-----MALE----	187	162	258	248	264	225	226	133	73	16	3	-
FEMALE--	54	88	115	179	247	236	330	323	214	75	14	-
ALL OTHER--MALE----	31	28	30	36	30	28	11	20	8	1	-	-
FEMALE--	21	13	25	20	25	34	30	18	15	10	1	-
BLACK---MALE----	29	26	30	31	27	28	10	20	7	1	-	-
FEMALE--	21	13	24	19	24	33	27	16	15	10	1	-
UTAH -----	12	27	36	26	40	64	74	60	26	11	2	-
WHITE-----MALE----	8	17	21	14	24	28	36	24	8	2	-	-
FEMALE--	3	9	15	11	14	35	36	35	17	9	2	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	9	3	8	8	13	27	21	26	16	6	3	-
WHITE-----MALE----	5	2	5	6	7	12	7	10	2	-	-	-
FEMALE--	4	1	3	2	6	14	14	16	14	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	87	110	127	180	198	218	230	193	105	40	11	-
WHITE-----MALE----	39	57	64	75	71	84	86	43	18	7	2	-
FEMALE--	18	23	37	72	88	100	101	122	72	22	8	-
ALL OTHER--MALE----	23	20	16	15	21	16	13	14	4	1	-	-
FEMALE--	7	10	10	18	18	18	30	14	11	10	1	-
BLACK---MALE----	23	20	16	13	21	15	13	14	4	1	-	-
FEMALE--	7	10	10	14	17	18	29	14	11	10	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,071
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
0 UNITED STATES --	76,756	325	144	67	73	85	133	333	824	2,084	3,466	4,139
WHITE-----MALE----	33,265	119	64	34	31	43	51	158	420	1,059	1,949	2,308
FEMALE--	33,162	94	43	12	28	20	34	91	192	487	692	890
ALL OTHER--MALE----	5,691	67	23	15	7	13	32	49	132	349	554	629
FEMALE--	4,638	45	14	6	7	9	16	35	80	189	271	312
BLACK---MALE----	4,833	57	21	14	6	13	26	39	104	289	468	561
FEMALE--	3,958	39	10	6	6	8	15	29	68	161	232	267
ALABAMA -----	1,361	4	2	2	1	3	2	4	18	41	64	78
WHITE-----MALE----	503	1	2	1	-	1	-	2	6	16	28	35
FEMALE--	522	1	-	-	-	2	1	2	4	11	13	9
ALL OTHER--MALE----	171	1	-	1	-	-	1	-	5	9	13	19
FEMALE--	165	1	-	-	1	-	-	-	3	5	10	15
BLACK---MALE----	170	1	-	1	-	-	1	-	5	9	13	19
FEMALE--	163	1	-	-	1	-	-	-	3	5	10	13
ALASKA -----	115	1	-	-	-	-	-	1	5	3	15	15
WHITE-----MALE----	51	-	-	-	-	-	-	1	1	1	8	7
FEMALE--	31	-	-	-	-	-	-	-	1	-	3	4
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	2	1	3	1
FEMALE--	17	1	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	1,354	9	2	-	3	4	1	10	18	44	72	66
WHITE-----MALE----	605	4	2	-	-	1	-	2	6	16	37	42
FEMALE--	577	5	-	-	2	1	-	3	5	11	11	14
ALL OTHER--MALE----	91	-	-	-	-	1	1	2	4	12	16	7
FEMALE--	81	-	-	-	1	-	-	3	3	5	8	3
BLACK---MALE----	28	-	-	-	-	1	-	-	-	1	4	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	811	4	-	1	-	2	-	6	7	14	27	34
WHITE-----MALE----	334	-	-	-	-	1	-	2	2	3	16	17
FEMALE--	369	3	-	-	-	-	-	1	2	6	5	12
ALL OTHER--MALE----	59	-	-	1	-	1	-	3	1	2	4	4
FEMALE--	49	1	-	-	-	-	-	-	2	3	2	1
BLACK---MALE----	58	-	-	1	-	1	-	2	1	2	4	4
FEMALE--	49	1	-	-	-	-	-	-	2	3	2	1
CALIFORNIA -----	8,123	37	11	4	10	10	21	37	110	258	498	577
WHITE-----MALE----	3,884	15	3	4	4	5	12	27	73	145	325	367
FEMALE--	3,309	10	7	-	5	1	6	5	20	75	111	142
ALL OTHER--MALE----	514	9	1	-	1	3	2	2	7	28	45	47
FEMALE--	416	3	-	-	-	1	1	3	10	10	17	21
BLACK---MALE----	274	4	1	-	-	3	1	1	3	16	27	36
FEMALE--	240	3	-	-	-	1	-	3	8	8	14	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,071
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
0 UNITED STATES --	4,134	4,288	5,565	7,084	8,598	9,424	9,850	8,569	5,274	1,900	384	13
WHITE-----MALE----	2,239	2,229	2,922	3,601	4,060	3,991	3,688	2,591	1,313	330	56	9
FEMALE--	964	1,181	1,756	2,561	3,604	4,541	5,258	5,383	3,611	1,424	295	1
ALL OTHER--MALE----	596	547	543	504	494	407	367	219	102	35	5	2
FEMALE--	335	331	344	418	440	485	537	376	248	111	28	1
BLACK---MALE----	512	447	481	431	422	335	308	185	77	30	5	2
FEMALE--	281	277	292	345	370	420	460	331	216	99	25	1
ALABAMA -----	78	94	96	125	128	180	178	161	73	24	5	-
WHITE-----MALE----	42	36	39	53	62	65	54	39	21	-	-	-
FEMALE--	12	28	30	44	41	81	92	86	42	20	3	-
ALL OTHER--MALE----	16	21	13	15	15	15	12	13	2	-	-	-
FEMALE--	8	9	14	13	10	19	20	23	8	4	2	-
BLACK---MALE----	15	21	13	15	15	15	12	13	2	-	-	-
FEMALE--	8	9	14	13	10	19	20	23	8	4	2	-
ALASKA -----	8	14	8	13	11	8	4	4	4	1	-	-
WHITE-----MALE----	6	7	5	4	6	3	1	1	-	-	-	-
FEMALE--	-	3	3	5	3	3	2	2	2	-	-	-
ALL OTHER--MALE----	1	3	-	2	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	1	1	-	1	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ARIZONA -----	81	97	119	132	159	160	162	133	61	15	6	-
WHITE-----MALE----	42	49	66	75	79	71	55	41	16	1	-	-
FEMALE--	18	27	39	44	72	80	90	91	45	14	5	-
ALL OTHER--MALE----	9	11	8	7	2	2	9	-	-	-	-	-
FEMALE--	12	10	6	6	6	7	8	1	-	-	1	-
BLACK---MALE----	2	2	4	4	1	2	6	-	-	-	-	-
FEMALE--	1	-	1	1	2	3	3	1	-	-	-	-
ARKANSAS -----	26	49	54	66	89	119	121	103	60	25	4	-
WHITE-----MALE----	15	24	27	39	50	50	46	23	16	2	1	-
FEMALE--	3	13	17	23	36	60	62	67	38	19	2	-
ALL OTHER--MALE----	5	11	7	1	1	2	6	5	2	2	1	-
FEMALE--	3	1	3	3	2	7	7	8	4	2	-	-
BLACK---MALE----	5	11	7	1	1	2	6	5	2	2	1	-
FEMALE--	3	1	3	3	2	7	7	8	4	2	-	-
CALIFORNIA -----	542	532	623	777	908	893	923	713	458	148	30	3
WHITE-----MALE----	305	302	345	404	428	370	361	222	127	30	7	3
FEMALE--	158	150	206	283	374	428	478	436	288	105	21	-
ALL OTHER--MALE----	53	43	48	49	59	42	39	19	12	5	-	-
FEMALE--	26	37	24	41	47	53	45	36	31	8	2	-
BLACK---MALE----	34	22	31	23	31	17	17	4	1	2	-	-
FEMALE--	17	22	11	22	28	28	20	19	16	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,072
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
COLORADO -----	992	6	2	-	3	1	-	7	21	47	54	57
WHITE-----MALE----	452	3	1	-	2	-	-	5	9	22	38	31
FEMALE--	487	3	1	-	1	1	-	1	10	15	9	21
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	1	6	3	4
FEMALE--	25	-	-	-	-	-	-	-	1	4	4	1
BLACK---MALE----	18	-	-	-	-	-	-	-	1	3	2	4
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
CONNECTICUT -----	1,042	3	1	1	1	2	3	4	13	25	32	60
WHITE-----MALE----	486	1	1	1	1	1	-	2	6	15	18	40
FEMALE--	489	2	-	-	-	-	2	2	6	6	8	12
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	1	2	3	6
FEMALE--	24	-	-	-	-	1	1	-	-	2	3	2
BLACK---MALE----	39	-	-	-	-	-	-	-	1	2	3	5
FEMALE--	22	-	-	-	-	1	1	-	-	2	3	2
DELAWARE -----	182	1	1	-	1	-	-	-	2	6	5	5
WHITE-----MALE----	76	-	1	-	-	-	-	-	2	4	-	3
FEMALE--	75	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	1	-	-	-	-	-	-	-	-	4	2
FEMALE--	10	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	20	1	-	-	-	-	-	-	-	-	4	2
FEMALE--	9	-	-	-	-	-	-	-	-	2	1	-
DISTRICT OF COLUMBIA ----	261	1	1	-	-	-	-	-	6	16	17	27
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	119	1	1	-	-	-	-	-	1	9	11	14
FEMALE--	95	-	-	-	-	-	-	-	5	5	6	9
BLACK---MALE----	116	1	1	-	-	-	-	-	1	8	11	14
FEMALE--	95	-	-	-	-	-	-	-	5	5	6	9
FLORIDA -----	4,739	17	5	2	-	3	5	11	50	111	198	217
WHITE-----MALE----	2,239	6	2	-	-	1	3	4	23	53	100	130
FEMALE--	2,050	4	2	-	-	1	-	3	15	38	60	51
ALL OTHER--MALE----	243	5	1	2	-	1	1	2	6	13	21	24
FEMALE--	207	2	-	-	-	-	1	2	6	7	17	12
BLACK---MALE----	230	5	1	2	-	1	1	2	5	10	20	23
FEMALE--	198	2	-	-	-	-	1	2	6	7	17	12
GEORGIA -----	2,033	9	8	7	3	3	6	12	21	63	103	154
WHITE-----MALE----	751	3	5	2	1	2	1	5	6	23	57	65
FEMALE--	728	1	-	-	-	1	-	3	2	12	12	23
ALL OTHER--MALE----	274	4	3	4	1	-	4	2	8	12	18	44
FEMALE--	280	1	-	1	1	-	1	2	5	16	16	22
BLACK---MALE----	268	4	3	4	1	-	4	2	8	12	18	42
FEMALE--	278	1	-	1	1	-	1	2	5	16	16	21

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,072
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
COLORADO -----	51	66	67	78	105	118	102	108	66	28	5	-
WHITE-----MALE----	34	33	37	42	52	44	40	35	21	2	1	-
FEMALE--	15	30	28	31	51	68	62	67	44	25	4	-
ALL OTHER--MALE----	1	2	1	3	1	3	-	2	-	-	-	-
FEMALE--	1	1	1	2	1	3	-	4	1	1	-	-
BLACK---MALE----	1	1	1	2	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	2	1	1	-	-
CONNECTICUT -----	64	58	57	90	111	157	129	121	76	26	8	-
WHITE-----MALE----	42	35	28	47	57	75	46	40	24	5	1	-
FEMALE--	14	18	25	40	53	72	79	75	48	20	7	-
ALL OTHER--MALE----	6	4	4	2	1	6	2	3	3	-	-	-
FEMALE--	2	1	-	1	-	4	2	3	1	1	-	-
BLACK---MALE----	6	4	4	2	1	6	1	2	2	-	-	-
FEMALE--	1	1	-	1	-	4	1	3	1	1	-	-
DELAWARE -----	4	10	11	23	16	23	25	33	11	5	-	-
WHITE-----MALE----	1	8	4	14	10	11	6	10	1	1	-	-
FEMALE--	2	2	2	4	6	10	15	20	9	4	-	-
ALL OTHER--MALE----	1	-	4	5	-	1	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	3	1	-	-	-
BLACK---MALE----	1	-	4	4	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	1	-	-	-
DISTRICT OF COLUMBIA ----	34	27	26	14	19	23	16	19	13	1	1	-
WHITE-----MALE----	6	2	3	2	2	4	1	3	1	-	-	-
FEMALE--	-	-	2	1	1	2	2	3	5	1	-	-
ALL OTHER--MALE----	19	15	14	5	11	8	6	3	1	-	-	-
FEMALE--	9	10	7	6	5	9	7	10	6	-	1	-
BLACK---MALE----	19	15	12	5	11	8	6	3	1	-	-	-
FEMALE--	9	10	7	6	5	9	7	10	6	-	1	-
FLORIDA -----	248	269	365	491	592	615	587	528	319	86	20	-
WHITE-----MALE----	131	156	197	270	295	295	272	185	97	15	4	-
FEMALE--	83	65	127	185	243	281	277	323	210	67	15	-
ALL OTHER--MALE----	21	27	26	21	27	14	16	10	4	1	-	-
FEMALE--	13	21	15	15	27	25	22	10	8	3	1	-
BLACK---MALE----	20	27	25	19	26	14	15	10	3	1	-	-
FEMALE--	13	19	15	13	25	24	21	9	8	3	1	-
GEORGIA -----	114	136	164	185	206	243	246	201	107	36	6	-
WHITE-----MALE----	45	67	75	67	76	86	81	55	23	4	2	-
FEMALE--	22	38	43	69	84	114	116	99	59	26	4	-
ALL OTHER--MALE----	26	17	23	25	28	20	15	14	4	2	-	-
FEMALE--	21	14	23	24	18	23	34	33	21	4	-	-
BLACK---MALE----	24	17	22	24	28	20	15	14	4	2	-	-
FEMALE--	21	14	23	24	18	22	34	33	21	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,073
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
HAWAII -----	12	17	19	19	27	23	28	25	16	3	1	-
WHITE-----MALE----	3	4	8	6	7	4	3	4	2	1	-	-
FEMALE--	1	2	3	3	3	6	5	2	-	-	-	-
ALL OTHER--MALE----	5	11	3	6	10	9	10	10	5	1	-	-
FEMALE--	3	-	5	4	7	4	9	6	7	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
IDAHO -----	6	17	20	22	39	41	41	33	20	9	2	-
WHITE-----MALE----	6	6	10	10	18	19	17	12	8	1	1	-
FEMALE--	-	8	8	11	20	22	24	21	12	8	1	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	186	196	239	315	389	425	487	404	258	78	29	-
WHITE-----MALE----	95	99	131	166	194	170	175	114	57	21	5	-
FEMALE--	41	47	64	99	148	216	264	262	180	53	22	-
ALL OTHER--MALE----	32	27	31	26	28	19	20	7	9	1	-	-
FEMALE--	18	23	13	24	19	20	28	21	12	3	2	-
BLACK---MALE----	29	27	30	25	28	16	17	6	9	1	-	-
FEMALE--	18	23	12	21	19	19	26	19	12	3	2	-
INDIANA -----	76	82	128	136	202	202	220	193	114	49	17	-
WHITE-----MALE----	48	41	73	74	102	61	84	57	26	5	2	-
FEMALE--	21	28	39	51	85	124	124	126	87	41	12	-
ALL OTHER--MALE----	4	11	8	5	9	6	6	4	-	1	-	-
FEMALE--	3	2	8	6	6	11	6	6	1	2	3	-
BLACK---MALE----	4	11	8	5	9	6	6	4	-	1	-	-
FEMALE--	3	2	8	6	6	11	6	6	1	2	3	-
IOWA -----	21	32	36	55	73	112	138	133	112	42	5	-
WHITE-----MALE----	14	13	21	23	40	46	58	47	29	12	2	-
FEMALE--	6	19	15	30	33	66	79	85	83	30	3	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	41	19	48	60	88	102	98	99	87	29	1	-
WHITE-----MALE----	28	11	29	38	49	47	45	33	21	4	1	-
FEMALE--	11	6	15	17	35	50	50	66	65	23	-	-
ALL OTHER--MALE----	1	2	4	3	3	1	1	-	-	1	-	-
FEMALE--	1	-	-	2	1	4	2	-	1	1	-	-
BLACK---MALE----	1	-	4	3	2	1	1	-	-	1	-	-
FEMALE--	1	-	-	2	1	4	2	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,074
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
KENTUCKY -----	1,155	2	2	-	3	1	2	6	18	31	48	76
WHITE-----MALE----	546	-	1	-	-	1	1	3	13	20	33	51
FEMALE--	526	2	1	-	3	-	1	3	4	8	12	17
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	1	2	2	5
FEMALE--	46	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	37	-	-	-	-	-	-	-	1	2	2	5
FEMALE--	44	-	-	-	-	-	-	-	-	1	1	3
LOUISIANA -----	1,159	9	6	1	1	1	1	8	15	34	44	82
WHITE-----MALE----	404	3	1	-	-	1	1	2	2	13	16	40
FEMALE--	392	1	1	-	-	-	-	1	5	3	9	14
ALL OTHER--MALE----	206	4	2	-	-	-	-	4	6	12	15	21
FEMALE--	157	1	2	1	1	-	-	1	2	6	4	7
BLACK---MALE----	202	4	1	-	-	-	-	4	6	12	15	20
FEMALE--	156	1	2	1	1	-	-	1	2	6	4	7
MAINE -----	403	2	1	-	1	-	1	-	3	5	7	13
WHITE-----MALE----	180	1	-	-	1	-	-	-	2	2	3	8
FEMALE--	221	1	1	-	-	-	1	-	1	3	3	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,377	8	2	1	-	1	4	13	20	47	66	92
WHITE-----MALE----	505	3	1	1	-	-	-	6	6	18	23	37
FEMALE--	492	2	-	-	-	1	-	1	1	3	13	17
ALL OTHER--MALE----	212	2	-	-	-	-	4	2	10	19	25	24
FEMALE--	168	1	1	-	-	-	-	4	3	7	5	14
BLACK---MALE----	204	2	-	-	-	-	4	2	9	19	24	24
FEMALE--	165	1	1	-	-	-	-	4	3	7	5	14
MASSACHUSETTS -----	2,096	3	4	1	2	-	2	6	18	46	73	97
WHITE-----MALE----	977	2	2	1	1	-	2	3	10	32	52	57
FEMALE--	1,022	-	2	-	1	-	-	1	5	9	15	27
ALL OTHER--MALE----	60	1	-	-	-	-	-	1	3	4	5	9
FEMALE--	37	-	-	-	-	-	-	1	-	1	1	4
BLACK---MALE----	49	1	-	-	-	-	-	-	3	3	5	8
FEMALE--	29	-	-	-	-	-	-	1	-	1	1	4
MICHIGAN -----	2,881	8	6	1	-	3	2	7	35	87	153	187
WHITE-----MALE----	1,196	3	5	-	-	-	1	4	17	38	79	94
FEMALE--	1,179	2	1	-	-	3	1	-	4	20	27	28
ALL OTHER--MALE----	299	3	-	1	-	-	-	1	12	16	31	40
FEMALE--	207	-	-	-	-	-	-	2	2	13	16	25
BLACK---MALE----	282	2	-	1	-	-	-	1	12	15	30	38
FEMALE--	198	-	-	-	-	-	-	2	2	13	16	24

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,074
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
KENTUCKY -----	61	63	72	113	139	146	151	115	73	31	2	-
WHITE-----MALE----	41	39	44	61	60	68	52	37	17	4	-	-
FEMALE--	13	17	24	46	63	69	90	74	52	25	2	-
ALL OTHER--MALE----	3	5	3	3	8	1	3	-	-	1	-	-
FEMALE--	4	2	1	3	8	8	6	4	4	1	-	-
BLACK---MALE----	3	5	3	3	8	1	3	-	-	1	-	-
FEMALE--	4	2	1	3	7	7	6	4	4	1	-	-
LOUISIANA -----	71	83	88	110	125	135	141	116	59	23	6	-
WHITE-----MALE----	21	39	30	51	52	54	37	31	5	5	-	-
FEMALE--	17	15	20	32	44	45	69	67	38	8	3	-
ALL OTHER--MALE----	21	18	25	14	9	22	11	8	11	3	-	-
FEMALE--	12	11	13	13	20	14	24	10	5	7	3	-
BLACK---MALE----	21	18	24	14	9	21	11	8	11	3	-	-
FEMALE--	12	11	13	13	20	13	24	10	5	7	3	-
MAINE -----	9	21	31	39	47	50	60	52	42	15	4	-
WHITE-----MALE----	7	11	24	22	29	24	15	19	10	2	-	-
FEMALE--	1	10	7	17	18	26	45	33	32	13	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	82	66	98	128	153	182	181	127	70	31	5	-
WHITE-----MALE----	32	30	41	55	65	70	53	43	16	3	2	-
FEMALE--	12	11	26	37	63	72	89	67	48	27	2	-
ALL OTHER--MALE----	27	15	14	23	14	16	11	4	-	1	1	-
FEMALE--	11	10	17	13	11	24	28	13	6	-	-	-
BLACK---MALE----	27	13	14	22	13	14	11	4	-	1	1	-
FEMALE--	11	10	16	13	11	24	27	13	5	-	-	-
MASSACHUSETTS -----	98	78	142	170	245	288	286	272	178	76	11	-
WHITE-----MALE----	65	54	79	103	129	113	121	91	47	12	1	-
FEMALE--	23	18	51	56	106	169	160	179	128	62	10	-
ALL OTHER--MALE----	7	2	8	4	8	3	2	2	1	-	-	-
FEMALE--	3	4	4	7	2	3	-	2	2	-	-	-
BLACK---MALE----	6	2	6	4	6	2	1	1	1	-	-	-
FEMALE--	2	2	3	5	2	2	2	-	2	2	-	-
MICHIGAN -----	154	156	202	292	340	323	332	315	188	75	13	2
WHITE-----MALE----	77	59	108	148	144	150	112	94	47	14	1	1
FEMALE--	31	38	56	103	151	145	176	199	124	58	12	-
ALL OTHER--MALE----	37	40	26	26	25	10	17	8	5	-	-	1
FEMALE--	9	19	12	15	20	18	27	14	12	3	-	-
BLACK---MALE----	35	37	23	26	23	9	17	7	5	-	-	1
FEMALE--	9	18	12	14	16	18	25	14	12	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,075
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
MINNESOTA -----	49	38	67	93	125	141	166	166	125	54	7	-
WHITE-----MALE----	28	23	41	49	69	61	73	54	34	6	1	-
FEMALE--	13	14	22	41	55	74	89	111	91	48	6	-
ALL OTHER--MALE----	6	1	4	2	1	4	3	-	-	-	-	-
FEMALE--	2	-	-	1	-	2	1	1	-	-	-	-
BLACK---MALE----	2	-	2	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	40	58	61	69	94	97	104	79	52	15	3	-
WHITE-----MALE----	24	19	27	30	37	34	25	14	12	1	-	-
FEMALE--	6	11	16	23	32	40	46	45	33	10	2	-
ALL OTHER--MALE----	9	19	7	13	12	10	10	6	2	2	-	-
FEMALE--	1	9	11	3	13	13	23	14	5	2	1	-
BLACK---MALE----	8	17	7	13	12	10	10	6	2	2	-	-
FEMALE--	1	9	8	3	13	12	22	14	5	2	1	-
MISSOURI -----	67	78	108	147	193	219	276	260	152	52	19	-
WHITE-----MALE----	45	46	65	79	84	98	113	81	40	9	1	-
FEMALE--	12	16	30	47	85	100	146	166	105	37	13	-
ALL OTHER--MALE----	7	11	9	7	12	10	6	6	1	1	1	-
FEMALE--	3	5	4	14	12	11	11	7	6	5	4	-
BLACK---MALE----	7	9	9	6	12	8	6	6	1	1	1	-
FEMALE--	3	5	4	13	11	11	10	6	6	4	4	-
MONTANA -----	21	17	14	24	32	31	38	33	15	10	1	-
WHITE-----MALE----	9	8	7	13	21	17	16	18	7	1	-	-
FEMALE--	6	6	5	10	9	14	20	15	8	9	1	-
ALL OTHER--MALE----	2	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	1	2	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	11	18	25	46	49	59	70	46	60	26	6	-
WHITE-----MALE----	6	10	17	21	24	29	29	15	14	4	-	-
FEMALE--	3	5	7	19	24	28	40	30	46	21	6	-
ALL OTHER--MALE----	1	2	-	3	1	1	-	1	-	-	-	-
FEMALE--	1	1	1	3	-	1	1	-	-	1	-	-
BLACK---MALE----	1	1	-	2	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	3	-	-	1	-	-	1	-	-
NEVADA -----	35	36	47	52	60	65	43	33	9	7	2	1
WHITE-----MALE----	23	19	24	34	25	35	17	11	3	1	-	1
FEMALE--	8	13	16	15	29	26	25	20	6	6	2	-
ALL OTHER--MALE----	1	2	5	1	3	-	1	2	-	-	-	-
FEMALE--	3	2	2	2	3	4	-	-	-	-	-	-
BLACK---MALE----	1	2	5	1	2	-	-	2	-	-	-	-
FEMALE--	3	1	2	-	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,077
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
OHIO -----	3,319	17	3	5	5	4	9	10	22	77	122	150
WHITE-----MALE----	1,369	8	2	4	1	2	3	4	13	46	60	87
FEMALE--	1,567	3	1	1	2	1	2	4	5	17	33	31
ALL OTHER--MALE----	208	2	-	-	1	1	1	1	3	10	22	23
FEMALE--	175	4	-	-	1	-	3	1	1	4	7	9
BLACK---MALE----	206	2	-	-	1	1	1	1	3	10	22	23
FEMALE--	171	4	-	-	1	-	3	1	1	4	7	8
OKLAHOMA -----	1,085	5	2	2	1	1	2	4	14	26	55	57
WHITE-----MALE----	469	1	1	1	-	1	-	1	7	12	28	30
FEMALE--	483	2	1	1	1	-	2	2	5	6	9	15
ALL OTHER--MALE----	73	1	-	-	-	-	-	1	2	5	11	6
FEMALE--	60	1	-	-	-	-	-	-	-	3	7	6
BLACK---MALE----	32	-	-	-	-	-	-	-	-	2	5	3
FEMALE--	27	1	-	-	-	-	-	-	-	1	3	3
OREGON -----	909	6	2	1	1	-	1	4	7	23	38	40
WHITE-----MALE----	419	2	2	-	1	-	-	1	4	15	26	27
FEMALE--	457	3	-	1	-	-	1	3	2	6	9	10
ALL OTHER--MALE----	18	1	-	-	-	-	-	-	1	2	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	5	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	4,117	16	5	3	6	1	3	13	43	80	151	157
WHITE-----MALE----	1,703	5	2	3	3	-	1	7	25	42	80	87
FEMALE--	1,978	7	3	-	3	-	1	2	11	16	36	39
ALL OTHER--MALE----	232	1	-	-	-	1	-	2	4	17	26	22
FEMALE--	204	3	-	-	-	-	1	2	3	5	9	9
BLACK---MALE----	225	1	-	-	-	1	-	2	4	17	24	21
FEMALE--	195	3	-	-	-	-	1	2	3	5	9	9
RHODE ISLAND -----	349	-	1	-	1	-	-	2	1	10	14	14
WHITE-----MALE----	165	-	1	-	-	-	-	2	1	5	9	6
FEMALE--	167	-	-	-	1	-	-	-	-	4	4	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	1,107	7	3	-	1	2	-	5	12	38	48	69
WHITE-----MALE----	385	2	-	-	1	1	-	1	3	18	16	29
FEMALE--	385	1	1	-	-	-	-	2	3	1	7	9
ALL OTHER--MALE----	192	2	1	-	-	-	-	2	3	10	18	21
FEMALE--	145	2	1	-	-	1	-	-	3	9	7	10
BLACK---MALE----	189	2	1	-	-	-	-	2	3	10	18	20
FEMALE--	142	2	1	-	-	1	-	-	3	9	7	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,077
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
OHIO -----	148	158	242	335	399	416	445	405	246	84	17	-
WHITE-----MALE----	77	78	114	163	165	190	165	105	60	21	1	-
FEMALE--	44	48	87	135	199	191	244	273	172	59	15	-
ALL OTHER--MALE----	17	15	25	20	17	16	18	11	2	2	1	-
FEMALE--	10	17	16	17	18	19	18	16	12	2	-	-
BLACK---MALE----	17	14	25	20	16	16	18	11	2	2	1	-
FEMALE--	10	16	16	16	18	19	17	16	12	2	-	-
OKLAHOMA -----	50	54	86	90	99	132	132	147	83	34	6	3
WHITE-----MALE----	26	34	46	52	49	57	51	39	25	7	-	1
FEMALE--	12	12	24	31	39	64	72	102	51	25	6	1
ALL OTHER--MALE----	7	6	9	4	5	6	4	1	3	1	-	1
FEMALE--	5	2	7	3	6	5	5	5	4	1	-	-
BLACK---MALE----	2	2	5	1	2	1	3	1	3	1	-	1
FEMALE--	1	1	4	-	3	2	3	4	1	-	-	-
OREGON -----	44	49	76	78	95	114	122	108	72	23	5	-
WHITE-----MALE----	19	31	34	39	47	52	44	44	22	7	2	-
FEMALE--	21	17	41	35	43	58	76	63	49	16	3	-
ALL OTHER--MALE----	3	1	1	1	2	3	1	-	-	-	-	-
FEMALE--	1	-	-	3	3	1	1	1	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
PENNSYLVANIA -----	169	183	255	372	468	599	614	523	315	120	20	1
WHITE-----MALE----	97	94	125	188	226	245	209	161	74	25	4	-
FEMALE--	38	51	82	141	205	313	358	343	230	83	16	-
ALL OTHER--MALE----	20	26	32	22	21	16	14	4	2	2	-	-
FEMALE--	14	12	16	21	16	25	33	15	9	10	-	1
BLACK---MALE----	19	26	31	22	20	16	13	4	2	2	-	-
FEMALE--	13	11	14	20	15	25	31	14	9	10	-	1
RHODE ISLAND -----	20	16	19	32	32	50	48	57	27	5	-	-
WHITE-----MALE----	17	10	13	17	17	24	20	17	4	2	-	-
FEMALE--	2	5	4	11	14	23	28	39	23	3	-	-
ALL OTHER--MALE----	-	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	3	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	3	-	2	-	1	-	-	-	-
SOUTH CAROLINA -----	88	73	99	114	115	133	126	101	51	20	2	-
WHITE-----MALE----	31	32	40	53	43	55	29	23	6	2	-	-
FEMALE--	17	17	31	30	39	47	69	62	35	13	1	-
ALL OTHER--MALE----	23	13	17	17	18	16	21	6	2	2	-	-
FEMALE--	17	11	11	14	15	15	7	10	8	3	1	-
BLACK---MALE----	22	13	17	17	18	16	20	6	2	2	-	-
FEMALE--	16	11	10	14	15	14	7	10	8	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,078
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
SOUTH DAKOTA -----	246	-	-	-	-	-	-	-	6	6	14	15
WHITE-----MALE----	87	-	-	-	-	-	-	-	1	2	4	3
FEMALE--	104	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	5	3	5	7
FEMALE--	21	-	-	-	-	-	-	-	-	-	3	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,619	9	2	1	3	4	7	8	16	47	68	87
WHITE-----MALE----	669	1	-	-	1	2	1	4	6	28	35	44
FEMALE--	698	2	1	1	2	-	1	4	7	8	16	15
ALL OTHER--MALE----	128	3	1	-	-	1	4	-	-	7	14	17
FEMALE--	124	3	-	-	-	1	1	-	3	4	3	11
BLACK---MALE----	127	3	1	-	-	1	4	-	-	7	14	17
FEMALE--	123	3	-	-	-	1	1	-	3	4	3	11
TEXAS -----	4,968	27	16	4	9	6	7	29	50	162	286	271
WHITE-----MALE----	2,344	15	6	3	5	4	4	16	36	92	199	171
FEMALE--	2,061	7	3	1	2	1	1	9	9	46	49	59
ALL OTHER--MALE----	309	3	4	-	1	1	1	3	3	18	25	27
FEMALE--	254	2	3	-	1	-	1	1	2	6	13	14
BLACK---MALE----	291	3	4	-	1	1	1	3	3	18	24	24
FEMALE--	242	2	2	-	1	-	1	1	2	6	11	14
UTAH -----	433	3	2	1	1	-	-	3	5	11	13	16
WHITE-----MALE----	216	2	1	-	1	-	-	2	2	6	9	11
FEMALE--	203	-	1	1	-	-	-	1	3	3	3	5
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	2	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	153	-	-	-	-	-	-	1	3	2	5	3
WHITE-----MALE----	63	-	-	-	-	-	-	-	2	1	3	1
FEMALE--	88	-	-	-	-	-	-	1	1	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,734	3	1	1	1	1	4	8	17	42	62	95
WHITE-----MALE----	666	3	1	1	-	1	2	4	10	18	30	50
FEMALE--	713	-	-	-	-	-	1	1	4	13	12	19
ALL OTHER--MALE----	184	-	-	-	1	-	-	2	2	8	14	14
FEMALE--	171	-	-	-	-	-	1	1	1	3	6	12
BLACK---MALE----	181	-	-	-	1	-	-	2	2	8	14	14
FEMALE--	165	-	-	-	-	-	1	1	1	3	6	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,078
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF OTHER PARTS OF THE DIGESTIVE SYSTEM (530-579)												
SOUTH DAKOTA -----	10	12	14	17	20	26	30	32	23	17	4	-
WHITE-----MALE----	2	2	5	8	8	15	12	15	7	3	-	-
FEMALE--	-	3	4	5	8	11	18	17	15	14	4	-
ALL OTHER--MALE----	5	4	3	1	-	-	-	-	1	-	-	-
FEMALE--	3	3	2	3	4	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	82	110	123	167	179	185	194	186	98	38	5	-
WHITE-----MALE----	46	63	63	79	79	61	77	51	21	7	-	-
FEMALE--	19	26	40	57	85	104	94	120	68	25	3	-
ALL OTHER--MALE----	11	10	10	15	7	9	10	5	4	-	-	-
FEMALE--	6	11	10	16	8	11	13	10	5	6	2	-
BLACK---MALE----	11	10	9	15	7	9	10	5	4	-	-	-
FEMALE--	6	11	10	15	8	11	13	10	5	6	2	-
TEXAS -----	293	291	428	482	566	523	595	494	310	101	18	-
WHITE-----MALE----	187	162	258	247	264	225	225	133	73	16	3	-
FEMALE--	54	88	115	179	247	236	330	323	214	74	14	-
ALL OTHER--MALE----	31	28	30	36	30	28	11	20	8	1	-	-
FEMALE--	21	13	25	20	25	34	29	18	15	10	1	-
BLACK---MALE----	29	26	30	31	27	28	10	20	7	1	-	-
FEMALE--	21	13	24	19	24	33	26	16	15	10	1	-
UTAH -----	12	27	36	26	40	64	74	60	26	11	2	-
WHITE-----MALE----	8	17	21	14	24	28	36	24	8	2	-	-
FEMALE--	3	9	15	11	14	35	36	35	17	9	2	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	9	3	8	8	13	27	21	25	16	6	3	-
WHITE-----MALE----	5	2	5	6	7	12	7	10	2	-	-	-
FEMALE--	4	1	3	2	6	14	14	15	14	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	87	110	127	180	198	218	230	193	105	40	11	-
WHITE-----MALE----	39	57	64	75	71	84	86	43	18	7	2	-
FEMALE--	18	23	37	72	88	100	101	122	72	22	8	-
ALL OTHER--MALE----	23	20	16	15	21	16	13	14	4	1	-	-
FEMALE--	7	10	10	18	18	18	30	14	11	10	1	-
BLACK---MALE----	23	20	16	13	21	15	13	14	4	1	-	-
FEMALE--	7	10	10	14	17	18	29	14	11	10	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,080
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ULCER OF STOMACH AND DUODENUM (531-533)												
0 UNITED STATES --	5,464	7	1	3	3	6	6	11	24	55	82	133
WHITE-----MALE----	2,269	5	-	2	1	4	2	4	9	19	34	85
FEMALE--	2,571	1	-	1	2	-	3	-	7	15	19	17
ALL OTHER--MALE----	355	1	1	-	-	2	-	7	6	15	26	18
FEMALE--	269	-	-	-	-	-	1	-	2	6	3	13
BLACK---MALE----	289	1	-	-	-	2	-	6	6	14	25	15
FEMALE--	229	-	-	-	-	-	1	-	2	6	2	12
ALABAMA -----	71	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	64	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	47	-	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	820	1	-	-	-	2	1	-	3	10	14	21
WHITE-----MALE----	335	1	-	-	-	1	1	-	2	2	8	15
FEMALE--	373	-	-	-	-	-	-	-	-	2	3	5
ALL OTHER--MALE----	61	-	-	-	-	1	-	-	-	4	3	1
FEMALE--	51	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	26	-	-	-	-	1	-	-	-	3	2	1
FEMALE--	35	-	-	-	-	-	-	-	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,080
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
0 UNITED STATES --	136	195	283	441	609	829	996	907	522	178	37	-
WHITE-----MALE----	71	95	146	226	289	392	403	315	117	42	8	-
FEMALE--	31	54	104	146	243	348	514	543	366	130	27	-
ALL OTHER--MALE----	23	27	22	44	36	52	38	21	14	2	-	-
FEMALE--	11	19	11	25	41	37	41	28	25	4	2	-
BLACK---MALE----	20	23	21	38	29	40	29	13	5	2	-	-
FEMALE--	10	17	9	21	35	34	30	21	24	4	1	-
ALABAMA -----	8	1	1	11	4	10	15	13	5	-	-	-
WHITE-----MALE----	1	1	1	6	3	3	7	6	1	-	-	-
FEMALE--	1	-	-	3	-	5	8	5	4	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	3	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	3	-	-	2	-	1	-	-	-	-	-	-
ALASKA -----	-	1	1	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	3	4	9	7	16	9	9	-	-	-
WHITE-----MALE----	2	2	2	-	7	7	6	3	2	-	-	-
FEMALE--	1	-	1	4	2	-	9	6	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	4	9	6	9	3	7	3	-	-
WHITE-----MALE----	-	-	-	3	6	3	6	-	2	1	-	-
FEMALE--	-	-	1	1	2	3	2	3	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	22	28	37	72	100	128	138	117	95	26	5	-
WHITE-----MALE----	11	13	17	38	41	63	52	43	20	6	1	-
FEMALE--	6	11	17	23	41	43	69	67	63	20	3	-
ALL OTHER--MALE----	3	3	2	7	7	12	9	5	4	-	-	-
FEMALE--	2	1	1	4	11	10	8	2	8	-	1	-
BLACK---MALE----	2	2	1	3	1	6	4	-	-	-	-	-
FEMALE--	2	1	1	4	6	8	2	1	7	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,081
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ULCER OF STOMACH AND DUODENUM (531-533)												
COLORADO -----	63	-	-	-	1	-	-	-	-	2	-	5
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	29	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	71	-	-	-	-	-	-	-	3	-	-	2
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	3	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	13	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	389	2	-	-	-	-	-	1	2	3	3	7
WHITE-----MALE----	169	2	-	-	-	-	-	-	1	-	-	5
FEMALE--	179	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	1	2	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	20	-	-	-	-	-	-	1	1	2	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	-
GEORGIA -----	134	1	-	-	-	-	-	2	-	4	3	9
WHITE-----MALE----	52	1	-	-	-	-	-	2	-	1	2	2
FEMALE--	56	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,081
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
COLORADO -----	1	4	6	9	6	7	6	13	1	2	-	-
WHITE-----MALE----	1	1	3	5	4	2	-	7	-	-	-	-
FEMALE--	-	2	3	4	1	4	6	4	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	5	7	3	10	20	10	7	2	1	-
WHITE-----MALE----	-	-	2	3	1	7	12	5	1	1	-	-
FEMALE--	1	-	3	4	2	3	7	5	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	-	-	-	-	-	1	4	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	3	1	1	-	3	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	2	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	2	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
FLORIDA -----	7	12	29	27	39	61	77	66	41	7	5	-
WHITE-----MALE----	3	5	15	18	14	30	32	25	15	2	2	-
FEMALE--	2	4	11	6	21	27	38	36	24	4	3	-
ALL OTHER--MALE----	2	-	3	2	1	1	4	3	1	-	-	-
FEMALE--	-	3	-	1	3	3	3	2	1	1	-	-
BLACK---MALE----	2	-	3	2	1	1	3	3	-	-	-	-
FEMALE--	-	3	-	1	3	3	3	2	1	1	-	-
GEORGIA -----	3	7	9	7	20	23	26	13	5	2	-	-
WHITE-----MALE----	-	1	5	1	9	9	10	7	2	-	-	-
FEMALE--	2	4	3	5	7	9	15	5	1	2	-	-
ALL OTHER--MALE----	1	2	-	1	2	3	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	-	1	2	-	-	-
BLACK---MALE----	1	2	-	1	2	3	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	-	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,082
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
HAWAII -----	1	1	-	2	1	1	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	2	2	2	3	5	5	1	3	-	-
WHITE-----MALE----	-	-	2	-	-	1	3	2	1	1	-	-
FEMALE--	-	1	-	2	2	2	2	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	6	10	20	28	43	40	50	25	5	6	-
WHITE-----MALE----	-	2	7	8	14	19	15	15	4	3	1	-
FEMALE--	-	2	-	8	9	19	21	32	21	2	4	-
ALL OTHER--MALE----	-	1	2	3	3	4	2	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	2	3	-	-	1	-
BLACK---MALE----	-	1	2	2	3	2	2	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	2	2	-	-	1	-
INDIANA -----	5	3	8	7	13	17	25	19	7	7	3	-
WHITE-----MALE----	3	2	7	3	4	4	10	6	3	1	1	-
FEMALE--	1	1	-	3	7	13	14	13	4	6	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
IOWA -----	2	2	6	9	5	9	19	11	16	6	-	-
WHITE-----MALE----	2	1	2	5	5	1	8	4	7	2	-	-
FEMALE--	-	1	4	4	-	8	11	7	9	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	2	4	5	7	11	11	4	5	-	-
WHITE-----MALE----	1	-	1	3	3	2	6	5	1	1	-	-
FEMALE--	-	-	1	1	2	4	5	6	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,083
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
KENTUCKY -----	1	2	1	7	6	15	8	7	3	5	-	-
WHITE-----MALE----	1	1	-	4	3	6	3	3	1	-	-	-
FEMALE--	-	-	1	2	2	8	5	4	2	5	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	8	2	5	7	9	12	8	7	2	1	-
WHITE-----MALE----	-	3	-	3	2	5	3	5	-	1	-	-
FEMALE--	1	1	-	1	2	1	7	2	6	1	1	-
ALL OTHER--MALE----	1	2	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	2	-	1	3	2	2	1	-	-	-	-
BLACK---MALE----	1	2	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	2	-	1	3	1	2	1	-	-	-	-
MAINE -----	-	1	1	2	3	2	6	1	4	4	-	-
WHITE-----MALE----	-	1	-	1	2	1	1	1	-	1	-	-
FEMALE--	-	-	1	1	1	1	5	-	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	4	11	6	9	8	14	5	2	-	-
WHITE-----MALE----	-	-	2	4	3	5	2	5	1	1	-	-
FEMALE--	-	3	2	1	1	4	5	8	3	1	-	-
ALL OTHER--MALE----	-	-	-	5	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	5	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
MASSACHUSETTS -----	1	1	5	4	16	18	19	24	5	4	-	-
WHITE-----MALE----	1	1	2	1	9	9	7	9	2	1	-	-
FEMALE--	-	-	3	3	6	9	10	15	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	5	10	17	21	32	30	37	22	8	-	-
WHITE-----MALE----	2	2	6	11	10	13	11	5	6	2	-	-
FEMALE--	-	1	2	3	9	14	17	27	16	6	-	-
ALL OTHER--MALE----	-	1	1	2	-	3	-	1	-	-	-	-
FEMALE--	-	1	1	1	2	2	2	4	-	-	-	-
BLACK---MALE----	-	1	1	2	-	3	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	2	2	4	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,086
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
OHIO -----	5	9	12	15	30	33	34	39	23	6	2	-
WHITE-----MALE----	1	5	6	5	13	17	13	15	5	2	-	-
FEMALE--	2	2	4	7	14	15	20	21	17	4	2	-
ALL OTHER--MALE----	1	2	2	3	2	-	1	2	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	1	2	2	3	2	-	1	2	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	1	-	-	-
OKLAHOMA -----	1	2	7	3	4	13	13	18	10	3	-	-
WHITE-----MALE----	-	1	4	2	-	9	5	1	4	-	-	-
FEMALE--	1	1	1	1	3	4	7	17	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
OREGON -----	1	5	6	4	4	10	8	9	9	1	-	-
WHITE-----MALE----	-	4	2	2	2	5	3	5	3	-	-	-
FEMALE--	1	1	4	1	2	5	5	4	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	6	7	14	25	47	45	51	15	4	1	-
WHITE-----MALE----	3	6	4	8	13	24	14	23	1	1	1	-
FEMALE--	1	-	3	5	9	21	26	28	12	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	4	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	3	-	2	-	-	-
RHODE ISLAND -----	3	-	2	4	2	3	5	4	-	-	-	-
WHITE-----MALE----	2	-	2	2	1	3	2	2	-	-	-	-
FEMALE--	1	-	-	-	1	-	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	1	3	4	10	7	11	12	4	2	-	-
WHITE-----MALE----	3	-	2	2	5	2	2	4	-	-	-	-
FEMALE--	1	-	1	-	3	3	8	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	2	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	2	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,087
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ULCER OF STOMACH AND DUODENUM (531-533)												
SOUTH DAKOTA -----	-	-	-	-	1	7	2	2	-	2	-	-
WHITE-----MALE----	-	-	-	-	1	4	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	4	10	10	16	16	19	24	8	2	-	-
WHITE-----MALE----	2	1	5	5	6	7	8	7	1	-	-	-
FEMALE--	3	3	4	3	9	6	10	16	6	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	3	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	3	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
TEXAS -----	9	13	14	35	43	50	65	46	26	12	-	-
WHITE-----MALE----	8	8	8	16	21	27	20	16	4	4	-	-
FEMALE--	-	3	5	14	18	16	43	28	19	8	-	-
ALL OTHER--MALE----	1	2	-	4	2	4	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	3	1	2	3	-	-	-
BLACK---MALE----	1	2	-	4	2	4	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	3	1	2	3	-	-	-
UTAH -----	1	4	1	-	2	9	9	5	3	2	1	-
WHITE-----MALE----	1	3	1	-	-	4	6	2	-	-	-	-
FEMALE--	-	1	-	-	2	5	2	3	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	4	-	2	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	3	-	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	6	5	5	10	16	21	16	5	4	-	-
WHITE-----MALE----	2	4	2	2	2	7	11	5	2	-	-	-
FEMALE--	-	1	3	2	5	8	6	9	3	2	-	-
ALL OTHER--MALE----	1	1	-	1	3	1	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	1	-	-
BLACK---MALE----	1	1	-	1	3	1	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,089
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 GASTRIC ULCER (531)												
0 UNITED STATES --	1,591	5	1	1	2	2	3	2	6	24	28	48
WHITE-----MALE----	618	4	-	-	-	2	1	-	2	10	10	26
FEMALE--	747	-	-	1	2	-	2	-	4	5	7	9
ALL OTHER--MALE----	118	1	1	-	-	-	-	2	-	5	9	7
FEMALE--	108	-	-	-	-	-	-	-	-	4	2	6
BLACK---MALE----	99	1	-	-	-	-	-	2	-	4	9	7
FEMALE--	97	-	-	-	-	-	-	-	-	4	2	5
ALABAMA -----	21	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	248	1	-	-	-	1	-	-	-	5	4	8
WHITE-----MALE----	89	1	-	-	-	1	-	-	-	1	3	5
FEMALE--	122	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,089
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
0 UNITED STATES --	48	66	91	136	176	275	264	229	140	36	8	-
WHITE-----MALE----	21	23	45	68	75	109	99	80	33	9	1	-
FEMALE--	15	23	32	44	71	133	141	135	91	25	7	-
ALL OTHER--MALE----	9	13	9	14	15	16	9	4	3	1	-	-
FEMALE--	3	7	5	10	15	17	15	10	13	1	-	-
BLACK---MALE----	8	11	8	12	12	12	8	2	2	1	-	-
FEMALE--	2	6	4	10	14	16	13	8	12	1	-	-
ALABAMA -----	3	-	-	1	3	2	5	6	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	3	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	3	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	1	-	4	1	4	2	1	-	-	-
WHITE-----MALE----	-	1	1	-	3	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	1	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	1	-	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	8	11	20	30	52	36	27	31	5	-	-
WHITE-----MALE----	6	2	4	11	8	22	9	10	5	1	-	-
FEMALE--	3	4	5	4	17	21	24	14	21	4	-	-
ALL OTHER--MALE----	-	2	1	2	2	5	2	2	-	-	-	-
FEMALE--	-	-	1	3	3	4	1	1	5	-	-	-
BLACK---MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	3	2	4	1	-	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,090
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 GASTRIC ULCER (531)												
COLORADO -----	26	-	-	-	1	-	-	-	-	2	-	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	11	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	115	1	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	42	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	60	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	39	1	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	13	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,090
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
COLORADO -----	-	2	3	3	3	2	1	6	-	-	-	-
WHITE-----MALE----	-	-	1	2	1	-	-	4	-	-	-	-
FEMALE--	-	1	2	1	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	1	-	1	3	4	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	-	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
FLORIDA -----	1	4	12	12	10	20	21	15	10	2	1	-
WHITE-----MALE----	-	1	5	7	3	8	7	5	2	1	-	-
FEMALE--	1	3	6	2	7	11	11	9	7	-	1	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	1	1	1	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	1	1	1	-	-
GEORGIA -----	1	2	3	4	6	4	8	5	1	-	-	-
WHITE-----MALE----	-	1	1	1	2	1	2	3	-	-	-	-
FEMALE--	-	1	1	2	3	2	6	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,091
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
HAWAII -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	-	-	3	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	1	3	3	9	18	10	19	8	2	1	-
WHITE-----MALE----	-	1	3	2	6	8	4	6	2	1	-	-
FEMALE--	-	-	-	1	1	8	3	12	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	2	1	-	-	-	-
INDIANA -----	2	-	3	4	5	5	10	4	3	3	1	-
WHITE-----MALE----	1	-	3	2	1	1	2	3	2	1	-	-
FEMALE--	-	-	-	2	3	4	8	1	1	2	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	1	-	4	-	3	10	5	3	1	-	-
WHITE-----MALE----	-	-	-	3	-	-	4	-	-	-	-	-
FEMALE--	-	1	-	1	-	3	6	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	2	1	-	1	3	1	1	2	-	-
WHITE-----MALE----	-	-	1	1	-	-	3	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,092
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
KENTUCKY -----	1	-	-	1	-	4	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	4	2	1	-	3	2	2	1	-	-	-
WHITE-----MALE----	-	2	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	1	-	-	-	-
MAINE -----	-	-	1	-	-	1	2	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	2	3	1	6	1	5	1	-	-	-
WHITE-----MALE----	-	-	2	2	-	5	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	-	-	1	2	7	5	5	5	2	1	-	-
WHITE-----MALE----	-	-	1	-	4	3	2	3	2	-	-	-
FEMALE--	-	-	-	2	2	2	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	4	2	9	4	15	11	7	5	4	-	-
WHITE-----MALE----	1	1	1	7	-	5	5	1	2	2	-	-
FEMALE--	-	1	-	1	3	9	5	3	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	1	3	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	1	3	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,096
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRIC ULCER (531)												
SOUTH DAKOTA -----	-	-	-	-	1	6	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	5	2	6	5	7	5	1	-	-	-
WHITE-----MALE----	-	-	2	1	3	-	2	1	-	-	-	-
FEMALE--	1	2	2	1	2	4	5	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	1	7	4	16	11	10	19	14	6	3	-	-
WHITE-----MALE----	1	3	1	6	7	4	8	5	1	-	-	-
FEMALE--	-	2	2	7	3	3	10	9	3	3	-	-
ALL OTHER--MALE----	-	2	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	-	-	2	-	-	-
BLACK---MALE----	-	2	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	-	-	2	-	-	-
UTAH -----	1	1	-	-	-	4	1	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	4	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	4	1	1	1	5	4	4	3	1	-	-
WHITE-----MALE----	-	3	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	1	1	-	-	3	1	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,098
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
0 UNITED STATES --	48	69	98	145	220	247	340	271	135	51	7	-
WHITE-----MALE----	31	44	53	86	112	127	165	91	32	16	3	-
FEMALE--	7	10	37	40	91	93	154	168	90	32	3	-
ALL OTHER--MALE----	5	7	6	15	5	17	11	6	6	1	-	-
FEMALE--	5	8	2	4	12	10	10	6	7	2	1	-
BLACK---MALE----	5	6	6	12	4	11	7	3	2	1	-	-
FEMALE--	5	7	2	4	9	8	5	4	7	2	-	-
ALABAMA -----	2	-	-	6	1	3	7	1	1	-	-	-
WHITE-----MALE----	-	-	-	4	1	2	4	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	1	-	4	4	7	4	5	-	-	-
WHITE-----MALE----	2	1	-	-	3	4	3	-	2	-	-	-
FEMALE--	-	-	1	-	1	-	4	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	2	3	4	2	1	3	-	-	-
WHITE-----MALE----	-	-	-	2	2	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	6	9	13	26	35	40	51	38	21	11	1	-
WHITE-----MALE----	3	8	8	15	17	21	27	14	5	3	-	-
FEMALE--	-	1	4	8	13	11	17	22	13	8	-	-
ALL OTHER--MALE----	1	-	1	2	1	4	3	1	1	-	-	-
FEMALE--	2	-	-	1	4	4	4	1	2	-	1	-
BLACK---MALE----	1	-	1	1	-	2	1	-	-	-	-	-
FEMALE--	2	-	-	1	2	2	1	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,099
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
COLORADO -----	1	1	2	3	3	3	2	4	-	1	-	-
WHITE-----MALE----	1	1	2	1	3	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	4	2	2	6	8	2	2	2	-	-
WHITE-----MALE----	-	-	1	1	1	4	5	2	1	1	-	-
FEMALE--	-	-	3	1	1	2	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	4	12	9	15	17	22	20	10	3	-	-
WHITE-----MALE----	1	2	8	7	7	9	11	8	4	1	-	-
FEMALE--	1	-	3	2	5	7	10	11	5	2	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	1	1	1	-	-	-
FEMALE--	-	2	-	-	3	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	2	-	-	3	-	-	-	-	-	-	-
GEORGIA -----	2	2	4	-	4	9	9	3	1	1	-	-
WHITE-----MALE----	-	-	3	-	3	5	5	1	1	-	-	-
FEMALE--	2	2	1	-	1	3	4	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,101
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
KENTUCKY -----	-	1	-	3	2	2	2	2	-	2	-	-
WHITE-----MALE----	-	1	-	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	2	-	2	4	2	3	2	2	1	-	-
WHITE-----MALE----	-	-	-	2	1	1	-	1	-	1	-	-
FEMALE--	-	1	-	-	2	1	3	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE -----	-	1	-	1	3	-	2	1	1	3	-	-
WHITE-----MALE----	-	1	-	-	2	-	-	1	-	1	-	-
FEMALE--	-	-	-	1	1	-	2	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	1	3	3	2	4	6	2	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	2	2	-	-	-	-
FEMALE--	-	1	1	1	1	2	1	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	-	3	2	6	6	9	9	2	2	-	-
WHITE-----MALE----	-	-	-	1	2	4	4	3	-	1	-	-
FEMALE--	-	-	3	1	4	2	4	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	5	2	5	7	7	11	4	-	-	-
WHITE-----MALE----	-	-	2	2	3	3	3	2	3	-	-	-
FEMALE--	-	-	2	-	2	1	3	9	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,104
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
OHIO -----	4	4	3	6	10	8	16	15	8	-	1	-
WHITE-----MALE----	1	4	-	3	5	4	8	6	-	-	-	-
FEMALE--	2	-	3	2	5	4	7	8	7	-	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	-	-	3	1	1	3	2	5	2	-	-	-
WHITE-----MALE----	-	-	3	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	3	1	1	2	3	1	2	-	-	-	-
WHITE-----MALE----	-	3	1	1	2	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	2	4	11	12	13	16	6	2	-	-
WHITE-----MALE----	2	3	1	4	7	7	4	8	1	1	-	-
FEMALE--	-	-	1	-	4	5	8	8	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	1	-	-	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	-	1	2	2	2	4	2	2	-	-	-
WHITE-----MALE----	3	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,105
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DUODENAL ULCER (532)												
SOUTH DAKOTA -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	2	2	5	4	1	12	5	-	-	-
WHITE-----MALE----	2	-	1	2	2	3	1	3	-	-	-	-
FEMALE--	-	-	1	-	3	1	-	9	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	5	4	6	6	14	17	21	9	2	4	-	-
WHITE-----MALE----	4	3	5	4	4	10	6	4	-	2	-	-
FEMALE--	-	1	1	1	8	6	14	5	2	2	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
UTAH -----	-	1	1	-	-	2	3	2	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	2	-	1	6	5	7	6	2	1	-	-
WHITE-----MALE----	2	1	-	-	2	2	3	2	1	-	-	-
FEMALE--	-	-	-	-	4	3	3	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,107
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
0 UNITED STATES --	2,124	-	-	-	-	2	3	3	6	13	25	39
WHITE-----MALE----	834	-	-	-	-	2	1	1	3	3	15	28
FEMALE--	1,081	-	-	-	-	-	1	-	1	7	4	4
ALL OTHER--MALE----	121	-	-	-	-	-	-	2	1	1	6	4
FEMALE--	88	-	-	-	-	-	1	-	1	2	-	3
BLACK---MALE----	98	-	-	-	-	-	-	2	1	1	5	2
FEMALE--	74	-	-	-	-	-	1	-	1	2	-	3
ALABAMA -----	28	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	24	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	308	-	-	-	-	-	1	-	2	2	6	9
WHITE-----MALE----	121	-	-	-	-	-	1	-	1	1	5	7
FEMALE--	151	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,107
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
0 UNITED STATES --	40	60	94	160	213	307	392	407	247	91	22	-
WHITE-----MALE----	19	28	48	72	102	156	139	144	52	17	4	-
FEMALE--	9	21	35	62	81	122	219	240	185	73	17	-
ALL OTHER--MALE----	9	7	7	15	16	19	18	11	5	-	-	-
FEMALE--	3	4	4	11	14	10	16	12	5	1	1	-
BLACK---MALE----	7	6	7	14	13	17	14	8	1	-	-	-
FEMALE--	3	4	3	7	12	10	12	9	5	1	1	-
ALABAMA -----	3	1	1	4	-	5	3	6	4	-	-	-
WHITE-----MALE----	1	1	1	2	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	3	2	2	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
ALASKA -----	-	-	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	4	1	2	5	3	3	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	4	-	-	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	1	5	2	4	1	4	3	-	-
WHITE-----MALE----	-	-	-	1	3	2	2	-	1	1	-	-
FEMALE--	-	-	1	-	2	-	1	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	11	13	26	35	36	51	52	43	10	4	-
WHITE-----MALE----	2	3	5	12	16	20	16	19	10	2	1	-
FEMALE--	3	6	8	11	11	11	28	31	29	8	3	-
ALL OTHER--MALE----	2	1	-	3	4	3	4	2	3	-	-	-
FEMALE--	-	1	-	-	4	2	3	-	1	-	-	-
BLACK---MALE----	1	1	-	2	1	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	2	2	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,108
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
COLORADO -----	-	1	1	3	-	2	3	3	1	1	-	-
WHITE-----MALE----	-	-	-	2	-	1	-	2	-	-	-	-
FEMALE--	-	1	1	1	-	1	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	4	1	3	9	4	4	-	-	-
WHITE-----MALE----	-	-	1	2	-	2	6	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	3	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	-	-	-	-	-	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	1	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	4	5	6	14	24	34	31	21	2	4	-
WHITE-----MALE----	2	2	2	4	4	13	14	12	9	-	2	-
FEMALE--	-	1	2	2	9	9	17	16	12	2	2	-
ALL OTHER--MALE----	-	-	1	-	1	-	3	2	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	2	2	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
GEORGIA -----	-	3	2	3	10	10	9	5	3	1	-	-
WHITE-----MALE----	-	-	1	-	4	3	3	3	1	-	-	-
FEMALE--	-	1	1	3	3	4	5	2	1	1	-	-
ALL OTHER--MALE----	-	2	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	1	-	-	-
BLACK---MALE----	-	2	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,110
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
KENTUCKY -----	-	1	1	3	4	9	4	4	3	3	-	-
WHITE-----MALE----	-	-	-	1	2	5	2	2	1	-	-	-
FEMALE--	-	-	1	2	1	3	2	2	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	2	-	2	3	4	7	4	4	1	1	-
WHITE-----MALE----	-	1	-	1	1	3	2	3	-	-	-	-
FEMALE--	1	-	-	1	-	-	3	1	3	1	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	-	-	-
MAINE -----	-	-	-	1	-	1	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	1	5	2	1	3	3	2	2	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	1	1	-	-
FEMALE--	-	2	1	-	-	1	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	1	-	3	7	5	10	1	1	-	-
WHITE-----MALE----	1	1	1	-	3	2	1	3	-	-	-	-
FEMALE--	-	-	-	-	-	5	3	7	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	1	3	6	12	10	12	19	13	4	-	-
WHITE-----MALE----	1	1	3	2	7	5	3	2	1	-	-	-
FEMALE--	-	-	-	2	4	4	9	15	12	4	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,113
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
OHIO -----	1	2	5	5	9	9	11	17	8	6	1	-
WHITE-----MALE----	-	1	5	2	3	6	2	8	4	2	-	-
FEMALE--	-	1	-	2	5	3	9	8	4	4	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	-	1	3	1	-	4	8	8	6	1	-	-
WHITE-----MALE----	-	1	1	1	-	3	2	1	2	-	-	-
FEMALE--	-	-	1	-	-	1	5	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	4	3	-	4	2	5	6	1	-	-
WHITE-----MALE----	-	1	1	1	-	3	1	3	2	-	-	-
FEMALE--	1	1	3	1	-	1	1	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	-	6	7	20	18	23	6	2	-	-
WHITE-----MALE----	1	-	-	1	2	8	5	9	-	-	-	-
FEMALE--	-	-	-	4	4	11	11	14	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
RHODE ISLAND -----	-	-	-	2	1	-	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	2	6	1	2	6	1	2	-	-
WHITE-----MALE----	-	-	-	2	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,114
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PEPTIC ULCER, SITE UNSPECIFIED (533)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	3	6	5	7	11	7	2	2	-	-
WHITE-----MALE----	-	1	2	2	1	4	5	3	1	-	-	-
FEMALE--	2	1	1	2	4	1	5	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
TEXAS -----	3	2	4	13	18	23	25	23	18	5	-	-
WHITE-----MALE----	3	2	2	6	10	13	6	7	3	2	-	-
FEMALE--	-	-	2	6	7	7	19	14	14	3	-	-
ALL OTHER--MALE----	-	-	-	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
UTAH -----	-	2	-	-	2	3	5	2	3	2	1	-
WHITE-----MALE----	-	1	-	-	-	3	3	1	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	1	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	2	-	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	4	3	3	6	10	6	-	2	-	-
WHITE-----MALE----	-	-	2	1	-	4	6	2	-	-	-	-
FEMALE--	-	-	2	2	1	2	2	3	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,116
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRITIS AND DUODENITIS (535)												
0 UNITED STATES --	19	21	34	46	49	64	81	76	59	32	5	-
WHITE-----MALE----	10	11	20	25	25	31	33	25	18	3	1	-
FEMALE--	6	6	12	10	21	26	38	45	37	27	4	-
ALL OTHER--MALE----	1	2	1	8	2	6	2	1	-	1	-	-
FEMALE--	2	2	1	3	1	1	8	5	4	1	-	-
BLACK---MALE----	1	2	1	6	2	4	2	1	-	-	-	-
FEMALE--	2	2	1	3	1	1	6	4	2	1	-	-
ALABAMA -----	-	1	1	-	1	1	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	2	1	1	2	2	-	2	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	4	2	7	4	7	12	8	10	4	2	-
WHITE-----MALE----	1	2	1	4	3	2	5	2	2	-	1	-
FEMALE--	1	1	1	1	1	4	5	4	7	4	1	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,117
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRITIS AND DUODENITIS (535)												
COLORADO -----	-	2	-	1	1	-	2	-	1	-	-	-
WHITE-----MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	2	-	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	3	-	3	3	4	2	3	5	3	3	-	-
WHITE-----MALE----	3	-	1	2	2	2	1	-	1	1	-	-
FEMALE--	-	-	2	-	2	-	1	5	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
GEORGIA -----	-	4	1	1	3	1	3	1	1	-	-	-
WHITE-----MALE----	-	2	1	-	1	1	2	-	1	-	-	-
FEMALE--	-	1	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,123
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 GASTRITIS AND DUODENITIS (535)												
SOUTH DAKOTA -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	2	1	1	2	4	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	2	2	5	5	4	7	5	5	1	1	-
WHITE-----MALE----	-	-	1	4	2	3	3	2	2	1	-	-
FEMALE--	1	2	-	1	2	1	4	3	3	-	1	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	2	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	1	1	3	-	-	1	2	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,125
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APPENDICITIS (540-543)												
0 UNITED STATES --	15	24	38	43	40	42	51	39	20	11	2	-
WHITE-----MALE----	9	10	12	26	17	16	24	13	5	2	1	-
FEMALE--	4	7	12	11	14	19	20	22	13	6	1	-
ALL OTHER--MALE----	2	7	9	4	7	5	5	1	1	1	-	-
FEMALE--	-	-	5	2	2	2	2	3	1	2	-	-
BLACK---MALE----	2	6	8	4	7	5	3	1	1	1	-	-
FEMALE--	-	-	4	2	2	2	2	3	-	2	-	-
ALABAMA -----	-	1	1	-	1	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	3	2	3	7	3	5	7	3	3	-	-
WHITE-----MALE----	1	2	-	3	4	1	3	1	1	-	-	-
FEMALE--	-	-	1	-	2	2	2	5	1	2	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,126
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 APPENDICITIS (540-543)												
COLORADO -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	21	-	-	-	-	1	1	-	-	-	1	1
WHITE-----MALE----	10	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	11	-	-	2	-	-	-	-	-	1	1	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,126
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 APPENDICITIS (540-543)												
COLORADO -----	-	1	3	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	2	3	7	-	1	3	-	-	-	-
WHITE-----MALE----	-	-	1	1	4	-	1	1	-	-	-	-
FEMALE--	-	-	1	2	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	-	1	1	-	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,134
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
0 UNITED STATES --	6,188	74	25	12	12	15	8	22	23	53	51	80
WHITE-----MALE----	1,918	21	12	6	9	8	4	9	9	22	17	26
FEMALE--	3,458	26	9	1	1	4	2	6	7	17	21	26
ALL OTHER--MALE----	362	18	3	5	2	2	1	4	6	9	8	17
FEMALE--	450	9	1	-	-	1	1	3	1	5	5	11
BLACK---MALE----	333	17	2	5	2	2	1	4	5	8	7	17
FEMALE--	422	6	1	-	-	1	1	3	1	5	4	10
ALABAMA -----	135	1	-	1	-	-	-	-	-	-	3	3
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	15	1	-	1	-	-	-	-	-	-	-	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	15	1	-	1	-	-	-	-	-	-	-	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	4	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	111	2	-	-	-	1	-	-	1	1	-	1
WHITE-----MALE----	29	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	74	2	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	84	1	-	1	-	1	-	-	-	2	-	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	46	1	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	7	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	520	12	1	1	1	1	1	2	-	6	8	11
WHITE-----MALE----	185	4	-	1	1	-	1	2	-	5	3	6
FEMALE--	290	5	1	-	-	-	-	-	-	1	5	2
ALL OTHER--MALE----	22	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	23	1	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	15	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	18	1	-	-	-	1	-	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,134
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
0 UNITED STATES --	95	99	191	324	583	853	1,204	1,242	816	341	64	1
WHITE-----MALE----	34	31	82	123	225	291	385	364	181	45	13	1
FEMALE--	35	42	76	142	268	445	669	768	579	267	47	-
ALL OTHER--MALE----	15	15	21	28	45	49	64	36	10	4	-	-
FEMALE--	11	11	12	31	45	68	86	74	46	25	4	-
BLACK---MALE----	12	13	21	24	42	44	60	33	10	4	-	-
FEMALE--	11	10	11	29	43	64	85	68	42	23	4	-
ALABAMA -----	2	6	5	7	9	21	30	29	12	6	-	-
WHITE-----MALE----	-	-	2	1	6	6	7	8	3	-	-	-
FEMALE--	1	4	1	3	2	7	14	13	8	4	-	-
ALL OTHER--MALE----	1	2	1	2	-	2	3	-	-	-	-	-
FEMALE--	-	-	1	1	1	6	6	8	1	2	-	-
BLACK---MALE----	1	2	1	2	-	2	3	-	-	-	-	-
FEMALE--	-	-	1	1	1	6	6	8	1	2	-	-
ALASKA -----	-	1	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	2	4	15	19	22	18	14	2	3	-
WHITE-----MALE----	3	-	-	1	6	5	8	3	1	-	-	-
FEMALE--	-	3	1	2	8	11	12	15	13	2	3	-
ALL OTHER--MALE----	-	-	1	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ARKANSAS -----	-	-	3	3	7	8	19	24	8	5	1	-
WHITE-----MALE----	-	-	-	2	3	1	6	6	2	-	-	-
FEMALE--	-	-	2	-	4	5	9	15	3	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	3	1	-	-
BLACK---MALE----	-	-	1	-	-	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	3	1	-	-
CALIFORNIA -----	11	11	22	30	62	59	89	102	62	23	5	-
WHITE-----MALE----	3	4	13	12	30	20	30	33	13	2	2	-
FEMALE--	4	5	7	15	26	33	54	62	47	20	3	-
ALL OTHER--MALE----	3	1	2	-	3	3	3	3	-	-	-	-
FEMALE--	1	1	-	3	3	3	2	4	2	1	-	-
BLACK---MALE----	2	-	2	-	2	2	2	1	-	-	-	-
FEMALE--	1	1	-	3	3	2	2	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,135
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
COLORADO -----	80	-	-	-	1	-	-	-	-	-	-	1
WHITE-----MALE----	22	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	67	1	-	-	1	-	-	-	1	1	1	2
WHITE-----MALE----	22	-	-	-	1	-	-	-	1	-	1	2
FEMALE--	42	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	22	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	19	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	309	2	-	-	-	-	1	-	1	-	4	2
WHITE-----MALE----	115	1	-	-	-	-	1	-	-	-	1	-
FEMALE--	159	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	21	1	-	-	-	-	-	-	-	-	2	2
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	21	1	-	-	-	-	-	-	-	-	2	2
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
GEORGIA -----	198	1	1	1	1	-	-	-	2	1	3	5
WHITE-----MALE----	51	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	91	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	28	-	1	1	-	-	-	-	1	-	1	2
FEMALE--	28	1	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	28	-	1	1	-	-	-	-	1	-	1	2
FEMALE--	28	1	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,135
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
COLORADO -----	-	-	3	3	10	10	14	20	14	3	1	-
WHITE-----MALE----	-	-	1	3	4	1	3	4	4	-	1	-
FEMALE--	-	-	1	-	6	8	11	15	10	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	2	1	-	1	8	6	14	18	7	2	1	-
WHITE-----MALE----	-	-	-	1	4	3	4	2	3	-	-	-
FEMALE--	2	1	-	-	4	3	10	14	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
DELAWARE -----	-	-	-	2	2	2	5	8	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	3	3	1	2	3	2	1	-	1	-
WHITE-----MALE----	-	-	-	1	1	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	1	-	-	1	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	1	-	-	1	-
FLORIDA -----	2	5	9	11	35	54	51	66	48	14	4	-
WHITE-----MALE----	1	-	3	7	13	20	25	24	14	3	2	-
FEMALE--	1	-	2	4	16	29	22	38	34	10	2	-
ALL OTHER--MALE----	-	4	4	-	3	1	2	1	-	1	-	-
FEMALE--	-	1	-	-	3	4	2	3	-	-	-	-
BLACK---MALE----	-	4	4	-	3	1	2	1	-	1	-	-
FEMALE--	-	1	-	-	3	4	2	2	-	-	-	-
GEORGIA -----	7	4	7	9	19	35	38	34	18	11	1	-
WHITE-----MALE----	2	1	2	2	6	12	10	8	4	-	1	-
FEMALE--	2	2	3	5	7	16	19	16	9	9	-	-
ALL OTHER--MALE----	1	1	1	2	4	3	6	4	-	-	-	-
FEMALE--	2	-	1	-	2	4	3	6	5	2	-	-
BLACK---MALE----	1	1	1	2	4	3	6	4	-	-	-	-
FEMALE--	2	-	1	-	2	4	3	6	5	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,137
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
KENTUCKY -----	95	1	-	-	1	-	-	1	-	-	-	1
WHITE-----MALE----	31	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	56	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	101	1	2	-	-	-	-	1	-	-	1	3
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	1	2	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	17	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	1	-	-	-	2
MAINE -----	30	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	136	2	-	-	-	-	-	1	-	-	-	3
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	61	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	10	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	1	-	-	-	1
MASSACHUSETTS -----	181	-	1	-	-	-	-	-	1	2	-	2
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	110	-	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	241	-	2	-	-	1	-	1	3	1	1	5
WHITE-----MALE----	77	-	2	-	-	-	-	-	-	-	-	1
FEMALE--	130	-	-	-	-	1	-	-	1	1	1	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	21	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	20	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,137
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
KENTUCKY -----	3	1	3	3	6	18	11	24	13	9	-	-
WHITE-----MALE----	2	-	1	2	-	6	5	7	3	3	-	-
FEMALE--	1	1	2	1	4	10	6	16	8	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	2	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	2	-	1	2	-	-	-
LOUISIANA -----	5	-	5	8	7	12	20	22	12	2	-	-
WHITE-----MALE----	1	-	1	4	2	2	3	2	3	-	-	-
FEMALE--	3	-	1	1	2	7	9	13	6	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	3	3	3	2	1	-	-
FEMALE--	1	-	2	2	3	-	5	4	1	1	-	-
BLACK---MALE----	-	-	1	1	-	3	3	3	2	1	-	-
FEMALE--	1	-	2	2	3	-	5	4	1	1	-	-
MAINE -----	-	-	2	2	2	4	5	5	8	2	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	3	5	-	-	-
FEMALE--	-	-	1	1	1	3	4	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	6	8	14	25	32	20	16	4	1	-
WHITE-----MALE----	1	-	1	4	7	10	7	5	3	1	1	-
FEMALE--	-	1	4	3	4	7	18	8	11	3	-	-
ALL OTHER--MALE----	-	-	1	1	-	2	2	2	-	-	-	-
FEMALE--	2	-	-	-	3	6	5	5	2	-	-	-
BLACK---MALE----	-	-	1	1	-	2	2	2	-	-	-	-
FEMALE--	2	-	-	-	3	6	5	5	2	-	-	-
MASSACHUSETTS -----	-	2	5	4	12	23	45	44	27	13	-	-
WHITE-----MALE----	-	-	1	3	3	8	28	12	5	1	-	-
FEMALE--	-	2	4	-	6	13	17	32	22	11	-	-
ALL OTHER--MALE----	-	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	-	-
MICHIGAN -----	1	4	13	12	28	35	48	42	28	15	1	-
WHITE-----MALE----	-	2	9	6	9	11	13	16	5	3	-	-
FEMALE--	-	2	3	4	15	19	29	19	19	11	1	-
ALL OTHER--MALE----	-	-	1	1	2	2	2	2	1	-	-	-
FEMALE--	1	-	-	1	2	3	4	5	3	1	-	-
BLACK---MALE----	-	-	1	1	1	2	2	2	1	-	-	-
FEMALE--	1	-	-	1	1	3	4	5	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,140
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
OHIO -----	2	3	5	11	22	31	60	67	42	12	2	-
WHITE-----MALE----	-	1	4	3	3	15	15	20	6	5	-	-
FEMALE--	-	-	1	4	13	12	33	42	35	6	2	-
ALL OTHER--MALE----	1	1	-	2	3	3	4	4	1	-	-	-
FEMALE--	1	1	-	2	3	1	8	1	-	1	-	-
BLACK---MALE----	1	1	-	2	3	3	4	4	1	-	-	-
FEMALE--	1	1	-	2	3	1	8	1	-	1	-	-
OKLAHOMA -----	1	2	1	5	6	17	12	25	9	6	3	-
WHITE-----MALE----	-	1	-	2	3	6	4	8	-	-	-	-
FEMALE--	-	1	-	3	3	9	8	17	7	6	3	-
ALL OTHER--MALE----	1	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	-	3	2	2	7	13	16	17	12	5	3	-
WHITE-----MALE----	-	-	-	1	3	6	7	5	4	2	1	-
FEMALE--	-	3	2	1	4	7	9	12	8	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	4	11	16	25	54	72	74	60	25	5	-
WHITE-----MALE----	3	2	5	3	10	18	15	23	12	3	2	-
FEMALE--	5	1	5	12	12	28	49	50	45	18	3	-
ALL OTHER--MALE----	-	-	-	1	2	5	4	-	-	1	-	-
FEMALE--	-	1	1	-	1	3	4	1	3	3	-	-
BLACK---MALE----	-	-	-	1	2	5	4	-	-	1	-	-
FEMALE--	-	1	1	-	1	3	4	1	3	3	-	-
RHODE ISLAND -----	-	-	-	1	1	3	3	8	4	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	2	-	2	-	-
FEMALE--	-	-	-	1	1	2	1	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	1	6	11	18	20	13	9	1	-	-
WHITE-----MALE----	1	1	-	3	1	5	3	4	1	-	-	-
FEMALE--	-	-	-	-	5	6	9	7	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	4	5	5	1	1	-	-	-
FEMALE--	-	1	-	3	1	2	3	1	2	-	-	-
BLACK---MALE----	-	-	1	-	4	5	5	1	1	-	-	-
FEMALE--	-	1	-	3	1	1	3	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,141
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
SOUTH DAKOTA -----	25	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	123	1	-	-	-	1	-	-	-	1	1	-
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	367	6	2	1	-	1	2	4	4	8	4	4
WHITE-----MALE----	104	3	1	1	-	1	-	1	3	1	1	1
FEMALE--	206	2	-	-	-	-	-	2	1	4	1	2
ALL OTHER--MALE----	23	1	-	-	-	-	1	1	-	3	2	-
FEMALE--	34	-	1	-	-	-	1	-	-	-	-	1
BLACK---MALE----	22	1	-	-	-	-	1	1	-	3	1	-
FEMALE--	34	-	1	-	-	-	1	-	-	-	-	1
UTAH -----	42	-	1	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	1	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	13	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	130	-	1	-	1	1	-	-	-	2	1	4
WHITE-----MALE----	26	-	1	-	-	1	-	-	-	1	-	1
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	14	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	14	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,141
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)												
SOUTH DAKOTA -----	-	-	-	2	3	4	4	5	4	3	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	2	2	-	-	-
FEMALE--	-	-	-	1	2	3	3	3	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	1	10	16	18	20	26	14	10	1	-
WHITE-----MALE----	-	1	1	3	6	4	6	10	4	3	-	-
FEMALE--	1	1	-	3	9	11	12	14	8	6	-	-
ALL OTHER--MALE----	-	-	-	2	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	2	1	1	-	2	1	1	1	-
BLACK---MALE----	-	-	-	2	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	2	1	1	-	2	1	1	1	-
TEXAS -----	6	7	15	16	43	55	72	60	37	18	2	-
WHITE-----MALE----	2	2	7	7	14	15	21	13	10	-	-	-
FEMALE--	2	3	6	8	19	25	48	41	25	15	2	-
ALL OTHER--MALE----	1	1	-	-	4	3	1	3	2	-	-	-
FEMALE--	1	1	2	1	6	12	2	3	-	3	-	-
BLACK---MALE----	1	1	-	-	4	3	1	3	2	-	-	-
FEMALE--	1	1	2	1	6	12	2	3	-	3	-	-
UTAH -----	-	-	1	2	2	6	14	10	2	1	-	-
WHITE-----MALE----	-	-	-	1	2	2	7	3	-	-	-	-
FEMALE--	-	-	1	1	-	4	7	7	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	1	-	-	1	1	1	-	6	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	2	5	8	15	30	26	23	8	1	-
WHITE-----MALE----	-	1	1	1	1	2	7	6	2	-	1	-
FEMALE--	1	-	1	2	5	6	13	15	14	6	-	-
ALL OTHER--MALE----	-	-	-	2	2	2	3	1	1	-	-	-
FEMALE--	-	-	-	-	-	5	7	4	6	2	-	-
BLACK---MALE----	-	-	-	2	2	2	3	1	1	-	-	-
FEMALE--	-	-	-	-	-	5	6	4	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,143
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)												
0 UNITED STATES --	40	36	51	78	110	122	124	97	45	13	2	-
WHITE-----MALE----	17	17	22	33	41	50	33	25	8	4	1	-
FEMALE--	16	17	25	42	58	63	85	68	35	9	-	-
ALL OTHER--MALE----	2	1	2	2	4	1	2	1	-	-	1	-
FEMALE--	5	1	2	1	7	8	4	3	2	-	-	-
BLACK---MALE----	2	1	2	2	4	1	2	-	-	-	1	-
FEMALE--	5	1	2	1	6	8	4	3	2	-	-	-
ALABAMA -----	1	1	2	2	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	3	2	3	2	-	2	-	-	-	-
WHITE-----MALE----	-	2	1	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	1	-	2	1	2	-	1	-	-	-
WHITE-----MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	4	1	1	9	8	8	16	9	5	-	1	-
WHITE-----MALE----	2	-	1	4	4	3	3	2	2	-	1	-
FEMALE--	2	1	-	5	3	5	12	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,149
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)												
OHIO -----	2	-	2	3	4	9	4	4	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	4	2	1	1	-	-	-
FEMALE--	-	-	1	2	2	5	2	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	1	1	1	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	-	-	-	-	2	1	4	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	5	8	18	9	15	11	3	4	-	-
WHITE-----MALE----	-	1	3	4	8	5	4	4	-	2	-	-
FEMALE--	2	2	2	4	9	4	9	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
RHODE ISLAND -----	1	-	-	2	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	-	1	-	2	1	-	1	1	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,150
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 REGIONAL ENTERITIS AND IDIOPATHIC PROCTOCOLITIS (555-556)												
SOUTH DAKOTA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	1	1	1	1	2	2	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	5	3	4	3	3	4	8	3	2	1	-	-
WHITE-----MALE----	3	2	1	-	3	-	1	1	-	1	-	-
FEMALE--	1	1	2	3	-	3	7	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
UTAH -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	1	3	4	2	5	3	1	-	-	-
WHITE-----MALE----	-	2	1	3	1	-	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	2	4	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,152
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
0 UNITED STATES --	180	253	427	826	1,208	1,527	1,690	1,418	812	283	50	1
WHITE-----MALE----	59	110	138	318	463	492	516	334	158	40	5	-
FEMALE--	68	101	213	412	629	897	1,046	1,005	611	227	39	-
ALL OTHER--MALE----	27	24	37	41	47	51	42	30	11	1	2	-
FEMALE--	26	18	39	55	69	87	86	49	32	15	4	1
BLACK---MALE----	25	21	32	33	40	39	35	23	9	1	2	-
FEMALE--	26	17	35	46	58	75	73	44	25	12	3	1
ALABAMA -----	2	7	10	14	14	25	31	25	5	2	-	-
WHITE-----MALE----	1	2	4	2	7	7	1	3	-	-	-	-
FEMALE--	1	3	6	9	5	16	23	17	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	2	1	-	-	-
FEMALE--	-	1	-	3	1	2	6	3	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	2	1	-	-	-
FEMALE--	-	1	-	3	1	2	6	3	1	-	-	-
ALASKA -----	-	1	-	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	9	16	28	20	22	28	8	4	1	-
WHITE-----MALE----	-	1	3	9	13	5	7	9	2	-	-	-
FEMALE--	2	1	5	7	14	14	13	19	6	4	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	1	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	3	2	11	14	22	21	15	8	4	2	-
WHITE-----MALE----	-	2	-	4	8	8	8	3	1	-	1	-
FEMALE--	-	1	2	7	6	13	11	10	7	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
CALIFORNIA -----	22	30	43	92	134	181	181	146	72	28	3	-
WHITE-----MALE----	7	14	14	34	56	54	55	26	15	5	-	-
FEMALE--	10	13	21	43	69	104	113	111	49	20	3	-
ALL OTHER--MALE----	-	-	6	4	4	11	6	2	2	1	-	-
FEMALE--	5	3	2	11	5	12	7	7	6	2	-	-
BLACK---MALE----	-	-	3	2	3	4	2	-	1	1	-	-
FEMALE--	5	3	-	6	4	7	5	4	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,153
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
COLORADO -----	119	3	-	-	-	-	-	-	1	2	-	2
WHITE-----MALE----	34	1	-	-	-	-	-	-	1	1	-	1
FEMALE--	83	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	129	-	1	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	41	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	83	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	16	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	20	-	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	522	3	3	-	-	-	1	2	2	4	1	4
WHITE-----MALE----	176	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	308	-	1	-	-	-	1	1	1	2	-	1
ALL OTHER--MALE----	15	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	23	1	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	15	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	21	1	-	-	-	-	-	-	1	1	-	2
GEORGIA -----	227	-	2	1	-	-	-	-	2	2	-	6
WHITE-----MALE----	68	-	2	1	-	-	-	-	-	-	-	2
FEMALE--	101	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE----	21	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	2	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,153
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
COLORADO -----	1	2	7	5	23	23	20	14	13	3	-	-
WHITE-----MALE----	1	-	2	2	10	6	6	1	2	-	-	-
FEMALE--	-	2	5	3	13	17	14	12	11	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	4	5	6	8	16	26	25	21	10	4	-	-
WHITE-----MALE----	2	1	2	4	5	12	6	4	3	-	-	-
FEMALE--	2	3	4	4	11	12	18	16	7	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
DELAWARE -----	-	-	-	4	-	2	2	4	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	3	2	2	2	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	-	-	-	-	-	-
BLACK---MALE----	-	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	-	-	-	-	-	-
FLORIDA -----	13	13	22	46	57	98	97	105	42	7	4	-
WHITE-----MALE----	4	7	9	19	28	39	28	29	9	1	-	-
FEMALE--	7	3	11	22	26	55	65	73	30	6	4	-
ALL OTHER--MALE----	2	2	-	2	1	1	2	-	1	-	-	-
FEMALE--	-	1	2	3	2	3	2	3	2	-	-	-
BLACK---MALE----	2	2	-	2	1	1	2	-	1	-	-	-
FEMALE--	-	1	2	2	2	3	1	3	2	-	-	-
GEORGIA -----	9	6	12	17	35	43	41	29	19	3	-	-
WHITE-----MALE----	3	2	2	9	9	13	14	7	3	1	-	-
FEMALE--	2	2	7	4	17	19	18	15	13	2	-	-
ALL OTHER--MALE----	2	1	2	2	4	4	2	3	-	-	-	-
FEMALE--	2	1	1	2	5	7	7	4	3	-	-	-
BLACK---MALE----	2	1	2	2	4	4	2	3	-	-	-	-
FEMALE--	2	1	1	2	5	7	7	4	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,155
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
KENTUCKY -----	2	8	7	15	21	24	29	16	9	5	-	-
WHITE-----MALE----	2	6	1	5	4	10	6	5	1	-	-	-
FEMALE--	-	2	5	10	16	13	23	10	8	5	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
LOUISIANA -----	4	2	7	12	12	20	19	14	7	4	-	-
WHITE-----MALE----	-	1	2	2	2	6	3	3	1	-	-	-
FEMALE--	1	1	-	5	7	12	12	10	6	3	-	-
ALL OTHER--MALE----	1	-	2	2	1	1	-	1	-	-	-	-
FEMALE--	2	-	3	3	2	1	4	-	-	1	-	-
BLACK---MALE----	1	-	2	2	1	1	-	1	-	-	-	-
FEMALE--	2	-	3	3	2	1	4	-	-	1	-	-
MAINE -----	1	-	1	4	6	5	11	14	7	3	-	-
WHITE-----MALE----	1	-	1	3	4	2	3	5	1	-	-	-
FEMALE--	-	-	-	1	2	3	8	9	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	10	12	27	26	28	21	9	8	-	-
WHITE-----MALE----	1	1	3	3	8	6	7	6	-	-	-	-
FEMALE--	1	-	3	6	15	14	16	13	9	8	-	-
ALL OTHER--MALE----	1	-	3	2	4	3	2	1	-	-	-	-
FEMALE--	-	-	1	1	-	3	3	1	-	-	-	-
BLACK---MALE----	1	-	3	2	4	2	2	1	-	-	-	-
FEMALE--	-	-	1	1	-	3	3	1	-	-	-	-
MASSACHUSETTS -----	3	2	12	16	41	55	50	46	26	11	1	-
WHITE-----MALE----	1	1	6	7	19	14	10	14	4	1	-	-
FEMALE--	2	1	5	8	20	41	39	32	21	10	1	-
ALL OTHER--MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
MICHIGAN -----	7	14	15	36	37	56	65	47	28	7	1	-
WHITE-----MALE----	4	6	8	10	16	21	20	14	6	2	-	-
FEMALE--	-	3	7	23	14	29	39	32	20	5	1	-
ALL OTHER--MALE----	2	3	-	-	3	1	5	-	-	-	-	-
FEMALE--	1	2	-	3	4	5	1	1	2	-	-	-
BLACK---MALE----	2	3	-	-	3	-	5	-	-	-	-	-
FEMALE--	1	2	-	3	3	5	-	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,158
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
OHIO -----	14	11	25	48	60	65	90	68	24	15	2	-
WHITE-----MALE----	2	4	7	17	11	22	36	17	4	3	-	-
FEMALE--	5	4	13	27	43	39	48	49	19	12	2	-
ALL OTHER--MALE----	5	2	3	1	2	1	2	-	-	-	-	-
FEMALE--	2	1	2	3	4	3	4	2	1	-	-	-
BLACK---MALE----	5	2	3	1	1	1	2	-	-	-	-	-
FEMALE--	2	1	2	3	4	3	4	2	1	-	-	-
OKLAHOMA -----	5	3	6	16	19	26	26	25	16	9	2	-
WHITE-----MALE----	3	1	2	7	7	5	9	8	6	1	-	-
FEMALE--	2	-	3	7	11	19	15	16	9	8	2	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	2	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
OREGON -----	3	1	4	13	13	24	22	12	8	2	-	-
WHITE-----MALE----	-	1	1	2	5	7	3	5	2	-	-	-
FEMALE--	2	-	3	11	6	15	19	7	6	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	11	18	43	60	89	90	73	42	16	2	1
WHITE-----MALE----	3	5	6	19	23	26	31	14	8	4	-	-
FEMALE--	1	6	6	19	34	53	52	57	33	10	2	-
ALL OTHER--MALE----	1	-	4	2	-	2	1	-	-	-	-	-
FEMALE--	2	-	2	3	3	8	6	2	1	2	-	1
BLACK---MALE----	1	-	4	2	-	2	1	-	-	-	-	-
FEMALE--	2	-	2	3	3	8	6	2	1	2	-	1
RHODE ISLAND -----	-	-	2	3	3	6	7	8	7	1	-	-
WHITE-----MALE----	-	-	1	-	-	2	1	1	2	-	-	-
FEMALE--	-	-	-	2	3	4	6	7	5	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	6	12	9	11	24	17	11	10	-	1	-
WHITE-----MALE----	-	1	2	2	3	5	5	1	-	-	-	-
FEMALE--	-	2	8	6	5	7	10	8	9	-	-	-
ALL OTHER--MALE----	1	3	-	1	1	4	1	-	-	-	-	-
FEMALE--	1	-	2	-	2	8	1	2	1	-	1	-
BLACK---MALE----	1	3	-	1	1	4	1	-	-	-	-	-
FEMALE--	1	-	2	-	2	8	1	2	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,159
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
SOUTH DAKOTA -----	24	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	218	2	-	-	1	-	-	2	2	1	3	6
WHITE-----MALE----	62	1	-	-	-	-	-	1	1	-	1	3
FEMALE--	128	-	-	-	1	-	-	1	1	-	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	1	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	1	-	-	-	-	-	-	-	1	-	1
TEXAS -----	578	8	2	-	1	-	1	1	-	3	7	8
WHITE-----MALE----	190	5	1	-	-	-	1	1	-	2	4	2
FEMALE--	334	2	-	-	-	-	-	-	-	1	2	4
ALL OTHER--MALE----	27	1	-	-	1	-	-	-	-	-	-	1
FEMALE--	27	-	1	-	-	-	-	-	-	-	1	1
BLACK---MALE----	25	1	-	-	1	-	-	-	-	-	-	1
FEMALE--	25	-	1	-	-	-	-	-	-	-	1	1
UTAH -----	43	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	26	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	238	1	-	1	-	-	1	1	1	1	3	5
WHITE-----MALE----	74	1	-	1	-	-	1	-	-	-	1	-
FEMALE--	114	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	27	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	23	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,159
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS (557-558)												
SOUTH DAKOTA -----	-	-	-	4	2	1	4	7	3	3	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	2	-	2	-	-
FEMALE--	-	-	-	2	2	1	4	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	6	11	25	18	28	40	36	20	8	1	-
WHITE-----MALE----	-	4	3	10	4	8	14	7	5	-	-	-
FEMALE--	3	2	5	13	11	17	23	27	14	7	-	-
ALL OTHER--MALE----	1	-	-	1	3	-	1	-	1	-	-	-
FEMALE--	4	-	3	1	-	3	2	2	-	1	1	-
BLACK---MALE----	1	-	-	1	3	-	1	-	1	-	-	-
FEMALE--	4	-	3	1	-	3	2	2	-	1	1	-
TEXAS -----	9	19	25	59	75	76	99	99	58	22	6	-
WHITE-----MALE----	4	10	7	23	29	30	36	17	14	2	2	-
FEMALE--	2	8	12	29	42	41	57	73	39	18	4	-
ALL OTHER--MALE----	2	-	2	4	2	4	1	7	2	-	-	-
FEMALE--	1	1	4	3	2	1	5	2	3	2	-	-
BLACK---MALE----	2	-	2	3	1	4	1	7	2	-	-	-
FEMALE--	1	1	3	3	2	1	4	2	3	2	-	-
UTAH -----	-	2	1	5	6	8	7	8	4	1	-	-
WHITE-----MALE----	-	2	1	3	3	2	3	3	2	-	-	-
FEMALE--	-	-	-	2	2	6	4	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	1	4	4	6	1	3	2	2	-
WHITE-----MALE----	-	-	1	1	2	3	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	5	-	3	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	10	10	25	36	39	44	28	22	3	3	-
WHITE-----MALE----	2	6	7	7	10	10	14	8	4	1	1	-
FEMALE--	1	2	1	12	14	22	23	15	16	1	2	-
ALL OTHER--MALE----	1	1	2	2	5	4	-	3	1	-	-	-
FEMALE--	-	1	-	4	7	3	7	2	1	1	-	-
BLACK---MALE----	1	1	2	2	5	4	-	3	1	-	-	-
FEMALE--	-	1	-	3	7	3	7	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,161
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
0 UNITED STATES --	32	56	109	233	360	450	593	623	390	141	23	-
WHITE-----MALE----	14	30	42	87	114	149	182	133	83	29	3	-
FEMALE--	13	23	54	119	209	266	367	462	283	105	18	-
ALL OTHER--MALE----	2	1	6	13	13	11	14	8	4	1	-	-
FEMALE--	3	2	7	14	24	24	30	20	20	6	2	-
BLACK---MALE----	2	1	5	12	11	11	12	7	4	1	-	-
FEMALE--	2	2	7	14	20	21	26	17	17	6	2	-
ALABAMA -----	-	2	3	3	-	10	7	16	6	1	-	-
WHITE-----MALE----	-	1	1	2	-	-	3	2	2	-	-	-
FEMALE--	-	1	-	1	-	8	3	13	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALASKA -----	-	-	1	-	2	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	5	2	10	6	4	1	1	-	-
WHITE-----MALE----	-	-	1	2	1	4	2	1	1	-	-	-
FEMALE--	-	-	-	3	1	5	4	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	-	3	1	2	3	5	10	7	3	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	4	-	1	-	-	-
FEMALE--	-	1	-	2	2	3	6	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	12	11	13	29	59	64	68	78	52	13	3	-
WHITE-----MALE----	5	4	4	13	20	17	27	22	21	3	1	-
FEMALE--	5	7	9	13	32	42	37	48	27	9	2	-
ALL OTHER--MALE----	1	-	-	2	2	-	1	1	-	1	-	-
FEMALE--	1	-	-	1	5	5	3	7	4	-	-	-
BLACK---MALE----	1	-	-	1	2	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	3	3	1	4	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,162
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
COLORADO -----	-	1	-	3	4	8	3	5	1	-	1	-
WHITE-----MALE----	-	1	-	2	1	2	1	2	-	-	-	-
FEMALE--	-	-	-	1	3	6	2	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	2	-	7	-	3	3	2	1	-
WHITE-----MALE----	-	1	1	-	-	-	-	1	1	1	1	-
FEMALE--	-	-	-	2	-	6	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	-	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	1	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
FLORIDA -----	1	4	7	21	27	37	42	30	30	9	1	-
WHITE-----MALE----	-	3	2	8	11	17	16	7	4	-	-	-
FEMALE--	-	-	5	9	14	17	24	23	25	9	1	-
ALL OTHER--MALE----	-	1	-	2	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	2	3	-	-	1	-	-	-
BLACK---MALE----	-	1	-	2	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	2	1	3	-	-	1	-	-	-
GEORGIA -----	-	-	6	3	11	8	14	11	4	2	1	-
WHITE-----MALE----	-	-	1	-	3	3	4	4	-	-	-	-
FEMALE--	-	-	2	1	3	5	7	6	4	2	1	-
ALL OTHER--MALE----	-	-	2	1	4	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	3	1	-	-	-	-
BLACK---MALE----	-	-	2	1	4	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,163
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
HAWAII -----	-	1	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	2	3	4	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	3	2	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	3	2	9	12	22	25	27	11	5	3	-
WHITE-----MALE----	-	2	2	4	2	10	7	5	3	2	-	-
FEMALE--	-	1	-	3	10	12	18	21	7	3	2	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	1	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	1	-
INDIANA -----	-	1	1	6	3	14	13	13	13	4	2	-
WHITE-----MALE----	-	1	-	2	1	3	3	1	3	1	1	-
FEMALE--	-	-	-	4	2	11	10	12	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IOWA -----	-	1	-	6	5	9	10	15	16	5	-	-
WHITE-----MALE----	-	1	-	1	2	5	5	3	2	1	-	-
FEMALE--	-	-	-	5	3	4	5	12	14	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	1	3	4	8	7	8	1	-	-
WHITE-----MALE----	-	-	-	1	1	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	1	7	6	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,164
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
KENTUCKY -----	-	1	-	2	3	8	7	13	5	2	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	4	1	-	-	-
FEMALE--	-	1	-	1	1	6	5	9	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
LOUISIANA -----	1	3	2	4	4	7	15	12	4	3	1	-
WHITE-----MALE----	1	2	-	3	2	2	3	1	-	1	-	-
FEMALE--	-	1	-	1	2	2	10	9	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	3	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	2	2	1	1	1	-
BLACK---MALE----	-	-	1	-	-	3	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	2	2	1	1	1	-
MAINE -----	-	2	-	2	-	3	4	3	3	1	1	-
WHITE-----MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	2	-	2	-	1	2	2	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	2	9	6	8	14	10	3	2	1	-
WHITE-----MALE----	-	-	1	2	1	3	1	2	2	-	-	-
FEMALE--	-	-	-	3	4	5	7	7	-	2	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	3	1	-	5	1	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	3	1	-	5	1	1	-	-	-
MASSACHUSETTS -----	1	1	3	4	10	12	13	15	13	6	-	-
WHITE-----MALE----	1	1	2	3	1	5	3	3	6	1	-	-
FEMALE--	-	-	1	1	9	7	10	12	7	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	5	12	15	12	24	26	20	6	-	-
WHITE-----MALE----	-	-	2	4	6	4	5	5	5	1	-	-
FEMALE--	-	-	3	6	9	8	17	21	15	5	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,167
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
OHIO -----	2	3	9	15	13	17	32	39	11	3	1	-
WHITE-----MALE----	1	1	3	6	6	4	13	7	3	-	-	-
FEMALE--	1	2	6	8	4	13	19	28	8	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	3	-	-	-	-
OKLAHOMA -----	1	2	1	3	5	1	5	6	7	4	-	-
WHITE-----MALE----	-	2	1	2	1	1	1	1	3	2	-	-
FEMALE--	1	-	-	1	3	-	4	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	2	1	2	5	10	6	5	3	-	-
WHITE-----MALE----	-	-	1	-	1	-	3	1	-	-	-	-
FEMALE--	-	-	1	1	1	5	7	5	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	7	9	16	19	36	25	17	5	-	-
WHITE-----MALE----	1	-	2	2	3	4	6	5	-	2	-	-
FEMALE--	1	1	5	6	12	12	30	20	17	3	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	2	1	3	-	4	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	3	3	3	4	8	9	4	3	-	-
WHITE-----MALE----	-	1	1	2	-	1	1	1	-	1	-	-
FEMALE--	-	-	1	1	1	2	5	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,168
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DIVERTICULA OF INTESTINE (562)												
SOUTH DAKOTA -----	-	-	1	2	2	1	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	3	8	5	10	15	13	16	7	2	-	-
WHITE-----MALE----	2	3	3	1	1	5	6	4	-	2	-	-
FEMALE--	-	-	5	4	8	10	5	10	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
TEXAS -----	1	-	4	17	24	21	24	42	29	9	1	-
WHITE-----MALE----	-	-	2	5	10	11	6	9	4	-	-	-
FEMALE--	-	-	1	12	11	6	15	32	24	8	1	-
ALL OTHER--MALE----	1	-	-	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	-	1	1	-	-
BLACK---MALE----	1	-	-	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	-	1	1	-	-
UTAH -----	-	-	-	-	2	2	5	3	2	2	1	-
WHITE-----MALE----	-	-	-	-	1	-	2	2	1	1	-	-
FEMALE--	-	-	-	-	1	2	3	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	3	8	11	14	16	16	10	3	1	-
WHITE-----MALE----	-	-	1	2	3	5	5	-	-	-	-	-
FEMALE--	-	-	2	4	7	7	8	15	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	2	-	-	-
FEMALE--	1	-	-	2	1	1	2	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	2	-	-	-
FEMALE--	1	-	-	2	1	1	2	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,170
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
0 UNITED STATES --	25,222	23	6	3	4	8	25	134	470	1,341	2,364	2,680
WHITE-----MALE----	14,100	11	1	3	2	2	10	73	256	720	1,434	1,623
FEMALE--	7,332	4	2	-	1	1	2	31	105	310	429	520
ALL OTHER--MALE----	2,425	3	1	-	-	2	12	19	66	204	347	374
FEMALE--	1,365	5	2	-	1	3	1	11	43	107	154	163
BLACK---MALE----	1,999	2	1	-	-	2	8	10	42	158	282	330
FEMALE--	1,074	3	-	-	1	3	1	7	35	85	129	133
ALABAMA -----	372	-	-	-	1	-	1	1	12	20	34	41
WHITE-----MALE----	182	-	-	-	-	-	-	1	4	8	16	23
FEMALE--	96	-	-	-	-	-	1	-	3	3	6	4
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	2	6	8	10
FEMALE--	41	-	-	-	1	-	-	-	3	3	4	4
BLACK---MALE----	52	-	-	-	-	-	-	-	2	6	8	10
FEMALE--	41	-	-	-	1	-	-	-	3	3	4	4
ALASKA -----	61	-	-	-	-	-	-	1	5	2	10	11
WHITE-----MALE----	30	-	-	-	-	-	-	1	1	1	4	5
FEMALE--	15	-	-	-	-	-	-	-	1	-	3	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	2	-	3	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	553	1	1	-	-	-	1	5	13	37	56	53
WHITE-----MALE----	287	1	1	-	-	-	-	1	5	11	30	36
FEMALE--	158	-	-	-	-	-	-	1	1	11	6	10
ALL OTHER--MALE----	61	-	-	-	-	-	1	2	4	12	14	4
FEMALE--	47	-	-	-	-	-	-	1	3	3	6	3
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	4	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	214	-	-	-	-	-	-	2	6	10	20	16
WHITE-----MALE----	117	-	-	-	-	-	-	1	1	2	13	8
FEMALE--	61	-	-	-	-	-	-	-	2	3	3	5
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	1	2	2	3
FEMALE--	13	-	-	-	-	-	-	-	2	3	2	-
BLACK---MALE----	22	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	13	-	-	-	-	-	-	-	2	3	2	-
CALIFORNIA -----	3,564	2	-	-	-	-	4	21	74	196	399	442
WHITE-----MALE----	2,134	2	-	-	-	-	4	15	56	116	267	287
FEMALE--	1,054	-	-	-	-	-	-	3	10	59	86	106
ALL OTHER--MALE----	238	-	-	-	-	-	-	2	4	15	33	36
FEMALE--	138	-	-	-	-	-	-	1	4	6	13	13
BLACK---MALE----	146	-	-	-	-	-	-	1	1	8	20	27
FEMALE--	76	-	-	-	-	-	-	1	4	4	12	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,170
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
0 UNITED STATES --	2,567	2,499	2,857	3,014	2,895	2,144	1,348	589	220	17	5	9
WHITE-----MALE----	1,535	1,413	1,688	1,734	1,597	1,053	611	238	80	8	1	7
FEMALE--	515	591	772	955	1,056	956	636	310	126	7	3	-
ALL OTHER--MALE----	355	317	252	186	159	61	38	18	7	1	1	2
FEMALE--	162	178	145	139	83	74	63	23	7	1	-	-
BLACK---MALE----	300	252	221	160	133	45	28	15	6	1	1	2
FEMALE--	129	137	113	110	62	57	45	17	6	1	-	-
ALABAMA -----	33	44	35	43	39	32	20	8	5	3	-	-
WHITE-----MALE----	24	21	15	18	20	18	8	3	3	-	-	-
FEMALE--	4	13	7	14	13	10	11	4	1	2	-	-
ALL OTHER--MALE----	5	7	5	6	3	1	-	-	-	-	-	-
FEMALE--	-	3	8	5	3	3	1	1	1	1	-	-
BLACK---MALE----	4	7	5	6	3	1	-	-	-	-	-	-
FEMALE--	-	3	8	5	3	3	1	1	1	1	-	-
ALASKA -----	8	10	2	6	3	3	-	-	-	-	-	-
WHITE-----MALE----	6	6	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	2	1	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	51	63	63	59	56	48	31	13	2	-	-	-
WHITE-----MALE----	27	32	39	29	33	25	10	7	-	-	-	-
FEMALE--	7	16	16	21	21	22	18	6	2	-	-	-
ALL OTHER--MALE----	8	8	3	4	-	-	1	-	-	-	-	-
FEMALE--	9	7	5	5	2	1	2	-	-	-	-	-
BLACK---MALE----	2	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
ARKANSAS -----	15	24	24	23	24	28	14	7	1	-	-	-
WHITE-----MALE----	10	14	15	16	17	11	6	3	-	-	-	-
FEMALE--	1	4	3	7	7	16	6	3	1	-	-	-
ALL OTHER--MALE----	3	6	4	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	-	1	1	1	-	-	-	-
BLACK---MALE----	3	6	4	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	-	1	1	1	-	-	-	-
CALIFORNIA -----	395	379	397	400	361	244	165	57	24	1	-	3
WHITE-----MALE----	245	231	244	233	193	123	78	24	12	1	-	3
FEMALE--	101	92	115	132	133	105	73	29	10	-	-	-
ALL OTHER--MALE----	35	29	24	23	25	6	4	1	1	-	-	-
FEMALE--	14	27	14	12	10	10	10	3	1	-	-	-
BLACK---MALE----	24	17	16	14	17	-	1	-	-	-	-	-
FEMALE--	9	14	5	6	6	3	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,171
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
COLORADO -----	322	-	-	-	-	-	-	5	14	33	44	32
WHITE-----MALE----	185	-	-	-	-	-	-	3	6	15	32	16
FEMALE--	111	-	-	-	-	-	-	1	6	11	5	14
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	1	5	3	2
FEMALE--	10	-	-	-	-	-	-	-	1	2	4	-
BLACK---MALE----	10	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	324	-	-	-	-	1	-	2	4	19	18	38
WHITE-----MALE----	177	-	-	-	-	-	-	2	3	13	8	27
FEMALE--	124	-	-	-	-	-	-	-	1	4	6	9
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	7	-	-	-	-	1	-	-	-	1	2	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	7	-	-	-	-	1	-	-	-	1	2	-
DELAWARE -----	60	-	-	-	-	-	-	-	2	4	4	3
WHITE-----MALE----	35	-	-	-	-	-	-	-	2	2	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	-
DISTRICT OF COLUMBIA ----	93	-	-	-	-	-	-	-	3	6	9	13
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	1	6	8
FEMALE--	31	-	-	-	-	-	-	-	3	3	3	3
BLACK---MALE----	50	-	-	-	-	-	-	-	-	1	6	8
FEMALE--	31	-	-	-	-	-	-	-	3	3	3	3
FLORIDA -----	1,845	2	-	-	-	-	-	4	25	77	140	145
WHITE-----MALE----	1,056	1	-	-	-	-	-	3	12	40	78	96
FEMALE--	624	-	-	-	-	-	-	-	8	26	44	32
ALL OTHER--MALE----	94	-	-	-	-	-	-	-	2	8	9	12
FEMALE--	71	1	-	-	-	-	-	1	3	3	9	5
BLACK---MALE----	86	-	-	-	-	-	-	-	1	6	8	11
FEMALE--	68	1	-	-	-	-	-	1	3	3	9	5
GEORGIA -----	583	1	-	-	-	-	2	5	9	25	55	89
WHITE-----MALE----	279	1	-	-	-	-	-	1	4	8	35	41
FEMALE--	157	-	-	-	-	-	-	2	-	6	4	13
ALL OTHER--MALE----	81	-	-	-	-	-	2	1	2	5	8	26
FEMALE--	66	-	-	-	-	-	-	1	3	6	8	9
BLACK---MALE----	78	-	-	-	-	-	2	1	2	5	8	25
FEMALE--	66	-	-	-	-	-	-	1	3	6	8	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,171
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
COLORADO -----	31	33	32	28	26	22	11	8	3	-	-	-
WHITE-----MALE----	21	19	19	16	21	10	2	4	1	-	-	-
FEMALE--	9	13	13	10	5	10	9	3	2	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	31	27	22	41	41	43	20	10	6	-	1	-
WHITE-----MALE----	25	19	10	23	21	21	3	2	-	-	-	-
FEMALE--	4	7	9	16	20	19	15	8	5	-	1	-
ALL OTHER--MALE----	2	-	3	1	-	2	2	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	3	1	-	2	1	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
DELAWARE -----	2	9	7	13	8	4	2	1	1	-	-	-
WHITE-----MALE----	1	7	2	9	6	3	-	-	1	-	-	-
FEMALE--	1	2	1	2	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	3	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	3	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
DISTRICT OF COLUMBIA ----	19	12	9	7	5	4	2	4	-	-	-	-
WHITE-----MALE----	3	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	13	7	3	3	5	1	1	2	-	-	-	-
FEMALE--	3	4	4	3	-	2	1	2	-	-	-	-
BLACK---MALE----	13	7	3	3	5	1	1	2	-	-	-	-
FEMALE--	3	4	4	3	-	2	1	2	-	-	-	-
FLORIDA -----	168	178	208	253	249	187	123	60	23	3	-	-
WHITE-----MALE----	92	111	122	147	140	103	70	29	11	1	-	-
FEMALE--	55	40	66	92	94	75	48	30	12	2	-	-
ALL OTHER--MALE----	14	15	10	7	11	3	2	1	-	-	-	-
FEMALE--	7	12	10	7	4	3	-	-	-	-	-	-
BLACK---MALE----	13	15	10	6	10	3	2	1	-	-	-	-
FEMALE--	7	10	10	6	4	3	-	-	-	-	-	-
GEORGIA -----	59	66	71	64	49	46	26	15	1	-	-	-
WHITE-----MALE----	30	39	41	27	19	21	7	5	-	-	-	-
FEMALE--	8	14	14	25	25	22	15	8	1	-	-	-
ALL OTHER--MALE----	14	7	7	5	4	-	-	-	-	-	-	-
FEMALE--	7	6	9	7	1	3	4	2	-	-	-	-
BLACK---MALE----	12	7	7	5	4	-	-	-	-	-	-	-
FEMALE--	7	6	9	7	1	3	4	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,173
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
KENTUCKY -----	347	-	-	-	-	1	-	3	9	20	33	48
WHITE-----MALE----	223	-	-	-	-	1	-	2	7	15	24	36
FEMALE--	100	-	-	-	-	-	-	1	1	4	8	8
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	15	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
LOUISIANA -----	352	3	-	-	-	-	1	1	6	17	25	42
WHITE-----MALE----	172	1	-	-	-	-	1	-	2	7	12	24
FEMALE--	83	1	-	-	-	-	-	-	1	-	4	5
ALL OTHER--MALE----	69	-	-	-	-	-	-	1	2	7	6	11
FEMALE--	28	1	-	-	-	-	-	-	1	3	3	2
BLACK---MALE----	69	-	-	-	-	-	-	1	2	7	6	11
FEMALE--	28	1	-	-	-	-	-	-	1	3	3	2
MAINE -----	117	1	-	-	-	-	-	-	2	4	3	8
WHITE-----MALE----	72	-	-	-	-	-	-	-	1	1	3	5
FEMALE--	45	1	-	-	-	-	-	-	1	3	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	422	-	-	1	-	-	1	3	13	30	45	54
WHITE-----MALE----	205	-	-	1	-	-	-	2	4	14	18	27
FEMALE--	86	-	-	-	-	-	-	1	-	2	9	8
ALL OTHER--MALE----	89	-	-	-	-	-	1	-	7	10	14	15
FEMALE--	42	-	-	-	-	-	-	-	2	4	4	4
BLACK---MALE----	86	-	-	-	-	-	1	-	6	10	14	15
FEMALE--	42	-	-	-	-	-	-	-	2	4	4	4
MASSACHUSETTS -----	568	-	-	-	-	-	1	3	13	29	47	57
WHITE-----MALE----	351	-	-	-	-	-	1	2	8	20	32	29
FEMALE--	180	-	-	-	-	-	-	-	2	6	11	20
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	3	2	3	5
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	21	-	-	-	-	-	-	-	3	1	3	5
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	3
MICHIGAN -----	995	1	1	-	-	-	-	2	19	64	107	121
WHITE-----MALE----	521	-	-	-	-	-	-	1	13	28	63	70
FEMALE--	245	-	1	-	-	-	-	-	1	13	16	11
ALL OTHER--MALE----	168	1	-	-	-	-	-	-	5	15	22	23
FEMALE--	61	-	-	-	-	-	-	1	-	8	6	17
BLACK---MALE----	157	1	-	-	-	-	-	-	5	14	21	21
FEMALE--	57	-	-	-	-	-	-	1	-	8	6	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,173
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
KENTUCKY -----	31	33	39	38	40	31	17	1	3	-	-	-
WHITE-----MALE----	22	21	27	22	23	16	4	1	2	-	-	-
FEMALE--	4	8	11	15	13	15	11	-	1	-	-	-
ALL OTHER--MALE----	2	3	-	-	3	-	2	-	-	-	-	-
FEMALE--	3	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	3	-	-	3	-	2	-	-	-	-	-
FEMALE--	3	1	1	1	-	-	-	-	-	-	-	-
LOUISIANA -----	35	42	40	42	39	30	14	8	4	3	-	-
WHITE-----MALE----	13	22	16	24	20	22	3	3	-	2	-	-
FEMALE--	7	8	11	12	15	3	8	4	4	-	-	-
ALL OTHER--MALE----	11	10	9	3	2	4	1	1	-	1	-	-
FEMALE--	4	2	4	3	2	1	2	-	-	-	-	-
BLACK---MALE----	11	10	9	3	2	4	1	1	-	1	-	-
FEMALE--	4	2	4	3	2	1	2	-	-	-	-	-
MAINE -----	4	12	19	16	21	18	5	3	1	-	-	-
WHITE-----MALE----	4	8	16	12	13	6	1	1	1	-	-	-
FEMALE--	-	4	3	4	8	12	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	50	34	39	47	51	22	17	10	4	-	1	-
WHITE-----MALE----	23	17	21	25	26	8	11	4	3	-	1	-
FEMALE--	7	2	7	10	20	9	4	6	1	-	-	-
ALL OTHER--MALE----	16	10	5	6	3	2	-	-	-	-	-	-
FEMALE--	4	5	6	6	2	3	2	-	-	-	-	-
BLACK---MALE----	16	8	5	6	3	2	-	-	-	-	-	-
FEMALE--	4	5	6	6	2	3	2	-	-	-	-	-
MASSACHUSETTS -----	51	43	57	69	74	63	39	14	8	-	-	-
WHITE-----MALE----	37	31	40	47	43	28	24	8	1	-	-	-
FEMALE--	9	8	15	20	29	35	13	6	6	-	-	-
ALL OTHER--MALE----	5	1	2	1	1	-	-	-	1	-	-	-
FEMALE--	-	3	-	1	1	-	2	-	-	-	-	-
BLACK---MALE----	4	1	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	2	-	1	1	-	2	-	-	-	-	-
MICHIGAN -----	96	94	103	139	110	69	34	25	8	-	-	2
WHITE-----MALE----	53	36	60	77	45	45	16	11	2	-	-	1
FEMALE--	15	20	23	46	46	22	14	12	5	-	-	-
ALL OTHER--MALE----	23	30	17	13	14	-	2	1	1	-	-	1
FEMALE--	5	8	3	3	5	2	2	1	-	-	-	-
BLACK---MALE----	22	27	15	13	13	-	2	1	1	-	-	1
FEMALE--	5	7	3	2	4	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,174
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
MINNESOTA -----	28	24	27	47	49	29	15	7	3	-	-	-
WHITE-----MALE----	16	18	19	24	31	14	8	3	1	-	-	-
FEMALE--	5	6	6	21	17	15	7	3	2	-	-	-
ALL OTHER--MALE----	5	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	30	28	23	25	26	21	9	4	2	-	-	-
WHITE-----MALE----	20	11	10	13	11	9	3	-	-	-	-	-
FEMALE--	4	3	7	5	8	10	4	2	1	-	-	-
ALL OTHER--MALE----	5	12	-	6	-	-	-	2	1	-	-	-
FEMALE--	1	2	6	1	2	2	2	-	-	-	-	-
BLACK---MALE----	4	11	-	6	5	-	-	2	1	-	-	-
FEMALE--	1	2	3	1	2	1	-	-	-	-	-	-
MISSOURI -----	34	42	46	50	52	44	28	17	3	-	-	-
WHITE-----MALE----	25	25	36	31	24	22	10	8	1	-	-	-
FEMALE--	4	9	5	11	19	19	15	9	2	-	-	-
ALL OTHER--MALE----	4	5	4	3	5	1	1	-	-	-	-	-
FEMALE--	1	3	1	5	4	2	2	-	-	-	-	-
BLACK---MALE----	4	4	4	2	5	1	1	-	-	-	-	-
FEMALE--	1	3	1	4	3	2	1	-	-	-	-	-
MONTANA -----	9	9	9	9	4	9	9	-	-	-	-	-
WHITE-----MALE----	6	3	5	8	4	5	2	-	-	-	-	-
FEMALE--	2	4	3	1	-	4	6	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	7	15	12	9	9	8	2	2	-	-	-
WHITE-----MALE----	3	4	12	5	6	4	3	1	-	-	-	-
FEMALE--	1	2	2	5	2	5	5	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
NEVADA -----	23	24	28	19	19	16	2	4	-	1	-	1
WHITE-----MALE----	15	16	16	13	9	13	2	2	-	1	-	1
FEMALE--	5	6	8	5	8	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	3	-	1	-	-	1	-	-	-	-
FEMALE--	2	1	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	3	-	1	-	-	1	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,176
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
OHIO -----	952	-	-	1	-	2	1	3	10	50	70	98
WHITE-----MALE----	523	-	-	1	-	1	1	2	6	31	45	63
FEMALE--	309	-	-	-	-	-	-	1	3	10	13	13
ALL OTHER--MALE----	74	-	-	-	-	1	-	-	1	5	8	17
FEMALE--	46	-	-	-	-	-	-	-	-	4	4	5
BLACK---MALE----	74	-	-	-	-	1	-	-	1	5	8	17
FEMALE--	43	-	-	-	-	-	-	-	-	4	4	4
OKLAHOMA -----	317	-	-	-	-	-	-	1	4	16	36	30
WHITE-----MALE----	179	-	-	-	-	-	-	-	-	8	20	17
FEMALE--	86	-	-	-	-	-	-	-	2	3	6	8
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	2	2	7	2
FEMALE--	22	-	-	-	-	-	-	-	-	3	3	3
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	1
OREGON -----	289	-	-	-	-	-	-	1	6	17	28	28
WHITE-----MALE----	169	-	-	-	-	-	-	1	4	12	18	19
FEMALE--	103	-	-	-	-	-	-	-	2	3	7	6
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	1,136	-	-	-	-	-	-	6	26	47	89	96
WHITE-----MALE----	608	-	-	-	-	-	-	4	16	23	44	52
FEMALE--	392	-	-	-	-	-	-	1	9	10	23	25
ALL OTHER--MALE----	96	-	-	-	-	-	-	1	1	11	16	15
FEMALE--	40	-	-	-	-	-	-	-	-	3	6	4
BLACK---MALE----	93	-	-	-	-	-	-	1	1	11	14	14
FEMALE--	37	-	-	-	-	-	-	-	-	3	6	4
RHODE ISLAND -----	118	-	-	-	-	-	-	1	1	7	13	7
WHITE-----MALE----	75	-	-	-	-	-	-	1	1	3	9	4
FEMALE--	40	-	-	-	-	-	-	-	-	4	4	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	373	-	-	-	-	1	-	1	7	21	30	42
WHITE-----MALE----	167	-	-	-	-	-	-	-	1	15	10	19
FEMALE--	86	-	-	-	-	-	-	-	3	1	5	5
ALL OTHER--MALE----	75	-	-	-	-	-	-	1	1	2	9	12
FEMALE--	45	-	-	-	-	1	-	-	2	3	6	6
BLACK---MALE----	74	-	-	-	-	-	-	1	1	2	9	12
FEMALE--	44	-	-	-	-	1	-	-	2	3	6	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,176
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
OHIO -----	78	86	110	138	131	93	49	17	14	-	1	-
WHITE-----MALE----	47	41	58	80	73	40	23	5	6	-	-	-
FEMALE--	24	27	36	46	52	42	24	12	6	-	-	-
ALL OTHER--MALE----	7	6	10	7	4	6	1	-	-	-	1	-
FEMALE--	-	12	6	5	2	5	1	-	2	-	-	-
BLACK---MALE----	7	6	10	7	4	6	1	-	-	-	1	-
FEMALE--	-	11	6	5	2	5	-	-	2	-	-	-
OKLAHOMA -----	28	32	41	40	34	25	15	9	4	-	-	2
WHITE-----MALE----	16	21	23	25	22	11	9	4	2	-	-	1
FEMALE--	5	6	11	13	7	13	5	5	2	-	-	-
ALL OTHER--MALE----	3	3	5	1	2	-	1	-	-	-	-	1
FEMALE--	4	2	2	1	3	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	1
FEMALE--	-	1	2	-	2	1	-	-	-	-	-	-
OREGON -----	31	25	40	28	35	19	19	9	3	-	-	-
WHITE-----MALE----	16	17	19	18	19	13	7	4	2	-	-	-
FEMALE--	12	7	20	9	15	5	11	5	1	-	-	-
ALL OTHER--MALE----	2	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	91	101	115	152	139	126	91	43	13	-	1	-
WHITE-----MALE----	60	56	64	86	83	60	38	16	6	-	-	-
FEMALE--	20	22	33	54	51	63	50	23	7	-	1	-
ALL OTHER--MALE----	6	17	12	9	3	2	1	2	-	-	-	-
FEMALE--	5	6	6	3	2	1	2	2	-	-	-	-
BLACK---MALE----	6	17	12	9	3	2	1	2	-	-	-	-
FEMALE--	5	5	5	3	2	1	2	1	-	-	-	-
RHODE ISLAND -----	13	12	11	12	15	9	14	2	1	-	-	-
WHITE-----MALE----	13	8	7	9	8	5	6	1	-	-	-	-
FEMALE--	-	3	3	2	7	4	8	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	55	45	39	39	41	24	19	7	2	-	-	-
WHITE-----MALE----	18	23	18	23	19	14	5	2	-	-	-	-
FEMALE--	10	7	8	8	13	10	9	5	2	-	-	-
ALL OTHER--MALE----	16	9	9	5	6	-	5	-	-	-	-	-
FEMALE--	11	6	4	3	3	-	-	-	-	-	-	-
BLACK---MALE----	16	9	9	5	6	-	4	-	-	-	-	-
FEMALE--	11	6	3	3	3	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,177
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS (571)												
SOUTH DAKOTA -----	8	7	7	5	7	4	4	1	1	-	-	-
WHITE-----MALE----	2	1	2	2	2	4	2	-	1	-	-	-
FEMALE--	-	1	2	1	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	2	2	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	44	61	61	63	51	33	17	13	2	-	-	-
WHITE-----MALE----	29	37	38	36	29	9	7	3	1	-	-	-
FEMALE--	6	11	14	18	21	21	8	9	1	-	-	-
ALL OTHER--MALE----	8	5	5	5	1	2	-	-	-	-	-	-
FEMALE--	1	8	4	4	-	1	2	1	-	-	-	-
BLACK---MALE----	8	5	5	5	1	2	-	-	-	-	-	-
FEMALE--	1	8	4	3	-	1	2	1	-	-	-	-
TEXAS -----	195	181	244	224	220	131	81	40	13	-	1	-
WHITE-----MALE----	138	106	169	134	120	59	44	11	7	-	-	-
FEMALE--	28	46	55	67	88	67	32	27	6	-	1	-
ALL OTHER--MALE----	18	20	15	16	6	3	1	1	-	-	-	-
FEMALE--	11	9	5	7	6	2	4	1	-	-	-	-
BLACK---MALE----	16	18	15	13	6	3	1	1	-	-	-	-
FEMALE--	11	9	5	6	5	2	3	1	-	-	-	-
UTAH -----	6	15	16	12	14	5	6	1	1	-	-	-
WHITE-----MALE----	4	8	8	7	11	-	3	1	-	-	-	-
FEMALE--	1	6	8	4	3	4	3	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	2	4	3	4	3	2	2	-	-	-	-
WHITE-----MALE----	5	1	2	2	2	2	2	1	-	-	-	-
FEMALE--	2	1	2	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	54	46	59	61	57	40	33	13	2	-	-	-
WHITE-----MALE----	25	24	31	28	30	20	19	3	-	-	-	-
FEMALE--	13	9	16	23	23	18	12	8	2	-	-	-
ALL OTHER--MALE----	11	7	7	4	3	1	-	1	-	-	-	-
FEMALE--	5	6	5	6	1	1	2	1	-	-	-	-
BLACK---MALE----	11	7	7	4	3	1	-	1	-	-	-	-
FEMALE--	5	6	5	5	-	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,179
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
0 UNITED STATES --	12,211	1	-	-	-	1	11	89	327	880	1,596	1,746
WHITE-----MALE----	7,569	1	-	-	-	1	4	50	171	476	987	1,073
FEMALE--	2,498	-	-	-	-	-	-	20	78	208	285	340
ALL OTHER--MALE----	1,463	-	-	-	-	-	7	12	45	122	226	234
FEMALE--	681	-	-	-	-	-	-	7	33	74	98	99
BLACK---MALE----	1,188	-	-	-	-	-	6	4	25	90	182	204
FEMALE--	545	-	-	-	-	-	-	4	26	55	80	76
ALABAMA -----	140	-	-	-	-	-	-	1	7	10	23	22
WHITE-----MALE----	70	-	-	-	-	-	-	1	1	5	10	11
FEMALE--	23	-	-	-	-	-	-	-	2	1	6	2
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	3	5	7
FEMALE--	18	-	-	-	-	-	-	-	3	1	2	2
BLACK---MALE----	28	-	-	-	-	-	-	-	1	3	5	7
FEMALE--	18	-	-	-	-	-	-	-	3	1	2	2
ALASKA -----	48	-	-	-	-	-	-	1	5	2	9	8
WHITE-----MALE----	23	-	-	-	-	-	-	1	1	1	3	3
FEMALE--	10	-	-	-	-	-	-	-	1	-	3	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	2	-	3	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	250	-	-	-	-	-	-	3	10	21	28	31
WHITE-----MALE----	137	-	-	-	-	-	-	1	4	5	14	20
FEMALE--	45	-	-	-	-	-	-	-	1	6	2	4
ALL OTHER--MALE----	40	-	-	-	-	-	-	2	3	7	8	4
FEMALE--	28	-	-	-	-	-	-	-	2	3	4	3
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	71	-	-	-	-	-	-	2	4	6	11	7
WHITE-----MALE----	43	-	-	-	-	-	-	1	1	1	6	5
FEMALE--	11	-	-	-	-	-	-	-	2	-	3	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	2	2	1
FEMALE--	6	-	-	-	-	-	-	-	1	3	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	6	-	-	-	-	-	-	-	1	3	-	-
CALIFORNIA -----	2,438	-	-	-	-	-	1	15	60	160	331	354
WHITE-----MALE----	1,609	-	-	-	-	-	1	11	45	99	230	232
FEMALE--	595	-	-	-	-	-	-	1	8	46	67	88
ALL OTHER--MALE----	169	-	-	-	-	-	-	2	3	11	25	26
FEMALE--	65	-	-	-	-	-	-	1	4	4	9	8
BLACK---MALE----	114	-	-	-	-	-	-	1	-	5	15	20
FEMALE--	51	-	-	-	-	-	-	1	4	3	9	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,179
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
0 UNITED STATES --	1,593	1,427	1,475	1,260	971	491	247	68	19	3	1	5
WHITE-----MALE----	998	871	944	824	631	321	158	42	11	2	1	3
FEMALE--	266	264	306	284	219	137	66	20	5	-	-	-
ALL OTHER--MALE----	229	194	153	105	92	19	14	5	3	1	-	2
FEMALE--	100	98	72	47	29	14	9	1	-	-	-	-
BLACK---MALE----	188	148	134	91	81	16	10	4	2	1	-	2
FEMALE--	78	75	63	40	26	12	9	1	-	-	-	-
ALABAMA -----	19	16	10	16	8	5	1	-	2	-	-	-
WHITE-----MALE----	16	5	5	6	4	3	1	-	2	-	-	-
FEMALE--	1	5	1	3	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	4	1	4	2	-	-	-	-	-	-	-
FEMALE--	-	2	3	3	1	1	-	-	-	-	-	-
BLACK---MALE----	1	4	1	4	2	-	-	-	-	-	-	-
FEMALE--	-	2	3	3	1	1	-	-	-	-	-	-
ALASKA -----	7	9	1	4	1	1	-	-	-	-	-	-
WHITE-----MALE----	5	5	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	25	39	25	22	17	19	7	3	-	-	-	-
WHITE-----MALE----	13	18	19	13	12	11	4	3	-	-	-	-
FEMALE--	3	7	2	7	5	7	1	-	-	-	-	-
ALL OTHER--MALE----	5	7	2	1	-	-	1	-	-	-	-	-
FEMALE--	4	7	2	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ARKANSAS -----	6	11	11	5	5	1	1	1	-	-	-	-
WHITE-----MALE----	5	5	8	4	5	-	1	1	-	-	-	-
FEMALE--	-	3	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	307	285	288	236	213	104	59	15	9	-	-	1
WHITE-----MALE----	209	190	194	155	124	71	33	8	6	-	-	1
FEMALE--	66	61	70	60	67	30	23	6	2	-	-	-
ALL OTHER--MALE----	24	19	19	18	18	1	1	1	1	-	-	-
FEMALE--	8	15	5	3	4	2	2	-	-	-	-	-
BLACK---MALE----	17	13	12	14	17	-	-	-	-	-	-	-
FEMALE--	6	9	4	2	4	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,180
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
COLORADO -----	220	-	-	-	-	-	-	4	13	26	37	25
WHITE-----MALE----	137	-	-	-	-	-	-	2	5	12	27	15
FEMALE--	61	-	-	-	-	-	-	1	6	8	4	8
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	1	4	3	2
FEMALE--	7	-	-	-	-	-	-	-	1	2	3	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	106	-	-	-	-	-	-	1	1	9	10	14
WHITE-----MALE----	70	-	-	-	-	-	-	1	1	6	6	9
FEMALE--	30	-	-	-	-	-	-	-	-	3	1	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	28	-	-	-	-	-	-	-	2	3	2	3
WHITE-----MALE----	16	-	-	-	-	-	-	-	2	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	2	1	-
DISTRICT OF COLUMBIA ----	38	-	-	-	-	-	-	-	1	2	3	9
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	13	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	13	-	-	-	-	-	-	-	1	1	1	3
FLORIDA -----	709	-	-	-	-	-	-	3	19	44	78	77
WHITE-----MALE----	442	-	-	-	-	-	-	2	7	26	40	53
FEMALE--	192	-	-	-	-	-	-	-	8	14	26	17
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	1	4	6	5
FEMALE--	32	-	-	-	-	-	-	1	3	-	6	2
BLACK---MALE----	40	-	-	-	-	-	-	-	-	3	5	5
FEMALE--	31	-	-	-	-	-	-	1	3	-	6	2
GEORGIA -----	245	-	-	-	-	-	2	2	6	14	29	59
WHITE-----MALE----	122	-	-	-	-	-	-	-	2	6	16	28
FEMALE--	35	-	-	-	-	-	-	1	-	2	2	5
ALL OTHER--MALE----	48	-	-	-	-	-	2	-	2	3	3	19
FEMALE--	40	-	-	-	-	-	-	1	2	3	8	7
BLACK---MALE----	45	-	-	-	-	-	2	-	2	3	3	18
FEMALE--	40	-	-	-	-	-	-	1	2	3	8	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,180
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
COLORADO -----	26	25	23	19	12	5	5	-	-	-	-	-
WHITE-----MALE----	19	16	13	12	12	2	2	-	-	-	-	-
FEMALE--	6	8	10	5	-	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	9	8	15	14	8	3	-	-	-	-	-
WHITE-----MALE----	13	8	3	8	9	4	2	-	-	-	-	-
FEMALE--	1	1	4	7	5	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	2	4	3	4	4	1	-	-	-	-	-	-
WHITE-----MALE----	1	3	1	1	4	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	5	4	3	2	2	1	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	2	1	2	2	1	1	-	-	-	-	-
FEMALE--	1	2	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	4	2	1	2	2	1	1	-	-	-	-	-
FEMALE--	1	2	2	1	-	1	-	-	-	-	-	-
FLORIDA -----	85	87	89	83	76	38	20	8	2	-	-	-
WHITE-----MALE----	49	60	54	52	53	25	16	5	-	-	-	-
FEMALE--	25	15	21	25	21	11	4	3	2	-	-	-
ALL OTHER--MALE----	7	6	8	4	1	1	-	-	-	-	-	-
FEMALE--	4	6	6	2	1	1	-	-	-	-	-	-
BLACK---MALE----	7	6	8	4	1	1	-	-	-	-	-	-
FEMALE--	4	5	6	2	1	1	-	-	-	-	-	-
GEORGIA -----	33	32	24	25	11	5	1	2	-	-	-	-
WHITE-----MALE----	16	20	14	10	6	3	-	1	-	-	-	-
FEMALE--	4	7	2	8	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	9	2	2	2	4	-	-	-	-	-	-	-
FEMALE--	4	3	6	5	-	1	-	-	-	-	-	-
BLACK---MALE----	7	2	2	2	4	-	-	-	-	-	-	-
FEMALE--	4	3	6	5	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,182
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
KENTUCKY -----	144	-	-	-	-	-	-	3	4	12	19	26
WHITE-----MALE----	99	-	-	-	-	-	-	2	3	9	12	20
FEMALE--	34	-	-	-	-	-	-	1	1	3	6	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	135	1	-	-	-	-	1	-	4	13	16	26
WHITE-----MALE----	73	1	-	-	-	-	1	-	2	7	8	13
FEMALE--	14	-	-	-	-	-	-	-	1	-	3	4
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	3	4	7
FEMALE--	10	-	-	-	-	-	-	-	-	3	1	2
BLACK---MALE----	38	-	-	-	-	-	-	-	1	3	4	7
FEMALE--	10	-	-	-	-	-	-	-	-	3	1	2
MAINE -----	54	-	-	-	-	-	-	-	2	2	2	4
WHITE-----MALE----	38	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	16	-	-	-	-	-	-	-	1	2	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	202	-	-	-	-	-	1	1	9	17	26	25
WHITE-----MALE----	109	-	-	-	-	-	-	1	3	8	13	16
FEMALE--	22	-	-	-	-	-	-	-	-	2	4	3
ALL OTHER--MALE----	50	-	-	-	-	-	1	-	4	5	7	5
FEMALE--	21	-	-	-	-	-	-	-	2	2	2	1
BLACK---MALE----	48	-	-	-	-	-	1	-	3	5	7	5
FEMALE--	21	-	-	-	-	-	-	-	2	2	2	1
MASSACHUSETTS -----	170	-	-	-	-	-	-	2	5	14	23	26
WHITE-----MALE----	113	-	-	-	-	-	-	1	4	9	16	12
FEMALE--	42	-	-	-	-	-	-	-	1	3	6	10
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
MICHIGAN -----	489	-	-	-	-	-	-	1	14	49	69	82
WHITE-----MALE----	289	-	-	-	-	-	-	1	9	20	46	47
FEMALE--	68	-	-	-	-	-	-	-	1	11	10	7
ALL OTHER--MALE----	103	-	-	-	-	-	-	-	4	13	11	16
FEMALE--	29	-	-	-	-	-	-	-	-	5	2	12
BLACK---MALE----	100	-	-	-	-	-	-	-	4	12	11	16
FEMALE--	28	-	-	-	-	-	-	-	-	5	2	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,182
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
KENTUCKY -----	15	16	13	16	11	6	3	-	-	-	-	-
WHITE-----MALE----	11	11	13	9	6	3	-	-	-	-	-	-
FEMALE--	2	3	-	6	4	3	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	17	17	16	8	8	3	2	-	-	3	-	-
WHITE-----MALE----	7	11	7	6	6	1	1	-	-	2	-	-
FEMALE--	3	1	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	5	5	2	2	2	1	-	-	1	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	5	2	2	2	1	-	-	1	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
MAINE -----	4	5	13	7	11	3	1	-	-	-	-	-
WHITE-----MALE----	4	3	10	5	10	1	1	-	-	-	-	-
FEMALE--	-	2	3	2	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	30	18	27	22	13	5	4	2	1	-	1	-
WHITE-----MALE----	13	9	14	15	8	3	2	2	1	-	1	-
FEMALE--	3	-	4	2	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	13	6	4	4	1	-	-	-	-	-	-	-
FEMALE--	1	3	5	1	1	1	2	-	-	-	-	-
BLACK---MALE----	13	5	4	4	1	-	-	-	-	-	-	-
FEMALE--	1	3	5	1	1	1	2	-	-	-	-	-
MASSACHUSETTS -----	21	16	21	16	15	7	2	2	-	-	-	-
WHITE-----MALE----	14	14	15	13	7	5	1	2	-	-	-	-
FEMALE--	3	1	5	2	8	2	1	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	55	55	44	60	35	13	4	5	1	-	-	2
WHITE-----MALE----	34	26	31	38	21	11	2	2	-	-	-	1
FEMALE--	5	5	3	14	7	2	1	2	-	-	-	-
ALL OTHER--MALE----	13	20	8	8	6	-	1	1	1	-	-	1
FEMALE--	3	4	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	12	19	8	8	6	-	1	1	1	-	-	1
FEMALE--	3	4	2	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,185
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
OHIO -----	387	-	-	-	-	1	-	3	8	34	44	63
WHITE-----MALE----	251	-	-	-	-	1	-	2	5	24	23	41
FEMALE--	76	-	-	-	-	-	-	1	3	5	11	8
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	3	8	10
FEMALE--	19	-	-	-	-	-	-	-	-	2	2	4
BLACK---MALE----	41	-	-	-	-	-	-	-	-	3	8	10
FEMALE--	19	-	-	-	-	-	-	-	-	2	2	4
OKLAHOMA -----	190	-	-	-	-	-	-	1	4	12	32	25
WHITE-----MALE----	114	-	-	-	-	-	-	-	-	4	18	15
FEMALE--	35	-	-	-	-	-	-	-	2	3	5	6
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	2	2	6	2
FEMALE--	14	-	-	-	-	-	-	-	-	3	3	2
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
OREGON -----	184	-	-	-	-	-	-	1	3	14	24	22
WHITE-----MALE----	125	-	-	-	-	-	-	1	2	10	16	15
FEMALE--	47	-	-	-	-	-	-	-	1	2	6	5
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	344	-	-	-	-	-	-	2	17	18	47	48
WHITE-----MALE----	206	-	-	-	-	-	-	1	11	10	22	26
FEMALE--	85	-	-	-	-	-	-	1	5	5	15	13
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	2	6	7
FEMALE--	15	-	-	-	-	-	-	-	-	1	4	2
BLACK---MALE----	37	-	-	-	-	-	-	-	1	2	5	7
FEMALE--	15	-	-	-	-	-	-	-	-	1	4	2
RHODE ISLAND -----	55	-	-	-	-	-	-	-	-	5	8	5
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	2	5	2
FEMALE--	16	-	-	-	-	-	-	-	-	3	3	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	237	-	-	-	-	-	-	1	5	17	25	29
WHITE-----MALE----	101	-	-	-	-	-	-	-	-	12	9	13
FEMALE--	35	-	-	-	-	-	-	-	3	1	4	2
ALL OTHER--MALE----	65	-	-	-	-	-	-	1	1	2	6	10
FEMALE--	36	-	-	-	-	-	-	-	1	2	6	4
BLACK---MALE----	64	-	-	-	-	-	-	1	1	2	6	10
FEMALE--	36	-	-	-	-	-	-	-	1	2	6	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,185
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC LIVER DISEASE AND CIRRHOSIS, SPECIFIED AS ALCOHOLIC (571.0-571.3)												
OHIO -----	42	35	45	58	34	11	8	-	1	-	-	-
WHITE-----MALE----	27	20	27	42	21	9	8	-	1	-	-	-
FEMALE--	12	6	9	12	9	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	4	6	3	3	1	-	-	-	-	-	-
FEMALE--	-	5	3	1	1	1	-	-	-	-	-	-
BLACK---MALE----	3	4	6	3	3	1	-	-	-	-	-	-
FEMALE--	-	5	3	1	1	1	-	-	-	-	-	-
OKLAHOMA -----	19	24	28	17	19	2	5	1	-	-	-	1
WHITE-----MALE----	12	18	16	12	13	2	3	1	-	-	-	-
FEMALE--	2	2	7	4	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	3	4	1	2	-	1	-	-	-	-	1
FEMALE--	3	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	1
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
OREGON -----	27	23	29	18	15	6	2	-	-	-	-	-
WHITE-----MALE----	15	17	17	14	10	6	2	-	-	-	-	-
FEMALE--	9	5	11	4	4	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	44	50	39	35	19	17	7	1	-	-	-	-
WHITE-----MALE----	26	28	27	26	14	12	2	1	-	-	-	-
FEMALE--	13	9	7	6	2	5	4	-	-	-	-	-
ALL OTHER--MALE----	3	10	5	2	2	-	-	-	-	-	-	-
FEMALE--	2	3	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	3	10	5	2	2	-	-	-	-	-	-	-
FEMALE--	2	3	-	1	1	-	1	-	-	-	-	-
RHODE ISLAND -----	8	6	5	8	3	2	5	-	-	-	-	-
WHITE-----MALE----	8	5	3	8	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	46	31	29	24	17	7	6	-	-	-	-	-
WHITE-----MALE----	14	12	13	15	5	6	2	-	-	-	-	-
FEMALE--	8	4	5	3	3	1	1	-	-	-	-	-
ALL OTHER--MALE----	15	9	8	4	6	-	3	-	-	-	-	-
FEMALE--	9	6	3	2	3	-	-	-	-	-	-	-
BLACK---MALE----	15	9	8	4	6	-	2	-	-	-	-	-
FEMALE--	9	6	3	2	3	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,191
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC HEPATITIS AND BILIARY CIRRHOSIS (571.4,571.6)												
KENTUCKY -----	1	-	-	2	2	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	3	1	3	2	-	1	2	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	1	3	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	2	3	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	2	1	1	4	3	7	4	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	3	2	6	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	1	3	5	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	4	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,197
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
0 UNITED STATES --	12,192	20	5	3	3	4	12	40	138	445	732	894
WHITE-----MALE----	6,332	9	1	3	2	1	5	21	80	233	431	531
FEMALE--	4,298	4	2	-	1	-	2	9	27	99	130	165
ALL OTHER--MALE----	941	3	1	-	-	1	4	6	21	80	118	137
FEMALE--	621	4	1	-	-	2	1	4	10	33	53	61
BLACK---MALE----	798	2	1	-	-	1	2	5	17	66	98	123
FEMALE--	487	2	-	-	-	2	1	3	9	30	48	54
ALABAMA -----	218	-	-	-	-	-	1	-	4	10	11	18
WHITE-----MALE----	106	-	-	-	-	-	-	-	2	3	6	11
FEMALE--	69	-	-	-	-	-	1	-	1	2	-	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	3	3	3
FEMALE--	20	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	23	-	-	-	-	-	-	-	1	3	3	3
FEMALE--	20	-	-	-	-	-	-	-	-	2	2	2
ALASKA -----	11	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	278	1	1	-	-	-	1	1	3	16	26	19
WHITE-----MALE----	142	1	1	-	-	-	-	-	1	6	14	15
FEMALE--	98	-	-	-	-	-	-	-	-	5	4	4
ALL OTHER--MALE----	20	-	-	-	-	-	1	-	1	5	6	-
FEMALE--	18	-	-	-	-	-	-	1	1	-	2	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	130	-	-	-	-	-	-	-	2	3	8	9
WHITE-----MALE----	71	-	-	-	-	-	-	-	-	1	6	3
FEMALE--	42	-	-	-	-	-	-	-	-	2	-	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	1	-	2	-
CALIFORNIA -----	1,020	2	-	-	-	-	3	5	13	33	64	84
WHITE-----MALE----	498	2	-	-	-	-	3	3	10	16	35	53
FEMALE--	399	-	-	-	-	-	-	2	2	12	18	17
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	1	3	8	9
FEMALE--	61	-	-	-	-	-	-	-	-	2	3	5
BLACK---MALE----	29	-	-	-	-	-	-	-	1	2	5	6
FEMALE--	23	-	-	-	-	-	-	-	-	1	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,197
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
0 UNITED STATES --	936	1,028	1,309	1,646	1,787	1,511	1,004	468	188	11	4	4
WHITE-----MALE----	523	533	727	888	931	709	440	188	67	5	-	4
FEMALE--	233	300	419	599	740	711	492	246	111	5	3	-
ALL OTHER--MALE----	125	121	98	78	66	41	23	13	4	-	1	-
FEMALE--	55	74	65	81	50	50	49	21	6	1	-	-
BLACK---MALE----	111	103	86	69	51	29	18	11	4	-	1	-
FEMALE--	45	60	45	62	33	39	33	15	5	1	-	-
ALABAMA -----	14	27	24	24	29	25	18	8	2	3	-	-
WHITE-----MALE----	8	16	10	11	15	14	6	3	1	-	-	-
FEMALE--	3	7	5	10	12	8	11	4	1	2	-	-
ALL OTHER--MALE----	3	3	4	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	5	1	2	2	1	1	-	1	-	-
BLACK---MALE----	3	3	4	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	5	1	2	2	1	1	-	1	-	-
ALASKA -----	-	1	1	1	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	24	22	35	34	35	27	22	9	2	-	-	-
WHITE-----MALE----	13	14	19	16	20	13	5	4	-	-	-	-
FEMALE--	4	8	12	11	13	14	16	5	2	-	-	-
ALL OTHER--MALE----	3	-	1	3	-	-	-	-	-	-	-	-
FEMALE--	4	-	3	4	2	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	7	12	11	17	19	24	12	5	1	-	-	-
WHITE-----MALE----	5	9	7	11	12	11	5	1	-	-	-	-
FEMALE--	-	-	1	6	7	13	5	3	1	-	-	-
ALL OTHER--MALE----	2	3	3	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	2	3	3	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	83	86	94	147	134	122	96	37	15	-	-	2
WHITE-----MALE----	35	39	47	75	67	48	42	15	6	-	-	2
FEMALE--	32	27	38	62	54	64	44	19	8	-	-	-
ALL OTHER--MALE----	11	10	4	3	7	4	2	-	-	-	-	-
FEMALE--	5	10	5	7	6	6	8	3	1	-	-	-
BLACK---MALE----	7	4	3	-	-	-	1	-	-	-	-	-
FEMALE--	2	5	-	4	2	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,198
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
COLORADO -----	90	-	-	-	-	-	-	1	1	7	6	5
WHITE-----MALE----	46	-	-	-	-	-	-	1	1	3	5	1
FEMALE--	41	-	-	-	-	-	-	-	-	3	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	204	-	-	-	-	-	1	3	10	8	24	
WHITE-----MALE----	105	-	-	-	-	-	1	2	7	2	18	
FEMALE--	83	-	-	-	-	-	-	1	1	5	5	
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	1	
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	
DELAWARE -----	31	-	-	-	-	-	-	-	1	2	-	
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	-	-	
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	2	
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	
DISTRICT OF COLUMBIA ----	53	-	-	-	-	-	-	-	2	4	6	4
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	17	-	-	-	-	-	-	-	2	2	2	-
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	17	-	-	-	-	-	-	-	2	2	2	-
FLORIDA -----	1,089	1	-	-	-	-	1	6	31	57	65	
WHITE-----MALE----	598	1	-	-	-	-	1	5	12	35	43	
FEMALE--	404	-	-	-	-	-	-	-	12	16	13	
ALL OTHER--MALE----	51	-	-	-	-	-	-	1	4	3	7	
FEMALE--	36	-	-	-	-	-	-	-	3	3	2	
BLACK---MALE----	46	-	-	-	-	-	-	1	3	3	6	
FEMALE--	34	-	-	-	-	-	-	-	3	3	2	
GEORGIA -----	321	1	-	-	-	-	3	3	10	26	28	
WHITE-----MALE----	152	1	-	-	-	-	1	2	2	19	11	
FEMALE--	111	-	-	-	-	-	1	-	3	2	8	
ALL OTHER--MALE----	33	-	-	-	-	-	1	-	2	5	7	
FEMALE--	25	-	-	-	-	-	-	1	3	-	2	
BLACK---MALE----	33	-	-	-	-	-	1	-	2	5	7	
FEMALE--	25	-	-	-	-	-	-	1	3	-	2	

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,198
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
COLORADO -----	5	6	9	7	13	17	4	6	3	-	-	-
WHITE-----MALE----	2	3	6	4	8	8	-	3	1	-	-	-
FEMALE--	3	3	3	3	5	8	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	17	17	14	26	27	30	14	7	5	-	1	-
WHITE-----MALE----	12	10	7	15	12	16	1	2	-	-	-	-
FEMALE--	3	6	5	9	15	12	11	5	4	-	1	-
ALL OTHER--MALE----	2	-	2	1	-	2	2	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	2	1	-	2	1	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	5	4	8	4	3	2	1	1	-	-	-
WHITE-----MALE----	-	4	1	7	2	2	-	-	1	-	-	-
FEMALE--	-	1	1	1	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
DISTRICT OF COLUMBIA ----	13	7	5	4	3	1	-	4	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	5	2	1	3	-	-	2	-	-	-	-
FEMALE--	2	2	2	2	-	1	-	2	-	-	-	-
BLACK---MALE----	9	5	2	1	3	-	-	2	-	-	-	-
FEMALE--	2	2	2	2	-	1	-	2	-	-	-	-
FLORIDA -----	80	90	115	162	163	145	100	49	21	3	-	-
WHITE-----MALE----	43	51	68	93	83	78	52	21	11	1	-	-
FEMALE--	27	25	41	61	67	60	43	27	10	2	-	-
ALL OTHER--MALE----	7	9	2	3	10	2	2	1	-	-	-	-
FEMALE--	3	5	4	5	3	5	3	-	-	-	-	-
BLACK---MALE----	6	9	2	2	9	2	2	1	-	-	-	-
FEMALE--	3	4	4	4	3	5	3	-	-	-	-	-
GEORGIA -----	26	33	45	38	35	37	25	11	-	-	-	-
WHITE-----MALE----	14	18	26	17	12	18	7	4	-	-	-	-
FEMALE--	4	7	12	16	22	17	14	5	-	-	-	-
ALL OTHER--MALE----	5	5	5	3	-	-	-	-	-	-	-	-
FEMALE--	3	3	2	2	1	2	4	2	-	-	-	-
BLACK---MALE----	5	5	5	3	-	-	-	-	-	-	-	-
FEMALE--	3	3	2	2	1	2	4	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,200
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
KENTUCKY -----	194	-	-	-	-	1	-	-	5	8	13	22
WHITE-----MALE----	121	-	-	-	-	1	-	-	4	6	12	16
FEMALE--	61	-	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	202	2	-	-	-	-	-	1	2	4	9	14
WHITE-----MALE----	95	-	-	-	-	-	-	-	-	-	4	10
FEMALE--	62	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	1	4	2	3
FEMALE--	16	1	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	29	-	-	-	-	-	-	1	1	4	2	3
FEMALE--	16	1	-	-	-	-	-	-	1	-	2	-
MAINE -----	55	1	-	-	-	-	-	-	-	2	1	4
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	24	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	209	-	-	1	-	-	-	2	4	12	18	29
WHITE-----MALE----	93	-	-	1	-	-	-	1	1	5	4	11
FEMALE--	57	-	-	-	-	-	-	1	-	-	5	5
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	3	5	7	10
FEMALE--	20	-	-	-	-	-	-	-	-	2	2	3
BLACK---MALE----	38	-	-	-	-	-	-	-	3	5	7	10
FEMALE--	20	-	-	-	-	-	-	-	-	2	2	3
MASSACHUSETTS -----	374	-	-	-	-	-	1	1	7	15	24	30
WHITE-----MALE----	231	-	-	-	-	-	1	1	3	11	16	17
FEMALE--	122	-	-	-	-	-	-	-	1	3	5	9
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	3	1	2	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	11	-	-	-	-	-	-	-	3	-	2	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	2
MICHIGAN -----	489	1	1	-	-	-	-	1	5	15	38	37
WHITE-----MALE----	229	-	-	-	-	-	-	-	4	8	17	22
FEMALE--	164	-	1	-	-	-	-	-	-	2	6	3
ALL OTHER--MALE----	65	1	-	-	-	-	-	-	1	2	11	7
FEMALE--	31	-	-	-	-	-	-	1	-	3	4	5
BLACK---MALE----	57	1	-	-	-	-	-	-	1	2	10	5
FEMALE--	28	-	-	-	-	-	-	1	-	3	4	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,200
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
KENTUCKY -----	15	17	26	20	27	22	14	1	3	-	-	-
WHITE-----MALE----	11	10	14	13	16	11	4	1	2	-	-	-
FEMALE--	2	5	11	7	8	11	10	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	17	22	23	31	29	27	11	6	4	-	-	-
WHITE-----MALE----	6	10	8	17	14	21	2	3	-	-	-	-
FEMALE--	3	6	9	11	13	3	8	2	4	-	-	-
ALL OTHER--MALE----	6	4	4	1	-	2	-	1	-	-	-	-
FEMALE--	2	2	2	2	2	1	1	-	-	-	-	-
BLACK---MALE----	6	4	4	1	-	2	-	1	-	-	-	-
FEMALE--	2	2	2	2	2	1	1	-	-	-	-	-
MAINE -----	-	7	6	8	7	13	4	2	-	-	-	-
WHITE-----MALE----	-	5	6	6	2	5	-	1	-	-	-	-
FEMALE--	-	2	-	2	5	8	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	16	12	24	36	14	11	7	3	-	-	-
WHITE-----MALE----	10	8	7	10	18	4	9	2	2	-	-	-
FEMALE--	4	2	3	7	15	7	2	5	1	-	-	-
ALL OTHER--MALE----	3	4	1	2	2	2	-	-	-	-	-	-
FEMALE--	3	2	1	5	1	1	-	-	-	-	-	-
BLACK---MALE----	3	3	1	2	2	2	-	-	-	-	-	-
FEMALE--	3	2	1	5	1	1	-	-	-	-	-	-
MASSACHUSETTS -----	28	26	35	49	56	49	33	12	8	-	-	-
WHITE-----MALE----	21	17	25	33	35	22	22	6	1	-	-	-
FEMALE--	6	7	9	15	19	27	9	6	6	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	1	-	2	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	1	-	2	-	-	-	-	-
MICHIGAN -----	41	38	58	76	70	54	28	19	7	-	-	-
WHITE-----MALE----	19	10	29	38	24	33	14	9	2	-	-	-
FEMALE--	10	14	19	30	35	19	11	9	5	-	-	-
ALL OTHER--MALE----	10	10	9	5	8	-	1	-	-	-	-	-
FEMALE--	2	4	1	3	3	2	2	1	-	-	-	-
BLACK---MALE----	10	8	7	5	7	-	1	-	-	-	-	-
FEMALE--	2	3	1	2	2	2	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,201
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
MINNESOTA -----	12	8	10	25	29	19	12	6	2	-	-	-
WHITE-----MALE----	7	6	8	13	19	9	7	3	-	-	-	-
FEMALE--	3	2	1	11	10	10	5	2	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	7	10	10	15	14	18	9	3	1	-	-	-
WHITE-----MALE----	4	5	2	8	6	9	3	-	-	-	-	-
FEMALE--	-	1	6	2	6	7	4	2	-	-	-	-
ALL OTHER--MALE----	3	4	-	4	1	-	-	1	1	-	-	-
FEMALE--	-	-	2	1	1	2	2	-	-	-	-	-
BLACK---MALE----	2	4	-	4	1	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	-	-	-	-
MISSOURI -----	12	17	25	30	29	37	22	14	3	-	-	-
WHITE-----MALE----	9	8	20	18	12	21	10	8	1	-	-	-
FEMALE--	2	6	3	7	11	13	11	6	2	-	-	-
ALL OTHER--MALE----	-	2	2	1	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	4	4	2	1	-	-	-	-	-
BLACK---MALE----	-	1	2	1	2	1	-	-	-	-	-	-
FEMALE--	1	1	-	3	3	2	1	-	-	-	-	-
MONTANA -----	3	1	5	4	2	6	9	-	-	-	-	-
WHITE-----MALE----	2	1	3	4	2	3	2	-	-	-	-	-
FEMALE--	-	-	2	-	-	3	6	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	2	1	4	2	3	6	1	2	-	-	-
WHITE-----MALE----	1	2	1	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	3	1	1	5	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	5	10	7	11	9	2	3	-	1	-	1
WHITE-----MALE----	-	2	7	5	5	7	2	2	-	1	-	1
FEMALE--	-	2	2	2	5	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,203
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
OHIO -----	526	-	-	1	-	-	-	-	2	16	25	35
WHITE-----MALE----	266	-	-	1	-	-	-	-	1	7	21	22
FEMALE--	206	-	-	-	-	-	-	-	-	5	2	5
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	1	2	-	7
FEMALE--	22	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	32	-	-	-	-	-	-	-	1	2	-	7
FEMALE--	20	-	-	-	-	-	-	-	-	2	2	-
OKLAHOMA -----	115	-	-	-	-	-	-	-	-	4	4	5
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	4	2	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	89	-	-	-	-	-	-	-	3	3	3	6
WHITE-----MALE----	42	-	-	-	-	-	-	-	2	2	2	4
FEMALE--	42	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	763	-	-	-	-	-	-	3	9	29	41	45
WHITE-----MALE----	399	-	-	-	-	-	-	2	5	13	22	25
FEMALE--	282	-	-	-	-	-	-	-	4	5	7	11
ALL OTHER--MALE----	58	-	-	-	-	-	-	1	-	9	10	8
FEMALE--	24	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	56	-	-	-	-	-	-	1	-	9	9	7
FEMALE--	21	-	-	-	-	-	-	-	-	2	2	1
RHODE ISLAND -----	59	-	-	-	-	-	-	1	1	2	4	2
WHITE-----MALE----	36	-	-	-	-	-	-	1	1	1	3	2
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	125	-	-	-	-	1	-	-	1	4	4	12
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	3	1	6
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	9	-	-	-	-	1	-	-	1	1	-	2
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	8	-	-	-	-	1	-	-	1	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,204
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CIRRHOSIS OF LIVER AND OTHER AND UNSPECIFIED CHRONIC LIVER DISEASE WITHOUT MENTION OF ALCOHOL (571.5,571.8-571.9)												
SOUTH DAKOTA -----	-	4	3	2	4	2	4	1	1	-	-	-
WHITE-----MALE----	-	1	-	2	1	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	2	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	14	31	38	34	29	29	14	13	2	-	-	-
WHITE-----MALE----	8	15	21	14	16	8	5	3	1	-	-	-
FEMALE--	4	8	11	13	12	18	7	9	1	-	-	-
ALL OTHER--MALE----	2	3	3	3	1	2	-	-	-	-	-	-
FEMALE--	-	5	3	4	-	1	2	1	-	-	-	-
BLACK---MALE----	2	3	3	3	1	2	-	-	-	-	-	-
FEMALE--	-	5	3	3	-	1	2	1	-	-	-	-
TEXAS -----	87	106	138	127	141	95	59	31	12	-	1	-
WHITE-----MALE----	62	60	85	66	64	42	30	9	7	-	-	-
FEMALE--	13	29	41	46	69	51	24	20	5	-	1	-
ALL OTHER--MALE----	7	10	8	11	4	1	1	1	-	-	-	-
FEMALE--	5	7	4	4	4	1	4	1	-	-	-	-
BLACK---MALE----	7	8	8	8	4	1	1	1	-	-	-	-
FEMALE--	5	7	4	3	3	1	3	1	-	-	-	-
UTAH -----	1	4	4	7	5	2	3	1	1	-	-	-
WHITE-----MALE----	1	2	2	3	4	-	2	1	-	-	-	-
FEMALE--	-	2	2	3	1	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	1	4	2	1	1	-	-	-	-
WHITE-----MALE----	2	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	26	22	39	39	44	30	24	11	2	-	-	-
WHITE-----MALE----	14	12	22	15	19	16	12	3	-	-	-	-
FEMALE--	5	3	13	19	23	12	10	6	2	-	-	-
ALL OTHER--MALE----	4	4	2	3	2	1	-	1	-	-	-	-
FEMALE--	3	3	2	2	-	1	2	1	-	-	-	-
BLACK---MALE----	4	4	2	3	2	1	-	1	-	-	-	-
FEMALE--	3	3	2	2	-	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,206
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
0 UNITED STATES --	2,751	6	-	1	-	2	4	7	11	20	31	50
WHITE-----MALE----	1,080	2	-	-	-	1	2	2	2	6	13	21
FEMALE--	1,336	2	-	1	-	1	1	3	2	7	10	14
ALL OTHER--MALE----	135	2	-	-	-	-	1	-	2	3	3	5
FEMALE--	200	-	-	-	-	-	-	2	5	4	5	10
BLACK---MALE----	100	1	-	-	-	-	1	-	2	3	2	5
FEMALE--	168	-	-	-	-	-	-	2	5	2	3	9
ALABAMA -----	53	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	34	1	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	15	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	15	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	39	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	17	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	306	1	-	-	-	-	2	1	2	1	7	2
WHITE-----MALE----	105	-	-	-	-	-	1	-	-	-	3	2
FEMALE--	151	-	-	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	24	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	1	2	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,206
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
0 UNITED STATES --	47	60	141	195	298	437	524	448	327	117	25	-
WHITE-----MALE----	18	28	68	99	154	199	204	151	90	18	2	-
FEMALE--	14	15	49	60	104	188	266	269	221	87	22	-
ALL OTHER--MALE----	6	7	13	19	20	18	18	10	6	2	-	-
FEMALE--	9	10	11	17	20	32	36	18	10	10	1	-
BLACK---MALE----	5	4	12	16	12	12	13	9	2	1	-	-
FEMALE--	6	9	10	16	14	24	31	17	10	10	-	-
ALABAMA -----	1	1	1	2	5	15	8	11	5	1	2	-
WHITE-----MALE----	-	1	1	1	2	5	2	2	3	-	-	-
FEMALE--	1	-	-	1	1	6	3	6	1	1	2	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	3	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	3	3	-	1	-	-	-
ALASKA -----	-	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	1	2	3	5	11	5	-	-	-	-
WHITE-----MALE----	1	-	-	1	2	2	6	1	-	-	-	-
FEMALE--	1	-	1	1	1	2	4	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	3	4	4	5	5	9	7	-	-	-
WHITE-----MALE----	-	-	2	2	2	2	3	3	2	-	-	-
FEMALE--	-	-	1	2	2	3	1	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	5	12	19	23	41	51	60	38	27	11	3	-
WHITE-----MALE----	1	4	7	11	14	14	22	17	6	3	-	-
FEMALE--	2	4	8	10	18	27	32	19	18	6	3	-
ALL OTHER--MALE----	1	2	3	1	5	3	3	1	2	1	-	-
FEMALE--	1	2	1	1	4	7	3	1	1	1	-	-
BLACK---MALE----	-	-	3	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	2	4	1	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,207
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
COLORADO -----	-	1	2	-	2	5	3	10	2	2	-	-
WHITE-----MALE----	-	1	2	-	1	2	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	3	1	7	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	1	3	7	2	5	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	4	-	3	-	-	-
FEMALE--	-	-	-	-	-	3	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	2	9	10	10	17	25	37	30	23	6	-	-
WHITE-----MALE----	-	4	7	6	11	11	16	10	10	2	-	-
FEMALE--	1	3	2	3	2	9	20	20	13	3	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	4	1	-	-	1	-	-
BLACK---MALE----	-	-	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	3	1	-	-	1	-	-
GEORGIA -----	1	4	4	3	9	10	12	13	5	4	2	-
WHITE-----MALE----	-	-	2	2	8	3	5	4	1	-	1	-
FEMALE--	-	2	1	-	-	5	4	7	3	3	1	-
ALL OTHER--MALE----	-	1	-	1	-	1	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	1	2	1	1	-	-
BLACK---MALE----	-	1	-	1	-	1	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	1	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,208
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
HAWAII -----	-	-	-	1	-	3	3	2	3	-	1	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	3	5	1	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	2	4	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	1	5	8	13	14	21	25	15	2	-	-
WHITE-----MALE----	2	-	3	3	9	8	8	6	5	-	-	-
FEMALE--	-	-	1	4	3	5	10	17	10	2	-	-
ALL OTHER--MALE----	2	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	2	2	-	-	-	-
BLACK---MALE----	2	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	2	2	-	-	-	-
INDIANA -----	-	2	3	4	3	9	4	5	5	3	1	-
WHITE-----MALE----	-	2	2	2	2	4	3	3	2	-	-	-
FEMALE--	-	-	-	1	1	5	1	2	3	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	2	1	1	6	4	6	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	4	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	1	1	4	9	4	2	5	1	-	-
WHITE-----MALE----	-	-	1	1	2	5	3	-	2	-	-	-
FEMALE--	-	-	-	-	1	4	1	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,209
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
KENTUCKY -----	55	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	57	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	18	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	47	1	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	1
MASSACHUSETTS -----	67	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	66	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,209
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
KENTUCKY -----	2	2	1	4	12	5	5	10	9	4	-	-
WHITE-----MALE----	1	1	-	3	4	2	1	5	2	1	-	-
FEMALE--	1	1	1	1	8	2	3	5	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
LOUISIANA -----	1	3	5	8	5	6	14	7	3	1	-	-
WHITE-----MALE----	1	1	-	3	2	3	5	3	-	-	-	-
FEMALE--	-	-	2	2	2	2	6	3	2	-	-	-
ALL OTHER--MALE----	-	-	3	3	1	1	-	1	1	-	-	-
FEMALE--	-	2	-	-	-	-	3	-	-	1	-	-
BLACK---MALE----	-	-	2	3	1	1	-	1	1	-	-	-
FEMALE--	-	2	-	-	-	-	3	-	-	1	-	-
MAINE -----	-	-	1	1	1	3	3	2	4	2	-	-
WHITE-----MALE----	-	-	1	-	1	3	-	1	1	1	-	-
FEMALE--	-	-	-	1	-	-	3	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	9	-	4	11	8	4	4	1	-	-
WHITE-----MALE----	-	-	3	-	-	3	4	2	1	-	-	-
FEMALE--	-	-	3	-	2	4	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	2	1	-	-	1	-	-
FEMALE--	-	1	2	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	2	1	-	-	1	-	-
FEMALE--	-	1	2	-	-	2	1	-	-	-	-	-
MASSACHUSETTS -----	1	1	1	4	9	7	19	7	13	4	-	-
WHITE-----MALE----	-	1	1	3	5	4	7	3	4	-	-	-
FEMALE--	-	-	-	1	4	3	12	4	9	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	-	-	7	10	6	9	15	8	5	1	-
WHITE-----MALE----	-	-	-	6	5	2	4	4	4	-	-	-
FEMALE--	1	-	-	1	4	4	2	11	3	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	3	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,212
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
OHIO -----	2	2	8	16	15	17	18	19	13	5	1	-
WHITE-----MALE----	1	1	3	7	10	12	6	2	5	-	-	-
FEMALE--	1	1	5	5	5	5	11	17	7	4	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	1	1	-	-
OKLAHOMA -----	-	-	1	-	2	3	10	11	4	2	-	-
WHITE-----MALE----	-	-	1	-	1	2	5	5	-	1	-	-
FEMALE--	-	-	-	-	1	1	5	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	2	3	3	8	6	10	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	4	2	4	1	-	-
FEMALE--	1	-	-	1	2	2	4	4	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	8	11	13	21	29	26	22	7	1	-
WHITE-----MALE----	1	1	5	5	10	9	11	8	6	1	-	-
FEMALE--	-	-	1	4	3	12	16	18	16	6	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	1	2	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	1	-	4	4	3	3	-	-	-
WHITE-----MALE----	-	-	1	1	-	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	3	2	2	-	7	8	8	3	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	2	-	-	5	5	5	3	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	1	1	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,213
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
SOUTH DAKOTA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	68	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
TEXAS -----	205	-	-	-	-	-	1	-	-	2	4	7
WHITE-----MALE----	83	-	-	-	-	-	1	-	-	-	3	2
FEMALE--	93	-	-	-	-	-	-	-	-	2	-	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
UTAH -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	54	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,213
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)												
SOUTH DAKOTA -----	-	-	-	-	1	1	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	3	7	10	12	9	8	6	2	1	-
WHITE-----MALE----	3	3	2	4	6	6	4	2	3	-	-	-
FEMALE--	-	1	1	1	3	5	5	6	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	1	-	-	-
TEXAS -----	3	3	11	17	25	32	41	25	21	11	2	-
WHITE-----MALE----	1	2	5	10	12	15	17	8	5	2	-	-
FEMALE--	2	-	3	4	9	14	17	14	15	7	2	-
ALL OTHER--MALE----	-	1	1	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	2	2	2	2	7	2	1	2	-	-
BLACK---MALE----	-	1	1	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	2	2	2	2	7	2	1	2	-	-
UTAH -----	-	1	1	1	1	6	3	2	2	1	-	-
WHITE-----MALE----	-	1	1	1	-	4	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	1	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	2	4	4	10	6	13	8	2	-	-
WHITE-----MALE----	-	-	2	1	-	6	1	1	-	-	-	-
FEMALE--	-	1	-	1	2	2	2	10	6	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	2	1	2	3	-	2	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	2	1	2	3	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,215
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
0 UNITED STATES --	23,166	140	63	30	34	43	75	125	251	521	781	963
WHITE-----MALE----	9,482	53	25	11	11	24	25	53	124	249	379	461
FEMALE--	10,283	44	17	7	14	10	20	40	57	109	165	233
ALL OTHER--MALE----	1,829	22	12	9	3	5	17	14	46	106	147	177
FEMALE--	1,572	21	9	3	6	4	13	18	24	57	90	92
BLACK---MALE----	1,604	17	12	8	2	5	15	14	44	94	132	157
FEMALE--	1,382	21	7	3	5	3	12	17	21	53	83	81
ALABAMA -----	512	3	1	1	-	3	-	3	6	17	23	28
WHITE-----MALE----	192	1	1	1	-	1	-	1	2	7	9	10
FEMALE--	188	1	-	-	-	2	-	2	1	5	5	5
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	3	3	4	4
FEMALE--	59	1	-	-	-	-	-	-	-	2	5	9
BLACK---MALE----	73	-	-	-	-	-	-	-	3	3	4	4
FEMALE--	58	1	-	-	-	-	-	-	-	2	5	8
ALASKA -----	27	-	-	-	-	-	-	-	-	1	3	3
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	381	5	1	-	2	1	-	4	2	5	12	10
WHITE-----MALE----	165	2	1	-	-	-	-	1	-	3	5	6
FEMALE--	180	3	-	-	1	-	-	2	2	-	4	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	21	-	-	-	1	1	-	1	-	2	2	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	268	3	-	-	-	-	-	3	1	-	3	12
WHITE-----MALE----	104	-	-	-	-	-	-	1	1	-	1	6
FEMALE--	128	2	-	-	-	-	-	-	-	-	1	5
ALL OTHER--MALE----	21	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,340	15	6	1	7	6	11	9	26	34	52	78
WHITE-----MALE----	598	5	2	1	2	4	4	6	12	16	31	42
FEMALE--	548	4	3	-	4	1	4	2	8	7	11	23
ALL OTHER--MALE----	113	4	1	-	1	1	2	-	3	9	7	7
FEMALE--	81	2	-	-	-	-	1	1	3	2	3	6
BLACK---MALE----	52	1	1	-	-	1	1	-	2	5	4	6
FEMALE--	37	2	-	-	-	-	-	1	1	2	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,215
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
0 UNITED STATES --	1,003	1,045	1,434	1,884	2,446	2,956	3,239	3,130	2,063	767	171	2
WHITE-----MALE----	472	484	704	930	1,135	1,318	1,297	993	573	139	21	1
FEMALE--	262	325	439	664	1,002	1,333	1,617	1,891	1,340	559	134	1
ALL OTHER--MALE----	163	146	180	159	161	153	144	93	49	22	1	-
FEMALE--	106	90	111	131	148	152	181	153	101	47	15	-
BLACK---MALE----	143	124	158	136	142	134	124	83	40	19	1	-
FEMALE--	90	82	100	103	129	134	158	137	88	40	15	-
ALABAMA -----	31	30	37	43	54	65	64	57	33	10	3	-
WHITE-----MALE----	16	10	15	23	21	26	25	15	8	-	-	-
FEMALE--	4	6	14	11	20	28	28	26	20	9	1	-
ALL OTHER--MALE----	7	10	5	7	8	8	8	5	1	-	-	-
FEMALE--	4	4	3	2	5	3	3	11	4	1	2	-
BLACK---MALE----	7	10	5	7	8	8	8	5	1	-	-	-
FEMALE--	4	4	3	2	5	3	3	11	4	1	2	-
ALASKA -----	-	1	2	4	4	2	2	2	2	1	-	-
WHITE-----MALE----	-	1	2	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	17	22	35	38	42	48	51	51	27	6	2	-
WHITE-----MALE----	8	12	18	30	16	22	15	15	10	1	-	-
FEMALE--	6	7	13	6	22	24	30	35	17	5	2	-
ALL OTHER--MALE----	1	1	3	1	1	1	3	-	-	-	-	-
FEMALE--	2	2	1	1	3	1	3	1	-	-	-	-
BLACK---MALE----	-	1	1	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	1	-	-	-	-
ARKANSAS -----	9	17	19	18	25	43	40	37	24	13	1	-
WHITE-----MALE----	5	5	8	11	13	24	13	8	7	1	-	-
FEMALE--	1	7	8	4	11	16	25	24	14	9	1	-
ALL OTHER--MALE----	1	5	2	1	-	1	1	2	2	2	-	-
FEMALE--	2	-	1	2	1	2	1	3	1	1	-	-
BLACK---MALE----	1	5	2	1	-	1	1	2	2	2	-	-
FEMALE--	2	-	1	2	1	2	1	3	1	1	-	-
CALIFORNIA -----	68	53	87	112	132	148	189	151	108	39	8	-
WHITE-----MALE----	29	28	44	52	63	73	86	52	35	10	1	-
FEMALE--	27	16	27	41	49	63	81	84	63	24	6	-
ALL OTHER--MALE----	10	7	10	10	12	6	12	6	3	2	-	-
FEMALE--	2	2	6	9	8	6	10	9	7	3	1	-
BLACK---MALE----	5	3	6	2	4	3	5	3	-	-	-	-
FEMALE--	-	1	4	1	3	1	6	5	2	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,216
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
COLORADO -----	330	3	2	-	1	1	-	2	6	9	10	15
WHITE-----MALE----	149	2	1	-	1	-	-	2	2	4	6	8
FEMALE--	167	1	1	-	-	1	-	-	4	3	4	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	390	2	-	1	-	1	3	-	4	4	10	17
WHITE-----MALE----	193	1	-	1	-	1	-	-	1	2	8	9
FEMALE--	169	1	-	-	-	-	2	-	2	1	1	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	19	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	2
DELAWARE -----	64	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	101	-	-	-	-	-	-	-	2	7	8	11
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	5	5	4
FEMALE--	43	-	-	-	-	-	-	-	2	2	3	5
BLACK---MALE----	41	-	-	-	-	-	-	-	-	4	5	4
FEMALE--	43	-	-	-	-	-	-	-	2	2	3	5
FLORIDA -----	1,195	8	2	2	-	2	3	4	18	27	45	47
WHITE-----MALE----	534	2	1	-	-	-	1	-	9	12	20	23
FEMALE--	533	4	1	-	-	1	-	2	5	10	10	13
ALL OTHER--MALE----	75	2	-	2	-	1	1	1	3	3	9	6
FEMALE--	53	-	-	-	-	-	1	1	1	2	6	5
BLACK---MALE----	72	2	-	2	-	1	1	1	3	2	9	6
FEMALE--	52	-	-	-	-	-	1	1	1	2	6	5
GEORGIA -----	711	6	3	2	2	3	4	1	8	29	38	41
WHITE-----MALE----	239	1	2	-	-	2	1	-	2	14	17	17
FEMALE--	249	1	-	-	-	1	-	-	-	5	5	6
ALL OTHER--MALE----	106	4	1	2	1	-	2	-	4	5	8	10
FEMALE--	117	-	-	-	1	-	1	1	2	5	8	8
BLACK---MALE----	103	4	1	2	1	-	2	-	4	5	8	9
FEMALE--	115	-	-	-	1	-	1	1	2	5	8	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,216
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
COLORADO -----	17	22	14	28	33	41	41	37	28	17	3	-
WHITE-----MALE----	10	9	9	12	11	20	24	14	12	2	-	-
FEMALE--	6	12	5	13	21	19	17	23	15	14	3	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	2	-	-	1	1	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	1	1	-	-
CONNECTICUT -----	26	23	22	30	40	58	42	54	35	15	3	-
WHITE-----MALE----	15	14	12	15	23	32	17	26	13	3	-	-
FEMALE--	5	6	9	14	16	23	25	25	22	11	3	-
ALL OTHER--MALE----	4	3	1	1	1	2	-	3	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	4	3	1	1	1	2	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	1	-	-
DELAWARE -----	2	1	4	4	5	14	9	13	5	3	-	-
WHITE-----MALE----	-	1	2	3	3	5	4	5	-	1	-	-
FEMALE--	1	-	1	-	2	7	3	8	4	2	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	11	10	9	1	10	11	7	6	7	1	-	-
WHITE-----MALE----	2	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	2	1	-	-
ALL OTHER--MALE----	4	4	5	-	6	6	3	1	1	-	-	-
FEMALE--	5	5	2	1	3	3	5	4	-	-	-	-
BLACK---MALE----	4	4	3	-	6	6	3	1	1	-	-	-
FEMALE--	5	5	2	1	3	3	3	5	4	-	-	-
FLORIDA -----	52	45	75	112	153	145	151	157	106	35	6	-
WHITE-----MALE----	28	25	37	61	70	70	80	57	33	5	-	-
FEMALE--	17	14	27	43	65	67	58	93	69	29	5	-
ALL OTHER--MALE----	3	4	8	7	8	7	3	5	2	-	-	-
FEMALE--	4	2	3	1	10	1	10	2	2	1	1	-
BLACK---MALE----	3	4	7	6	8	7	3	5	2	-	-	-
FEMALE--	4	2	3	1	9	1	10	2	2	1	1	-
GEORGIA -----	33	43	51	79	59	73	82	85	53	14	2	-
WHITE-----MALE----	10	21	21	26	20	22	28	20	12	3	-	-
FEMALE--	6	13	12	27	23	36	35	42	27	8	2	-
ALL OTHER--MALE----	8	4	9	12	10	9	4	7	4	2	-	-
FEMALE--	9	5	9	14	6	6	15	16	10	1	-	-
BLACK---MALE----	8	4	8	11	10	9	4	7	4	2	-	-
FEMALE--	9	5	9	14	6	5	15	16	10	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,217
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
HAWAII -----	5	7	6	3	13	9	12	10	7	3	-	-
WHITE-----MALE----	1	2	1	1	4	2	1	3	1	1	-	-
FEMALE--	-	-	2	-	1	4	3	-	1	-	-	-
ALL OTHER--MALE----	1	5	1	-	4	2	4	4	2	1	-	-
FEMALE--	3	-	2	2	4	1	4	3	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
IDAHO -----	1	3	4	8	10	17	13	13	11	2	-	-
WHITE-----MALE----	1	2	2	3	5	7	6	5	4	-	-	-
FEMALE--	-	1	1	5	5	10	7	8	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	48	57	70	82	106	119	186	135	106	30	11	-
WHITE-----MALE----	23	27	37	48	53	49	68	44	28	8	3	-
FEMALE--	12	11	11	22	35	56	100	78	68	21	8	-
ALL OTHER--MALE----	7	7	16	5	12	6	11	4	5	1	-	-
FEMALE--	6	12	6	7	6	8	7	9	5	-	-	-
BLACK---MALE----	6	7	16	5	12	5	8	4	5	1	-	-
FEMALE--	6	12	5	5	6	7	5	9	5	-	-	-
INDIANA -----	22	26	38	44	68	73	82	83	47	24	6	-
WHITE-----MALE----	9	9	23	27	30	21	34	23	13	1	-	-
FEMALE--	11	11	11	14	32	41	44	54	33	20	4	-
ALL OTHER--MALE----	1	5	4	1	4	4	1	3	-	1	-	-
FEMALE--	1	1	-	2	2	7	3	3	1	2	2	-
BLACK---MALE----	1	5	4	1	4	4	1	3	-	1	-	-
FEMALE--	1	1	-	2	2	7	3	3	1	2	2	-
IOWA -----	4	7	7	15	23	30	46	51	40	14	2	-
WHITE-----MALE----	3	2	4	6	10	17	18	20	13	6	1	-
FEMALE--	1	5	3	9	13	13	28	31	27	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	11	10	18	25	28	43	33	43	38	13	1	-
WHITE-----MALE----	6	6	8	13	14	21	16	14	10	3	1	-
FEMALE--	4	3	8	9	13	18	15	29	28	9	-	-
ALL OTHER--MALE----	-	1	2	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	3	2	-	-	1	-	-
BLACK---MALE----	-	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	3	2	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,218
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
KENTUCKY -----	371	1	-	-	-	-	2	1	8	9	12	17
WHITE-----MALE----	173	-	-	-	-	-	1	-	6	5	8	10
FEMALE--	164	1	-	-	-	-	1	1	2	3	3	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	1
LOUISIANA -----	385	1	3	1	1	1	-	3	6	9	14	30
WHITE-----MALE----	121	-	1	-	-	1	-	1	-	3	4	13
FEMALE--	126	-	1	-	-	-	-	-	2	2	2	6
ALL OTHER--MALE----	80	1	-	-	-	-	-	2	3	3	7	9
FEMALE--	58	-	1	1	1	-	-	-	1	1	1	2
BLACK---MALE----	78	1	-	-	-	-	-	2	3	3	7	8
FEMALE--	58	-	1	1	1	-	-	-	1	1	1	2
MAINE -----	130	1	-	-	-	-	-	-	1	1	4	2
WHITE-----MALE----	49	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	79	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	449	3	2	-	-	-	3	6	4	14	12	24
WHITE-----MALE----	161	2	1	-	-	-	-	3	1	3	3	8
FEMALE--	156	-	-	-	-	-	-	-	-	-	3	5
ALL OTHER--MALE----	71	1	-	-	-	-	3	1	2	8	6	7
FEMALE--	61	-	1	-	-	-	-	2	1	3	-	4
BLACK---MALE----	69	1	-	-	-	-	3	1	2	8	6	7
FEMALE--	58	-	1	-	-	-	-	2	1	3	-	4
MASSACHUSETTS -----	792	2	1	1	2	-	1	3	2	12	22	29
WHITE-----MALE----	359	2	1	1	1	-	1	1	1	8	16	21
FEMALE--	393	-	-	-	1	-	-	1	1	2	4	4
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	19	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	1
MICHIGAN -----	870	6	2	1	-	2	2	3	11	15	30	42
WHITE-----MALE----	325	3	2	-	-	-	1	2	4	8	8	15
FEMALE--	381	2	-	-	-	2	1	-	2	1	6	9
ALL OTHER--MALE----	85	1	-	1	-	-	-	1	4	1	8	13
FEMALE--	79	-	-	-	-	-	-	-	1	5	8	5
BLACK---MALE----	82	-	-	1	-	-	-	1	4	1	8	13
FEMALE--	77	-	-	-	-	-	-	-	1	5	8	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,218
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
KENTUCKY -----	20	14	21	36	47	42	68	39	28	4	2	-
WHITE-----MALE----	12	8	15	17	23	23	29	10	6	-	-	-
FEMALE--	6	4	4	15	17	15	33	28	21	4	2	-
ALL OTHER--MALE----	1	2	2	2	3	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	4	4	5	1	1	-	-	-
BLACK---MALE----	1	2	2	2	3	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	4	4	5	1	1	-	-	-
LOUISIANA -----	21	25	25	29	48	46	46	43	21	8	4	-
WHITE-----MALE----	4	10	9	12	20	11	16	14	1	1	-	-
FEMALE--	4	4	6	9	14	17	17	25	12	3	2	-
ALL OTHER--MALE----	8	6	7	4	5	9	7	2	6	1	-	-
FEMALE--	5	5	3	4	9	9	6	2	2	3	2	-
BLACK---MALE----	8	6	7	4	5	8	7	2	6	1	-	-
FEMALE--	5	5	3	4	9	9	6	2	2	3	2	-
MAINE -----	3	6	8	9	13	15	24	23	14	3	3	-
WHITE-----MALE----	1	2	6	4	8	9	7	7	2	-	-	-
FEMALE--	1	4	2	5	5	6	17	16	12	3	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	24	24	26	38	43	74	66	45	26	13	2	-
WHITE-----MALE----	6	11	10	16	20	33	20	18	5	1	-	-
FEMALE--	3	4	5	12	15	25	31	21	19	12	1	-
ALL OTHER--MALE----	10	5	3	8	4	7	5	-	-	-	1	-
FEMALE--	5	4	8	2	4	9	10	6	2	-	-	-
BLACK---MALE----	10	5	3	7	4	6	5	-	-	-	1	-
FEMALE--	5	4	7	2	4	9	9	6	1	-	-	-
MASSACHUSETTS -----	40	27	56	68	78	107	96	114	84	37	10	-
WHITE-----MALE----	24	18	26	38	45	43	39	39	25	8	1	-
FEMALE--	12	7	22	23	31	60	57	73	58	28	9	-
ALL OTHER--MALE----	1	1	5	2	2	1	-	2	-	-	-	-
FEMALE--	3	1	3	5	-	3	-	-	1	1	-	-
BLACK---MALE----	1	1	4	2	1	1	-	1	-	-	-	-
FEMALE--	2	-	2	3	-	2	-	-	1	1	-	-
MICHIGAN -----	42	36	50	63	111	105	120	117	70	32	10	-
WHITE-----MALE----	17	12	20	32	49	49	42	36	19	5	1	-
FEMALE--	12	11	16	16	50	46	57	74	42	25	9	-
ALL OTHER--MALE----	12	6	6	8	6	4	7	4	3	-	-	-
FEMALE--	1	7	8	7	6	6	14	3	6	2	-	-
BLACK---MALE----	11	6	5	8	6	4	7	4	3	-	-	-
FEMALE--	1	7	8	7	5	6	13	3	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,219
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
MINNESOTA -----	16	8	18	21	32	44	52	77	54	27	1	-
WHITE-----MALE----	9	4	9	11	17	23	26	29	19	4	1	-
FEMALE--	6	3	7	9	15	18	24	48	35	23	-	-
ALL OTHER--MALE----	1	1	2	1	-	3	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	8	21	21	25	33	35	43	36	22	7	3	-
WHITE-----MALE----	3	6	11	12	15	13	12	5	7	-	-	-
FEMALE--	2	6	4	8	10	11	19	21	10	4	2	-
ALL OTHER--MALE----	3	6	3	5	3	7	4	2	1	2	-	-
FEMALE--	-	3	3	-	5	4	8	8	4	1	1	-
BLACK---MALE----	3	6	3	5	3	7	4	2	1	2	-	-
FEMALE--	-	3	3	-	5	4	8	8	4	1	1	-
MISSOURI -----	20	24	33	40	63	83	99	101	55	26	10	-
WHITE-----MALE----	13	12	17	20	30	35	49	31	13	4	1	-
FEMALE--	4	6	9	15	25	40	43	64	40	19	5	-
ALL OTHER--MALE----	2	4	5	1	5	5	4	2	-	1	-	-
FEMALE--	1	2	2	4	3	3	3	4	2	2	4	-
BLACK---MALE----	2	3	5	1	5	5	4	2	-	1	-	-
FEMALE--	1	2	2	4	3	3	3	3	2	1	4	-
MONTANA -----	9	6	2	10	14	9	8	14	7	5	-	-
WHITE-----MALE----	2	3	2	2	10	7	6	7	4	-	-	-
FEMALE--	3	2	-	7	4	2	2	7	3	5	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	5	7	12	17	20	28	13	19	9	3	-
WHITE-----MALE----	3	2	4	4	9	11	13	5	5	-	-	-
FEMALE--	2	2	3	6	8	9	15	8	14	8	3	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
NEVADA -----	7	6	12	16	21	27	11	14	4	2	2	-
WHITE-----MALE----	6	2	8	13	10	8	4	4	1	-	-	-
FEMALE--	1	2	3	2	8	18	6	10	3	2	2	-
ALL OTHER--MALE----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,221
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
OHIO -----	1,096	9	1	3	2	1	7	6	9	17	34	34
WHITE-----MALE----	431	4	1	2	-	1	2	2	5	10	11	15
FEMALE--	533	3	-	1	1	-	1	2	1	4	12	11
ALL OTHER--MALE----	67	-	-	-	-	-	1	1	2	3	9	5
FEMALE--	65	2	-	-	1	-	3	1	1	-	2	3
BLACK---MALE----	66	-	-	-	-	-	1	1	2	3	9	5
FEMALE--	64	2	-	-	1	-	3	1	1	-	2	3
OKLAHOMA -----	342	2	1	1	1	-	2	3	9	5	15	18
WHITE-----MALE----	142	1	-	1	-	-	-	1	6	3	7	8
FEMALE--	153	-	1	-	1	-	2	2	3	2	3	5
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	20	1	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	9	1	-	-	-	-	-	-	-	-	1	2
OREGON -----	278	1	1	1	-	-	-	2	-	4	8	10
WHITE-----MALE----	134	-	1	-	-	-	-	-	-	2	7	6
FEMALE--	137	1	-	1	-	-	-	2	-	2	1	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,506	7	2	2	3	1	3	6	16	28	52	41
WHITE-----MALE----	606	3	1	2	1	-	1	2	9	14	33	26
FEMALE--	714	3	1	-	2	-	1	1	2	6	8	7
ALL OTHER--MALE----	97	-	-	-	-	1	-	1	3	6	8	6
FEMALE--	89	1	-	-	-	-	1	2	2	2	3	2
BLACK---MALE----	94	-	-	-	-	1	-	1	3	6	8	6
FEMALE--	85	1	-	-	-	-	1	2	2	2	3	2
RHODE ISLAND -----	107	-	-	-	-	-	-	1	-	3	1	5
WHITE-----MALE----	45	-	-	-	-	-	-	1	-	2	-	1
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	372	3	2	-	-	-	-	3	2	15	12	19
WHITE-----MALE----	135	2	-	-	-	-	-	-	1	3	4	9
FEMALE--	126	-	-	-	-	-	-	2	-	-	2	2
ALL OTHER--MALE----	59	-	1	-	-	-	-	1	-	6	5	6
FEMALE--	52	1	1	-	-	-	-	-	1	6	1	2
BLACK---MALE----	57	-	1	-	-	-	-	1	-	6	5	5
FEMALE--	51	1	1	-	-	-	-	-	1	6	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,221
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
OHIO -----	43	44	66	88	124	143	154	149	112	43	7	-
WHITE-----MALE----	25	25	30	43	48	74	55	37	29	11	1	-
FEMALE--	11	12	20	36	66	56	85	100	75	30	6	-
ALL OTHER--MALE----	2	4	9	5	6	4	9	4	1	2	-	-
FEMALE--	5	3	7	4	4	9	5	8	7	-	-	-
BLACK---MALE----	2	3	9	5	6	4	9	4	1	2	-	-
FEMALE--	5	3	7	3	4	9	5	8	7	-	-	-
OKLAHOMA -----	14	12	26	21	26	44	47	52	31	10	1	1
WHITE-----MALE----	7	8	15	13	12	20	16	12	9	3	-	-
FEMALE--	3	3	7	5	11	18	27	35	18	5	1	1
ALL OTHER--MALE----	3	1	2	2	2	4	2	1	3	1	-	-
FEMALE--	1	-	2	1	1	2	2	4	1	1	-	-
BLACK---MALE----	1	1	2	-	1	1	2	1	3	1	-	-
FEMALE--	1	-	-	-	-	-	1	3	-	-	-	-
OREGON -----	8	14	20	28	26	37	35	46	24	11	2	-
WHITE-----MALE----	3	8	10	15	15	19	15	21	7	4	1	-
FEMALE--	5	6	10	11	10	17	19	24	16	7	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
PENNSYLVANIA -----	52	54	81	115	169	223	232	215	139	55	10	-
WHITE-----MALE----	26	22	34	58	76	93	88	66	38	12	1	-
FEMALE--	7	19	27	37	72	117	124	138	96	37	9	-
ALL OTHER--MALE----	13	8	15	9	13	5	5	1	2	1	-	-
FEMALE--	6	5	5	11	8	8	15	10	3	5	-	-
BLACK---MALE----	12	8	14	9	13	5	4	1	2	1	-	-
FEMALE--	5	5	5	10	7	8	14	10	3	5	-	-
RHODE ISLAND -----	3	4	2	6	9	21	14	27	9	2	-	-
WHITE-----MALE----	1	2	1	3	8	7	8	10	1	-	-	-
FEMALE--	1	2	1	3	1	11	6	16	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	-	-	-	-
SOUTH CAROLINA -----	21	15	36	49	36	46	42	39	18	13	1	-
WHITE-----MALE----	8	5	15	19	15	26	12	10	5	1	-	-
FEMALE--	3	8	10	14	10	13	22	22	9	8	1	-
ALL OTHER--MALE----	5	-	7	8	4	4	6	4	1	1	-	-
FEMALE--	5	2	4	8	7	3	2	3	3	3	-	-
BLACK---MALE----	4	-	7	8	4	4	6	4	1	1	-	-
FEMALE--	4	2	4	8	7	3	2	3	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,222
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
SOUTH DAKOTA -----	82	-	-	-	-	-	-	-	-	3	2	2
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	476	6	2	1	-	2	3	2	6	11	13	19
WHITE-----MALE----	181	-	-	-	-	2	-	1	2	4	8	6
FEMALE--	203	2	1	1	-	-	-	1	3	3	1	5
ALL OTHER--MALE----	47	2	1	-	-	-	2	-	-	3	3	5
FEMALE--	45	2	-	-	-	-	1	-	1	1	1	3
BLACK---MALE----	46	2	1	-	-	-	2	-	-	3	3	5
FEMALE--	45	2	-	-	-	-	1	-	1	1	1	3
TEXAS -----	1,314	8	8	-	7	2	3	11	9	37	57	57
WHITE-----MALE----	552	4	3	-	4	2	2	7	6	17	33	28
FEMALE--	594	2	3	-	2	-	1	3	1	13	14	16
ALL OTHER--MALE----	93	1	2	-	-	-	-	1	2	5	5	11
FEMALE--	75	1	-	-	1	-	-	-	-	2	5	2
BLACK---MALE----	87	1	2	-	-	-	-	1	2	5	5	9
FEMALE--	71	1	-	-	1	-	-	-	-	2	5	2
UTAH -----	162	1	1	1	-	-	-	1	3	7	5	2
WHITE-----MALE----	83	1	1	-	-	-	-	1	2	5	4	1
FEMALE--	76	-	-	1	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	56	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	609	1	-	-	-	-	1	4	9	15	17	36
WHITE-----MALE----	238	1	-	-	-	-	-	2	5	6	10	22
FEMALE--	247	-	-	-	-	-	-	-	2	3	3	6
ALL OTHER--MALE----	69	-	-	-	-	-	-	1	2	5	1	3
FEMALE--	55	-	-	-	-	-	1	1	-	1	3	5
BLACK---MALE----	66	-	-	-	-	-	-	1	2	5	1	3
FEMALE--	53	-	-	-	-	-	1	1	-	1	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,222
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF DIGESTIVE SYSTEM (530,534,536-537,564-570,572-573,576-579)												
SOUTH DAKOTA -----	2	5	6	2	3	8	12	13	13	7	4	-
WHITE-----MALE----	-	1	3	1	2	5	5	8	4	1	-	-
FEMALE--	-	2	1	-	1	3	7	5	8	6	4	-
ALL OTHER--MALE----	2	2	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	27	25	42	56	59	70	57	40	14	2	-
WHITE-----MALE----	10	13	11	19	27	20	32	17	7	2	-	-
FEMALE--	6	7	8	11	22	32	27	34	29	8	2	-
ALL OTHER--MALE----	2	4	4	6	3	2	5	4	1	-	-	-
FEMALE--	1	3	2	6	4	5	6	2	3	4	-	-
BLACK---MALE----	2	4	3	6	3	2	5	4	1	-	-	-
FEMALE--	1	3	2	6	4	5	6	2	3	4	-	-
TEXAS -----	62	63	105	101	125	147	194	171	117	25	5	-
WHITE-----MALE----	31	32	57	47	52	63	75	55	27	6	1	-
FEMALE--	18	25	30	39	57	62	106	102	80	17	3	-
ALL OTHER--MALE----	6	4	9	10	10	11	5	6	4	1	-	-
FEMALE--	7	2	9	5	6	11	8	8	6	1	1	-
BLACK---MALE----	6	4	9	9	8	11	5	6	3	1	-	-
FEMALE--	7	2	9	5	6	10	7	6	6	1	1	-
UTAH -----	5	5	13	6	12	27	27	31	11	4	-	-
WHITE-----MALE----	3	3	8	2	7	16	11	13	4	1	-	-
FEMALE--	2	2	5	4	4	11	15	18	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	2	3	2	13	10	12	7	2	-	-
WHITE-----MALE----	-	1	2	3	1	4	3	7	1	-	-	-
FEMALE--	1	-	-	-	1	8	7	5	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	43	44	65	66	79	75	78	33	18	6	-
WHITE-----MALE----	8	20	18	27	23	33	28	19	10	6	-	-
FEMALE--	2	9	14	28	32	34	33	48	21	7	5	-
ALL OTHER--MALE----	8	11	7	6	5	7	7	6	-	-	-	-
FEMALE--	1	3	5	4	6	5	7	5	2	5	1	-
BLACK---MALE----	8	11	7	4	5	6	7	6	-	-	-	-
FEMALE--	1	3	5	2	6	5	7	5	2	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,224
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
0 UNITED STATES --	43,356	173	25	16	18	29	67	130	225	349	493	634
WHITE-----MALE----	15,301	58	8	5	5	10	16	43	66	112	145	204
FEMALE--	19,848	43	9	7	5	9	21	35	67	82	108	160
ALL OTHER--MALE----	3,631	42	6	1	3	7	17	27	54	95	146	146
FEMALE--	4,576	30	2	3	5	3	13	25	38	60	94	124
BLACK---MALE----	3,320	41	5	1	2	7	16	26	54	90	139	136
FEMALE--	4,200	25	1	3	3	2	12	22	35	58	85	119
ALABAMA -----	1,049	1	-	1	-	-	1	-	7	9	8	20
WHITE-----MALE----	259	1	-	-	-	-	-	-	1	1	1	7
FEMALE--	417	-	-	1	-	-	-	-	3	1	2	1
ALL OTHER--MALE----	157	-	-	-	-	-	1	-	3	4	2	4
FEMALE--	216	-	-	-	-	-	-	-	-	3	3	8
BLACK---MALE----	156	-	-	-	-	-	1	-	3	4	2	4
FEMALE--	215	-	-	-	-	-	-	-	-	3	3	8
ALASKA -----	28	-	-	-	1	-	-	-	-	2	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	587	4	1	-	1	-	3	2	5	3	8	6
WHITE-----MALE----	253	2	-	-	-	-	1	1	2	1	1	2
FEMALE--	276	1	1	-	-	-	1	1	3	2	2	2
ALL OTHER--MALE----	24	1	-	-	-	-	1	-	-	-	1	1
FEMALE--	34	-	-	-	1	-	-	-	-	-	4	1
BLACK---MALE----	9	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	609	-	1	-	1	-	-	3	2	2	5	9
WHITE-----MALE----	206	-	1	-	-	-	-	2	-	2	2	3
FEMALE--	257	-	-	-	1	-	-	-	2	-	1	2
ALL OTHER--MALE----	68	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	78	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	68	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	78	-	-	-	-	-	-	-	-	-	1	2
CALIFORNIA -----	3,125	20	3	1	2	6	3	14	14	30	51	58
WHITE-----MALE----	1,094	5	1	1	-	2	2	5	8	12	18	17
FEMALE--	1,477	10	1	-	2	2	1	3	3	8	16	18
ALL OTHER--MALE----	253	3	-	-	-	2	-	2	1	5	11	11
FEMALE--	301	2	1	-	-	-	-	4	2	5	6	12
BLACK---MALE----	157	2	-	-	-	2	-	2	1	5	10	7
FEMALE--	175	1	-	-	-	-	-	3	1	3	5	11

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,224
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
0 UNITED STATES --	769	1,050	1,776	2,899	4,645	6,503	7,931	7,840	5,217	2,084	478	5
WHITE-----MALE----	233	364	625	1,164	1,941	2,667	2,976	2,620	1,433	511	94	1
FEMALE--	213	293	569	962	1,762	2,721	3,778	4,231	3,155	1,320	297	1
ALL OTHER--MALE----	171	196	278	376	445	493	448	379	199	70	29	3
FEMALE--	152	197	304	397	497	622	729	610	430	183	58	-
BLACK---MALE----	152	182	249	349	409	459	395	336	178	65	26	3
FEMALE--	143	180	284	358	454	566	663	578	394	164	51	-
ALABAMA -----	21	37	54	88	101	152	195	177	125	38	14	-
WHITE-----MALE----	3	10	17	21	32	50	56	41	13	4	1	-
FEMALE--	5	8	16	21	31	51	78	94	72	27	6	-
ALL OTHER--MALE----	5	11	13	19	16	21	25	16	13	2	2	-
FEMALE--	8	8	8	27	22	30	36	26	27	5	5	-
BLACK---MALE----	5	11	13	19	16	21	24	16	13	2	2	-
FEMALE--	8	8	8	27	22	30	35	26	27	5	5	-
ALASKA -----	3	-	1	3	4	4	5	3	1	-	-	-
WHITE-----MALE----	1	-	1	2	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	20	24	61	81	90	99	75	66	18	4	-
WHITE-----MALE----	5	9	11	27	38	52	44	27	25	4	1	-
FEMALE--	6	7	8	24	37	32	49	46	38	13	3	-
ALL OTHER--MALE----	4	1	4	3	2	2	2	1	1	-	-	-
FEMALE--	1	3	1	7	4	4	4	1	2	1	-	-
BLACK---MALE----	-	-	1	1	-	1	2	1	1	-	-	-
FEMALE--	-	1	-	3	2	3	3	-	2	1	-	-
ARKANSAS -----	12	13	23	39	53	94	124	119	74	29	6	-
WHITE-----MALE----	5	2	7	18	19	34	48	38	18	7	-	-
FEMALE--	3	4	7	10	20	44	50	58	41	10	4	-
ALL OTHER--MALE----	3	3	5	7	8	4	9	16	4	4	1	-
FEMALE--	1	4	4	4	6	12	17	7	11	8	1	-
BLACK---MALE----	3	3	5	7	8	4	9	16	4	4	1	-
FEMALE--	1	4	4	4	6	12	17	7	11	8	1	-
CALIFORNIA -----	50	74	142	169	344	473	548	542	394	151	36	-
WHITE-----MALE----	16	27	58	62	139	180	207	186	102	37	9	-
FEMALE--	19	23	41	67	140	205	257	293	249	98	21	-
ALL OTHER--MALE----	6	7	18	24	36	41	30	31	17	4	4	-
FEMALE--	9	17	25	16	29	47	54	32	26	12	2	-
BLACK---MALE----	4	6	13	13	27	27	12	15	8	1	2	-
FEMALE--	7	12	17	4	16	27	32	17	13	6	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,225
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
COLORADO -----	444	2	-	-	-	-	2	-	3	7	8	5
WHITE-----MALE----	198	1	-	-	-	-	-	-	2	2	4	2
FEMALE--	217	1	-	-	-	-	2	-	-	4	3	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	14	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	613	-	-	-	-	-	-	2	3	9	6	5
WHITE-----MALE----	243	-	-	-	-	-	-	1	-	2	2	2
FEMALE--	308	-	-	-	-	-	-	1	-	4	2	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	33	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	28	-	-	-	-	-	-	-	2	1	2	1
FEMALE--	33	-	-	-	-	-	-	-	1	2	-	1
DELAWARE -----	124	1	-	-	-	1	-	-	-	3	1	1
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	66	-	-	-	-	1	-	-	-	2	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	196	3	-	-	-	-	-	-	1	4	7	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	74	2	-	-	-	-	-	-	-	3	5	1
FEMALE--	95	1	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	73	2	-	-	-	-	-	-	-	3	4	1
FEMALE--	95	1	-	-	-	-	-	-	1	1	2	1
FLORIDA -----	2,277	6	-	1	2	1	6	9	13	13	21	25
WHITE-----MALE----	939	2	-	-	2	1	1	4	3	2	5	8
FEMALE--	978	1	-	-	-	-	2	-	7	1	8	5
ALL OTHER--MALE----	139	2	-	-	-	-	-	-	1	3	3	6
FEMALE--	221	1	-	1	-	-	3	5	2	7	5	6
BLACK---MALE----	138	2	-	-	-	-	-	-	1	3	3	6
FEMALE--	217	1	-	1	-	-	3	5	2	7	5	6
GEORGIA -----	1,352	6	2	-	1	1	2	4	7	20	18	25
WHITE-----MALE----	326	-	-	-	-	-	-	-	3	6	3	6
FEMALE--	510	-	1	-	1	-	1	1	1	1	2	5
ALL OTHER--MALE----	207	5	-	-	-	-	1	-	3	7	9	7
FEMALE--	309	1	1	-	-	1	-	3	-	6	4	7
BLACK---MALE----	206	5	-	-	-	-	1	-	3	7	9	7
FEMALE--	307	1	1	-	-	1	-	3	-	6	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,225
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
COLORADO -----	11	10	16	40	50	57	82	81	44	20	6	-
WHITE-----MALE----	4	4	7	22	21	38	36	34	14	5	2	-
FEMALE--	5	3	8	14	27	18	42	42	30	15	3	-
ALL OTHER--MALE----	1	1	1	3	-	1	1	3	-	-	1	-
FEMALE--	1	2	-	1	2	-	3	2	-	-	-	-
BLACK---MALE----	1	-	1	2	-	1	1	3	-	-	1	-
FEMALE--	1	2	-	1	1	-	2	2	-	-	-	-
CONNECTICUT -----	6	15	19	42	57	98	145	101	66	31	8	-
WHITE-----MALE----	1	6	5	23	32	45	56	35	21	11	1	-
FEMALE--	2	2	8	12	21	47	80	61	42	18	7	-
ALL OTHER--MALE----	2	5	3	3	1	3	3	2	1	-	-	-
FEMALE--	1	2	3	4	3	3	6	3	2	2	-	-
BLACK---MALE----	2	5	2	3	1	3	3	2	1	-	-	-
FEMALE--	1	2	3	4	3	3	6	3	2	2	-	-
DELAWARE -----	2	2	4	14	19	21	23	11	12	8	1	-
WHITE-----MALE----	1	1	-	6	7	11	6	5	2	-	-	-
FEMALE--	1	1	4	6	9	5	14	6	10	6	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	4	2	-	-	2	1	-
BLACK---MALE----	-	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	4	2	-	-	2	-	-
DISTRICT OF COLUMBIA ----	13	9	8	18	22	26	28	31	13	10	1	-
WHITE-----MALE----	-	1	-	-	-	-	2	3	1	1	-	-
FEMALE--	-	1	-	1	-	-	6	5	4	2	-	-
ALL OTHER--MALE----	7	4	5	7	13	9	5	10	1	2	-	-
FEMALE--	6	3	3	10	9	17	15	13	7	5	1	-
BLACK---MALE----	7	4	5	7	13	9	5	10	1	2	-	-
FEMALE--	6	3	3	10	9	17	15	13	7	5	1	-
FLORIDA -----	35	34	99	137	236	365	439	418	294	101	21	1
WHITE-----MALE----	15	10	30	57	116	168	202	154	113	42	4	-
FEMALE--	9	16	38	41	77	150	187	217	157	51	11	-
ALL OTHER--MALE----	6	3	15	22	19	15	13	17	6	4	3	1
FEMALE--	5	5	16	17	24	32	37	30	18	4	3	-
BLACK---MALE----	6	3	14	22	19	15	13	17	6	4	3	1
FEMALE--	5	4	16	16	24	31	37	29	18	4	3	-
GEORGIA -----	37	45	73	103	149	191	253	219	135	55	6	-
WHITE-----MALE----	7	13	14	30	41	53	63	49	26	12	-	-
FEMALE--	6	7	22	25	53	65	108	108	72	28	3	-
ALL OTHER--MALE----	16	9	11	21	24	34	31	16	10	3	-	-
FEMALE--	8	16	26	27	31	39	51	46	27	12	3	-
BLACK---MALE----	16	9	11	20	24	34	31	16	10	3	-	-
FEMALE--	8	14	26	27	31	39	51	46	27	12	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,226
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
HAWAII -----	4	4	9	9	15	17	22	14	17	3	-	-
WHITE-----MALE----	-	-	2	1	2	2	1	2	-	-	-	-
FEMALE--	-	-	-	1	3	-	-	3	2	-	-	-
ALL OTHER--MALE----	1	2	5	1	7	6	11	8	5	-	-	-
FEMALE--	3	2	2	6	3	9	10	1	10	3	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	2	6	5	15	17	28	33	18	5	5	-
WHITE-----MALE----	1	1	3	2	7	10	13	15	5	2	1	-
FEMALE--	-	-	3	3	8	7	14	18	13	3	4	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	50	61	91	171	270	371	409	444	270	108	24	-
WHITE-----MALE----	12	16	30	61	101	157	164	150	75	22	4	-
FEMALE--	7	17	24	50	101	146	180	231	162	71	17	-
ALL OTHER--MALE----	13	20	21	29	33	34	23	16	6	6	1	-
FEMALE--	18	8	16	31	35	34	42	47	27	9	2	-
BLACK---MALE----	13	20	21	28	32	33	20	16	6	5	1	-
FEMALE--	17	8	16	30	31	31	40	47	27	8	2	-
INDIANA -----	15	29	43	84	130	164	207	215	143	51	15	-
WHITE-----MALE----	9	11	20	39	57	78	78	68	46	10	4	-
FEMALE--	3	8	15	30	56	73	104	132	87	38	9	-
ALL OTHER--MALE----	2	6	4	4	10	5	12	4	4	-	-	-
FEMALE--	1	4	4	11	7	8	13	11	6	3	2	-
BLACK---MALE----	2	6	4	4	9	5	12	4	4	-	-	-
FEMALE--	1	4	4	11	7	6	13	11	6	3	2	-
IOWA -----	3	7	8	14	32	54	49	70	58	29	7	-
WHITE-----MALE----	3	5	4	7	19	25	22	26	21	10	3	-
FEMALE--	-	2	3	7	12	29	25	42	37	19	4	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
KANSAS -----	8	9	16	17	56	49	94	89	72	25	6	-
WHITE-----MALE----	4	4	5	11	24	27	38	36	24	4	1	-
FEMALE--	3	4	6	6	26	20	47	48	45	19	5	-
ALL OTHER--MALE----	1	-	3	-	3	1	5	3	-	1	-	-
FEMALE--	-	1	2	-	3	1	4	2	3	1	-	-
BLACK---MALE----	-	-	3	-	3	1	4	3	-	1	-	-
FEMALE--	-	1	2	-	2	1	4	1	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,227
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
KENTUCKY -----	801	3	1	-	1	1	-	3	3	2	9	16
WHITE-----MALE----	322	2	1	-	-	1	-	2	3	1	3	4
FEMALE--	400	1	-	-	-	-	-	1	-	1	1	9
ALL OTHER--MALE----	38	-	-	-	1	-	-	-	-	-	5	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	38	-	-	-	1	-	-	-	-	-	5	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	989	4	-	-	-	-	1	1	10	10	19	14
WHITE-----MALE----	262	-	-	-	-	-	-	-	2	1	3	5
FEMALE--	368	-	-	-	-	-	-	-	5	3	2	2
ALL OTHER--MALE----	156	2	-	-	-	-	-	1	2	3	11	3
FEMALE--	203	2	-	-	-	-	1	-	1	3	3	4
BLACK---MALE----	156	2	-	-	-	-	-	1	2	3	11	3
FEMALE--	202	2	-	-	-	-	1	-	1	3	3	4
MAINE -----	222	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	111	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	110	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	890	5	-	1	-	-	-	5	10	13	11	20
WHITE-----MALE----	228	1	-	-	-	-	-	2	-	2	3	3
FEMALE--	329	-	-	-	-	-	-	1	2	1	2	1
ALL OTHER--MALE----	146	2	-	-	-	-	-	2	4	6	2	8
FEMALE--	187	2	-	1	-	-	-	-	4	4	4	8
BLACK---MALE----	142	2	-	-	-	-	-	2	4	6	2	8
FEMALE--	183	2	-	1	-	-	-	-	4	4	4	8
MASSACHUSETTS -----	1,300	8	-	-	-	1	2	2	3	11	9	22
WHITE-----MALE----	531	4	-	-	-	-	1	1	-	4	5	12
FEMALE--	687	2	-	-	-	1	-	1	3	2	3	7
ALL OTHER--MALE----	36	1	-	-	-	-	1	-	-	3	-	2
FEMALE--	46	1	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	33	1	-	-	-	-	1	-	-	3	-	2
FEMALE--	40	1	-	-	-	-	-	-	-	2	1	1
MICHIGAN -----	1,629	5	-	2	-	-	2	5	6	12	20	33
WHITE-----MALE----	540	2	-	1	-	-	-	1	2	1	8	10
FEMALE--	781	2	-	1	-	-	-	3	3	5	7	5
ALL OTHER--MALE----	147	1	-	-	-	-	-	-	1	4	5	13
FEMALE--	161	-	-	-	-	-	2	1	-	2	-	5
BLACK---MALE----	143	1	-	-	-	-	-	-	1	4	5	13
FEMALE--	154	-	-	-	-	-	2	1	-	2	-	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,227
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 X. DISEASES OF THE GENITOURINARY SYSTEM (580-629)												
KENTUCKY -----	16	24	25	62	78	118	140	155	100	38	6	-
WHITE-----MALE----	6	12	11	34	35	56	52	59	25	12	3	-
FEMALE--	9	8	11	24	31	53	76	85	64	23	3	-
ALL OTHER--MALE----	-	3	1	1	6	4	4	5	5	1	-	-
FEMALE--	1	1	2	3	6	5	8	6	6	2	-	-
BLACK---MALE----	-	3	1	1	6	4	4	5	5	1	-	-
FEMALE--	1	1	2	3	6	5	8	6	6	2	-	-
LOUISIANA -----	26	41	45	85	96	155	172	157	105	33	15	-
WHITE-----MALE----	3	14	17	28	33	52	49	30	16	5	4	-
FEMALE--	7	7	7	16	34	56	79	69	61	15	5	-
ALL OTHER--MALE----	9	6	6	19	11	28	19	21	10	4	1	-
FEMALE--	7	14	15	22	18	19	25	37	18	9	5	-
BLACK---MALE----	9	6	6	19	11	28	19	21	10	4	1	-
FEMALE--	7	14	14	22	18	19	25	37	18	9	5	-
MAINE -----	-	2	4	13	22	35	40	48	31	22	3	-
WHITE-----MALE----	-	2	3	10	14	22	18	18	15	7	2	-
FEMALE--	-	-	1	3	8	13	22	29	16	15	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	26	24	35	63	102	124	173	152	82	35	8	1
WHITE-----MALE----	3	4	5	14	27	40	55	43	17	7	2	-
FEMALE--	3	4	10	17	29	42	75	72	46	19	5	-
ALL OTHER--MALE----	10	9	12	13	17	23	14	16	7	-	-	1
FEMALE--	10	7	8	19	29	19	29	21	12	9	1	-
BLACK---MALE----	9	9	11	13	17	23	14	15	6	-	-	1
FEMALE--	10	7	8	19	29	19	27	20	11	9	1	-
MASSACHUSETTS -----	18	29	32	84	146	194	256	224	162	80	17	-
WHITE-----MALE----	11	19	14	41	73	89	107	90	42	16	2	-
FEMALE--	5	6	11	30	61	97	136	131	116	61	14	-
ALL OTHER--MALE----	2	3	5	6	4	2	3	1	2	-	1	-
FEMALE--	-	1	2	7	8	6	10	2	2	3	-	-
BLACK---MALE----	2	3	4	4	4	2	3	1	2	-	1	-
FEMALE--	-	1	2	7	7	6	7	2	1	2	-	-
MICHIGAN -----	27	33	75	115	193	259	286	280	188	72	16	-
WHITE-----MALE----	7	14	17	48	78	96	90	93	51	19	2	-
FEMALE--	9	7	22	38	76	119	158	155	115	44	12	-
ALL OTHER--MALE----	6	5	16	17	18	17	18	16	6	3	1	-
FEMALE--	5	7	20	12	21	27	20	16	16	6	1	-
BLACK---MALE----	6	5	15	17	18	15	18	15	6	3	1	-
FEMALE--	5	6	19	12	19	26	20	16	16	4	1	-