

National Immunization Survey -- Child

**A Codebook for the
2018 Public-Use Data File**

Centers for Disease Control and Prevention

**National Center for Immunization
and Respiratory Diseases**

**Presented by:
NORC at the University of Chicago**

January 2020

TABLE OF CONTENTS

Section Index of Variables	1
Section 1: ID,Weight, and Flag Variables	18
Section 2: Household-Reported Vaccination and Health Information	21
Section 3: Demographic and Socio-Economic Variables	22
Section 4: Geographic Variables	38
Section 5: Number of Providers Identified and Consent Variables	44
Section 6: Number of Responding Provider Variables	45
Section 7: Characteristics of Provider Variables	46
Section 8: Provider-Reported Up-to-Date Vaccination Variables	48
Section 9: Provider-Reported Age-at-Vaccination Variables	93
Section 10: Health Insurance Module Variables	230
Alphabetic Index of Variables	232

NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
PROVWT_C	13	32	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
RDDWT_C	33	51	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
STRATUM	52	55	1	STRATUM VARIABLE FOR VARIANCE ESTIMATION
YEAR	56	59	1	YEAR OF INTERVIEW
AGECPOXR	60	60	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
HAD_CPOX	61	62	2	CHILD EVER HAD CHICKEN POX DISEASE?
AGEGRP	63	63	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BF_ENDR06	64	71	3	DURATION OF BREASTFEEDING IN DAYS (RECODE)
BF_EXCLR06	72	79	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR08	80	87	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
BFENDFL06	88	88	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	89	89	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
C1R	90	90	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	91	92	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	93	94	3	WAS CHILD EVER BREASTFED OR FED BREAST MILK?
CEN_REG	95	95	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	96	96	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	97	98	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	99	100	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
EDUC1	101	101	3	EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)
FRSTBRN	102	102	3	FIRST BORN STATUS OF CHILD: IMPUTED
I_HISP_K	103	103	3	HISPANIC ORIGIN OF CHILD: IMPUTED
INCPORAR	104	119	3	INCOME TO POVERTY RATIO (RECODE)
INCPORAR_I	120	135	3	INCOME TO POVERTY RATIO: IMPUTED (RECODE)
INCPOV1	136	136	3	POVERTY STATUS
INCQ298A	137	138	3	FAMILY INCOME CATEGORIES (RECODE)

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
LANGUAGE	139	139	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
M_AGEGRP2	140	140	3	AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)
MARITAL2	141	141	3	MARITAL STATUS OF MOTHER: IMPUTED (RECODE)
MOBIL_I	142	142	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE: IMPUTED
NUM_PHONE	143	144	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
NUM_CELLS_HH	145	146	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	147	148	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
RACE_K	149	149	3	RACE OF CHILD: IMPUTED (RECODE)
RACEETHK	150	150	3	RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)
RENT_OWN	151	152	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
SEX	153	153	3	SEX OF CHILD: IMPUTED
ESTIAP18	154	156	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	157	158	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
STATE	159	160	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
D6R	161	161	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	162	162	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
N_PRVR	163	163	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PROV_FAC	164	164	7	PROVIDER FACILITY TYPES: IMPUTED
REGISTRY	165	165	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_ORDER	166	166	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
HEP_BRTH	167	167	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	168	168	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
P_NUHEPX	169	169	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	170	170	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	171	171	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
P_NUMDAH	172	172	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	173	173	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	174	174	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDTA	175	175	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	176	176	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	177	177	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	178	178	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	179	179	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	180	180	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	181	181	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	182	182	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	183	183	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	184	184	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHHY	185	185	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
P_NUMHIB	186	186	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	187	187	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	188	188	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	189	189	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	190	190	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMIPV	191	191	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	192	192	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	193	193	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	194	194	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	195	195	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	196	196	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	197	197	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	198	198	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	199	199	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	200	200	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
P_NUMMSR	201	201	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	202	202	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	203	203	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	204	204	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	205	205	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC	206	206	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	207	207	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	208	208	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	209	209	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	210	210	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	211	211	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	212	212	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	213	213	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	214	214	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
P_NUMRO	215	215	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	216	216	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	217	217	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	218	218	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	219	219	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	220	220	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	221	221	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	222	222	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	223	223	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	224	224	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	225	225	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA2	226	226	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	227	227	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_ROUT_S	228	228	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
P_UTDHIB_SHORT_S	229	229	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	230	230	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	231	231	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	232	232	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	233	233	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	234	234	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	235	235	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	236	236	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	237	237	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	238	238	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431331	239	239	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	240	240	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_31	241	241	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
PU4313313	242	242	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	243	243	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	244	244	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	245	245	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_314	246	246	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1::3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	247	247	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	248	248	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	249	249	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	250	250	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U24_FLU_24D	251	251	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U1D_HEP	252	252	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U2D_HEP	253	253	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	254	254	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
DDTP1	255	258	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	259	262	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	263	266	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
DDTP4	267	270	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	271	274	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	275	278	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	279	282	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	283	283	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	284	284	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	285	288	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	289	292	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	293	296	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	297	300	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	301	304	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
DFLU6	305	308	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	309	311	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	312	314	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	315	315	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	316	319	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	320	323	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	324	327	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	328	331	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	332	334	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	335	335	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	336	336	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	337	337	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	338	338	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	339	342	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	343	346	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	347	350	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	351	354	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	355	358	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	359	361	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	362	362	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	363	363	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	364	364	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	365	368	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	369	372	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	373	376	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	377	380	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
DHIB5	381	384	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	385	387	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	388	388	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	389	389	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	390	390	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	391	394	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	395	398	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	399	402	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	403	403	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	404	404	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	405	405	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	406	406	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	407	407	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	408	408	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	409	409	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	410	410	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	411	411	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	412	412	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	413	413	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	414	414	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	415	415	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	416	416	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	417	417	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	418	418	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	419	419	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	420	420	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	421	421	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	422	422	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	423	423	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	424	424	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	425	425	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	426	426	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	427	430	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	431	434	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	435	438	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	439	442	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	443	446	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
DPCV6	447	450	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	451	451	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	452	452	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	453	453	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	454	457	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	458	461	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	462	465	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	466	469	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	470	473	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	474	477	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	478	480	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	481	481	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	482	482	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	483	485	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	486	486	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	487	487	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	488	488	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	489	489	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	490	490	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	491	491	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	492	492	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	493	493	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	494	496	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	497	499	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	500	502	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	503	505	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	506	509	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	510	510	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	511	511	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	512	512	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	513	513	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DVRC1	514	517	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	518	521	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	522	522	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	523	523	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	524	524	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	525	525	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
DVRC7	526	526	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	527	527	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	528	528	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
DTP1_AGE	529	530	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	531	532	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	533	534	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	535	536	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	537	538	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	539	540	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	541	542	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	543	543	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	544	544	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
FLU1_AGE	545	546	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	547	548	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	549	550	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	551	552	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	553	554	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	555	556	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	557	558	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	559	560	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	561	561	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
HEA1_AGE	562	563	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	564	565	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	566	567	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	568	569	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	570	571	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	572	572	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	573	573	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	574	574	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	575	575	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	576	577	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
HEP2_AGE	578	579	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	580	581	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	582	583	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	584	585	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	586	587	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	588	588	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	589	589	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	590	590	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HIB1_AGE	591	592	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	593	594	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	597	598	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	599	600	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	601	602	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	603	603	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	604	604	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	605	605	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
MMR1_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	608	609	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	610	611	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	612	612	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	613	613	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	614	614	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	615	615	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	616	616	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	617	617	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MP1_AGE	618	618	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	619	619	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	620	620	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	621	621	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	622	622	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	623	623	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	624	624	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	625	625	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	626	626	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	627	627	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	628	628	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
MPR3_AGE	629	629	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	630	630	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	631	631	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	632	632	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	633	633	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	634	634	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	635	635	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
PCV1_AGE	636	637	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	638	639	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	640	641	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	642	643	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	644	645	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	646	647	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	648	648	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	649	649	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	650	650	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
POL1_AGE	651	652	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	653	654	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	655	656	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	657	658	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	659	660	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	661	662	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	663	664	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
RB1_AGE	667	668	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	671	671	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	672	672	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	673	673	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	674	674	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	675	675	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	676	676	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
ROT1_AGE	677	678	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	679	680	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	681	682	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
ROT4_AGE	683	684	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	685	686	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	687	687	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	688	688	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	689	689	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	690	690	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
VRC1_AGE	691	692	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	693	694	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	695	695	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	696	696	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	697	697	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	698	698	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	699	699	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	700	700	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	701	701	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	702	703	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	704	705	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	706	707	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	708	709	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	710	711	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	712	713	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	714	715	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	716	716	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	717	717	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	718	719	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	720	721	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	722	723	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	724	725	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	726	727	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	728	729	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	730	731	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	732	733	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	734	734	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	735	736	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	737	738	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	739	740	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	741	742	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
XHEPTY5	743	744	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	745	746	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	747	747	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	748	748	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	749	749	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	750	751	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	752	753	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	754	755	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	756	757	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	758	759	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	760	761	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	762	762	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	763	763	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	764	764	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	765	766	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	767	768	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	769	770	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	771	771	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	772	772	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	773	773	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	774	774	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	775	775	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	776	776	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	777	778	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	779	780	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	781	782	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	783	784	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	785	786	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	787	788	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	789	789	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	790	790	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	791	791	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	792	793	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	794	795	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	796	797	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	798	799	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	800	801	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE

SECTION INDEX OF VARIABLES

SAS_Var	Begin Position	End Position	Section	Variable Label
XPOLTY6	802	803	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	804	805	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	806	806	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	807	807	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	808	809	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	810	811	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	812	813	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	814	815	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	816	817	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	818	818	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	819	819	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	820	820	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	821	821	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	822	823	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	824	825	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	826	826	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	827	827	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	828	828	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	829	829	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	830	830	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	831	831	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	832	832	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
INS_STAT2_I	833	833	10	INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED
INS_BREAK_I	834	834	10	CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: SEQNUMC Type: Character Position: 1-6

Label: UNIQUE CHILD IDENTIFIER

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: SEQNUMHH Type: Character Position: 7-11

Label: UNIQUE HOUSEHOLD IDENTIFIER

Notes: Each household contains one or more children age 19 - 35 months.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: PDAT Type: Numeric Position: 12-12

Label: CHILD HAS ADEQUATE PROVIDER DATA

Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS	1	15657	54.0%	54.0%	15657	100.0%	100.0%
CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA	2	13314	46.0%	46.0%	0	0.0%	0.0%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: PROVWT_C Type: Numeric Position: 13-32

Label: FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)

Notes: Final child weight to use for the single-frame cell-phone calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1). Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: PROVWT_C Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	367.1	182.0	3.8	13286.8	701.5
Adequate Provider Data	367.1	182.0	3.8	13286.8	701.5

Variable: RDDWT_C Type: Numeric Position: 33-51

Label: FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)

Notes: Final single-frame cell-phone household interview weight for child. Use this weight for estimates based on children with completed household interviews. Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: RDDWT_C Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	198.4	106.7	3.3	6015.9	348.1
Adequate Provider Data	190.3	103.7	3.3	6015.9	328.7

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: STRATUM Type: Numeric Position: 52-55

Label: STRATUM VARIABLE FOR VARIANCE ESTIMATION

Notes: Use STRATUM as the stratum variable for variance estimation when calculating estimates.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: YEAR Type: Numeric Position: 56-59

Label: YEAR OF INTERVIEW

Notes: Sampling year.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2018	2018	28971	100.0%	100.0%	15657	100.0%	100.0%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: AGECP0XR Type: Numeric Position: 60-60

Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0 TO 6 MONTHS OLD	1	98	0.3%	23.7%	28	0.2%	17.1%
7 TO 12 MONTHS OLD	2	118	0.4%	28.5%	52	0.3%	31.7%
13 TO 18 MONTHS OLD	3	103	0.4%	24.9%	46	0.3%	28.0%
19+ MONTHS OLD	4	95	0.3%	22.9%	38	0.2%	23.2%
SUBTOTALS:		414	1.4%	100.0%	164	1.0%	100.0%
RESERVED CODES:							
MISSING	.	28557	98.6%	n/a	15493	99.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HAD_CPOX Type: Numeric Position: 61-62

Label: CHILD EVER HAD CHICKEN POX DISEASE?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	423	1.5%	1.5%	165	1.1%	1.1%
NO	2	28472	98.3%	98.5%	15458	98.7%	98.9%
SUBTOTALS:		28895	99.7%	100.0%	15623	99.8%	100.0%
RESERVED CODES:							
DON'T KNOW	77	73	0.3%	n/a	34	0.2%	n/a
REFUSED	99	3	0.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: AGEGRP Type: Numeric Position: 63-63

Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
19 - 23 MONTHS	1	8326	28.7%	28.7%	4527	28.9%	28.9%
24 - 29 MONTHS	2	8727	30.1%	30.1%	4778	30.5%	30.5%
30 - 35 MONTHS	3	11918	41.1%	41.1%	6352	40.6%	40.6%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: BF_ENDR06 Type: Numeric Position: 64-71

Label: DURATION OF BREASTFEEDING IN DAYS (RECODE)

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		23156	79.9%	100.0%	12788	81.7%	100.0%
RESERVED CODES:							
MISSING	.	5815	20.1%	n/a	2869	18.3%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: BF_ENDR06 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	290.8	273.9	1.0	730.5	194.6
Adequate Provider Data	290.3	273.9	1.0	730.5	194.1

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: BF_EXCLR06 Type: Numeric Position: 72-79

Label: DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		23891	82.5%	100.0%	13279	84.8%	100.0%
RESERVED CODES:							
MISSING	.	5080	17.5%	n/a	2378	15.2%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: BF_EXCLR06 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	175.8	182.6	1.0	273.9	63.9
Adequate Provider Data	174.0	182.6	1.0	273.9	60.9

Variable: BF_FORMR08 Type: Numeric Position: 80-87

Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)

Notes: BF_FORMR08 replaces BF_FORMR06 and includes a code of 888 for children never fed formula. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15302	52.8%	100.0%	8314	53.1%	100.0%
RESERVED CODES:							
NEVER FED FORMULA	888	6549	22.6%	n/a	3677	23.5%	n/a
MISSING	.	7120	24.6%	n/a	3666	23.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: BF_FORMR08 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	134.3	91.3	1.0	730.5	124.8
Adequate Provider Data	127.9	91.3	1.0	730.5	119.2

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **BFENDFL06** Type: Numeric Position: 88-88Label: **DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	2	0.0%	100.0%	2	0.0%	100.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28969	100.0%	n/a	15655	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: **BFFORMFL06** Type: Numeric Position: 89-89Label: **AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: **C1R** Type: Numeric Position: 90-90Label: **NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
2	2	644	2.2%	2.2%	333	2.1%	2.1%
3	3	6623	22.9%	22.9%	3556	22.7%	22.7%
4	4	10202	35.2%	35.2%	5712	36.5%	36.5%
5	5	5955	20.6%	20.6%	3306	21.1%	21.1%
6	6	2928	10.1%	10.1%	1522	9.7%	9.7%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: C1R Type: Numeric Position: 90-90

Label: NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
7	7	1252	4.3%	4.3%	618	3.9%	3.9%
8+	8	1367	4.7%	4.7%	610	3.9%	3.9%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: C5R Type: Numeric Position: 91-92

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN	1	17831	61.5%	61.6%	10688	68.3%	68.3%
FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN	2	9406	32.5%	32.5%	4440	28.4%	28.4%
GRANDPARENT	3	1256	4.3%	4.3%	451	2.9%	2.9%
OTHER FAMILY MEMBER/FRIEND	4	463	1.6%	1.6%	77	0.5%	0.5%
SUBTOTALS:		28956	99.9%	100.0%	15656	100.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	3	0.0%	n/a	1	0.0%	n/a
REFUSED	99	12	0.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CBF_01 Type: Numeric Position: 93-94

Label: WAS CHILD EVER BREASTFED OR FED BREAST MILK?

Notes: See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	24944	86.1%	86.4%	13775	88.0%	88.2%
NO	2	3912	13.5%	13.6%	1841	11.8%	11.8%
SUBTOTALS:		28856	99.6%	100.0%	15616	99.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	106	0.4%	n/a	41	0.3%	n/a
REFUSED	99	9	0.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: CEN_REG Type: Numeric Position: 95-95

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes: Missing for territories.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NORTHEAST	1	5147	17.8%	17.8%	2777	17.7%	17.7%
MIDWEST	2	5710	19.7%	19.7%	3176	20.3%	20.3%
SOUTH	3	12204	42.1%	42.1%	6445	41.2%	41.2%
WEST	4	5910	20.4%	20.4%	3259	20.8%	20.8%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: **CHILDNM** Type: **Numeric** Position: **96-96**Label: **NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	7968	27.5%	27.5%	4223	27.0%	27.0%
TWO OR THREE	2	16940	58.5%	58.5%	9426	60.2%	60.2%
FOUR OR MORE	3	4063	14.0%	14.0%	2008	12.8%	12.8%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: **CWIC_01** Type: **Numeric** Position: **97-98**Label: **CHILD EVER RECEIVED WIC BENEFITS?**

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	11773	40.6%	40.9%	6424	41.0%	41.2%
NO	2	16969	58.6%	58.9%	9146	58.4%	58.6%
NEVER HEARD OF WIC	3	78	0.3%	0.3%	33	0.2%	0.2%
SUBTOTALS:		28820	99.5%	100.0%	15603	99.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	136	0.5%	n/a	49	0.3%	n/a
REFUSED	99	15	0.1%	n/a	5	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CWIC_02 Type: Numeric Position: 99-100

Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	6208	21.4%	53.1%	3534	22.6%	55.2%
NO	2	5490	18.9%	46.9%	2866	18.3%	44.8%
SUBTOTALS:		11698	40.4%	100.0%	6400	40.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	73	0.3%	n/a	24	0.2%	n/a
REFUSED	99	2	0.0%	n/a	0	0.0%	n/a
MISSING	.	17198	59.4%	n/a	9233	59.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: EDUC1 Type: Numeric Position: 101-101

Label: EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
< 12 YEARS	1	2922	10.1%	10.1%	1575	10.1%	10.1%
12 YEARS	2	5237	18.1%	18.1%	2652	16.9%	16.9%
> 12 YEARS, NON-COLLEGE GRAD	3	7302	25.2%	25.2%	3850	24.6%	24.6%
COLLEGE GRAD	4	13510	46.6%	46.6%	7580	48.4%	48.4%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: FRSTBRN Type: Numeric Position: 102-102

Label: FIRST BORN STATUS OF CHILD: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NO	1	17540	60.5%	60.5%	9511	60.7%	60.7%
YES	2	11431	39.5%	39.5%	6146	39.3%	39.3%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: I_HISP_K Type: Numeric Position: 103-103

Label: HISPANIC ORIGIN OF CHILD: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	6712	23.2%	23.2%	3564	22.8%	22.8%
NON-HISPANIC	2	22259	76.8%	76.8%	12093	77.2%	77.2%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: INCPORAR Type: Numeric Position: 104-119

Label: INCOME TO POVERTY RATIO (RECODE)

Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2017 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		26571	91.7%	100.0%	14743	94.2%	100.0%
RESERVED CODES:							
MISSING	.	2400	8.3%	n/a	914	5.8%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCPORAR Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.6	0.5	3.0	1.0
Adequate Provider Data	2.1	2.7	0.5	3.0	1.0

Variable: INCPORAR_I Type: Numeric Position: 120-135**Label: INCOME TO POVERTY RATIO: IMPUTED (RECODE)****Notes: Variable contains some imputed values. Determined from family income, number of persons in the household, number of children in the household, and the 2017 Census poverty thresholds.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: INCPORAR_I Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.1	2.5	0.5	3.0	1.0
Adequate Provider Data	2.1	2.5	0.5	3.0	1.0

Variable: INCPOV1 Type: Numeric Position: 136-136**Label: POVERTY STATUS****Notes: Based on 2017 Census poverty thresholds.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ABOVE POVERTY, > \$75K	1	11990	41.4%	43.9%	6688	42.7%	44.5%
ABOVE POVERTY, <= \$75K	2	9391	32.4%	34.4%	5047	32.2%	33.6%
BELOW POVERTY	3	5917	20.4%	21.7%	3299	21.1%	21.9%
SUBTOTALS:		27298	94.2%	100.0%	15034	96.0%	100.0%
RESERVED CODES:							
UNKNOWN	4	1673	5.8%	n/a	623	4.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCQ298A Type: Numeric Position: 137-138

Label: FAMILY INCOME CATEGORIES (RECODE)

Notes: Family income in 2017.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
\$0 - \$7500	3	1001	3.5%	3.8%	536	3.4%	3.6%
\$7501 - \$10000	4	954	3.3%	3.6%	530	3.4%	3.6%
\$10001 - \$17500	5	1303	4.5%	4.9%	775	4.9%	5.3%
\$17501 - \$20000	6	1163	4.0%	4.4%	636	4.1%	4.3%
\$20001 - \$25000	7	1067	3.7%	4.0%	607	3.9%	4.1%
\$25001 - \$30000	8	1304	4.5%	4.9%	725	4.6%	4.9%
\$30001 - \$35000	9	888	3.1%	3.3%	516	3.3%	3.5%
\$35001 - \$40000	10	1222	4.2%	4.6%	642	4.1%	4.4%
\$40001 - \$50000	11	1791	6.2%	6.7%	974	6.2%	6.6%
\$50001 - \$60000	12	1612	5.6%	6.1%	878	5.6%	6.0%
\$60001 - \$75000	13	2276	7.9%	8.6%	1236	7.9%	8.4%
\$75001+	14	11990	41.4%	45.1%	6688	42.7%	45.4%
SUBTOTALS:		26571	91.7%	100.0%	14743	94.2%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1323	4.6%	n/a	651	4.2%	n/a
REFUSED	99	1077	3.7%	n/a	263	1.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: LANGUAGE Type: Numeric Position: 139-139

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes: Interviews conducted in languages other than English and Spanish were administered using LanguageLine Solutions® (formerly part of AT&T). This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ENGLISH	1	25793	89.0%	89.0%	13879	88.6%	88.6%
SPANISH	2	2689	9.3%	9.3%	1508	9.6%	9.6%
OTHER	3	489	1.7%	1.7%	270	1.7%	1.7%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: LANGUAGE Type: Numeric Position: 139-139

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes: Interviews conducted in languages other than English and Spanish were administered using LanguageLine Solutions® (formerly part of AT&T). This variable was constructed from call outcome codes. While these outcome codes are considered accurate, there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: M_AGEGRP2 Type: Numeric Position: 140-140

Label: AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
<= 29 YEARS	1	9649	33.3%	33.3%	5054	32.3%	32.3%
>= 30 YEARS	2	19322	66.7%	66.7%	10603	67.7%	67.7%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: MARITAL2 Type: Numeric Position: 141-141

Label: MARITAL STATUS OF MOTHER: IMPUTED (RECODE)

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MARRIED	1	20355	70.3%	70.3%	11364	72.6%	72.6%
NEVER MARRIED/WIDOWED/ DIVORCED/SEPARATED/ DECEASED/LIVING WITH PARTNER	2	8616	29.7%	29.7%	4293	27.4%	27.4%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: MOBIL_I Type: Numeric Position: 142-142

Label: GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS
CURRENT STATE: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MOVED FROM DIFFERENT STATE	1	3675	12.7%	12.7%	1831	11.7%	11.7%
DID NOT MOVE FROM DIFFERENT STATE	2	25296	87.3%	87.3%	13826	88.3%	88.3%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM_PHONE Type: Numeric Position: 143-144

Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	5071	17.5%	95.5%	2625	16.8%	96.0%
TWO	2	120	0.4%	2.3%	53	0.3%	1.9%
THREE OR MORE	3	40	0.1%	0.8%	14	0.1%	0.5%
NONE	4	80	0.3%	1.5%	42	0.3%	1.5%
SUBTOTALS:		5311	18.3%	100.0%	2734	17.5%	100.0%
RESERVED CODES:							
DON'T KNOW	77	32	0.1%	n/a	11	0.1%	n/a
REFUSED	99	7	0.0%	n/a	1	0.0%	n/a
MISSING	.	23621	81.5%	n/a	12911	82.5%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: NUM_CELLS_HH Type: Numeric Position: 145-146

Label: NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	3141	10.8%	10.9%	1561	10.0%	10.0%
TWO	2	18551	64.0%	64.5%	10585	67.6%	67.8%
THREE OR MORE	3	7056	24.4%	24.5%	3473	22.2%	22.2%
SUBTOTALS:		28748	99.2%	100.0%	15619	99.8%	100.0%
RESERVED CODES:							
DON'T KNOW	77	27	0.1%	n/a	6	0.0%	n/a
REFUSED	99	196	0.7%	n/a	32	0.2%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM_CELLS_PARENTS Type: Numeric Position: 147-148

Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ONE	1	5271	18.2%	18.5%	2645	16.9%	17.0%
TWO	2	21618	74.6%	75.7%	12200	77.9%	78.4%
THREE OR MORE	3	1659	5.7%	5.8%	715	4.6%	4.6%
SUBTOTALS:		28548	98.5%	100.0%	15560	99.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	67	0.2%	n/a	15	0.1%	n/a
REFUSED	99	206	0.7%	n/a	32	0.2%	n/a
MISSING	.	150	0.5%	n/a	50	0.3%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: RACE_K Type: Numeric Position: 149-149

Label: RACE OF CHILD: IMPUTED (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
WHITE ONLY	1	21108	72.9%	72.9%	11823	75.5%	75.5%
BLACK ONLY	2	3120	10.8%	10.8%	1352	8.6%	8.6%
OTHER + MULTIPLE RACE	3	4743	16.4%	16.4%	2482	15.9%	15.9%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: RACEETHK Type: Numeric Position: 150-150

Label: RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HISPANIC	1	6712	23.2%	23.2%	3564	22.8%	22.8%
NON-HISPANIC WHITE ONLY	2	15740	54.3%	54.3%	8911	56.9%	56.9%
NON-HISPANIC BLACK ONLY	3	2597	9.0%	9.0%	1106	7.1%	7.1%
NON-HISPANIC OTHER + MULTIPLE RACE	4	3922	13.5%	13.5%	2076	13.3%	13.3%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: RENT_OWN Type: Numeric Position: 151-152

Label: IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
OWNED OR BEING BOUGHT	1	17016	58.7%	59.2%	9353	59.7%	59.9%
RENTED	2	10643	36.7%	37.0%	5680	36.3%	36.4%
OTHER ARRANGMENT	3	1069	3.7%	3.7%	573	3.7%	3.7%
SUBTOTALS:		28728	99.2%	100.0%	15606	99.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	54	0.2%	n/a	19	0.1%	n/a
REFUSED	99	189	0.7%	n/a	32	0.2%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: SEX Type: Numeric Position: 153-153

Label: SEX OF CHILD: IMPUTED

Notes: Variable contains some imputed values.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MALE	1	14992	51.7%	51.7%	7994	51.1%	51.1%
FEMALE	2	13979	48.3%	48.3%	7663	48.9%	48.9%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP18 Type: Numeric Position: 154-156

Label: ESTIMATION AREA OF RESIDENCE

Notes: For variance estimation, use STRATUM.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	319	1.1%	1.1%	166	1.1%	1.1%
MA	2	466	1.6%	1.6%	282	1.8%	1.8%
ME	4	464	1.6%	1.6%	263	1.7%	1.7%
NH	5	427	1.5%	1.5%	220	1.4%	1.4%
RI	6	420	1.4%	1.4%	249	1.6%	1.6%
VT	7	392	1.4%	1.4%	232	1.5%	1.5%
NJ	8	653	2.3%	2.3%	313	2.0%	2.0%
NY-REST OF STATE	10	419	1.4%	1.4%	213	1.4%	1.4%
NY-CITY OF NEW YORK	11	576	2.0%	2.0%	291	1.9%	1.9%
DC	12	589	2.0%	2.0%	312	2.0%	2.0%
DE	13	481	1.7%	1.7%	247	1.6%	1.6%
MD	14	722	2.5%	2.5%	367	2.3%	2.3%
PA-REST OF STATE	16	568	2.0%	2.0%	313	2.0%	2.0%
PA-PHILADELPHIA COUNTY	17	443	1.5%	1.5%	235	1.5%	1.5%
VA	18	687	2.4%	2.4%	384	2.5%	2.5%
WV	19	567	2.0%	2.0%	298	1.9%	1.9%
AL	20	566	2.0%	2.0%	303	1.9%	1.9%
FL	22	601	2.1%	2.1%	306	2.0%	2.0%
GA	25	632	2.2%	2.2%	324	2.1%	2.1%
KY	27	343	1.2%	1.2%	175	1.1%	1.1%
MS	28	662	2.3%	2.3%	299	1.9%	1.9%
NC	29	647	2.2%	2.2%	351	2.2%	2.2%
SC	30	580	2.0%	2.0%	296	1.9%	1.9%
TN	31	381	1.3%	1.3%	228	1.5%	1.5%
IL-REST OF STATE	34	632	2.2%	2.2%	316	2.0%	2.0%
IL-CITY OF CHICAGO	35	292	1.0%	1.0%	158	1.0%	1.0%
IN	36	517	1.8%	1.8%	279	1.8%	1.8%
MI	38	499	1.7%	1.7%	294	1.9%	1.9%
MN	40	397	1.4%	1.4%	217	1.4%	1.4%
OH	41	540	1.9%	1.9%	282	1.8%	1.8%
WI	44	505	1.7%	1.7%	307	2.0%	2.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP18 Type: Numeric Position: 154-156

Label: ESTIMATION AREA OF RESIDENCE

Notes: For variance estimation, use STRATUM.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AR	46	452	1.6%	1.6%	244	1.6%	1.6%
LA	47	457	1.6%	1.6%	235	1.5%	1.5%
NM	49	537	1.9%	1.9%	313	2.0%	2.0%
OK	50	601	2.1%	2.1%	329	2.1%	2.1%
TX-REST OF STATE	51	1521	5.3%	5.3%	844	5.4%	5.4%
TX-CITY OF HOUSTON	54	369	1.3%	1.3%	169	1.1%	1.1%
TX-BEXAR COUNTY	55	441	1.5%	1.5%	243	1.6%	1.6%
IA	56	346	1.2%	1.2%	207	1.3%	1.3%
KS	57	318	1.1%	1.1%	193	1.2%	1.2%
MO	58	440	1.5%	1.5%	243	1.6%	1.6%
NE	59	393	1.4%	1.4%	230	1.5%	1.5%
CO	60	446	1.5%	1.5%	245	1.6%	1.6%
MT	61	477	1.6%	1.6%	280	1.8%	1.8%
ND	62	424	1.5%	1.5%	241	1.5%	1.5%
SD	63	407	1.4%	1.4%	209	1.3%	1.3%
UT	64	453	1.6%	1.6%	277	1.8%	1.8%
WY	65	427	1.5%	1.5%	241	1.5%	1.5%
AZ	66	488	1.7%	1.7%	255	1.6%	1.6%
CA	68	626	2.2%	2.2%	296	1.9%	1.9%
HI	72	448	1.5%	1.5%	230	1.5%	1.5%
NV	73	499	1.7%	1.7%	260	1.7%	1.7%
AK	74	396	1.4%	1.4%	228	1.5%	1.5%
ID	75	363	1.3%	1.3%	202	1.3%	1.3%
OR	76	319	1.1%	1.1%	192	1.2%	1.2%
WA	77	431	1.5%	1.5%	240	1.5%	1.5%
TX-HIDALGO COUNTY	107	444	1.5%	1.5%	251	1.6%	1.6%
TX-TARRANT COUNTY	109	461	1.6%	1.6%	240	1.5%	1.5%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST_GRANT Type: Numeric Position: 157-158

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For variance estimation, use STRATUM. Missing for territories.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CT	1	319	1.1%	1.1%	166	1.1%	1.1%
MA	2	466	1.6%	1.6%	282	1.8%	1.8%
ME	4	464	1.6%	1.6%	263	1.7%	1.7%
NH	5	427	1.5%	1.5%	220	1.4%	1.4%
RI	6	420	1.4%	1.4%	249	1.6%	1.6%
VT	7	392	1.4%	1.4%	232	1.5%	1.5%
NJ	8	653	2.3%	2.3%	313	2.0%	2.0%
NY-REST OF STATE	10	419	1.4%	1.4%	213	1.4%	1.4%
NY-CITY OF NEW YORK	11	576	2.0%	2.0%	291	1.9%	1.9%
DC	12	589	2.0%	2.0%	312	2.0%	2.0%
DE	13	481	1.7%	1.7%	247	1.6%	1.6%
MD	14	722	2.5%	2.5%	367	2.3%	2.3%
PA-REST OF STATE	16	568	2.0%	2.0%	313	2.0%	2.0%
PA-PHILADELPHIA COUNTY	17	443	1.5%	1.5%	235	1.5%	1.5%
VA	18	687	2.4%	2.4%	384	2.5%	2.5%
WV	19	567	2.0%	2.0%	298	1.9%	1.9%
AL	20	566	2.0%	2.0%	303	1.9%	1.9%
FL	22	601	2.1%	2.1%	306	2.0%	2.0%
GA	25	632	2.2%	2.2%	324	2.1%	2.1%
KY	27	343	1.2%	1.2%	175	1.1%	1.1%
MS	28	662	2.3%	2.3%	299	1.9%	1.9%
NC	29	647	2.2%	2.2%	351	2.2%	2.2%
SC	30	580	2.0%	2.0%	296	1.9%	1.9%
TN	31	381	1.3%	1.3%	228	1.5%	1.5%
IL-REST OF STATE	34	632	2.2%	2.2%	316	2.0%	2.0%
IL-CITY OF CHICAGO	35	292	1.0%	1.0%	158	1.0%	1.0%
IN	36	517	1.8%	1.8%	279	1.8%	1.8%
MI	38	499	1.7%	1.7%	294	1.9%	1.9%
MN	40	397	1.4%	1.4%	217	1.4%	1.4%
OH	41	540	1.9%	1.9%	282	1.8%	1.8%
WI	44	505	1.7%	1.7%	307	2.0%	2.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST_GRANT Type: Numeric Position: 157-158

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For variance estimation, use STRATUM. Missing for territories.

LABEL	Completed Household Interviews				Adequate Provider Data		
	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AR	46	452	1.6%	1.6%	244	1.6%	1.6%
LA	47	457	1.6%	1.6%	235	1.5%	1.5%
NM	49	537	1.9%	1.9%	313	2.0%	2.0%
OK	50	601	2.1%	2.1%	329	2.1%	2.1%
TX-REST OF STATE	51	2426	8.4%	8.4%	1335	8.5%	8.5%
TX-CITY OF HOUSTON	54	369	1.3%	1.3%	169	1.1%	1.1%
TX-BEXAR COUNTY	55	441	1.5%	1.5%	243	1.6%	1.6%
IA	56	346	1.2%	1.2%	207	1.3%	1.3%
KS	57	318	1.1%	1.1%	193	1.2%	1.2%
MO	58	440	1.5%	1.5%	243	1.6%	1.6%
NE	59	393	1.4%	1.4%	230	1.5%	1.5%
CO	60	446	1.5%	1.5%	245	1.6%	1.6%
MT	61	477	1.6%	1.6%	280	1.8%	1.8%
ND	62	424	1.5%	1.5%	241	1.5%	1.5%
SD	63	407	1.4%	1.4%	209	1.3%	1.3%
UT	64	453	1.6%	1.6%	277	1.8%	1.8%
WY	65	427	1.5%	1.5%	241	1.5%	1.5%
AZ	66	488	1.7%	1.7%	255	1.6%	1.6%
CA	68	626	2.2%	2.2%	296	1.9%	1.9%
HI	72	448	1.5%	1.5%	230	1.5%	1.5%
NV	73	499	1.7%	1.7%	260	1.7%	1.7%
AK	74	396	1.4%	1.4%	228	1.5%	1.5%
ID	75	363	1.3%	1.3%	202	1.3%	1.3%
OR	76	319	1.1%	1.1%	192	1.2%	1.2%
WA	77	431	1.5%	1.5%	240	1.5%	1.5%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 159-160

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALABAMA	1	566	2.0%	2.0%	303	1.9%	1.9%
ALASKA	2	396	1.4%	1.4%	228	1.5%	1.5%
ARIZONA	4	488	1.7%	1.7%	255	1.6%	1.6%
ARKANSAS	5	452	1.6%	1.6%	244	1.6%	1.6%
CALIFORNIA	6	626	2.2%	2.2%	296	1.9%	1.9%
COLORADO	8	446	1.5%	1.5%	245	1.6%	1.6%
CONNECTICUT	9	319	1.1%	1.1%	166	1.1%	1.1%
DELAWARE	10	481	1.7%	1.7%	247	1.6%	1.6%
DISTRICT OF COLUMBIA	11	589	2.0%	2.0%	312	2.0%	2.0%
FLORIDA	12	601	2.1%	2.1%	306	2.0%	2.0%
GEORGIA	13	632	2.2%	2.2%	324	2.1%	2.1%
HAWAII	15	448	1.5%	1.5%	230	1.5%	1.5%
IDAHO	16	363	1.3%	1.3%	202	1.3%	1.3%
ILLINOIS	17	924	3.2%	3.2%	474	3.0%	3.0%
INDIANA	18	517	1.8%	1.8%	279	1.8%	1.8%
IOWA	19	346	1.2%	1.2%	207	1.3%	1.3%
KANSAS	20	318	1.1%	1.1%	193	1.2%	1.2%
KENTUCKY	21	343	1.2%	1.2%	175	1.1%	1.1%
LOUISIANA	22	457	1.6%	1.6%	235	1.5%	1.5%
MAINE	23	464	1.6%	1.6%	263	1.7%	1.7%
MARYLAND	24	722	2.5%	2.5%	367	2.3%	2.3%
MASSACHUSETTS	25	466	1.6%	1.6%	282	1.8%	1.8%
MICHIGAN	26	499	1.7%	1.7%	294	1.9%	1.9%
MINNESOTA	27	397	1.4%	1.4%	217	1.4%	1.4%
MISSISSIPPI	28	662	2.3%	2.3%	299	1.9%	1.9%
MISSOURI	29	440	1.5%	1.5%	243	1.6%	1.6%
MONTANA	30	477	1.6%	1.6%	280	1.8%	1.8%
NEBRASKA	31	393	1.4%	1.4%	230	1.5%	1.5%
NEVADA	32	499	1.7%	1.7%	260	1.7%	1.7%
NEW HAMPSHIRE	33	427	1.5%	1.5%	220	1.4%	1.4%
NEW JERSEY	34	653	2.3%	2.3%	313	2.0%	2.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric Position: 159-160

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NEW MEXICO	35	537	1.9%	1.9%	313	2.0%	2.0%
NEW YORK	36	995	3.4%	3.4%	504	3.2%	3.2%
NORTH CAROLINA	37	647	2.2%	2.2%	351	2.2%	2.2%
NORTH DAKOTA	38	424	1.5%	1.5%	241	1.5%	1.5%
OHIO	39	540	1.9%	1.9%	282	1.8%	1.8%
OKLAHOMA	40	601	2.1%	2.1%	329	2.1%	2.1%
OREGON	41	319	1.1%	1.1%	192	1.2%	1.2%
PENNSYLVANIA	42	1011	3.5%	3.5%	548	3.5%	3.5%
RHODE ISLAND	44	420	1.4%	1.4%	249	1.6%	1.6%
SOUTH CAROLINA	45	580	2.0%	2.0%	296	1.9%	1.9%
SOUTH DAKOTA	46	407	1.4%	1.4%	209	1.3%	1.3%
TENNESSEE	47	381	1.3%	1.3%	228	1.5%	1.5%
TEXAS	48	3236	11.2%	11.2%	1747	11.2%	11.2%
UTAH	49	453	1.6%	1.6%	277	1.8%	1.8%
VERMONT	50	392	1.4%	1.4%	232	1.5%	1.5%
VIRGINIA	51	687	2.4%	2.4%	384	2.5%	2.5%
WASHINGTON	53	431	1.5%	1.5%	240	1.5%	1.5%
WEST VIRGINIA	54	567	2.0%	2.0%	298	1.9%	1.9%
WISCONSIN	55	505	1.7%	1.7%	307	2.0%	2.0%
WYOMING	56	427	1.5%	1.5%	241	1.5%	1.5%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

Variable: D6R Type: Numeric Position: 161-161

Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)

Notes: Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	200	0.7%	0.8%	146	0.9%	0.9%
1	1	17798	61.4%	68.4%	10646	68.0%	68.0%
2	2	6445	22.2%	24.8%	4018	25.7%	25.7%
3+	3	1580	5.5%	6.1%	847	5.4%	5.4%
SUBTOTALS:		26023	89.8%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	2948	10.2%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: D7 Type: Numeric Position: 162-162

Label: CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS

Notes: A blank value means consent was not obtained because of an interview break-off.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
YES	1	18281	63.1%	99.4%	15511	99.1%	100.0%
NO	2	113	0.4%	0.6%	0	0.0%	0.0%
SUBTOTALS:		18394	63.5%	100.0%	15511	99.1%	100.0%
RESERVED CODES:							
MISSING	.	10577	36.5%	n/a	146	0.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 6: NUMBER OF RESPONDING PROVIDERS VARIABLES

Variable: N_PRVR Type: Numeric Position: 163-163

Label: NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)

Notes: Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	13616	47.0%	47.0%	302	1.9%	1.9%
1	1	12376	42.7%	42.7%	12376	79.0%	79.0%
2	2	2692	9.3%	9.3%	2692	17.2%	17.2%
3+	3	287	1.0%	1.0%	287	1.8%	1.8%
SUBTOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: PROV_FAC Type: Numeric Position: 164-164

Label: PROVIDER FACILITY TYPES: IMPUTED

Notes: Variable contains some imputed values. Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PUBLIC FACILITIES	1	1614	5.6%	10.5%	1614	10.3%	10.5%
ALL HOSPITAL FACILITIES	2	2535	8.8%	16.5%	2535	16.2%	16.5%
ALL PRIVATE FACILITIES	3	8436	29.1%	54.9%	8436	53.9%	54.9%
ALL MILITARY/OTHER FACILITIES	4	419	1.4%	2.7%	419	2.7%	2.7%
MIXED	5	2350	8.1%	15.3%	2350	15.0%	15.3%
TYPE OF PROVIDER UNKNOWN	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15355	53.0%	100.0%	15355	98.1%	100.0%
RESERVED CODES:							
MISSING	.	13616	47.0%	n/a	302	1.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: REGISTRY Type: Numeric Position: 165-165

Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	10867	37.5%	70.8%	10867	69.4%	70.8%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1238	4.3%	8.1%	1238	7.9%	8.1%
NO PROVIDERS	3	1129	3.9%	7.4%	1129	7.2%	7.4%
UNKNOWN/DON'T KNOW	4	2121	7.3%	13.8%	2121	13.5%	13.8%
SUBTOTALS:		15355	53.0%	100.0%	15355	98.1%	100.0%
RESERVED CODES:							
MISSING	.	13616	47.0%	n/a	302	1.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: VFC_ORDER Type: Numeric Position: 166-166

Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	10995	38.0%	71.6%	10995	70.2%	71.6%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1266	4.4%	8.2%	1266	8.1%	8.2%
NO PROVIDERS	3	1438	5.0%	9.4%	1438	9.2%	9.4%
UNKNOWN/DON'T KNOW	4	1656	5.7%	10.8%	1656	10.6%	10.8%
SUBTOTALS:		15355	53.0%	100.0%	15355	98.1%	100.0%
RESERVED CODES:							
MISSING	.	13616	47.0%	n/a	302	1.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: HEP_BRTH Type: Numeric Position: 167-167

Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG

Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH	1	12265	42.3%	80.8%	12265	78.3%	80.8%
NO PROVIDERS CHECKED GIVEN AT BIRTH	2	2922	10.1%	19.2%	2922	18.7%	19.2%
SUBTOTALS:		15187	52.4%	100.0%	15187	97.0%	100.0%
RESERVED CODES:							
MISSING	.	13784	47.6%	n/a	470	3.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HEP_FLAG Type: Numeric Position: 168-168

Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG

Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES	2	63	0.2%	100.0%	63	0.4%	100.0%
SUBTOTALS:		63	0.2%	100.0%	63	0.4%	100.0%
RESERVED CODES:							
MISSING	.	28908	99.8%	n/a	15594	99.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHEPX Type: Numeric Position: 169-169

Label: NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 60

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1788	6.2%	11.4%	1788	11.4%	11.4%
1	1	6315	21.8%	40.3%	6315	40.3%	40.3%
2	2	1525	5.3%	9.7%	1525	9.7%	9.7%
3	3	5607	19.4%	35.8%	5607	35.8%	35.8%
4	4	404	1.4%	2.6%	404	2.6%	2.6%
5	5	16	0.1%	0.1%	16	0.1%	0.1%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUHIBX Type: Numeric Position: 170-170

Label: NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 44, HM, HG or HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4419	15.3%	28.2%	4419	28.2%	28.2%
1	1	2708	9.3%	17.3%	2708	17.3%	17.3%
2	2	1592	5.5%	10.2%	1592	10.2%	10.2%
3	3	4446	15.3%	28.4%	4446	28.4%	28.4%
4	4	2475	8.5%	15.8%	2475	15.8%	15.8%
5	5	17	0.1%	0.1%	17	0.1%	0.1%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHPHB Type: Numeric Position: 171-171

Label: NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 43

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15607	53.9%	99.7%	15607	99.7%	99.7%
1	1	39	0.1%	0.2%	39	0.2%	0.2%
2	2	7	0.0%	0.0%	7	0.0%	0.0%
3	3	3	0.0%	0.0%	3	0.0%	0.0%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMDAH Type: Numeric Position: 172-172

Label: NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15590	53.8%	99.6%	15590	99.6%	99.6%
1	1	53	0.2%	0.3%	53	0.3%	0.3%
2	2	6	0.0%	0.0%	6	0.0%	0.0%
3	3	5	0.0%	0.0%	5	0.0%	0.0%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDHI Type: Numeric Position: 173-173

Label: NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	7015	24.2%	44.8%	7015	44.8%	44.8%
1	1	1198	4.1%	7.7%	1198	7.7%	7.7%
2	2	1867	6.4%	11.9%	1867	11.9%	11.9%
3	3	5401	18.6%	34.5%	5401	34.5%	34.5%
4	4	171	0.6%	1.1%	171	1.1%	1.1%
5	5	5	0.0%	0.0%	5	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMDIH Type: Numeric Position: 174-174

Label: NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	7997	27.6%	51.1%	7997	51.1%	51.1%
1	1	1870	6.5%	11.9%	1870	11.9%	11.9%
2	2	1163	4.0%	7.4%	1163	7.4%	7.4%
3	3	2859	9.9%	18.3%	2859	18.3%	18.3%
4	4	1755	6.1%	11.2%	1755	11.2%	11.2%
5	5	13	0.0%	0.1%	13	0.1%	0.1%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDTA Type: Numeric Position: 175-175

Label: NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 04

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4828	16.7%	30.8%	4828	30.8%	30.8%
1	1	8546	29.5%	54.6%	8546	54.6%	54.6%
2	2	829	2.9%	5.3%	829	5.3%	5.3%
3	3	447	1.5%	2.9%	447	2.9%	2.9%
4	4	995	3.4%	6.4%	995	6.4%	6.4%
5	5	10	0.0%	0.1%	10	0.1%	0.1%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMDTP Type: Numeric Position: 176-176

Label: NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 03, 04, 07, 08, or D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	534	1.8%	3.4%	534	3.4%	3.4%
1	1	150	0.5%	1.0%	150	1.0%	1.0%
2	2	222	0.8%	1.4%	222	1.4%	1.4%
3	3	1434	4.9%	9.2%	1434	9.2%	9.2%
4	4	13102	45.2%	83.7%	13102	83.7%	83.7%
5	5	205	0.7%	1.3%	205	1.3%	1.3%
6	6	10	0.0%	0.1%	10	0.1%	0.1%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLU Type: Numeric Position: 177-177

Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM, FN, or FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4055	14.0%	25.9%	4055	25.9%	25.9%
1	1	1707	5.9%	10.9%	1707	10.9%	10.9%
2	2	3160	10.9%	20.2%	3160	20.2%	20.2%
3	3	4977	17.2%	31.8%	4977	31.8%	31.8%
4	4	1703	5.9%	10.9%	1703	10.9%	10.9%
5	5	51	0.2%	0.3%	51	0.3%	0.3%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMFLUL Type: Numeric Position: 178-178

Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14892	51.4%	95.1%	14892	95.1%	95.1%
1	1	295	1.0%	1.9%	295	1.9%	1.9%
2	2	232	0.8%	1.5%	232	1.5%	1.5%
3	3	178	0.6%	1.1%	178	1.1%	1.1%
4	4	58	0.2%	0.4%	58	0.4%	0.4%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLUL Type: Numeric Position: 178-178

Label: NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FL

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMFLUM Type: Numeric Position: 179-179

Label: NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15550	53.7%	99.3%	15550	99.3%	99.3%
1	1	51	0.2%	0.3%	51	0.3%	0.3%
2	2	30	0.1%	0.2%	30	0.2%	0.2%
3	3	20	0.1%	0.1%	20	0.1%	0.1%
4	4	6	0.0%	0.0%	6	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLUN Type: Numeric Position: 180-180

Label: NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FN

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	4598	15.9%	29.4%	4598	29.4%	29.4%
1	1	1716	5.9%	11.0%	1716	11.0%	11.0%
2	2	3048	10.5%	19.5%	3048	19.5%	19.5%
3	3	4699	16.2%	30.0%	4699	30.0%	30.0%
4	4	1568	5.4%	10.0%	1568	10.0%	10.0%
5	5	27	0.1%	0.2%	27	0.2%	0.2%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMHEA Type: Numeric Position: 181-181

Label: NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1810	6.2%	11.6%	1810	11.6%	11.6%
1	1	3786	13.1%	24.2%	3786	24.2%	24.2%
2	2	9980	34.4%	63.7%	9980	63.7%	63.7%
3	3	79	0.3%	0.5%	79	0.5%	0.5%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEN Type: Numeric Position: 182-182

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15467	53.4%	98.8%	15467	98.8%	98.8%
1	1	88	0.3%	0.6%	88	0.6%	0.6%
2	2	72	0.2%	0.5%	72	0.5%	0.5%
3	3	29	0.1%	0.2%	29	0.2%	0.2%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMHEP Type: Numeric Position: 183-183

Label: NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 43, 60, or HB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	474	1.6%	3.0%	474	3.0%	3.0%
1	1	322	1.1%	2.1%	322	2.1%	2.1%
2	2	430	1.5%	2.7%	430	2.7%	2.7%
3	3	9034	31.2%	57.7%	9034	57.7%	57.7%
4	4	5154	17.8%	32.9%	5154	32.9%	32.9%
5	5	230	0.8%	1.5%	230	1.5%	1.5%
6	6	13	0.0%	0.1%	13	0.1%	0.1%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHG Type: Numeric Position: 184-184

Label: NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14882	51.4%	95.1%	14882	95.1%	95.1%
1	1	367	1.3%	2.3%	367	2.3%	2.3%
2	2	107	0.4%	0.7%	107	0.7%	0.7%
3	3	139	0.5%	0.9%	139	0.9%	0.9%
4	4	161	0.6%	1.0%	161	1.0%	1.0%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMHHY Type: Numeric Position: 185-185

Label: NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HY

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15233	52.6%	97.3%	15233	97.3%	97.3%
1	1	195	0.7%	1.2%	195	1.2%	1.2%
2	2	79	0.3%	0.5%	79	0.5%	0.5%
3	3	101	0.3%	0.6%	101	0.6%	0.6%
4	4	49	0.2%	0.3%	49	0.3%	0.3%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHIB Type: Numeric Position: 186-186

Label: NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07, 43, 44, D3, HI, HM, HG, HS, or HY.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	583	2.0%	3.7%	583	3.7%	3.7%
1	1	195	0.7%	1.2%	195	1.2%	1.2%
2	2	475	1.6%	3.0%	475	3.0%	3.0%
3	3	4430	15.3%	28.3%	4430	28.3%	28.3%
4	4	9805	33.8%	62.6%	9805	62.6%	62.6%
5	5	162	0.6%	1.0%	162	1.0%	1.0%
6	6	7	0.0%	0.0%	7	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMHIN Type: Numeric Position: 187-187

Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HI

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	13790	47.6%	88.1%	13790	88.1%	88.1%
1	1	677	2.3%	4.3%	677	4.3%	4.3%
2	2	304	1.0%	1.9%	304	1.9%	1.9%
3	3	414	1.4%	2.6%	414	2.6%	2.6%
4	4	465	1.6%	3.0%	465	3.0%	3.0%
5	5	6	0.0%	0.0%	6	0.0%	0.0%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHIN Type: Numeric Position: 187-187

Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type HI

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMHION Type: Numeric Position: 188-188

Label: NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 44

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15508	53.5%	99.0%	15508	99.0%	99.0%
1	1	94	0.3%	0.6%	94	0.6%	0.6%
2	2	23	0.1%	0.1%	23	0.1%	0.1%
3	3	32	0.1%	0.2%	32	0.2%	0.2%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHM Type: Numeric Position: 189-189

Label: NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	10458	36.1%	66.8%	10458	66.8%	66.8%
1	1	905	3.1%	5.8%	905	5.8%	5.8%
2	2	968	3.3%	6.2%	968	6.2%	6.2%
3	3	3067	10.6%	19.6%	3067	19.6%	19.6%
4	4	258	0.9%	1.6%	258	1.6%	1.6%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMHS Type: Numeric Position: 190-190

Label: NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type HS

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	9493	32.8%	60.6%	9493	60.6%	60.6%
1	1	2483	8.6%	15.9%	2483	15.9%	15.9%
2	2	938	3.2%	6.0%	938	6.0%	6.0%
3	3	1086	3.7%	6.9%	1086	6.9%	6.9%
4	4	1649	5.7%	10.5%	1649	10.5%	10.5%
5	5	8	0.0%	0.1%	8	0.1%	0.1%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMIPV Type: Numeric Position: 191-191

Label: NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 21

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	13292	45.9%	84.9%	13292	84.9%	84.9%
1	1	1009	3.5%	6.4%	1009	6.4%	6.4%
2	2	398	1.4%	2.5%	398	2.5%	2.5%
3	3	898	3.1%	5.7%	898	5.7%	5.7%
4	4	60	0.2%	0.4%	60	0.4%	0.4%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMMCN Type: Numeric Position: 192-192

Label: NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15550	53.7%	99.3%	15550	99.3%	99.3%
1	1	106	0.4%	0.7%	106	0.7%	0.7%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMMR Type: Numeric Position: 193-193

Label: NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30, 31, 32, 33, MM or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1176	4.1%	7.5%	1176	7.5%	7.5%
1	1	14071	48.6%	89.9%	14071	89.9%	89.9%
2	2	405	1.4%	2.6%	405	2.6%	2.6%
3	3	5	0.0%	0.0%	5	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMMMRX Type: Numeric Position: 194-194

Label: NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3397	11.7%	21.7%	3397	21.7%	21.7%
1	1	11983	41.4%	76.5%	11983	76.5%	76.5%
2	2	275	0.9%	1.8%	275	1.8%	1.8%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMMX Type: Numeric Position: 195-195

Label: NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 30 or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1291	4.5%	8.2%	1291	8.2%	8.2%
1	1	13981	48.3%	89.3%	13981	89.3%	89.3%
2	2	382	1.3%	2.4%	382	2.4%	2.4%
3	3	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMMP Type: Numeric Position: 196-196

Label: NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MP

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15657	54.0%	100.0%	15657	100.0%	100.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMPR Type: Numeric Position: 197-197

Label: NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type MB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15657	54.0%	100.0%	15657	100.0%	100.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMMRV Type: Numeric Position: 198-198

Label: NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	13485	46.5%	86.1%	13485	86.1%	86.1%
1	1	2129	7.3%	13.6%	2129	13.6%	13.6%
2	2	43	0.1%	0.3%	43	0.3%	0.3%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMS Type: Numeric Position: 199-199

Label: NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 31

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15625	53.9%	99.8%	15625	99.8%	99.8%
1	1	30	0.1%	0.2%	30	0.2%	0.2%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMMSM Type: Numeric Position: 200-200

Label: NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 32

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15657	54.0%	100.0%	15657	100.0%	100.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMSR Type: Numeric Position: 201-201

Label: NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 33

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15657	54.0%	100.0%	15657	100.0%	100.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMOLN Type: Numeric Position: 202-202

Label: NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 22

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15137	52.2%	96.7%	15137	96.7%	96.7%
1	1	131	0.5%	0.8%	131	0.8%	0.8%
2	2	54	0.2%	0.3%	54	0.3%	0.3%
3	3	282	1.0%	1.8%	282	1.8%	1.8%
4	4	51	0.2%	0.3%	51	0.3%	0.3%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMOPV Type: Numeric Position: 203-203

Label: NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 20

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15605	53.9%	99.7%	15605	99.7%	99.7%
1	1	16	0.1%	0.1%	16	0.1%	0.1%
2	2	11	0.0%	0.1%	11	0.1%	0.1%
3	3	19	0.1%	0.1%	19	0.1%	0.1%
4	4	6	0.0%	0.0%	6	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMPCV Type: Numeric Position: 204-204

Label: NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 70, 71, 72, 73, or 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	613	2.1%	3.9%	613	3.9%	3.9%
1	1	187	0.6%	1.2%	187	1.2%	1.2%
2	2	295	1.0%	1.9%	295	1.9%	1.9%
3	3	1268	4.4%	8.1%	1268	8.1%	8.1%
4	4	13161	45.4%	84.1%	13161	84.1%	84.1%
5	5	130	0.4%	0.8%	130	0.8%	0.8%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCP Type: Numeric Position: 205-205

Label: NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 71

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15512	53.5%	99.1%	15512	99.1%	99.1%
1	1	23	0.1%	0.1%	23	0.1%	0.1%
2	2	5	0.0%	0.0%	5	0.0%	0.0%
3	3	19	0.1%	0.1%	19	0.1%	0.1%
4	4	98	0.3%	0.6%	98	0.6%	0.6%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMPCC Type: Numeric Position: 206-206

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 70, 73, or 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1125	3.9%	7.2%	1125	7.2%	7.2%
1	1	286	1.0%	1.8%	286	1.8%	1.8%
2	2	346	1.2%	2.2%	346	2.2%	2.2%
3	3	1302	4.5%	8.3%	1302	8.3%	8.3%
4	4	12489	43.1%	79.8%	12489	79.8%	79.8%
5	5	108	0.4%	0.7%	108	0.7%	0.7%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCC7 Type: Numeric Position: 207-207

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 73

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15544	53.7%	99.3%	15544	99.3%	99.3%
1	1	26	0.1%	0.2%	26	0.2%	0.2%
2	2	13	0.0%	0.1%	13	0.1%	0.1%
3	3	23	0.1%	0.1%	23	0.1%	0.1%
4	4	51	0.2%	0.3%	51	0.3%	0.3%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMPCC13 Type: Numeric Position: 208-208

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 74

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1183	4.1%	7.6%	1183	7.6%	7.6%
1	1	302	1.0%	1.9%	302	1.9%	1.9%
2	2	360	1.2%	2.3%	360	2.3%	2.3%
3	3	1311	4.5%	8.4%	1311	8.4%	8.4%
4	4	12400	42.8%	79.2%	12400	79.2%	79.2%
5	5	100	0.3%	0.6%	100	0.6%	0.6%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCCN Type: Numeric Position: 209-209

Label: NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 70

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15657	54.0%	100.0%	15657	100.0%	100.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMPCN Type: Numeric Position: 210-210

Label: NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type 72

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14961	51.6%	95.6%	14961	95.6%	95.6%
1	1	155	0.5%	1.0%	155	1.0%	1.0%
2	2	76	0.3%	0.5%	76	0.5%	0.5%
3	3	143	0.5%	0.9%	143	0.9%	0.9%
4	4	321	1.1%	2.1%	321	2.1%	2.1%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPOL Type: Numeric Position: 211-211

Label: NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 20, 21, 22, or D3

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	595	2.1%	3.8%	595	3.8%	3.8%
1	1	149	0.5%	1.0%	149	1.0%	1.0%
2	2	303	1.0%	1.9%	303	1.9%	1.9%
3	3	11406	39.4%	72.8%	11406	72.8%	72.8%
4	4	3139	10.8%	20.0%	3139	20.0%	20.0%
5	5	61	0.2%	0.4%	61	0.4%	0.4%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMRB Type: Numeric Position: 212-212

Label: NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RB

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15656	54.0%	100.0%	15656	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMRG Type: Numeric Position: 213-213

Label: NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RG

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	11961	41.3%	76.4%	11961	76.4%	76.4%
1	1	416	1.4%	2.7%	416	2.7%	2.7%
2	2	3184	11.0%	20.3%	3184	20.3%	20.3%
3	3	96	0.3%	0.6%	96	0.6%	0.6%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMRM Type: Numeric Position: 214-214

Label: NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	5810	20.1%	37.1%	5810	37.1%	37.1%
1	1	523	1.8%	3.3%	523	3.3%	3.3%
2	2	1182	4.1%	7.5%	1182	7.5%	7.5%
3	3	8128	28.1%	51.9%	8128	51.9%	51.9%
4	4	14	0.0%	0.1%	14	0.1%	0.1%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMRO Type: Numeric Position: 215-215

Label: NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type RO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	14692	50.7%	93.8%	14692	93.8%	93.8%
1	1	187	0.6%	1.2%	187	1.2%	1.2%
2	2	325	1.1%	2.1%	325	2.1%	2.1%
3	3	452	1.6%	2.9%	452	2.9%	2.9%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMROT Type: Numeric Position: 216-216

Label: NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type RG, RM, or RO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1622	5.6%	10.4%	1622	10.4%	10.4%
1	1	528	1.8%	3.4%	528	3.4%	3.4%
2	2	4473	15.4%	28.6%	4473	28.6%	28.6%
3	3	9014	31.1%	57.6%	9014	57.6%	57.6%
4	4	20	0.1%	0.1%	20	0.1%	0.1%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMTPN Type: Numeric Position: 217-217

Label: NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 03

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15216	52.5%	97.2%	15216	97.2%	97.2%
1	1	194	0.7%	1.2%	194	1.2%	1.2%
2	2	44	0.2%	0.3%	44	0.3%	0.3%
3	3	88	0.3%	0.6%	88	0.6%	0.6%
4	4	114	0.4%	0.7%	114	0.7%	0.7%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMVRC Type: Numeric Position: 218-218

Label: NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VA, VO, or VM

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	1292	4.5%	8.3%	1292	8.3%	8.3%
1	1	14139	48.8%	90.3%	14139	90.3%	90.3%
2	2	226	0.8%	1.4%	226	1.4%	1.4%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMVRN Type: Numeric Position: 219-219

Label: NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VA

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	15517	53.6%	99.1%	15517	99.1%	99.1%
1	1	137	0.5%	0.9%	137	0.9%	0.9%
2	2	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_NUMVRX Type: Numeric Position: 220-220

Label: NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VO

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
0	0	3546	12.2%	22.6%	3546	22.6%	22.6%
1	1	11989	41.4%	76.6%	11989	76.6%	76.6%
2	2	122	0.4%	0.8%	122	0.8%	0.8%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U12VRC Type: Numeric Position: 221-221

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: Vaccine type VO, VM, or VA, excluding shots before 12 months of age

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1358	4.7%	8.7%	1358	8.7%	8.7%
UTD	1	14299	49.4%	91.3%	14299	91.3%	91.3%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_UTD331 Type: Numeric Position: 222-222

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1446	5.0%	9.2%	1446	9.2%	9.2%
UTD	1	14211	49.1%	90.8%	14211	90.8%	90.8%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTD431 Type: Numeric Position: 223-223

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2523	8.7%	16.1%	2523	16.1%	16.1%
UTD	1	13134	45.3%	83.9%	13134	83.9%	83.9%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_UTDHEP Type: Numeric Position: 224-224

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Hepatitis B-containing (08,43,60,HB)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1226	4.2%	7.8%	1226	7.8%	7.8%
UTD	1	14431	49.8%	92.2%	14431	92.2%	92.2%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHEPA1 Type: Numeric Position: 225-225

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ Hepatitis A-containing (HA)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1810	6.2%	11.6%	1810	11.6%	11.6%
UTD	1	13847	47.8%	88.4%	13847	88.4%	88.4%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_UTDHEPA2 Type: Numeric Position: 226-226

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 2+ Hepatitis A-containing (HA)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5596	19.3%	35.7%	5596	35.7%	35.7%
UTD	1	10061	34.7%	64.3%	10061	64.3%	64.3%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHIB Type: Numeric Position: 227-227

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1253	4.3%	8.0%	1253	8.0%	8.0%
UTD	1	14404	49.7%	92.0%	14404	92.0%	92.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_UTDHIB_ROUT_S Type: Numeric Position: 228-228

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), or 2 Hib-Merck (HM,43) followed by 1 Hib of any type (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2617	9.0%	16.7%	2617	16.7%	16.7%
UTD	1	13040	45.0%	83.3%	13040	83.3%	83.3%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHIB_SHORT_S Type: Numeric Position: 229-229

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY) or 2+ Hib-Merck (HM,43)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1015	3.5%	6.5%	1015	6.5%	6.5%
UTD	1	14642	50.5%	93.5%	14642	93.5%	93.5%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_UTDMCV Type: Numeric Position: 230-230

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1176	4.1%	7.5%	1176	7.5%	7.5%
UTD	1	14481	50.0%	92.5%	14481	92.5%	92.5%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDMMX Type: Numeric Position: 231-231

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ MMR combo shot (30)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1291	4.5%	8.2%	1291	8.2%	8.2%
UTD	1	14366	49.6%	91.8%	14366	91.8%	91.8%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_UTDPC3 Type: Numeric Position: 232-232

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1095	3.8%	7.0%	1095	7.0%	7.0%
UTD	1	14562	50.3%	93.0%	14562	93.0%	93.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDPCV Type: Numeric Position: 233-233

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ Pneumococcal-containing (70,71,72,73,74)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2363	8.2%	15.1%	2363	15.1%	15.1%
UTD	1	13294	45.9%	84.9%	13294	84.9%	84.9%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_UTDPCVB13 Type: Numeric Position: 234-234

Label: UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ dose of PCV Conjugate 13 (vaccine type code 74), given 4+ doses of PCV Conjugate 7 (vaccine type code 73)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
4+ PCV7 PLUS 1+ PCV13	1	1	0.0%	0.0%	1	0.0%	0.0%
4+ PCV7, NO FOLLOWING PCV13, WITH TYPE OF ALL VACCINES (IF ANY) FOLLOWING THE 4 PCV7 KNOWN	2	49	0.2%	0.3%	49	0.3%	0.3%
ALL OTHERS WITH ADEQUATE PROVIDER DATA	3	15607	53.9%	99.7%	15607	99.7%	99.7%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDPOL Type: Numeric Position: 235-235

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Polio-containing (08,20,21,22,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1047	3.6%	6.7%	1047	6.7%	6.7%
UTD	1	14610	50.4%	93.3%	14610	93.3%	93.3%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_UTDROT_S Type: Numeric Position: 236-236

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Rotavirus-containing (RG,RM,RO) or 2+ Rotarix (RG)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3522	12.2%	22.5%	3522	22.5%	22.5%
UTD	1	12135	41.9%	77.5%	12135	77.5%	77.5%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDTP3 Type: Numeric Position: 237-237

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	906	3.1%	5.8%	906	5.8%	5.8%
UTD	1	14751	50.9%	94.2%	14751	94.2%	94.2%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_UTDTP4 Type: Numeric Position: 238-238

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2340	8.1%	14.9%	2340	14.9%	14.9%
UTD	1	13317	46.0%	85.1%	13317	85.1%	85.1%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PU431331 Type: Numeric Position: 239-239

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3003	10.4%	19.2%	3003	19.2%	19.2%
UTD	1	12654	43.7%	80.8%	12654	80.8%	80.8%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_UTD431H31_ROUT_S Type: Numeric Position: 240-240

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3615	12.5%	23.1%	3615	23.1%	23.1%
UTD	1	12042	41.6%	76.9%	12042	76.9%	76.9%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PU431_31 Type: Numeric Position: 241-241

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2919	10.1%	18.6%	2919	18.6%	18.6%
UTD	1	12738	44.0%	81.4%	12738	81.4%	81.4%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: PU4313313 Type: Numeric Position: 242-242

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HL,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3044	10.5%	19.4%	3044	19.4%	19.4%
UTD	1	12613	43.5%	80.6%	12613	80.6%	80.6%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTD431H313_ROUT_S Type: Numeric Position: 243-243

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3645	12.6%	23.3%	3645	23.3%	23.3%
UTD	1	12012	41.5%	76.7%	12012	76.7%	76.7%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: PU4313314 Type: Numeric Position: 244-244

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HL,HM,HG,HS,HY), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3503	12.1%	22.4%	3503	22.4%	22.4%
UTD	1	12154	42.0%	77.6%	12154	77.6%	77.6%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTD431H314_ROUT_S Type: Numeric Position: 245-245

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3966	13.7%	25.3%	3966	25.3%	25.3%
UTD	1	11691	40.4%	74.7%	11691	74.7%	74.7%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: PU431_314 Type: Numeric Position: 246-246

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1::3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3453	11.9%	22.1%	3453	22.1%	22.1%
UTD	1	12204	42.1%	77.9%	12204	77.9%	77.9%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PUT43133 Type: Numeric Position: 247-247

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY), and 3+ Hepatitis B-containing (08,43,60,HB)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2844	9.8%	18.2%	2844	18.2%	18.2%
UTD	1	12813	44.2%	81.8%	12813	81.8%	81.8%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_UTD431H3_ROUT_S Type: Numeric Position: 248-248

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), and 3+ Hepatitis B-containing (08,43,60,HB).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3470	12.0%	22.2%	3470	22.2%	22.2%
UTD	1	12187	42.1%	77.8%	12187	77.8%	77.8%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PUTD4313 Type: Numeric Position: 249-249

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS,HY)

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2616	9.0%	16.7%	2616	16.7%	16.7%
UTD	1	13041	45.0%	83.3%	13041	83.3%	83.3%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: P_UTD431H_ROUT_S Type: Numeric Position: 250-250

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and HIB (routine, strict definition).

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3258	11.2%	20.8%	3258	20.8%	20.8%
UTD	1	12399	42.8%	79.2%	12399	79.2%	79.2%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U24_FLU_24D Type: Numeric Position: 251-251

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 2+ Influenza (FN, FM, FL) at least 4 weeks (minus 4 days) apart, by 24 months of age.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	6347	21.9%	40.5%	6347	40.5%	40.5%
UTD	1	9310	32.1%	59.5%	9310	59.5%	59.5%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: U1D_HEP Type: Numeric Position: 252-252

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or 1st day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5025	17.3%	32.1%	5025	32.1%	32.1%
UTD	1	10632	36.7%	67.9%	10632	67.9%	67.9%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: U2D_HEP Type: Numeric Position: 253-253

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st or 2nd day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4025	13.9%	25.7%	4025	25.7%	25.7%
UTD	1	11632	40.2%	74.3%	11632	74.3%	74.3%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: U3D_HEP Type: Numeric Position: 254-254

Label: BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st, 2nd, or 3rd day following birth.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3757	13.0%	24.0%	3757	24.0%	24.0%
UTD	1	11900	41.1%	76.0%	11900	76.0%	76.0%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP1 Type: Numeric Position: 255-258

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15128	52.2%	100.0%	15128	96.6%	100.0%
RESERVED CODES:							
MISSING	.	13843	47.8%	n/a	529	3.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DDTP1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	74.4	64.0	0.0	1102.0	57.8
Adequate Provider Data	74.4	64.0	0.0	1102.0	57.8

Variable: DDTP2 Type: Numeric Position: 259-262

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14983	51.7%	100.0%	14983	95.7%	100.0%
RESERVED CODES:							
MISSING	.	13988	48.3%	n/a	674	4.3%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DDTP2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	144.5	128.0	48.0	1144.0	68.1
Adequate Provider Data	144.5	128.0	48.0	1144.0	68.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP3 Type: Numeric Position: 263-266

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14780	51.0%	100.0%	14780	94.4%	100.0%
RESERVED CODES:							
MISSING	.	14191	49.0%	n/a	877	5.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DDTP3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	218.0	191.0	102.0	1258.0	87.0
Adequate Provider Data	218.0	191.0	102.0	1258.0	87.0

Variable: DDTP4 Type: Numeric Position: 267-270

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13521	46.7%	100.0%	13521	86.4%	100.0%
RESERVED CODES:							
MISSING	.	15450	53.3%	n/a	2136	13.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DDTP4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	515.7	481.0	153.0	1293.0	97.6
Adequate Provider Data	515.7	481.0	153.0	1293.0	97.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP5 Type: Numeric Position: 271-274

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		232	0.8%	100.0%	232	1.5%	100.0%
RESERVED CODES:							
MISSING	.	28739	99.2%	n/a	15425	98.5%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DDTP5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	605.9	560.0	182.0	1471.0	180.6
Adequate Provider Data	605.9	560.0	182.0	1471.0	180.6

Variable: DDTP6 Type: Numeric Position: 275-278

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING	.	28959	100.0%	n/a	15645	99.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DDTP6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	825.9	890.5	461.0	1162.0	227.6
Adequate Provider Data	825.9	890.5	461.0	1162.0	227.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP7 Type: Numeric Position: 279-282

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DDTP7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	1277.0	1277.0	1277.0	1277.0	.
Adequate Provider Data	1277.0	1277.0	1277.0	1277.0	.

Variable: DDTP8 Type: Numeric Position: 283-283

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP9 Type: Numeric Position: 284-284

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DFLU1 Type: Numeric Position: 285-288

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11746	40.5%	100.0%	11746	75.0%	100.0%
RESERVED CODES:							
MISSING	.	17225	59.5%	n/a	3911	25.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DFLU1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	317.8	276.0	0.0	1222.0	166.8
Adequate Provider Data	317.8	276.0	0.0	1222.0	166.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU2 Type: Numeric Position: 289-292

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10093	34.8%	100.0%	10093	64.5%	100.0%
RESERVED CODES:							
MISSING	.	18878	65.2%	n/a	5564	35.5%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DFLU2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	388.5	335.0	67.0	1462.0	176.9
Adequate Provider Data	388.5	335.0	67.0	1462.0	176.9

Variable: DFLU3 Type: Numeric Position: 293-296

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7258	25.1%	100.0%	7258	46.4%	100.0%
RESERVED CODES:							
MISSING	.	21713	74.9%	n/a	8399	53.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DFLU3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	624.0	589.5	182.0	1411.0	154.2
Adequate Provider Data	624.0	589.5	182.0	1411.0	154.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU4 Type: Numeric Position: 297-300

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2407	8.3%	100.0%	2407	15.4%	100.0%
RESERVED CODES:							
MISSING	.	26564	91.7%	n/a	13250	84.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DFLU4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	902.2	914.0	206.0	1345.0	142.1
Adequate Provider Data	902.2	914.0	206.0	1345.0	142.1

Variable: DFLU5 Type: Numeric Position: 301-304

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		163	0.6%	100.0%	163	1.0%	100.0%
RESERVED CODES:							
MISSING	.	28808	99.4%	n/a	15494	99.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DFLU5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1055.5	1100.0	247.0	1396.0	182.0
Adequate Provider Data	1055.5	1100.0	247.0	1396.0	182.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU6 Type: Numeric Position: 305-308

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING	.	28959	100.0%	n/a	15645	99.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DFLU6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1015.1	1121.0	395.0	1217.0	245.0
Adequate Provider Data	1015.1	1121.0	395.0	1217.0	245.0

Variable: DFLU7 Type: Numeric Position: 309-311

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28969	100.0%	n/a	15655	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DFLU7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	718.0	718.0	460.0	976.0	364.9
Adequate Provider Data	718.0	718.0	460.0	976.0	364.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU8 Type: Numeric Position: 312-314

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DFLU8 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	825.0	825.0	825.0	825.0	.
Adequate Provider Data	825.0	825.0	825.0	825.0	.

Variable: DFLU9 Type: Numeric Position: 315-315

Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9

Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA1 Type: Numeric Position: 316-319

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13951	48.2%	100.0%	13951	89.1%	100.0%
RESERVED CODES:							
MISSING	.	15020	51.8%	n/a	1706	10.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHEPA1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	428.4	380.0	0.0	1408.0	108.2
Adequate Provider Data	428.4	380.0	0.0	1408.0	108.2

Variable: DHEPA2 Type: Numeric Position: 320-323

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10777	37.2%	100.0%	10777	68.8%	100.0%
RESERVED CODES:							
MISSING	.	18194	62.8%	n/a	4880	31.2%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHEPA2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	649.5	594.0	109.0	1386.0	115.0
Adequate Provider Data	649.5	594.0	109.0	1386.0	115.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA3 Type: Numeric Position: 324-327

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		98	0.3%	100.0%	98	0.6%	100.0%
RESERVED CODES:							
MISSING	.	28873	99.7%	n/a	15559	99.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHEPA3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	751.7	739.0	192.0	1157.0	155.2
Adequate Provider Data	751.7	739.0	192.0	1157.0	155.2

Variable: DHEPA4 Type: Numeric Position: 328-331

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28968	100.0%	n/a	15654	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHEPA4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	779.3	570.0	491.0	1277.0	432.8
Adequate Provider Data	779.3	570.0	491.0	1277.0	432.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA5 Type: Numeric Position: 332-334

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHEPA5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	781.0	781.0	781.0	781.0	.
Adequate Provider Data	781.0	781.0	781.0	781.0	.

Variable: DHEPA6 Type: Numeric Position: 335-335

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA7 Type: Numeric Position: 336-336

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DHEPA8 Type: Numeric Position: 337-337

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DHEPA9 Type: Numeric Position: 338-338

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB1 Type: Numeric Position: 339-342

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15187	52.4%	100.0%	15187	97.0%	100.0%
RESERVED CODES:							
MISSING	.	13784	47.6%	n/a	470	3.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHEPB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	17.1	1.0	0.0	1135.0	64.4
Adequate Provider Data	17.1	1.0	0.0	1135.0	64.4

Variable: DHEPB2 Type: Numeric Position: 343-346

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14876	51.3%	100.0%	14876	95.0%	100.0%
RESERVED CODES:							
MISSING	.	14095	48.7%	n/a	781	5.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHEPB2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	85.3	64.0	16.0	1172.0	82.3
Adequate Provider Data	85.3	64.0	16.0	1172.0	82.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB3 Type: Numeric Position: 347-350

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14470	49.9%	100.0%	14470	92.4%	100.0%
RESERVED CODES:							
MISSING	.	14501	50.1%	n/a	1187	7.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHEPB3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	209.6	188.0	56.0	1296.0	107.6
Adequate Provider Data	209.6	188.0	56.0	1296.0	107.6

Variable: DHEPB4 Type: Numeric Position: 351-354

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5413	18.7%	100.0%	5413	34.6%	100.0%
RESERVED CODES:							
MISSING	.	23558	81.3%	n/a	10244	65.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHEPB4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	226.9	193.0	105.0	1293.0	102.3
Adequate Provider Data	226.9	193.0	105.0	1293.0	102.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB5 Type: Numeric Position: 355-358

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		247	0.9%	100.0%	247	1.6%	100.0%
RESERVED CODES:							
MISSING	.	28724	99.1%	n/a	15410	98.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHEPB5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	448.6	461.0	178.0	1162.0	184.9
Adequate Provider Data	448.6	461.0	178.0	1162.0	184.9

Variable: DHEPB6 Type: Numeric Position: 359-361

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15	0.1%	100.0%	15	0.1%	100.0%
RESERVED CODES:							
MISSING	.	28956	99.9%	n/a	15642	99.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHEPB6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	536.3	462.0	211.0	975.0	211.8
Adequate Provider Data	536.3	462.0	211.0	975.0	211.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB7 Type: Numeric Position: 362-362

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DHEPB8 Type: Numeric Position: 363-363

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DHEPB9 Type: Numeric Position: 364-364

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB1 Type: Numeric Position: 365-368

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15081	52.1%	100.0%	15081	96.3%	100.0%
RESERVED CODES:							
MISSING	.	13890	47.9%	n/a	576	3.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHIB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	75.6	64.0	0.0	1102.0	60.5
Adequate Provider Data	75.6	64.0	0.0	1102.0	60.5

Variable: DHIB2 Type: Numeric Position: 369-372

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14882	51.4%	100.0%	14882	95.1%	100.0%
RESERVED CODES:							
MISSING	.	14089	48.6%	n/a	775	4.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHIB2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	145.0	128.0	48.0	1095.0	65.8
Adequate Provider Data	145.0	128.0	48.0	1095.0	65.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB3 Type: Numeric Position: 373-376

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14452	49.9%	100.0%	14452	92.3%	100.0%
RESERVED CODES:							
MISSING	.	14519	50.1%	n/a	1205	7.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHIB3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	275.3	199.0	102.0	1258.0	134.3
Adequate Provider Data	275.3	199.0	102.0	1258.0	134.3

Variable: DHIB4 Type: Numeric Position: 377-380

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10069	34.8%	100.0%	10069	64.3%	100.0%
RESERVED CODES:							
MISSING	.	18902	65.2%	n/a	5588	35.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHIB4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	480.9	465.0	153.0	1224.0	94.6
Adequate Provider Data	480.9	465.0	153.0	1224.0	94.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB5 Type: Numeric Position: 381-384

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		174	0.6%	100.0%	174	1.1%	100.0%
RESERVED CODES:							
MISSING	.	28797	99.4%	n/a	15483	98.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHIB5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	556.4	548.0	282.0	1162.0	135.4
Adequate Provider Data	556.4	548.0	282.0	1162.0	135.4

Variable: DHIB6 Type: Numeric Position: 385-387

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7	0.0%	100.0%	7	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28964	100.0%	n/a	15650	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DHIB6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	535.4	547.0	371.0	701.0	109.3
Adequate Provider Data	535.4	547.0	371.0	701.0	109.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB7 Type: Numeric Position: 388-388

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DHIB8 Type: Numeric Position: 389-389

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DHIB9 Type: Numeric Position: 390-390

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR1 Type: Numeric Position: 391-394**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14551	50.2%	100.0%	14551	92.9%	100.0%
RESERVED CODES:							
MISSING	.	14420	49.8%	n/a	1106	7.1%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DMMR1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	409.3	377.0	1.0	1293.0	85.9
Adequate Provider Data	409.3	377.0	1.0	1293.0	85.9

Variable: DMMR2 Type: Numeric Position: 395-398**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		443	1.5%	100.0%	443	2.8%	100.0%
RESERVED CODES:							
MISSING	.	28528	98.5%	n/a	15214	97.2%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DMMR2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	603.1	553.0	277.0	1471.0	215.2
Adequate Provider Data	603.1	553.0	277.0	1471.0	215.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR3 Type: Numeric Position: 399-402

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28966	100.0%	n/a	15652	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DMMR3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	659.8	569.0	423.0	1049.0	238.8
Adequate Provider Data	659.8	569.0	423.0	1049.0	238.8

Variable: DMMR4 Type: Numeric Position: 403-403

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR5 Type: Numeric Position: 404-404

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMMR6 Type: Numeric Position: 405-405

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMMR7 Type: Numeric Position: 406-406

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR8 Type: Numeric Position: 407-407

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMMR9 Type: Numeric Position: 408-408

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMP1 Type: Numeric Position: 409-409

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP2 Type: Numeric Position: 410-410

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMP3 Type: Numeric Position: 411-411

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMP4 Type: Numeric Position: 412-412

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP5 Type: Numeric Position: 413-413

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMP6 Type: Numeric Position: 414-414

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMP7 Type: Numeric Position: 415-415

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP8 Type: Numeric Position: 416-416

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMP9 Type: Numeric Position: 417-417

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMPRB1 Type: Numeric Position: 418-418

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB2 Type: Numeric Position: 419-419

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMPRB3 Type: Numeric Position: 420-420

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMPRB4 Type: Numeric Position: 421-421

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB5 Type: Numeric Position: 422-422

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMPRB6 Type: Numeric Position: 423-423

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMPRB7 Type: Numeric Position: 424-424

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB8 Type: Numeric Position: 425-425

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DMPRB9 Type: Numeric Position: 426-426

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DPCV1 Type: Numeric Position: 427-430

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15051	52.0%	100.0%	15051	96.1%	100.0%
RESERVED CODES:							
MISSING	.	13920	48.0%	n/a	606	3.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	76.8	64.0	0.0	1191.0	64.8
Adequate Provider Data	76.8	64.0	0.0	1191.0	64.8

Variable: DPCV2 Type: Numeric Position: 431-434**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14864	51.3%	100.0%	14864	94.9%	100.0%
RESERVED CODES:							
MISSING	.	14107	48.7%	n/a	793	5.1%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DPCV2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	146.5	128.0	59.0	1119.0	70.1
Adequate Provider Data	146.5	128.0	59.0	1119.0	70.1

Variable: DPCV3 Type: Numeric Position: 435-438**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14589	50.4%	100.0%	14589	93.2%	100.0%
RESERVED CODES:							
MISSING	.	14382	49.6%	n/a	1068	6.8%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	221.3	192.0	102.0	1214.0	89.3
Adequate Provider Data	221.3	192.0	102.0	1214.0	89.3

Variable: DPCV4 Type: Numeric Position: 439-442**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13397	46.2%	100.0%	13397	85.6%	100.0%
RESERVED CODES:							
MISSING	.	15574	53.8%	n/a	2260	14.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DPCV4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	438.6	402.0	182.0	1293.0	93.6
Adequate Provider Data	438.6	402.0	182.0	1293.0	93.6

Variable: DPCV5 Type: Numeric Position: 443-446**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		143	0.5%	100.0%	143	0.9%	100.0%
RESERVED CODES:							
MISSING	.	28828	99.5%	n/a	15514	99.1%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	583.4	547.0	250.0	1185.0	188.0
Adequate Provider Data	583.4	547.0	250.0	1185.0	188.0

Variable: DPCV6 Type: Numeric Position: 447-450**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28967	100.0%	n/a	15653	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DPCV6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	676.3	586.0	371.0	1162.0	353.6
Adequate Provider Data	676.3	586.0	371.0	1162.0	353.6

Variable: DPCV7 Type: Numeric Position: 451-451**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV8 Type: Numeric Position: 452-452

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DPCV9 Type: Numeric Position: 453-453

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DPOLIO1 Type: Numeric Position: 454-457

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15065	52.0%	100.0%	15065	96.2%	100.0%
RESERVED CODES:							
MISSING	.	13906	48.0%	n/a	592	3.8%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	75.2	64.0	0.0	1102.0	59.6
Adequate Provider Data	75.2	64.0	0.0	1102.0	59.6

Variable: DPOLIO2 Type: Numeric Position: 458-461**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14927	51.5%	100.0%	14927	95.3%	100.0%
RESERVED CODES:							
MISSING	.	14044	48.5%	n/a	730	4.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DPOLIO2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	146.4	128.0	30.0	1144.0	74.7
Adequate Provider Data	146.4	128.0	30.0	1144.0	74.7

Variable: DPOLIO3 Type: Numeric Position: 462-465**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14644	50.5%	100.0%	14644	93.5%	100.0%
RESERVED CODES:							
MISSING	.	14327	49.5%	n/a	1013	6.5%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	224.4	192.0	58.0	1258.0	99.7
Adequate Provider Data	224.4	192.0	58.0	1258.0	99.7

Variable: DPOLIO4 Type: Numeric Position: 466-469**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3234	11.2%	100.0%	3234	20.7%	100.0%
RESERVED CODES:							
MISSING	.	25737	88.8%	n/a	12423	79.3%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DPOLIO4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	496.7	470.0	75.0	1471.0	109.7
Adequate Provider Data	496.7	470.0	75.0	1471.0	109.7

Variable: DPOLIO5 Type: Numeric Position: 470-473**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		70	0.2%	100.0%	70	0.4%	100.0%
RESERVED CODES:							
MISSING	.	28901	99.8%	n/a	15587	99.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	525.9	506.5	117.0	1162.0	162.2
Adequate Provider Data	525.9	506.5	117.0	1162.0	162.2

Variable: DPOLIO6 Type: Numeric Position: 474-477**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28965	100.0%	n/a	15651	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DPOLIO6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	683.7	636.5	196.0	1277.0	384.2
Adequate Provider Data	683.7	636.5	196.0	1277.0	384.2

Variable: DPOLIO7 Type: Numeric Position: 478-480**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	462.0	462.0	462.0	462.0	.
Adequate Provider Data	462.0	462.0	462.0	462.0	.

Variable: DPOLIO8 Type: Numeric Position: 481-481**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DPOLIO9 Type: Numeric Position: 482-482**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB1 Type: Numeric Position: 483-485

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DRB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	369.0	369.0	369.0	369.0	.
Adequate Provider Data	369.0	369.0	369.0	369.0	.

Variable: DRB2 Type: Numeric Position: 486-486

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB3 Type: Numeric Position: 487-487

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DRB4 Type: Numeric Position: 488-488

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DRB5 Type: Numeric Position: 489-489

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB6 Type: Numeric Position: 490-490

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DRB7 Type: Numeric Position: 491-491

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DRB8 Type: Numeric Position: 492-492

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB9 Type: Numeric Position: 493-493

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DROT1 Type: Numeric Position: 494-496

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14035	48.4%	100.0%	14035	89.6%	100.0%
RESERVED CODES:							
MISSING	.	14936	51.6%	n/a	1622	10.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DROT1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	67.7	63.0	0.0	567.0	19.2
Adequate Provider Data	67.7	63.0	0.0	567.0	19.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT2 Type: Numeric Position: 497-499

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13511	46.6%	100.0%	13511	86.3%	100.0%
RESERVED CODES:							
MISSING	.	15460	53.4%	n/a	2146	13.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DROT2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	133.9	127.0	57.0	955.0	29.1
Adequate Provider Data	133.9	127.0	57.0	955.0	29.1

Variable: DROT3 Type: Numeric Position: 500-502

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		9035	31.2%	100.0%	9035	57.7%	100.0%
RESERVED CODES:							
MISSING	.	19936	68.8%	n/a	6622	42.3%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DROT3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	195.6	189.0	98.0	932.0	29.7
Adequate Provider Data	195.6	189.0	98.0	932.0	29.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT4 Type: Numeric Position: 503-505**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		20	0.1%	100.0%	20	0.1%	100.0%
RESERVED CODES:							
MISSING	.	28951	99.9%	n/a	15637	99.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DROT4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	321.3	229.0	183.0	637.0	150.9
Adequate Provider Data	321.3	229.0	183.0	637.0	150.9

Variable: DROT5 Type: Numeric Position: 506-509**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DROT5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1104.0	1104.0	1104.0	1104.0	.
Adequate Provider Data	1104.0	1104.0	1104.0	1104.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT6 Type: Numeric Position: 510-510

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DROT7 Type: Numeric Position: 511-511

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DROT8 Type: Numeric Position: 512-512

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT9 Type: Numeric Position: 513-513

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DVRC1 Type: Numeric Position: 514-517

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14439	49.8%	100.0%	14439	92.2%	100.0%
RESERVED CODES:							
MISSING	.	14532	50.2%	n/a	1218	7.8%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DVRC1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	414.6	378.0	1.0	1471.0	88.1
Adequate Provider Data	414.6	378.0	1.0	1471.0	88.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC2 Type: Numeric Position: 518-521

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		257	0.9%	100.0%	257	1.6%	100.0%
RESERVED CODES:							
MISSING	.	28714	99.1%	n/a	15400	98.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DVRC2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	678.6	629.0	369.0	1467.0	200.8
Adequate Provider Data	678.6	629.0	369.0	1467.0	200.8

Variable: DVRC3 Type: Numeric Position: 522-522

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC4 Type: Numeric Position: 523-523

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DVRC5 Type: Numeric Position: 524-524

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DVRC6 Type: Numeric Position: 525-525

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC7 Type: Numeric Position: 526-526

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DVRC8 Type: Numeric Position: 527-527

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: DVRC9 Type: Numeric Position: 528-528

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP1_AGE Type: Numeric Position: 529-530

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15128	52.2%	100.0%	15128	96.6%	100.0%
RESERVED CODES:							
MISSING	.	13843	47.8%	n/a	529	3.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DTP1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.2	2.0	0.0	36.0	1.9
Adequate Provider Data	2.2	2.0	0.0	36.0	1.9

Variable: DTP2_AGE Type: Numeric Position: 531-532

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14983	51.7%	100.0%	14983	95.7%	100.0%
RESERVED CODES:							
MISSING	.	13988	48.3%	n/a	674	4.3%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DTP2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.4	4.0	1.0	37.0	2.2
Adequate Provider Data	4.4	4.0	1.0	37.0	2.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP3_AGE Type: Numeric Position: 533-534**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14780	51.0%	100.0%	14780	94.4%	100.0%
RESERVED CODES:							
MISSING	.	14191	49.0%	n/a	877	5.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DTP3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	6.8	6.0	3.0	41.0	2.8
Adequate Provider Data	6.8	6.0	3.0	41.0	2.8

Variable: DTP4_AGE Type: Numeric Position: 535-536**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13521	46.7%	100.0%	13521	86.4%	100.0%
RESERVED CODES:							
MISSING	.	15450	53.3%	n/a	2136	13.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DTP4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	16.6	15.0	5.0	42.0	3.2
Adequate Provider Data	16.6	15.0	5.0	42.0	3.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP5_AGE Type: Numeric Position: 537-538

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		232	0.8%	100.0%	232	1.5%	100.0%
RESERVED CODES:							
MISSING	.	28739	99.2%	n/a	15425	98.5%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DTP5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	19.5	18.0	6.0	48.0	5.9
Adequate Provider Data	19.5	18.0	6.0	48.0	5.9

Variable: DTP6_AGE Type: Numeric Position: 539-540

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING	.	28959	100.0%	n/a	15645	99.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DTP6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	26.8	28.5	15.0	38.0	7.5
Adequate Provider Data	26.8	28.5	15.0	38.0	7.5

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP7_AGE Type: Numeric Position: 541-542

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: DTP7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	42.0	42.0	42.0	42.0	.
Adequate Provider Data	42.0	42.0	42.0	42.0	.

Variable: DTP8_AGE Type: Numeric Position: 543-543

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP9_AGE Type: Numeric Position: 544-544

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: FLU1_AGE Type: Numeric Position: 545-546

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		11746	40.5%	100.0%	11746	75.0%	100.0%
RESERVED CODES:							
MISSING	.	17225	59.5%	n/a	3911	25.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: FLU1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	10.1	9.0	0.0	40.0	5.4
Adequate Provider Data	10.1	9.0	0.0	40.0	5.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU2_AGE Type: Numeric Position: 547-548

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10093	34.8%	100.0%	10093	64.5%	100.0%
RESERVED CODES:							
MISSING	.	18878	65.2%	n/a	5564	35.5%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: FLU2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	12.4	11.0	2.0	48.0	5.8
Adequate Provider Data	12.4	11.0	2.0	48.0	5.8

Variable: FLU3_AGE Type: Numeric Position: 549-550

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7258	25.1%	100.0%	7258	46.4%	100.0%
RESERVED CODES:							
MISSING	.	21713	74.9%	n/a	8399	53.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: FLU3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	20.1	19.0	5.0	46.0	5.0
Adequate Provider Data	20.1	19.0	5.0	46.0	5.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU4_AGE Type: Numeric Position: 551-552

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2407	8.3%	100.0%	2407	15.4%	100.0%
RESERVED CODES:							
MISSING	.	26564	91.7%	n/a	13250	84.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: FLU4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	29.2	30.0	6.0	44.0	4.7
Adequate Provider Data	29.2	30.0	6.0	44.0	4.7

Variable: FLU5_AGE Type: Numeric Position: 553-554

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		163	0.6%	100.0%	163	1.0%	100.0%
RESERVED CODES:							
MISSING	.	28808	99.4%	n/a	15494	99.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: FLU5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	34.2	36.0	8.0	45.0	6.0
Adequate Provider Data	34.2	36.0	8.0	45.0	6.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU6_AGE Type: Numeric Position: 555-556

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING	.	28959	100.0%	n/a	15645	99.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: FLU6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	32.8	36.5	12.0	39.0	8.2
Adequate Provider Data	32.8	36.5	12.0	39.0	8.2

Variable: FLU7_AGE Type: Numeric Position: 557-558

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28969	100.0%	n/a	15655	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: FLU7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	23.5	23.5	15.0	32.0	12.0
Adequate Provider Data	23.5	23.5	15.0	32.0	12.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU8_AGE Type: Numeric Position: 559-560

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: FLU8_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	27.0	27.0	27.0	27.0	.
Adequate Provider Data	27.0	27.0	27.0	27.0	.

Variable: FLU9_AGE Type: Numeric Position: 561-561

Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9

Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA1_AGE Type: Numeric Position: 562-563

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13951	48.2%	100.0%	13951	89.1%	100.0%
RESERVED CODES:							
MISSING	.	15020	51.8%	n/a	1706	10.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HEA1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	13.8	12.0	0.0	46.0	3.5
Adequate Provider Data	13.8	12.0	0.0	46.0	3.5

Variable: HEA2_AGE Type: Numeric Position: 564-565

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10777	37.2%	100.0%	10777	68.8%	100.0%
RESERVED CODES:							
MISSING	.	18194	62.8%	n/a	4880	31.2%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HEA2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	21.0	19.0	3.0	45.0	3.8
Adequate Provider Data	21.0	19.0	3.0	45.0	3.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA3_AGE Type: Numeric Position: 566-567

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		98	0.3%	100.0%	98	0.6%	100.0%
RESERVED CODES:							
MISSING	.	28873	99.7%	n/a	15559	99.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HEA3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	24.3	24.0	6.0	38.0	5.1
Adequate Provider Data	24.3	24.0	6.0	38.0	5.1

Variable: HEA4_AGE Type: Numeric Position: 568-569

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28968	100.0%	n/a	15654	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HEA4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	25.3	18.0	16.0	42.0	14.5
Adequate Provider Data	25.3	18.0	16.0	42.0	14.5

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA5_AGE Type: Numeric Position: 570-571

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HEA5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	25.0	25.0	25.0	25.0	.
Adequate Provider Data	25.0	25.0	25.0	25.0	.

Variable: HEA6_AGE Type: Numeric Position: 572-572

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA7_AGE Type: Numeric Position: 573-573

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: HEA8_AGE Type: Numeric Position: 574-574

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: HEA9_AGE Type: Numeric Position: 575-575

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP1_AGE Type: Numeric Position: 576-577

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15187	52.4%	100.0%	15187	97.0%	100.0%
RESERVED CODES:							
MISSING	.	13784	47.6%	n/a	470	3.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HEP1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	0.5	0.0	0.0	37.0	2.1
Adequate Provider Data	0.5	0.0	0.0	37.0	2.1

Variable: HEP2_AGE Type: Numeric Position: 578-579

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14876	51.3%	100.0%	14876	95.0%	100.0%
RESERVED CODES:							
MISSING	.	14095	48.7%	n/a	781	5.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HEP2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.5	2.0	0.0	38.0	2.7
Adequate Provider Data	2.5	2.0	0.0	38.0	2.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP3_AGE Type: Numeric Position: 580-581

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14470	49.9%	100.0%	14470	92.4%	100.0%
RESERVED CODES:							
MISSING	.	14501	50.1%	n/a	1187	7.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HEP3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.6	6.0	1.0	42.0	3.5
Adequate Provider Data	6.6	6.0	1.0	42.0	3.5

Variable: HEP4_AGE Type: Numeric Position: 582-583

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5413	18.7%	100.0%	5413	34.6%	100.0%
RESERVED CODES:							
MISSING	.	23558	81.3%	n/a	10244	65.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HEP4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	7.1	6.0	3.0	42.0	3.3
Adequate Provider Data	7.1	6.0	3.0	42.0	3.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP5_AGE Type: Numeric Position: 584-585

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		247	0.9%	100.0%	247	1.6%	100.0%
RESERVED CODES:							
MISSING	.	28724	99.1%	n/a	15410	98.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HEP5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	14.4	15.0	5.0	38.0	6.0
Adequate Provider Data	14.4	15.0	5.0	38.0	6.0

Variable: HEP6_AGE Type: Numeric Position: 586-587

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15	0.1%	100.0%	15	0.1%	100.0%
RESERVED CODES:							
MISSING	.	28956	99.9%	n/a	15642	99.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HEP6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	17.3	15.0	6.0	32.0	7.0
Adequate Provider Data	17.3	15.0	6.0	32.0	7.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP7_AGE Type: Numeric Position: 588-588

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: HEP8_AGE Type: Numeric Position: 589-589

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: HEP9_AGE Type: Numeric Position: 590-590

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB1_AGE Type: Numeric Position: 591-592

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15081	52.1%	100.0%	15081	96.3%	100.0%
RESERVED CODES:							
MISSING	.	13890	47.9%	n/a	576	3.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HIB1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	2.2	2.0	0.0	36.0	2.0
Adequate Provider Data	2.2	2.0	0.0	36.0	2.0

Variable: HIB2_AGE Type: Numeric Position: 593-594

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14882	51.4%	100.0%	14882	95.1%	100.0%
RESERVED CODES:							
MISSING	.	14089	48.6%	n/a	775	4.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HIB2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.5	4.0	1.0	35.0	2.1
Adequate Provider Data	4.5	4.0	1.0	35.0	2.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB3_AGE Type: Numeric Position: 595-596

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14452	49.9%	100.0%	14452	92.3%	100.0%
RESERVED CODES:							
MISSING	.	14519	50.1%	n/a	1205	7.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HIB3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	8.7	6.0	3.0	41.0	4.4
Adequate Provider Data	8.7	6.0	3.0	41.0	4.4

Variable: HIB4_AGE Type: Numeric Position: 597-598

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		10069	34.8%	100.0%	10069	64.3%	100.0%
RESERVED CODES:							
MISSING	.	18902	65.2%	n/a	5588	35.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HIB4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.5	15.0	5.0	40.0	3.1
Adequate Provider Data	15.5	15.0	5.0	40.0	3.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB5_AGE Type: Numeric Position: 599-600

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		174	0.6%	100.0%	174	1.1%	100.0%
RESERVED CODES:							
MISSING	.	28797	99.4%	n/a	15483	98.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HIB5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	17.9	17.5	9.0	38.0	4.4
Adequate Provider Data	17.9	17.5	9.0	38.0	4.4

Variable: HIB6_AGE Type: Numeric Position: 601-602

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		7	0.0%	100.0%	7	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28964	100.0%	n/a	15650	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: HIB6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	17.3	18.0	12.0	23.0	3.6
Adequate Provider Data	17.3	18.0	12.0	23.0	3.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB7_AGE Type: Numeric Position: 603-603

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: HIB8_AGE Type: Numeric Position: 604-604

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: HIB9_AGE Type: Numeric Position: 605-605

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR1_AGE Type: Numeric Position: 606-607

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14551	50.2%	100.0%	14551	92.9%	100.0%
RESERVED CODES:							
MISSING	.	14420	49.8%	n/a	1106	7.1%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: MMR1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.1	12.0	0.0	42.0	2.8
Adequate Provider Data	13.1	12.0	0.0	42.0	2.8

Variable: MMR2_AGE Type: Numeric Position: 608-609

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		443	1.5%	100.0%	443	2.8%	100.0%
RESERVED CODES:							
MISSING	.	28528	98.5%	n/a	15214	97.2%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: MMR2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	19.4	18.0	9.0	48.0	7.1
Adequate Provider Data	19.4	18.0	9.0	48.0	7.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR3_AGE Type: Numeric Position: 610-611

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28966	100.0%	n/a	15652	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: MMR3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	21.2	18.0	13.0	34.0	8.0
Adequate Provider Data	21.2	18.0	13.0	34.0	8.0

Variable: MMR4_AGE Type: Numeric Position: 612-612

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR5_AGE Type: Numeric Position: 613-613

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MMR6_AGE Type: Numeric Position: 614-614

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MMR7_AGE Type: Numeric Position: 615-615

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR8_AGE Type: Numeric Position: 616-616

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MMR9_AGE Type: Numeric Position: 617-617

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MP1_AGE Type: Numeric Position: 618-618

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP2_AGE Type: Numeric Position: 619-619

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MP3_AGE Type: Numeric Position: 620-620

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MP4_AGE Type: Numeric Position: 621-621

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP5_AGE Type: Numeric Position: 622-622

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MP6_AGE Type: Numeric Position: 623-623

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MP7_AGE Type: Numeric Position: 624-624

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP8_AGE Type: Numeric Position: 625-625

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MP9_AGE Type: Numeric Position: 626-626

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MPR1_AGE Type: Numeric Position: 627-627

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR2_AGE Type: Numeric Position: 628-628

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MPR3_AGE Type: Numeric Position: 629-629

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MPR4_AGE Type: Numeric Position: 630-630

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR5_AGE Type: Numeric Position: 631-631

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MPR6_AGE Type: Numeric Position: 632-632

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MPR7_AGE Type: Numeric Position: 633-633

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR8_AGE Type: Numeric Position: 634-634

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: MPR9_AGE Type: Numeric Position: 635-635

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: PCV1_AGE Type: Numeric Position: 636-637

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15051	52.0%	100.0%	15051	96.1%	100.0%
RESERVED CODES:							
MISSING	.	13920	48.0%	n/a	606	3.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.0	0.0	39.0	2.1
Adequate Provider Data	2.2	2.0	0.0	39.0	2.1

Variable: PCV2_AGE Type: Numeric Position: 638-639**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14864	51.3%	100.0%	14864	94.9%	100.0%
RESERVED CODES:							
MISSING	.	14107	48.7%	n/a	793	5.1%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: PCV2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.5	4.0	1.0	36.0	2.3
Adequate Provider Data	4.5	4.0	1.0	36.0	2.3

Variable: PCV3_AGE Type: Numeric Position: 640-641**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14589	50.4%	100.0%	14589	93.2%	100.0%
RESERVED CODES:							
MISSING	.	14382	49.6%	n/a	1068	6.8%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	6.9	6.0	3.0	39.0	2.9
Adequate Provider Data	6.9	6.0	3.0	39.0	2.9

Variable: PCV4_AGE Type: Numeric Position: 642-643**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13397	46.2%	100.0%	13397	85.6%	100.0%
RESERVED CODES:							
MISSING	.	15574	53.8%	n/a	2260	14.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: PCV4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	14.1	13.0	6.0	42.0	3.0
Adequate Provider Data	14.1	13.0	6.0	42.0	3.0

Variable: PCV5_AGE Type: Numeric Position: 644-645**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		143	0.5%	100.0%	143	0.9%	100.0%
RESERVED CODES:							
MISSING	.	28828	99.5%	n/a	15514	99.1%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	18.8	18.0	8.0	38.0	6.1
Adequate Provider Data	18.8	18.0	8.0	38.0	6.1

Variable: PCV6_AGE Type: Numeric Position: 646-647

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28967	100.0%	n/a	15653	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: PCV6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	22.0	19.0	12.0	38.0	11.6
Adequate Provider Data	22.0	19.0	12.0	38.0	11.6

Variable: PCV7_AGE Type: Numeric Position: 648-648

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV8_AGE Type: Numeric Position: 649-649

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: PCV9_AGE Type: Numeric Position: 650-650

Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: POL1_AGE Type: Numeric Position: 651-652

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		15065	52.0%	100.0%	15065	96.2%	100.0%
RESERVED CODES:							
MISSING	.	13906	48.0%	n/a	592	3.8%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	2.2	2.0	0.0	36.0	2.0
Adequate Provider Data	2.2	2.0	0.0	36.0	2.0

Variable: POL2_AGE Type: Numeric Position: 653-654**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14927	51.5%	100.0%	14927	95.3%	100.0%
RESERVED CODES:							
MISSING	.	14044	48.5%	n/a	730	4.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: POL2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	4.5	4.0	1.0	37.0	2.4
Adequate Provider Data	4.5	4.0	1.0	37.0	2.4

Variable: POL3_AGE Type: Numeric Position: 655-656**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14644	50.5%	100.0%	14644	93.5%	100.0%
RESERVED CODES:							
MISSING	.	14327	49.5%	n/a	1013	6.5%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	7.0	6.0	1.0	41.0	3.2
Adequate Provider Data	7.0	6.0	1.0	41.0	3.2

Variable: POL4_AGE Type: Numeric Position: 657-658**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		3234	11.2%	100.0%	3234	20.7%	100.0%
RESERVED CODES:							
MISSING	.	25737	88.8%	n/a	12423	79.3%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: POL4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	16.0	15.0	2.0	48.0	3.6
Adequate Provider Data	16.0	15.0	2.0	48.0	3.6

Variable: POL5_AGE Type: Numeric Position: 659-660**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		70	0.2%	100.0%	70	0.4%	100.0%
RESERVED CODES:							
MISSING	.	28901	99.8%	n/a	15587	99.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	16.9	16.0	3.0	38.0	5.4
Adequate Provider Data	16.9	16.0	3.0	38.0	5.4

Variable: POL6_AGE Type: Numeric Position: 661-662**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28965	100.0%	n/a	15651	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: POL6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	22.0	20.5	6.0	42.0	12.8
Adequate Provider Data	22.0	20.5	6.0	42.0	12.8

Variable: POL7_AGE Type: Numeric Position: 663-664**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	15.0	15.0	15.0	15.0	.
Adequate Provider Data	15.0	15.0	15.0	15.0	.

Variable: POL8_AGE Type: Numeric Position: 665-665**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: POL9_AGE Type: Numeric Position: 666-666**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB1_AGE Type: Numeric Position: 667-668

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: RB1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	12.0	12.0	12.0	12.0	.
Adequate Provider Data	12.0	12.0	12.0	12.0	.

Variable: RB2_AGE Type: Numeric Position: 669-669

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB3_AGE Type: Numeric Position: 670-670

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: RB4_AGE Type: Numeric Position: 671-671

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: RB5_AGE Type: Numeric Position: 672-672

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB6_AGE Type: Numeric Position: 673-673

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: RB7_AGE Type: Numeric Position: 674-674

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: RB8_AGE Type: Numeric Position: 675-675

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB9_AGE Type: Numeric Position: 676-676

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: ROT1_AGE Type: Numeric Position: 677-678

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14035	48.4%	100.0%	14035	89.6%	100.0%
RESERVED CODES:							
MISSING	.	14936	51.6%	n/a	1622	10.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: ROT1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	1.9	2.0	0.0	18.0	0.7
Adequate Provider Data	1.9	2.0	0.0	18.0	0.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT2_AGE Type: Numeric Position: 679-680

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		13511	46.6%	100.0%	13511	86.3%	100.0%
RESERVED CODES:							
MISSING	.	15460	53.4%	n/a	2146	13.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: ROT2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	4.1	4.0	1.0	31.0	0.9
Adequate Provider Data	4.1	4.0	1.0	31.0	0.9

Variable: ROT3_AGE Type: Numeric Position: 681-682

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		9035	31.2%	100.0%	9035	57.7%	100.0%
RESERVED CODES:							
MISSING	.	19936	68.8%	n/a	6622	42.3%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: ROT3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDDev
Completed Household Interviews	6.1	6.0	3.0	30.0	1.0
Adequate Provider Data	6.1	6.0	3.0	30.0	1.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT4_AGE Type: Numeric Position: 683-684

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		20	0.1%	100.0%	20	0.1%	100.0%
RESERVED CODES:							
MISSING	.	28951	99.9%	n/a	15637	99.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: ROT4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	10.2	7.0	6.0	20.0	4.8
Adequate Provider Data	10.2	7.0	6.0	20.0	4.8

Variable: ROT5_AGE Type: Numeric Position: 685-686

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: ROT5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	36.0	36.0	36.0	36.0	.
Adequate Provider Data	36.0	36.0	36.0	36.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT6_AGE Type: Numeric Position: 687-687

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: ROT7_AGE Type: Numeric Position: 688-688

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: ROT8_AGE Type: Numeric Position: 689-689

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT9_AGE Type: Numeric Position: 690-690

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: VRC1_AGE Type: Numeric Position: 691-692

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		14439	49.8%	100.0%	14439	92.2%	100.0%
RESERVED CODES:							
MISSING	.	14532	50.2%	n/a	1218	7.8%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: VRC1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	13.3	12.0	0.0	48.0	2.8
Adequate Provider Data	13.3	12.0	0.0	48.0	2.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC2_AGE Type: Numeric Position: 693-694

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VALID RESPONSES:		257	0.9%	100.0%	257	1.6%	100.0%
RESERVED CODES:							
MISSING	.	28714	99.1%	n/a	15400	98.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: VRC2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
Completed Household Interviews	21.9	20.0	12.0	48.0	6.6
Adequate Provider Data	21.9	20.0	12.0	48.0	6.6

Variable: VRC3_AGE Type: Numeric Position: 695-695

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC4_AGE Type: Numeric Position: 696-696

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: VRC5_AGE Type: Numeric Position: 697-697

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: VRC6_AGE Type: Numeric Position: 698-698

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC7_AGE Type: Numeric Position: 699-699

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: VRC8_AGE Type: Numeric Position: 700-700

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: VRC9_AGE Type: Numeric Position: 701-701

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY1 Type: Character Position: 702-703

Label: DT-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	267	0.9%	1.8%	267	1.7%	1.8%
DTAP	04	1740	6.0%	11.5%	1740	11.1%	11.5%
DTAP-HIB	07	13	0.0%	0.1%	13	0.1%	0.1%
DTAP-HEPB-IPV	08	7705	26.6%	50.9%	7705	49.2%	50.9%
DTAP-IPV-HIB	D3	5403	18.6%	35.7%	5403	34.5%	35.7%
SUBTOTALS:		15128	52.2%	100.0%	15128	96.6%	100.0%
RESERVED CODES:							
MISSING		13843	47.8%	n/a	529	3.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XDTPTY2 Type: Character Position: 704-705

Label: DT-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	250	0.9%	1.7%	250	1.6%	1.7%
DTAP	04	1940	6.7%	12.9%	1940	12.4%	12.9%
DTAP-HIB	07	14	0.0%	0.1%	14	0.1%	0.1%
DTAP-HEPB-IPV	08	6344	21.9%	42.3%	6344	40.5%	42.3%
DTAP-IPV-HIB	D3	6435	22.2%	42.9%	6435	41.1%	42.9%
SUBTOTALS:		14983	51.7%	100.0%	14983	95.7%	100.0%
RESERVED CODES:							
MISSING		13988	48.3%	n/a	674	4.3%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY3 Type: Character Position: 706-707

Label: DT-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	229	0.8%	1.5%	229	1.5%	1.5%
DTAP	04	1787	6.2%	12.1%	1787	11.4%	12.1%
DTAP-HIB	07	17	0.1%	0.1%	17	0.1%	0.1%
DTAP-HEPB-IPV	08	7496	25.9%	50.7%	7496	47.9%	50.7%
DTAP-IPV-HIB	D3	5251	18.1%	35.5%	5251	33.5%	35.5%
SUBTOTALS:		14780	51.0%	100.0%	14780	94.4%	100.0%
RESERVED CODES:							
MISSING		14191	49.0%	n/a	877	5.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XDTPTY4 Type: Character Position: 708-709

Label: DT-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	263	0.9%	1.9%	263	1.7%	1.9%
DTAP	04	10158	35.1%	75.1%	10158	64.9%	75.1%
DTAP-HIB	07	47	0.2%	0.3%	47	0.3%	0.3%
DTAP-HEPB-IPV	08	297	1.0%	2.2%	297	1.9%	2.2%
DTAP-IPV-HIB	D3	2756	9.5%	20.4%	2756	17.6%	20.4%
SUBTOTALS:		13521	46.7%	100.0%	13521	86.4%	100.0%
RESERVED CODES:							
MISSING		15450	53.3%	n/a	2136	13.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY5 Type: Character Position: 710-711

Label: DT-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	10	0.0%	4.3%	10	0.1%	4.3%
DTAP	04	154	0.5%	66.4%	154	1.0%	66.4%
DTAP-HIB	07	2	0.0%	0.9%	2	0.0%	0.9%
DTAP-HEPB-IPV	08	23	0.1%	9.9%	23	0.1%	9.9%
DTAP-IPV-HIB	D3	43	0.1%	18.5%	43	0.3%	18.5%
SUBTOTALS:		232	0.8%	100.0%	232	1.5%	100.0%
RESERVED CODES:							
MISSING		28739	99.2%	n/a	15425	98.5%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XDTPTY6 Type: Character Position: 712-713

Label: DT-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP	04	7	0.0%	58.3%	7	0.0%	58.3%
DTAP-HEPB-IPV	08	2	0.0%	16.7%	2	0.0%	16.7%
DTAP-IPV-HIB	D3	3	0.0%	25.0%	3	0.0%	25.0%
SUBTOTALS:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING		28959	100.0%	n/a	15645	99.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY7 Type: Character Position: 714-715

Label: DT-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTP-UNKNOWN	03	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XDTPTY8 Type: Character Position: 716-716

Label: DT-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XDTPTY9 Type: Character Position: 717-717

Label: DT-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY1 Type: Character Position: 718-719

Label: SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	644	2.2%	5.5%	644	4.1%	5.5%
SEASONAL FLU SPRAY	FM	81	0.3%	0.7%	81	0.5%	0.7%
SEASONAL FLU INJECTED	FN	11021	38.0%	93.8%	11021	70.4%	93.8%
SUBTOTALS:		11746	40.5%	100.0%	11746	75.0%	100.0%
RESERVED CODES:							
MISSING		17225	59.5%	n/a	3911	25.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XFLUTY2 Type: Character Position: 720-721

Label: SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	512	1.8%	5.1%	512	3.3%	5.1%
SEASONAL FLU SPRAY	FM	57	0.2%	0.6%	57	0.4%	0.6%
SEASONAL FLU INJECTED	FN	9524	32.9%	94.4%	9524	60.8%	94.4%
SUBTOTALS:		10093	34.8%	100.0%	10093	64.5%	100.0%
RESERVED CODES:							
MISSING		18878	65.2%	n/a	5564	35.5%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY3 Type: Character Position: 722-723

Label: SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	344	1.2%	4.7%	344	2.2%	4.7%
SEASONAL FLU SPRAY	FM	45	0.2%	0.6%	45	0.3%	0.6%
SEASONAL FLU INJECTED	FN	6869	23.7%	94.6%	6869	43.9%	94.6%
SUBTOTALS:		7258	25.1%	100.0%	7258	46.4%	100.0%
RESERVED CODES:							
MISSING		21713	74.9%	n/a	8399	53.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XFLUTY4 Type: Character Position: 724-725

Label: SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	150	0.5%	6.2%	150	1.0%	6.2%
SEASONAL FLU SPRAY	FM	27	0.1%	1.1%	27	0.2%	1.1%
SEASONAL FLU INJECTED	FN	2230	7.7%	92.6%	2230	14.2%	92.6%
SUBTOTALS:		2407	8.3%	100.0%	2407	15.4%	100.0%
RESERVED CODES:							
MISSING		26564	91.7%	n/a	13250	84.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY5 Type: Character Position: 726-727

Label: SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	33	0.1%	20.2%	33	0.2%	20.2%
SEASONAL FLU SPRAY	FM	7	0.0%	4.3%	7	0.0%	4.3%
SEASONAL FLU INJECTED	FN	123	0.4%	75.5%	123	0.8%	75.5%
SUBTOTALS:		163	0.6%	100.0%	163	1.0%	100.0%
RESERVED CODES:							
MISSING		28808	99.4%	n/a	15494	99.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XFLUTY6 Type: Character Position: 728-729

Label: SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	4	0.0%	33.3%	4	0.0%	33.3%
SEASONAL FLU INJECTED	FN	8	0.0%	66.7%	8	0.1%	66.7%
SUBTOTALS:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING		28959	100.0%	n/a	15645	99.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY7 Type: Character Position: 730-731

Label: SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU INJECTED	FN	2	0.0%	100.0%	2	0.0%	100.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		28969	100.0%	n/a	15655	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XFLUTY8 Type: Character Position: 732-733

Label: SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SEASONAL FLU-UNKNOWN	FL	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY9 Type: Character Position: 734-734

Label: SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XHEPTY1 Type: Character Position: 735-736

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1451	5.0%	9.6%	1451	9.3%	9.6%
HEPB-HIB	43	14	0.0%	0.1%	14	0.1%	0.1%
HEPB ONLY	60	13686	47.2%	90.1%	13686	87.4%	90.1%
HEPB-UNKNOWN	HB	36	0.1%	0.2%	36	0.2%	0.2%
SUBTOTALS:		15187	52.4%	100.0%	15187	97.0%	100.0%
RESERVED CODES:							
MISSING		13784	47.6%	n/a	470	3.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY2 Type: Character Position: 737-738

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7711	26.6%	51.8%	7711	49.2%	51.8%
HEPB-HIB	43	16	0.1%	0.1%	16	0.1%	0.1%
HEPB ONLY	60	7011	24.2%	47.1%	7011	44.8%	47.1%
HEPB-UNKNOWN	HB	138	0.5%	0.9%	138	0.9%	0.9%
SUBTOTALS:		14876	51.3%	100.0%	14876	95.0%	100.0%
RESERVED CODES:							
MISSING		14095	48.7%	n/a	781	5.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XHEPTY3 Type: Character Position: 739-740

Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7811	27.0%	54.0%	7811	49.9%	54.0%
HEPB-HIB	43	11	0.0%	0.1%	11	0.1%	0.1%
HEPB ONLY	60	6529	22.5%	45.1%	6529	41.7%	45.1%
HEPB-UNKNOWN	HB	119	0.4%	0.8%	119	0.8%	0.8%
SUBTOTALS:		14470	49.9%	100.0%	14470	92.4%	100.0%
RESERVED CODES:							
MISSING		14501	50.1%	n/a	1187	7.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY4 Type: Character Position: 741-742

Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	4708	16.3%	87.0%	4708	30.1%	87.0%
HEPB-HIB	43	13	0.0%	0.2%	13	0.1%	0.2%
HEPB ONLY	60	665	2.3%	12.3%	665	4.2%	12.3%
HEPB-UNKNOWN	HB	27	0.1%	0.5%	27	0.2%	0.5%
SUBTOTALS:		5413	18.7%	100.0%	5413	34.6%	100.0%
RESERVED CODES:							
MISSING		23558	81.3%	n/a	10244	65.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XHEPTY5 Type: Character Position: 743-744

Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	180	0.6%	72.9%	180	1.1%	72.9%
HEPB-HIB	43	11	0.0%	4.5%	11	0.1%	4.5%
HEPB ONLY	60	53	0.2%	21.5%	53	0.3%	21.5%
HEPB-UNKNOWN	HB	3	0.0%	1.2%	3	0.0%	1.2%
SUBTOTALS:		247	0.9%	100.0%	247	1.6%	100.0%
RESERVED CODES:							
MISSING		28724	99.1%	n/a	15410	98.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY6 Type: Character Position: 745-746

Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7	0.0%	46.7%	7	0.0%	46.7%
HEPB-HIB	43	1	0.0%	6.7%	1	0.0%	6.7%
HEPB ONLY	60	5	0.0%	33.3%	5	0.0%	33.3%
HEPB-UNKNOWN	HB	2	0.0%	13.3%	2	0.0%	13.3%
SUBTOTALS:		15	0.1%	100.0%	15	0.1%	100.0%
RESERVED CODES:							
MISSING		28956	99.9%	n/a	15642	99.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XHEPTY7 Type: Character Position: 747-747

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY8 Type: Character Position: 748-748

Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XHEPTY9 Type: Character Position: 749-749

Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XHIBTY1 Type: Character Position: 750-751

Label: HIB-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	12	0.0%	0.1%	12	0.1%	0.1%
HEPB-HIB	43	25	0.1%	0.2%	25	0.2%	0.2%
HIB ONLY-UNKNOWN	44	88	0.3%	0.6%	88	0.6%	0.6%
DTAP-IPV-HIB	D3	5439	18.8%	36.1%	5439	34.7%	36.1%
HIB (GLAXOSMITHKLINE)	HG	359	1.2%	2.4%	359	2.3%	2.4%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY1 Type: Character Position: 750-751

Label: HIB-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HIB-UNKNOWN	HI	1282	4.4%	8.5%	1282	8.2%	8.5%
HIB (MERCK)	HM	4264	14.7%	28.3%	4264	27.2%	28.3%
HIB (SANOFI)	HS	3414	11.8%	22.6%	3414	21.8%	22.6%
HIB-MENCY	HY	198	0.7%	1.3%	198	1.3%	1.3%
SUBTOTALS:		15081	52.1%	100.0%	15081	96.3%	100.0%
RESERVED CODES:							
MISSING		13890	47.9%	n/a	576	3.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XHIBTY2 Type: Character Position: 752-753

Label: HIB-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	17	0.1%	0.1%	17	0.1%	0.1%
HEPB-HIB	43	9	0.0%	0.1%	9	0.1%	0.1%
HIB ONLY-UNKNOWN	44	63	0.2%	0.4%	63	0.4%	0.4%
DTAP-IPV-HIB	D3	6431	22.2%	43.2%	6431	41.1%	43.2%
HIB (GLAXOSMITHKLINE)	HG	339	1.2%	2.3%	339	2.2%	2.3%
HIB-UNKNOWN	HI	1077	3.7%	7.2%	1077	6.9%	7.2%
HIB (MERCK)	HM	3985	13.8%	26.8%	3985	25.5%	26.8%
HIB (SANOFI)	HS	2793	9.6%	18.8%	2793	17.8%	18.8%
HIB-MENCY	HY	168	0.6%	1.1%	168	1.1%	1.1%
SUBTOTALS:		14882	51.4%	100.0%	14882	95.1%	100.0%
RESERVED CODES:							
MISSING		14089	48.6%	n/a	775	4.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY3 Type: Character Position: 754-755

Label: HIB-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	21	0.1%	0.1%	21	0.1%	0.1%
HEPB-HIB	43	13	0.0%	0.1%	13	0.1%	0.1%
HIB ONLY-UNKNOWN	44	73	0.3%	0.5%	73	0.5%	0.5%
DTAP-IPV-HIB	D3	5345	18.4%	37.0%	5345	34.1%	37.0%
HIB (GLAXOSMITHKLINE)	HG	483	1.7%	3.3%	483	3.1%	3.3%
HIB-UNKNOWN	HI	1090	3.8%	7.5%	1090	7.0%	7.5%
HIB (MERCK)	HM	3698	12.8%	25.6%	3698	23.6%	25.6%
HIB (SANOFI)	HS	3517	12.1%	24.3%	3517	22.5%	24.3%
HIB-MENCY	HY	212	0.7%	1.5%	212	1.4%	1.5%
SUBTOTALS:		14452	49.9%	100.0%	14452	92.3%	100.0%
RESERVED CODES:							
MISSING		14519	50.1%	n/a	1205	7.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XHIBTY4 Type: Character Position: 756-757

Label: HIB-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	40	0.1%	0.4%	40	0.3%	0.4%
HEPB-HIB	43	17	0.1%	0.2%	17	0.1%	0.2%
HIB ONLY-UNKNOWN	44	10	0.0%	0.1%	10	0.1%	0.1%
DTAP-IPV-HIB	D3	2600	9.0%	25.8%	2600	16.6%	25.8%
HIB (GLAXOSMITHKLINE)	HG	467	1.6%	4.6%	467	3.0%	4.6%
HIB-UNKNOWN	HI	979	3.4%	9.7%	979	6.3%	9.7%
HIB (MERCK)	HM	1157	4.0%	11.5%	1157	7.4%	11.5%
HIB (SANOFI)	HS	4529	15.6%	45.0%	4529	28.9%	45.0%
HIB-MENCY	HY	270	0.9%	2.7%	270	1.7%	2.7%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY4 Type: Character Position: 756-757

Label: HIB-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10069	34.8%	100.0%	10069	64.3%	100.0%
RESERVED CODES:							
MISSING		18902	65.2%	n/a	5588	35.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XHIBTY5 Type: Character Position: 758-759

Label: HIB-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	3	0.0%	1.7%	3	0.0%	1.7%
HEPB-HIB	43	2	0.0%	1.1%	2	0.0%	1.1%
HIB ONLY-UNKNOWN	44	1	0.0%	0.6%	1	0.0%	0.6%
DTAP-IPV-HIB	D3	75	0.3%	43.1%	75	0.5%	43.1%
HIB (GLAXOSMITHKLINE)	HG	5	0.0%	2.9%	5	0.0%	2.9%
HIB-UNKNOWN	HI	20	0.1%	11.5%	20	0.1%	11.5%
HIB (MERCK)	HM	15	0.1%	8.6%	15	0.1%	8.6%
HIB (SANOFI)	HS	49	0.2%	28.2%	49	0.3%	28.2%
HIB-MENCY	HY	4	0.0%	2.3%	4	0.0%	2.3%
SUBTOTALS:		174	0.6%	100.0%	174	1.1%	100.0%
RESERVED CODES:							
MISSING		28797	99.4%	n/a	15483	98.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY6 Type: Character Position: 760-761

Label: HIB-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
HIB ONLY-UNKNOWN	44	1	0.0%	14.3%	1	0.0%	14.3%
DTAP-IPV-HIB	D3	1	0.0%	14.3%	1	0.0%	14.3%
HIB-UNKNOWN	HI	2	0.0%	28.6%	2	0.0%	28.6%
HIB (MERCK)	HM	1	0.0%	14.3%	1	0.0%	14.3%
HIB (SANOFI)	HS	2	0.0%	28.6%	2	0.0%	28.6%
SUBTOTALS:		7	0.0%	100.0%	7	0.0%	100.0%
RESERVED CODES:							
MISSING		28964	100.0%	n/a	15650	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XHIBTY7 Type: Character Position: 762-762

Label: HIB-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY8 Type: Character Position: 763-763

Label: HIB-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XHIBTY9 Type: Character Position: 764-764

Label: HIB-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XMMRTY1 Type: Character Position: 765-766

Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	12278	42.4%	84.4%	12278	78.4%	84.4%
MEASLES ONLY	31	32	0.1%	0.2%	32	0.2%	0.2%
MCV-UNKNOWN	MM	105	0.4%	0.7%	105	0.7%	0.7%
MMR-VARICELLA	VM	2136	7.4%	14.7%	2136	13.6%	14.7%
SUBTOTALS:		14551	50.2%	100.0%	14551	92.9%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY1 Type: Character Position: 765-766

Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
MISSING		14420	49.8%	n/a	1106	7.1%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XMMRTY2 Type: Character Position: 767-768

Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	331	1.1%	74.7%	331	2.1%	74.7%
MEASLES ONLY	31	2	0.0%	0.5%	2	0.0%	0.5%
MCV-UNKNOWN	MM	3	0.0%	0.7%	3	0.0%	0.7%
MMR-VARICELLA	VM	107	0.4%	24.2%	107	0.7%	24.2%
SUBTOTALS:		443	1.5%	100.0%	443	2.8%	100.0%
RESERVED CODES:							
MISSING		28528	98.5%	n/a	15214	97.2%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY3 Type: Character Position: 769-770

Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MMR	30	4	0.0%	80.0%	4	0.0%	80.0%
MMR-VARICELLA	VM	1	0.0%	20.0%	1	0.0%	20.0%
SUBTOTALS:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING		28966	100.0%	n/a	15652	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XMMRTY4 Type: Character Position: 771-771

Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY5 Type: Character Position: 772-772

Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XMMRTY6 Type: Character Position: 773-773

Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XMMRTY7 Type: Character Position: 774-774

Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY8 Type: Character Position: 775-775

Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XMMRTY9 Type: Character Position: 776-776

Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XPCVTY1 Type: Character Position: 777-778

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	121	0.4%	0.8%	121	0.8%	0.8%
PCV-UNKNOWN	72	588	2.0%	3.9%	588	3.8%	3.9%
PCV CONJUGATE-7	73	96	0.3%	0.6%	96	0.6%	0.6%
PCV CONJUGATE-13	74	14246	49.2%	94.7%	14246	91.0%	94.7%
SUBTOTALS:		15051	52.0%	100.0%	15051	96.1%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY1 Type: Character Position: 777-778

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
MISSING		13920	48.0%	n/a	606	3.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XPCVTY2 Type: Character Position: 779-780

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	120	0.4%	0.8%	120	0.8%	0.8%
PCV-UNKNOWN	72	540	1.9%	3.6%	540	3.4%	3.6%
PCV CONJUGATE-7	73	90	0.3%	0.6%	90	0.6%	0.6%
PCV CONJUGATE-13	74	14114	48.7%	95.0%	14114	90.1%	95.0%
SUBTOTALS:		14864	51.3%	100.0%	14864	94.9%	100.0%
RESERVED CODES:							
MISSING		14107	48.7%	n/a	793	5.1%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY3 Type: Character Position: 781-782

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	122	0.4%	0.8%	122	0.8%	0.8%
PCV-UNKNOWN	72	492	1.7%	3.4%	492	3.1%	3.4%
PCV CONJUGATE-7	73	79	0.3%	0.5%	79	0.5%	0.5%
PCV CONJUGATE-13	74	13896	48.0%	95.2%	13896	88.8%	95.2%
SUBTOTALS:		14589	50.4%	100.0%	14589	93.2%	100.0%
RESERVED CODES:							
MISSING		14382	49.6%	n/a	1068	6.8%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XPCVTY4 Type: Character Position: 783-784

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	114	0.4%	0.9%	114	0.7%	0.9%
PCV-UNKNOWN	72	407	1.4%	3.0%	407	2.6%	3.0%
PCV CONJUGATE-7	73	59	0.2%	0.4%	59	0.4%	0.4%
PCV CONJUGATE-13	74	12817	44.2%	95.7%	12817	81.9%	95.7%
SUBTOTALS:		13397	46.2%	100.0%	13397	85.6%	100.0%
RESERVED CODES:							
MISSING		15574	53.8%	n/a	2260	14.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY5 Type: Character Position: 785-786

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	11	0.0%	7.7%	11	0.1%	7.7%
PCV-UNKNOWN	72	6	0.0%	4.2%	6	0.0%	4.2%
PCV CONJUGATE-7	73	1	0.0%	0.7%	1	0.0%	0.7%
PCV CONJUGATE-13	74	125	0.4%	87.4%	125	0.8%	87.4%
SUBTOTALS:		143	0.5%	100.0%	143	0.9%	100.0%
RESERVED CODES:							
MISSING		28828	99.5%	n/a	15514	99.1%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XPCVTY6 Type: Character Position: 787-788

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PCV CONJUGATE-13	74	4	0.0%	100.0%	4	0.0%	100.0%
SUBTOTALS:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING		28967	100.0%	n/a	15653	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY7 Type: Character Position: 789-789

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XPCVTY8 Type: Character Position: 790-790

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XPCVTY9 Type: Character Position: 791-791

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY1 Type: Character Position: 792-793

Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7723	26.7%	51.3%	7723	49.3%	51.3%
OPV	20	40	0.1%	0.3%	40	0.3%	0.3%
IPV	21	1469	5.1%	9.8%	1469	9.4%	9.8%
POLIO-UNKNOWN	22	413	1.4%	2.7%	413	2.6%	2.7%
DTAP-IPV-HIB	D3	5420	18.7%	36.0%	5420	34.6%	36.0%
SUBTOTALS:		15065	52.0%	100.0%	15065	96.2%	100.0%
RESERVED CODES:							
MISSING		13906	48.0%	n/a	592	3.8%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XPOLTY2 Type: Character Position: 794-795

Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	6373	22.0%	42.7%	6373	40.7%	42.7%
OPV	20	34	0.1%	0.2%	34	0.2%	0.2%
IPV	21	1659	5.7%	11.1%	1659	10.6%	11.1%
POLIO-UNKNOWN	22	417	1.4%	2.8%	417	2.7%	2.8%
DTAP-IPV-HIB	D3	6444	22.2%	43.2%	6444	41.2%	43.2%
SUBTOTALS:		14927	51.5%	100.0%	14927	95.3%	100.0%
RESERVED CODES:							
MISSING		14044	48.5%	n/a	730	4.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY3 Type: Character Position: 796-797

Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7492	25.9%	51.2%	7492	47.9%	51.2%
OPV	20	32	0.1%	0.2%	32	0.2%	0.2%
IPV	21	1439	5.0%	9.8%	1439	9.2%	9.8%
POLIO-UNKNOWN	22	375	1.3%	2.6%	375	2.4%	2.6%
DTAP-IPV-HIB	D3	5306	18.3%	36.2%	5306	33.9%	36.2%
SUBTOTALS:		14644	50.5%	100.0%	14644	93.5%	100.0%
RESERVED CODES:							
MISSING		14327	49.5%	n/a	1013	6.5%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XPOLTY4 Type: Character Position: 798-799

Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	265	0.9%	8.2%	265	1.7%	8.2%
OPV	20	12	0.0%	0.4%	12	0.1%	0.4%
IPV	21	191	0.7%	5.9%	191	1.2%	5.9%
POLIO-UNKNOWN	22	90	0.3%	2.8%	90	0.6%	2.8%
DTAP-IPV-HIB	D3	2676	9.2%	82.7%	2676	17.1%	82.7%
SUBTOTALS:		3234	11.2%	100.0%	3234	20.7%	100.0%
RESERVED CODES:							
MISSING		25737	88.8%	n/a	12423	79.3%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY5 Type: Character Position: 800-801

Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	13	0.0%	18.6%	13	0.1%	18.6%
OPV	20	1	0.0%	1.4%	1	0.0%	1.4%
IPV	21	8	0.0%	11.4%	8	0.1%	11.4%
POLIO-UNKNOWN	22	6	0.0%	8.6%	6	0.0%	8.6%
DTAP-IPV-HIB	D3	42	0.1%	60.0%	42	0.3%	60.0%
SUBTOTALS:		70	0.2%	100.0%	70	0.4%	100.0%
RESERVED CODES:							
MISSING		28901	99.8%	n/a	15587	99.6%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XPOLTY6 Type: Character Position: 802-803

Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1	0.0%	16.7%	1	0.0%	16.7%
IPV	21	3	0.0%	50.0%	3	0.0%	50.0%
DTAP-IPV-HIB	D3	2	0.0%	33.3%	2	0.0%	33.3%
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING		28965	100.0%	n/a	15651	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY7 Type: Character Position: 804-805

Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
DTAP-IPV-HIB	D3	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XPOLTY8 Type: Character Position: 806-806

Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XPOLTY9 Type: Character Position: 807-807

Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY1 Type: Character Position: 808-809

Label: ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3525	12.2%	25.1%	3525	22.5%	25.1%
ROTATEQ (MERCK)	RM	9622	33.2%	68.6%	9622	61.5%	68.6%
ROTAVIRUS-UNKNOWN	RO	888	3.1%	6.3%	888	5.7%	6.3%
SUBTOTALS:		14035	48.4%	100.0%	14035	89.6%	100.0%
RESERVED CODES:							
MISSING		14936	51.6%	n/a	1622	10.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XROTTY2 Type: Character Position: 810-811

Label: ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	3351	11.6%	24.8%	3351	21.4%	24.8%
ROTATEQ (MERCK)	RM	9358	32.3%	69.3%	9358	59.8%	69.3%
ROTAVIRUS-UNKNOWN	RO	802	2.8%	5.9%	802	5.1%	5.9%
SUBTOTALS:		13511	46.6%	100.0%	13511	86.3%	100.0%
RESERVED CODES:							
MISSING		15460	53.4%	n/a	2146	13.7%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY3 Type: Character Position: 812-813

Label: ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTARIX (GSK)	RG	197	0.7%	2.2%	197	1.3%	2.2%
ROTATEQ (MERCK)	RM	8331	28.8%	92.2%	8331	53.2%	92.2%
ROTAVIRUS-UNKNOWN	RO	507	1.8%	5.6%	507	3.2%	5.6%
SUBTOTALS:		9035	31.2%	100.0%	9035	57.7%	100.0%
RESERVED CODES:							
MISSING		19936	68.8%	n/a	6622	42.3%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XROTTY4 Type: Character Position: 814-815

Label: ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTATEQ (MERCK)	RM	17	0.1%	85.0%	17	0.1%	85.0%
ROTAVIRUS-UNKNOWN	RO	3	0.0%	15.0%	3	0.0%	15.0%
SUBTOTALS:		20	0.1%	100.0%	20	0.1%	100.0%
RESERVED CODES:							
MISSING		28951	99.9%	n/a	15637	99.9%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY5 Type: Character Position: 816-817

Label: ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
ROTATEQ (MERCK)	RM	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		28970	100.0%	n/a	15656	100.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XROTTY6 Type: Character Position: 818-818

Label: ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XROTTY7 Type: Character Position: 819-819

Label: ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XROTTY8 Type: Character Position: 820-820

Label: ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XROTTY9 Type: Character Position: 821-821

Label: ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XVRCTY1 Type: Character Position: 822-823

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	135	0.5%	0.9%	135	0.9%	0.9%
MMR-VARICELLA	VM	2147	7.4%	14.9%	2147	13.7%	14.9%
VARICELLA-ONLY	VO	12157	42.0%	84.2%	12157	77.6%	84.2%
SUBTOTALS:		14439	49.8%	100.0%	14439	92.2%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY1 Type: Character Position: 822-823

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
MISSING		14532	50.2%	n/a	1218	7.8%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XVRCTY2 Type: Character Position: 824-825

Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	9	0.0%	3.5%	9	0.1%	3.5%
MMR-VARICELLA	VM	97	0.3%	37.7%	97	0.6%	37.7%
VARICELLA-ONLY	VO	151	0.5%	58.8%	151	1.0%	58.8%
SUBTOTALS:		257	0.9%	100.0%	257	1.6%	100.0%
RESERVED CODES:							
MISSING		28714	99.1%	n/a	15400	98.4%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: XVRCTY3 Type: Character Position: 826-826

Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY4 Type: Character Position: 827-827

Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XVRCTY5 Type: Character Position: 828-828

Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XVRCTY6 Type: Character Position: 829-829

Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY7 Type: Character Position: 830-830

Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XVRCTY8 Type: Character Position: 831-831

Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

Variable: XVRCTY9 Type: Character Position: 832-832

Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		28971	100.0%	n/a	15657	100.0%	n/a
TOTALS:		28971	100.0%	n/a	15657	100.0%	n/a

SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: INS_STAT2_I Type: Numeric Position: 833-833

Label: INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED):
IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
PRIVATE INSURANCE ONLY	1	7966	27.5%	50.9%	7966	50.9%	50.9%
ANY MEDICAID	2	5851	20.2%	37.4%	5851	37.4%	37.4%
OTHER INSURANCE (CHIP, IHS, MILITARY, OR OTHER, ALONE OR IN COMB. WITH PRIVATE INSURANCE)	3	1324	4.6%	8.5%	1324	8.5%	8.5%
UNINSURED	4	516	1.8%	3.3%	516	3.3%	3.3%
SUBTOTALS:		15657	54.0%	100.0%	15657	100.0%	100.0%
RESERVED CODES:							
MISSING	.	13314	46.0%	n/a	0	0.0%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

Variable: INS_BREAK_I Type: Numeric Position: 834-834

Label: CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
CURRENTLY INSURED BUT UNINSURED AT SOME POINT SINCE BIRTH	1	1141	3.9%	7.3%	1141	7.3%	7.3%
CURRENTLY INSURED AND NEVER UNINSURED SINCE BIRTH	2	13971	48.2%	89.4%	13971	89.2%	89.4%
CURRENTLY UNINSURED BUT INSURED AT SOME POINT SINCE BIRTH	3	332	1.1%	2.1%	332	2.1%	2.1%
CURRENTLY UNINSURED AND NEVER INSURED SINCE BIRTH	4	180	0.6%	1.2%	180	1.1%	1.2%
SUBTOTALS:		15624	53.9%	100.0%	15624	99.8%	100.0%

SECTION 10: HEALTH INSURANCE MODULE VARIABLES

Variable: **INS_BREAK_I** Type: Numeric Position: 834-834Label: **CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED**

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses. Only available for non-territory U.S. residents with adequate provider data. See User's Guide for more information.

LABEL	VALUE	Completed Household Interviews			Adequate Provider Data		
		COUNT	PCT	PCT Excl. Reserve Codes	COUNT	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
MISSING	.	13347	46.1%	n/a	33	0.2%	n/a
TOTALS:		28971	100.0%	100.0%	15657	100.0%	100.0%

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
AGECPOXR	60	60	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
AGEGRP	63	63	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BFENDFL06	88	88	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	89	89	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BF_ENDR06	64	71	3	DURATION OF BREASTFEEDING IN DAYS (RECODE)
BF_EXCLR06	72	79	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR08	80	87	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
C1R	90	90	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	91	92	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	93	94	3	WAS CHILD EVER BREASTFED OR FED BREAST MILK?
CEN_REG	95	95	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	96	96	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	97	98	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	99	100	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
D6R	161	161	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	162	162	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DDTP1	255	258	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	259	262	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	263	266	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	267	270	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	271	274	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	275	278	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	279	282	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	283	283	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	284	284	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	285	288	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	289	292	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	293	296	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	297	300	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	301	304	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DFLU6	305	308	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	309	311	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	312	314	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	315	315	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	316	319	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	320	323	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	324	327	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	328	331	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	332	334	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	335	335	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	336	336	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	337	337	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	338	338	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	339	342	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	343	346	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	347	350	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	351	354	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	355	358	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	359	361	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	362	362	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	363	363	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	364	364	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	365	368	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	369	372	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	373	376	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	377	380	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	381	384	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	385	387	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	388	388	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	389	389	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	390	390	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	391	394	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	395	398	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	399	402	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DMMR4	403	403	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	404	404	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	405	405	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	406	406	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	407	407	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	408	408	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	409	409	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	410	410	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	411	411	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	412	412	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	413	413	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	414	414	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	415	415	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	416	416	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	417	417	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	418	418	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	419	419	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	420	420	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	421	421	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	422	422	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	423	423	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	424	424	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	425	425	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	426	426	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	427	430	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	431	434	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	435	438	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	439	442	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	443	446	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	447	450	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	451	451	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	452	452	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	453	453	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	454	457	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	458	461	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	462	465	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	466	469	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DPOLIO5	470	473	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	474	477	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	478	480	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	481	481	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	482	482	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	483	485	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	486	486	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	487	487	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	488	488	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	489	489	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	490	490	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	491	491	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	492	492	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	493	493	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	494	496	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	497	499	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	500	502	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	503	505	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	506	509	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	510	510	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	511	511	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	512	512	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	513	513	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	529	530	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	531	532	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	533	534	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	535	536	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	537	538	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	539	540	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	541	542	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	543	543	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	544	544	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	514	517	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	518	521	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	522	522	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	523	523	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	524	524	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DVRC6	525	525	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	526	526	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	527	527	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	528	528	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
EDUC1	101	101	3	EDUCATION OF MOTHER CATEGORIES: IMPUTED (RECODE)
ESTIAP18	154	156	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	157	158	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
FLU1_AGE	545	546	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	547	548	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	549	550	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	551	552	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	553	554	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	555	556	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	557	558	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	559	560	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	561	561	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
FRSTBRN	102	102	3	FIRST BORN STATUS OF CHILD: IMPUTED
HAD_CPOX	61	62	2	CHILD EVER HAD CHICKEN POX DISEASE?
HEA1_AGE	562	563	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	564	565	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	566	567	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	568	569	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	570	571	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	572	572	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	573	573	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
HEA8_AGE	574	574	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	575	575	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	576	577	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	578	579	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	580	581	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	582	583	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	584	585	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	586	587	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	588	588	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	589	589	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	590	590	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HEP_BRTH	167	167	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	168	168	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
HIB1_AGE	591	592	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	593	594	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	595	596	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	597	598	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	599	600	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	601	602	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	603	603	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	604	604	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	605	605	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
INCPORAR	104	119	3	INCOME TO POVERTY RATIO (RECODE)
INCPORAR_I	120	135	3	INCOME TO POVERTY RATIO: IMPUTED (RECODE)
INCPOV1	136	136	3	POVERTY STATUS
INCQ298A	137	138	3	FAMILY INCOME CATEGORIES (RECODE)
INS_BREAK_I	834	834	10	CONTINUITY OF INSURANCE COVERAGE SINCE BIRTH: IMPUTED
INS_STAT2_I	833	833	10	INSURANCE STATUS (PRIVATE ONLY/ANY MEDICAID/OTHER INSURANCE/UNINSURED): IMPUTED
I_HISP_K	103	103	3	HISPANIC ORIGIN OF CHILD: IMPUTED

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
LANGUAGE	139	139	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
MARITAL2	141	141	3	MARITAL STATUS OF MOTHER: IMPUTED (RECODE)
MMR1_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	608	609	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	610	611	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	612	612	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	613	613	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	614	614	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	615	615	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	616	616	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	617	617	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MOBIL_I	142	142	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE: IMPUTED
MP1_AGE	618	618	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	619	619	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	620	620	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	621	621	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	622	622	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	623	623	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	624	624	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	625	625	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	626	626	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	627	627	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	628	628	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	629	629	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	630	630	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	631	631	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	632	632	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
MPR7_AGE	633	633	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	634	634	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	635	635	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
M_AGEGRP2	140	140	3	AGE OF MOTHER CATEGORIES: IMPUTED (RECODE)
NUM_CELLS_HH	145	146	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	147	148	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
NUM_PHONE	143	144	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
N_PRVR	163	163	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PCV1_AGE	636	637	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	638	639	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	640	641	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	642	643	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	644	645	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	646	647	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	648	648	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	649	649	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	650	650	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	651	652	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	653	654	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	655	656	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	657	658	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	659	660	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	661	662	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	663	664	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PROVWT_C	13	32	1	FINAL SINGLE-FRAME CELL-PHONE PROVIDER-PHASE WEIGHT (EXCLUDES TERRITORIES)
PROV_FAC	164	164	7	PROVIDER FACILITY TYPES: IMPUTED
PU431331	239	239	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	242	242	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	244	244	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_31	241	241	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_314	246	246	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1::3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	247	247	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	249	249	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUHEPX	169	169	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	170	170	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	171	171	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	172	172	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	173	173	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	174	174	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMDTA	175	175	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	176	176	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	177	177	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	178	178	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	179	179	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	180	180	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	181	181	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	182	182	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	183	183	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	184	184	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHHY	185	185	8	NUMBER OF HIB-MENCY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	186	186	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	187	187	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	188	188	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMHM	189	189	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	190	190	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMIPV	191	191	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	192	192	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	193	193	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	194	194	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	195	195	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	196	196	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	197	197	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	198	198	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	199	199	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	200	200	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	201	201	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	202	202	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	203	203	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMPCC	206	206	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	208	208	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	207	207	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	209	209	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	210	210	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	205	205	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCV	204	204	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	211	211	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	212	212	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	213	213	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	214	214	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	215	215	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	216	216	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMTPN	217	217	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	218	218	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	219	219	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	220	220	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	221	221	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	222	222	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	223	223	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	243	243	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	245	245	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	240	240	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	248	248	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	250	250	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	224	224	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTDHEPA1	225	225	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA2	226	226	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	227	227	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_ROUT_S	228	228	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	229	229	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMCV	230	230	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	231	231	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	232	232	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	233	233	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	234	234	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	235	235	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	236	236	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	237	237	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	238	238	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
RACEETHK	150	150	3	RACE/ETHNICITY OF CHILD: IMPUTED (RECODE)
RACE_K	149	149	3	RACE OF CHILD: IMPUTED (RECODE)
RB1_AGE	667	668	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	669	669	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	670	670	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	671	671	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	672	672	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	673	673	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	674	674	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	675	675	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	676	676	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
RDDWT_C	33	51	1	FINAL SINGLE-FRAME CELL-PHONE RDD-PHASE WEIGHT (EXCLUDES TERRITORIES)
REGISTRY	165	165	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
RENT_OWN	151	152	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
ROT1_AGE	677	678	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	679	680	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	681	682	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	683	684	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	685	686	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	687	687	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	688	688	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	689	689	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	690	690	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	153	153	3	SEX OF CHILD: IMPUTED
STATE	159	160	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
STRATUM	52	55	1	STRATUM VARIABLE FOR VARIANCE ESTIMATION
UID_HEP	252	252	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U24_FLU_24D	251	251	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ INFLUENZA VACCINATIONS AT LEAST 4 WEEKS-4 DAYS APART BY 24 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U2D_HEP	253	253	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	254	254	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
VFC_ORDER	166	166	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
VRC1_AGE	691	692	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	693	694	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	695	695	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	696	696	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	697	697	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	698	698	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	699	699	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	700	700	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	701	701	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	702	703	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	704	705	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	706	707	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	708	709	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	710	711	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	712	713	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	714	715	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	716	716	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	717	717	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	718	719	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	720	721	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	722	723	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	724	725	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	726	727	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	728	729	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	730	731	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	732	733	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	734	734	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	735	736	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	737	738	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	739	740	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	741	742	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	743	744	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	745	746	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	747	747	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	748	748	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XHEPTY9	749	749	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	750	751	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	752	753	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	754	755	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	756	757	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	758	759	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	760	761	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	762	762	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	763	763	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	764	764	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	765	766	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	767	768	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	769	770	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	771	771	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	772	772	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	773	773	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	774	774	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	775	775	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	776	776	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	777	778	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	779	780	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	781	782	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	783	784	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	785	786	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	787	788	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	789	789	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	790	790	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	791	791	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	792	793	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	794	795	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	796	797	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	798	799	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	800	801	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	802	803	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	804	805	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	806	806	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	807	807	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XROTTY1	808	809	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	810	811	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	812	813	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	814	815	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	816	817	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	818	818	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	819	819	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	820	820	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	821	821	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	822	823	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	824	825	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	826	826	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	827	827	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	828	828	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	829	829	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	830	830	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	831	831	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	832	832	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
YEAR	56	59	1	YEAR OF INTERVIEW