

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RA) Section A Recodes

AGER(3781-3782)

Variable Type : recode

Description : R's age at interview (RECODE)

value	label	Total
15	15 YEARS	166
16	16 YEARS	177
17	17 YEARS	174
18	18 YEARS	198
19	19 YEARS	171
20	20 YEARS	119
21	21 YEARS	153
22	22 YEARS	103
23	23 YEARS	135
24	24 YEARS	130
25	25 YEARS	145
26	26 YEARS	153
27	27 YEARS	136
28	28 YEARS	114
29	29 YEARS	148
30	30 YEARS	153
31	31 YEARS	129
32	32 YEARS	154
33	33 YEARS	118
34	34 YEARS	115
35	35 YEARS	134
36	36 YEARS	111
37	37 YEARS	113
38	38 YEARS	110
39	39 YEARS	123
40	40 YEARS	104
41	41 YEARS	108
42	42 YEARS	104
43	43 YEARS	94
44	44 YEARS	100
45	45 YEARS	123
46	46 YEARS	100
47	47 YEARS	97
48	48 YEARS	101
49-50	49 YEARS	127
Total		4540

Universe : Applicable for all respondents

Notes : Respondents age 50 were 49 at screener. The century-month variable for respondent's birth has been suppressed for public use, but is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

FMARITAL(3783-3783)

Variable Type : recode

Description : Formal (legal) marital status (RECODE)

value	label	Total
1	MARRIED TO A PERSON OF THE OPPOSITE SEX	1336
2	WIDOWED	20

3	DIVORCED OR ANNULLED	329
4	SEPARATED	85
5	NEVER MARRIED	2770
	Total	4540

Universe : Applicable for all respondents

RMARITAL(3784-3784)

Variable Type : recode

Description : Informal marital status (RECODE)

value	label	Total
1	CURRENTLY MARRIED TO A PERSON OF THE OPPOSITE SEX	1336
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	424
3	WIDOWED	13
4	DIVORCED OR ANNULLED	247
5	SEPARATED FOR REASONS OF MARITAL DISCORD	79
6	NEVER BEEN MARRIED	2441
	Total	4540

Universe : Applicable for all respondents

EDUCAT(3785-3786)

Variable Type : recode

Description : Education (number of years of schooling) (RECODE)

value	label	Total
9	9TH GRADE OR LESS	482
10	10TH GRADE	326
11	11TH GRADE	351
12	12TH GRADE	1098
13	1 YEAR OF COLLEGE/GRAD SCHOOL	440
14	2 YEARS OF COLLEGE/GRAD SCHOOL	491
15	3 YEARS OF COLLEGE/GRAD SCHOOL	204
16	4 YEARS OF COLLEGE/GRAD SCHOOL	598
17	5 YEARS OF COLLEGE/GRAD SCHOOL	160
18	6 YEARS OF COLLEGE/GRAD SCHOOL	183
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	207
	Total	4540

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

HIEDUC(3787-3788)

Variable Type : recode

Description : Highest completed year of school or highest degree received (RECODE)

value	label	Total
5	9TH GRADE OR LESS	413
6	10TH GRADE	269
7	11TH GRADE	300
8	12TH GRADE, NO DIPLOMA (NOR GED)	26
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	1247
10	SOME COLLEGE BUT NO DEGREE	926
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	292

12	BACHELOR'S DEGREE	732
13	MASTER'S DEGREE	232
14	DOCTORATE DEGREE	59
15	PROFESSIONAL DEGREE	44
	Total	4540

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

HISPANIC(3789-3789)

Variable Type : recode

Description : Hispanic origin of respondent (RECODE)

value	label	Total
1	HISPANIC	986
2	NON-HISPANIC	3554
	Total	4540

Universe : Applicable for all respondents

RACE(3790-3790)

Variable Type : recode

Description : Race of respondent (RECODE)

value	label	Total
1	BLACK	1010
2	WHITE	3101
3	OTHER	429
	Total	4540

Universe : Applicable for all respondents

HISPRACE(3791-3791)

Variable Type : recode

Description : Race & Hispanic origin of respondent - 1977 OMB standards (RECODE)

value	label	Total
1	Hispanic	986
2	Non-Hispanic White	2331
3	Non-Hispanic Black	938
4	Non-Hispanic Other	285
	Total	4540

Universe : Applicable for all respondents

HISPRACE2(3792-3792)

Variable Type : recode

Description : Race & Hispanic origin of respondent - 1997 OMB standards (RECODE)

value	label	Total
1	Hispanic	986
2	Non-Hispanic White, Single Race	2226
3	Non-Hispanic Black, Single Race	871
4	Non-Hispanic Other or Multiple Race	457

Total **4540**

Universe : Applicable for all respondents

NUMKDHH(3793-3793)

Variable Type : recode

Description : Number of bio/adopt/related/legal children under age 18 in household (RECODE)

value	label	Total
0	NO CHILDREN	3229
1	1 CHILD	516
2	2 CHILDREN	516
3	3 CHILDREN	198
4	4 CHILDREN OR MORE	81
Total		4540

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

NUMFMHH(3794-3794)

Variable Type : recode

Description : Number of family members in household (RECODE)

value	label	Total
0	NO FAMILY MEMBERS	977
1	1 FAMILY MEMBER	1042
2	2 FAMILY MEMBERS	931
3	3 FAMILY MEMBERS	893
4	4 FAMILY MEMBERS	416
5	5 FAMILY MEMBERS	175
6	6 FAMILY MEMBERS	67
7	7 FAMILY MEMBERS OR MORE	39
Total		4540

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

HHFAMTYP(3795-3795)

Variable Type : recode

Description : Type of household/family structure (RECODE)

value	label	Total
1	No spouse/partner and no child(ren) (of R) 18 or younger	2639
2	Spouse/partner, but no child(ren) (of R) 18 or younger	632
3	Spouse and R's child(ren) 18 or younger	902
4	Cohabiting partner and R's child(ren) 18 or younger	219
5	No spouse/partner, but child(ren) of R, 18 or younger	148
Total		4540

Universe : Applicable for all respondents

HHPARTYP(3796-3796)

Variable Type : recode

Description : Type of parental situation in household (RECODE)

value	label	Total
1	Both biological or both adoptive parents	694
2	Biological and step- or adoptive parent	174
3	Single parent (biological, adoptive, or stepparent)	676
4	Other	2996
	Total	4540

Universe : Applicable for all respondents

NCHILDHH(3797-3797)

Variable Type : recode

Description : Number of R's children (18 or younger) living in household (RECODE)

value	label	Total
0	No children of respondent age 18 or younger in the household	3271
1	1 of respondent's children 18 or younger in the household	483
2	2 of respondent's children 18 or younger in the household	512
3	3 or more of respondent's children 18 or younger in the household	274
	Total	4540

Universe : Applicable for all respondents

HHKIDTYP(3798-3798)

Variable Type : recode

Description : Whether R has children (18 or younger), and whether bio or non-bio, living in the household (RECODE)

value	label	Total
0	No child(ren) 18 or younger in HH or only older child(ren)	3271
1	At least one biological child (of R's) under 18 in HH, no nonbiological child(ren)	1052
2	Any non-biological child (of R's) 18 or younger in HH	217
	Total	4540

Universe : Applicable for all respondents

CSPBBHH(3799-3799)

Variable Type : recode

Description : Number of R's biological children (18 or younger) with current spouse/ cohabiting partner who live in household (RECODE)

value	label	Total
.	INAPPLICABLE	2780
0	No joint biological children	780
1	1 joint biological child	396
2	2 joint biological children	408
3	3 or more joint biological children	176
	Total	4540

Universe : Applicable if R is currently married or cohabiting with a female partner (AD-7b MARSTAT = 1 or 2)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

CSPSBHH(3800-3800)

Variable Type : recode

Description : Number of R's nonbiological children (18 or younger) in household who are the biological children of his current wife/cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	2780
0	No such child	1565
1	1 or more such children	195
Total		4540

Universe : Applicable if R is currently married or cohabiting with a female partner (AD-7b MARSTAT = 1 or 2)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

CSPOKDHH(3801-3801)

Variable Type : recode

Description : Number of all other children (18 or younger) living in household with R and current spouse/cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	2780
0	No such child	1669
1	1 or more such children	91
Total		4540

Universe : Applicable if R is currently married or cohabiting with a female partner (AD-7b MARSTAT = 1 or 2)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

INTCTFAM(3802-3802)

Variable Type : recode

Description : Intact status of childhood family (RECODE)

value	label	Total
1	TWO BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	2633
2	ANYTHING OTHER THAN 2 BIOLOGICAL OR ADOPTIVE PARENTS FROM BIRTH	1907
Total		4540

Universe : Applicable for all respondents

PARAGE14(3803-3803)

Variable Type : recode

Description : Parental living situation at age 14 (RECODE)

value	label	Total
1	R LIVED WITH BOTH BIOLOGICAL OR BOTH ADOPTIVE PARENTS AT AGE 14	3002
2	R LIVED WITH BIOLOGICAL MOTHER AND STEPFATHER AT AGE 14	390
3	R LIVED IN ANY OTHER PARENTAL SITUATION OR A NONPARENTAL SITUATION AT AGE 14	1148
Total		4540

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

EDUCMOM(3804-3805)

Variable Type : recode

Description : Mother's (or mother-figure's) education (RECODE)

value	label	Total
1	Less than high school	792
2	High school graduate or GED	1409
3	Some college, including 2-year degrees	1096
4	Bachelor's degree or higher	1207
95	No mother/mother-figure identified	36
Total		4540

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

AGEMOMB1(3806-3807)

Variable Type : recode

Description : Age of mother (or mother-figure) at first birth (RECODE)

value	label	Total
1	LESS THAN 18 YEARS	629
2	18-19 YEARS	708
3	20-24 YEARS	1692
4	25-29 YEARS	914
5	30 OR OLDER	519
95	NO MOTHER OR MOTHER-FIGURE	36
96	MOTHER-FIGURE HAD NO CHILDREN	42
Total		4540

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

FMARNO(3808-3808)

Variable Type : recode

Description : Number of times R has been married (RECODE)

value	label	Total
0	NEVER BEEN MARRIED	2770
1	1 TIME	1511
2	2 TIMES	226
3	3 TIMES	28
4-95	4 OR MORE TIMES	5
Total		4540

Universe : Applicable for all respondents

AGER_I(3809-3809)

Variable Type : imputation flag

Description : AGER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

FMARITAL_I(3810-3810)

Variable Type : imputation flag

Description : FMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4539
2	LOGICAL IMPUTATION	1
Total		4540

Universe : Applicable for all respondents

RMARITAL_I(3811-3811)

Variable Type : imputation flag

Description : RMARITAL Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4539
2	LOGICAL IMPUTATION	1
Total		4540

Universe : Applicable for all respondents

EDUCAT_I(3812-3812)

Variable Type : imputation flag

Description : EDUCAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4539
1	MULTIPLE REGRESSION IMPUTATION	1
Total		4540

Universe : Applicable for all respondents

HIEDUC_I(3813-3813)

Variable Type : imputation flag

Description : HIEDUC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4534
1	MULTIPLE REGRESSION IMPUTATION	6
Total		4540

Universe : Applicable for all respondents

HISPANIC_I(3814-3814)

Variable Type : imputation flag

Description : HISPANIC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4539
2	LOGICAL IMPUTATION	1
Total		4540

Universe : Applicable for all respondents

RACE_I(3815-3815)

Variable Type : imputation flag

Description : RACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

HISPRACE_I(3816-3816)

Variable Type : imputation flag

Description : HISPRACE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4539
2	LOGICAL IMPUTATION	1
Total		4540

Universe : Applicable for all respondents

HISPRACE2_I(3817-3817)

Variable Type : imputation flag

Description : HISPRACE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4539
2	LOGICAL IMPUTATION	1
Total		4540

Universe : Applicable for all respondents

NUMKDHH_I(3818-3818)

Variable Type : imputation flag

Description : NUMKDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

NUMFMHH_I(3819-3819)

Variable Type : imputation flag

Description : NUMFMHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

HHFAMTYP_I(3820-3820)

Variable Type : imputation flag

Description : HHFAMTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

HHPARTYP_I(3821-3821)

Variable Type : imputation flag

Description : HHPARTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

NCHILDHH_I(3822-3822)

Variable Type : imputation flag

Description : NCHILDHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

HHKIDTYP_I(3823-3823)

Variable Type : imputation flag

Description : HHKIDTYP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

CSPBBHH_I(3824-3824)

Variable Type : imputation flag

Description : CSPBBHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

CSPSBHH_I(3825-3825)

Variable Type : imputation flag

Description : CSPSBHH Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

CSPOKDHH_I(3826-3826)

Variable Type : imputation flag

Description : CSPOKHH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

INTCTFAM_I(3827-3827)

Variable Type : imputation flag

Description : INTCTFAM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

PARAGE14_I(3828-3828)

Variable Type : imputation flag

Description : PARAGE14 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4537
2	LOGICAL IMPUTATION	3
Total		4540

Universe : Applicable for all respondents

EDUCMOM_I(3829-3829)

Variable Type : imputation flag

Description : EDUCMOM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4469
1	MULTIPLE REGRESSION IMPUTATION	71
Total		4540

Universe : Applicable for all respondents

AGEMOMB1_I(3830-3830)

Variable Type : imputation flag

Description : AGEMOMB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4514
1	MULTIPLE REGRESSION IMPUTATION	26

Total **4540**

Universe : Applicable for all respondents

FMARNO_I(3831-3831)

Variable Type : imputation flag

Description : FMARNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4527
2	LOGICAL IMPUTATION	13
Total		4540

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RB-RF) Sections B-F Recodes

HADSEX(3832-3832)

Variable Type : recode

Description : Whether R ever had sexual intercourse (RECODE)

value	label	Total
1	YES, R EVER HAD INTERCOURSE	3794
2	NO, R NEVER HAD INTERCOURSE	746
Total		4540

Universe : Applicable for all respondents

SEXONCE(3833-3833)

Variable Type : recode

Description : Whether R has had sex only once (RECODE)

value	label	Total
.	INAPPLICABLE	746
1	YES (R HAS HAD SEX ONLY ONCE)	60
2	NO (R HAS HAD SEX MORE THAN ONCE)	3734
Total		4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

VRY1STSX(3834-3837)

Variable Type : recode

Description : CM date of 1st sex (RECODE)

value	label	Total
.	INAPPLICABLE	746
378-1340	Before Sept 2011	3132
1341-1352	Sept 2011-Aug 2012	138
1353-1364	Sept 2012-Aug 2013	118
1365-1376	Sept 2013-Aug 2014	136
1377-1388	Sept 2014-Aug 2015	136
1389-1400	Sept 2015-Aug 2016	94
1401-1413	Sept 2016-Sept 2017	40
Total		4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

FIRSTPFLAG(3838-3838)

Variable Type : intermediate

Description : Flag indicating which section and which series reflects R's first sexual partner

value	label	Total
.	INAPPLICABLE	746
1	cmfstsex - CM of first sex ever, based on DL series	3179
2	cmlsxp - CM when R last had sex with most recent partner	64
3	cmlsxp2 - CM when R last had sex with 2nd-to-last partner	4
4	cmlsxp3 - CM when R last had sex with 3rd-to-last partner	1
5	cmfsxp - CM when R first had sex with most recent partner	208
6	cmfsxp2 - CM when R first had sex with 2nd-to-last partner	13
7	cmfsxp3 - CM when R first had sex with 3rd-to-last partner	4
8	cmfsxcwp - CM when R first had sex with CWP	316
9	unable to determine: raw variable(s) missing	5
Total		4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

VR1STAG(3839-3840)

Variable Type : recode

Description : R's age at 1st sex (RECODE)

value	label	Total
.	INAPPLICABLE	746
0-14	UNDER 15 YEARS	772
15-17	15-17 YEARS	1716
18-19	18-19 YEARS	698
20-49	20 YEARS OR OLDER	608
Total		4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

ELAPSED(3841-3843)

Variable Type : intermediate

Description : # of mos btwn 1st sex and last sex:R's 1st partner (DF series only)

value	label	Total
.	INAPPLICABLE	4329
0	0	28
1-995	Number of months	183
Total		4540

Universe : Applicable if cmlsxp[x] and cmfsxp[x] are not blank

SEXMAR(3844-3844)

Variable Type : recode

Description : Months between 1st intercourse and 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	746
1	0-12 months	338
2	13-24 months	182
3	25-36 months	159

4	More than 3 years	3093
5	First intercourse after first marriage	22
Total		4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

SEXUNION(3845-3845)

Variable Type : recode

Description : Months between 1st intercourse and 1st coresidential union or interview (marriage or cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	746
1	0-12 months	466
2	13-24 months	255
3	25-36 months	282
4	More than 3 years	2723
5	First intercourse after first union	68
Total		4540

Universe : Applicable if R ever had sexual intercourse with a female (HADSEX = 1)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

FSEXRLTN(3846-3846)

Variable Type : recode

Description : Relationship with 1st sexual partner at time of 1st sex (RECODE)

value	label	Total
.	INAPPLICABLE	746
1	MARRIED TO HER	173
2	ENGAGED TO HER, AND LIVING TOGETHER	19
3	ENGAGED TO HER, BUT NOT LIVING TOGETHER	32
4	LIVING TOGETHER IN A SEXUAL RELATIONSHIP, BUT NOT ENGAGED	39
5	GOING OUT WITH HER OR GOING STEADY	1666
6	GOING OUT WITH HER ONCE IN A WHILE	364
7	JUST FRIENDS	1051
8	HAD JUST MET HER	286
9	SOMETHING ELSE	164
Total		4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

SEX1MTHD1(3847-3848)

Variable Type : recode

Description : Contraceptive method use at 1st sexual intercourse: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	746
1	Condom	2403
2	Withdrawal	155
4	Pill	196
5	Female sterilization	8

6	Injection -- Depo-Provera/Lunelle	12
7	Spermicidal foam/jelly/cream/film/suppository	8
8	Hormonal implant -- Norplant/Implanon/Nexplanon	8
9	Rhythm or safe period	7
10	Contraceptive Patch	1
11	Vaginal contraceptive ring	3
12	IUD, coil, loop	8
13	Something else	10
96	No method used at first intercourse	975
	Total	4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

SEX1MTHD2(3849-3850)

Variable Type : recode

Description : Contraceptive method use at 1st sexual intercourse: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3009
1	Condom	10
2	Withdrawal	124
4	Pill	372
5	Female sterilization	1
6	Injection -- Depo-Provera/Lunelle	15
7	Spermicidal foam/jelly/cream/film/suppository	11
8	Hormonal implant -- Norplant/Implanon/Nexplanon	3
9	Rhythm or safe period	4
10	Contraceptive Patch	1
11	Vaginal contraceptive ring	3
12	IUD, coil, loop	4
13	Something else	8
96	No method used at first intercourse	975
	Total	4540

Universe : Applicable if R reported more than 1 method at 1st sexual intercourse (see recode SEX1MTHD1)

SEX1MTHD3(3851-3852)

Variable Type : recode

Description : Contraceptive method use at 1st sexual intercourse: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3514
1	Condom	1
2	Withdrawal	13
4	Pill	21
6	Injection -- Depo-Provera/Lunelle	6
7	Spermicidal foam/jelly/cream/film/suppository	4
8	Hormonal implant -- Norplant/Implanon/Nexplanon	1
9	Rhythm or safe period	5
96	No method used at first intercourse	975
	Total	4540

Universe : Applicable if R reported more than 2 methods at 1st sexual intercourse (see recode SEX1MTHD1)

SEX1MTHD4(3853-3854)

Variable Type : recode

Description : Contraceptive method use at 1st sexual intercourse: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3562
2	Withdrawal	1
9	Rhythm or safe period	1
13	Something else	1
96	No method used at first intercourse	975
Total		4540

Universe : Applicable if R reported more than 3 methods at 1st sexual intercourse (see recode SEX1MTHD1)

LSEXDATE(3855-3858)

Variable Type : recode

Description : Date of last (or most recent) sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	746
378-1340	Before Sept 2011	136
1341-1352	Sept 2011-Aug 2012	33
1353-1364	Sept 2012-Aug 2013	38
1365-1376	Sept 2013-Aug 2014	83
1377-1388	Sept 2014-Aug 2015	201
1389-1400	Sept 2015-Aug 2016	1686
1401-1413	Sept 2016-Sept 2017	1617
Total		4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

SEX3MO(3859-3859)

Variable Type : recode

Description : Whether R had sexual intercourse in past 3 months (based on LSEXDATE) (RECODE)

value	label	Total
.	INAPPLICABLE	746
1	YES, HAD INTERCOURSE	2908
2	NO, DID NOT HAVE INTERCOURSE	886
Total		4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

SEX12MO(3860-3860)

Variable Type : recode

Description : Whether R had sexual intercourse in past 12 months (based on LSEXDATE) (RECODE)

value	label	Total
.	INAPPLICABLE	746
1	YES, HAD INTERCOURSE	3345
2	NO, DID NOT HAVE INTERCOURSE	449
Total		4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXRAGE(3861-3862)

Variable Type : recode

Description : R's age at last (or most recent) sexual intercourse (RECODE)

value	label	Total
.	INAPPLICABLE	746
0-17	UNDER 18 YEARS	198
18-19	18-19 YEARS	233
20-24	20-24 YEARS	566
25-34	25-34 YEARS	1274
35-50	35-49 YEARS	1523
	Total	4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

Notes : Respondents aged 50 were 49 at time of household screener

lsexprac(3863-3863)

Variable Type : computed

Description : Race/ethnicity of last (or most recent) sexual partner (computed in post-processing)

value	label	Total
.	INAPPLICABLE	766
1	Hispanic	831
2	Non-Hispanic White	2026
3	Non-Hispanic Black	651
4	Non-Hispanic Other	266
	Total	4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXRLTN(3864-3864)

Variable Type : recode

Description : Relationship with last sexual partner at last sex ever (RECODE)

value	label	Total
.	INAPPLICABLE	746
1	Married to her	1374
3	Living together in a sexual relationship	514
4	Going out with her or going steady	891
5	Going out with her once in a while	311
6	Just friends	482
7	Had just met her	62
8	Something else	84
9	Engaged to her: only asked of a subset of Rs	76
	Total	4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXUSE1(3865-3866)

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse ever - 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	746
1	CONDOM	1380
2	WITHDRAWAL	345
3	VASECTOMY	168
4	PILL	339
5	FEMALE STERILIZATION	277
6	INJECTION -- DEPO-PROVERA/LUNELLE	57

7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	2
8	HORMONAL IMPLANT -- NORPLANT/IMPLANON/NEXPLANON	52
9	RHYTHM OR SAFE PERIOD	13
10	CONTRACEPTIVE PATCH	32
11	VAGINAL CONTRACEPTIVE RING	31
12	IUD, COIL LOOP	186
13	SOMETHING ELSE	26
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	23
96	NO METHOD USED AT LAST SEX	863
	Total	4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LSEXUSE2(3867-3868)

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse ever - 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	2814
1	CONDOM	3
2	WITHDRAWAL	71
3	VASECTOMY	3
4	PILL	472
5	FEMALE STERILIZATION	53
6	INJECTION -- DEPO-PROVERA/LUNELLE	52
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	5
8	HORMONAL IMPLANT -- NORPLANT/IMPLANON/NEXPLANON	34
9	RHYTHM OR SAFE PERIOD	25
10	CONTRACEPTIVE PATCH	15
11	VAGINAL CONTRACEPTIVE RING	29
12	IUD, COIL LOOP	41
13	SOMETHING ELSE	37
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	23
96	NO METHOD USED AT LAST SEX	863
	Total	4540

Universe : Applicable if R reported more than 1 method at last sexual intercourse (see recode LSEXUSE1)

LSEXUSE3(3869-3870)

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse ever - 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3568
1	CONDOM	3
2	WITHDRAWAL	57
3	VASECTOMY	2
4	PILL	2
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	1
9	RHYTHM OR SAFE PERIOD	6
10	CONTRACEPTIVE PATCH	11
12	IUD, COIL LOOP	1
13	SOMETHING ELSE	3
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	23
96	NO METHOD USED AT LAST SEX	863
	Total	4540

Universe : Applicable if R reported more than 2 methods at last sexual intercourse (see recode LSEXUSE1)

LSEXUSE4(3871-3872)

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse ever - 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3648
9	RHYTHM OR SAFE PERIOD	2
10	CONTRACEPTIVE PATCH	1
13	SOMETHING ELSE	3
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	23
96	NO METHOD USED AT LAST SEX	863
	Total	4540

Universe : Applicable if R reported more than 3 methods at last sexual intercourse (see recode LSEXUSE1)

METH12M1(3873-3874)

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse in past 12 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	1195
1	CONDOM	1113
2	WITHDRAWAL	315
3	VASECTOMY	163
4	PILL	307
5	FEMALE STERILIZATION	263
6	INJECTION -- DEPO-PROVERA/LUNELLE	51
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	1
8	HORMONAL IMPLANT -- NORPLANT/IMPLANON/NEXPLANON	50
9	RHYTHM OR SAFE PERIOD	12
10	CONTRACEPTIVE PATCH	28
11	VAGINAL CONTRACEPTIVE RING	31
12	IUD, COIL LOOP	179
13	SOMETHING ELSE	24
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	16
96	NO METHOD USED AT LAST SEX IN THE PAST 12 MONTHS	792
	Total	4540

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1)

METH12M2(3875-3876)

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse in past 12 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3033
1	CONDOM	3
2	WITHDRAWAL	54
3	VASECTOMY	2
4	PILL	381
5	FEMALE STERILIZATION	47
6	INJECTION -- DEPO-PROVERA/LUNELLE	47
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	5
8	HORMONAL IMPLANT -- NORPLANT/IMPLANON/NEXPLANON	31
9	RHYTHM OR SAFE PERIOD	23
10	CONTRACEPTIVE PATCH	13
11	VAGINAL CONTRACEPTIVE RING	24

12	IUD, COIL LOOP	39
13	SOMETHING ELSE	30
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	16
96	NO METHOD USED AT LAST SEX IN THE PAST 12 MONTHS	792
	Total	4540

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1) and reported a 2nd method at last sex (LSEXUSE2 < 95)

METH12M3(3877-3878)

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse in past 12 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3659
1	CONDOM	3
2	WITHDRAWAL	47
3	VASECTOMY	2
4	PILL	2
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	1
9	RHYTHM OR SAFE PERIOD	4
10	CONTRACEPTIVE PATCH	10
12	IUD, COIL LOOP	1
13	SOMETHING ELSE	3
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	16
96	NO METHOD USED AT LAST SEX IN THE PAST 12 MONTHS	792
	Total	4540

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1) and reported a 3rd method at last sex (LSEXUSE3 < 95)

METH12M4(3879-3880)

Variable Type : recode

Description : Contraceptive method used at last sexual intercourse in past 12 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3730
9	RHYTHM OR SAFE PERIOD	1
10	CONTRACEPTIVE PATCH	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	16
96	NO METHOD USED AT LAST SEX IN THE PAST 12 MONTHS	792
	Total	4540

Universe : Applicable if R had sex in the past 12 months (SEX12MO = 1) and reported a 4th method at last sex (LSEXUSE4 < 95)

METH3M1(3881-3882)

Variable Type : recode

Description : Contraceptive method used last sexual intercourse in past 3 mos: 1st mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	1631
1	CONDOM	864
2	WITHDRAWAL	290
3	VASECTOMY	152
4	PILL	272
5	FEMALE STERILIZATION	241

6	INJECTION -- DEPO-PROVERA/LUNELLE	49
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	1
8	HORMONAL IMPLANT -- NORPLANT/IMPLANON/NEXPLANON	46
9	RHYTHM OR SAFE PERIOD	9
10	CONTRACEPTIVE PATCH	26
11	VAGINAL CONTRACEPTIVE RING	30
12	IUD, COIL LOOP	169
13	SOMETHING ELSE	20
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	16
96	NO METHOD USED AT LAST SEX IN THE PAST 3 MONTHS	724
	Total	4540

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1)

METH3M2(3883-3884)

Variable Type : recode

Description : Contraceptive method used last sexual intercourse in past 3 mos: 2nd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3240
1	CONDOM	3
2	WITHDRAWAL	40
3	VASECTOMY	2
4	PILL	291
5	FEMALE STERILIZATION	43
6	INJECTION -- DEPO-PROVERA/LUNELLE	45
7	SPERMICIDAL FOAM/JELLY/CREAM/FILM/SUPPOSITORY	4
8	HORMONAL IMPLANT -- NORPLANT/IMPLANON/NEXPLANON	25
9	RHYTHM OR SAFE PERIOD	22
10	CONTRACEPTIVE PATCH	12
11	VAGINAL CONTRACEPTIVE RING	19
12	IUD, COIL LOOP	31
13	SOMETHING ELSE	23
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	16
96	NO METHOD USED AT LAST SEX IN THE PAST 3 MONTHS	724
	Total	4540

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1) and reported a 2nd method at last sex (LSEXUSE2 < 95)

METH3M3(3885-3886)

Variable Type : recode

Description : Contraceptive method used last sexual intercourse in past 3 mos: 3rd mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3744
1	CONDOM	2
2	WITHDRAWAL	37
3	VASECTOMY	1
4	PILL	1
9	RHYTHM OR SAFE PERIOD	4
10	CONTRACEPTIVE PATCH	10
13	SOMETHING ELSE	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	16
96	NO METHOD USED AT LAST SEX IN THE PAST 3 MONTHS	724
	Total	4540

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1) and reported a 3rd method at last sex (LSEXUSE3 < 95)

METH3M4(3887-3888)

Variable Type : recode

Description : Contraceptive method used last sexual intercourse in past 3 mos: 4th mentioned (RECODE)

value	label	Total
.	INAPPLICABLE	3798
9	RHYTHM OR SAFE PERIOD	1
10	CONTRACEPTIVE PATCH	1
95	R USED NO METHOD; R DOES NOT KNOW IF PARTNER USED A METHOD	16
96	NO METHOD USED AT LAST SEX IN THE PAST 3 MONTHS	724
	Total	4540

Universe : Applicable if R had sex in the past 3 months (SEX3MO = 1) and reported a 4th method at last sex (LSEXUSE4 < 95)

NUMP3MOS(3889-3889)

Variable Type : recode

Description : Number of female sexual partners in last 3 mos (RECODE)

value	label	Total
.	INAPPLICABLE	746
0	0 PARTNERS	886
1	1 PARTNER	2598
2	2 PARTNERS	188
3	3 PARTNERS EXACTLY	26
4	3, POSSIBLY MORE PARTNERS	96
	Total	4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

LIFPRNTR(3890-3891)

Variable Type : recode

Description : Number of opposite-sex partners in lifetime (RECODE)

value	label	Total
0	0 PARTNERS	746
1	1 PARTNER	556
2	2 PARTNERS	322
3	3 PARTNERS	324
4	4 PARTNERS	269
5	5 PARTNERS	278
6	6 PARTNERS	228
7	7 PARTNERS	176
8	8 PARTNERS	88
9	9 PARTNERS	73
10-19	10-19 PARTNERS	637
20-49	20-49 PARTNERS	530
50	50 OR MORE PARTNERS	313
	Total	4540

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

PARTS1YR(3892-3893)

Variable Type : recode

Description : Number of opposite-sex partners in past 12 mos (RECODE)

value	label	Total
0	NONE	1195
1	1 PARTNER	2569
2	2 PARTNERS	362
3	3 PARTNERS	158
4	4 PARTNERS	88
5	5 PARTNERS	53
6	6 PARTNERS	23
7	7 OR MORE PARTNERS	92
Total		4540

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

PARTDUR1(3894-3896)

Variable Type : recode

Description : Months between 1st and most recent intercourse with last/most recent partner (RECODE)

value	label	Total
.	INAPPLICABLE	746
0-995	Number of months between first and most recent sex with this partner	3519
997	Only had sex once with partner	275
Total		4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (recode HADSEX = 1)

PARTDUR2(3897-3899)

Variable Type : recode

Description : Months between 1st and most recent intercourse with 2nd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	3764
0-995	Number of months between first and most recent sex with this partner	596
997	Only had sex once with partner	180
Total		4540

Universe : Applicable if r had more than one female partner in the past 12 months (PARTS1YR > 1)

PARTDUR3(3900-3902)

Variable Type : recode

Description : Months between 1st and most recent intercourse with 3rd-to-last partner within past 12 mos (RECODE)

value	label	Total
.	INAPPLICABLE	4126
0-995	Number of months between first and most recent sex with this partner	303
997	Only had sex once with partner	111
Total		4540

Universe : Applicable if r had more than two female partners in the past 12 months (PARTS1YR > 2)

COHEVER(3903-3903)

Variable Type : recode

Description : Whether R ever cohabited (including premarital cohabitation) (RECODE)

value	label	Total
1	Yes, ever cohabited (lived with a woman outside of marriage)	2171
2	No, never cohabited (lived with a woman outside of marriage)	2369
Total		4540

Universe : Applicable for all respondents

EVMARCOH(3904-3904)

Variable Type : recode

Description : Whether R ever married or cohabited (RECODE)

value	label	Total
1	Yes, ever married or cohabited	2683
2	No, never married or cohabited	1857
Total		4540

Universe : Applicable for all respondents

PMARRNO(3905-3906)

Variable Type : recode

Description : Number of premarital cohabitations (RECODE)

value	label	Total
0	None	3388
1	One	1022
2	Two	119
3-HIGH	Three or more	11
Total		4540

Universe : Applicable for all respondents

NONMARR(3907-3908)

Variable Type : recode

Description : Number of nonmarital cohabitations (RECODE)

value	label	Total
0	None	3076
1	One	776
2	Two	379
3-HIGH	Three or more	309
Total		4540

Universe : Applicable for all respondents

TIMESCOH(3909-3910)

Variable Type : recode

Description : Total number of cohabitations (RECODE)

value	label	Total
-------	-------	-------

0	None	2370
1	One	1198
2	Two	523
3-HIGH	Three or more	449
Total		4540

Universe : Applicable for all respondents

MARDAT01(3911-3914)

Variable Type : recode

Description : Year of R's 1st marriage (RECODE)

value	label	Total
.	INAPPLICABLE	2770
1931-2017	1931-2017	1770
Total		4540

Universe : Applicable if R has ever been married (FMARITAL NE 5)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT02(3915-3918)

Variable Type : recode

Description : Year of R's 2nd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	4281
1931-2017	1931-2017	259
Total		4540

Universe : Applicable if R has been married more than once (FMARNO GT 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT03(3919-3922)

Variable Type : recode

Description : Year of R's 3rd marriage (RECODE)

value	label	Total
.	INAPPLICABLE	4507
1931-2017	1931-2017	33
Total		4540

Universe : Applicable if R has been married more than 2 times (FMARNO GT 2)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDAT04(3923-3926)

Variable Type : recode

Description : Year of R's 4th marriage (RECODE)

value	label	Total
.	INAPPLICABLE	4535

1931- 2017	1931-2017	5
	Total	4540

Universe : Applicable if R has been married more than 3 times (FMARNO GT 3)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MAREND01(3927-3927)

Variable Type : recode

Description : How R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	3923
1	DIVORCED OR ANNULLED	522
2	SEPARATED	78
3	WIDOWED	17
	Total	4540

Universe : Applicable if R has been married more than once (FMARNO GT 1) or R's first marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

MAREND02(3928-3928)

Variable Type : recode

Description : How R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4449
1	DIVORCED OR ANNULLED	72
2	SEPARATED	14
3	WIDOWED	5
	Total	4540

Universe : Applicable if R has been married more than 2 times (FMARNO GT 2) or R's second marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

MAREND03(3929-3929)

Variable Type : recode

Description : How R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4519
1	DIVORCED OR ANNULLED	18
2	SEPARATED	1
3	WIDOWED	2
	Total	4540

Universe : Applicable if R has been married more than 3 times (FMARNO GT 3) or R's third marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

MAREND04(3930-3930)

Variable Type : recode

Description : How R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4538

1	DIVORCED OR ANNULLED	1
2	SEPARATED	1
	Total	4540

Universe : Applicable if R has been married more than 4 times (FMARNO GT 4) or R's fourth marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

MARDIS01(3931-3934)

Variable Type : recode

Description : Year when R's 1st marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	3923
1931-2017	1931-2017	617
	Total	4540

Universe : Applicable if R has been married more than once (FMARNO GT 1) or R's first marriage is not intact (FMARNO = 1 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS02(3935-3938)

Variable Type : recode

Description : Year when R's 2nd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4450
1931-2017	1931-2017	90
	Total	4540

Universe : Applicable if R has been married more than 2 times (FMARNO GT 2) or R's second marriage is not intact (FMARNO = 2 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS03(3939-3942)

Variable Type : recode

Description : Year when R's 3rd marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4519
1931-2017	1931-2017	21
	Total	4540

Universe : Applicable if R has been married more than 3 times (FMARNO GT 3) or R's third marriage is not intact (FMARNO = 3 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MARDIS04(3943-3946)

Variable Type : recode

Description : Year when R's 4th marriage ended (RECODE)

value	label	Total
.	INAPPLICABLE	4538
1931-2017	1931-2017	2
	Total	4540

Universe : Applicable if R has been married more than 4 times (FMARNO GT 4) or R's fourth marriage is not intact (FMARNO = 4 and FMARITAL NE 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

MAR1DISS(3947-3947)

Variable Type : recode

Description : Months between 1st marriage and dissolution of 1st marriage (or interview) (RECODE)

value	label	Total
.	INAPPLICABLE	2770
1	0-12 months	196
2	13-24 months	158
3	25-36 months	157
4	37-48 months	113
5	More than 4 years	1146
	Total	4540

Universe : Applicable if R has ever been married (FMARITAL NE 5)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

PREMARW1(3948-3948)

Variable Type : recode

Description : Whether R lived premaritally with his first wife (RECODE)

value	label	Total
.	INAPPLICABLE	2770
1	YES	1078
2	NO	692
	Total	4540

Universe : Applicable if R has ever been married (FMARITAL NE 5)

COHAB1(3949-3952)

Variable Type : recode

Description : Year of 1st cohabitation (incl. premarital cohabitation) (RECODE)

value	label	Total
.	INAPPLICABLE	2369
1931-2017	1931-2017	2171
	Total	4540

Universe : Applicable if R has ever cohabited outside of marriage (COHEVER = 1)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

COHSTAT(3953-3953)

Variable Type : recode

Description : Cohabitation status experience relative to 1st marriage (RECODE)

value	label	Total
1	Never cohabited outside of marriage	2369
2	First cohabited before first marriage	2049
3	First cohabited after first marriage	122
Total		4540

Universe : Applicable for all respondents

COHOUT(3954-3954)

Variable Type : recode

Description : Outcome of R's first (if premarital) cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2491
1	Intact cohabitation	195
2	Intact marriage	532
3	Dissolved marriage	273
4	Dissolved cohabitation	1049
Total		4540

Universe : Applicable if R's first cohabitation occurred before his first marriage (COHSTAT = 2)

COH1DUR(3955-3955)

Variable Type : recode

Description : Duration (in months) of R's first (if premarital) cohabitation (RECODE)

value	label	Total
.	INAPPLICABLE	2491
1	0-12 months	763
2	13-24 months	403
3	25-36 months	285
4	37-48 months	169
5	More than 4 years	429
Total		4540

Universe : Applicable if R's first cohabitation occurred before his first marriage (COHSTAT = 2)

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

CSPBIOKD(3956-3956)

Variable Type : recode

Description : Total number of biological children R has had with current spouse or cohabiting partner (RECODE)

value	label	Total
.	INAPPLICABLE	2780
0	NONE	698
1	1 CHILD	399
2	2 CHILDREN	440
3	3 CHILDREN	155
4-95	4 OR MORE CHILDREN	68
Total		4540

Universe : Applicable if R is currently married or cohabiting (RMARITAL = 1 or 2)

DATBABY1(3957-3960)

Variable Type : recode

Description : Year when R fathered his first biological child (RECODE)

value	label	Total
.	INAPPLICABLE	2759
1931-2017	1931-2017	1781
	Total	4540

Universe : Applicable if R has ever had a biological child (biokids > 0)

Notes : The year of this event is available for public use, and the original century-month variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

AGEBABY1(3961-3962)

Variable Type : recode

Description : Age when R fathered his first biological child (RECODE)

value	label	Total
.	INAPPLICABLE	2759
0-19	Under 20 years	241
20-24	20-24 years	574
25-29	25-29 years	478
30-49	30-49 years	488
	Total	4540

Universe : Applicable if R has ever had a biological child (biokids > 0)

B1PREMAR(3963-3963)

Variable Type : recode

Description : Whether R's first biological child was born before his first marriage (premaritally) (RECODE)

value	label	Total
.	INAPPLICABLE	2759
1	Yes (1st biological child born before 1st marriage)	837
2	No (1st biological child born in same month as or later than 1st marriage)	944
	Total	4540

Universe : Applicable if R has ever had a biological child (biokids > 0)

MARBABY1(3964-3964)

Variable Type : recode

Description : Formal marital status at time of R's first biological child's birth (RECODE)

value	label	Total
.	INAPPLICABLE	2759
1	Yes, married to child's mother	879
2	No, not married to child's mother	902
	Total	4540

Universe : Applicable if R has ever had a biological child (biokids > 0)

CEBOW(3965-3966)

Variable Type : recode

Description : Number of biological children born out of wedlock (RECODE)

value	label	Total
.	INAPPLICABLE	2759
0	None	831
1	1 child	499
2	2 children	265
3	3 children	105
4	4 children	45
5-95	5 or more	36
Total		4540

Universe : Applicable if R has ever had a biological child (biokids > 0)

CEBOWC(3967-3967)

Variable Type : recode

Description : Number of biological children born out of wedlock, in cohabiting unions (RECODE)

value	label	Total
.	INAPPLICABLE	2759
0	NONE	1110
1	1 CHILD	407
2	2 CHILDREN	177
3	3 CHILDREN	63
4-95	4 OR MORE CHILDREN	24
Total		4540

Universe : Applicable if R has ever had a biological child (biokids > 0)

CEBOWP(3968-3968)

Variable Type : recode

Description : Number of biological children born out of wedlock, but paternity established (RECODE)

value	label	Total
.	INAPPLICABLE	3590
0	NONE	193
1	1 CHILD	445
2	2 CHILDREN	207
3	3 CHILDREN	67
4-95	4 OR MORE CHILDREN	38
Total		4540

Universe : Applicable if R ever had a biological child born out of wedlock (CEBOW > 0)

EVRNOPAT(3969-3969)

Variable Type : recode

Description : Whether R has never established paternity for his biological children born out of wedlock (RECODE)

value	label	Total
.	INAPPLICABLE	3590
1	YES, 1 OR MORE CHILDREN OUT OF WEDLOCK, BUT NO ESTABLISHED PATERNITY	193
2	NO, 1 OR MORE CHILDREN OUT OF WEDLOCK, BUT ESTABLISHED PATERNITY	757
Total		4540

Universe : Applicable if R ever had a biological child born out of wedlock (CEBOW > 0)

NONLIVEB(3970-3971)

Variable Type : recode

Description : Number of non-live birth pregnancies R has fathered (RECODE)

value	label	Total
0	NONE	3644
1	1 PREGNANCY	547
2	2 PREGNANCIES	197
3-95	3 OR MORE PREGNANCIES	142
98	REFUSED	3
99	DON'T KNOW	7
	Total	4540

Universe : Applicable for all respondents

COMPREG(3972-3973)

Variable Type : recode

Description : Number of completed pregnancies R has fathered (RECODE)

value	label	Total
0	NONE	2452
1	1 PREGNANCY	636
2	2 PREGNANCIES	620
3	3 PREGNANCIES	385
4	4 PREGNANCIES	201
5-95	5 OR MORE PREGNANCIES	246
	Total	4540

Universe : Applicable for all respondents

ABORTION(3974-3975)

Variable Type : recode

Description : Number of abortions R has fathered (RECODE)

value	label	Total
.	INAPPLICABLE	2452
0	NONE	1759
1	1 PREGNANCY	244
2-95	2 OR MORE PREGNANCIES	85
	Total	4540

Universe : Applicable if R has ever fathered a completed pregnancy (COMPREG > 0)

LOSSNUM(3976-3976)

Variable Type : recode

Description : Number of spontaneous pregnancy losses R has fathered (RECODE)

value	label	Total
.	INAPPLICABLE	2452
0	NONE	1431
1	1 PREGNANCY	433
2-95	2 OR MORE PREGNANCIES	224
	Total	4540

Universe : Applicable if R has ever fathered a completed pregnancy (COMPREG > 0)

PARENT01(3977-3977)

Variable Type : recode

Description : Other biological parent of R's 1st biological child (RECODE)

value	label	Total
.	INAPPLICABLE	2759
1	Current wife	798
2	Current cohabiting partner	107
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	112
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	20
5	Former wife (reported in Section E)	290
6	First cohabiting partner (reported in Section E)	186
7	Other sexual partner, not otherwise classified in codes 1-6	268
Total		4540

Universe : Applicable if R reported a biological child in Sections C, D, E, or F (biokids >0)

PARENT02(3978-3978)

Variable Type : recode

Description : Other biological parent of R's 2nd biological child (RECODE)

value	label	Total
.	INAPPLICABLE	3394
1	Current wife	594
2	Current cohabiting partner	83
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	61
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	17
5	Former wife (reported in Section E)	192
6	First cohabiting partner (reported in Section E)	75
7	Other sexual partner, not otherwise classified in codes 1-6	124
Total		4540

Universe : Applicable if R reported more than 1 biological child in Sections C, D, E, or F (biokids >1)

PARENT03(3979-3979)

Variable Type : recode

Description : Other biological parent of R's 3rd biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4046
1	Current wife	239
2	Current cohabiting partner	44
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	32
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	7
5	Former wife (reported in Section E)	85
6	First cohabiting partner (reported in Section E)	23
7	Other sexual partner, not otherwise classified in codes 1-6	64
Total		4540

Universe : Applicable if R reported more than 2 biological children in Sections C, D, E, or F (biokids >2)

PARENT04(3980-3980)

Variable Type : recode

Description : Other biological parent of R's 4th biological child (RECODE)

value	label	Total
-------	-------	-------

.	INAPPLICABLE	4347
1	Current wife	85
2	Current cohabiting partner	22
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	11
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	3
5	Former wife (reported in Section E)	29
6	First cohabiting partner (reported in Section E)	6
7	Other sexual partner, not otherwise classified in codes 1-6	37
Total		4540

Universe : Applicable if R reported more than 3 biological children in Sections C, D, E, or F (biokids >3)

PARENT05(3981-3981)

Variable Type : recode

Description : Other biological parent of R's 5th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4465
1	Current wife	29
2	Current cohabiting partner	13
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	4
5	Former wife (reported in Section E)	9
6	First cohabiting partner (reported in Section E)	3
7	Other sexual partner, not otherwise classified in codes 1-6	17
Total		4540

Universe : Applicable if R reported more than 4 biological children in Sections C, D, E, or F (biokids >4)

PARENT06(3982-3982)

Variable Type : recode

Description : Other biological parent of R's 6th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4513
1	Current wife	10
2	Current cohabiting partner	3
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	1
4	Recent or last partner (up to 3 most recent in last 12 months), not a former wife or cohabiting partner	1
5	Former wife (reported in Section E)	2
6	First cohabiting partner (reported in Section E)	1
7	Other sexual partner, not otherwise classified in codes 1-6	9
Total		4540

Universe : Applicable if R reported more than 5 biological children in Sections C, D, E, or F (biokids >5)

PARENT07(3983-3983)

Variable Type : recode

Description : Other biological parent of R's 7th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4530
1	Current wife	2
2	Current cohabiting partner	2
6	First cohabiting partner (reported in Section E)	1
7	Other sexual partner, not otherwise classified in codes 1-6	5
Total		4540

Universe : Applicable if R reported more than 6 biological children in Sections C, D, E, or F (biokids >6)

PARENT08(3984-3984)

Variable Type : recode

Description : Other biological parent of R's 8th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4532
1	Current wife	1
2	Current cohabiting partner	2
3	Recent or last partner (up to 3 most recent in last 12 months), also an former wife or cohabiting partner	1
6	First cohabiting partner (reported in Section E)	1
7	Other sexual partner, not otherwise classified in codes 1-6	3
Total		4540

Universe : Applicable if R reported more than 7 biological children in Sections C, D, E, or F (biokids >7)

PARENT09(3985-3985)

Variable Type : recode

Description : Other biological parent of R's 9th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4537
2	Current cohabiting partner	1
7	Other sexual partner, not otherwise classified in codes 1-6	2
Total		4540

Universe : Applicable if R reported more than 8 biological children in Sections C, D, E, or F (biokids >8)

PARENT10(3986-3986)

Variable Type : recode

Description : Other biological parent of R's 10th biological child (RECODE)

value	label	Total
.	INAPPLICABLE	4538
7	Other sexual partner, not otherwise classified in codes 1-6	2
Total		4540

Universe : Applicable if R reported more than 9 biological children in Sections C, D, E, or F (biokids >9)

WANTB01(3987-3987)

Variable Type : recode

Description : Wantedness of pregnancy: R's first biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	3086
1	LATER, OVERDUE	99
2	RIGHT TIME	792
3	TOO SOON, MISTIMED	381
4	DIDN'T CARE, INDIFFERENT	11
5	UNWANTED	133
6	DON'T KNOW, NOT SURE	9
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	29
Total		4540

Universe : Applicable if R had a biological child aged 18 or younger (cmintvw - inbiodob1 LE 216 or bioagegp1= 1 or 2)

WANTB02(3988-3988)

Variable Type : recode

Description : Wantedness of pregnancy: R's 2nd biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	3544
1	LATER, OVERDUE	64
2	RIGHT TIME	625
3	TOO SOON, MISTIMED	175
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	118
6	DON'T KNOW, NOT SURE	4
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	7
Total		4540

Universe : Applicable if R had more than one biological child aged 18 or younger (cmintvw - inbiodob2 LE 216 or bioagegp2= 1 or 2)

WANTB03(3989-3989)

Variable Type : recode

Description : Wantedness of pregnancy: R's 3rd biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4097
1	LATER, OVERDUE	30
2	RIGHT TIME	242
3	TOO SOON, MISTIMED	76
4	DIDN'T CARE, INDIFFERENT	3
5	UNWANTED	88
6	DON'T KNOW, NOT SURE	1
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	3
Total		4540

Universe : Applicable if R had more than 2 biological children aged 18 or younger (cmintvw - inbiodob3 LE 216 or bioagegp3= 1 or 2)

WANTB04(3990-3990)

Variable Type : recode

Description : Wantedness of pregnancy: R's 4th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4368
1	LATER, OVERDUE	10
2	RIGHT TIME	92
3	TOO SOON, MISTIMED	21
4	DIDN'T CARE, INDIFFERENT	2
5	UNWANTED	44
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	3
Total		4540

Universe : Applicable if R had more than 3 biological children aged 18 or younger (cmintvw - inbiodob4 LE 216 or bioagegp4= 1 or 2)

WANTB05(3991-3991)

Variable Type : recode

Description : Wantedness of pregnancy: R's 5th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4475
1	LATER, OVERDUE	4
2	RIGHT TIME	33
3	TOO SOON, MISTIMED	9
5	UNWANTED	17
6	DON'T KNOW, NOT SURE	1
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	1
Total		4540

Universe : Applicable if R had more than 4 biological children aged 18 or younger (cmintvw - inbiodob5 LE 216 or bioagep5= 1 or 2)

WANTB06(3992-3992)

Variable Type : recode

Description : Wantedness of pregnancy: R's 6th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4518
1	LATER, OVERDUE	1
2	RIGHT TIME	10
3	TOO SOON, MISTIMED	2
5	UNWANTED	9
Total		4540

Universe : Applicable if R had more than 5 biological children aged 18 or younger (cmintvw - inbiodob6 LE 216 or bioagep6= 1 or 2)

WANTB07(3993-3993)

Variable Type : recode

Description : Wantedness of pregnancy: R's 7th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4532
1	LATER, OVERDUE	1
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	1
5	UNWANTED	4
7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	1
Total		4540

Universe : Applicable if R had more than 6 biological children aged 18 or younger (cmintvw - inbiodob7 LE 216 or bioagep7= 1 or 2)

WANTB08(3994-3994)

Variable Type : recode

Description : Wantedness of pregnancy: R's 8th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4534
2	RIGHT TIME	1
3	TOO SOON, MISTIMED	1
5	UNWANTED	3

7	R DID NOT KNOW ABOUT THE PREGNANCY LEADING TO THE BIRTH	1
Total		4540

Universe : Applicable if R had more than 7 biological children aged 18 or younger (cmintvw - inbiodob8 LE 216 or bioagegp8= 1 or 2)

WANTB09(3995-3995)

Variable Type : recode

Description : Wantedness of pregnancy: R's 9th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4538
5	UNWANTED	2
Total		4540

Universe : Applicable if R had more than 8 biological children aged 18 or younger (cmintvw - inbiodob9 LE 216 or bioagegp9= 1 or 2)

WANTB10(3996-3996)

Variable Type : recode

Description : Wantedness of pregnancy: R's 10th biological child 18 or younger (RECODE)

value	label	Total
.	INAPPLICABLE	4539
5	UNWANTED	1
Total		4540

Universe : Applicable if R had more than 9 biological children aged 18 or younger (cmintvw - inbiodob10 LE 216 or bioagegp10 = 1 or 2)

HADSEX_I(3997-3997)

Variable Type : imputation flag

Description : HADSEX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

SEXONCE_I(3998-3998)

Variable Type : imputation flag

Description : SEXONCE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

VRY1STSX_I(3999-3999)

Variable Type : imputation flag

Description : VRY1STSX Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4378
1	MULTIPLE REGRESSION IMPUTATION	30
2	LOGICAL IMPUTATION	132
	Total	4540

Universe : Applicable for all respondents

VRY1STAG_I(4000-4000)

Variable Type : imputation flag

Description : VRY1STAG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4510
1	MULTIPLE REGRESSION IMPUTATION	30
	Total	4540

Universe : Applicable for all respondents

SEXMAR_I(4001-4001)

Variable Type : imputation flag

Description : SEXMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4497
1	MULTIPLE REGRESSION IMPUTATION	43
	Total	4540

Universe : Applicable for all respondents

SEXUNION_I(4002-4002)

Variable Type : imputation flag

Description : SEXUNION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4407
1	MULTIPLE REGRESSION IMPUTATION	133
	Total	4540

Universe : Applicable for all respondents

FSEXRLTN_I(4003-4003)

Variable Type : imputation flag

Description : FSEXRLTN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4518
1	MULTIPLE REGRESSION IMPUTATION	22
	Total	4540

Universe : Applicable for all respondents

SEX1MTHD1_I(4004-4004)

Variable Type : imputation flag

Description : SEX1MTHD1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4496
1	MULTIPLE REGRESSION IMPUTATION	44
Total		4540

Universe : Applicable for all respondents

SEX1MTHD2_I(4005-4005)

Variable Type : imputation flag

Description : SEX1MTHD2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4492
1	MULTIPLE REGRESSION IMPUTATION	48
Total		4540

Universe : Applicable for all respondents

SEX1MTHD3_I(4006-4006)

Variable Type : imputation flag

Description : SEX1MTHD3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4492
1	MULTIPLE REGRESSION IMPUTATION	48
Total		4540

Universe : Applicable for all respondents

SEX1MTHD4_I(4007-4007)

Variable Type : imputation flag

Description : SEX1MTHD4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4492
1	MULTIPLE REGRESSION IMPUTATION	48
Total		4540

Universe : Applicable for all respondents

LSEXDATE_I(4008-4008)

Variable Type : imputation flag

Description : LSEXDATE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4492
1	MULTIPLE REGRESSION IMPUTATION	40
2	LOGICAL IMPUTATION	8
Total		4540

Universe : Applicable for all respondents

SEX3MO_I(4009-4009)

Variable Type : imputation flag

Description : SEX3MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4500
1	MULTIPLE REGRESSION IMPUTATION	40
Total		4540

Universe : Applicable for all respondents

SEX12MO_I(4010-4010)

Variable Type : imputation flag

Description : SEX12MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4500
1	MULTIPLE REGRESSION IMPUTATION	40
Total		4540

Universe : Applicable for all respondents

LSEXRAGE_I(4011-4011)

Variable Type : imputation flag

Description : LSEXRAGE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4500
1	MULTIPLE REGRESSION IMPUTATION	40
Total		4540

Universe : Applicable for all respondents

LSEXRLTN_I(4012-4012)

Variable Type : imputation flag

Description : LSEXRLTN Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4514
1	MULTIPLE REGRESSION IMPUTATION	26
Total		4540

Universe : Applicable for all respondents

LSEXUSE1_I(4013-4013)

Variable Type : imputation flag

Description : LSEXUSE1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4509
1	MULTIPLE REGRESSION IMPUTATION	31
Total		4540

Universe : Applicable for all respondents

LSEXUSE2_I(4014-4014)

Variable Type : imputation flag

Description : LSEXUSE2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4408
1	MULTIPLE REGRESSION IMPUTATION	132
Total		4540

Universe : Applicable for all respondents

LSEXUSE3_I(4015-4015)

Variable Type : imputation flag

Description : LSEXUSE3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4396
1	MULTIPLE REGRESSION IMPUTATION	144
Total		4540

Universe : Applicable for all respondents

LSEXUSE4_I(4016-4016)

Variable Type : imputation flag

Description : LSEXUSE4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4396
1	MULTIPLE REGRESSION IMPUTATION	144
Total		4540

Universe : Applicable for all respondents

METH12M1_I(4017-4017)

Variable Type : imputation flag

Description : METH12M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4483
1	MULTIPLE REGRESSION IMPUTATION	57
Total		4540

Universe : Applicable for all respondents

METH12M2_I(4018-4018)

Variable Type : imputation flag

Description : METH12M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4408
1	MULTIPLE REGRESSION IMPUTATION	132
Total		4540

Universe : Applicable for all respondents

METH12M3_I(4019-4019)

Variable Type : imputation flag

Description : METH12M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4399
1	MULTIPLE REGRESSION IMPUTATION	141
Total		4540

Universe : Applicable for all respondents

METH12M4_I(4020-4020)

Variable Type : imputation flag

Description : METH12M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4399
1	MULTIPLE REGRESSION IMPUTATION	141
Total		4540

Universe : Applicable for all respondents

METH3M1_I(4021-4021)

Variable Type : imputation flag

Description : METH3M1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4486
1	MULTIPLE REGRESSION IMPUTATION	54
Total		4540

Universe : Applicable for all respondents

METH3M2_I(4022-4022)

Variable Type : imputation flag

Description : METH3M2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4429
1	MULTIPLE REGRESSION IMPUTATION	111
Total		4540

Universe : Applicable for all respondents

METH3M3_I(4023-4023)

Variable Type : imputation flag

Description : METH3M3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4422
1	MULTIPLE REGRESSION IMPUTATION	118
Total		4540

Universe : Applicable for all respondents

METH3M4_I(4024-4024)

Variable Type : imputation flag

Description : METH3M4 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4422
1	MULTIPLE REGRESSION IMPUTATION	118
Total		4540

Universe : Applicable for all respondents

NUMP3MOS_I(4025-4025)

Variable Type : imputation flag

Description : NUMP3MOS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4496
1	MULTIPLE REGRESSION IMPUTATION	43
2	LOGICAL IMPUTATION	1
Total		4540

Universe : Applicable for all respondents

LIFPRTNR_I(4026-4026)

Variable Type : imputation flag

Description : LIFPRTNR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4402
1	MULTIPLE REGRESSION IMPUTATION	138
Total		4540

Universe : Applicable for all respondents

PARTS1YR_I(4027-4027)

Variable Type : imputation flag

Description : PARTS1YR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4537
1	MULTIPLE REGRESSION IMPUTATION	3
Total		4540

Universe : Applicable for all respondents

PARTDUR1_I(4028-4028)

Variable Type : imputation flag

Description : PARTDUR1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4441
1	MULTIPLE REGRESSION IMPUTATION	72
2	LOGICAL IMPUTATION	27
Total		4540

Universe : Applicable for all respondents

PARTDUR2_I(4029-4029)

Variable Type : imputation flag

Description : PARTDUR2 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4523
1	MULTIPLE REGRESSION IMPUTATION	13
2	LOGICAL IMPUTATION	4
Total		4540

Universe : Applicable for all respondents

PARTDUR3_I(4030-4030)

Variable Type : imputation flag

Description : PARTDUR3 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4529
1	MULTIPLE REGRESSION IMPUTATION	11
Total		4540

Universe : Applicable for all respondents

COHEVER_I(4031-4031)

Variable Type : imputation flag

Description : COHEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

EVMARCOH_I(4032-4032)

Variable Type : imputation flag

Description : EVMARCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

PMARRNO_I(4033-4033)

Variable Type : imputation flag

Description : PMARRNO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4535
1	MULTIPLE REGRESSION IMPUTATION	5
Total		4540

Universe : Applicable for all respondents

NONMARR_I(4034-4034)

Variable Type : imputation flag

Description : NONMARR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4538
1	MULTIPLE REGRESSION IMPUTATION	2
Total		4540

Universe : Applicable for all respondents

TIMESCOH_I(4035-4035)

Variable Type : imputation flag

Description : TIMESCOH Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4531
1	MULTIPLE REGRESSION IMPUTATION	9
Total		4540

Universe : Applicable for all respondents

MARDAT01_I(4036-4036)

Variable Type : imputation flag

Description : MARDAT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4496
1	MULTIPLE REGRESSION IMPUTATION	14
2	LOGICAL IMPUTATION	30
Total		4540

Universe : Applicable for all respondents

MARDAT02_I(4037-4037)

Variable Type : imputation flag

Description : MARDAT02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4531
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	7
Total		4540

Universe : Applicable for all respondents

MARDAT03_I(4038-4038)

Variable Type : imputation flag

Description : MARDAT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4537
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	2

Total **4540**

Universe : Applicable for all respondents

MARDAT04_I(4039-4039)

Variable Type : imputation flag

Description : MARDAT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

MAREND01_I(4040-4040)

Variable Type : imputation flag

Description : MAREND01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4510
1	MULTIPLE REGRESSION IMPUTATION	30
Total		4540

Universe : Applicable for all respondents

MAREND02_I(4041-4041)

Variable Type : imputation flag

Description : MAREND02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4533
1	MULTIPLE REGRESSION IMPUTATION	7
Total		4540

Universe : Applicable for all respondents

MAREND03_I(4042-4042)

Variable Type : imputation flag

Description : MAREND03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4537
1	MULTIPLE REGRESSION IMPUTATION	3
Total		4540

Universe : Applicable for all respondents

MAREND04_I(4043-4043)

Variable Type : imputation flag

Description : MAREND04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4538
1	MULTIPLE REGRESSION IMPUTATION	2
Total		4540

Universe : Applicable for all respondents

MARDIS01_I(4044-4044)

Variable Type : imputation flag

Description : MARDIS01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4489
1	MULTIPLE REGRESSION IMPUTATION	16
2	LOGICAL IMPUTATION	35
Total		4540

Universe : Applicable for all respondents

MARDIS02_I(4045-4045)

Variable Type : imputation flag

Description : MARDIS02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4530
1	MULTIPLE REGRESSION IMPUTATION	1
2	LOGICAL IMPUTATION	9
Total		4540

Universe : Applicable for all respondents

MARDIS03_I(4046-4046)

Variable Type : imputation flag

Description : MARDIS03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4537
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		4540

Universe : Applicable for all respondents

MARDIS04_I(4047-4047)

Variable Type : imputation flag

Description : MARDIS04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

MAR1DISS_I(4048-4048)

Variable Type : imputation flag

Description : MAR1DISS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4516

1	MULTIPLE REGRESSION IMPUTATION	23
2	LOGICAL IMPUTATION	1
Total		4540

Universe : Applicable for all respondents

PREMARW1_I(4049-4049)

Variable Type : imputation flag

Description : PREMARW1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4535
1	MULTIPLE REGRESSION IMPUTATION	5
Total		4540

Universe : Applicable for all respondents

COHAB1_I(4050-4050)

Variable Type : imputation flag

Description : COHAB1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4440
1	MULTIPLE REGRESSION IMPUTATION	100
Total		4540

Universe : Applicable for all respondents

COHSTAT_I(4051-4051)

Variable Type : imputation flag

Description : COHSTAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4491
1	MULTIPLE REGRESSION IMPUTATION	49
Total		4540

Universe : Applicable for all respondents

COHOUT_I(4052-4052)

Variable Type : imputation flag

Description : COHOUT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4434
1	MULTIPLE REGRESSION IMPUTATION	106
Total		4540

Universe : Applicable for all respondents

COH1DUR_I(4053-4053)

Variable Type : imputation flag

Description : COH1DUR Imputation Flag

value	label	Total
--------------	--------------	--------------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	4406
1	MULTIPLE REGRESSION IMPUTATION	134
Total		4540

Universe : Applicable for all respondents

CSPBIOKD_I(4054-4054)

Variable Type : imputation flag

Description : CSPBIOKD Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4538
1	MULTIPLE REGRESSION IMPUTATION	2
Total		4540

Universe : Applicable for all respondents

DATBABY1_I(4055-4055)

Variable Type : imputation flag

Description : DATBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4528
1	MULTIPLE REGRESSION IMPUTATION	12
Total		4540

Universe : Applicable for all respondents

AGEBABY1_I(4056-4056)

Variable Type : imputation flag

Description : AGEBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4528
1	MULTIPLE REGRESSION IMPUTATION	12
Total		4540

Universe : Applicable for all respondents

B1PREMAR_I(4057-4057)

Variable Type : imputation flag

Description : B1PREMAR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4524
1	MULTIPLE REGRESSION IMPUTATION	16
Total		4540

Universe : Applicable for all respondents

MARBABY1_I(4058-4058)

Variable Type : imputation flag

Description : MARBABY1 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
	Total	4540

Universe : Applicable for all respondents

CEBOW_I(4059-4059)

Variable Type : imputation flag

Description : CEBOW Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
	Total	4540

Universe : Applicable for all respondents

CEBOWC_I(4060-4060)

Variable Type : imputation flag

Description : CEBOWC Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
	Total	4540

Universe : Applicable for all respondents

CEBOWP_I(4061-4061)

Variable Type : imputation flag

Description : CEBOWP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4538
2	LOGICAL IMPUTATION	2
	Total	4540

Universe : Applicable for all respondents

EVRNOPAT_I(4062-4062)

Variable Type : imputation flag

Description : EVRNOPAT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4538
2	LOGICAL IMPUTATION	2
	Total	4540

Universe : Applicable for all respondents

NONLIVEB_I(4063-4063)

Variable Type : imputation flag

Description : NONLIVEB Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4523

2	LOGICAL IMPUTATION	17
	Total	4540

Universe : Applicable for all respondents

COMPREG_I(4064-4064)

Variable Type : imputation flag

Description : COMPREG Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4534
2	LOGICAL IMPUTATION	6
	Total	4540

Universe : Applicable for all respondents

ABORTION_I(4065-4065)

Variable Type : imputation flag

Description : ABORTION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4516
1	MULTIPLE REGRESSION IMPUTATION	6
2	LOGICAL IMPUTATION	18
	Total	4540

Universe : Applicable for all respondents

LOSSNUM_I(4066-4066)

Variable Type : imputation flag

Description : LOSSNUM Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4518
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	19
	Total	4540

Universe : Applicable for all respondents

PARENT01_I(4067-4067)

Variable Type : imputation flag

Description : PARENT01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
	Total	4540

Universe : Applicable for all respondents

PARENT02_I(4068-4068)

Variable Type : imputation flag

Description : PARENT02 Imputation Flag

value	label	Total
-------	-------	-------

0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

PARENT03_I(4069-4069)

Variable Type : imputation flag

Description : PARENT03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

PARENT04_I(4070-4070)

Variable Type : imputation flag

Description : PARENT04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

PARENT05_I(4071-4071)

Variable Type : imputation flag

Description : PARENT05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

PARENT06_I(4072-4072)

Variable Type : imputation flag

Description : PARENT06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

PARENT07_I(4073-4073)

Variable Type : imputation flag

Description : PARENT07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

PARENT08_I(4074-4074)

Variable Type : imputation flag

Description : PARENT08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

PARENT09_I(4075-4075)

Variable Type : imputation flag

Description : PARENT09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

PARENT10_I(4076-4076)

Variable Type : imputation flag

Description : PARENT10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

WANTB01_I(4077-4077)

Variable Type : imputation flag

Description : WANTB01 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4532
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	6
Total		4540

Universe : Applicable for all respondents

WANTB02_I(4078-4078)

Variable Type : imputation flag

Description : WANTB02 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4535
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	2
Total		4540

Universe : Applicable for all respondents

WANTB03_I(4079-4079)

Variable Type : imputation flag

Description : WANTB03 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4537
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	1
Total		4540

Universe : Applicable for all respondents

WANTB04_I(4080-4080)

Variable Type : imputation flag

Description : WANTB04 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

WANTB05_I(4081-4081)

Variable Type : imputation flag

Description : WANTB05 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

WANTB06_I(4082-4082)

Variable Type : imputation flag

Description : WANTB06 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

WANTB07_I(4083-4083)

Variable Type : imputation flag

Description : WANTB07 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

WANTB08_I(4084-4084)

Variable Type : imputation flag

Description : WANTB08 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

WANTB09_I(4085-4085)

Variable Type : imputation flag

Description : WANTB09 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

WANTB10_I(4086-4086)

Variable Type : imputation flag

Description : WANTB10 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RG) Section G Recodes

DADTYPE(4087-4087)

Variable Type : recode

Description : Type of children aged 18 or younger that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN	1167
2	ONLY NON-CORESIDENTIAL CHILDREN	340
3	BOTH CORESIDENTIAL AND NON-CORESIDENTIAL CHILDREN	181
4	NO CHILDREN 18 OR YOUNGER, NO CHILDREN AT ALL, OR NEVER HAD SEXUAL INTERCOURSE	2852
Total		4540

Universe : Applicable for all respondents

DADTYP5(4088-4088)

Variable Type : recode

Description : Type of children under 5 that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN UNDER 5	664
2	ONLY NON-CORESIDENTIAL CHILDREN UNDER 5	128
3	BOTH CORESIDENTIAL AND NONCORESIDENTIAL CHILDREN UNDER 5	18
4	NEITHER CORESIDENTIAL OR NONCORESIDENTIAL CHILDREN UNDER 5, NO CHILDREN, OR NEVER HAD SEXUAL INTERCOURSE	3730
Total		4540

Universe : Applicable for all respondents

DADTYP518(4089-4089)

Variable Type : recode

Description : Type of children 5-18 that R has (RECODE)

value	label	Total
1	ONLY CORESIDENTIAL CHILDREN 5 TO 18	855
2	ONLY NON-CORESIDENTIAL CHILDREN 5 TO 18	305
3	BOTH CORESIDENTIAL AND NONCORESIDENTIAL CHILDREN 5 TO 18	131
4	NEITHER CORESIDENTIAL OR NONCORESIDENTIAL CHILDREN 5 TO 18, NO CHILDREN AT ALL, OR NEVER HAD SEXUAL INTERCOURSE	3249
	Total	4540

Universe : Applicable for all respondents

NUMCRU18(4090-4090)

Variable Type : recode

Description : Number of coresidential children (<= 18 yrs old) (RECODE)

value	label	Total
0	NONE	3192
1	1 CHILD	526
2	2 CHILDREN	527
3	3 CHILDREN	205
4	4 OR MORE CHILDREN	90
	Total	4540

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

NUMNCU18(4091-4091)

Variable Type : recode

Description : Number of noncoresidential children (< = 18 yrs old) (RECODE)

value	label	Total
0	NONE	4019
1	1 CHILD	302
2	2 CHILDREN	145
3	3 CHILDREN	48
4-95	4 OR MORE CHILDREN	26
	Total	4540

Universe : Applicable for all respondents

SUPP12MO(4092-4092)

Variable Type : recode

Description : Contribution of child support in last 12 months (RECODE)

value	label	Total
.	INAPPLICABLE	4019
1	CONTRIBUTED CHILD SUPPORT ON A REGULAR BASIS IN LAST 12 MONTHS	361
2	CONTRIBUTED CHILD SUPPORT ONCE IN A WHILE IN LAST 12 MONTHS	74
3	DID NOT CONTRIBUTE CHILD SUPPORT IN LAST 12 MONTHS	86
	Total	4540

Universe : Applicable if R has any non-coresidential biological or adopted children aged 18 or younger (ncall > 0)

DADTYPE_I(4093-4093)

Variable Type : imputation flag

Description : DADTYPE Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
	Total	4540

Universe : Applicable for all respondents

DADTYPU5_I(4094-4094)

Variable Type : imputation flag

Description : DADTYPU5 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
	Total	4540

Universe : Applicable for all respondents

DADTYP518_I(4095-4095)

Variable Type : imputation flag

Description : DADTYP518 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
	Total	4540

Universe : Applicable for all respondents

NUMCRU18_I(4096-4096)

Variable Type : imputation flag

Description : NUMCRU18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
	Total	4540

Universe : Applicable for all respondents

NUMNCU18_I(4097-4097)

Variable Type : imputation flag

Description : NUMNCU18 Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
	Total	4540

Universe : Applicable for all respondents

SUPP12MO_I(4098-4098)

Variable Type : imputation flag

Description : SUPP12MO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4536
1	MULTIPLE REGRESSION IMPUTATION	4
	Total	4540

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RH) Section H Recodes

INTENT(4099-4099)

Variable Type : recode

Description : Intentions for additional births (RECODE)

value	label	Total
1	R intends to have (more) children	2602
2	R does not intend to have (more) children	1904
3	R does not know his intent	34
	Total	4540

Universe : Applicable for all respondents

ADDEXP(4100-4102)

Variable Type : recode

Description : Central number of additional births expected (RECODE)

value	label	Total
0	NO ADDITIONAL BIRTHS	1859
5	.5 ADDITIONAL BIRTHS	8
10	1 ADDITIONAL BIRTH	750
15	1.5 ADDITIONAL BIRTHS	20
20	2 ADDITIONAL BIRTHS	1281
25	2.5 ADDITIONAL BIRTHS	9
30	3 ADDITIONAL BIRTHS	403
35	3.5 ADDITIONAL BIRTHS	2
40	4 ADDITIONAL BIRTHS	134
45	4.5 ADDITIONAL BIRTHS	4
50	5 ADDITIONAL BIRTHS	38
55	5.5 ADDITIONAL BIRTHS	1
60	6 ADDITIONAL BIRTHS	16
65	6.5 ADDITIONAL BIRTHS	1
70	7 ADDITIONAL BIRTHS	2
80	8 ADDITIONAL BIRTHS	4
100-995	10 OR MORE ADDITIONAL BIRTHS	8
	Total	4540

Universe : Applicable for all respondents

INTENT_I(4103-4103)

Variable Type : imputation flag

Description : INTENT Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540

Total **4540**

Universe : Applicable for all respondents

ADDEXP_I(4104-4104)

Variable Type : imputation flag

Description : ADDEXP Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4528
1	MULTIPLE REGRESSION IMPUTATION	12
Total		4540

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RI) Section I Recodes

CURR_INS(4105-4105)

Variable Type : recode

Description : Current health insurance status (RECODE)

value	label	Total
1	Currently covered by private health insurance or Medi-Gap	2750
2	Currently covered by Medicaid, CHIP, or a state-sponsored health plan	699
3	Currently covered by Medicare, military health care, or other government health care	281
4	Currently covered only by a single-service plan, only by the Indian Health Service, or currently not covered by health insurance	810
Total		4540

Universe : Applicable for all respondents

INFEVER(4106-4106)

Variable Type : recode

Description : Ever used infertility services (RECODE)

value	label	Total
.	INAPPLICABLE	746
1	YES	235
2	NO	3559
Total		4540

Universe : Applicable if respondent has ever had sexual intercourse with a female (HADSEX = 1)

EVHIVTST(4107-4107)

Variable Type : recode

Description : Ever had an HIV test

value	label	Total
0	NO HIV TEST REPORTED	1552
1	YES, ONLY AS PART OF BLOOD DONATION	773
2	YES, ONLY OUTSIDE OF BLOOD DONATION	1147
3	YES, IN BOTH CONTEXTS	1068
Total		4540

Universe : Applicable for all respondents

CURR_INS_I(4108-4108)

Variable Type : imputation flag

Description : CURR_INS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4417
1	MULTIPLE REGRESSION IMPUTATION	123
Total		4540

Universe : Applicable for all respondents

INFEVER_I(4109-4109)

Variable Type : imputation flag

Description : INFEVER Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
Total		4540

Universe : Applicable for all respondents

EVHIVTST_I(4110-4110)

Variable Type : imputation flag

Description : EVHIVTST Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4492
1	MULTIPLE REGRESSION IMPUTATION	48
Total		4540

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RJ) Section J Recodes

METRO(4111-4111)

Variable Type : recode

Description : Place of residence (metropolitan-non-metropolitan) (RECODE)

value	label	Total
1	PRINCIPAL CITY OF MSA	1779
2	OTHER MSA	2139
3	NOT MSA	622
Total		4540

Universe : Applicable for all respondents

RELIGION(4112-4112)

Variable Type : recode

Description : Current religious affiliation (RECODE)

value	label	Total
1	No religion	1410
2	Catholic	820
3	Protestant	1892

4	Other religion	418
	Total	4540

Universe : Applicable for all respondents

Notes : Please refer to the [2011-2013 user's guide](#) for more information on religion data in the NSFG

LABORFOR(4113-4113)

Variable Type : recode

Description : Labor force status (RECODE)

value	label	Total
1	Working full-time	2475
2	Working part-time	714
3	Working, but on vacation, strike, or had temporary illness	160
4	Working - paternity or family leave	6
5	Not working but looking for work	242
6	In school	533
7	Keeping house	190
8	Caring for family	25
9	Other	195
	Total	4540

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

METRO_I(4114-4114)

Variable Type : imputation flag

Description : METRO Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
	Total	4540

Universe : Applicable for all respondents

RELIGION_I(4115-4115)

Variable Type : imputation flag

Description : RELIGION Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4519
1	MULTIPLE REGRESSION IMPUTATION	21
	Total	4540

Universe : Applicable for all respondents

LABORFOR_I(4116-4116)

Variable Type : imputation flag

Description : LABORFOR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4540
	Total	4540

Universe : Applicable for all respondents

Male Respondent File Codebook :: SECTION R: Recode Variables and Imputation Flags :: (RK) Section K Recodes

POVERTY(4117-4119)

Variable Type : recode

Description : Poverty level income (RECODE)

value	label	Total
0-99	0-99 percent of poverty level	861
100-199	100-199 percent of poverty level	967
200-299	200-299 percent of poverty level	741
300-399	300-399 percent of poverty level	599
400-499	400-499 percent of poverty level	383
500	500 percent of poverty level or greater	989
Total		4540

Universe : Applicable for all respondents

Notes : This variable has been modified for public use, and the original variable is accessible by application to the NCHS Research Data Center. See Appendix 7 of the User's Guide for further information.

TOTINCR(4120-4121)

Variable Type : recode

Description : Total income of R's family (RECODE)

value	label	Total
1	Under \$5000	193
2	\$5000-\$7499	87
3	\$7500-\$9999	109
4	\$10,000-\$12,499	136
5	\$12,500-\$14,999	154
6	\$15,000-\$19,999	186
7	\$20,000-\$24,999	262
8	\$25,000-\$29,999	288
9	\$30,000-\$34,999	293
10	\$35,000-\$39,999	243
11	\$40,000-\$49,999	363
12	\$50,000-\$59,999	426
13	\$60,000-\$74,999	475
14	\$75,000-\$99,999	462
15	\$100,000 or more	863
Total		4540

Universe : Applicable for all respondents

PUBASSIS(4122-4122)

Variable Type : recode

Description : Whether R or any member of his family received public assistance in the calendar year before the interview (RECODE)

value	label	Total
1	Yes (received public assistance in [INTERVIEW YEAR -1])	1147
2	No (did not receive public assistance in [INTERVIEW YEAR -1])	3393
Total		4540

Universe : Applicable for all respondents

POVERTY_I(4123-4123)

Variable Type : imputation flag

Description : POVERTY Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4068
1	MULTIPLE REGRESSION IMPUTATION	461
2	LOGICAL IMPUTATION	11
Total		4540

Universe : Applicable for all respondents

TOTINCR_I(4124-4124)

Variable Type : imputation flag

Description : TOTINCR Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4068
1	MULTIPLE REGRESSION IMPUTATION	461
2	LOGICAL IMPUTATION	11
Total		4540

Universe : Applicable for all respondents

PUBASSIS_I(4125-4125)

Variable Type : imputation flag

Description : PUBASSIS Imputation Flag

value	label	Total
0	QUESTIONNAIRE DATA (NOT IMPUTED)	4353
1	MULTIPLE REGRESSION IMPUTATION	187
Total		4540

Universe : Applicable for all respondents